


## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth | 80MHz      | Channel   | 138       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7466.03     | 38.63          | -0.51       | 38.12          | 54.00          | 15.88       | Horizontal | PASS    |
| 2   | 11610.39    | 35.76          | 6.07        | 41.83          | 54.00          | 12.17       | Horizontal | PASS    |
| 3   | 17882.70    | 32.90          | 13.71       | 46.61          | 54.00          | 7.39        | Horizontal | PASS    |
| 4   | 5681.39     | 91.37          | 13.12       | 104.49         | -              | -           | Horizontal | NA      |
| 5   | 7487.88     | 44.35          | -0.51       | 43.84          | 74.00          | 30.16       | Horizontal | PASS    |
| 6   | 11471.23    | 42.72          | 5.55        | 48.27          | 74.00          | 25.73       | Horizontal | PASS    |
| 7   | 17928.31    | 39.50          | 13.68       | 53.18          | 74.00          | 20.82       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth | 80MHz      | Channel   | 138       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7512.42     | 37.87          | -0.50       | 37.37          | 54.00          | 16.63       | Vertical | PASS    |
| 2   | 11444.01    | 35.81          | 5.57        | 41.38          | 54.00          | 12.62       | Vertical | PASS    |
| 3   | 17885.38    | 33.48          | 13.73       | 47.21          | 54.00          | 6.79        | Vertical | PASS    |
| 4   | 5688.91     | 93.48          | 13.11       | 106.59         | -              | -           | Vertical | NA      |
| 5   | 7675.34     | 44.31          | 0.27        | 44.58          | 74.00          | 29.42       | Vertical | PASS    |
| 6   | 12246.36    | 42.18          | 6.23        | 48.41          | 74.00          | 25.59       | Vertical | PASS    |
| 7   | 17885.76    | 39.48          | 13.73       | 53.21          | 74.00          | 20.79       | Vertical | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | UNII-2C&3 |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7273.21     | 37.29          | -0.14       | 37.15          | 54.00          | 16.85       | Horizontal | PASS    |
| 2   | 11353.16    | 35.66          | 5.79        | 41.45          | 54.00          | 12.55       | Horizontal | PASS    |
| 3   | 17829.03    | 33.15          | 13.16       | 46.31          | 54.00          | 7.69        | Horizontal | PASS    |
| 4   | 5572.67     | 84.85          | 12.55       | 97.40          | -              | -           | Horizontal | NA      |
| 5   | 7453.00     | 44.83          | -0.51       | 44.32          | 74.00          | 29.68       | Horizontal | PASS    |
| 6   | 12393.95    | 42.72          | 6.43        | 49.15          | 74.00          | 24.85       | Horizontal | PASS    |
| 7   | 17960.52    | 40.15          | 13.47       | 53.62          | 74.00          | 20.38       | Horizontal | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | UNII-2C&3 |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7431.53     | 37.78          | -0.40       | 37.38          | 54.00          | 16.62       | Vertical | PASS    |
| 2   | 11446.31    | 36.34          | 5.56        | 41.90          | 54.00          | 12.10       | Vertical | PASS    |
| 3   | 17993.48    | 33.61          | 13.24       | 46.85          | 54.00          | 7.15        | Vertical | PASS    |
| 4   | 5565.34     | 90.26          | 12.50       | 102.76         | -              | -           | Vertical | NA      |
| 5   | 7589.47     | 44.40          | -0.41       | 43.99          | 74.00          | 30.01       | Vertical | PASS    |
| 6   | 12075.77    | 43.18          | 5.90        | 49.08          | 74.00          | 24.92       | Vertical | PASS    |
| 7   | 17866.21    | 40.13          | 13.53       | 53.66          | 74.00          | 20.34       | Vertical | PASS    |

## Project Information

|           |          |           |           |
|-----------|----------|-----------|-----------|
| Mode:     | 802.11a  | Band:     | UNII-3    |
| Bandwidth | 20MHz    | Channel   | 149       |
| SN:       | 17aba958 | Engineer: | Tian Shuo |
| Remark:   | Y        |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7469.10     | 38.18          | -0.51       | 37.67          | 54.00          | 16.33       | Horizontal | PASS    |
| 2   | 12098.00    | 35.66          | 5.99        | 41.65          | 54.00          | 12.35       | Horizontal | PASS    |
| 3   | 17909.53    | 32.97          | 13.82       | 46.79          | 54.00          | 7.21        | Horizontal | PASS    |
| 4   | 5743.91     | 96.86          | 12.77       | 109.63         | -              | -           | Horizontal | NA      |
| 5   | 7446.86     | 44.32          | -0.49       | 43.83          | 74.00          | 30.17       | Horizontal | PASS    |
| 6   | 12182.72    | 42.84          | 6.28        | 49.12          | 74.00          | 24.88       | Horizontal | PASS    |
| 7   | 17794.14    | 41.25          | 12.80       | 54.05          | 74.00          | 19.95       | Horizontal | PASS    |

## Project Information

|           |          |           |           |
|-----------|----------|-----------|-----------|
| Mode:     | 802.11a  | Band:     | UNII-3    |
| Bandwidth | 20MHz    | Channel   | 149       |
| SN:       | 17aba958 | Engineer: | Tian Shuo |
| Remark:   | Y        |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7463.35     | 38.02          | -0.51       | 37.51          | 54.00          | 16.49       | Vertical | PASS    |
| 2   | 12147.45    | 35.79          | 6.15        | 41.94          | 54.00          | 12.06       | Vertical | PASS    |
| 3   | 17884.61    | 33.01          | 13.72       | 46.73          | 54.00          | 7.27        | Vertical | PASS    |
| 4   | 5742.99     | 99.27          | 12.77       | 112.04         | -              | -           | Vertical | NA      |
| 5   | 7596.75     | 44.35          | -0.41       | 43.94          | 74.00          | 30.06       | Vertical | PASS    |
| 6   | 12186.94    | 42.88          | 6.28        | 49.16          | 74.00          | 24.84       | Vertical | PASS    |
| 7   | 17981.60    | 39.84          | 13.33       | 53.17          | 74.00          | 20.83       | Vertical | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 157       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

## Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7453.77     | 38.11          | -0.51       | 37.60          | 54.00          | 16.40       | Horizontal | PASS    |
| 2   | 11406.83    | 36.15          | 5.57        | 41.72          | 54.00          | 12.28       | Horizontal | PASS    |
| 3   | 17912.98    | 33.38          | 13.79       | 47.17          | 54.00          | 6.83        | Horizontal | PASS    |
| 4   | 5785.89     | 96.25          | 12.75       | 109.00         | -              | -           | Horizontal | NA      |
| 5   | 7453.38     | 44.34          | -0.51       | 43.83          | 74.00          | 30.17       | Horizontal | PASS    |
| 6   | 11316.36    | 42.49          | 5.94        | 48.43          | 74.00          | 25.57       | Horizontal | PASS    |
| 7   | 17794.14    | 40.11          | 12.80       | 52.91          | 74.00          | 21.09       | Horizontal | PASS    |

## Project Information

|           |          |           |           |
|-----------|----------|-----------|-----------|
| Mode:     | 802.11a  | Band:     | UNII-3    |
| Bandwidth | 20MHz    | Channel   | 157       |
| SN:       | 17aba958 | Engineer: | Tian Shuo |
| Remark:   | Y        |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7600.97     | 38.17          | -0.39       | 37.78          | 54.00          | 16.22       | Vertical | PASS    |
| 2   | 11298.73    | 35.55          | 6.02        | 41.57          | 54.00          | 12.43       | Vertical | PASS    |
| 3   | 17926.01    | 32.97          | 13.70       | 46.67          | 54.00          | 7.33        | Vertical | PASS    |
| 4   | 5785.71     | 98.60          | 12.75       | 111.35         | -              | -           | Vertical | NA      |
| 5   | 7562.25     | 44.55          | -0.45       | 44.10          | 74.00          | 29.90       | Vertical | PASS    |
| 6   | 11321.34    | 42.58          | 5.93        | 48.51          | 74.00          | 25.49       | Vertical | PASS    |
| 7   | 17815.99    | 40.89          | 13.02       | 53.91          | 74.00          | 20.09       | Vertical | PASS    |

## Project Information

|           |          |           |           |
|-----------|----------|-----------|-----------|
| Mode:     | 802.11a  | Band:     | UNII-3    |
| Bandwidth | 20MHz    | Channel   | 165       |
| SN:       | 17aba958 | Engineer: | Tian Shuo |
| Remark:   | Y        |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7456.45     | 37.86          | -0.51       | 37.35          | 54.00          | 16.65       | Horizontal | PASS    |
| 2   | 11650.26    | 36.08          | 6.02        | 42.10          | 54.00          | 11.90       | Horizontal | PASS    |
| 3   | 17800.66    | 33.89          | 12.87       | 46.76          | 54.00          | 7.24        | Horizontal | PASS    |
| 4   | 5826.96     | 96.50          | 12.81       | 109.31         | -              | -           | Horizontal | NA      |
| 5   | 7476.38     | 44.27          | -0.51       | 43.76          | 74.00          | 30.24       | Horizontal | PASS    |
| 6   | 11941.60    | 42.84          | 5.83        | 48.67          | 74.00          | 25.33       | Horizontal | PASS    |
| 7   | 17984.28    | 40.27          | 13.31       | 53.58          | 74.00          | 20.42       | Horizontal | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 165       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7483.28     | 38.13          | -0.51       | 37.62          | 54.00          | 16.38       | Vertical | PASS    |
| 2   | 12163.17    | 35.85          | 6.21        | 42.06          | 54.00          | 11.94       | Vertical | PASS    |
| 3   | 17980.07    | 33.47          | 13.34       | 46.81          | 54.00          | 7.19        | Vertical | PASS    |
| 4   | 5826.78     | 97.54          | 12.81       | 110.35         | -              | -           | Vertical | NA      |
| 5   | 7451.47     | 44.69          | -0.51       | 44.18          | 74.00          | 29.82       | Vertical | PASS    |
| 6   | 12121.39    | 42.99          | 6.07        | 49.06          | 74.00          | 24.94       | Vertical | PASS    |
| 7   | 17861.61    | 39.67          | 13.49       | 53.16          | 74.00          | 20.84       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth | 20MHz      | Channel   | 165       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7347.19     | 37.62          | -0.38       | 37.24          | 54.00          | 16.76       | Horizontal | PASS    |
| 2   | 11650.26    | 36.08          | 6.02        | 42.10          | 54.00          | 11.90       | Horizontal | PASS    |
| 3   | 17973.55    | 33.31          | 13.38       | 46.69          | 54.00          | 7.31        | Horizontal | PASS    |
| 4   | 5822.93     | 95.82          | 12.82       | 108.64         | -              | -           | Horizontal | NA      |
| 5   | 7455.68     | 45.36          | -0.51       | 44.85          | 74.00          | 29.15       | Horizontal | PASS    |
| 6   | 12088.42    | 42.87          | 5.95        | 48.82          | 74.00          | 25.18       | Horizontal | PASS    |
| 7   | 17942.11    | 39.54          | 13.60       | 53.14          | 74.00          | 20.86       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth | 20MHz      | Channel   | 165       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7464.12     | 37.92          | -0.51       | 37.41          | 54.00          | 16.59       | Vertical | PASS    |
| 2   | 12100.30    | 36.38          | 6.00        | 42.38          | 54.00          | 11.62       | Vertical | PASS    |
| 3   | 17962.82    | 33.89          | 13.45       | 47.34          | 54.00          | 6.66        | Vertical | PASS    |
| 4   | 5825.86     | 97.74          | 12.81       | 110.55         | -              | -           | Vertical | NA      |
| 5   | 7483.67     | 44.70          | -0.51       | 44.19          | 74.00          | 29.81       | Vertical | PASS    |
| 6   | 12144.00    | 42.43          | 6.15        | 48.58          | 74.00          | 25.42       | Vertical | PASS    |
| 7   | 17963.97    | 39.75          | 13.45       | 53.20          | 74.00          | 20.80       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth | 40MHz      | Channel   | 159       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7361.00     | 37.61          | -0.34       | 37.27          | 54.00          | 16.73       | Horizontal | PASS    |
| 2   | 11289.14    | 36.30          | 6.01        | 42.31          | 54.00          | 11.69       | Horizontal | PASS    |
| 3   | 17888.83    | 33.34          | 13.77       | 47.11          | 54.00          | 6.89        | Horizontal | PASS    |
| 4   | 5796.34     | 94.98          | 12.77       | 107.75         | -              | -           | Horizontal | NA      |
| 5   | 7409.68     | 44.38          | -0.27       | 44.11          | 74.00          | 29.89       | Horizontal | PASS    |
| 6   | 11488.10    | 42.50          | 5.54        | 48.04          | 74.00          | 25.96       | Horizontal | PASS    |
| 7   | 17930.23    | 39.49          | 13.67       | 53.16          | 74.00          | 20.84       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth | 40MHz      | Channel   | 159       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7599.44     | 37.77          | -0.40       | 37.37          | 54.00          | 16.63       | Vertical | PASS    |
| 2   | 11994.88    | 36.34          | 5.62        | 41.96          | 54.00          | 12.04       | Vertical | PASS    |
| 3   | 17906.46    | 32.78          | 13.84       | 46.62          | 54.00          | 7.38        | Vertical | PASS    |
| 4   | 5797.08     | 95.95          | 12.77       | 108.72         | -              | -           | Vertical | NA      |
| 5   | 7461.82     | 44.53          | -0.51       | 44.02          | 74.00          | 29.98       | Vertical | PASS    |
| 6   | 12061.59    | 43.16          | 5.84        | 49.00          | 74.00          | 25.00       | Vertical | PASS    |
| 7   | 17978.92    | 39.91          | 13.35       | 53.26          | 74.00          | 20.74       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac80 | Band:     | UNII-3    |
| Bandwidth | 80MHz      | Channel   | 155       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7616.30     | 37.68          | -0.27       | 37.41          | 54.00          | 16.59       | Horizontal | PASS    |
| 2   | 11550.20    | 35.69          | 5.81        | 41.50          | 54.00          | 12.50       | Horizontal | PASS    |
| 3   | 17879.63    | 32.97          | 13.67       | 46.64          | 54.00          | 7.36        | Horizontal | PASS    |
| 4   | 5778.38     | 91.23          | 12.74       | 103.97         | -              | -           | Horizontal | NA      |
| 5   | 7406.23     | 44.19          | -0.24       | 43.95          | 74.00          | 30.05       | Horizontal | PASS    |
| 6   | 11461.65    | 43.01          | 5.56        | 48.57          | 74.00          | 25.43       | Horizontal | PASS    |
| 7   | 17909.91    | 39.74          | 13.81       | 53.55          | 74.00          | 20.45       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-3    |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7490.57     | 37.68          | -0.51       | 37.17          | 54.00          | 16.83       | Vertical | PASS    |
| 2   | 11468.93    | 35.87          | 5.55        | 41.42          | 54.00          | 12.58       | Vertical | PASS    |
| 3   | 17932.15    | 32.88          | 13.66       | 46.54          | 54.00          | 7.46        | Vertical | PASS    |
| 4   | 5779.66     | 93.39          | 12.75       | 106.14         | -              | -           | Vertical | NA      |
| 5   | 7423.48     | 44.72          | -0.35       | 44.37          | 74.00          | 29.63       | Vertical | PASS    |
| 6   | 11168.77    | 42.34          | 5.81        | 48.15          | 74.00          | 25.85       | Vertical | PASS    |
| 7   | 17835.54    | 40.99          | 13.22       | 54.21          | 74.00          | 19.79       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7445.71     | 38.96          | -0.48       | 38.48          | 54.00          | 15.52       | Horizontal | PASS    |
| 2         | 11650.26    | 36.68          | 6.02        | 42.70          | 54.00          | 11.30       | Horizontal | PASS    |
| 3         | 17844.74    | 33.46          | 13.32       | 46.78          | 54.00          | 7.22        | Horizontal | PASS    |
| 4         | 5825.86     | 98.44          | 12.81       | 111.25         | -              | -           | Horizontal | NA      |
| 5         | 7488.27     | 44.60          | -0.51       | 44.09          | 74.00          | 29.91       | Horizontal | PASS    |
| 6         | 12132.89    | 42.46          | 6.11        | 48.57          | 74.00          | 25.43       | Horizontal | PASS    |
| 7         | 17903.78    | 39.45          | 13.86       | 53.31          | 74.00          | 20.69       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7362.53     | 38.07          | -0.34       | 37.73          | 54.00          | 16.27       | Vertical | PASS    |
| 2   | 12031.30    | 36.24          | 5.72        | 41.96          | 54.00          | 12.04       | Vertical | PASS    |
| 3   | 17803.73    | 34.14          | 12.90       | 47.04          | 54.00          | 6.96        | Vertical | PASS    |
| 4   | 5825.86     | 99.37          | 12.81       | 112.18         | -              | -           | Vertical | NA      |
| 5   | 7360.23     | 45.29          | -0.35       | 44.94          | 74.00          | 29.06       | Vertical | PASS    |
| 6   | 12076.54    | 43.27          | 5.91        | 49.18          | 74.00          | 24.82       | Vertical | PASS    |
| 7   | 17848.19    | 39.71          | 13.36       | 53.07          | 74.00          | 20.93       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7466.80     | 37.87          | -0.51       | 37.36          | 54.00          | 16.64       | Horizontal | PASS    |
| 2         | 11521.07    | 35.90          | 5.65        | 41.55          | 54.00          | 12.45       | Horizontal | PASS    |
| 3         | 17885.00    | 32.85          | 13.73       | 46.58          | 54.00          | 7.42        | Horizontal | PASS    |
| 4         | 5749.22     | 95.95          | 12.73       | 108.68         | -              | -           | Horizontal | NA      |
| 5         | 7457.22     | 45.31          | -0.51       | 44.80          | 74.00          | 29.20       | Horizontal | PASS    |
| 6         | 11409.13    | 42.26          | 5.58        | 47.84          | 74.00          | 26.16       | Horizontal | PASS    |
| 7         | 17973.93    | 40.11          | 13.38       | 53.49          | 74.00          | 20.51       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth | 40MHz      | Channel   | 151       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7447.63     | 37.75          | -0.50       | 37.25          | 54.00          | 16.75       | Vertical | PASS    |
| 2   | 11443.25    | 35.74          | 5.57        | 41.31          | 54.00          | 12.69       | Vertical | PASS    |
| 3   | 17785.33    | 33.72          | 12.71       | 46.43          | 54.00          | 7.57        | Vertical | PASS    |
| 4   | 5755.64     | 99.10          | 12.72       | 111.82         | -              | -           | Vertical | NA      |
| 5   | 7457.60     | 44.65          | -0.51       | 44.14          | 74.00          | 29.86       | Vertical | PASS    |
| 6   | 11974.57    | 43.04          | 5.70        | 48.74          | 74.00          | 25.26       | Vertical | PASS    |
| 7   | 17821.36    | 39.90          | 13.08       | 52.98          | 74.00          | 21.02       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth | 40MHz      | Channel   | 159       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7484.05     | 38.15          | -0.51       | 37.64          | 54.00          | 16.36       | Horizontal | PASS    |
| 2   | 11506.12    | 35.93          | 5.57        | 41.50          | 54.00          | 12.50       | Horizontal | PASS    |
| 3   | 17895.73    | 33.28          | 13.83       | 47.11          | 54.00          | 6.89        | Horizontal | PASS    |
| 4   | 5789.56     | 97.41          | 12.76       | 110.17         | -              | -           | Horizontal | NA      |
| 5   | 7483.67     | 44.84          | -0.51       | 44.33          | 74.00          | 29.67       | Horizontal | PASS    |
| 6   | 11503.82    | 42.67          | 5.56        | 48.23          | 74.00          | 25.77       | Horizontal | PASS    |
| 7   | 17846.28    | 40.29          | 13.33       | 53.62          | 74.00          | 20.38       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth | 40MHz      | Channel   | 159       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7595.99     | 37.42          | -0.41       | 37.01          | 54.00          | 16.99       | Vertical | PASS    |
| 2   | 11372.33    | 36.16          | 5.70        | 41.86          | 54.00          | 12.14       | Vertical | PASS    |
| 3   | 17889.21    | 32.89          | 13.77       | 46.66          | 54.00          | 7.34        | Vertical | PASS    |
| 4   | 5791.94     | 98.25          | 12.76       | 111.01         | -              | -           | Vertical | NA      |
| 5   | 7552.29     | 44.45          | -0.46       | 43.99          | 74.00          | 30.01       | Vertical | PASS    |
| 6   | 11310.23    | 42.88          | 5.98        | 48.86          | 74.00          | 25.14       | Vertical | PASS    |
| 7   | 17801.43    | 40.38          | 12.87       | 53.25          | 74.00          | 20.75       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-3    |
| Bandwidth | 80MHz      | Channel   | 155       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7446.86     | 37.80          | -0.49       | 37.31          | 54.00          | 16.69       | Horizontal | PASS    |
| 2   | 11550.20    | 36.19          | 5.81        | 42.00          | 54.00          | 12.00       | Horizontal | PASS    |
| 3   | 17892.66    | 32.43          | 13.81       | 46.24          | 54.00          | 7.76        | Horizontal | PASS    |
| 4   | 5778.38     | 92.10          | 12.74       | 104.84         | -              | -           | Horizontal | NA      |
| 5   | 7371.73     | 45.16          | -0.31       | 44.85          | 74.00          | 29.15       | Horizontal | PASS    |
| 6   | 12135.19    | 42.50          | 6.12        | 48.62          | 74.00          | 25.38       | Horizontal | PASS    |
| 7   | 17963.58    | 39.57          | 13.44       | 53.01          | 74.00          | 20.99       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-3    |
| Bandwidth | 80MHz      | Channel   | 155       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7459.13     | 37.71          | -0.51       | 37.20          | 54.00          | 16.80       | Vertical | PASS    |
| 2   | 11467.78    | 35.73          | 5.55        | 41.28          | 54.00          | 12.72       | Vertical | PASS    |
| 3   | 17860.85    | 32.94          | 13.48       | 46.42          | 54.00          | 7.58        | Vertical | PASS    |
| 4   | 5773.61     | 94.28          | 12.74       | 107.02         | -              | -           | Vertical | NA      |
| 5   | 7454.53     | 45.05          | -0.51       | 44.54          | 74.00          | 29.46       | Vertical | PASS    |
| 6   | 11467.40    | 43.36          | 5.55        | 48.91          | 74.00          | 25.09       | Vertical | PASS    |
| 7   | 17876.18    | 39.82          | 13.63       | 53.45          | 74.00          | 20.55       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7450.70     | 38.74          | -0.51       | 38.23          | 54.00          | 15.77       | Horizontal | PASS    |
| 2   | 11650.26    | 36.15          | 6.02        | 42.17          | 54.00          | 11.83       | Horizontal | PASS    |
| 3   | 17889.98    | 32.80          | 13.78       | 46.58          | 54.00          | 7.42        | Horizontal | PASS    |
| 4   | 5833.38     | 105.68         | 12.83       | 118.51         | -              | -           | Horizontal | NA      |
| 5   | 7355.63     | 44.95          | -0.36       | 44.59          | 74.00          | 29.41       | Horizontal | PASS    |
| 6   | 11509.57    | 43.23          | 5.59        | 48.82          | 74.00          | 25.18       | Horizontal | PASS    |
| 7   | 17816.76    | 39.94          | 13.03       | 52.97          | 74.00          | 21.03       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7423.86     | 37.93          | -0.36       | 37.57          | 54.00          | 16.43       | Vertical | PASS    |
| 2   | 11610.00    | 35.50          | 6.07        | 41.57          | 54.00          | 12.43       | Vertical | PASS    |
| 3   | 17798.74    | 34.08          | 12.85       | 46.93          | 54.00          | 7.07        | Vertical | PASS    |
| 4   | 5833.19     | 105.40         | 12.83       | 118.23         | -              | -           | Vertical | NA      |
| 5   | 7580.27     | 44.43          | -0.42       | 44.01          | 74.00          | 29.99       | Vertical | PASS    |
| 6   | 11518.00    | 42.20          | 5.64        | 47.84          | 74.00          | 26.16       | Vertical | PASS    |
| 7   | 17944.03    | 39.45          | 13.58       | 53.03          | 74.00          | 20.97       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7403.93     | 37.74          | -0.24       | 37.50          | 54.00          | 16.50       | Horizontal | PASS    |
| 2         | 12102.60    | 36.10          | 6.01        | 42.11          | 54.00          | 11.89       | Horizontal | PASS    |
| 3         | 17980.83    | 33.48          | 13.33       | 46.81          | 54.00          | 7.19        | Horizontal | PASS    |
| 4         | 5834.11     | 101.58         | 12.83       | 114.41         | -              | -           | Horizontal | NA      |
| 5         | 7615.15     | 44.67          | -0.28       | 44.39          | 74.00          | 29.61       | Horizontal | PASS    |
| 6         | 12185.02    | 42.61          | 6.28        | 48.89          | 74.00          | 25.11       | Horizontal | PASS    |
| 7         | 17886.53    | 39.58          | 13.74       | 53.32          | 74.00          | 20.68       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7456.07     | 37.86          | -0.51       | 37.35          | 54.00          | 16.65       | Vertical | PASS    |
| 2   | 12375.93    | 35.55          | 6.37        | 41.92          | 54.00          | 12.08       | Vertical | PASS    |
| 3   | 17916.05    | 32.85          | 13.77       | 46.62          | 54.00          | 7.38        | Vertical | PASS    |
| 4   | 5828.61     | 103.17         | 12.82       | 115.99         | -              | -           | Vertical | NA      |
| 5   | 7467.18     | 44.68          | -0.51       | 44.17          | 74.00          | 29.83       | Vertical | PASS    |
| 6   | 12111.04    | 43.05          | 6.03        | 49.08          | 74.00          | 24.92       | Vertical | PASS    |
| 7   | 17906.85    | 40.10          | 13.84       | 53.94          | 74.00          | 20.06       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                 | Channel   | 165       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19    |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7312.31     | 37.66          | -0.36       | 37.30          | 54.00          | 16.70       | Horizontal | PASS    |
| 2   | 12219.52    | 35.79          | 6.29        | 42.08          | 54.00          | 11.92       | Horizontal | PASS    |
| 3   | 17885.38    | 32.88          | 13.73       | 46.61          | 54.00          | 7.39        | Horizontal | PASS    |
| 4   | 5826.59     | 100.01         | 12.81       | 112.82         | -              | -           | Horizontal | NA      |
| 5   | 7392.43     | 44.62          | -0.24       | 44.38          | 74.00          | 29.62       | Horizontal | PASS    |
| 6   | 12151.29    | 42.71          | 6.17        | 48.88          | 74.00          | 25.12       | Horizontal | PASS    |
| 7   | 17863.53    | 39.74          | 13.51       | 53.25          | 74.00          | 20.75       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                 | Channel   | 165       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19    |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7439.96     | 38.57          | -0.45       | 38.12          | 54.00          | 15.88       | Vertical | PASS    |
| 2   | 12135.19    | 35.84          | 6.12        | 41.96          | 54.00          | 12.04       | Vertical | PASS    |
| 3   | 17805.26    | 34.00          | 12.91       | 46.91          | 54.00          | 7.09        | Vertical | PASS    |
| 4   | 5827.88     | 102.45         | 12.82       | 115.27         | -              | -           | Vertical | NA      |
| 5   | 7518.17     | 44.64          | -0.49       | 44.15          | 74.00          | 29.85       | Vertical | PASS    |
| 6   | 12405.83    | 42.83          | 6.44        | 49.27          | 74.00          | 24.73       | Vertical | PASS    |
| 7   | 17868.51    | 39.83          | 13.56       | 53.39          | 74.00          | 20.61       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-3    |
| Bandwidth           | 40MHz                | Channel   | 151       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7464.12     | 38.86          | -0.51       | 38.35          | 54.00          | 15.65       | Horizontal | PASS    |
| 2   | 12137.87    | 36.07          | 6.13        | 42.20          | 54.00          | 11.80       | Horizontal | PASS    |
| 3   | 17889.60    | 32.97          | 13.77       | 46.74          | 54.00          | 7.26        | Horizontal | PASS    |
| 4   | 5746.29     | 98.43          | 12.75       | 111.18         | -              | -           | Horizontal | NA      |
| 5   | 7465.65     | 44.57          | -0.51       | 44.06          | 74.00          | 29.94       | Horizontal | PASS    |
| 6   | 11974.95    | 43.03          | 5.70        | 48.73          | 74.00          | 25.27       | Horizontal | PASS    |
| 7   | 17888.83    | 39.59          | 13.77       | 53.36          | 74.00          | 20.64       | Horizontal | PASS    |


| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-3    |
| Bandwidth           | 40MHz                | Channel   | 151       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7470.25     | 38.33          | -0.51       | 37.82          | 54.00          | 16.18       | Vertical | PASS    |
| 2   | 11425.61    | 36.31          | 5.57        | 41.88          | 54.00          | 12.12       | Vertical | PASS    |
| 3   | 17805.26    | 33.61          | 12.91       | 46.52          | 54.00          | 7.48        | Vertical | PASS    |
| 4   | 5747.39     | 100.98         | 12.74       | 113.72         | -              | -           | Vertical | NA      |
| 5   | 7469.87     | 45.06          | -0.51       | 44.55          | 74.00          | 29.45       | Vertical | PASS    |
| 6   | 11499.22    | 42.26          | 5.54        | 47.80          | 74.00          | 26.20       | Vertical | PASS    |
| 7   | 17902.63    | 39.21          | 13.86       | 53.07          | 74.00          | 20.93       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484left | Band:     | UNII-3    |
| Bandwidth           | 80MHz                | Channel   | 155       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7453.38     | 38.03          | -0.51       | 37.52          | 54.00          | 16.48       | Horizontal | PASS    |
| 2   | 12061.59    | 36.20          | 5.84        | 42.04          | 54.00          | 11.96       | Horizontal | PASS    |
| 3   | 17922.18    | 33.57          | 13.73       | 47.30          | 54.00          | 6.70        | Horizontal | PASS    |
| 4   | 5740.24     | 94.82          | 12.80       | 107.62         | -              | -           | Horizontal | NA      |
| 5   | 7480.22     | 44.72          | -0.51       | 44.21          | 74.00          | 29.79       | Horizontal | PASS    |
| 6   | 12139.02    | 42.87          | 6.13        | 49.00          | 74.00          | 25.00       | Horizontal | PASS    |
| 7   | 17886.91    | 39.94          | 13.74       | 53.68          | 74.00          | 20.32       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484left | Band:     | UNII-3    |
| Bandwidth           | 80MHz                | Channel   | 155       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7487.50     | 38.23          | -0.51       | 37.72          | 54.00          | 16.28       | Vertical | PASS    |
| 2   | 11464.72    | 36.23          | 5.56        | 41.79          | 54.00          | 12.21       | Vertical | PASS    |
| 3   | 17884.61    | 33.17          | 13.72       | 46.89          | 54.00          | 7.11        | Vertical | PASS    |
| 4   | 5740.79     | 97.90          | 12.79       | 110.69         | -              | -           | Vertical | NA      |
| 5   | 7396.26     | 45.35          | -0.22       | 45.13          | 74.00          | 28.87       | Vertical | PASS    |
| 6   | 11542.15    | 42.95          | 5.76        | 48.71          | 74.00          | 25.29       | Vertical | PASS    |
| 7   | 17941.73    | 39.96          | 13.60       | 53.56          | 74.00          | 20.44       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                | Channel   | 48        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 8.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7470.63     | 38.48          | -0.51       | 37.97          | 54.00          | 16.03       | Horizontal | PASS    |
| 2   | 11299.88    | 36.64          | 6.02        | 42.66          | 54.00          | 11.34       | Horizontal | PASS    |
| 3   | 17976.23    | 33.94          | 13.36       | 47.30          | 54.00          | 6.70        | Horizontal | PASS    |
| 4   | 5248.71     | 94.36          | 11.48       | 105.84         | -              | -           | Horizontal | NA      |
| 5   | 6986.85     | 53.47          | -0.90       | 52.57          | 68.20          | 15.63       | Horizontal | PASS    |
| 6   | 12082.67    | 43.95          | 5.93        | 49.88          | 74.00          | 24.12       | Horizontal | PASS    |
| 7   | 17911.06    | 39.92          | 13.80       | 53.72          | 74.00          | 20.28       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                | Channel   | 48        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 8.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7704.09     | 38.37          | 0.52        | 38.89          | 54.00          | 15.11       | Vertical | PASS    |
| 2   | 11255.41    | 36.07          | 5.98        | 42.05          | 54.00          | 11.95       | Vertical | PASS    |
| 3   | 17937.90    | 33.64          | 13.62       | 47.26          | 54.00          | 6.74        | Vertical | PASS    |
| 4   | 5248.34     | 97.33          | 11.48       | 108.81         | -              | -           | Vertical | NA      |
| 5   | 6986.85     | 51.47          | -0.90       | 50.57          | 68.20          | 17.63       | Vertical | PASS    |
| 6   | 11558.64    | 43.04          | 5.86        | 48.90          | 74.00          | 25.10       | Vertical | PASS    |
| 7   | 17883.85    | 40.33          | 13.72       | 54.05          | 74.00          | 19.95       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                | Channel   | 48        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7454.92     | 38.17          | -0.51       | 37.66          | 54.00          | 16.34       | Horizontal | PASS    |
| 2   | 11624.95    | 36.84          | 6.05        | 42.89          | 54.00          | 11.11       | Horizontal | PASS    |
| 3   | 17857.40    | 34.00          | 13.44       | 47.44          | 54.00          | 6.56        | Horizontal | PASS    |
| 4   | 5248.52     | 94.63          | 11.48       | 106.11         | -              | -           | Horizontal | NA      |
| 5   | 6986.85     | 53.68          | -0.90       | 52.78          | 68.20          | 15.42       | Horizontal | PASS    |
| 6   | 11195.22    | 43.42          | 5.89        | 49.31          | 74.00          | 24.69       | Horizontal | PASS    |
| 7   | 17880.01    | 40.28          | 13.68       | 53.96          | 74.00          | 20.04       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                | Channel   | 48        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7308.86     | 38.99          | -0.36       | 38.63          | 54.00          | 15.37       | Vertical | PASS    |
| 2   | 11949.26    | 37.44          | 5.80        | 43.24          | 54.00          | 10.76       | Vertical | PASS    |
| 3   | 17945.18    | 33.21          | 13.57       | 46.78          | 54.00          | 7.22        | Vertical | PASS    |
| 4   | 5247.79     | 100.95         | 11.49       | 112.44         | -              | -           | Vertical | NA      |
| 5   | 6986.47     | 50.69          | -0.90       | 49.79          | 68.20          | 18.41       | Vertical | PASS    |
| 6   | 11948.88    | 44.54          | 5.80        | 50.34          | 74.00          | 23.66       | Vertical | PASS    |
| 7   | 17962.43    | 41.00          | 13.46       | 54.46          | 74.00          | 19.54       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                 | Channel   | 48        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7360.23     | 38.23          | -0.35       | 37.88          | 54.00          | 16.12       | Horizontal | PASS    |
| 2         | 11276.11    | 36.03          | 6.00        | 42.03          | 54.00          | 11.97       | Horizontal | PASS    |
| 3         | 17916.81    | 33.57          | 13.77       | 47.34          | 54.00          | 6.66        | Horizontal | PASS    |
| 4         | 5247.42     | 95.36          | 11.48       | 106.84         | -              | -           | Horizontal | NA      |
| 5         | 6986.47     | 53.01          | -0.90       | 52.11          | 68.20          | 16.09       | Horizontal | PASS    |
| 6         | 11176.82    | 43.10          | 5.83        | 48.93          | 74.00          | 25.07       | Horizontal | PASS    |
| 7         | 17884.23    | 40.10          | 13.72       | 53.82          | 74.00          | 20.18       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-1    |
| Bandwidth           | 20MHz                 | Channel   | 48        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7604.42     | 38.50          | -0.36       | 38.14          | 54.00          | 15.86       | Vertical | PASS    |
| 2   | 11317.51    | 36.13          | 5.94        | 42.07          | 54.00          | 11.93       | Vertical | PASS    |
| 3   | 17970.48    | 33.99          | 13.40       | 47.39          | 54.00          | 6.61        | Vertical | PASS    |
| 4   | 5242.84     | 100.57         | 11.51       | 112.08         | -              | -           | Vertical | NA      |
| 5   | 6986.85     | 50.68          | -0.90       | 49.78          | 68.20          | 18.42       | Vertical | PASS    |
| 6   | 11169.54    | 43.25          | 5.81        | 49.06          | 74.00          | 24.94       | Vertical | PASS    |
| 7   | 17883.08    | 40.35          | 13.71       | 54.06          | 74.00          | 19.94       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-1    |
| Bandwidth           | 40MHz                | Channel   | 38        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 16   |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7468.72     | 39.10          | -0.51       | 38.59          | 54.00          | 15.41       | Horizontal | PASS    |
| 2         | 11678.24    | 36.32          | 5.97        | 42.29          | 54.00          | 11.71       | Horizontal | PASS    |
| 3         | 17932.15    | 33.78          | 13.66       | 47.44          | 54.00          | 6.56        | Horizontal | PASS    |
| 4         | 5182.71     | 94.67          | 11.81       | 106.48         | -              | -           | Horizontal | NA      |
| 5         | 6920.15     | 53.21          | -0.86       | 52.35          | 68.20          | 15.85       | Horizontal | PASS    |
| 6         | 11164.94    | 43.45          | 5.79        | 49.24          | 74.00          | 24.76       | Horizontal | PASS    |
| 7         | 17796.44    | 41.01          | 12.82       | 53.83          | 74.00          | 20.17       | Horizontal | PASS    |


| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-1    |
| Bandwidth           | 40MHz                | Channel   | 38        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 16   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7357.55     | 38.67          | -0.35       | 38.32          | 54.00          | 15.68       | Vertical | PASS    |
| 2   | 11698.56    | 36.76          | 5.95        | 42.71          | 54.00          | 11.29       | Vertical | PASS    |
| 3   | 17904.55    | 33.04          | 13.85       | 46.89          | 54.00          | 7.11        | Vertical | PASS    |
| 4   | 5183.26     | 100.52         | 11.81       | 112.33         | -              | -           | Vertical | NA      |
| 5   | 6919.76     | 49.32          | -0.86       | 48.46          | 68.20          | 19.74       | Vertical | PASS    |
| 6   | 12228.34    | 43.51          | 6.27        | 49.78          | 74.00          | 24.22       | Vertical | PASS    |
| 7   | 17918.73    | 39.82          | 13.75       | 53.57          | 74.00          | 20.43       | Vertical | PASS    |


| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU242left | Band:     | UNII-1    |
| Bandwidth           | 80MHz                | Channel   | 42        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 15   |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7437.66     | 39.39          | -0.44       | 38.95          | 54.00          | 15.05       | Horizontal | PASS    |
| 2         | 11331.31    | 36.15          | 5.88        | 42.03          | 54.00          | 11.97       | Horizontal | PASS    |
| 3         | 17792.61    | 35.06          | 12.78       | 47.84          | 54.00          | 6.16        | Horizontal | PASS    |
| 4         | 5180.51     | 90.78          | 11.83       | 102.61         | -              | -           | Horizontal | NA      |
| 5         | 6946.60     | 51.95          | -0.88       | 51.07          | 68.20          | 17.13       | Horizontal | PASS    |
| 6         | 11307.93    | 42.70          | 5.98        | 48.68          | 74.00          | 25.32       | Horizontal | PASS    |
| 7         | 17885.00    | 40.30          | 13.73       | 54.03          | 74.00          | 19.97       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU242left | Band:     | UNII-1    |
| Bandwidth           | 80MHz                | Channel   | 42        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 15   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7446.86     | 38.91          | -0.49       | 38.42          | 54.00          | 15.58       | Vertical | PASS    |
| 2   | 11197.52    | 36.71          | 5.91        | 42.62          | 54.00          | 11.38       | Vertical | PASS    |
| 3   | 17889.60    | 33.47          | 13.77       | 47.24          | 54.00          | 6.76        | Vertical | PASS    |
| 4   | 5203.61     | 96.35          | 11.72       | 108.07         | -              | -           | Vertical | NA      |
| 5   | 6946.60     | 49.16          | -0.88       | 48.28          | 68.20          | 19.92       | Vertical | PASS    |
| 6   | 11144.62    | 42.67          | 5.72        | 48.39          | 74.00          | 25.61       | Vertical | PASS    |
| 7   | 17886.91    | 39.99          | 13.74       | 53.73          | 74.00          | 20.27       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax160 RU996left | Band:     | UNII-1    |
| Bandwidth           | 160MHz                | Channel   | 50        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11    |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7594.07     | 38.29          | -0.40       | 37.89          | 54.00          | 16.11       | Horizontal | PASS    |
| 2   | 11519.15    | 36.54          | 5.65        | 42.19          | 54.00          | 11.81       | Horizontal | PASS    |
| 3   | 17962.05    | 33.49          | 13.46       | 46.95          | 54.00          | 7.05        | Horizontal | PASS    |
| 4   | 5279.88     | 82.63          | 11.60       | 94.23          | -              | -           | Horizontal | NA      |
| 5   | 6999.88     | 52.55          | -0.90       | 51.65          | 68.20          | 16.55       | Horizontal | PASS    |
| 6   | 12206.11    | 43.12          | 6.31        | 49.43          | 74.00          | 24.57       | Horizontal | PASS    |
| 7   | 17954.00    | 40.07          | 13.52       | 53.59          | 74.00          | 20.41       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax160 RU996left | Band:     | UNII-1    |
| Bandwidth           | 160MHz                | Channel   | 50        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11    |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7589.09     | 38.09          | -0.41       | 37.68          | 54.00          | 16.32       | Vertical | PASS    |
| 2   | 11622.65    | 36.09          | 6.05        | 42.14          | 54.00          | 11.86       | Vertical | PASS    |
| 3   | 17797.98    | 34.56          | 12.83       | 47.39          | 54.00          | 6.61        | Vertical | PASS    |
| 4   | 5313.61     | 89.40          | 11.80       | 101.20         | -              | -           | Vertical | NA      |
| 5   | 6999.88     | 50.11          | -0.90       | 49.21          | 68.20          | 18.99       | Vertical | PASS    |
| 6   | 12239.46    | 43.02          | 6.25        | 49.27          | 74.00          | 24.73       | Vertical | PASS    |
| 7   | 17885.38    | 40.52          | 13.73       | 54.25          | 74.00          | 19.75       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-2A   |
| Bandwidth           | 20MHz                | Channel   | 64        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 8.5  |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7633.17     | 38.04          | -0.13       | 37.91          | 54.00          | 16.09       | Horizontal | PASS    |
| 2   | 11259.63    | 35.75          | 5.98        | 41.73          | 54.00          | 12.27       | Horizontal | PASS    |
| 3   | 17932.15    | 33.66          | 13.66       | 47.32          | 54.00          | 6.68        | Horizontal | PASS    |
| 4   | 5328.09     | 94.68          | 11.93       | 106.61         | -              | -           | Horizontal | NA      |
| 5   | 7093.42     | 52.15          | -0.41       | 51.74          | 68.20          | 16.46       | Horizontal | PASS    |
| 6   | 11366.96    | 44.06          | 5.72        | 49.78          | 74.00          | 24.22       | Horizontal | PASS    |
| 7   | 17970.10    | 40.51          | 13.40       | 53.91          | 74.00          | 20.09       | Horizontal | PASS    |

## Project Information

|           |                      |           |           |
|-----------|----------------------|-----------|-----------|
| Mode:     | 802.11ax20 RU26right | Band:     | UNII-2A   |
| Bandwidth | 20MHz                | Channel   | 64        |
| SN:       | 17aba958             | Engineer: | Tian Shuo |
| Remark:   | Y;power setting 8.5  |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7684.16     | 37.53          | 0.36        | 37.89          | 54.00          | 16.11       | Vertical | PASS    |
| 2   | 11291.44    | 36.76          | 6.01        | 42.77          | 54.00          | 11.23       | Vertical | PASS    |
| 3   | 17967.03    | 33.85          | 13.43       | 47.28          | 54.00          | 6.72        | Vertical | PASS    |
| 4   | 5328.64     | 99.46          | 11.94       | 111.40         | -              | -           | Vertical | NA      |
| 5   | 7093.42     | 49.04          | -0.41       | 48.63          | 68.20          | 19.57       | Vertical | PASS    |
| 6   | 11278.41    | 42.48          | 6.00        | 48.48          | 74.00          | 25.52       | Vertical | PASS    |
| 7   | 17929.46    | 40.28          | 13.68       | 53.96          | 74.00          | 20.04       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-2A   |
| Bandwidth           | 20MHz                | Channel   | 64        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7679.17     | 38.12          | 0.31        | 38.43          | 54.00          | 15.57       | Horizontal | PASS    |
| 2   | 11147.30    | 36.60          | 5.73        | 42.33          | 54.00          | 11.67       | Horizontal | PASS    |
| 3   | 17809.48    | 34.34          | 12.96       | 47.30          | 54.00          | 6.70        | Horizontal | PASS    |
| 4   | 5328.46     | 96.45          | 11.94       | 108.39         | -              | -           | Horizontal | NA      |
| 5   | 7093.42     | 52.15          | -0.41       | 51.74          | 68.20          | 16.46       | Horizontal | PASS    |
| 6   | 11178.74    | 43.35          | 5.84        | 49.19          | 74.00          | 24.81       | Horizontal | PASS    |
| 7   | 17798.74    | 40.72          | 12.85       | 53.57          | 74.00          | 20.43       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-2A   |
| Bandwidth           | 20MHz                | Channel   | 64        |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7615.54     | 38.33          | -0.27       | 38.06          | 54.00          | 15.94       | Vertical | PASS    |
| 2   | 12114.87    | 36.77          | 6.05        | 42.82          | 54.00          | 11.18       | Vertical | PASS    |
| 3   | 17967.03    | 33.82          | 13.43       | 47.25          | 54.00          | 6.75        | Vertical | PASS    |
| 4   | 5328.46     | 100.45         | 11.94       | 112.39         | -              | -           | Vertical | NA      |
| 5   | 7093.42     | 48.44          | -0.41       | 48.03          | 68.20          | 20.17       | Vertical | PASS    |
| 6   | 12215.69    | 43.59          | 6.29        | 49.88          | 74.00          | 24.12       | Vertical | PASS    |
| 7   | 17884.61    | 41.32          | 13.72       | 55.04          | 74.00          | 18.96       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-2A   |
| Bandwidth           | 20MHz                 | Channel   | 64        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7354.10     | 38.64          | -0.37       | 38.27          | 54.00          | 15.73       | Horizontal | PASS    |
| 2   | 11531.42    | 36.34          | 5.71        | 42.05          | 54.00          | 11.95       | Horizontal | PASS    |
| 3   | 17805.64    | 33.97          | 12.92       | 46.89          | 54.00          | 7.11        | Horizontal | PASS    |
| 4   | 7093.04     | 51.84          | -0.41       | 51.43          | 68.20          | 16.77       | Horizontal | PASS    |
| 5   | 11235.86    | 42.96          | 5.95        | 48.91          | 74.00          | 25.09       | Horizontal | PASS    |
| 6   | 17888.45    | 41.16          | 13.77       | 54.93          | 74.00          | 19.07       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-2A   |
| Bandwidth           | 20MHz                 | Channel   | 64        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7421.95     | 38.05          | -0.34       | 37.71          | 54.00          | 16.29       | Vertical | PASS    |
| 2   | 11323.64    | 36.12          | 5.92        | 42.04          | 54.00          | 11.96       | Vertical | PASS    |
| 3   | 17886.91    | 33.26          | 13.74       | 47.00          | 54.00          | 7.00        | Vertical | PASS    |
| 4   | 5326.08     | 100.84         | 11.91       | 112.75         | -              | -           | Vertical | NA      |
| 5   | 7093.42     | 48.76          | -0.41       | 48.35          | 68.20          | 19.85       | Vertical | PASS    |
| 6   | 11370.03    | 43.34          | 5.71        | 49.05          | 74.00          | 24.95       | Vertical | PASS    |
| 7   | 17848.58    | 40.82          | 13.36       | 54.18          | 74.00          | 19.82       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242right | Band:     | UNII-2A   |
| Bandwidth           | 40MHz                 | Channel   | 62        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14    |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7438.05     | 38.71          | -0.44       | 38.27          | 54.00          | 15.73       | Horizontal | PASS    |
| 2   | 12270.89    | 36.62          | 6.19        | 42.81          | 54.00          | 11.19       | Horizontal | PASS    |
| 3   | 17878.10    | 33.39          | 13.66       | 47.05          | 54.00          | 6.95        | Horizontal | PASS    |
| 4   | 5328.64     | 93.19          | 11.94       | 105.13         | -              | -           | Horizontal | NA      |
| 5   | 7080.00     | 50.99          | -0.46       | 50.53          | 68.20          | 17.67       | Horizontal | PASS    |
| 6   | 12356.00    | 43.43          | 6.31        | 49.74          | 74.00          | 24.26       | Horizontal | PASS    |
| 7   | 17760.03    | 40.87          | 12.44       | 53.31          | 74.00          | 20.69       | Horizontal | PASS    |

## Project Information

|           |                       |           |           |
|-----------|-----------------------|-----------|-----------|
| Mode:     | 802.11ax40 RU242right | Band:     | UNII-2A   |
| Bandwidth | 40MHz                 | Channel   | 62        |
| SN:       | 17aba958              | Engineer: | Tian Shuo |
| Remark:   | Y;power setting 14    |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7680.32     | 37.75          | 0.32        | 38.07          | 54.00          | 15.93       | Vertical | PASS    |
| 2   | 12362.51    | 37.09          | 6.34        | 43.43          | 54.00          | 10.57       | Vertical | PASS    |
| 3   | 17943.65    | 33.42          | 13.58       | 47.00          | 54.00          | 7.00        | Vertical | PASS    |
| 4   | 5316.18     | 96.96          | 11.83       | 108.79         | -              | -           | Vertical | NA      |
| 5   | 7080.00     | 48.83          | -0.46       | 48.37          | 68.20          | 19.83       | Vertical | PASS    |
| 6   | 12182.34    | 43.43          | 6.27        | 49.70          | 74.00          | 24.30       | Vertical | PASS    |
| 7   | 17823.28    | 40.40          | 13.10       | 53.50          | 74.00          | 20.50       | Vertical | PASS    |

## Project Information

|           |                       |           |           |
|-----------|-----------------------|-----------|-----------|
| Mode:     | 802.11ax80 RU484right | Band:     | UNII-2A   |
| Bandwidth | 80MHz                 | Channel   | 58        |
| SN:       | 17aba958              | Engineer: | Tian Shuo |
| Remark:   | Y;power setting 12.5  |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7385.91     | 38.57          | -0.26       | 38.31          | 54.00          | 15.69       | Horizontal | PASS    |
| 2   | 11145.77    | 36.43          | 5.72        | 42.15          | 54.00          | 11.85       | Horizontal | PASS    |
| 3   | 17799.89    | 34.19          | 12.86       | 47.05          | 54.00          | 6.95        | Horizontal | PASS    |
| 4   | 5321.31     | 89.30          | 11.87       | 101.17         | -              | -           | Horizontal | NA      |
| 5   | 7053.17     | 51.83          | -0.58       | 51.25          | 68.20          | 16.95       | Horizontal | PASS    |
| 6   | 11023.10    | 43.33          | 5.54        | 48.87          | 74.00          | 25.13       | Horizontal | PASS    |
| 7   | 17904.93    | 40.67          | 13.85       | 54.52          | 74.00          | 19.48       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484right | Band:     | UNII-2A   |
| Bandwidth           | 80MHz                 | Channel   | 58        |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 12.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7441.50     | 38.59          | -0.46       | 38.13          | 54.00          | 15.87       | Vertical | PASS    |
| 2   | 11449.38    | 36.78          | 5.56        | 42.34          | 54.00          | 11.66       | Vertical | PASS    |
| 3   | 17914.51    | 33.28          | 13.78       | 47.06          | 54.00          | 6.94        | Vertical | PASS    |
| 4   | 5314.16     | 94.49          | 11.81       | 106.30         | -              | -           | Vertical | NA      |
| 5   | 7053.17     | 49.29          | -0.58       | 48.71          | 68.20          | 19.49       | Vertical | PASS    |
| 6   | 11275.73    | 42.88          | 6.00        | 48.88          | 74.00          | 25.12       | Vertical | PASS    |
| 7   | 17944.80    | 40.31          | 13.58       | 53.89          | 74.00          | 20.11       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                | Channel   | 140       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 8.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7629.34     | 38.52          | -0.16       | 38.36          | 54.00          | 15.64       | Horizontal | PASS    |
| 2   | 12184.26    | 36.44          | 6.28        | 42.72          | 54.00          | 11.28       | Horizontal | PASS    |
| 3   | 17890.36    | 33.25          | 13.78       | 47.03          | 54.00          | 6.97        | Horizontal | PASS    |
| 4   | 6848.84     | 51.16          | -0.94       | 50.22          | 68.20          | 17.98       | Horizontal | PASS    |
| 5   | 12227.96    | 43.36          | 6.27        | 49.63          | 74.00          | 24.37       | Horizontal | PASS    |
| 6   | 17887.68    | 40.07          | 13.76       | 53.83          | 74.00          | 20.17       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                | Channel   | 140       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 8.5  |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7448.01     | 38.94          | -0.50       | 38.44          | 54.00          | 15.56       | Vertical | PASS    |
| 2   | 12379.76    | 36.63          | 6.39        | 43.02          | 54.00          | 10.98       | Vertical | PASS    |
| 3   | 17873.11    | 34.18          | 13.61       | 47.79          | 54.00          | 6.21        | Vertical | PASS    |
| 4   | 5708.89     | 97.68          | 13.04       | 110.72         | -              | -           | Vertical | NA      |
| 5   | 7353.33     | 45.52          | -0.37       | 45.15          | 74.00          | 28.85       | Vertical | PASS    |
| 6   | 12188.09    | 43.75          | 6.29        | 50.04          | 74.00          | 23.96       | Vertical | PASS    |
| 7   | 17888.06    | 40.97          | 13.76       | 54.73          | 74.00          | 19.27       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                | Channel   | 140       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7435.75     | 38.65          | -0.42       | 38.23          | 54.00          | 15.77       | Horizontal | PASS    |
| 2   | 12170.84    | 35.95          | 6.23        | 42.18          | 54.00          | 11.82       | Horizontal | PASS    |
| 3   | 17905.70    | 33.57          | 13.84       | 47.41          | 54.00          | 6.59        | Horizontal | PASS    |
| 4   | 5706.32     | 96.94          | 13.06       | 110.00         | -              | -           | Horizontal | NA      |
| 5   | 6831.21     | 51.11          | -0.98       | 50.13          | 68.20          | 18.07       | Horizontal | PASS    |
| 6   | 12171.22    | 43.18          | 6.23        | 49.41          | 74.00          | 24.59       | Horizontal | PASS    |
| 7   | 17826.73    | 40.32          | 13.13       | 53.45          | 74.00          | 20.55       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                | Channel   | 140       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5 |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7684.92     | 38.20          | 0.37        | 38.57          | 54.00          | 15.43       | Vertical | PASS    |
| 2   | 11154.97    | 36.14          | 5.76        | 41.90          | 54.00          | 12.10       | Vertical | PASS    |
| 3   | 17806.41    | 34.49          | 12.92       | 47.41          | 54.00          | 6.59        | Vertical | PASS    |
| 4   | 5709.07     | 98.31          | 13.04       | 111.35         | -              | -           | Vertical | NA      |
| 5   | 7487.88     | 45.11          | -0.51       | 44.60          | 74.00          | 29.40       | Vertical | PASS    |
| 6   | 11201.36    | 43.17          | 5.91        | 49.08          | 74.00          | 24.92       | Vertical | PASS    |
| 7   | 17903.78    | 39.41          | 13.86       | 53.27          | 74.00          | 20.73       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                 | Channel   | 140       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 7622.82     | 38.65          | -0.21       | 38.44          | 54.00          | 15.56       | Horizontal | PASS    |
| 2         | 12380.53    | 36.06          | 6.39        | 42.45          | 54.00          | 11.55       | Horizontal | PASS    |
| 3         | 17936.36    | 33.20          | 13.64       | 46.84          | 54.00          | 7.16        | Horizontal | PASS    |
| 4         | 5702.11     | 97.75          | 13.09       | 110.84         | -              | -           | Horizontal | NA      |
| 5         | 6843.48     | 50.47          | -0.96       | 49.51          | 68.20          | 18.69       | Horizontal | PASS    |
| 6         | 12104.14    | 42.25          | 6.02        | 48.27          | 74.00          | 25.73       | Horizontal | PASS    |
| 7         | 17807.94    | 40.94          | 12.95       | 53.89          | 74.00          | 20.11       | Horizontal | PASS    |


| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-2C   |
| Bandwidth           | 20MHz                 | Channel   | 140       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14.5  |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7466.03     | 38.85          | -0.51       | 38.34          | 54.00          | 15.66       | Vertical | PASS    |
| 2   | 12664.97    | 37.30          | 7.15        | 44.45          | 54.00          | 9.55        | Vertical | PASS    |
| 3   | 17799.51    | 34.12          | 12.86       | 46.98          | 54.00          | 7.02        | Vertical | PASS    |
| 4   | 5708.34     | 100.18         | 13.04       | 113.22         | -              | -           | Vertical | NA      |
| 5   | 7436.90     | 45.27          | -0.43       | 44.84          | 74.00          | 29.16       | Vertical | PASS    |
| 6   | 12487.10    | 43.00          | 6.25        | 49.25          | 74.00          | 24.75       | Vertical | PASS    |
| 7   | 17890.36    | 39.94          | 13.78       | 53.72          | 74.00          | 20.28       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-2C   |
| Bandwidth           | 40MHz                | Channel   | 102       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14   |           |           |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7702.17     | 39.96          | 0.51        | 40.47          | 54.00          | 13.53       | Horizontal | PASS    |
| 2   | 12510.10    | 37.37          | 6.24        | 43.61          | 54.00          | 10.39       | Horizontal | PASS    |
| 3   | 17974.32    | 33.58          | 13.38       | 46.96          | 54.00          | 7.04        | Horizontal | PASS    |
| 4   | 5505.75     | 93.76          | 12.41       | 106.17         | -              | -           | Horizontal | NA      |
| 5   | 7702.94     | 47.12          | 0.52        | 47.64          | 74.00          | 26.36       | Horizontal | PASS    |
| 6   | 12502.05    | 43.88          | 6.21        | 50.09          | 74.00          | 23.91       | Horizontal | PASS    |
| 7   | 17884.23    | 40.04          | 13.72       | 53.76          | 74.00          | 20.24       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-2C   |
| Bandwidth           | 40MHz                | Channel   | 102       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 14   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7710.99     | 39.92          | 0.51        | 40.43          | 54.00          | 13.57       | Vertical | PASS    |
| 2   | 11199.44    | 36.01          | 5.91        | 41.92          | 54.00          | 12.08       | Vertical | PASS    |
| 3   | 17934.45    | 33.91          | 13.65       | 47.56          | 54.00          | 6.44        | Vertical | PASS    |
| 4   | 5498.60     | 98.06          | 12.41       | 110.47         | -              | -           | Vertical | NA      |
| 5   | 7699.49     | 47.06          | 0.52        | 47.58          | 74.00          | 26.42       | Vertical | PASS    |
| 6   | 11137.34    | 42.86          | 5.69        | 48.55          | 74.00          | 25.45       | Vertical | PASS    |
| 7   | 17885.00    | 39.99          | 13.73       | 53.72          | 74.00          | 20.28       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484left | Band:     | UNII-2C   |
| Bandwidth           | 80MHz                | Channel   | 106       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 12.5 |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7709.84     | 38.50          | 0.52        | 39.02          | 54.00          | 14.98       | Horizontal | PASS    |
| 2   | 12191.54    | 35.75          | 6.30        | 42.05          | 54.00          | 11.95       | Horizontal | PASS    |
| 3   | 17865.45    | 33.45          | 13.53       | 46.98          | 54.00          | 7.02        | Horizontal | PASS    |
| 4   | 5495.67     | 91.35          | 12.40       | 103.75         | -              | -           | Horizontal | NA      |
| 5   | 7592.92     | 45.95          | -0.40       | 45.55          | 74.00          | 28.45       | Horizontal | PASS    |
| 6   | 12069.64    | 42.85          | 5.88        | 48.73          | 74.00          | 25.27       | Horizontal | PASS    |
| 7   | 17876.95    | 40.22          | 13.64       | 53.86          | 74.00          | 20.14       | Horizontal | PASS    |

## Project Information

|           |                      |           |           |
|-----------|----------------------|-----------|-----------|
| Mode:     | 802.11ax80 RU484left | Band:     | UNII-2C   |
| Bandwidth | 80MHz                | Channel   | 106       |
| SN:       | 17aba958             | Engineer: | Tian Shuo |
| Remark:   | Y;power setting 12.5 |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7738.21     | 39.06          | 0.51        | 39.57          | 54.00          | 14.43       | Vertical | PASS    |
| 2   | 11316.74    | 36.02          | 5.94        | 41.96          | 54.00          | 12.04       | Vertical | PASS    |
| 3   | 17888.45    | 32.85          | 13.77       | 46.62          | 54.00          | 7.38        | Vertical | PASS    |
| 4   | 5527.93     | 93.59          | 12.40       | 105.99         | -              | -           | Vertical | NA      |
| 5   | 7717.12     | 46.03          | 0.51        | 46.54          | 74.00          | 27.46       | Vertical | PASS    |
| 6   | 12057.37    | 43.79          | 5.83        | 49.62          | 74.00          | 24.38       | Vertical | PASS    |
| 7   | 17888.45    | 39.83          | 13.77       | 53.60          | 74.00          | 20.40       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax160 RU996left | Band:     | UNII-2C   |
| Bandwidth           | 160MHz                | Channel   | 114       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 11.5  |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7474.85     | 38.91          | -0.51       | 38.40          | 54.00          | 15.60       | Horizontal | PASS    |
| 2   | 11329.78    | 36.30          | 5.89        | 42.19          | 54.00          | 11.81       | Horizontal | PASS    |
| 3   | 17975.85    | 33.73          | 13.36       | 47.09          | 54.00          | 6.91        | Horizontal | PASS    |
| 4   | 5551.04     | 87.30          | 12.40       | 99.70          | -              | -           | Horizontal | NA      |
| 5   | 7602.50     | 44.98          | -0.38       | 44.60          | 74.00          | 29.40       | Horizontal | PASS    |
| 6   | 11274.58    | 42.87          | 5.99        | 48.86          | 74.00          | 25.14       | Horizontal | PASS    |
| 7   | 17864.30    | 40.62          | 13.52       | 54.14          | 74.00          | 19.86       | Horizontal | PASS    |

## Project Information

|           |                       |           |           |
|-----------|-----------------------|-----------|-----------|
| Mode:     | 802.11ax160 RU996left | Band:     | UNII-2C   |
| Bandwidth | 160MHz                | Channel   | 114       |
| SN:       | 17aba958              | Engineer: | Tian Shuo |
| Remark:   | Y;power setting 11.5  |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7737.44     | 38.40          | 0.50        | 38.90          | 54.00          | 15.10       | Vertical | PASS    |
| 2   | 11232.79    | 36.28          | 5.94        | 42.22          | 54.00          | 11.78       | Vertical | PASS    |
| 3   | 17798.74    | 34.55          | 12.85       | 47.40          | 54.00          | 6.60        | Vertical | PASS    |
| 4   | 5547.00     | 89.90          | 12.40       | 102.30         | -              | -           | Vertical | NA      |
| 5   | 7439.20     | 45.25          | -0.45       | 44.80          | 74.00          | 29.20       | Vertical | PASS    |
| 6   | 11449.38    | 42.53          | 5.56        | 48.09          | 74.00          | 25.91       | Vertical | PASS    |
| 7   | 17842.44    | 40.49          | 13.29       | 53.78          | 74.00          | 20.22       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7407.00     | 39.01          | -0.25       | 38.76          | 54.00          | 15.24       | Horizontal | PASS    |
| 2   | 11175.29    | 36.38          | 5.83        | 42.21          | 54.00          | 11.79       | Horizontal | PASS    |
| 3   | 17889.98    | 33.77          | 13.78       | 47.55          | 54.00          | 6.45        | Horizontal | PASS    |
| 4   | 5833.74     | 103.42         | 12.83       | 116.25         | -              | -           | Horizontal | NA      |
| 5   | 7365.60     | 44.72          | -0.33       | 44.39          | 74.00          | 29.61       | Horizontal | PASS    |
| 6   | 11183.34    | 43.35          | 5.86        | 49.21          | 74.00          | 24.79       | Horizontal | PASS    |
| 7   | 17796.44    | 40.86          | 12.82       | 53.68          | 74.00          | 20.32       | Horizontal | PASS    |


| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7370.20     | 37.82          | -0.31       | 37.51          | 54.00          | 16.49       | Vertical | PASS    |
| 2   | 11219.37    | 35.85          | 5.93        | 41.78          | 54.00          | 12.22       | Vertical | PASS    |
| 3   | 17886.53    | 33.47          | 13.74       | 47.21          | 54.00          | 6.79        | Vertical | PASS    |
| 4   | 5833.93     | 105.17         | 12.83       | 118.00         | -              | -           | Vertical | NA      |
| 5   | 7426.55     | 44.55          | -0.37       | 44.18          | 74.00          | 29.82       | Vertical | PASS    |
| 6   | 11474.30    | 42.99          | 5.55        | 48.54          | 74.00          | 25.46       | Vertical | PASS    |
| 7   | 17805.64    | 40.76          | 12.92       | 53.68          | 74.00          | 20.32       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7568.77     | 39.37          | -0.43       | 38.94          | 54.00          | 15.06       | Horizontal | PASS    |
| 2   | 12033.98    | 36.69          | 5.73        | 42.42          | 54.00          | 11.58       | Horizontal | PASS    |
| 3   | 17922.56    | 33.36          | 13.73       | 47.09          | 54.00          | 6.91        | Horizontal | PASS    |
| 4   | 5832.46     | 103.43         | 12.82       | 116.25         | -              | -           | Horizontal | NA      |
| 5   | 7499.00     | 45.20          | -0.51       | 44.69          | 74.00          | 29.31       | Horizontal | PASS    |
| 6   | 12112.19    | 43.96          | 6.04        | 50.00          | 74.00          | 24.00       | Horizontal | PASS    |
| 7   | 17885.00    | 40.51          | 13.73       | 54.24          | 74.00          | 19.76       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU52right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                | Channel   | 165       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7703.71     | 37.26          | 0.52        | 37.78          | 54.00          | 16.22       | Vertical | PASS    |
| 2   | 11295.66    | 36.31          | 6.02        | 42.33          | 54.00          | 11.67       | Vertical | PASS    |
| 3   | 17893.43    | 33.10          | 13.82       | 46.92          | 54.00          | 7.08        | Vertical | PASS    |
| 4   | 5831.73     | 103.53         | 12.82       | 116.35         | -              | -           | Vertical | NA      |
| 5   | 7355.63     | 44.80          | -0.36       | 44.44          | 74.00          | 29.56       | Vertical | PASS    |
| 6   | 11182.96    | 42.54          | 5.86        | 48.40          | 74.00          | 25.60       | Vertical | PASS    |
| 7   | 17814.08    | 41.12          | 13.01       | 54.13          | 74.00          | 19.87       | Vertical | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                 | Channel   | 165       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19    |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7398.56     | 37.75          | -0.21       | 37.54          | 54.00          | 16.46       | Horizontal | PASS    |
| 2   | 11211.71    | 36.06          | 5.92        | 41.98          | 54.00          | 12.02       | Horizontal | PASS    |
| 3   | 17887.68    | 33.65          | 13.76       | 47.41          | 54.00          | 6.59        | Horizontal | PASS    |
| 4   | 5829.16     | 100.78         | 12.82       | 113.60         | -              | -           | Horizontal | NA      |
| 5   | 7348.34     | 45.11          | -0.38       | 44.73          | 74.00          | 29.27       | Horizontal | PASS    |
| 6   | 11292.98    | 43.72          | 6.01        | 49.73          | 74.00          | 24.27       | Horizontal | PASS    |
| 7   | 17875.03    | 40.15          | 13.63       | 53.78          | 74.00          | 20.22       | Horizontal | PASS    |

| Project Information |                       |           |           |
|---------------------|-----------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU106right | Band:     | UNII-3    |
| Bandwidth           | 20MHz                 | Channel   | 165       |
| SN:                 | 17aba958              | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19    |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7318.83     | 39.94          | -0.37       | 39.57          | 54.00          | 14.43       | Vertical | PASS    |
| 2   | 11174.91    | 36.76          | 5.82        | 42.58          | 54.00          | 11.42       | Vertical | PASS    |
| 3   | 17827.11    | 33.63          | 13.13       | 46.76          | 54.00          | 7.24        | Vertical | PASS    |
| 4   | 5833.93     | 102.27         | 12.83       | 115.10         | -              | -           | Vertical | NA      |
| 5   | 7443.41     | 44.72          | -0.47       | 44.25          | 74.00          | 29.75       | Vertical | PASS    |
| 6   | 11551.74    | 43.19          | 5.82        | 49.01          | 74.00          | 24.99       | Vertical | PASS    |
| 7   | 17883.46    | 40.24          | 13.71       | 53.95          | 74.00          | 20.05       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-3    |
| Bandwidth           | 40MHz                | Channel   | 151       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7584.10     | 38.50          | -0.42       | 38.08          | 54.00          | 15.92       | Horizontal | PASS    |
| 2   | 11281.86    | 36.02          | 6.00        | 42.02          | 54.00          | 11.98       | Horizontal | PASS    |
| 3   | 17810.24    | 34.82          | 12.96       | 47.78          | 54.00          | 6.22        | Horizontal | PASS    |
| 4   | 5747.94     | 100.33         | 12.74       | 113.07         | -              | -           | Horizontal | NA      |
| 5   | 7656.56     | 45.50          | 0.07        | 45.57          | 74.00          | 28.43       | Horizontal | PASS    |
| 6   | 11177.59    | 43.40          | 5.84        | 49.24          | 74.00          | 24.76       | Horizontal | PASS    |
| 7   | 17879.25    | 40.88          | 13.67       | 54.55          | 74.00          | 19.45       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax40 RU242left | Band:     | UNII-3    |
| Bandwidth           | 40MHz                | Channel   | 151       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 7454.53     | 38.10          | -0.51       | 37.59          | 54.00          | 16.41       | Vertical | PASS    |
| 2         | 12189.62    | 35.97          | 6.30        | 42.27          | 54.00          | 11.73       | Vertical | PASS    |
| 3         | 17855.48    | 33.72          | 13.42       | 47.14          | 54.00          | 6.86        | Vertical | PASS    |
| 4         | 5747.02     | 100.29         | 12.74       | 113.03         | -              | -           | Vertical | NA      |
| 5         | 7386.68     | 44.59          | -0.26       | 44.33          | 74.00          | 29.67       | Vertical | PASS    |
| 6         | 12381.30    | 43.46          | 6.39        | 49.85          | 74.00          | 24.15       | Vertical | PASS    |
| 7         | 17891.51    | 40.11          | 13.79       | 53.90          | 74.00          | 20.10       | Vertical | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484left | Band:     | UNII-3    |
| Bandwidth           | 80MHz                | Channel   | 155       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7438.81     | 38.24          | -0.45       | 37.79          | 54.00          | 16.21       | Horizontal | PASS    |
| 2   | 11179.51    | 36.82          | 5.84        | 42.66          | 54.00          | 11.34       | Horizontal | PASS    |
| 3   | 17880.78    | 34.00          | 13.68       | 47.68          | 54.00          | 6.32        | Horizontal | PASS    |
| 4   | 5747.02     | 96.77          | 12.74       | 109.51         | -              | -           | Horizontal | NA      |
| 5   | 7249.82     | 44.40          | 0.04        | 44.44          | 68.20          | 23.76       | Horizontal | PASS    |
| 6   | 11563.62    | 42.71          | 5.89        | 48.60          | 74.00          | 25.40       | Horizontal | PASS    |
| 7   | 17940.96    | 40.74          | 13.60       | 54.34          | 74.00          | 19.66       | Horizontal | PASS    |

| Project Information |                      |           |           |
|---------------------|----------------------|-----------|-----------|
| Mode:               | 802.11ax80 RU484left | Band:     | UNII-3    |
| Bandwidth           | 80MHz                | Channel   | 155       |
| SN:                 | 17aba958             | Engineer: | Tian Shuo |
| Remark:             | Y;power setting 19   |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7690.67     | 37.53          | 0.42        | 37.95          | 54.00          | 16.05       | Vertical | PASS    |
| 2   | 11123.92    | 36.11          | 5.65        | 41.76          | 54.00          | 12.24       | Vertical | PASS    |
| 3   | 17931.00    | 33.38          | 13.67       | 47.05          | 54.00          | 6.95        | Vertical | PASS    |
| 4   | 5759.68     | 98.09          | 12.73       | 110.82         | -              | -           | Vertical | NA      |
| 5   | 7634.32     | 45.04          | -0.12       | 44.92          | 74.00          | 29.08       | Vertical | PASS    |
| 6   | 11172.22    | 42.99          | 5.81        | 48.80          | 74.00          | 25.20       | Vertical | PASS    |
| 7   | 17872.73    | 40.07          | 13.61       | 53.68          | 74.00          | 20.32       | Vertical | PASS    |