
























Contention Based Protocol Test Result


Test Mode	Antenna	Channel	Interference Frequency [MHz]		Status	Awgn Power [dBm]	Gain [dBi]	Path Loss [dB]	Adjusted Power [dBm]	Limit [dBm]	Detection Rate		Verdict
											Result [%]	Limit [%]	
11ax20MIMO	Ant3	6135	Center	6135	OFF	-71.06	-1.30	0	-69.76	-62	100	90	PASS
11ax20MIMO	Ant3	6135	Center	6135	Minimal	-71.94	-1.30	0	-70.64	-62	---	---	---
11ax20MIMO	Ant3	6135	Center	6135	ON	-72.3	-1.30	0	-71.00	-62	---	---	---
11ax20MIMO	Ant3	6455	Center	6455	OFF	-71.93	-1.30	0	-70.63	-62	100	90	PASS
11ax20MIMO	Ant3	6455	Center	6455	Minimal	-72.85	-1.30	0	-71.55	-62	---	---	---
11ax20MIMO	Ant3	6455	Center	6455	ON	-75.3	-1.30	0	-74.00	-62	---	---	---
11ax20MIMO	Ant3	6715	Center	6715	OFF	-75.74	-1.30	0	-74.44	-62	100	90	PASS
11ax20MIMO	Ant3	6715	Center	6715	Minimal	-76.42	-1.30	0	-75.12	-62	20	---	---
11ax20MIMO	Ant3	6715	Center	6715	ON	-78.3	-1.30	0	-77.00	-62	---	---	---
11ax20MIMO	Ant3	6915	Center	6915	OFF	-70.89	-1.30	0	-69.59	-62	100	90	PASS
11ax20MIMO	Ant3	6915	Center	6915	Minimal	-71.8	-1.30	0	-70.50	-62	10	---	---
11ax20MIMO	Ant3	6915	Center	6915	ON	-74.3	-1.30	0	-73.00	-62	---	---	---
11ax160MIMO	Ant3	6185	Center	6185	OFF	-66.1	-1.30	0	-64.80	-62	100	90	PASS
11ax160MIMO	Ant3	6185	Low	6110	OFF	-72.65	-1.30	0	-71.35	-62	90	90	PASS
11ax160MIMO	Ant3	6185	High	6260	OFF	-72.54	-1.30	0	-71.24	-62	100	90	PASS
11ax160MIMO	Ant3	6185	Center	6185	Minimal	-67.06	-1.30	0	-65.76	-62	20	---	---
11ax160MIMO	Ant3	6185	Low	6110	Minimal	-73.49	-1.30	0	-72.19	-62	0	---	---
11ax160MIMO	Ant3	6185	High	6260	Minimal	-73.38	-1.30	0	-72.08	-62	0	---	---
11ax160MIMO	Ant3	6185	Center	6185	ON	-70.3	-1.30	0	-69.00	-62	---	---	---
11ax160MIMO	Ant3	6185	Low	6110	ON	-76.3	-1.30	0	-75.00	-62	---	---	---
11ax160MIMO	Ant3	6185	High	6260	ON	-76.3	-1.30	0	-75.00	-62	---	---	---
11ax160MIMO	Ant3	6505	Center	6505	OFF	-64.14	-1.30	0	-62.84	-62	100	90	PASS
11ax160MIMO	Ant3	6505	Low	6430	OFF	-70.92	-1.30	0	-69.62	-62	90	90	PASS
11ax160MIMO	Ant3	6505	High	6580	OFF	-72.68	-1.30	0	-71.38	-62	100	90	PASS
11ax160MIMO	Ant3	6505	Center	6505	Minimal	-65.09	-1.30	0	-63.79	-62	50	---	---
11ax160MIMO	Ant3	6505	Low	6430	Minimal	-71.81	-1.30	0	-70.51	-62	30	---	---
11ax160MIMO	Ant3	6505	High	6580	Minimal	-73.56	-1.30	0	-72.26	-62	0	---	---
11ax160MIMO	Ant3	6505	Center	6505	ON	-69.3	-1.30	0	-68.00	-62	---	---	---
11ax160MIMO	Ant3	6505	Low	6430	ON	-74.3	-1.30	0	-73.00	-62	---	---	---
11ax160MIMO	Ant3	6505	High	6580	ON	-72.3	-1.30	0	-71.00	-62	---	---	---
11ax160MIMO	Ant3	6665	Low	6590	OFF	-73.69	-1.30	0	-72.39	-62	90	90	PASS
11ax160MIMO	Ant3	6665	High	6740	OFF	-72.65	-1.30	0	-71.35	-62	100	90	PASS
11ax160MIMO	Ant3	6665	Center	6665	OFF	-64.09	-1.30	0	-62.79	-62	90	90	PASS
11ax160MIMO	Ant3	6665	Center	6665	Minimal	-65.05	-1.30	0	-63.75	-62	0	---	---
11ax160MIMO	Ant3	6665	Low	6590	Minimal	-74.51	-1.30	0	-73.21	-62	0	---	---
11ax160MIMO	Ant3	6665	High	6740	Minimal	-73.49	-1.30	0	-72.19	-62	10	---	---
11ax160MIMO	Ant3	6665	Low	6590	ON	-76.3	-1.30	0	-75.00	-62	---	---	---
11ax160MIMO	Ant3	6665	High	6740	ON	-76.3	-1.30	0	-75.00	-62	---	---	---
11ax160MIMO	Ant3	6665	Center	6665	ON	-69.3	-1.30	0	-68.00	-62	---	---	---
11ax160MIMO	Ant3	6985	Low	6910	OFF	-68.06	-1.30	0	-66.76	-62	100	90	PASS
11ax160MIMO	Ant3	6985	Center	6985	OFF	-64.1	-1.30	0	-62.80	-62	90	90	PASS
11ax160MIMO	Ant3	6985	High	7060	OFF	-69.12	-1.30	0	-67.82	-62	100	90	PASS
11ax160MIMO	Ant3	6985	Low	6910	Minimal	-69.02	-1.30	0	-67.72	-62	30	---	---
11ax160MIMO	Ant3	6985	Center	6985	Minimal	-65.08	-1.30	0	-63.78	-62	30	---	---
11ax160MIMO	Ant3	6985	High	7060	Minimal	-70.06	-1.30	0	-68.76	-62	20	---	---
11ax160MIMO	Ant3	6985	Low	6910	ON	-73.3	-1.30	0	-72.00	-62	---	---	---
11ax160MIMO	Ant3	6985	Center	6985	ON	-69.3	-1.30	0	-68.00	-62	---	---	---
11ax160MIMO	Ant3	6985	High	7060	ON	-75.3	-1.30	0	-74.00	-62	---	---	---


Note: Adjusted Power= Injected AWGN Power - Antenna Gain + Path Loss


Test Graphs


















11ax160MIMO-Ant3-6665-Low-6590-OFF-PASS



11ax160MIMO-Ant3-6665-Low-6590-OFF-PASS




11ax160MIMO-Ant3-6665-High-6740-OFF-PASS




11ax160MIMO-Ant3-6665-High-6740-OFF-PASS





11ax160MIMO-Ant3-6665-Center-6665-OFF-PASS



11ax160MIMO-Ant3-6665-Center-6665-OFF-PASS








Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	45
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	130.78	52.13	-26.06	26.07	43.50	17.43	Horizontal	PASS
2	165.02	52.74	-25.79	26.95	43.50	16.55	Horizontal	PASS
3	373.77	44.33	-17.96	26.37	46.00	19.63	Horizontal	PASS
4	447.34	44.97	-16.82	28.15	46.00	17.85	Horizontal	PASS
5	489.54	43.21	-16.06	27.15	46.00	18.85	Horizontal	PASS
6	946.31	37.24	-7.97	29.27	46.00	16.73	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	45
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	58.18	49.56	-22.54	27.02	40.00	12.98	Vertical	PASS
2	129.04	53.84	-26.47	27.37	43.50	16.13	Vertical	PASS
3	207.80	53.29	-23.94	29.35	43.50	14.15	Vertical	PASS
4	361.30	47.45	-18.26	29.19	46.00	16.81	Vertical	PASS
5	453.70	51.71	-17.06	34.65	46.00	11.35	Vertical	PASS
6	499.77	48.09	-15.51	32.58	46.00	13.42	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-8
Bandwidth	80MHz	Channel	199
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 9.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	130.44	52.57	-25.97	26.60	43.50	16.90	Horizontal	PASS
2	165.07	52.89	-25.78	27.11	43.50	16.39	Horizontal	PASS
3	211.20	49.61	-24.31	25.30	43.50	18.20	Horizontal	PASS
4	371.20	45.10	-17.93	27.17	46.00	18.83	Horizontal	PASS
5	439.15	45.46	-16.97	28.49	46.00	17.51	Horizontal	PASS
6	964.06	37.12	-8.11	29.01	54.00	24.99	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-8
Bandwidth	80MHz	Channel	199
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 9.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	57.74	50.49	-22.79	27.70	40.00	12.30	Vertical	PASS
2	130.88	53.38	-25.73	27.65	43.50	15.85	Vertical	PASS
3	203.68	53.00	-23.63	29.37	43.50	14.13	Vertical	PASS
4	371.93	46.41	-17.79	28.62	46.00	17.38	Vertical	PASS
5	455.73	50.95	-17.01	33.94	46.00	12.06	Vertical	PASS
6	562.09	45.60	-14.38	31.22	46.00	14.78	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7337.08	28.71	16.79	45.50	54.00	8.50	Horizontal	PASS
2	11417.33	34.67	5.86	40.53	54.00	13.47	Horizontal	PASS
3	17748.33	32.47	13.93	46.40	54.00	7.60	Horizontal	PASS
4	5954.07	91.83	13.34	105.17	-	-	Horizontal	NA
5	7338.01	37.51	16.80	54.31	74.00	19.69	Horizontal	PASS
6	11440.67	42.27	5.89	48.16	74.00	25.84	Horizontal	PASS
7	17869.33	39.66	14.46	54.12	74.00	19.88	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7373.01	29.31	16.58	45.89	54.00	8.11	Vertical	PASS
2	12055.00	34.77	5.82	40.59	54.00	13.41	Vertical	PASS
3	17804.33	32.75	14.40	47.15	54.00	6.85	Vertical	PASS
4	5956.17	93.94	13.34	107.28	-	-	Vertical	NA
5	7286.21	36.83	16.55	53.38	74.00	20.62	Vertical	PASS
6	12036.00	42.48	5.90	48.38	74.00	25.62	Vertical	PASS
7	17998.00	39.45	14.88	54.33	74.00	19.67	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	45
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7313.74	29.58	16.70	46.28	54.00	7.72	Horizontal	PASS
2	11406.67	34.63	5.84	40.47	54.00	13.53	Horizontal	PASS
3	17858.67	32.81	14.45	47.26	54.00	6.74	Horizontal	PASS
4	6173.87	94.89	13.49	108.38	-	-	Horizontal	NA
5	7376.05	37.12	16.54	53.66	74.00	20.34	Horizontal	PASS
6	11419.67	42.00	5.86	47.86	74.00	26.14	Horizontal	PASS
7	17861.33	40.23	14.45	54.68	74.00	19.32	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	45
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.85	29.17	16.84	46.01	54.00	7.99	Vertical	PASS
2	12067.33	35.40	5.77	41.17	54.00	12.83	Vertical	PASS
3	17747.67	32.67	13.92	46.59	54.00	7.41	Vertical	PASS
4	6173.17	95.23	13.49	108.72	-	-	Vertical	NA
5	7317.71	36.88	16.71	53.59	74.00	20.41	Vertical	PASS
6	11998.00	42.45	6.05	48.50	74.00	25.50	Vertical	PASS
7	17988.00	39.42	14.84	54.26	74.00	19.74	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	93
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7345.71	29.11	16.83	45.94	54.00	8.06	Horizontal	PASS
2	11509.67	35.08	5.96	41.04	54.00	12.96	Horizontal	PASS
3	17750.33	32.49	13.94	46.43	54.00	7.57	Horizontal	PASS
4	6414.21	96.78	13.82	110.60	-	-	Horizontal	NA
5	7334.28	36.85	16.78	53.63	74.00	20.37	Horizontal	PASS
6	11985.00	42.38	6.04	48.42	74.00	25.58	Horizontal	PASS
7	17830.00	39.82	14.42	54.24	74.00	19.76	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	93
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7473.12	30.00	15.90	45.90	54.00	8.10	Vertical	PASS
2	12119.33	34.68	5.71	40.39	54.00	13.61	Vertical	PASS
3	17857.33	31.76	14.44	46.20	54.00	7.80	Vertical	PASS
4	6413.28	94.77	13.82	108.59	-	-	Vertical	NA
5	7514.88	37.47	15.93	53.40	74.00	20.60	Vertical	PASS
6	12222.67	43.30	6.06	49.36	74.00	24.64	Vertical	PASS
7	17857.33	40.25	14.44	54.69	74.00	19.31	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7393.08	29.88	16.34	46.22	54.00	7.78	Horizontal	PASS
2	11447.33	35.03	5.89	40.92	54.00	13.08	Horizontal	PASS
3	17856.33	32.27	14.44	46.71	54.00	7.29	Horizontal	PASS
4	5955.70	93.79	13.34	107.13	-	-	Horizontal	NA
5	7415.95	38.10	16.16	54.26	74.00	19.74	Horizontal	PASS
6	11425.67	42.31	5.86	48.17	74.00	25.83	Horizontal	PASS
7	17694.00	41.36	13.48	54.84	68.20	13.36	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7338.71	28.95	16.81	45.76	54.00	8.24	Vertical	PASS
2	11407.67	35.27	5.85	41.12	54.00	12.88	Vertical	PASS
3	17932.67	31.74	14.61	46.35	54.00	7.65	Vertical	PASS
4	5953.83	94.15	13.34	107.49	-	-	Vertical	NA
5	7351.31	36.61	16.83	53.44	74.00	20.56	Vertical	PASS
6	11493.33	43.09	5.95	49.04	74.00	24.96	Vertical	PASS
7	17790.00	40.14	14.31	54.45	74.00	19.55	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7275.71	29.09	16.49	45.58	54.00	8.42	Horizontal	PASS
2	11413.33	35.14	5.86	41.00	54.00	13.00	Horizontal	PASS
3	17933.67	32.38	14.61	46.99	54.00	7.01	Horizontal	PASS
4	5967.37	90.70	13.28	103.98	-	-	Horizontal	NA
5	7363.21	36.92	16.69	53.61	74.00	20.39	Horizontal	PASS
6	12022.33	43.57	5.95	49.52	74.00	24.48	Horizontal	PASS
7	17784.00	39.63	14.25	53.88	74.00	20.12	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7334.28	29.36	16.78	46.14	54.00	7.86	Vertical	PASS
2	12007.00	34.63	6.02	40.65	54.00	13.35	Vertical	PASS
3	17939.00	32.40	14.64	47.04	54.00	6.96	Vertical	PASS
4	5968.30	92.87	13.28	106.15	-	-	Vertical	NA
5	7343.61	36.53	16.83	53.36	74.00	20.64	Vertical	PASS
6	11990.00	43.10	6.05	49.15	74.00	24.85	Vertical	PASS
7	17843.00	40.05	14.44	54.49	74.00	19.51	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7303.71	29.70	16.65	46.35	54.00	7.65	Horizontal	PASS
2	11496.00	34.93	5.94	40.87	54.00	13.13	Horizontal	PASS
3	17858.67	31.97	14.45	46.42	54.00	7.58	Horizontal	PASS
4	5983.00	86.44	13.21	99.65	-	-	Horizontal	NA
5	7301.61	37.47	16.63	54.10	74.00	19.90	Horizontal	PASS
6	12019.33	42.04	5.97	48.01	74.00	25.99	Horizontal	PASS
7	17920.67	39.46	14.56	54.02	74.00	19.98	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7369.51	29.34	16.62	45.96	54.00	8.04	Vertical	PASS
2	12075.00	34.96	5.74	40.70	54.00	13.30	Vertical	PASS
3	17827.00	31.92	14.42	46.34	54.00	7.66	Vertical	PASS
4	5989.77	90.19	13.18	103.37	-	-	Vertical	NA
5	7331.48	36.74	16.76	53.50	74.00	20.50	Vertical	PASS
6	11415.67	42.27	5.85	48.12	74.00	25.88	Vertical	PASS
7	17706.00	41.58	13.54	55.12	74.00	18.88	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7316.08	29.20	16.71	45.91	54.00	8.09	Horizontal	PASS
2	11470.00	34.68	5.92	40.60	54.00	13.40	Horizontal	PASS
3	17994.67	31.80	14.87	46.67	54.00	7.33	Horizontal	PASS
4	6016.13	87.86	13.19	101.05	-	-	Horizontal	NA
5	7315.84	37.10	16.70	53.80	74.00	20.20	Horizontal	PASS
6	11987.67	42.64	6.05	48.69	74.00	25.31	Horizontal	PASS
7	17932.33	39.22	14.61	53.83	74.00	20.17	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7323.08	28.97	16.73	45.70	54.00	8.30	Vertical	PASS
2	12121.33	35.86	5.72	41.58	54.00	12.42	Vertical	PASS
3	17760.33	32.16	14.03	46.19	54.00	7.81	Vertical	PASS
4	6027.10	90.79	13.23	104.02	-	-	Vertical	NA
5	7296.94	36.89	16.61	53.50	74.00	20.50	Vertical	PASS
6	11405.00	42.86	5.84	48.70	74.00	25.30	Vertical	PASS
7	17795.33	40.16	14.36	54.52	74.00	19.48	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	97
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7335.44	29.06	16.79	45.85	54.00	8.15	Horizontal	PASS
2	11425.33	35.41	5.86	41.27	54.00	12.73	Horizontal	PASS
3	17868.33	31.89	14.46	46.35	54.00	7.65	Horizontal	PASS
4	6434.05	86.85	13.88	100.73	-	-	Horizontal	NA
5	7265.21	37.34	16.43	53.77	74.00	20.23	Horizontal	PASS
6	11425.00	42.21	5.86	48.07	74.00	25.93	Horizontal	PASS
7	17794.67	39.82	14.35	54.17	74.00	19.83	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	97
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7294.61	29.15	16.60	45.75	54.00	8.25	Vertical	PASS
2	12061.00	35.08	5.79	40.87	54.00	13.13	Vertical	PASS
3	17831.00	31.99	14.42	46.41	54.00	7.59	Vertical	PASS
4	6433.35	83.63	13.88	97.51	-	-	Vertical	NA
5	7347.34	36.91	16.84	53.75	74.00	20.25	Vertical	PASS
6	12082.00	42.77	5.70	48.47	74.00	25.53	Vertical	PASS
7	17992.33	39.28	14.86	54.14	74.00	19.86	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7321.21	29.27	16.73	46.00	54.00	8.00	Horizontal	PASS
2	11365.00	34.70	5.83	40.53	54.00	13.47	Horizontal	PASS
3	17931.00	32.16	14.60	46.76	54.00	7.24	Horizontal	PASS
4	6473.48	85.79	14.21	100.00	-	-	Horizontal	NA
5	7350.85	36.49	16.84	53.33	74.00	20.67	Horizontal	PASS
6	11489.33	42.12	5.94	48.06	74.00	25.94	Horizontal	PASS
7	17826.33	39.87	14.42	54.29	74.00	19.71	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7322.38	29.25	16.73	45.98	54.00	8.02	Vertical	PASS
2	11489.00	34.50	5.94	40.44	54.00	13.56	Vertical	PASS
3	17929.67	31.43	14.60	46.03	54.00	7.97	Vertical	PASS
4	6472.55	83.49	14.20	97.69	-	-	Vertical	NA
5	7313.51	37.37	16.69	54.06	74.00	19.94	Vertical	PASS
6	11478.33	42.37	5.92	48.29	74.00	25.71	Vertical	PASS
7	17757.67	39.96	14.01	53.97	74.00	20.03	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7331.24	29.80	16.77	46.57	54.00	7.43	Horizontal	PASS
2	12143.00	34.51	5.82	40.33	54.00	13.67	Horizontal	PASS
3	17796.00	31.88	14.37	46.25	54.00	7.75	Horizontal	PASS
4	6514.55	85.40	14.58	99.98	-	-	Horizontal	NA
5	7366.48	36.68	16.66	53.34	74.00	20.66	Horizontal	PASS
6	12049.00	42.99	5.85	48.84	74.00	25.16	Horizontal	PASS
7	17980.00	39.79	14.81	54.60	74.00	19.40	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7326.58	29.05	16.74	45.79	54.00	8.21	Vertical	PASS
2	11413.00	34.83	5.86	40.69	54.00	13.31	Vertical	PASS
3	17853.00	32.07	14.45	46.52	54.00	7.48	Vertical	PASS
4	6513.38	83.64	14.58	98.22	-	-	Vertical	NA
5	7336.84	36.21	16.79	53.00	74.00	21.00	Vertical	PASS
6	11338.33	42.54	5.83	48.37	74.00	25.63	Vertical	PASS
7	17840.33	39.63	14.43	54.06	74.00	19.94	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	UNII-6
Bandwidth	20MHz	Channel	97
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7339.64	28.89	16.80	45.69	54.00	8.31	Horizontal	PASS
2	11440.33	34.50	5.88	40.38	54.00	13.62	Horizontal	PASS
3	17925.33	32.17	14.58	46.75	54.00	7.25	Horizontal	PASS
4	6434.75	88.50	13.88	102.38	-	-	Horizontal	NA
5	7362.05	36.58	16.71	53.29	74.00	20.71	Horizontal	PASS
6	11553.67	42.53	5.99	48.52	74.00	25.48	Horizontal	PASS
7	17928.00	39.43	14.59	54.02	74.00	19.98	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-6
Bandwidth	20MHz	Channel	97
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7334.98	29.17	16.78	45.95	54.00	8.05	Vertical	PASS
2	12605.67	34.65	6.31	40.96	54.00	13.04	Vertical	PASS
3	17817.00	32.65	14.41	47.06	54.00	6.94	Vertical	PASS
4	6436.15	84.73	13.88	98.61	-	-	Vertical	NA
5	7313.74	36.38	16.70	53.08	74.00	20.92	Vertical	PASS
6	12002.33	41.92	6.04	47.96	74.00	26.04	Vertical	PASS
7	17816.67	39.68	14.41	54.09	74.00	19.91	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-6
Bandwidth	40MHz	Channel	107
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7349.91	28.80	16.85	45.65	54.00	8.35	Horizontal	PASS
2	11420.33	34.93	5.86	40.79	54.00	13.21	Horizontal	PASS
3	17858.00	31.87	14.45	46.32	54.00	7.68	Horizontal	PASS
4	6484.45	87.51	14.34	101.85	-	-	Horizontal	NA
5	7407.31	36.93	16.21	53.14	74.00	20.86	Horizontal	PASS
6	11469.00	42.04	5.91	47.95	74.00	26.05	Horizontal	PASS
7	17804.67	40.23	14.40	54.63	74.00	19.37	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-6
Bandwidth	40MHz	Channel	107
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7294.84	28.89	16.60	45.49	54.00	8.51	Vertical	PASS
2	11417.00	34.92	5.86	40.78	54.00	13.22	Vertical	PASS
3	17806.33	32.39	14.40	46.79	54.00	7.21	Vertical	PASS
4	6484.45	86.34	14.34	100.68	-	-	Vertical	NA
5	7314.91	36.58	16.70	53.28	74.00	20.72	Vertical	PASS
6	11432.33	41.73	5.88	47.61	74.00	26.39	Vertical	PASS
7	17801.67	39.39	14.40	53.79	74.00	20.21	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-6
Bandwidth	80MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7352.95	29.55	16.82	46.37	54.00	7.63	Horizontal	PASS
2	12123.67	34.69	5.73	40.42	54.00	13.58	Horizontal	PASS
3	17986.33	32.34	14.84	47.18	54.00	6.82	Horizontal	PASS
4	6465.55	88.22	14.11	102.33	-	-	Horizontal	NA
5	7322.61	36.51	16.73	53.24	74.00	20.76	Horizontal	PASS
6	12389.00	41.92	6.40	48.32	74.00	25.68	Horizontal	PASS
7	17800.67	39.86	14.40	54.26	74.00	19.74	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-6
Bandwidth	80MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7334.04	29.03	16.78	45.81	54.00	8.19	Vertical	PASS
2	12066.00	35.04	5.78	40.82	54.00	13.18	Vertical	PASS
3	17856.00	31.91	14.44	46.35	54.00	7.65	Vertical	PASS
4	6469.28	85.76	14.16	99.92	-	-	Vertical	NA
5	7367.41	37.69	16.64	54.33	74.00	19.67	Vertical	PASS
6	12009.33	43.22	6.01	49.23	74.00	24.77	Vertical	PASS
7	17881.33	39.32	14.46	53.78	74.00	20.22	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-6
Bandwidth	160MHz	Channel	111
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7374.65	29.05	16.56	45.61	54.00	8.39	Horizontal	PASS
2	11510.33	34.54	5.96	40.50	54.00	13.50	Horizontal	PASS
3	17848.67	32.36	14.44	46.80	54.00	7.20	Horizontal	PASS
4	6508.25	88.20	14.56	102.76	-	-	Horizontal	NA
5	7296.48	37.24	16.61	53.85	74.00	20.15	Horizontal	PASS
6	11445.00	42.94	5.88	48.82	74.00	25.18	Horizontal	PASS
7	17857.00	40.03	14.44	54.47	74.00	19.53	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-6
Bandwidth	160MHz	Channel	111
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7309.54	29.14	16.67	45.81	54.00	8.19	Vertical	PASS
2	11425.67	34.29	5.86	40.15	54.00	13.85	Vertical	PASS
3	17982.00	32.24	14.82	47.06	54.00	6.94	Vertical	PASS
4	6510.35	86.08	14.56	100.64	-	-	Vertical	NA
5	7257.51	36.72	16.38	53.10	74.00	20.90	Vertical	PASS
6	11433.33	42.11	5.88	47.99	74.00	26.01	Vertical	PASS
7	17803.33	39.66	14.41	54.07	74.00	19.93	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	117
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7298.34	29.09	16.62	45.71	54.00	8.29	Horizontal	PASS
2	12079.33	34.76	5.72	40.48	54.00	13.52	Horizontal	PASS
3	17859.33	32.19	14.45	46.64	54.00	7.36	Horizontal	PASS
4	6534.38	95.27	14.67	109.94	-	-	Horizontal	NA
5	7280.61	37.34	16.52	53.86	74.00	20.14	Horizontal	PASS
6	12113.67	42.64	5.69	48.33	74.00	25.67	Horizontal	PASS
7	17880.33	39.30	14.46	53.76	74.00	20.24	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	117
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7325.18	29.01	16.74	45.75	54.00	8.25	Vertical	PASS
2	12000.67	35.63	6.05	41.68	54.00	12.32	Vertical	PASS
3	17987.67	31.38	14.84	46.22	54.00	7.78	Vertical	PASS
4	6535.78	93.78	14.67	108.45	-	-	Vertical	NA
5	7289.48	36.80	16.57	53.37	74.00	20.63	Vertical	PASS
6	11342.67	42.71	5.84	48.55	74.00	25.45	Vertical	PASS
7	17986.67	39.37	14.84	54.21	74.00	19.79	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	149
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7267.31	29.28	16.44	45.72	54.00	8.28	Horizontal	PASS
2	11471.00	34.62	5.92	40.54	54.00	13.46	Horizontal	PASS
3	17852.67	32.23	14.45	46.68	54.00	7.32	Horizontal	PASS
4	6694.22	95.57	14.28	109.85	-	-	Horizontal	NA
5	7359.48	37.00	16.74	53.74	74.00	20.26	Horizontal	PASS
6	12068.00	42.62	5.77	48.39	74.00	25.61	Horizontal	PASS
7	17780.67	40.06	14.22	54.28	74.00	19.72	Horizontal	PASS