



Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	149
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.01	29.74	16.02	45.76	54.00	8.24	Vertical	PASS
2	11485.00	34.65	5.93	40.58	54.00	13.42	Vertical	PASS
3	17852.33	31.92	14.44	46.36	54.00	7.64	Vertical	PASS
4	6695.86	93.47	14.29	107.76	-	-	Vertical	NA
5	7293.21	36.59	16.59	53.18	74.00	20.82	Vertical	PASS
6	11427.67	42.39	5.87	48.26	74.00	25.74	Vertical	PASS
7	17853.00	39.56	14.45	54.01	74.00	19.99	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7372.08	29.04	16.59	45.63	54.00	8.37	Horizontal	PASS
2	11984.33	34.30	6.05	40.35	54.00	13.65	Horizontal	PASS
3	17999.67	31.36	14.89	46.25	54.00	7.75	Horizontal	PASS
4	6854.30	96.79	15.08	111.87	-	-	Horizontal	NA
5	7221.57	37.24	16.29	53.53	68.20	14.67	Horizontal	PASS
6	12095.00	43.15	5.66	48.81	74.00	25.19	Horizontal	PASS
7	17797.00	40.80	14.37	55.17	74.00	18.83	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7337.08	28.95	16.79	45.74	54.00	8.26	Vertical	PASS
2	11318.67	34.61	5.83	40.44	54.00	13.56	Vertical	PASS
3	17823.33	32.18	14.42	46.60	54.00	7.40	Vertical	PASS
4	6853.83	92.42	15.08	107.50	-	-	Vertical	NA
5	7366.71	36.72	16.65	53.37	74.00	20.63	Vertical	PASS
6	11411.67	42.21	5.85	48.06	74.00	25.94	Vertical	PASS
7	17999.00	39.20	14.89	54.09	74.00	19.91	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7363.91	29.28	16.69	45.97	54.00	8.03	Horizontal	PASS
2	11480.67	34.74	5.93	40.67	54.00	13.33	Horizontal	PASS
3	17933.67	32.32	14.61	46.93	54.00	7.07	Horizontal	PASS
4	6854.06	96.49	15.08	111.57	-	-	Horizontal	NA
5	7352.95	36.52	16.82	53.34	74.00	20.66	Horizontal	PASS
6	12003.00	42.79	6.03	48.82	74.00	25.18	Horizontal	PASS
7	17939.67	39.88	14.64	54.52	74.00	19.48	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7324.48	28.97	16.74	45.71	54.00	8.29	Vertical	PASS
2	11439.00	34.52	5.88	40.40	54.00	13.60	Vertical	PASS
3	17930.67	31.89	14.60	46.49	54.00	7.51	Vertical	PASS
4	6854.53	93.80	15.07	108.87	-	-	Vertical	NA
5	7299.98	37.43	16.63	54.06	74.00	19.94	Vertical	PASS
6	11548.67	42.55	5.99	48.54	74.00	25.46	Vertical	PASS
7	17815.67	39.82	14.41	54.23	74.00	19.77	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-7
Bandwidth	40MHz	Channel	179
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7299.98	29.40	16.63	46.03	54.00	7.97	Horizontal	PASS
2	12056.33	35.65	5.82	41.47	54.00	12.53	Horizontal	PASS
3	17795.67	32.06	14.36	46.42	54.00	7.58	Horizontal	PASS
4	6847.06	94.49	15.10	109.59	-	-	Horizontal	NA
5	7352.71	36.80	16.82	53.62	74.00	20.38	Horizontal	PASS
6	11487.67	42.80	5.93	48.73	74.00	25.27	Horizontal	PASS
7	17752.33	39.87	13.96	53.83	74.00	20.17	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-7
Bandwidth	40MHz	Channel	179
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7353.18	29.08	16.81	45.89	54.00	8.11	Vertical	PASS
2	11426.00	35.23	5.86	41.09	54.00	12.91	Vertical	PASS
3	17850.67	31.81	14.44	46.25	54.00	7.75	Vertical	PASS
4	6843.09	90.72	15.11	105.83	-	-	Vertical	NA
5	7355.75	36.68	16.78	53.46	74.00	20.54	Vertical	PASS
6	11320.00	42.96	5.83	48.79	74.00	25.21	Vertical	PASS
7	17861.67	39.81	14.45	54.26	74.00	19.74	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-7
Bandwidth	80MHz	Channel	167
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7352.95	29.50	16.82	46.32	54.00	7.68	Horizontal	PASS
2	11987.33	34.75	6.04	40.79	54.00	13.21	Horizontal	PASS
3	17824.67	31.79	14.42	46.21	54.00	7.79	Horizontal	PASS
4	6784.06	92.36	15.25	107.61	-	-	Horizontal	NA
5	7314.44	36.95	16.69	53.64	74.00	20.36	Horizontal	PASS
6	11330.33	42.18	5.83	48.01	74.00	25.99	Horizontal	PASS
7	17848.00	39.79	14.44	54.23	74.00	19.77	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-7
Bandwidth	80MHz	Channel	167
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7333.11	29.39	16.78	46.17	54.00	7.83	Vertical	PASS
2	12006.33	34.97	6.03	41.00	54.00	13.00	Vertical	PASS
3	17885.33	32.01	14.47	46.48	54.00	7.52	Vertical	PASS
4	6786.39	87.67	15.26	102.93	-	-	Vertical	NA
5	7338.94	36.53	16.80	53.33	74.00	20.67	Vertical	PASS
6	11420.00	42.70	5.86	48.56	74.00	25.44	Vertical	PASS
7	17942.00	39.36	14.65	54.01	74.00	19.99	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-7
Bandwidth	160MHz	Channel	143
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7279.68	29.27	16.51	45.78	54.00	8.22	Horizontal	PASS
2	11439.67	34.51	5.88	40.39	54.00	13.61	Horizontal	PASS
3	17882.33	32.32	14.46	46.78	54.00	7.22	Horizontal	PASS
4	6673.46	91.28	14.26	105.54	-	-	Horizontal	NA
5	7338.01	36.53	16.80	53.33	74.00	20.67	Horizontal	PASS
6	11976.00	43.44	6.04	49.48	74.00	24.52	Horizontal	PASS
7	17748.67	40.31	13.93	54.24	74.00	19.76	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-7
Bandwidth	160MHz	Channel	143
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.41	29.18	16.83	46.01	54.00	7.99	Vertical	PASS
2	11985.67	35.15	6.04	41.19	54.00	12.81	Vertical	PASS
3	17862.00	31.82	14.45	46.27	54.00	7.73	Vertical	PASS
4	6651.76	86.69	14.22	100.91	-	-	Vertical	NA
5	7323.54	37.05	16.74	53.79	74.00	20.21	Vertical	PASS
6	11979.67	42.69	6.05	48.74	74.00	25.26	Vertical	PASS
7	17722.67	40.37	13.69	54.06	74.00	19.94	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	189
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7271.04	29.42	16.47	45.89	54.00	8.11	Horizontal	PASS
2	11507.67	34.49	5.96	40.45	54.00	13.55	Horizontal	PASS
3	17843.00	31.93	14.44	46.37	54.00	7.63	Horizontal	PASS
4	6893.73	85.35	15.01	100.36	-	-	Horizontal	NA
5	7335.68	36.50	16.79	53.29	74.00	20.71	Horizontal	PASS
6	11467.67	42.17	5.91	48.08	74.00	25.92	Horizontal	PASS
7	17831.33	39.44	14.42	53.86	74.00	20.14	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	189
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7297.18	29.25	16.61	45.86	54.00	8.14	Vertical	PASS
2	11443.67	35.00	5.89	40.89	54.00	13.11	Vertical	PASS
3	17850.33	31.89	14.44	46.33	54.00	7.67	Vertical	PASS
4	6893.96	80.94	15.01	95.95	-	-	Vertical	NA
5	7400.08	37.17	16.26	53.43	74.00	20.57	Vertical	PASS
6	11462.67	42.29	5.91	48.20	74.00	25.80	Vertical	PASS
7	17765.00	40.25	14.08	54.33	74.00	19.67	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	209
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7293.44	29.51	16.60	46.11	54.00	7.89	Horizontal	PASS
2	11477.33	34.55	5.92	40.47	54.00	13.53	Horizontal	PASS
3	17818.67	31.90	14.42	46.32	54.00	7.68	Horizontal	PASS
4	6995.47	85.55	15.76	101.31	-	-	Horizontal	NA
5	7348.04	37.05	16.84	53.89	74.00	20.11	Horizontal	PASS
6	11492.33	42.31	5.94	48.25	74.00	25.75	Horizontal	PASS
7	17940.00	39.62	14.64	54.26	74.00	19.74	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	209
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7322.14	29.10	16.73	45.83	54.00	8.17	Vertical	PASS
2	11468.67	34.59	5.91	40.50	54.00	13.50	Vertical	PASS
3	17848.67	32.27	14.44	46.71	54.00	7.29	Vertical	PASS
4	6994.30	79.77	15.75	95.52	-	-	Vertical	NA
5	7349.44	36.35	16.85	53.20	74.00	20.80	Vertical	PASS
6	11425.33	42.47	5.86	48.33	74.00	25.67	Vertical	PASS
7	17794.33	39.79	14.34	54.13	74.00	19.87	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7372.78	28.76	16.58	45.34	54.00	8.66	Horizontal	PASS
2	11482.00	34.70	5.93	40.63	54.00	13.37	Horizontal	PASS
3	17940.00	31.82	14.64	46.46	54.00	7.54	Horizontal	PASS
4	7095.80	84.86	15.57	100.43	-	-	Horizontal	NA
5	7322.14	36.54	16.73	53.27	74.00	20.73	Horizontal	PASS
6	12071.67	42.99	5.75	48.74	74.00	25.26	Horizontal	PASS
7	17925.33	39.60	14.58	54.18	74.00	19.82	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7586.99	29.68	16.10	45.78	54.00	8.22	Vertical	PASS
2	12016.00	34.73	5.99	40.72	54.00	13.28	Vertical	PASS
3	17991.33	31.64	14.86	46.50	54.00	7.50	Vertical	PASS
4	7093.47	78.38	15.59	93.97	-	-	Vertical	NA
5	7361.35	37.27	16.72	53.99	74.00	20.01	Vertical	PASS
6	11313.67	43.03	5.84	48.87	74.00	25.13	Vertical	PASS
7	17877.00	39.73	14.46	54.19	74.00	19.81	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7339.88	29.77	16.80	46.57	54.00	7.43	Horizontal	PASS
2	12053.00	34.74	5.82	40.56	54.00	13.44	Horizontal	PASS
3	17844.33	32.11	14.44	46.55	54.00	7.45	Horizontal	PASS
4	7116.10	85.17	15.73	100.90	-	-	Horizontal	NA
5	7373.01	36.63	16.58	53.21	74.00	20.79	Horizontal	PASS
6	12026.00	42.80	5.94	48.74	74.00	25.26	Horizontal	PASS
7	17750.67	40.97	13.94	54.91	74.00	19.09	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 4.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7397.28	29.71	16.29	46.00	54.00	8.00	Vertical	PASS
2	11456.33	35.09	5.90	40.99	54.00	13.01	Vertical	PASS
3	17924.33	32.05	14.58	46.63	54.00	7.37	Vertical	PASS
4	7113.54	78.51	15.70	94.21	-	-	Vertical	NA
5	7381.41	36.73	16.48	53.21	74.00	20.79	Vertical	PASS
6	11467.33	41.98	5.91	47.89	74.00	26.11	Vertical	PASS
7	17994.67	39.34	14.87	54.21	74.00	19.79	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	189
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7355.75	29.44	16.78	46.22	54.00	7.78	Horizontal	PASS
2	11402.00	35.41	5.84	41.25	54.00	12.75	Horizontal	PASS
3	17985.33	31.70	14.83	46.53	54.00	7.47	Horizontal	PASS
4	6893.96	88.00	15.01	103.01	-	-	Horizontal	NA
5	7312.81	37.36	16.69	54.05	74.00	19.95	Horizontal	PASS
6	11444.00	42.06	5.89	47.95	74.00	26.05	Horizontal	PASS
7	17892.33	39.92	14.47	54.39	74.00	19.61	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	189
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7398.21	29.12	16.28	45.40	54.00	8.60	Vertical	PASS
2	11493.33	34.23	5.95	40.18	54.00	13.82	Vertical	PASS
3	17877.33	31.88	14.46	46.34	54.00	7.66	Vertical	PASS
4	6897.93	82.46	15.00	97.46	-	-	Vertical	NA
5	7301.38	36.78	16.63	53.41	74.00	20.59	Vertical	PASS
6	11512.00	41.88	5.95	47.83	74.00	26.17	Vertical	PASS
7	17837.33	39.54	14.43	53.97	74.00	20.03	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	187
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7329.38	29.17	16.76	45.93	54.00	8.07	Horizontal	PASS
2	11486.00	34.84	5.93	40.77	54.00	13.23	Horizontal	PASS
3	17983.00	31.80	14.82	46.62	54.00	7.38	Horizontal	PASS
4	6885.80	88.09	15.02	103.11	-	-	Horizontal	NA
5	7407.08	37.75	16.21	53.96	74.00	20.04	Horizontal	PASS
6	11273.33	42.59	5.95	48.54	74.00	25.46	Horizontal	PASS
7	17933.33	39.36	14.61	53.97	74.00	20.03	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	187
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7362.05	29.56	16.71	46.27	54.00	7.73	Vertical	PASS
2	11375.33	34.69	5.83	40.52	54.00	13.48	Vertical	PASS
3	17934.67	31.86	14.62	46.48	54.00	7.52	Vertical	PASS
4	6874.60	84.13	15.04	99.17	-	-	Vertical	NA
5	7365.55	36.67	16.67	53.34	74.00	20.66	Vertical	PASS
6	11584.00	42.05	6.01	48.06	74.00	25.94	Vertical	PASS
7	17918.67	39.35	14.55	53.90	74.00	20.10	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.41	28.72	16.83	45.55	54.00	8.45	Horizontal	PASS
2	11487.33	34.82	5.93	40.75	54.00	13.25	Horizontal	PASS
3	17842.00	32.43	14.43	46.86	54.00	7.14	Horizontal	PASS
4	7028.13	88.64	15.85	104.49	-	-	Horizontal	NA
5	7396.11	37.41	16.31	53.72	74.00	20.28	Horizontal	PASS
6	11437.33	43.32	5.88	49.20	74.00	24.80	Horizontal	PASS
7	17930.67	39.48	14.60	54.08	74.00	19.92	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7322.61	29.47	16.73	46.20	54.00	7.80	Vertical	PASS
2	11477.67	34.62	5.92	40.54	54.00	13.46	Vertical	PASS
3	17999.67	31.52	14.89	46.41	54.00	7.59	Vertical	PASS
4	7021.60	81.69	15.84	97.53	-	-	Vertical	NA
5	7376.51	36.92	16.54	53.46	74.00	20.54	Vertical	PASS
6	11462.33	41.91	5.91	47.82	74.00	26.18	Vertical	PASS
7	17892.67	39.65	14.48	54.13	74.00	19.87	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7342.44	29.38	16.82	46.20	54.00	7.80	Horizontal	PASS
2	11975.67	34.62	6.04	40.66	54.00	13.34	Horizontal	PASS
3	17944.33	32.35	14.66	47.01	54.00	6.99	Horizontal	PASS
4	6976.57	89.85	15.59	105.44	-	-	Horizontal	NA
5	7377.21	37.25	16.53	53.78	74.00	20.22	Horizontal	PASS
6	11521.67	42.61	5.96	48.57	74.00	25.43	Horizontal	PASS
7	17674.00	41.07	13.47	54.54	68.20	13.66	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7446.98	30.31	15.94	46.25	54.00	7.75	Vertical	PASS
2	12056.67	35.44	5.82	41.26	54.00	12.74	Vertical	PASS
3	17987.33	31.36	14.84	46.20	54.00	7.80	Vertical	PASS
4	6981.70	83.14	15.64	98.78	-	-	Vertical	NA
5	7335.44	36.64	16.79	53.43	74.00	20.57	Vertical	PASS
6	11502.00	42.78	5.95	48.73	74.00	25.27	Vertical	PASS
7	17848.33	39.40	14.44	53.84	74.00	20.16	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7299.74	30.25	16.63	46.88	54.00	7.12	Horizontal	PASS
2	12015.67	35.51	5.99	41.50	54.00	12.50	Horizontal	PASS
3	17913.67	32.91	14.53	47.44	54.00	6.56	Horizontal	PASS
4	5946.36	98.85	13.33	112.18	-	-	Horizontal	NA
5	7523.98	38.55	15.97	54.52	74.00	19.48	Horizontal	PASS
6	12001.67	43.24	6.04	49.28	74.00	24.72	Horizontal	PASS
7	17925.67	40.21	14.58	54.79	74.00	19.21	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7360.65	30.32	16.72	47.04	54.00	6.96	Vertical	PASS
2	11473.00	35.21	5.92	41.13	54.00	12.87	Vertical	PASS
3	17928.33	32.95	14.59	47.54	54.00	6.46	Vertical	PASS
4	5946.13	100.85	13.33	114.18	-	-	Vertical	NA
5	7313.28	37.63	16.69	54.32	74.00	19.68	Vertical	PASS
6	11169.00	43.07	6.08	49.15	74.00	24.85	Vertical	PASS
7	17936.33	40.37	14.63	55.00	74.00	19.00	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7279.68	30.41	16.51	46.92	54.00	7.08	Horizontal	PASS
2	11488.33	35.60	5.94	41.54	54.00	12.46	Horizontal	PASS
3	17758.67	33.08	14.02	47.10	54.00	6.90	Horizontal	PASS
4	5948.23	97.19	13.35	110.54	-	-	Horizontal	NA
5	7251.44	38.32	16.34	54.66	74.00	19.34	Horizontal	PASS
6	11239.67	42.99	6.10	49.09	74.00	24.91	Horizontal	PASS
7	17837.33	40.19	14.43	54.62	74.00	19.38	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7339.88	29.75	16.80	46.55	54.00	7.45	Vertical	PASS
2	11541.67	35.25	5.98	41.23	54.00	12.77	Vertical	PASS
3	17753.67	32.95	13.97	46.92	54.00	7.08	Vertical	PASS
4	5948.93	101.61	13.35	114.96	-	-	Vertical	NA
5	7322.14	37.60	16.73	54.33	74.00	19.67	Vertical	PASS
6	11482.33	42.75	5.93	48.68	74.00	25.32	Vertical	PASS
7	17791.67	39.96	14.33	54.29	74.00	19.71	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7320.28	29.76	16.72	46.48	54.00	7.52	Horizontal	PASS
2	11588.67	35.17	6.01	41.18	54.00	12.82	Horizontal	PASS
3	17863.67	32.65	14.45	47.10	54.00	6.90	Horizontal	PASS
4	5947.30	94.62	13.34	107.96	-	-	Horizontal	NA
5	7329.84	37.10	16.76	53.86	74.00	20.14	Horizontal	PASS
6	11448.67	43.09	5.89	48.98	74.00	25.02	Horizontal	PASS
7	17739.33	41.05	13.84	54.89	74.00	19.11	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7301.84	29.67	16.64	46.31	54.00	7.69	Vertical	PASS
2	11151.00	35.62	5.96	41.58	54.00	12.42	Vertical	PASS
3	17884.33	32.78	14.47	47.25	54.00	6.75	Vertical	PASS
4	5945.90	97.85	13.33	111.18	-	-	Vertical	NA
5	7321.44	37.04	16.72	53.76	74.00	20.24	Vertical	PASS
6	11245.67	43.19	6.08	49.27	74.00	24.73	Vertical	PASS
7	17860.00	39.99	14.45	54.44	74.00	19.56	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7351.31	30.26	16.83	47.09	54.00	6.91	Horizontal	PASS
2	11979.33	35.93	6.05	41.98	54.00	12.02	Horizontal	PASS
3	17926.33	32.40	14.59	46.99	54.00	7.01	Horizontal	PASS
4	5948.23	92.15	13.35	105.50	-	-	Horizontal	NA
5	7351.08	38.09	16.84	54.93	74.00	19.07	Horizontal	PASS
6	11495.33	43.06	5.94	49.00	74.00	25.00	Horizontal	PASS
7	17743.67	41.52	13.88	55.40	74.00	18.60	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7273.14	30.35	16.48	46.83	54.00	7.17	Vertical	PASS
2	11465.00	35.23	5.91	41.14	54.00	12.86	Vertical	PASS
3	17892.33	32.68	14.47	47.15	54.00	6.85	Vertical	PASS
4	5961.07	94.34	13.31	107.65	-	-	Vertical	NA
5	7335.68	37.40	16.79	54.19	74.00	19.81	Vertical	PASS
6	11985.67	43.35	6.04	49.39	74.00	24.61	Vertical	PASS
7	17858.00	40.13	14.45	54.58	74.00	19.42	Vertical	PASS


Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7401.01	29.94	16.26	46.20	54.00	7.80	Horizontal	PASS
2	11449.33	36.03	5.89	41.92	54.00	12.08	Horizontal	PASS
3	17863.00	32.62	14.45	47.07	54.00	6.93	Horizontal	PASS
4	5954.30	89.86	13.34	103.20	-	-	Horizontal	NA
5	7334.74	37.29	16.78	54.07	74.00	19.93	Horizontal	PASS
6	11510.67	44.21	5.96	50.17	74.00	23.83	Horizontal	PASS
7	17813.67	40.58	14.41	54.99	74.00	19.01	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7339.41	29.62	16.80	46.42	54.00	7.58	Vertical	PASS
2	11428.33	35.27	5.87	41.14	54.00	12.86	Vertical	PASS
3	17843.33	32.48	14.44	46.92	54.00	7.08	Vertical	PASS
4	5958.50	91.78	13.32	105.10	-	-	Vertical	NA
5	7294.38	37.79	16.59	54.38	74.00	19.62	Vertical	PASS
6	11308.33	43.88	5.83	49.71	74.00	24.29	Vertical	PASS
7	17991.33	40.43	14.86	55.29	74.00	18.71	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.85	29.51	16.84	46.35	54.00	7.65	Horizontal	PASS
2	11460.00	36.25	5.91	42.16	54.00	11.84	Horizontal	PASS
3	17862.67	32.55	14.45	47.00	54.00	7.00	Horizontal	PASS
4	6021.73	87.15	13.21	100.36	-	-	Horizontal	NA
5	7292.51	37.85	16.59	54.44	74.00	19.56	Horizontal	PASS
6	12097.33	43.17	5.64	48.81	74.00	25.19	Horizontal	PASS
7	17531.00	41.18	13.64	54.82	68.20	13.38	Horizontal	PASS

Project Information

Mode:	802.11ax160 RU996left	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7439.05	30.49	15.99	46.48	54.00	7.52	Vertical	PASS
2	11497.33	35.13	5.94	41.07	54.00	12.93	Vertical	PASS
3	17789.00	32.48	14.30	46.78	54.00	7.22	Vertical	PASS
4	5978.57	88.91	13.23	102.14	-	-	Vertical	NA
5	7324.01	37.47	16.73	54.20	74.00	19.80	Vertical	PASS
6	12154.67	43.51	5.87	49.38	74.00	24.62	Vertical	PASS
7	17931.67	41.15	14.61	55.76	74.00	18.24	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7299.51	30.06	16.63	46.69	54.00	7.31	Horizontal	PASS
2	11043.00	35.31	5.69	41.00	54.00	13.00	Horizontal	PASS
3	17991.33	32.17	14.86	47.03	54.00	6.97	Horizontal	PASS
4	6523.65	84.76	14.62	99.38	-	-	Horizontal	NA
5	7458.42	38.16	15.91	54.07	74.00	19.93	Horizontal	PASS
6	11345.00	43.11	5.83	48.94	74.00	25.06	Horizontal	PASS
7	17891.00	40.13	14.47	54.60	74.00	19.40	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7371.15	30.23	16.60	46.83	54.00	7.17	Vertical	PASS
2	11173.67	34.89	6.11	41.00	54.00	13.00	Vertical	PASS
3	17843.00	33.28	14.44	47.72	54.00	6.28	Vertical	PASS
4	6522.95	84.01	14.62	98.63	-	-	Vertical	NA
5	7327.04	37.51	16.75	54.26	74.00	19.74	Vertical	PASS
6	11427.00	43.08	5.87	48.95	74.00	25.05	Vertical	PASS
7	17885.00	40.70	14.47	55.17	74.00	18.83	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7349.21	30.10	16.84	46.94	54.00	7.06	Horizontal	PASS
2	11178.00	35.58	6.14	41.72	54.00	12.28	Horizontal	PASS
3	17775.33	32.99	14.18	47.17	54.00	6.83	Horizontal	PASS
4	6521.78	85.57	14.61	100.18	-	-	Horizontal	NA
5	7328.68	37.23	16.76	53.99	74.00	20.01	Horizontal	PASS
6	11474.00	43.52	5.93	49.45	74.00	24.55	Horizontal	PASS
7	17934.00	39.69	14.62	54.31	74.00	19.69	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-6
Bandwidth	20MHz	Channel	113
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7326.11	29.45	16.75	46.20	54.00	7.80	Vertical	PASS
2	11973.67	35.36	6.05	41.41	54.00	12.59	Vertical	PASS
3	17745.00	33.27	13.90	47.17	54.00	6.83	Vertical	PASS
4	6522.72	85.72	14.62	100.34	-	-	Vertical	NA
5	7331.24	37.38	16.77	54.15	74.00	19.85	Vertical	PASS
6	12414.00	43.32	6.42	49.74	74.00	24.26	Vertical	PASS
7	17841.67	40.10	14.43	54.53	74.00	19.47	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-6
Bandwidth	20MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7323.31	30.01	16.74	46.75	54.00	7.25	Horizontal	PASS
2	11433.00	35.19	5.88	41.07	54.00	12.93	Horizontal	PASS
3	17763.00	33.01	14.06	47.07	54.00	6.93	Horizontal	PASS
4	6470.45	86.60	14.17	100.77	-	-	Horizontal	NA
5	7319.81	37.39	16.72	54.11	74.00	19.89	Horizontal	PASS
6	11533.33	43.54	5.98	49.52	74.00	24.48	Horizontal	PASS
7	17789.33	40.80	14.30	55.10	74.00	18.90	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-6
Bandwidth	20MHz	Channel	105
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7371.61	29.58	16.59	46.17	54.00	7.83	Vertical	PASS
2	11339.67	35.22	5.83	41.05	54.00	12.95	Vertical	PASS
3	17862.00	32.50	14.45	46.95	54.00	7.05	Vertical	PASS
4	6472.55	84.72	14.20	98.92	-	-	Vertical	NA
5	7434.85	38.30	16.02	54.32	74.00	19.68	Vertical	PASS
6	11425.33	43.52	5.86	49.38	74.00	24.62	Vertical	PASS
7	17995.33	40.29	14.87	55.16	74.00	18.84	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-6
Bandwidth	40MHz	Channel	99
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7380.01	29.82	16.50	46.32	54.00	7.68	Horizontal	PASS
2	11419.67	35.67	5.86	41.53	54.00	12.47	Horizontal	PASS
3	17990.67	32.21	14.85	47.06	54.00	6.94	Horizontal	PASS
4	6433.81	89.02	13.88	102.90	-	-	Horizontal	NA
5	7343.14	37.73	16.82	54.55	74.00	19.45	Horizontal	PASS
6	11221.00	42.68	6.18	48.86	74.00	25.14	Horizontal	PASS
7	17840.00	40.36	14.43	54.79	74.00	19.21	Horizontal	PASS


Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-6
Bandwidth	40MHz	Channel	99
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7321.91	29.94	16.72	46.66	54.00	7.34	Vertical	PASS
2	11185.33	35.03	6.19	41.22	54.00	12.78	Vertical	PASS
3	17931.67	33.03	14.61	47.64	54.00	6.36	Vertical	PASS
4	6434.05	89.15	13.88	103.03	-	-	Vertical	NA
5	7317.24	37.08	16.70	53.78	74.00	20.22	Vertical	PASS
6	11338.00	44.06	5.83	49.89	74.00	24.11	Vertical	PASS
7	17974.00	40.48	14.79	55.27	74.00	18.73	Vertical	PASS


Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-6
Bandwidth	80MHz	Channel	103
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7391.91	30.03	16.36	46.39	54.00	7.61	Horizontal	PASS
2	11542.33	34.96	5.97	40.93	54.00	13.07	Horizontal	PASS
3	17772.00	32.88	14.15	47.03	54.00	6.97	Horizontal	PASS
4	6434.28	90.92	13.88	104.80	-	-	Horizontal	NA
5	7352.95	37.43	16.82	54.25	74.00	19.75	Horizontal	PASS
6	11241.67	43.07	6.09	49.16	74.00	24.84	Horizontal	PASS
7	17913.33	40.59	14.53	55.12	74.00	18.88	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-6
Bandwidth	80MHz	Channel	103
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7322.14	29.78	16.73	46.51	54.00	7.49	Vertical	PASS
2	11149.67	35.23	5.96	41.19	54.00	12.81	Vertical	PASS
3	17857.67	32.68	14.45	47.13	54.00	6.87	Vertical	PASS
4	6449.45	88.47	13.93	102.40	-	-	Vertical	NA
5	7323.54	37.94	16.74	54.68	74.00	19.32	Vertical	PASS
6	11489.33	43.19	5.94	49.13	74.00	24.87	Vertical	PASS
7	17861.67	40.75	14.45	55.20	74.00	18.80	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-6
Bandwidth	160MHz	Channel	111
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7287.38	29.88	16.56	46.44	54.00	7.56	Horizontal	PASS
2	11146.67	36.02	5.94	41.96	54.00	12.04	Horizontal	PASS
3	17988.00	32.29	14.84	47.13	54.00	6.87	Horizontal	PASS
4	6433.11	89.70	13.88	103.58	-	-	Horizontal	NA
5	7384.68	37.54	16.44	53.98	74.00	20.02	Horizontal	PASS
6	11144.33	42.93	5.93	48.86	74.00	25.14	Horizontal	PASS
7	17873.00	40.67	14.46	55.13	74.00	18.87	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-6
Bandwidth	160MHz	Channel	111
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7343.38	29.57	16.82	46.39	54.00	7.61	Vertical	PASS
2	11166.67	35.36	6.06	41.42	54.00	12.58	Vertical	PASS
3	17705.33	33.90	13.53	47.43	54.00	6.57	Vertical	PASS
4	6453.88	87.64	13.98	101.62	-	-	Vertical	NA
5	7339.18	36.92	16.80	53.72	74.00	20.28	Vertical	PASS
6	11583.00	42.94	6.01	48.95	74.00	25.05	Vertical	PASS
7	17585.67	41.08	13.48	54.56	68.20	13.64	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7348.28	30.03	16.85	46.88	54.00	7.12	Horizontal	PASS
2	11950.33	35.07	6.04	41.11	54.00	12.89	Horizontal	PASS
3	17884.67	33.33	14.47	47.80	54.00	6.20	Horizontal	PASS
4	6863.40	102.91	15.05	117.96	-	-	Horizontal	NA
5	7315.38	37.56	16.70	54.26	74.00	19.74	Horizontal	PASS
6	11402.67	43.31	5.85	49.16	74.00	24.84	Horizontal	PASS
7	17943.00	39.92	14.65	54.57	74.00	19.43	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7351.31	29.45	16.83	46.28	54.00	7.72	Vertical	PASS
2	11738.67	34.78	6.27	41.05	54.00	12.95	Vertical	PASS
3	17823.67	32.79	14.42	47.21	54.00	6.79	Vertical	PASS
4	6863.40	100.12	15.05	115.17	-	-	Vertical	NA
5	7380.01	37.84	16.50	54.34	74.00	19.66	Vertical	PASS
6	11983.33	43.27	6.05	49.32	74.00	24.68	Vertical	PASS
7	17605.33	42.57	13.44	56.01	68.20	12.19	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52mid	Band:	UNII-7
Bandwidth	20MHz	Channel	149
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7308.61	30.27	16.67	46.94	54.00	7.06	Horizontal	PASS
2	11475.00	35.12	5.92	41.04	54.00	12.96	Horizontal	PASS
3	17797.33	32.69	14.37	47.06	54.00	6.94	Horizontal	PASS
4	6691.66	101.10	14.27	115.37	-	-	Horizontal	NA
5	7490.85	37.98	15.88	53.86	74.00	20.14	Horizontal	PASS
6	11182.33	43.45	6.16	49.61	74.00	24.39	Horizontal	PASS
7	17942.00	40.15	14.65	54.80	74.00	19.20	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52mid	Band:	UNII-7
Bandwidth	20MHz	Channel	149
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7327.28	29.65	16.75	46.40	54.00	7.60	Vertical	PASS
2	11621.00	35.70	6.10	41.80	54.00	12.20	Vertical	PASS
3	17754.00	32.82	13.97	46.79	54.00	7.21	Vertical	PASS
4	6692.36	99.49	14.28	113.77	-	-	Vertical	NA
5	7368.35	37.08	16.63	53.71	74.00	20.29	Vertical	PASS
6	11430.00	42.93	5.87	48.80	74.00	25.20	Vertical	PASS
7	17939.00	40.62	14.64	55.26	74.00	18.74	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7395.41	29.51	16.31	45.82	54.00	8.18	Horizontal	PASS
2	12018.33	35.08	5.97	41.05	54.00	12.95	Horizontal	PASS
3	6794.09	38.21	15.30	53.51	-	-	Horizontal	NA
4	6862.70	99.08	15.06	114.14	-	-	Horizontal	NA
5	7345.24	37.30	16.83	54.13	74.00	19.87	Horizontal	PASS
6	11243.67	42.95	6.08	49.03	74.00	24.97	Horizontal	PASS
7	17887.67	41.36	14.47	55.83	74.00	18.17	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-7
Bandwidth	20MHz	Channel	181
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.85	29.70	16.84	46.54	54.00	7.46	Vertical	PASS
2	11145.00	35.73	5.93	41.66	54.00	12.34	Vertical	PASS
3	18000.00	32.35	14.89	47.24	54.00	6.76	Vertical	PASS
4	6863.16	97.95	15.06	113.01	-	-	Vertical	NA
5	7299.98	37.66	16.63	54.29	74.00	19.71	Vertical	PASS
6	11468.00	44.15	5.91	50.06	74.00	23.94	Vertical	PASS
7	17760.33	41.15	14.03	55.18	74.00	18.82	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-7
Bandwidth	40MHz	Channel	147
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7341.51	30.34	16.81	47.15	54.00	6.85	Horizontal	PASS
2	11462.67	35.64	5.91	41.55	54.00	12.45	Horizontal	PASS
3	17992.67	32.82	14.86	47.68	54.00	6.32	Horizontal	PASS
4	6681.39	95.88	14.26	110.14	-	-	Horizontal	NA
5	7518.38	39.31	15.95	55.26	74.00	18.74	Horizontal	PASS
6	11588.67	43.09	6.01	49.10	74.00	24.90	Horizontal	PASS
7	17878.33	40.42	14.47	54.89	74.00	19.11	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-7
Bandwidth	40MHz	Channel	147
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7304.18	29.86	16.65	46.51	54.00	7.49	Vertical	PASS
2	11480.00	36.45	5.93	42.38	54.00	11.62	Vertical	PASS
3	17996.00	32.89	14.87	47.76	54.00	6.24	Vertical	PASS
4	6680.92	94.97	14.27	109.24	-	-	Vertical	NA
5	7328.68	37.23	16.76	53.99	74.00	20.01	Vertical	PASS
6	11812.33	43.78	6.10	49.88	74.00	24.12	Vertical	PASS
7	17842.67	40.45	14.44	54.89	74.00	19.11	Vertical	PASS


Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-7
Bandwidth	80MHz	Channel	167
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7305.81	30.72	16.66	47.38	54.00	6.62	Horizontal	PASS
2	11978.00	35.80	6.04	41.84	54.00	12.16	Horizontal	PASS
3	17889.00	32.64	14.47	47.11	54.00	6.89	Horizontal	PASS
4	6804.59	93.86	15.31	109.17	-	-	Horizontal	NA
5	7306.28	37.64	16.65	54.29	74.00	19.71	Horizontal	PASS
6	11427.67	43.12	5.87	48.99	74.00	25.01	Horizontal	PASS
7	17854.67	40.89	14.44	55.33	74.00	18.67	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-7
Bandwidth	80MHz	Channel	167
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7361.58	29.99	16.71	46.70	54.00	7.30	Vertical	PASS
2	10920.33	35.77	5.18	40.95	54.00	13.05	Vertical	PASS
3	17759.33	32.97	14.03	47.00	54.00	7.00	Vertical	PASS
4	6798.29	91.28	15.32	106.60	-	-	Vertical	NA
5	7306.74	37.18	16.66	53.84	74.00	20.16	Vertical	PASS
6	11557.00	42.76	5.99	48.75	74.00	25.25	Vertical	PASS
7	17797.67	40.79	14.38	55.17	74.00	18.83	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-7
Bandwidth	160MHz	Channel	143
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.15	29.77	16.85	46.62	54.00	7.38	Horizontal	PASS
2	11137.33	35.38	5.87	41.25	54.00	12.75	Horizontal	PASS
3	17856.00	32.56	14.44	47.00	54.00	7.00	Horizontal	PASS
4	6593.19	92.22	14.21	106.43	-	-	Horizontal	NA
5	7387.71	38.71	16.40	55.11	74.00	18.89	Horizontal	PASS
6	11497.00	42.56	5.94	48.50	74.00	25.50	Horizontal	PASS
7	17896.00	40.34	14.47	54.81	74.00	19.19	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-7
Bandwidth	160MHz	Channel	143
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7314.21	29.66	16.69	46.35	54.00	7.65	Vertical	PASS
2	11542.00	34.96	5.98	40.94	54.00	13.06	Vertical	PASS
3	17854.33	32.71	14.44	47.15	54.00	6.85	Vertical	PASS
4	6632.85	90.46	14.19	104.65	-	-	Vertical	NA
5	7437.88	38.98	16.00	54.98	74.00	19.02	Vertical	PASS
6	11528.33	42.91	5.97	48.88	74.00	25.12	Vertical	PASS
7	17845.67	40.44	14.44	54.88	74.00	19.12	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7345.48	29.63	16.83	46.46	54.00	7.54	Horizontal	PASS
2	11987.67	35.34	6.05	41.39	54.00	12.61	Horizontal	PASS
3	17861.67	32.48	14.45	46.93	54.00	7.07	Horizontal	PASS
4	7103.04	82.80	15.57	98.37	-	-	Horizontal	NA
5	7414.55	37.68	16.16	53.84	74.00	20.16	Horizontal	PASS
6	12009.33	43.80	6.01	49.81	74.00	24.19	Horizontal	PASS
7	17913.67	40.41	14.53	54.94	74.00	19.06	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7559.92	29.81	16.08	45.89	54.00	8.11	Vertical	PASS
2	11478.00	35.34	5.92	41.26	54.00	12.74	Vertical	PASS
3	17990.00	32.14	14.85	46.99	54.00	7.01	Vertical	PASS
4	7103.74	80.09	15.58	95.67	-	-	Vertical	NA
5	7443.48	37.68	15.97	53.65	74.00	20.35	Vertical	PASS
6	11201.33	42.92	6.27	49.19	74.00	24.81	Vertical	PASS
7	17801.00	40.77	14.40	55.17	74.00	18.83	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7410.58	29.59	16.19	45.78	54.00	8.22	Horizontal	PASS
2	11414.00	35.35	5.86	41.21	54.00	12.79	Horizontal	PASS
3	17881.67	32.25	14.46	46.71	54.00	7.29	Horizontal	PASS
4	7123.80	73.72	15.83	89.55	-	-	Horizontal	NA
5	7340.58	37.07	16.81	53.88	74.00	20.12	Horizontal	PASS
6	11511.33	42.95	5.96	48.91	74.00	25.09	Horizontal	PASS
7	17891.67	40.70	14.47	55.17	74.00	18.83	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7314.21	29.86	16.69	46.55	54.00	7.45	Vertical	PASS
2	11437.00	35.47	5.88	41.35	54.00	12.65	Vertical	PASS
3	17829.00	33.26	14.43	47.69	54.00	6.31	Vertical	PASS
4	7121.47	70.36	15.80	86.16	-	-	Vertical	NA
5	7419.21	37.39	16.13	53.52	74.00	20.48	Vertical	PASS
6	11260.67	42.76	6.01	48.77	74.00	25.23	Vertical	PASS
7	17982.33	40.23	14.82	55.05	74.00	18.95	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7426.68	29.72	16.08	45.80	54.00	8.20	Horizontal	PASS
2	11511.33	35.64	5.96	41.60	54.00	12.40	Horizontal	PASS
3	17765.67	33.16	14.09	47.25	54.00	6.75	Horizontal	PASS
4	7118.67	73.72	15.76	89.48	-	-	Horizontal	NA
5	7340.34	37.27	16.81	54.08	74.00	19.92	Horizontal	PASS
6	11433.67	43.10	5.88	48.98	74.00	25.02	Horizontal	PASS
7	17625.00	40.77	13.45	54.22	68.20	13.98	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7285.04	30.37	16.54	46.91	54.00	7.09	Vertical	PASS
2	11577.33	35.24	6.00	41.24	54.00	12.76	Vertical	PASS
3	17973.00	32.29	14.78	47.07	54.00	6.93	Vertical	PASS
4	7122.40	69.05	15.80	84.85	-	-	Vertical	NA
5	7385.15	37.31	16.44	53.75	74.00	20.25	Vertical	PASS
6	11574.00	42.65	6.00	48.65	74.00	25.35	Vertical	PASS
7	17857.00	40.37	14.44	54.81	74.00	19.19	Vertical	PASS


Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-8
Bandwidth	40MHz	Channel	187
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7380.48	29.64	16.49	46.13	54.00	7.87	Horizontal	PASS
2	11168.67	35.34	6.08	41.42	54.00	12.58	Horizontal	PASS
3	17880.33	32.31	14.46	46.77	54.00	7.23	Horizontal	PASS
4	6873.90	90.18	15.05	105.23	-	-	Horizontal	NA
5	7313.98	37.15	16.69	53.84	74.00	20.16	Horizontal	PASS
6	11449.33	43.54	5.89	49.43	74.00	24.57	Horizontal	PASS
7	17852.00	40.41	14.44	54.85	74.00	19.15	Horizontal	PASS


Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-8
Bandwidth	40MHz	Channel	187
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7367.88	30.06	16.64	46.70	54.00	7.30	Vertical	PASS
2	11179.33	35.46	6.15	41.61	54.00	12.39	Vertical	PASS
3	17938.00	32.16	14.63	46.79	54.00	7.21	Vertical	PASS
4	6877.40	85.97	15.04	101.01	-	-	Vertical	NA
5	7345.48	37.94	16.83	54.77	74.00	19.23	Vertical	PASS
6	11430.33	42.86	5.87	48.73	74.00	25.27	Vertical	PASS
7	17817.33	40.49	14.41	54.90	74.00	19.10	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-8
Bandwidth	80MHz	Channel	199
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7336.38	29.45	16.79	46.24	54.00	7.76	Horizontal	PASS
2	11415.33	35.42	5.85	41.27	54.00	12.73	Horizontal	PASS
3	17890.67	33.56	14.47	48.03	54.00	5.97	Horizontal	PASS
4	6925.70	89.40	15.18	104.58	-	-	Horizontal	NA
5	7337.08	37.37	16.79	54.16	74.00	19.84	Horizontal	PASS
6	12064.67	43.34	5.77	49.11	74.00	24.89	Horizontal	PASS
7	17875.00	40.24	14.46	54.70	74.00	19.30	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-8
Bandwidth	80MHz	Channel	199
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7304.18	29.95	16.65	46.60	54.00	7.40	Vertical	PASS
2	11514.67	35.23	5.96	41.19	54.00	12.81	Vertical	PASS
3	17834.33	32.72	14.43	47.15	54.00	6.85	Vertical	PASS
4	6908.20	84.13	15.06	99.19	-	-	Vertical	NA
5	7401.25	37.64	16.26	53.90	74.00	20.10	Vertical	PASS
6	11681.00	43.06	6.31	49.37	74.00	24.63	Vertical	PASS
7	17772.33	40.96	14.15	55.11	74.00	18.89	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7422.71	30.44	16.11	46.55	54.00	7.45	Horizontal	PASS
2	11614.00	35.05	6.07	41.12	54.00	12.88	Horizontal	PASS
3	17867.00	32.92	14.45	47.37	54.00	6.63	Horizontal	PASS
4	6934.10	88.78	15.25	104.03	-	-	Horizontal	NA
5	7447.91	38.18	15.94	54.12	74.00	19.88	Horizontal	PASS
6	11449.00	43.63	5.89	49.52	74.00	24.48	Horizontal	PASS
7	17579.67	41.13	13.50	54.63	68.20	13.57	Horizontal	PASS

Project Information

Mode:	802.11ax160 RU996left	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7317.48	29.59	16.71	46.30	54.00	7.70	Vertical	PASS
2	11615.00	35.01	6.07	41.08	54.00	12.92	Vertical	PASS
3	17864.67	32.66	14.45	47.11	54.00	6.89	Vertical	PASS
4	6931.06	86.11	15.22	101.33	-	-	Vertical	NA
5	7399.61	38.46	16.26	54.72	74.00	19.28	Vertical	PASS
6	11585.33	43.45	6.01	49.46	74.00	24.54	Vertical	PASS
7	17773.33	40.47	14.15	54.62	74.00	19.38	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.04	30.96	12.73	43.69	68.20	24.51	Horizontal	PASS
2	5831.15	28.00	12.82	40.82	68.20	27.38	Horizontal	PASS
3	5911.61	27.95	13.09	41.04	68.20	27.16	Horizontal	PASS
4	5756.23	38.18	12.72	50.90	88.20	37.30	Horizontal	PASS
5	5838.28	38.87	12.84	51.71	88.20	36.49	Horizontal	PASS
6	5913.08	39.61	13.11	52.72	88.20	35.48	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.16	31.99	12.73	44.72	68.20	23.48	Vertical	PASS
2	5836.19	28.08	12.83	40.91	68.20	27.29	Vertical	PASS
3	5915.91	28.48	13.12	41.60	68.20	26.60	Vertical	PASS
4	5760.04	38.61	12.73	51.34	88.20	36.86	Vertical	PASS
5	5842.22	38.55	12.84	51.39	88.20	36.81	Vertical	PASS
6	5909.76	39.02	13.08	52.10	88.20	36.10	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5871.26	27.90	12.92	40.82	68.20	27.38	Horizontal	PASS
2	5909.39	28.06	13.08	41.14	68.20	27.06	Horizontal	PASS
3	5923.79	28.11	13.18	41.29	68.20	26.91	Horizontal	PASS
4	5885.28	38.72	12.97	51.69	88.20	36.51	Horizontal	PASS
5	5906.44	38.82	13.05	51.87	88.20	36.33	Horizontal	PASS
6	5924.16	38.53	13.18	51.71	88.20	36.49	Horizontal	PASS