


Project Information			
Mode:	802.11ax20	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5892.29	28.19	12.99	41.18	68.20	27.02	Vertical	PASS
2	5910.13	28.65	13.08	41.73	68.20	26.47	Vertical	PASS
3	5917.39	29.24	13.13	42.37	68.20	25.83	Vertical	PASS
4	5894.01	38.47	12.99	51.46	88.20	36.74	Vertical	PASS
5	5908.29	38.36	13.07	51.43	88.20	36.77	Vertical	PASS
6	5918.99	38.75	13.14	51.89	88.20	36.31	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5895.96	28.23	13.00	41.23	68.20	26.97	Horizontal	PASS
2	5904.72	28.59	13.04	41.63	68.20	26.57	Horizontal	PASS
3	5923.27	29.83	13.18	43.01	68.20	25.19	Horizontal	PASS
4	5890.62	38.34	12.98	51.32	88.20	36.88	Horizontal	PASS
5	5901.80	38.81	13.02	51.83	88.20	36.37	Horizontal	PASS
6	5918.31	40.44	13.14	53.58	88.20	34.62	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5898.62	29.13	13.01	42.14	68.20	26.06	Vertical	PASS
2	5907.90	29.65	13.07	42.72	68.20	25.48	Vertical	PASS
3	5920.73	31.49	13.15	44.64	68.20	23.56	Vertical	PASS
4	5902.56	38.99	13.03	52.02	88.20	36.18	Vertical	PASS
5	5909.80	40.41	13.08	53.49	88.20	34.71	Vertical	PASS
6	5921.23	41.40	13.16	54.56	88.20	33.64	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5901.59	29.44	13.02	42.46	68.20	25.74	Horizontal	PASS
2	5907.26	29.69	13.06	42.75	68.20	25.45	Horizontal	PASS
3	5918.33	29.56	13.14	42.70	68.20	25.50	Horizontal	PASS
4	5903.88	41.31	13.04	54.35	88.20	33.85	Horizontal	PASS
5	5912.52	40.64	13.10	53.74	88.20	34.46	Horizontal	PASS
6	5916.44	39.43	13.12	52.55	88.20	35.65	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5898.48	30.69	13.01	43.70	68.20	24.50	Vertical	PASS
2	5908.47	31.31	13.07	44.38	68.20	23.82	Vertical	PASS
3	5919.27	31.67	13.15	44.82	68.20	23.38	Vertical	PASS
4	5898.34	40.93	13.01	53.94	88.20	34.26	Vertical	PASS
5	5909.96	41.75	13.08	54.83	88.20	33.37	Vertical	PASS
6	5916.57	41.34	13.12	54.46	88.20	33.74	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5895.37	37.41	13.00	50.41	68.20	17.79	Horizontal	PASS
2	5907.30	38.33	13.06	51.39	68.20	16.81	Horizontal	PASS
3	5914.55	37.41	13.11	50.52	68.20	17.68	Horizontal	PASS
4	5886.01	47.18	12.97	60.15	88.20	28.05	Horizontal	PASS
5	5898.54	49.59	13.01	62.60	88.20	25.60	Horizontal	PASS
6	5917.57	47.51	13.14	60.65	88.20	27.55	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5897.48	41.41	13.00	54.41	68.20	13.79	Vertical	PASS
2	5908.96	41.98	13.07	55.05	68.20	13.15	Vertical	PASS
3	5922.86	41.62	13.17	54.79	68.20	13.41	Vertical	PASS
4	5901.26	51.14	13.02	64.16	88.20	24.04	Vertical	PASS
5	5908.66	51.14	13.07	64.21	88.20	23.99	Vertical	PASS
6	5915.61	51.53	13.12	64.65	88.20	23.55	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.16	27.63	15.90	43.53	68.20	24.67	Horizontal	PASS
2	7148.72	27.78	16.11	43.89	68.20	24.31	Horizontal	PASS
3	7162.82	27.57	16.16	43.73	68.20	24.47	Horizontal	PASS
4	7132.49	37.85	15.92	53.77	88.20	34.43	Horizontal	PASS
5	7144.73	38.12	16.07	54.19	88.20	34.01	Horizontal	PASS
6	7161.89	38.66	16.16	54.82	88.20	33.38	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7130.36	27.63	15.90	43.53	68.20	24.67	Vertical	PASS
2	7143.27	27.53	16.05	43.58	68.20	24.62	Vertical	PASS
3	7155.24	27.49	16.14	43.63	68.20	24.57	Vertical	PASS
4	7130.36	38.34	15.90	54.24	88.20	33.96	Vertical	PASS
5	7145.53	38.07	16.08	54.15	88.20	34.05	Vertical	PASS
6	7157.77	37.97	16.15	54.12	88.20	34.08	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	44.88	15.84	60.72	68.20	7.48	Horizontal	PASS
2	7126.55	41.07	15.86	56.93	68.20	11.27	Horizontal	PASS
3	7127.58	35.34	15.87	51.21	68.20	16.99	Horizontal	PASS
4	7125.26	57.40	15.84	73.24	88.20	14.96	Horizontal	PASS
5	7126.68	50.60	15.86	66.46	88.20	21.74	Horizontal	PASS
6	7127.19	49.60	15.86	65.46	88.20	22.74	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.26	39.30	15.84	55.14	68.20	13.06	Vertical	PASS
2	7126.16	34.95	15.84	50.79	68.20	17.41	Vertical	PASS
3	7127.58	30.88	15.87	46.75	68.20	21.45	Vertical	PASS
4	7125.39	51.34	15.84	67.18	88.20	21.02	Vertical	PASS
5	7125.90	46.56	15.84	62.40	88.20	25.80	Vertical	PASS
6	7126.42	44.45	15.86	60.31	88.20	27.89	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7139.14	27.75	16.01	43.76	68.20	24.44	Horizontal	PASS
2	7153.38	27.68	16.13	43.81	68.20	24.39	Horizontal	PASS
3	7177.05	27.78	16.20	43.98	68.20	24.22	Horizontal	PASS
4	7135.02	38.25	15.95	54.20	88.20	34.00	Horizontal	PASS
5	7153.11	38.19	16.14	54.33	88.20	33.87	Horizontal	PASS
6	7172.00	38.40	16.18	54.58	88.20	33.62	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7139.54	27.57	16.01	43.58	68.20	24.62	Vertical	PASS
2	7165.22	27.80	16.17	43.97	68.20	24.23	Vertical	PASS
3	7173.86	27.72	16.19	43.91	68.20	24.29	Vertical	PASS
4	7135.02	38.93	15.95	54.88	88.20	33.32	Vertical	PASS
5	7160.96	38.74	16.15	54.89	88.20	33.31	Vertical	PASS
6	7175.99	38.48	16.19	54.67	88.20	33.53	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	51.28	15.84	67.12	68.20	1.08	Horizontal	PASS
2	7125.52	39.57	15.84	55.41	68.20	12.79	Horizontal	PASS
3	7127.19	31.95	15.86	47.81	68.20	20.39	Horizontal	PASS
4	7125.13	59.16	15.84	75.00	88.20	13.20	Horizontal	PASS
5	7125.52	55.19	15.84	71.03	88.20	17.17	Horizontal	PASS
6	7126.29	48.22	15.86	64.08	88.20	24.12	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	47.60	15.84	63.44	68.20	4.76	Vertical	PASS
2	7125.26	42.91	15.84	58.75	68.20	9.45	Vertical	PASS
3	7125.39	38.49	15.84	54.33	68.20	13.87	Vertical	PASS
4	7125.13	56.57	15.84	72.41	88.20	15.79	Vertical	PASS
5	7125.39	52.43	15.84	68.27	88.20	19.93	Vertical	PASS
6	7126.03	45.60	15.84	61.44	88.20	26.76	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	211
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7137.72	27.68	15.98	43.66	68.20	24.54	Horizontal	PASS
2	7189.91	28.01	16.23	44.24	68.20	23.96	Horizontal	PASS
3	7260.91	28.64	16.41	45.05	54.00	8.95	Horizontal	PASS
4	7143.39	38.65	16.05	54.70	88.20	33.50	Horizontal	PASS
5	7196.18	38.72	16.24	54.96	88.20	33.24	Horizontal	PASS
6	7280.66	38.81	16.52	55.33	74.00	18.67	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	211
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7142.77	27.68	16.04	43.72	68.20	24.48	Vertical	PASS
2	7195.42	27.85	16.24	44.09	68.20	24.11	Vertical	PASS
3	7250.51	28.25	16.34	44.59	54.00	9.41	Vertical	PASS
4	7136.96	38.81	15.98	54.79	88.20	33.41	Vertical	PASS
5	7198.94	39.38	16.25	55.63	88.20	32.57	Vertical	PASS
6	7240.26	38.77	16.32	55.09	88.20	33.11	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	227
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.18	28.07	15.90	43.97	68.20	24.23	Horizontal	PASS
2	7182.16	28.14	16.21	44.35	68.20	23.85	Horizontal	PASS
3	7260.54	28.17	16.40	44.57	54.00	9.43	Horizontal	PASS
4	7135.16	38.98	15.95	54.93	88.20	33.27	Horizontal	PASS
5	7179.01	38.53	16.20	54.73	88.20	33.47	Horizontal	PASS
6	7265.47	39.62	16.43	56.05	74.00	17.95	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-8
Bandwidth	40MHz	Channel	227
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7147.22	27.46	16.10	43.56	68.20	24.64	Vertical	PASS
2	7198.88	28.11	16.25	44.36	68.20	23.84	Vertical	PASS
3	7266.16	28.24	16.44	44.68	54.00	9.32	Vertical	PASS
4	7148.04	38.49	16.10	54.59	88.20	33.61	Vertical	PASS
5	7198.19	38.71	16.24	54.95	88.20	33.25	Vertical	PASS
6	7256.43	38.60	16.37	54.97	74.00	19.03	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7136.65	28.25	15.98	44.23	68.20	23.97	Horizontal	PASS
2	7183.79	28.39	16.22	44.61	68.20	23.59	Horizontal	PASS
3	7276.06	28.36	16.50	44.86	54.00	9.14	Horizontal	PASS
4	7136.50	38.37	15.97	54.34	88.20	33.86	Horizontal	PASS
5	7179.20	38.93	16.20	55.13	88.20	33.07	Horizontal	PASS
6	7274.38	38.99	16.48	55.47	74.00	18.53	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7160.22	27.78	16.15	43.93	68.20	24.27	Vertical	PASS
2	7190.67	27.89	16.22	44.11	68.20	24.09	Vertical	PASS
3	7265.66	28.26	16.43	44.69	54.00	9.31	Vertical	PASS
4	7149.51	39.07	16.13	55.20	88.20	33.00	Vertical	PASS
5	7190.98	38.70	16.22	54.92	88.20	33.28	Vertical	PASS
6	7269.79	39.03	16.45	55.48	74.00	18.52	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7138.60	31.14	15.99	47.13	68.20	21.07	Horizontal	PASS
2	7177.48	28.79	16.20	44.99	68.20	23.21	Horizontal	PASS
3	7260.65	28.35	16.40	44.75	54.00	9.25	Horizontal	PASS
4	7140.63	40.72	16.02	56.74	88.20	31.46	Horizontal	PASS
5	7164.80	39.00	16.17	55.17	88.20	33.03	Horizontal	PASS
6	7263.69	39.43	16.42	55.85	74.00	18.15	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7141.65	29.00	16.03	45.03	68.20	23.17	Vertical	PASS
2	7197.77	27.92	16.24	44.16	68.20	24.04	Vertical	PASS
3	7261.66	28.25	16.40	44.65	54.00	9.35	Vertical	PASS
4	7144.18	38.73	16.06	54.79	88.20	33.41	Vertical	PASS
5	7188.30	39.21	16.22	55.43	88.20	32.77	Vertical	PASS
6	7261.66	39.73	16.40	56.13	74.00	17.87	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.16	32.64	12.73	45.37	68.20	22.83	Horizontal	PASS
2	5834.10	28.55	12.83	41.38	68.20	26.82	Horizontal	PASS
3	5909.39	28.85	13.08	41.93	68.20	26.27	Horizontal	PASS
4	5809.13	39.46	12.79	52.25	88.20	35.95	Horizontal	PASS
5	5858.71	39.15	12.89	52.04	88.20	36.16	Horizontal	PASS
6	5908.16	39.56	13.07	52.63	88.20	35.57	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.04	33.00	12.73	45.73	68.20	22.47	Vertical	PASS
2	5855.51	28.77	12.88	41.65	68.20	26.55	Vertical	PASS
3	5899.67	28.83	13.01	41.84	68.20	26.36	Vertical	PASS
4	5759.92	39.63	12.73	52.36	88.20	35.84	Vertical	PASS
5	5858.95	39.73	12.89	52.62	88.20	35.58	Vertical	PASS
6	5919.73	39.94	13.15	53.09	88.20	35.11	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5822.91	28.35	12.82	41.17	68.20	27.03	Horizontal	PASS
2	5880.11	28.45	12.95	41.40	68.20	26.80	Horizontal	PASS
3	5908.53	28.54	13.07	41.61	68.20	26.59	Horizontal	PASS
4	5846.40	38.84	12.85	51.69	88.20	36.51	Horizontal	PASS
5	5895.61	39.48	13.00	52.48	88.20	35.72	Horizontal	PASS
6	5922.68	40.21	13.17	53.38	88.20	34.82	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5878.88	29.02	12.95	41.97	68.20	26.23	Vertical	PASS
2	5914.56	29.15	13.11	42.26	68.20	25.94	Vertical	PASS
3	5922.68	30.54	13.17	43.71	68.20	24.49	Vertical	PASS
4	5872.73	39.49	12.93	52.42	88.20	35.78	Vertical	PASS
5	5905.09	39.50	13.05	52.55	88.20	35.65	Vertical	PASS
6	5922.56	42.09	13.17	55.26	88.20	32.94	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.16	31.91	12.73	44.64	68.20	23.56	Horizontal	PASS
2	5843.21	28.31	12.85	41.16	68.20	27.04	Horizontal	PASS
3	5924.03	28.60	13.18	41.78	68.20	26.42	Horizontal	PASS
4	5821.31	38.93	12.81	51.74	88.20	36.46	Horizontal	PASS
5	5903.24	38.84	13.04	51.88	88.20	36.32	Horizontal	PASS
6	5918.25	39.32	13.14	52.46	88.20	35.74	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-5
Bandwidth	20MHz	Channel	1
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5760.04	32.35	12.73	45.08	68.20	23.12	Vertical	PASS
2	5900.66	28.40	13.01	41.41	68.20	26.79	Vertical	PASS
3	5923.79	29.04	13.18	42.22	68.20	25.98	Vertical	PASS
4	5873.35	39.88	12.93	52.81	88.20	35.39	Vertical	PASS
5	5903.12	38.74	13.04	51.78	88.20	36.42	Vertical	PASS
6	5923.66	40.50	13.18	53.68	88.20	34.52	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5911.45	31.49	13.09	44.58	68.20	23.62	Horizontal	PASS
2	5917.55	32.70	13.14	45.84	68.20	22.36	Horizontal	PASS
3	5923.27	32.98	13.18	46.16	68.20	22.04	Horizontal	PASS
4	5916.66	43.11	13.12	56.23	88.20	31.97	Horizontal	PASS
5	5920.22	47.42	13.15	60.57	88.20	27.63	Horizontal	PASS
6	5923.14	48.48	13.18	61.66	88.20	26.54	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-5
Bandwidth	40MHz	Channel	3
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5907.90	32.88	13.07	45.95	68.20	22.25	Vertical	PASS
2	5916.28	34.45	13.12	47.57	68.20	20.63	Vertical	PASS
3	5923.39	34.31	13.18	47.49	68.20	20.71	Vertical	PASS
4	5916.15	46.66	13.12	59.78	88.20	28.42	Vertical	PASS
5	5920.47	48.70	13.15	61.85	88.20	26.35	Vertical	PASS
6	5923.27	50.34	13.18	63.52	88.20	24.68	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5900.10	35.47	13.01	48.48	68.20	19.72	Horizontal	PASS
2	5908.61	35.41	13.07	48.48	68.20	19.72	Horizontal	PASS
3	5924.00	39.63	13.18	52.81	68.20	15.39	Horizontal	PASS
4	5893.48	49.27	12.99	62.26	88.20	25.94	Horizontal	PASS
5	5908.47	51.66	13.07	64.73	88.20	23.47	Horizontal	PASS
6	5924.54	51.27	13.18	64.45	88.20	23.75	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-5
Bandwidth	80MHz	Channel	7
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5897.53	38.21	13.00	51.21	68.20	16.99	Vertical	PASS
2	5907.53	38.66	13.07	51.73	68.20	16.47	Vertical	PASS
3	5922.11	41.27	13.16	54.43	68.20	13.77	Vertical	PASS
4	5896.86	51.94	13.00	64.94	88.20	23.26	Vertical	PASS
5	5907.39	54.82	13.06	67.88	88.20	20.32	Vertical	PASS
6	5921.97	55.19	13.16	68.35	88.20	19.85	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5867.58	38.28	12.91	51.19	68.20	17.01	Horizontal	PASS
2	5891.29	40.66	12.98	53.64	68.20	14.56	Horizontal	PASS
3	5900.05	40.85	13.01	53.86	68.20	14.34	Horizontal	PASS
4	5871.36	51.06	12.92	63.98	88.20	24.22	Horizontal	PASS
5	5891.29	52.60	12.98	65.58	88.20	22.62	Horizontal	PASS
6	5900.66	54.42	13.01	67.43	88.20	20.77	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-5
Bandwidth	160MHz	Channel	15
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5887.21	43.19	12.97	56.16	68.20	12.04	Vertical	PASS
2	5891.44	44.32	12.98	57.30	68.20	10.90	Vertical	PASS
3	5896.58	44.14	13.00	57.14	68.20	11.06	Vertical	PASS
4	5891.29	56.38	12.98	69.36	88.20	18.84	Vertical	PASS
5	5896.13	56.67	13.00	69.67	88.20	18.53	Vertical	PASS
6	5900.51	56.15	13.01	69.16	88.20	19.04	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -3		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7135.42	28.46	15.96	44.42	68.20	23.78	Horizontal	PASS
2	7188.10	28.41	16.22	44.63	68.20	23.57	Horizontal	PASS
3	7271.37	29.15	16.46	45.61	54.00	8.39	Horizontal	PASS
4	7136.08	39.20	15.96	55.16	88.20	33.04	Horizontal	PASS
5	7180.38	40.42	16.20	56.62	88.20	31.58	Horizontal	PASS
6	7273.63	40.18	16.48	56.66	74.00	17.34	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -3		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7141.14	28.18	16.02	44.20	68.20	24.00	Vertical	PASS
2	7231.46	28.62	16.30	44.92	68.20	23.28	Vertical	PASS
3	7278.15	29.71	16.51	46.22	54.00	7.78	Vertical	PASS
4	7146.19	39.50	16.08	55.58	88.20	32.62	Vertical	PASS
5	7220.69	39.56	16.29	55.85	88.20	32.35	Vertical	PASS
6	7285.74	39.77	16.55	56.32	74.00	17.68	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	51.50	15.84	67.34	68.20	0.86	Horizontal	PASS
2	7144.35	27.97	16.07	44.04	68.20	24.16	Horizontal	PASS
3	7180.87	28.35	16.20	44.55	68.20	23.65	Horizontal	PASS
4	7125.13	61.53	15.84	77.37	88.20	10.83	Horizontal	PASS
5	7140.22	38.57	16.01	54.58	88.20	33.62	Horizontal	PASS
6	7196.61	39.13	16.25	55.38	88.20	32.82	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	46.17	15.84	62.01	68.20	6.19	Vertical	PASS
2	7125.39	36.81	15.84	52.65	68.20	15.55	Vertical	PASS
3	7143.71	28.16	16.05	44.21	68.20	23.99	Vertical	PASS
4	7125.13	56.17	15.84	72.01	88.20	16.19	Vertical	PASS
5	7128.61	39.10	15.87	54.97	88.20	33.23	Vertical	PASS
6	7157.00	38.71	16.15	54.86	88.20	33.34	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7127.97	28.11	15.87	43.98	68.20	24.22	Horizontal	PASS
2	7184.64	28.21	16.21	44.42	68.20	23.78	Horizontal	PASS
3	7289.59	28.79	16.57	45.36	54.00	8.64	Horizontal	PASS
4	7147.26	39.21	16.10	55.31	88.20	32.89	Horizontal	PASS
5	7190.62	39.01	16.23	55.24	88.20	32.96	Horizontal	PASS
6	7303.43	39.34	16.65	55.99	74.00	18.01	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 0		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7145.66	28.05	16.08	44.13	68.20	24.07	Vertical	PASS
2	7233.99	28.82	16.31	45.13	68.20	23.07	Vertical	PASS
3	7326.71	28.71	16.74	45.45	54.00	8.55	Vertical	PASS
4	7136.88	39.09	15.98	55.07	88.20	33.13	Vertical	PASS
5	7229.07	38.83	16.30	55.13	88.20	33.07	Vertical	PASS
6	7308.48	39.34	16.67	56.01	74.00	17.99	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	51.92	15.84	67.76	68.20	0.44	Horizontal	PASS
2	7137.26	28.02	15.98	44.00	68.20	24.20	Horizontal	PASS
3	7157.77	28.13	16.15	44.28	68.20	23.92	Horizontal	PASS
4	7125.13	61.22	15.84	77.06	88.20	11.14	Horizontal	PASS
5	7142.16	38.22	16.04	54.26	88.20	33.94	Horizontal	PASS
6	7167.32	38.73	16.17	54.90	88.20	33.30	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	46.23	15.84	62.07	68.20	6.13	Vertical	PASS
2	7152.61	28.06	16.14	44.20	68.20	24.00	Vertical	PASS
3	7193.64	28.41	16.23	44.64	68.20	23.56	Vertical	PASS
4	7125.13	60.09	15.84	75.93	88.20	12.27	Vertical	PASS
5	7147.97	38.67	16.10	54.77	88.20	33.43	Vertical	PASS
6	7179.06	38.78	16.20	54.98	88.20	33.22	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 3		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7138.74	28.25	15.99	44.24	68.20	23.96	Horizontal	PASS
2	7176.52	28.34	16.20	44.54	68.20	23.66	Horizontal	PASS
3	7272.30	28.73	16.47	45.20	54.00	8.80	Horizontal	PASS
4	7132.89	38.60	15.93	54.53	88.20	33.67	Horizontal	PASS
5	7173.86	39.21	16.19	55.40	88.20	32.80	Horizontal	PASS
6	7273.10	39.58	16.48	56.06	74.00	17.94	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	229
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 3		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7135.55	28.15	15.96	44.11	68.20	24.09	Vertical	PASS
2	7191.42	28.26	16.23	44.49	68.20	23.71	Vertical	PASS
3	7273.23	28.46	16.48	44.94	54.00	9.06	Vertical	PASS
4	7132.22	39.35	15.92	55.27	88.20	32.93	Vertical	PASS
5	7187.56	38.85	16.22	55.07	88.20	33.13	Vertical	PASS
6	7267.38	39.12	16.44	55.56	74.00	18.44	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -9		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	51.82	15.84	67.66	68.20	0.54	Horizontal	PASS
2	7143.32	28.42	16.05	44.47	68.20	23.73	Horizontal	PASS
3	7181.90	28.27	16.21	44.48	68.20	23.72	Horizontal	PASS
4	7125.13	60.83	15.84	76.67	88.20	11.53	Horizontal	PASS
5	7145.77	38.62	16.08	54.70	88.20	33.50	Horizontal	PASS
6	7180.35	38.99	16.20	55.19	88.20	33.01	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-8
Bandwidth	20MHz	Channel	233
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting -9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.13	45.88	15.84	61.72	68.20	6.48	Vertical	PASS
2	7139.19	28.25	16.01	44.26	68.20	23.94	Vertical	PASS
3	7181.77	28.18	16.21	44.39	68.20	23.81	Vertical	PASS
4	7125.13	56.49	15.84	72.33	88.20	15.87	Vertical	PASS
5	7137.39	38.88	15.98	54.86	88.20	33.34	Vertical	PASS
6	7179.06	39.30	16.20	55.50	88.20	32.70	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-8
Bandwidth	40MHz	Channel	211
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7145.38	28.44	16.07	44.51	68.20	23.69	Horizontal	PASS
2	7213.47	28.62	16.28	44.90	68.20	23.30	Horizontal	PASS
3	7296.11	29.31	16.61	45.92	54.00	8.08	Horizontal	PASS
4	7151.19	38.98	16.13	55.11	88.20	33.09	Horizontal	PASS
5	7197.71	39.39	16.24	55.63	88.20	32.57	Horizontal	PASS
6	7298.56	39.77	16.63	56.40	74.00	17.60	Horizontal	PASS


Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-8
Bandwidth	40MHz	Channel	211
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 6.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7140.94	28.33	16.02	44.35	68.20	23.85	Vertical	PASS
2	7201.69	28.32	16.25	44.57	68.20	23.63	Vertical	PASS
3	7265.81	28.89	16.43	45.32	54.00	8.68	Vertical	PASS
4	7149.81	39.05	16.13	55.18	88.20	33.02	Vertical	PASS
5	7218.22	39.16	16.29	55.45	88.20	32.75	Vertical	PASS
6	7274.53	39.25	16.48	55.73	74.00	18.27	Vertical	PASS


Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-8
Bandwidth	40MHz	Channel	227
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 6.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7132.42	28.17	15.92	44.09	68.20	24.11	Horizontal	PASS
2	7194.22	28.26	16.24	44.50	68.20	23.70	Horizontal	PASS
3	7296.71	28.50	16.61	45.11	54.00	8.89	Horizontal	PASS
4	7141.87	38.71	16.04	54.75	88.20	33.45	Horizontal	PASS
5	7189.28	39.21	16.23	55.44	88.20	32.76	Horizontal	PASS
6	7289.59	39.66	16.57	56.23	74.00	17.77	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-8
Bandwidth	40MHz	Channel	227
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 6.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7149.55	27.89	16.13	44.02	68.20	24.18	Vertical	PASS
2	7199.97	28.20	16.25	44.45	68.20	23.75	Vertical	PASS
3	7277.53	28.85	16.50	45.35	54.00	8.65	Vertical	PASS
4	7140.91	39.24	16.02	55.26	88.20	32.94	Vertical	PASS
5	7197.09	39.06	16.24	55.30	88.20	32.90	Vertical	PASS
6	7283.97	39.34	16.53	55.87	74.00	18.13	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7136.81	28.78	15.98	44.76	68.20	23.44	Horizontal	PASS
2	7198.94	28.49	16.25	44.74	68.20	23.46	Horizontal	PASS
3	7301.01	28.53	16.64	45.17	54.00	8.83	Horizontal	PASS
4	7138.64	39.77	15.99	55.76	88.20	32.44	Horizontal	PASS
5	7199.24	40.58	16.25	56.83	88.20	31.37	Horizontal	PASS
6	7307.28	39.75	16.66	56.41	74.00	17.59	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-8
Bandwidth	80MHz	Channel	215
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 9.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7160.37	28.08	16.15	44.23	68.20	23.97	Vertical	PASS
2	7223.12	28.42	16.30	44.72	68.20	23.48	Vertical	PASS
3	7306.36	28.63	16.65	45.28	54.00	8.72	Vertical	PASS
4	7157.77	39.37	16.15	55.52	88.20	32.68	Vertical	PASS
5	7209.04	39.61	16.27	55.88	88.20	32.32	Vertical	PASS
6	7320.44	39.67	16.72	56.39	74.00	17.61	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.34	39.11	15.91	55.02	68.20	13.18	Horizontal	PASS
2	7192.70	30.65	16.23	46.88	68.20	21.32	Horizontal	PASS
3	7273.66	28.46	16.48	44.94	54.00	9.06	Horizontal	PASS
4	7131.17	56.83	15.90	72.73	88.20	15.47	Horizontal	PASS
5	7196.58	43.42	16.25	59.67	88.20	28.53	Horizontal	PASS
6	7258.96	39.95	16.39	56.34	74.00	17.66	Horizontal	PASS


Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7134.04	35.62	15.95	51.57	68.20	16.63	Vertical	PASS
2	7207.91	28.66	16.27	44.93	68.20	23.27	Vertical	PASS
3	7279.58	28.52	16.51	45.03	54.00	8.97	Vertical	PASS
4	7127.11	53.48	15.86	69.34	88.20	18.86	Vertical	PASS
5	7167.34	40.35	16.17	56.52	88.20	31.68	Vertical	PASS
6	7208.75	40.13	16.27	56.40	88.20	31.80	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996right	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.34	41.12	15.91	57.03	68.20	11.17	Horizontal	PASS
2	7180.53	30.49	16.20	46.69	68.20	21.51	Horizontal	PASS
3	7277.72	28.62	16.50	45.12	54.00	8.88	Horizontal	PASS
4	7136.41	58.13	15.97	74.10	88.20	14.10	Horizontal	PASS
5	7189.82	42.73	16.23	58.96	88.20	29.24	Horizontal	PASS
6	7276.54	39.88	16.49	56.37	74.00	17.63	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996right	Band:	UNII-8
Bandwidth	160MHz	Channel	207
SN:	72b58277	Engineer:	Tian Shuo
Remark:	Y;power setting 13		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7134.04	35.56	15.95	51.51	68.20	16.69	Vertical	PASS
2	7192.53	29.34	16.23	45.57	68.20	22.63	Vertical	PASS
3	7284.99	28.70	16.54	45.24	54.00	8.76	Vertical	PASS
4	7139.11	52.95	16.01	68.96	88.20	19.24	Vertical	PASS
5	7187.29	41.98	16.22	58.20	88.20	30.00	Vertical	PASS
6	7280.26	40.47	16.52	56.99	74.00	17.01	Vertical	PASS

~The End~