







NTNV-11ax80MIMO-Ant2-5985




NTNV-11ax80MIMO-Ant3-5985




NTNV-11ax80MIMO-Ant2-6145



NTNV-11ax80MIMO-Ant3-6145




NTNV-11ax80MIMO-Ant2-6385




NTNV-11ax80MIMO-Ant3-6385




NTNV-11ax80MIMO-Ant2-6625



NTNV-11ax80MIMO-Ant2-6625




NTNV-11ax80MIMO-Ant2-6705




NTNV-11ax80MIMO-Ant3-6705




NTNV-11ax80MIMO-Ant2-6785




NTNV-11ax80MIMO-Ant3-6785




NTVN-11ax160MIMO-Ant2-6025




NTVN-11ax160MIMO-Ant3-6025




NTVN-11ax160MIMO-Ant2-6185




NTVN-11ax160MIMO-Ant3-6185




NTVN-11ax160MIMO-Ant2-6345




NTVN-11ax160MIMO-Ant3-6345




NTVN-11ax160MIMO-Ant2-6665



NTVN-11ax160MIMO-Ant3-6665



NTVN-11ax160MIMO-Ant2-6825



NTVN-11ax160MIMO-Ant3-6825

Maximum e.i.r.p. Output Power Test Result

Test Mode	Frequency [MHz]	Average Ant2(dBm)	Average Ant3(dBm)	Average Total (dBm)	Max Gain [dBi]	EIRP Average Total (dBm)	EIRP Limit (dBm)	Verdict
11a-MIMO	5955	12.62	12.31	15.48	1.4	16.88	≤30.00	PASS
	6175	12.51	11.84	15.20	1.4	16.60	≤30.00	PASS
	6415	12.73	12.09	15.43	1.4	16.83	≤30.00	PASS
11ax20-MIMO	5955	12.55	12.24	15.41	1.4	16.81	≤30.00	PASS
	6175	12.29	11.71	15.02	1.4	16.42	≤30.00	PASS
	6415	12.55	11.98	15.28	1.4	16.68	≤30.00	PASS
11ax40-MIMO	5965	13.11	12.78	15.96	1.4	17.36	≤30.00	PASS
	6165	13.01	12.41	15.73	1.4	17.13	≤30.00	PASS
	6405	13.26	12.58	15.94	1.4	17.34	≤30.00	PASS
11ax80-MIMO	5985	12.49	12.36	15.44	1.4	16.84	≤30.00	PASS
	6145	12.66	12.14	15.42	1.4	16.82	≤30.00	PASS
	6385	12.90	12.36	15.65	1.4	17.05	≤30.00	PASS
11ax160-MIMO	6025	12.94	12.57	15.77	1.4	17.17	≤30.00	PASS
	6185	13.31	13.02	16.18	1.4	17.58	≤30.00	PASS
	6345	12.75	12.82	15.80	1.4	17.20	≤30.00	PASS

Test Mode	Frequency [MHz]	Average Ant2(dBm)	Average Ant3(dBm)	Average Total (dBm)	Max Gain [dBi]	EIRP Average Total (dBm)	EIRP Limit (dBm)	Verdict
11a-MIMO	6535	12.85	12.13	15.52	1.4	16.92	≤30.00	PASS
	6695	12.58	12.20	15.40	1.4	16.80	≤30.00	PASS
	6855	12.70	11.98	15.37	1.4	16.77	≤30.00	PASS
11ax20-MIMO	6535	12.69	12.02	15.38	1.4	16.78	≤30.00	PASS
	6695	12.42	12.08	15.26	1.4	16.66	≤30.00	PASS
	6855	12.58	11.81	15.22	1.4	16.62	≤30.00	PASS
11ax40-MIMO	6565	13.14	12.49	15.84	1.4	17.24	≤30.00	PASS
	6685	13.12	12.45	15.81	1.4	17.21	≤30.00	PASS
	6845	13.31	12.15	15.78	1.4	17.18	≤30.00	PASS
11ax80-MIMO	6625	12.79	12.46	15.64	1.4	17.04	≤30.00	PASS
	6705	12.60	12.27	15.45	1.4	16.85	≤30.00	PASS
	6785	12.91	12.19	15.58	1.4	16.98	≤30.00	PASS
11ax160-MIMO	6665	13.28	12.80	16.06	1.4	17.46	≤30.00	PASS
	6825	13.11	12.61	15.88	1.4	17.28	≤30.00	PASS


**Maximum power spectral density
Test Result**




Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11a-MIMO	Ant2	5955	1.77	1.40	3.17	≤17.00	PASS
11a-MIMO	Ant3	5955	1.49	-1.30	0.19	≤17.00	PASS
11a-MIMO	total	5955	4.64	0.26	4.90	≤17.00	PASS
11a-MIMO	Ant2	6175	0.55	1.40	1.95	≤17.00	PASS
11a-MIMO	Ant3	6175	0.51	-1.30	-0.79	≤17.00	PASS
11a-MIMO	total	6175	3.54	0.26	3.80	≤17.00	PASS
11a-MIMO	Ant2	6415	2.06	1.40	3.46	≤17.00	PASS
11a-MIMO	Ant3	6415	1.52	-1.30	0.22	≤17.00	PASS
11a-MIMO	total	6415	4.81	0.26	5.07	≤17.00	PASS
11a-MIMO	Ant2	6535	2.34	1.40	3.74	≤17.00	PASS
11a-MIMO	Ant3	6535	1.62	-1.30	0.32	≤17.00	PASS
11a-MIMO	total	6535	5.01	0.26	5.27	≤17.00	PASS
11a-MIMO	Ant2	6695	1.19	1.40	2.59	≤17.00	PASS
11a-MIMO	Ant3	6695	1.26	-1.30	-0.04	≤17.00	PASS
11a-MIMO	total	6695	4.24	0.26	4.50	≤17.00	PASS
11a-MIMO	Ant2	6855	1.66	1.40	3.06	≤17.00	PASS
11a-MIMO	Ant3	6855	1.13	-1.30	-0.17	≤17.00	PASS
11a-MIMO	total	6855	4.41	0.26	4.67	≤17.00	PASS
11ax20MIMO	Ant2	5955	1.52	1.40	2.92	≤17.00	PASS
11ax20MIMO	Ant3	5955	1.28	-1.30	-0.02	≤17.00	PASS
11ax20MIMO	total	5955	4.41	0.26	4.67	≤17.00	PASS
11ax20MIMO	Ant2	6175	0.22	1.40	1.62	≤17.00	PASS
11ax20MIMO	Ant3	6175	-0.02	-1.30	-1.32	≤17.00	PASS
11ax20MIMO	total	6175	3.11	0.26	3.37	≤17.00	PASS
11ax20MIMO	Ant2	6415	1.73	1.40	3.13	≤17.00	PASS
11ax20MIMO	Ant3	6415	1.21	-1.30	-0.09	≤17.00	PASS
11ax20MIMO	total	6415	4.49	0.26	4.75	≤17.00	PASS
11ax20MIMO	Ant2	6535	2.07	1.40	3.47	≤17.00	PASS
11ax20MIMO	Ant3	6535	1.23	-1.30	-0.07	≤17.00	PASS
11ax20MIMO	total	6535	4.68	0.26	4.94	≤17.00	PASS
11ax20MIMO	Ant2	6695	1.03	1.40	2.43	≤17.00	PASS
11ax20MIMO	Ant3	6695	0.70	-1.30	-0.60	≤17.00	PASS
11ax20MIMO	total	6695	3.88	0.26	4.14	≤17.00	PASS
11ax20MIMO	Ant2	6855	2.46	1.40	3.86	≤17.00	PASS
11ax20MIMO	Ant3	6855	0.38	-1.30	-0.92	≤17.00	PASS
11ax20MIMO	total	6855	4.55	0.26	4.81	≤17.00	PASS
11ax40MIMO	Ant2	5965	-0.41	1.40	0.99	≤17.00	PASS
11ax40MIMO	Ant3	5965	-1.15	-1.30	-2.45	≤17.00	PASS
11ax40MIMO	total	5965	2.25	0.26	2.51	≤17.00	PASS
11ax40MIMO	Ant2	6165	-2.06	1.40	-0.66	≤17.00	PASS
11ax40MIMO	Ant3	6165	-2.51	-1.30	-3.81	≤17.00	PASS
11ax40MIMO	total	6165	0.73	0.26	0.99	≤17.00	PASS
11ax40MIMO	Ant2	6405	-0.19	1.40	1.21	≤17.00	PASS
11ax40MIMO	Ant3	6405	-1.34	-1.30	-2.64	≤17.00	PASS
11ax40MIMO	total	6405	2.28	0.26	2.54	≤17.00	PASS
11ax40MIMO	Ant2	6565	-0.80	1.40	0.60	≤17.00	PASS
11ax40MIMO	Ant3	6565	-1.05	-1.30	-2.35	≤17.00	PASS
11ax40MIMO	total	6565	2.09	0.26	2.35	≤17.00	PASS
11ax40MIMO	Ant2	6685	-0.99	1.40	0.41	≤17.00	PASS
11ax40MIMO	Ant3	6685	-1.00	-1.30	-2.30	≤17.00	PASS
11ax40MIMO	total	6685	2.02	0.26	2.28	≤17.00	PASS
11ax40MIMO	Ant2	6845	-1.50	1.40	-0.10	≤17.00	PASS
11ax40MIMO	Ant3	6845	-1.97	-1.30	-3.27	≤17.00	PASS
11ax40MIMO	total	6845	1.28	0.26	1.54	≤17.00	PASS
11ax80MIMO	Ant2	5985	-4.03	1.40	-2.63	≤17.00	PASS
11ax80MIMO	Ant3	5985	-3.77	-1.30	-5.07	≤17.00	PASS
11ax80MIMO	total	5985	-0.89	0.26	-0.63	≤17.00	PASS
11ax80MIMO	Ant2	6145	-4.61	1.40	-3.21	≤17.00	PASS
11ax80MIMO	Ant3	6145	-5.07	-1.30	-6.37	≤17.00	PASS
11ax80MIMO	total	6145	-1.82	0.26	-1.56	≤17.00	PASS
11ax80MIMO	Ant2	6385	-3.23	1.40	-1.83	≤17.00	PASS
11ax80MIMO	Ant3	6385	-3.57	-1.30	-4.87	≤17.00	PASS




11ax80MIMO	total	6385	-0.39	0.26	-0.13	≤17.00	PASS
11ax80MIMO	Ant2	6625	-3.66	1.40	-2.26	≤17.00	PASS
11ax80MIMO	Ant3	6625	-3.34	-1.30	-4.64	≤17.00	PASS
11ax80MIMO	total	6625	-0.49	0.26	-0.23	≤17.00	PASS
11ax80MIMO	Ant2	6705	-4.04	1.40	-2.64	≤17.00	PASS
11ax80MIMO	Ant3	6705	-3.87	-1.30	-5.17	≤17.00	PASS
11ax80MIMO	total	6705	-0.94	0.26	-0.68	≤17.00	PASS
11ax80MIMO	Ant2	6785	-3.80	1.40	-2.40	≤17.00	PASS
11ax80MIMO	Ant3	6785	-4.36	-1.30	-5.66	≤17.00	PASS
11ax80MIMO	total	6785	-1.06	0.26	-0.80	≤17.00	PASS
11ax160MIMO	Ant2	6025	-7.81	1.40	-6.41	≤17.00	PASS
11ax160MIMO	Ant3	6025	-7.47	-1.30	-8.77	≤17.00	PASS
11ax160MIMO	total	6025	-4.63	0.26	-4.37	≤17.00	PASS
11ax160MIMO	Ant2	6185	-7.15	1.40	-5.75	≤17.00	PASS
11ax160MIMO	Ant3	6185	-6.98	-1.30	-8.28	≤17.00	PASS
11ax160MIMO	total	6185	-4.05	0.26	-3.79	≤17.00	PASS
11ax160MIMO	Ant2	6345	-6.60	1.40	-5.20	≤17.00	PASS
11ax160MIMO	Ant3	6345	-6.30	-1.30	-7.60	≤17.00	PASS
11ax160MIMO	total	6345	-3.44	0.26	-3.18	≤17.00	PASS
11ax160MIMO	Ant2	6665	-6.66	1.40	-5.26	≤17.00	PASS
11ax160MIMO	Ant3	6665	-6.55	-1.30	-7.85	≤17.00	PASS
11ax160MIMO	total	6665	-3.59	0.26	-3.33	≤17.00	PASS
11ax160MIMO	Ant2	6825	-5.81	1.40	-4.41	≤17.00	PASS
11ax160MIMO	Ant3	6825	-7.47	-1.30	-8.77	≤17.00	PASS
11ax160MIMO	total	6825	-3.55	0.26	-3.29	≤17.00	PASS




Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Graphs







































InBand Emissions


Test Result


Test Mode	Antenna	Frequency[MHz]	Result	Limit	Verdict
11a-MIMO	Ant2	5955	See test graph	See test graph	PASS
11a-MIMO	Ant3	5955	See test graph	See test graph	PASS
11a-MIMO	Ant2	6175	See test graph	See test graph	PASS
11a-MIMO	Ant3	6175	See test graph	See test graph	PASS
11a-MIMO	Ant2	6415	See test graph	See test graph	PASS
11a-MIMO	Ant3	6415	See test graph	See test graph	PASS
11a-MIMO	Ant2	6535	See test graph	See test graph	PASS
11a-MIMO	Ant3	6535	See test graph	See test graph	PASS
11a-MIMO	Ant2	6695	See test graph	See test graph	PASS
11a-MIMO	Ant3	6695	See test graph	See test graph	PASS
11a-MIMO	Ant2	6855	See test graph	See test graph	PASS
11a-MIMO	Ant3	6855	See test graph	See test graph	PASS
11ax20MIMO	Ant2	5955	See test graph	See test graph	PASS
11ax20MIMO	Ant3	5955	See test graph	See test graph	PASS
11ax20MIMO	Ant2	6175	See test graph	See test graph	PASS
11ax20MIMO	Ant3	6175	See test graph	See test graph	PASS
11ax20MIMO	Ant2	6415	See test graph	See test graph	PASS
11ax20MIMO	Ant3	6415	See test graph	See test graph	PASS
11ax20MIMO	Ant2	6535	See test graph	See test graph	PASS
11ax20MIMO	Ant3	6535	See test graph	See test graph	PASS
11ax20MIMO	Ant2	6695	See test graph	See test graph	PASS
11ax20MIMO	Ant3	6695	See test graph	See test graph	PASS
11ax20MIMO	Ant2	6855	See test graph	See test graph	PASS
11ax20MIMO	Ant3	6855	See test graph	See test graph	PASS
11ax40MIMO	Ant2	5965	See test graph	See test graph	PASS
11ax40MIMO	Ant3	5965	See test graph	See test graph	PASS
11ax40MIMO	Ant2	6165	See test graph	See test graph	PASS
11ax40MIMO	Ant3	6165	See test graph	See test graph	PASS
11ax40MIMO	Ant2	6405	See test graph	See test graph	PASS
11ax40MIMO	Ant3	6405	See test graph	See test graph	PASS
11ax40MIMO	Ant2	6565	See test graph	See test graph	PASS
11ax40MIMO	Ant3	6565	See test graph	See test graph	PASS
11ax40MIMO	Ant2	6685	See test graph	See test graph	PASS
11ax40MIMO	Ant3	6685	See test graph	See test graph	PASS
11ax40MIMO	Ant2	6845	See test graph	See test graph	PASS
11ax40MIMO	Ant3	6845	See test graph	See test graph	PASS
11ax80MIMO	Ant2	5985	See test graph	See test graph	PASS
11ax80MIMO	Ant3	5985	See test graph	See test graph	PASS
11ax80MIMO	Ant2	6145	See test graph	See test graph	PASS
11ax80MIMO	Ant3	6145	See test graph	See test graph	PASS
11ax80MIMO	Ant2	6385	See test graph	See test graph	PASS
11ax80MIMO	Ant3	6385	See test graph	See test graph	PASS
11ax80MIMO	Ant2	6625	See test graph	See test graph	PASS
11ax80MIMO	Ant3	6625	See test graph	See test graph	PASS
11ax80MIMO	Ant2	6705	See test graph	See test graph	PASS
11ax80MIMO	Ant3	6705	See test graph	See test graph	PASS
11ax80MIMO	Ant2	6785	See test graph	See test graph	PASS
11ax80MIMO	Ant3	6785	See test graph	See test graph	PASS
11ax160MIMO	Ant2	6025	See test graph	See test graph	PASS
11ax160MIMO	Ant3	6025	See test graph	See test graph	PASS
11ax160MIMO	Ant2	6185	See test graph	See test graph	PASS
11ax160MIMO	Ant3	6185	See test graph	See test graph	PASS
11ax160MIMO	Ant2	6345	See test graph	See test graph	PASS
11ax160MIMO	Ant3	6345	See test graph	See test graph	PASS
11ax160MIMO	Ant2	6665	See test graph	See test graph	PASS
11ax160MIMO	Ant3	6665	See test graph	See test graph	PASS
11ax160MIMO	Ant2	6825	See test graph	See test graph	PASS
11ax160MIMO	Ant3	6825	See test graph	See test graph	PASS


Test Graphs


























Dual Client Test, Demonstration of Proper Power Adjustment based on Associated AP Test Result

Frequency	Test AP	Dual Client Power(dBm)			Directional Gain (dBi)	Client EIRP (dBm)	Limit EIRP (dBm)
		Ant2	Ant3	Total			
6175	Indoor AP	15.51	15.44	18.49	0.26	18.75	24
	Standard AP	18.22	18.14	21.19	0.26	21.45	30

Test Graphs of Standard AP EIRP

RF Test Equipment monitors the output of the AFC DUT on channel 45 bandwidth 20

Confirm that the AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , 5P limits (20.4 dBm/MHz PSD, 33.4 dBm EIRP) in Spectrum Reponse] and does not exceed limits in adjacent frequencies




✓ Pass
✗ Fail

Proper Power Adjustment, Client Devices Connected to a Standard Power Access Point

Test Result

Frequency	Test Level	Dual Client Power(dBm)			Directional Gain (dBi)	Client EIRP (dBm)	AP EIRP (dBm)	AP to Client EIRP Delta (dB)	AP to Client EIRP Limit (dB)
		Ant2	Ant3	Total					
6315	MAX	18.13	18.02	21.09	0.26	21.35	34.7	13.35	6
6295	MID	11.57	11.51	14.55	0.26	14.81	27.6	12.79	6
6195	LOW	7.03	7.11	10.08	0.32	10.40	22.1	11.70	6

Test Graphs of Standard AP EIRP




For RU-Standard Power Client

Duty Cycle


Test Result

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Verdict
11ax20MIMO	Ant2	5955	26Tone	RU0	5.08	5.10	99.61	---
11ax20MIMO	Ant3	5955	26Tone	RU0	5.08	5.10	99.61	---
11ax20MIMO	Ant2	5955	52Tone	RU37	5.07	5.09	99.61	---
11ax20MIMO	Ant3	5955	52Tone	RU37	5.08	5.10	99.61	---
11ax20MIMO	Ant2	5955	106Tone	RU53	4.77	4.78	99.79	---
11ax20MIMO	Ant3	5955	106Tone	RU53	4.77	4.78	99.79	---
11ax20MIMO	Ant2	6175	26Tone	RU4	5.09	5.11	99.61	---
11ax20MIMO	Ant3	6175	26Tone	RU4	5.09	5.11	99.61	---
11ax20MIMO	Ant2	6175	52Tone	RU39	5.08	5.10	99.61	---
11ax20MIMO	Ant3	6175	52Tone	RU39	5.07	5.09	99.61	---
11ax20MIMO	Ant2	6175	106Tone	RU53	4.77	4.79	99.58	---
11ax20MIMO	Ant3	6175	106Tone	RU53	4.77	4.79	99.58	---
11ax20MIMO	Ant2	6415	26Tone	RU8	5.09	5.10	99.80	---
11ax20MIMO	Ant3	6415	26Tone	RU8	5.09	5.11	99.61	---
11ax20MIMO	Ant2	6415	52Tone	RU40	5.08	5.09	99.80	---
11ax20MIMO	Ant3	6415	52Tone	RU40	5.07	5.09	99.61	---
11ax20MIMO	Ant2	6415	106Tone	RU54	4.77	4.79	99.58	---
11ax20MIMO	Ant3	6415	106Tone	RU54	4.76	4.78	99.58	---
11ax20MIMO	Ant2	6535	26Tone	RU0	5.09	5.10	99.80	---
11ax20MIMO	Ant3	6535	26Tone	RU0	5.09	5.11	99.61	---
11ax20MIMO	Ant2	6535	52Tone	RU37	5.08	5.09	99.80	---
11ax20MIMO	Ant3	6535	52Tone	RU37	5.08	5.09	99.80	---
11ax20MIMO	Ant2	6535	106Tone	RU53	4.77	4.78	99.79	---
11ax20MIMO	Ant3	6535	106Tone	RU53	4.76	4.78	99.58	---
11ax20MIMO	Ant2	6695	26Tone	RU4	5.09	5.10	99.80	---
11ax20MIMO	Ant3	6695	26Tone	RU4	5.09	5.11	99.61	---
11ax20MIMO	Ant2	6695	52Tone	RU39	5.08	5.10	99.61	---
11ax20MIMO	Ant3	6695	52Tone	RU39	5.08	5.10	99.61	---
11ax20MIMO	Ant2	6695	106Tone	RU53	4.77	4.79	99.58	---
11ax20MIMO	Ant3	6695	106Tone	RU53	4.76	4.78	99.58	---
11ax20MIMO	Ant2	6855	26Tone	RU8	5.09	5.10	99.80	---
11ax20MIMO	Ant3	6855	26Tone	RU8	5.08	5.10	99.61	---
11ax20MIMO	Ant2	6855	52Tone	RU40	5.08	5.09	99.80	---
11ax20MIMO	Ant3	6855	52Tone	RU40	5.07	5.09	99.61	---
11ax20MIMO	Ant2	6855	106Tone	RU54	4.76	4.78	99.58	---
11ax20MIMO	Ant3	6855	106Tone	RU54	4.77	4.79	99.58	---
11ax40MIMO	Ant2	5965	242Tone	RU61	2.74	2.76	99.28	---
11ax40MIMO	Ant3	5965	242Tone	RU61	2.73	2.75	99.27	---
11ax40MIMO	Ant2	6165	242Tone	RU61	2.74	2.75	99.64	---
11ax40MIMO	Ant3	6165	242Tone	RU61	2.74	2.75	99.64	---
11ax40MIMO	Ant2	6405	242Tone	RU62	2.73	2.75	99.27	---
11ax40MIMO	Ant3	6405	242Tone	RU62	2.74	2.75	99.64	---
11ax40MIMO	Ant2	6565	242Tone	RU61	2.74	2.75	99.64	---
11ax40MIMO	Ant3	6565	242Tone	RU61	2.73	2.75	99.27	---
11ax40MIMO	Ant2	6685	242Tone	RU61	2.73	2.75	99.27	---
11ax40MIMO	Ant3	6685	242Tone	RU61	2.73	2.75	99.27	---
11ax40MIMO	Ant2	6845	242Tone	RU62	2.74	2.76	99.28	---
11ax40MIMO	Ant3	6845	242Tone	RU62	2.73	2.75	99.27	---
11ax80MIMO	Ant2	5985	484Tone	RU65	1.40	1.42	98.59	---
11ax80MIMO	Ant3	5985	484Tone	RU65	1.41	1.42	99.30	---
11ax80MIMO	Ant2	6145	484Tone	RU65	1.40	1.42	98.59	---
11ax80MIMO	Ant3	6145	484Tone	RU65	0.00	0.05	100	---
11ax80MIMO	Ant2	6385	484Tone	RU66	1.40	1.42	98.59	---
11ax80MIMO	Ant3	6385	484Tone	RU66	1.40	1.42	98.59	---
11ax80MIMO	Ant2	6625	484Tone	RU65	1.40	1.42	98.59	---
11ax80MIMO	Ant3	6625	484Tone	RU65	1.41	1.42	99.30	---
11ax80MIMO	Ant2	6705	484Tone	RU65	1.40	1.42	98.59	---
11ax80MIMO	Ant3	6705	484Tone	RU65	1.41	1.42	99.30	---
11ax80MIMO	Ant2	6785	484Tone	RU66	1.40	1.42	98.59	---
11ax80MIMO	Ant3	6785	484Tone	RU66	1.41	1.42	99.30	---


Test Graphs




NTVN-11ax20MIMO-Ant2-5955-26Tone-RU0




NTVN-11ax20MIMO-Ant3-5955-26Tone-RU0




NTVN-11ax20MIMO-Ant2-5955-52Tone-RU37



NTVN-11ax20MIMO-Ant3-5955-52Tone-RU37



NTVN-11ax20MIMO-Ant2-5955-106Tone-RU53



NTVN-11ax20MIMO-Ant3-5955-106Tone-RU53