

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of “--” in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.10, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note⁵: For Multiple transmitter output, the quantity $10 \log(NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log(NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	32.377	14.89	-28.96	40.0	25.11	Peak	281.90	100	Horizontal	Pass
2	57.742	17.26	-24.72	40.0	22.74	Peak	48.20	100	Horizontal	Pass
3	73.117	16.51	-29.24	40.0	23.49	Peak	48.20	100	Horizontal	Pass
4	181.514	19.76	-26.24	43.5	23.74	Peak	112.60	100	Horizontal	Pass
5	243.594	24.79	-23.09	46.0	21.21	Peak	112.60	100	Horizontal	Pass
6	280.939	24.19	-21.97	46.0	21.81	Peak	34.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	70.982	22.36	-28.67	40.0	17.64	Peak	80.60	100	Vertical	Pass
2	117.009	17.96	-26.51	43.5	25.54	Peak	152.00	100	Vertical	Pass
3	145.284	26.25	-28.77	43.5	17.25	Peak	223.50	100	Vertical	Pass
4	205.570	26.19	-24.79	43.5	17.31	Peak	167.50	100	Vertical	Pass
5	240.344	27.14	-23.28	46.0	18.86	Peak	9.10	100	Vertical	Pass
6	279.387	24.82	-22.00	46.0	21.18	Peak	201.00	100	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ³: All antenna were pre tested, but only the worst case has been reported in this report.


SISO-ANT0

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.862	43.20	74.0	30.80	Peak	180.00	100	Horizontal	Pass
1**	1480.862	32.26	54.0	21.74	AV	180.00	100	Horizontal	Pass
2	2124.226	57.82	68.2	10.38	Peak	22.00	100	Horizontal	Pass
2**	2124.226	45.31	--	--	AV	22.00	100	Horizontal	N/A
3	4377.385	49.32	74.0	24.68	Peak	79.00	200	Horizontal	Pass
3**	4377.385	44.81	54.0	9.19	AV	79.00	200	Horizontal	Pass
4	7545.008	46.76	74.0	27.24	Peak	69.00	100	Horizontal	Pass
4**	7545.008	37.19	54.0	16.81	AV	69.00	100	Horizontal	Pass
5	12343.909	47.80	74.0	26.21	Peak	302.00	400	Horizontal	Pass
5**	12343.909	38.95	54.0	15.05	AV	302.00	400	Horizontal	Pass
6	15795.564	51.81	74.0	22.20	Peak	330.00	400	Horizontal	Pass
6**	15795.564	44.32	54.0	9.68	AV	330.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

3# RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.217	42.40	74.0	31.60	Peak	73.00	100	Vertical	Pass
1**	1604.217	34.84	54.0	19.17	AV	73.00	100	Vertical	Pass
2	2128.828	60.01	68.2	8.19	Peak	200.00	300	Vertical	Pass
2**	2128.828	51.40	--	--	AV	200.00	300	Vertical	N/A
3	4251.669	50.30	74.0	23.70	Peak	165.00	200	Vertical	Pass
3**	4251.669	40.39	54.0	13.61	AV	165.00	200	Vertical	Pass
4	7499.580	45.53	74.0	28.47	Peak	191.00	200	Vertical	Pass
4**	7499.580	37.31	54.0	16.69	AV	191.00	200	Vertical	Pass
5	12587.918	48.29	74.0	25.71	Peak	276.00	100	Vertical	Pass
5**	12587.918	37.95	54.0	16.05	AV	276.00	100	Vertical	Pass
6	15567.169	51.71	74.0	22.29	Peak	82.00	100	Vertical	Pass
6**	15567.169	41.35	54.0	12.65	AV	82.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.224	42.99	74.0	31.01	Peak	27.00	300	Horizontal	Pass
1**	1487.224	31.99	54.0	22.01	AV	27.00	300	Horizontal	Pass
2	2127.329	57.56	68.2	10.64	Peak	1.00	200	Horizontal	Pass
2**	2127.329	45.23	--	--	AV	1.00	200	Horizontal	N/A
3	4371.462	49.31	74.0	24.69	Peak	101.00	200	Horizontal	Pass
3**	4371.462	44.57	54.0	9.43	AV	101.00	200	Horizontal	Pass
4	7543.077	46.61	74.0	27.39	Peak	204.00	300	Horizontal	Pass
4**	7543.077	37.15	54.0	16.85	AV	204.00	300	Horizontal	Pass
5	12339.321	47.55	74.0	26.45	Peak	14.00	100	Horizontal	Pass
5**	12339.321	38.68	54.0	15.32	AV	14.00	100	Horizontal	Pass
6	15798.703	51.75	74.0	22.25	Peak	273.00	100	Horizontal	Pass
6**	15798.703	44.20	54.0	9.80	AV	273.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.978	42.32	74.0	31.69	Peak	227.00	300	Vertical	Pass
1**	1596.978	34.67	54.0	19.33	AV	227.00	300	Vertical	Pass
2	2130.453	59.92	68.2	8.29	Peak	40.00	300	Vertical	Pass
2**	2130.453	51.38	--	--	AV	40.00	300	Vertical	N/A
3	4250.473	50.29	74.0	23.72	Peak	246.00	200	Vertical	Pass
3**	4250.473	40.34	54.0	13.66	AV	246.00	200	Vertical	Pass
4	7498.499	45.45	74.0	28.55	Peak	260.00	100	Vertical	Pass
4**	7498.499	37.23	54.0	16.77	AV	260.00	100	Vertical	Pass
5	12584.672	48.03	74.0	25.97	Peak	64.00	100	Vertical	Pass
5**	12584.672	37.74	54.0	16.26	AV	64.00	100	Vertical	Pass
6	15566.564	51.56	74.0	22.44	Peak	19.00	100	Vertical	Pass
6**	15566.564	41.06	54.0	12.94	AV	19.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.005	42.83	74.0	31.17	Peak	32.00	200	Horizontal	Pass
1**	1483.005	31.69	54.0	22.31	AV	32.00	200	Horizontal	Pass
2	2129.842	57.32	68.2	10.88	Peak	93.00	200	Horizontal	Pass
2**	2129.842	45.03	--	--	AV	93.00	200	Horizontal	N/A
3	4377.209	49.16	74.0	24.84	Peak	247.00	200	Horizontal	Pass
3**	4377.209	44.52	54.0	9.48	AV	247.00	200	Horizontal	Pass
4	7543.783	46.56	74.0	27.44	Peak	196.00	200	Horizontal	Pass
4**	7543.783	36.97	54.0	17.03	AV	196.00	200	Horizontal	Pass
5	12342.367	47.45	74.0	26.55	Peak	267.00	300	Horizontal	Pass
5**	12342.367	38.67	54.0	15.33	AV	267.00	300	Horizontal	Pass
6	15799.709	51.62	74.0	22.38	Peak	238.00	100	Horizontal	Pass
6**	15799.709	44.05	54.0	9.95	AV	238.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.050	42.19	74.0	31.81	Peak	194.00	100	Vertical	Pass
1**	1599.050	34.48	54.0	19.52	AV	194.00	100	Vertical	Pass
2	2123.751	59.63	68.2	8.57	Peak	52.00	300	Vertical	Pass
2**	2123.751	51.21	--	--	AV	52.00	300	Vertical	N/A
3	4244.776	50.13	74.0	23.87	Peak	332.00	200	Vertical	Pass
3**	4244.776	40.07	54.0	13.93	AV	332.00	200	Vertical	Pass
4	7498.081	45.32	74.0	28.68	Peak	352.00	400	Vertical	Pass
4**	7498.081	36.96	54.0	17.04	AV	352.00	400	Vertical	Pass
5	12582.212	47.76	74.0	26.24	Peak	230.00	400	Vertical	Pass
5**	12582.212	37.62	54.0	16.38	AV	230.00	400	Vertical	Pass
6	15560.177	51.45	74.0	22.55	Peak	121.00	400	Vertical	Pass
6**	15560.177	40.89	54.0	13.11	AV	121.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.056	43.07	74.0	30.94	Peak	356.00	400	Horizontal	Pass
1**	1485.056	32.01	54.0	21.99	AV	356.00	400	Horizontal	Pass
2	2124.186	57.53	68.2	10.67	Peak	53.00	200	Horizontal	Pass
2**	2124.186	45.22	--	--	AV	53.00	200	Horizontal	N/A
3	4373.602	49.10	74.0	24.91	Peak	262.00	200	Horizontal	Pass
3**	4373.602	44.59	54.0	9.41	AV	262.00	200	Horizontal	Pass
4	7541.716	46.65	74.0	27.36	Peak	341.00	300	Horizontal	Pass
4**	7541.716	36.95	54.0	17.05	AV	341.00	300	Horizontal	Pass
5	12343.766	47.55	74.0	26.45	Peak	149.00	100	Horizontal	Pass
5**	12343.766	38.90	54.0	15.10	AV	149.00	100	Horizontal	Pass
6	15797.272	51.58	74.0	22.42	Peak	322.00	200	Horizontal	Pass
6**	15797.272	44.09	54.0	9.92	AV	322.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.744	42.00	74.0	32.00	Peak	70.00	100	Vertical	Pass
1**	1603.744	34.33	54.0	19.67	AV	70.00	100	Vertical	Pass
2	2129.339	59.40	68.2	8.80	Peak	115.00	300	Vertical	Pass
2**	2129.339	51.13	--	--	AV	115.00	300	Vertical	N/A
3	4249.112	50.09	74.0	23.91	Peak	181.00	200	Vertical	Pass
3**	4249.112	39.90	54.0	14.10	AV	181.00	200	Vertical	Pass
4	7500.857	45.26	74.0	28.74	Peak	56.00	200	Vertical	Pass
4**	7500.857	36.77	54.0	17.23	AV	56.00	200	Vertical	Pass
5	12585.007	47.59	74.0	26.41	Peak	233.00	400	Vertical	Pass
5**	12585.007	37.60	54.0	16.40	AV	233.00	400	Vertical	Pass
6	15566.280	51.30	74.0	22.70	Peak	6.00	200	Vertical	Pass
6**	15566.280	40.68	54.0	13.33	AV	6.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.427	42.85	74.0	31.15	Peak	174.00	300	Horizontal	Pass
1**	1482.427	31.78	54.0	22.22	AV	174.00	300	Horizontal	Pass
2	2125.355	57.34	68.2	10.86	Peak	23.00	300	Horizontal	Pass
2**	2125.355	45.07	--	--	AV	23.00	300	Horizontal	N/A
3	4375.415	49.08	74.0	24.92	Peak	162.00	200	Horizontal	Pass
3**	4375.415	44.29	54.0	9.71	AV	162.00	200	Horizontal	Pass
4	7545.460	46.48	74.0	27.52	Peak	23.00	200	Horizontal	Pass
4**	7545.460	36.90	54.0	17.11	AV	23.00	200	Horizontal	Pass
5	12342.422	47.33	74.0	26.67	Peak	141.00	100	Horizontal	Pass
5**	12342.422	38.39	54.0	15.61	AV	141.00	100	Horizontal	Pass
6	15802.550	51.57	74.0	22.43	Peak	4.00	200	Horizontal	Pass
6**	15802.550	44.05	54.0	9.95	AV	4.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.180	41.85	74.0	32.15	Peak	97.00	400	Vertical	Pass
1**	1604.180	34.15	54.0	19.85	AV	97.00	400	Vertical	Pass
2	2124.043	59.12	68.2	9.08	Peak	313.00	100	Vertical	Pass
2**	2124.043	50.96	--	--	AV	313.00	100	Vertical	N/A
3	4251.474	49.87	74.0	24.13	Peak	281.00	200	Vertical	Pass
3**	4251.474	39.76	54.0	14.24	AV	281.00	200	Vertical	Pass
4	7497.610	45.03	74.0	28.97	Peak	151.00	100	Vertical	Pass
4**	7497.610	36.76	54.0	17.24	AV	151.00	100	Vertical	Pass
5	12581.358	47.49	74.0	26.51	Peak	24.00	200	Vertical	Pass
5**	12581.358	37.56	54.0	16.44	AV	24.00	200	Vertical	Pass
6	15562.469	51.04	74.0	22.96	Peak	279.00	400	Vertical	Pass
6**	15562.469	40.50	54.0	13.50	AV	279.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.426	42.81	74.0	31.19	Peak	48.00	300	Horizontal	Pass
1**	1486.426	31.42	54.0	22.58	AV	48.00	300	Horizontal	Pass
2	2126.963	57.20	68.2	11.00	Peak	102.00	200	Horizontal	Pass
2**	2126.963	44.79	--	--	AV	102.00	200	Horizontal	N/A
3	4376.359	49.11	74.0	24.89	Peak	75.00	200	Horizontal	Pass
3**	4376.359	44.47	54.0	9.53	AV	75.00	200	Horizontal	Pass
4	7547.864	46.37	74.0	27.63	Peak	78.00	200	Horizontal	Pass
4**	7547.864	36.90	54.0	17.10	AV	78.00	200	Horizontal	Pass
5	12339.548	47.19	74.0	26.81	Peak	130.00	200	Horizontal	Pass
5**	12339.548	38.49	54.0	15.51	AV	130.00	200	Horizontal	Pass
6	15796.879	51.39	74.0	22.61	Peak	73.00	200	Horizontal	Pass
6**	15796.879	44.03	54.0	9.97	AV	73.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.592	41.71	74.0	32.29	Peak	106.00	300	Vertical	Pass
1**	1600.592	33.94	54.0	20.07	AV	106.00	300	Vertical	Pass
2	2130.410	59.03	68.2	9.17	Peak	103.00	400	Vertical	Pass
2**	2130.410	50.75	--	--	AV	103.00	400	Vertical	N/A
3	4250.428	49.74	74.0	24.26	Peak	354.00	200	Vertical	Pass
3**	4250.428	39.58	54.0	14.43	AV	354.00	200	Vertical	Pass
4	7499.928	44.93	74.0	29.07	Peak	318.00	200	Vertical	Pass
4**	7499.928	36.76	54.0	17.24	AV	318.00	200	Vertical	Pass
5	12585.167	47.36	74.0	26.64	Peak	148.00	200	Vertical	Pass
5**	12585.167	37.54	54.0	16.46	AV	148.00	200	Vertical	Pass
6	15565.403	50.75	74.0	23.25	Peak	278.00	200	Vertical	Pass
6**	15565.403	40.39	54.0	13.61	AV	278.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.791	43.03	74.0	30.97	Peak	49.00	200	Horizontal	Pass
1**	1486.791	32.22	54.0	21.78	AV	49.00	200	Horizontal	Pass
2	2124.252	57.71	68.2	10.49	Peak	206.00	400	Horizontal	Pass
2**	2124.252	45.19	--	--	AV	206.00	400	Horizontal	N/A
3	4376.737	49.28	74.0	24.72	Peak	339.00	200	Horizontal	Pass
3**	4376.737	44.66	54.0	9.34	AV	339.00	200	Horizontal	Pass
4	7541.879	46.62	74.0	27.38	Peak	277.00	200	Horizontal	Pass
4**	7541.879	36.99	54.0	17.01	AV	277.00	200	Horizontal	Pass
5	12345.625	47.73	74.0	26.27	Peak	285.00	300	Horizontal	Pass
5**	12345.625	38.79	54.0	15.21	AV	285.00	300	Horizontal	Pass
6	15800.093	51.55	74.0	22.45	Peak	227.00	400	Horizontal	Pass
6**	15800.093	44.18	54.0	9.82	AV	227.00	400	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.276	41.41	74.0	32.59	Peak	65.00	300	Vertical	Pass
1**	1601.276	33.84	54.0	20.17	AV	65.00	300	Vertical	Pass
2	2126.550	58.98	68.2	9.22	Peak	296.00	300	Vertical	Pass
2**	2126.550	50.48	--	--	AV	296.00	300	Vertical	N/A
3	4251.470	49.48	74.0	24.52	Peak	205.00	200	Vertical	Pass
3**	4251.470	39.34	54.0	14.66	AV	205.00	200	Vertical	Pass
4	7502.075	44.69	74.0	29.31	Peak	185.00	400	Vertical	Pass
4**	7502.075	36.66	54.0	17.35	AV	185.00	400	Vertical	Pass
5	12583.996	47.34	74.0	26.66	Peak	357.00	400	Vertical	Pass
5**	12583.996	37.46	54.0	16.55	AV	357.00	400	Vertical	Pass
6	15566.824	50.54	74.0	23.46	Peak	329.00	400	Vertical	Pass
6**	15566.824	40.33	54.0	13.67	AV	329.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.577	42.81	74.0	31.20	Peak	133.00	200	Horizontal	Pass
1**	1483.577	31.87	54.0	22.13	AV	133.00	200	Horizontal	Pass
2	2125.452	57.50	68.2	10.70	Peak	176.00	300	Horizontal	Pass
2**	2125.452	44.97	--	--	AV	176.00	300	Horizontal	N/A
3	4376.205	49.16	74.0	24.84	Peak	52.00	200	Horizontal	Pass
3**	4376.205	44.51	54.0	9.49	AV	52.00	200	Horizontal	Pass
4	7543.705	46.60	74.0	27.40	Peak	357.00	300	Horizontal	Pass
4**	7543.705	36.90	54.0	17.10	AV	357.00	300	Horizontal	Pass
5	12340.278	47.37	74.0	26.63	Peak	91.00	200	Horizontal	Pass
5**	12340.278	38.57	54.0	15.43	AV	91.00	200	Horizontal	Pass
6	15798.708	51.47	74.0	22.53	Peak	97.00	300	Horizontal	Pass
6**	15798.708	44.09	54.0	9.91	AV	97.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.456	41.33	74.0	32.67	Peak	28.00	100	Vertical	Pass
1**	1604.456	33.73	54.0	20.28	AV	28.00	100	Vertical	Pass
2	2127.281	58.74	68.2	9.46	Peak	289.00	200	Vertical	Pass
2**	2127.281	50.35	--	--	AV	289.00	200	Vertical	N/A
3	4249.365	49.33	74.0	24.67	Peak	142.00	200	Vertical	Pass
3**	4249.365	39.11	54.0	14.89	AV	142.00	200	Vertical	Pass
4	7499.778	44.41	74.0	29.60	Peak	95.00	300	Vertical	Pass
4**	7499.778	36.49	54.0	17.52	AV	95.00	300	Vertical	Pass
5	12581.019	47.29	74.0	26.71	Peak	191.00	300	Vertical	Pass
5**	12581.019	37.42	54.0	16.58	AV	191.00	300	Vertical	Pass
6	15562.625	50.45	74.0	23.56	Peak	14.00	100	Vertical	Pass
6**	15562.625	40.10	54.0	13.90	AV	14.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.656	43.03	74.0	30.97	Peak	216.00	200	Horizontal	Pass
1**	1487.656	32.09	54.0	21.91	AV	216.00	200	Horizontal	Pass
2	2123.769	57.62	68.2	10.59	Peak	186.00	300	Horizontal	Pass
2**	2123.769	45.21	--	--	AV	186.00	300	Horizontal	Pass
3	4371.150	49.15	74.0	24.85	Peak	277.00	200	Horizontal	Pass
3**	4371.150	44.78	54.0	9.22	AV	277.00	200	Horizontal	Pass
4	7544.062	46.53	74.0	27.48	Peak	325.00	200	Horizontal	Pass
4**	7544.062	37.08	54.0	16.93	AV	325.00	200	Horizontal	Pass
5	12339.337	47.53	74.0	26.47	Peak	200.00	100	Horizontal	Pass
5**	12339.337	38.71	54.0	15.29	AV	200.00	100	Horizontal	Pass
6	15800.726	51.59	74.0	22.41	Peak	300.00	100	Horizontal	Pass
6**	15800.726	44.08	54.0	9.92	AV	300.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.153	41.12	74.0	32.88	Peak	356.00	300	Vertical	Pass
1**	1598.153	33.69	54.0	20.31	AV	356.00	300	Vertical	Pass
2	2129.682	58.66	68.2	9.54	Peak	325.00	400	Vertical	Pass
2**	2129.682	50.27	--	--	AV	325.00	400	Vertical	N/A
3	4245.833	49.27	74.0	24.73	Peak	256.00	200	Vertical	Pass
3**	4245.833	39.01	54.0	14.99	AV	256.00	200	Vertical	Pass
4	7501.511	44.32	74.0	29.68	Peak	257.00	100	Vertical	Pass
4**	7501.511	36.25	54.0	17.75	AV	257.00	100	Vertical	Pass
5	12588.147	47.21	74.0	26.79	Peak	106.00	400	Vertical	Pass
5**	12588.147	37.35	54.0	16.66	AV	106.00	400	Vertical	Pass
6	15566.746	50.24	74.0	23.76	Peak	27.00	400	Vertical	Pass
6**	15566.746	40.07	54.0	13.93	AV	27.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.532	42.98	74.0	31.02	Peak	93.00	100	Horizontal	Pass
1**	1487.532	31.80	54.0	22.20	AV	93.00	100	Horizontal	Pass
2	2126.603	57.38	68.2	10.82	Peak	198.00	400	Horizontal	Pass
2**	2126.603	45.16	--	--	AV	198.00	400	Horizontal	N/A
3	4374.724	49.03	74.0	24.98	Peak	95.00	200	Horizontal	Pass
3**	4374.724	44.54	54.0	9.46	AV	95.00	200	Horizontal	Pass
4	7545.200	46.44	74.0	27.56	Peak	47.00	200	Horizontal	Pass
4**	7545.200	36.98	54.0	17.03	AV	47.00	200	Horizontal	Pass
5	12346.454	47.38	74.0	26.62	Peak	103.00	400	Horizontal	Pass
5**	12346.454	38.47	54.0	15.53	AV	103.00	400	Horizontal	Pass
6	15800.240	51.61	74.0	22.39	Peak	120.00	100	Horizontal	Pass
6**	15800.240	44.02	54.0	9.98	AV	120.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.729	40.98	74.0	33.02	Peak	333.00	100	Vertical	Pass
1**	1599.729	33.52	54.0	20.48	AV	333.00	100	Vertical	Pass
2	2128.607	58.53	68.2	9.67	Peak	97.00	200	Vertical	Pass
2**	2128.607	50.23	--	--	AV	97.00	200	Vertical	N/A
3	4245.078	49.18	74.0	24.82	Peak	255.00	200	Vertical	Pass
3**	4245.078	38.94	54.0	15.07	AV	255.00	200	Vertical	Pass
4	7501.955	44.12	74.0	29.89	Peak	36.00	100	Vertical	Pass
4**	7501.955	36.19	54.0	17.81	AV	36.00	100	Vertical	Pass
5	12581.553	46.98	74.0	27.02	Peak	326.00	200	Vertical	Pass
5**	12581.553	37.15	54.0	16.85	AV	326.00	200	Vertical	Pass
6	15564.018	50.07	74.0	23.93	Peak	65.00	300	Vertical	Pass
6**	15564.018	39.80	54.0	14.20	AV	65.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.606	42.65	74.0	31.35	Peak	70.00	400	Horizontal	Pass
1**	1481.606	31.43	54.0	22.57	AV	70.00	400	Horizontal	Pass
2	2127.182	57.13	68.2	11.07	Peak	138.00	300	Horizontal	Pass
2**	2127.182	44.92	--	--	AV	138.00	300	Horizontal	N/A
3	4374.866	49.10	74.0	24.90	Peak	248.00	200	Horizontal	Pass
3**	4374.866	44.43	54.0	9.57	AV	248.00	200	Horizontal	Pass
4	7544.283	46.43	74.0	27.57	Peak	27.00	100	Horizontal	Pass
4**	7544.283	36.69	54.0	17.31	AV	27.00	100	Horizontal	Pass
5	12340.902	47.31	74.0	26.69	Peak	98.00	100	Horizontal	Pass
5**	12340.902	38.63	54.0	15.37	AV	98.00	100	Horizontal	Pass
6	15795.861	51.32	74.0	22.68	Peak	122.00	200	Horizontal	Pass
6**	15795.861	43.97	54.0	10.03	AV	122.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.338	40.70	74.0	33.30	Peak	356.00	400	Vertical	Pass
1**	1601.338	33.35	54.0	20.66	AV	356.00	400	Vertical	Pass
2	2125.520	58.28	68.2	9.92	Peak	169.00	300	Vertical	Pass
2**	2125.520	49.98	--	--	AV	169.00	300	Vertical	Pass
3	4248.463	49.18	74.0	24.82	Peak	336.00	200	Vertical	Pass
3**	4248.463	38.91	54.0	15.10	AV	336.00	200	Vertical	Pass
4	7498.711	43.90	74.0	30.10	Peak	129.00	400	Vertical	Pass
4**	7498.711	35.94	54.0	18.06	AV	129.00	400	Vertical	Pass
5	12581.272	46.92	74.0	27.08	Peak	326.00	200	Vertical	Pass
5**	12581.272	36.86	54.0	17.14	AV	326.00	200	Vertical	Pass
6	15564.934	50.03	74.0	23.97	Peak	214.00	200	Vertical	Pass
6**	15564.934	39.54	54.0	14.46	AV	214.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.091	42.90	74.0	31.10	Peak	112.00	300	Horizontal	Pass
1**	1485.091	31.83	54.0	22.17	AV	112.00	300	Horizontal	Pass
2	2126.167	57.53	68.2	10.67	Peak	350.00	200	Horizontal	Pass
2**	2126.167	45.00	--	--	AV	350.00	200	Horizontal	N/A
3	4374.078	49.01	74.0	24.99	Peak	206.00	200	Horizontal	Pass
3**	4374.078	44.46	54.0	9.54	AV	206.00	200	Horizontal	Pass
4	7547.350	46.51	74.0	27.49	Peak	139.00	100	Horizontal	Pass
4**	7547.350	36.82	54.0	17.18	AV	139.00	100	Horizontal	Pass
5	12344.518	47.38	74.0	26.62	Peak	273.00	400	Horizontal	Pass
5**	12344.518	38.70	54.0	15.30	AV	273.00	400	Horizontal	Pass
6	15797.497	51.46	74.0	22.54	Peak	296.00	300	Horizontal	Pass
6**	15797.497	44.08	54.0	9.92	AV	296.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.343	40.58	74.0	33.43	Peak	338.00	400	Vertical	Pass
1**	1599.343	33.25	54.0	20.76	AV	338.00	400	Vertical	Pass
2	2128.516	58.07	68.2	10.13	Peak	20.00	200	Vertical	Pass
2**	2128.516	49.70	--	--	AV	20.00	200	Vertical	N/A
3	4250.897	48.97	74.0	25.03	Peak	70.00	200	Vertical	Pass
3**	4250.897	38.71	54.0	15.29	AV	70.00	200	Vertical	Pass
4	7501.319	43.85	74.0	30.15	Peak	87.00	200	Vertical	Pass
4**	7501.319	35.76	54.0	18.24	AV	87.00	200	Vertical	Pass
5	12585.002	46.67	74.0	27.33	Peak	198.00	200	Vertical	Pass
5**	12585.002	36.79	54.0	17.21	AV	198.00	200	Vertical	Pass
6	15560.373	49.80	74.0	24.21	Peak	62.00	400	Vertical	Pass
6**	15560.373	39.50	54.0	14.50	AV	62.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.569	42.92	74.0	31.08	Peak	223.00	300	Horizontal	Pass
1**	1486.569	32.19	54.0	21.81	AV	223.00	300	Horizontal	Pass
2	2128.782	57.77	68.2	10.43	Peak	211.00	400	Horizontal	Pass
2**	2128.782	45.06	--	--	AV	211.00	400	Horizontal	N/A
3	4375.445	49.25	74.0	24.75	Peak	18.00	200	Horizontal	Pass
3**	4375.445	44.68	54.0	9.32	AV	18.00	200	Horizontal	Pass
4	7548.740	46.68	74.0	27.32	Peak	237.00	200	Horizontal	Pass
4**	7548.740	37.16	54.0	16.84	AV	237.00	200	Horizontal	Pass
5	12340.176	47.70	74.0	26.30	Peak	244.00	100	Horizontal	Pass
5**	12340.176	38.91	54.0	15.09	AV	244.00	100	Horizontal	Pass
6	15801.564	51.68	74.0	22.32	Peak	275.00	300	Horizontal	Pass
6**	15801.564	44.07	54.0	9.93	AV	275.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.669	42.37	74.0	31.63	Peak	109.00	100	Vertical	Pass
1**	1602.669	34.84	54.0	19.17	AV	109.00	100	Vertical	Pass
2	2128.289	59.83	68.2	8.37	Peak	269.00	100	Vertical	Pass
2**	2128.289	51.17	--	--	AV	269.00	100	Vertical	N/A
3	4250.453	50.16	74.0	23.84	Peak	307.00	200	Vertical	Pass
3**	4250.453	40.23	54.0	13.77	AV	307.00	200	Vertical	Pass
4	7504.204	45.30	74.0	28.70	Peak	325.00	400	Vertical	Pass
4**	7504.204	37.22	54.0	16.78	AV	325.00	400	Vertical	Pass
5	12581.890	48.23	74.0	25.77	Peak	167.00	400	Vertical	Pass
5**	12581.890	37.73	54.0	16.27	AV	167.00	400	Vertical	Pass
6	15566.752	51.66	74.0	22.34	Peak	297.00	200	Vertical	Pass
6**	15566.752	41.12	54.0	12.88	AV	297.00	200	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.109	42.89	74.0	31.11	Peak	343.00	100	Horizontal	Pass
1**	1484.109	31.87	54.0	22.14	AV	343.00	100	Horizontal	Pass
2	2125.164	57.40	68.2	10.80	Peak	138.00	100	Horizontal	Pass
2**	2125.164	45.15	--	--	AV	138.00	100	Horizontal	N/A
3	4371.580	49.09	74.0	24.91	Peak	10.00	200	Horizontal	Pass
3**	4371.580	44.47	54.0	9.53	AV	10.00	200	Horizontal	Pass
4	7544.410	46.57	74.0	27.43	Peak	214.00	200	Horizontal	Pass
4**	7544.410	37.06	54.0	16.94	AV	214.00	200	Horizontal	Pass
5	12341.450	47.50	74.0	26.50	Peak	190.00	200	Horizontal	Pass
5**	12341.450	38.40	54.0	15.60	AV	190.00	200	Horizontal	Pass
6	15797.706	51.59	74.0	22.41	Peak	32.00	400	Horizontal	Pass
6**	15797.706	44.06	54.0	9.94	AV	32.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.308	42.17	74.0	31.83	Peak	31.00	300	Vertical	Pass
1**	1600.308	34.59	54.0	19.41	AV	31.00	300	Vertical	Pass
2	2130.642	59.87	68.2	8.33	Peak	282.00	200	Vertical	Pass
2**	2130.642	51.16	--	--	AV	282.00	200	Vertical	N/A
3	4247.396	50.03	74.0	23.97	Peak	37.00	200	Vertical	Pass
3**	4247.396	40.23	54.0	13.77	AV	37.00	200	Vertical	Pass
4	7497.885	45.24	74.0	28.76	Peak	165.00	300	Vertical	Pass
4**	7497.885	37.19	54.0	16.81	AV	165.00	300	Vertical	Pass
5	12585.624	47.99	74.0	26.01	Peak	93.00	300	Vertical	Pass
5**	12585.624	37.62	54.0	16.38	AV	93.00	300	Vertical	Pass
6	15567.486	51.40	74.0	22.60	Peak	222.00	400	Vertical	Pass
6**	15567.486	41.06	54.0	12.94	AV	222.00	400	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.446	42.67	74.0	31.33	Peak	287.00	200	Horizontal	Pass
1**	1487.446	31.67	54.0	22.33	AV	287.00	200	Horizontal	Pass
2	2128.759	57.12	68.2	11.08	Peak	157.00	100	Horizontal	Pass
2**	2128.759	44.74	--	--	AV	157.00	100	Horizontal	N/A
3	4376.547	49.12	74.0	24.88	Peak	307.00	200	Horizontal	Pass
3**	4376.547	44.33	54.0	9.67	AV	307.00	200	Horizontal	Pass
4	7547.952	46.30	74.0	27.70	Peak	42.00	200	Horizontal	Pass
4**	7547.952	36.84	54.0	17.16	AV	42.00	200	Horizontal	Pass
5	12343.709	47.32	74.0	26.68	Peak	217.00	300	Horizontal	Pass
5**	12343.709	38.56	54.0	15.44	AV	217.00	300	Horizontal	Pass
6	15803.149	51.36	74.0	22.64	Peak	79.00	300	Horizontal	Pass
6**	15803.149	43.76	54.0	10.24	AV	79.00	300	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.134	42.18	74.0	31.82	Peak	95.00	100	Vertical	Pass
1**	1603.134	34.45	54.0	19.55	AV	95.00	100	Vertical	Pass
2	2127.760	59.56	68.2	8.64	Peak	187.00	300	Vertical	Pass
2**	2127.760	51.04	--	--	AV	187.00	300	Vertical	N/A
3	4249.378	49.91	74.0	24.09	Peak	83.00	200	Vertical	Pass
3**	4249.378	40.00	54.0	14.00	AV	83.00	200	Vertical	Pass
4	7497.004	45.19	74.0	28.81	Peak	204.00	100	Vertical	Pass
4**	7497.004	36.75	54.0	17.25	AV	204.00	100	Vertical	Pass
5	12583.466	47.46	74.0	26.54	Peak	255.00	300	Vertical	Pass
5**	12583.466	37.50	54.0	16.50	AV	255.00	300	Vertical	Pass
6	15563.316	51.23	74.0	22.77	Peak	268.00	300	Vertical	Pass
6**	15563.316	40.74	54.0	13.26	AV	268.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.833	42.84	74.0	31.16	Peak	222.00	100	Horizontal	Pass
1**	1487.833	31.79	54.0	22.21	AV	222.00	100	Horizontal	Pass
2	2130.452	57.29	68.2	10.91	Peak	289.00	400	Horizontal	Pass
2**	2130.452	45.01	--	--	AV	289.00	400	Horizontal	N/A
3	4372.439	48.85	74.0	25.15	Peak	14.00	200	Horizontal	Pass
3**	4372.439	44.55	54.0	9.45	AV	14.00	200	Horizontal	Pass
4	7544.813	46.39	74.0	27.61	Peak	306.00	100	Horizontal	Pass
4**	7544.813	36.92	54.0	17.08	AV	306.00	100	Horizontal	Pass
5	12338.929	47.49	74.0	26.51	Peak	342.00	200	Horizontal	Pass
5**	12338.929	38.79	54.0	15.21	AV	342.00	200	Horizontal	Pass
6	15801.939	51.45	74.0	22.55	Peak	118.00	100	Horizontal	Pass
6**	15801.939	44.02	54.0	9.98	AV	118.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.528	41.74	74.0	32.26	Peak	20.00	200	Vertical	Pass
1**	1597.528	34.06	54.0	19.95	AV	20.00	200	Vertical	Pass
2	2123.784	59.26	68.2	8.94	Peak	204.00	200	Vertical	Pass
2**	2123.784	50.84	--	--	AV	204.00	200	Vertical	N/A
3	4247.561	49.96	74.0	24.04	Peak	355.00	200	Vertical	Pass
3**	4247.561	39.68	54.0	14.32	AV	355.00	200	Vertical	Pass
4	7504.478	44.96	74.0	29.04	Peak	218.00	100	Vertical	Pass
4**	7504.478	36.73	54.0	17.27	AV	218.00	100	Vertical	Pass
5	12586.427	47.32	74.0	26.68	Peak	252.00	100	Vertical	Pass
5**	12586.427	37.55	54.0	16.45	AV	252.00	100	Vertical	Pass
6	15567.983	51.07	74.0	22.93	Peak	165.00	400	Vertical	Pass
6**	15567.983	40.51	54.0	13.49	AV	165.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.993	43.06	74.0	30.94	Peak	131.00	200	Horizontal	Pass
1**	1484.993	32.19	54.0	21.81	AV	131.00	200	Horizontal	Pass
2	2127.868	57.60	68.2	10.60	Peak	340.00	200	Horizontal	Pass
2**	2127.868	45.26	--	--	AV	340.00	200	Horizontal	N/A
3	4373.425	49.03	74.0	24.97	Peak	32.00	200	Horizontal	Pass
3**	4373.425	44.55	54.0	9.45	AV	32.00	200	Horizontal	Pass
4	7548.550	46.68	74.0	27.32	Peak	208.00	400	Horizontal	Pass
4**	7548.550	36.98	54.0	17.02	AV	208.00	400	Horizontal	Pass
5	12344.782	47.50	74.0	26.50	Peak	255.00	100	Horizontal	Pass
5**	12344.782	38.81	54.0	15.19	AV	255.00	100	Horizontal	Pass
6	15802.148	51.79	74.0	22.22	Peak	128.00	100	Horizontal	Pass
6**	15802.148	44.14	54.0	9.86	AV	128.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.740	42.23	74.0	31.77	Peak	181.00	400	Vertical	Pass
1**	1603.740	34.66	54.0	19.34	AV	181.00	400	Vertical	Pass
2	2129.459	59.83	68.2	8.37	Peak	41.00	200	Vertical	Pass
2**	2129.459	51.39	--	--	AV	41.00	200	Vertical	N/A
3	4245.245	50.03	74.0	23.97	Peak	83.00	200	Vertical	Pass
3**	4245.245	40.39	54.0	13.62	AV	83.00	200	Vertical	Pass
4	7502.180	45.29	74.0	28.71	Peak	163.00	300	Vertical	Pass
4**	7502.180	37.03	54.0	16.97	AV	163.00	300	Vertical	Pass
5	12587.916	48.17	74.0	25.83	Peak	340.00	300	Vertical	Pass
5**	12587.916	37.68	54.0	16.32	AV	340.00	300	Vertical	Pass
6	15565.758	51.51	74.0	22.49	Peak	270.00	300	Vertical	Pass
6**	15565.758	41.31	54.0	12.69	AV	270.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.876	42.80	74.0	31.20	Peak	35.00	100	Horizontal	Pass
1**	1481.876	31.75	54.0	22.25	AV	35.00	100	Horizontal	Pass
2	2129.671	57.28	68.2	10.92	Peak	353.00	100	Horizontal	Pass
2**	2129.671	45.12	--	--	AV	353.00	100	Horizontal	N/A
3	4376.979	49.03	74.0	24.98	Peak	36.00	200	Horizontal	Pass
3**	4376.979	44.41	54.0	9.59	AV	36.00	200	Horizontal	Pass
4	7548.669	46.39	74.0	27.61	Peak	333.00	100	Horizontal	Pass
4**	7548.669	37.03	54.0	16.97	AV	333.00	100	Horizontal	Pass
5	12343.364	47.45	74.0	26.55	Peak	40.00	400	Horizontal	Pass
5**	12343.364	38.43	54.0	15.57	AV	40.00	400	Horizontal	Pass
6	15798.425	51.58	74.0	22.42	Peak	85.00	100	Horizontal	Pass
6**	15798.425	44.07	54.0	9.94	AV	85.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.251	42.08	74.0	31.92	Peak	234.00	100	Vertical	Pass
1**	1598.251	34.47	54.0	19.53	AV	234.00	100	Vertical	Pass
2	2129.765	59.62	68.2	8.58	Peak	320.00	200	Vertical	Pass
2**	2129.765	51.20	--	--	AV	320.00	200	Vertical	N/A
3	4244.724	50.26	74.0	23.74	Peak	149.00	200	Vertical	Pass
3**	4244.724	40.23	54.0	13.77	AV	149.00	200	Vertical	Pass
4	7500.219	45.22	74.0	28.78	Peak	54.00	100	Vertical	Pass
4**	7500.219	36.98	54.0	17.02	AV	54.00	100	Vertical	Pass
5	12588.008	47.73	74.0	26.27	Peak	26.00	200	Vertical	Pass
5**	12588.008	37.61	54.0	16.39	AV	26.00	200	Vertical	Pass
6	15562.984	51.44	74.0	22.56	Peak	51.00	300	Vertical	Pass
6**	15562.984	40.95	54.0	13.05	AV	51.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.575	42.61	74.0	31.39	Peak	313.00	200	Horizontal	Pass
1**	1485.575	31.67	54.0	22.33	AV	313.00	200	Horizontal	Pass
2	2127.366	57.22	68.2	10.98	Peak	89.00	400	Horizontal	Pass
2**	2127.366	44.79	--	--	AV	89.00	400	Horizontal	N/A
3	4371.349	49.09	74.0	24.91	Peak	185.00	200	Horizontal	Pass
3**	4371.349	44.36	54.0	9.64	AV	185.00	200	Horizontal	Pass
4	7546.723	46.54	74.0	27.46	Peak	209.00	100	Horizontal	Pass
4**	7546.723	36.72	54.0	17.28	AV	209.00	100	Horizontal	Pass
5	12340.145	47.33	74.0	26.67	Peak	103.00	200	Horizontal	Pass
5**	12340.145	38.41	54.0	15.59	AV	103.00	200	Horizontal	Pass
6	15799.194	51.52	74.0	22.48	Peak	246.00	200	Horizontal	Pass
6**	15799.194	44.01	54.0	9.99	AV	246.00	200	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.396	42.08	74.0	31.92	Peak	301.00	400	Vertical	Pass
1**	1599.396	34.20	54.0	19.80	AV	301.00	400	Vertical	Pass
2	2125.758	59.54	68.2	8.66	Peak	17.00	300	Vertical	Pass
2**	2125.758	50.96	--	--	AV	17.00	300	Vertical	N/A
3	4245.634	49.98	74.0	24.02	Peak	169.00	200	Vertical	Pass
3**	4245.634	40.06	54.0	13.94	AV	169.00	200	Vertical	Pass
4	7503.830	45.12	74.0	28.88	Peak	5.00	100	Vertical	Pass
4**	7503.830	36.93	54.0	17.08	AV	5.00	100	Vertical	Pass
5	12582.631	47.75	74.0	26.25	Peak	43.00	100	Vertical	Pass
5**	12582.631	37.34	54.0	16.67	AV	43.00	100	Vertical	Pass
6	15566.886	51.37	74.0	22.63	Peak	294.00	100	Vertical	Pass
6**	15566.886	40.61	54.0	13.39	AV	294.00	100	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.461	43.10	74.0	30.90	Peak	131.00	200	Horizontal	Pass
1**	1484.461	32.07	54.0	21.93	AV	131.00	200	Horizontal	Pass
2	2130.964	57.58	68.2	10.62	Peak	214.00	300	Horizontal	Pass
2**	2130.964	45.05	--	--	AV	214.00	300	Horizontal	N/A
3	4378.383	49.21	74.0	24.80	Peak	251.00	200	Horizontal	Pass
3**	4378.383	44.71	54.0	9.29	AV	251.00	200	Horizontal	Pass
4	7541.976	46.72	74.0	27.28	Peak	277.00	100	Horizontal	Pass
4**	7541.976	37.10	54.0	16.91	AV	277.00	100	Horizontal	Pass
5	12344.594	47.54	74.0	26.46	Peak	62.00	200	Horizontal	Pass
5**	12344.594	38.92	54.0	15.09	AV	62.00	200	Horizontal	Pass
6	15796.277	51.70	74.0	22.30	Peak	93.00	300	Horizontal	Pass
6**	15796.277	44.15	54.0	9.86	AV	93.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.167	42.31	74.0	31.69	Peak	131.00	300	Vertical	Pass
1**	1598.167	34.63	54.0	19.37	AV	131.00	300	Vertical	Pass
2	2131.078	59.92	68.2	8.28	Peak	163.00	200	Vertical	Pass
2**	2131.078	51.39	--	--	AV	163.00	200	Vertical	N/A
3	4249.479	50.24	74.0	23.76	Peak	286.00	200	Vertical	Pass
3**	4249.479	40.17	54.0	13.83	AV	286.00	200	Vertical	Pass
4	7502.667	45.32	74.0	28.68	Peak	175.00	100	Vertical	Pass
4**	7502.667	37.27	54.0	16.73	AV	175.00	100	Vertical	Pass
5	12585.985	48.19	74.0	25.81	Peak	142.00	400	Vertical	Pass
5**	12585.985	37.86	54.0	16.14	AV	142.00	400	Vertical	Pass
6	15567.082	51.42	74.0	22.58	Peak	359.00	400	Vertical	Pass
6**	15567.082	41.24	54.0	12.76	AV	359.00	400	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.853	42.91	74.0	31.10	Peak	37.00	400	Horizontal	Pass
1**	1484.853	32.23	54.0	21.77	AV	37.00	400	Horizontal	Pass
2	2126.881	57.80	68.2	10.40	Peak	32.00	200	Horizontal	Pass
2**	2126.881	45.15	--	--	AV	32.00	200	Horizontal	N/A
3	4374.917	49.14	74.0	24.86	Peak	242.00	200	Horizontal	Pass
3**	4374.917	44.66	54.0	9.34	AV	242.00	200	Horizontal	Pass
4	7547.073	46.53	74.0	27.47	Peak	289.00	100	Horizontal	Pass
4**	7547.073	37.07	54.0	16.93	AV	289.00	100	Horizontal	Pass
5	12345.049	47.64	74.0	26.36	Peak	4.00	300	Horizontal	Pass
5**	12345.049	38.76	54.0	15.24	AV	4.00	300	Horizontal	Pass
6	15800.364	51.68	74.0	22.32	Peak	267.00	400	Horizontal	Pass
6**	15800.364	44.20	54.0	9.80	AV	267.00	400	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.701	42.15	74.0	31.85	Peak	310.00	300	Vertical	Pass
1**	1603.701	34.69	54.0	19.31	AV	310.00	300	Vertical	Pass
2	2124.648	59.78	68.2	8.42	Peak	139.00	200	Vertical	Pass
2**	2124.648	51.16	--	--	AV	139.00	200	Vertical	N/A
3	4250.206	50.15	74.0	23.85	Peak	303.00	200	Vertical	Pass
3**	4250.206	40.26	54.0	13.74	AV	303.00	200	Vertical	Pass
4	7503.203	45.38	74.0	28.62	Peak	169.00	200	Vertical	Pass
4**	7503.203	37.04	54.0	16.96	AV	169.00	200	Vertical	Pass
5	12588.625	48.09	74.0	25.91	Peak	230.00	400	Vertical	Pass
5**	12588.625	37.88	54.0	16.12	AV	230.00	400	Vertical	Pass
6	15564.845	51.48	74.0	22.53	Peak	272.00	300	Vertical	Pass
6**	15564.845	41.10	54.0	12.90	AV	272.00	300	Vertical	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.526	42.90	74.0	31.10	Peak	73.00	300	Horizontal	Pass
1**	1481.526	31.96	54.0	22.04	AV	73.00	300	Horizontal	Pass
2	2126.632	57.44	68.2	10.76	Peak	39.00	300	Horizontal	Pass
2**	2126.632	45.10	--	--	AV	39.00	300	Horizontal	N/A
3	4372.658	49.02	74.0	24.98	Peak	237.00	200	Horizontal	Pass
3**	4372.658	44.41	54.0	9.59	AV	237.00	200	Horizontal	Pass
4	7547.708	46.55	74.0	27.45	Peak	360.00	300	Horizontal	Pass
4**	7547.708	36.92	54.0	17.08	AV	360.00	300	Horizontal	Pass
5	12343.296	47.37	74.0	26.63	Peak	148.00	300	Horizontal	Pass
5**	12343.296	38.42	54.0	15.58	AV	148.00	300	Horizontal	Pass
6	15800.703	51.63	74.0	22.37	Peak	125.00	300	Horizontal	Pass
6**	15800.703	44.12	54.0	9.88	AV	125.00	300	Horizontal	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.752	42.07	74.0	31.93	Peak	14.00	200	Vertical	Pass
1**	1600.752	34.65	54.0	19.35	AV	14.00	200	Vertical	Pass
2	2127.833	59.84	68.2	8.36	Peak	309.00	400	Vertical	Pass
2**	2127.833	51.30	--	--	AV	309.00	400	Vertical	N/A
3	4251.072	50.15	74.0	23.85	Peak	252.00	200	Vertical	Pass
3**	4251.072	40.10	54.0	13.90	AV	252.00	200	Vertical	Pass
4	7497.084	45.29	74.0	28.72	Peak	255.00	300	Vertical	Pass
4**	7497.084	37.04	54.0	16.96	AV	255.00	300	Vertical	Pass
5	12586.984	47.81	74.0	26.19	Peak	347.00	100	Vertical	Pass
5**	12586.984	37.54	54.0	16.46	AV	347.00	100	Vertical	Pass
6	15562.708	51.51	74.0	22.49	Peak	289.00	400	Vertical	Pass
6**	15562.708	40.83	54.0	13.17	AV	289.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.163	40.80	74.0	33.20	Peak	79.00	200	Horizontal	Pass
1**	1508.163	28.93	54.0	25.07	AV	79.00	200	Horizontal	Pass
2	2347.625	39.35	74.0	34.65	Peak	172.00	300	Horizontal	Pass
2**	2347.625	29.91	54.0	24.09	AV	172.00	300	Horizontal	Pass
3	4204.925	48.31	74.0	25.69	Peak	165.00	200	Horizontal	Pass
3**	4204.925	39.89	54.0	14.12	AV	165.00	200	Horizontal	Pass
4	7435.196	54.65	74.0	19.35	Peak	357.00	400	Horizontal	Pass
4**	7435.196	44.50	54.0	9.50	AV	357.00	400	Horizontal	Pass
5	12517.322	53.55	74.0	20.45	Peak	264.00	300	Horizontal	Pass
5**	12517.322	43.54	54.0	10.46	AV	264.00	300	Horizontal	Pass
6	16153.424	54.05	74.0	19.95	Peak	339.00	200	Horizontal	Pass
6**	16153.424	44.46	54.0	9.54	AV	339.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.637	49.72	74.0	24.28	Peak	214.00	200	Vertical	Pass
1**	1156.637	35.20	54.0	18.80	AV	214.00	200	Vertical	Pass
2	1335.537	46.85	74.0	27.15	Peak	136.00	300	Vertical	Pass
2**	1335.537	38.60	54.0	15.40	AV	136.00	300	Vertical	Pass
3	4925.247	48.58	74.0	25.42	Peak	325.00	200	Vertical	Pass
3**	4925.247	39.10	54.0	14.90	AV	325.00	200	Vertical	Pass
4	7932.277	53.11	74.0	20.89	Peak	286.00	200	Vertical	Pass
4**	7932.277	43.72	54.0	10.28	AV	286.00	200	Vertical	Pass
5	12493.579	53.28	74.0	20.72	Peak	139.00	200	Vertical	Pass
5**	12493.579	43.80	54.0	10.20	AV	139.00	200	Vertical	Pass
6	17103.024	54.41	74.0	19.59	Peak	140.00	300	Vertical	Pass
6**	17103.024	43.79	54.0	10.21	AV	140.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.142	40.73	74.0	33.27	Peak	66.00	100	Horizontal	Pass
1**	1510.142	28.75	54.0	25.25	AV	66.00	100	Horizontal	Pass
2	2347.730	39.26	74.0	34.74	Peak	354.00	100	Horizontal	Pass
2**	2347.730	29.70	54.0	24.30	AV	354.00	100	Horizontal	Pass
3	4202.101	48.29	74.0	25.71	Peak	311.00	200	Horizontal	Pass
3**	4202.101	39.85	54.0	14.15	AV	311.00	200	Horizontal	Pass
4	7436.078	54.62	74.0	19.38	Peak	83.00	400	Horizontal	Pass
4**	7436.078	44.25	54.0	9.76	AV	83.00	400	Horizontal	Pass
5	12514.591	53.28	74.0	20.72	Peak	359.00	300	Horizontal	Pass
5**	12514.591	43.43	54.0	10.58	AV	359.00	300	Horizontal	Pass
6	16153.245	53.81	74.0	20.20	Peak	155.00	200	Horizontal	Pass
6**	16153.245	44.23	54.0	9.77	AV	155.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.265	49.57	74.0	24.43	Peak	205.00	400	Vertical	Pass
1**	1157.265	35.20	54.0	18.81	AV	205.00	400	Vertical	Pass
2	1337.692	46.62	74.0	27.38	Peak	185.00	200	Vertical	Pass
2**	1337.692	38.54	54.0	15.46	AV	185.00	200	Vertical	Pass
3	4921.636	48.50	74.0	25.50	Peak	327.00	200	Vertical	Pass
3**	4921.636	39.00	54.0	15.00	AV	327.00	200	Vertical	Pass
4	7934.528	53.06	74.0	20.95	Peak	305.00	400	Vertical	Pass
4**	7934.528	43.66	54.0	10.34	AV	305.00	400	Vertical	Pass
5	12494.345	53.24	74.0	20.76	Peak	154.00	200	Vertical	Pass
5**	12494.345	43.58	54.0	10.42	AV	154.00	200	Vertical	Pass
6	17102.388	54.20	74.0	19.80	Peak	80.00	400	Vertical	Pass
6**	17102.388	43.61	54.0	10.39	AV	80.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.471	40.50	74.0	33.50	Peak	172.00	300	Horizontal	Pass
1**	1506.471	28.46	54.0	25.54	AV	172.00	300	Horizontal	Pass
2	2342.084	39.05	74.0	34.95	Peak	0.00	400	Horizontal	Pass
2**	2342.084	29.49	54.0	24.51	AV	0.00	400	Horizontal	Pass
3	4200.964	48.12	74.0	25.88	Peak	167.00	200	Horizontal	Pass
3**	4200.964	39.57	54.0	14.43	AV	167.00	200	Horizontal	Pass
4	7439.881	54.34	74.0	19.66	Peak	192.00	300	Horizontal	Pass
4**	7439.881	44.23	54.0	9.77	AV	192.00	300	Horizontal	Pass
5	12511.035	53.18	74.0	20.82	Peak	66.00	300	Horizontal	Pass
5**	12511.035	43.28	54.0	10.72	AV	66.00	300	Horizontal	Pass
6	16150.154	53.79	74.0	20.21	Peak	18.00	100	Horizontal	Pass
6**	16150.154	44.03	54.0	9.97	AV	18.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.520	49.41	74.0	24.60	Peak	51.00	200	Vertical	Pass
1**	1159.520	35.17	54.0	18.83	AV	51.00	200	Vertical	Pass
2	1333.842	46.44	74.0	27.56	Peak	332.00	100	Vertical	Pass
2**	1333.842	38.46	54.0	15.54	AV	332.00	100	Vertical	Pass
3	4925.123	48.47	74.0	25.53	Peak	115.00	200	Vertical	Pass
3**	4925.123	38.80	54.0	15.20	AV	115.00	200	Vertical	Pass
4	7934.827	52.97	74.0	21.03	Peak	318.00	300	Vertical	Pass
4**	7934.827	43.48	54.0	10.52	AV	318.00	300	Vertical	Pass
5	12498.125	53.05	74.0	20.96	Peak	3.00	200	Vertical	Pass
5**	12498.125	43.47	54.0	10.53	AV	3.00	200	Vertical	Pass
6	17100.815	54.14	74.0	19.86	Peak	255.00	200	Vertical	Pass
6**	17100.815	43.53	54.0	10.47	AV	255.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.732	40.20	74.0	33.80	Peak	339.00	400	Horizontal	Pass
1**	1509.732	28.45	54.0	25.55	AV	339.00	400	Horizontal	Pass
2	2341.624	38.99	74.0	35.01	Peak	23.00	400	Horizontal	Pass
2**	2341.624	29.43	54.0	24.57	AV	23.00	400	Horizontal	Pass
3	4201.474	48.10	74.0	25.90	Peak	193.00	200	Horizontal	Pass
3**	4201.474	39.54	54.0	14.46	AV	193.00	200	Horizontal	Pass
4	7437.568	54.30	74.0	19.71	Peak	286.00	400	Horizontal	Pass
4**	7437.568	44.11	54.0	9.89	AV	286.00	400	Horizontal	Pass
5	12513.275	53.11	74.0	20.89	Peak	12.00	100	Horizontal	Pass
5**	12513.275	43.00	54.0	11.00	AV	12.00	100	Horizontal	Pass
6	16152.147	53.75	74.0	20.25	Peak	228.00	100	Horizontal	Pass
6**	16152.147	43.88	54.0	10.12	AV	228.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.564	49.31	74.0	24.69	Peak	156.00	300	Vertical	Pass
1**	1158.564	35.09	54.0	18.91	AV	156.00	300	Vertical	Pass
2	1335.514	46.19	74.0	27.81	Peak	195.00	200	Vertical	Pass
2**	1335.514	38.33	54.0	15.67	AV	195.00	200	Vertical	Pass
3	4919.440	48.41	74.0	25.60	Peak	31.00	200	Vertical	Pass
3**	4919.440	38.65	54.0	15.35	AV	31.00	200	Vertical	Pass
4	7932.251	52.97	74.0	21.04	Peak	347.00	100	Vertical	Pass
4**	7932.251	43.32	54.0	10.69	AV	347.00	100	Vertical	Pass
5	12500.307	52.91	74.0	21.09	Peak	207.00	100	Vertical	Pass
5**	12500.307	43.47	54.0	10.53	AV	207.00	100	Vertical	Pass
6	17100.104	54.05	74.0	19.95	Peak	341.00	100	Vertical	Pass
6**	17100.104	43.46	54.0	10.54	AV	341.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.293	40.77	74.0	33.23	Peak	177.00	200	Horizontal	Pass
1**	1509.293	28.69	54.0	25.31	AV	177.00	200	Horizontal	Pass
2	2347.641	39.20	74.0	34.80	Peak	87.00	300	Horizontal	Pass
2**	2347.641	29.63	54.0	24.37	AV	87.00	300	Horizontal	Pass
3	4199.563	48.24	74.0	25.76	Peak	41.00	200	Horizontal	Pass
3**	4199.563	39.86	54.0	14.14	AV	41.00	200	Horizontal	Pass
4	7438.499	54.48	74.0	19.52	Peak	90.00	400	Horizontal	Pass
4**	7438.499	44.27	54.0	9.73	AV	90.00	400	Horizontal	Pass
5	12510.819	53.38	74.0	20.62	Peak	343.00	100	Horizontal	Pass
5**	12510.819	43.51	54.0	10.49	AV	343.00	100	Horizontal	Pass
6	16148.466	53.81	74.0	20.19	Peak	107.00	400	Horizontal	Pass
6**	16148.466	44.24	54.0	9.77	AV	107.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.797	49.48	74.0	24.52	Peak	105.00	100	Vertical	Pass
1**	1158.797	35.15	54.0	18.85	AV	105.00	100	Vertical	Pass
2	1335.582	46.56	74.0	27.44	Peak	284.00	200	Vertical	Pass
2**	1335.582	38.45	54.0	15.55	AV	284.00	200	Vertical	Pass
3	4921.386	48.29	74.0	25.71	Peak	67.00	200	Vertical	Pass
3**	4921.386	38.98	54.0	15.03	AV	67.00	200	Vertical	Pass
4	7932.816	52.84	74.0	21.16	Peak	268.00	200	Vertical	Pass
4**	7932.816	43.45	54.0	10.55	AV	268.00	200	Vertical	Pass
5	12499.851	53.13	74.0	20.87	Peak	334.00	200	Vertical	Pass
5**	12499.851	43.56	54.0	10.44	AV	334.00	200	Vertical	Pass
6	17097.371	54.19	74.0	19.81	Peak	213.00	300	Vertical	Pass
6**	17097.371	43.61	54.0	10.39	AV	213.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.061	40.68	74.0	33.32	Peak	33.00	200	Horizontal	Pass
1**	1511.061	28.58	54.0	25.42	AV	33.00	200	Horizontal	Pass
2	2345.534	39.21	74.0	34.79	Peak	87.00	400	Horizontal	Pass
2**	2345.534	29.51	54.0	24.49	AV	87.00	400	Horizontal	Pass
3	4203.312	48.10	74.0	25.90	Peak	126.00	200	Horizontal	Pass
3**	4203.312	39.58	54.0	14.42	AV	126.00	200	Horizontal	Pass
4	7437.681	54.54	74.0	19.46	Peak	1.00	400	Horizontal	Pass
4**	7437.681	44.18	54.0	9.82	AV	1.00	400	Horizontal	Pass
5	12515.752	53.16	74.0	20.84	Peak	179.00	300	Horizontal	Pass
5**	12515.752	43.31	54.0	10.69	AV	179.00	300	Horizontal	Pass
6	16151.058	53.62	74.0	20.38	Peak	6.00	200	Horizontal	Pass
6**	16151.058	43.93	54.0	10.07	AV	6.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.532	49.42	74.0	24.58	Peak	121.00	300	Vertical	Pass
1**	1157.532	35.09	54.0	18.91	AV	121.00	300	Vertical	Pass
2	1332.808	46.37	74.0	27.63	Peak	253.00	100	Vertical	Pass
2**	1332.808	38.44	54.0	15.56	AV	253.00	100	Vertical	Pass
3	4925.557	48.25	74.0	25.75	Peak	324.00	200	Vertical	Pass
3**	4925.557	38.73	54.0	15.27	AV	324.00	200	Vertical	Pass
4	7930.017	52.78	74.0	21.22	Peak	352.00	400	Vertical	Pass
4**	7930.017	43.55	54.0	10.45	AV	352.00	400	Vertical	Pass
5	12496.670	53.01	74.0	20.99	Peak	265.00	200	Vertical	Pass
5**	12496.670	43.58	54.0	10.43	AV	265.00	200	Vertical	Pass
6	17097.561	54.02	74.0	19.98	Peak	35.00	300	Vertical	Pass
6**	17097.561	43.45	54.0	10.55	AV	35.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.371	40.49	74.0	33.51	Peak	207.00	200	Horizontal	Pass
1**	1508.371	28.32	54.0	25.68	AV	207.00	200	Horizontal	Pass
2	2344.378	38.98	74.0	35.03	Peak	288.00	200	Horizontal	Pass
2**	2344.378	29.37	54.0	24.63	AV	288.00	200	Horizontal	Pass
3	4199.972	47.88	74.0	26.12	Peak	38.00	200	Horizontal	Pass
3**	4199.972	39.31	54.0	14.69	AV	38.00	200	Horizontal	Pass
4	7440.841	54.25	74.0	19.75	Peak	226.00	400	Horizontal	Pass
4**	7440.841	43.97	54.0	10.04	AV	226.00	400	Horizontal	Pass
5	12513.787	53.18	74.0	20.82	Peak	179.00	400	Horizontal	Pass
5**	12513.787	43.02	54.0	10.98	AV	179.00	400	Horizontal	Pass
6	16149.993	53.60	74.0	20.40	Peak	319.00	300	Horizontal	Pass
6**	16149.993	43.98	54.0	10.02	AV	319.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.715	49.40	74.0	24.60	Peak	271.00	400	Vertical	Pass
1**	1160.715	35.00	54.0	19.00	AV	271.00	400	Vertical	Pass
2	1336.816	46.26	74.0	27.74	Peak	139.00	300	Vertical	Pass
2**	1336.816	38.30	54.0	15.70	AV	139.00	300	Vertical	Pass
3	4925.971	48.46	74.0	25.55	Peak	236.00	200	Vertical	Pass
3**	4925.971	38.78	54.0	15.22	AV	236.00	200	Vertical	Pass
4	7933.586	52.73	74.0	21.27	Peak	62.00	300	Vertical	Pass
4**	7933.586	43.34	54.0	10.67	AV	62.00	300	Vertical	Pass
5	12497.520	52.88	74.0	21.12	Peak	319.00	400	Vertical	Pass
5**	12497.520	43.26	54.0	10.74	AV	319.00	400	Vertical	Pass
6	17098.175	53.97	74.0	20.03	Peak	229.00	100	Vertical	Pass
6**	17098.175	43.41	54.0	10.59	AV	229.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.279	40.65	74.0	33.35	Peak	101.00	400	Horizontal	Pass
1**	1505.279	28.82	54.0	25.18	AV	101.00	400	Horizontal	Pass
2	2344.619	39.12	74.0	34.88	Peak	122.00	300	Horizontal	Pass
2**	2344.619	29.87	54.0	24.13	AV	122.00	300	Horizontal	Pass
3	4206.444	48.04	74.0	25.96	Peak	97.00	200	Horizontal	Pass
3**	4206.444	39.72	54.0	14.28	AV	97.00	200	Horizontal	Pass
4	7441.113	54.50	74.0	19.50	Peak	343.00	100	Horizontal	Pass
4**	7441.113	44.32	54.0	9.68	AV	343.00	100	Horizontal	Pass
5	12514.060	53.51	74.0	20.49	Peak	60.00	200	Horizontal	Pass
5**	12514.060	43.31	54.0	10.69	AV	60.00	200	Horizontal	Pass
6	16153.094	53.78	74.0	20.22	Peak	239.00	300	Horizontal	Pass
6**	16153.094	44.20	54.0	9.80	AV	239.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.644	49.14	74.0	24.87	Peak	115.00	400	Vertical	Pass
1**	1159.644	35.08	54.0	18.92	AV	115.00	400	Vertical	Pass
2	1338.516	45.94	74.0	28.06	Peak	196.00	200	Vertical	Pass
2**	1338.516	38.32	54.0	15.68	AV	196.00	200	Vertical	Pass
3	4925.779	48.17	74.0	25.83	Peak	117.00	200	Vertical	Pass
3**	4925.779	38.45	54.0	15.55	AV	117.00	200	Vertical	Pass
4	7936.987	52.73	74.0	21.27	Peak	269.00	300	Vertical	Pass
4**	7936.987	43.19	54.0	10.81	AV	269.00	300	Vertical	Pass
5	12495.784	52.70	74.0	21.30	Peak	283.00	200	Vertical	Pass
5**	12495.784	43.19	54.0	10.81	AV	283.00	200	Vertical	Pass
6	17097.872	53.94	74.0	20.06	Peak	299.00	200	Vertical	Pass
6**	17097.872	43.18	54.0	10.82	AV	299.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.849	40.54	74.0	33.46	Peak	136.00	200	Horizontal	Pass
1**	1503.849	28.62	54.0	25.38	AV	136.00	200	Horizontal	Pass
2	2347.359	39.23	74.0	34.77	Peak	316.00	200	Horizontal	Pass
2**	2347.359	29.45	54.0	24.55	AV	316.00	200	Horizontal	Pass
3	4200.473	48.08	74.0	25.92	Peak	130.00	200	Horizontal	Pass
3**	4200.473	39.77	54.0	14.23	AV	130.00	200	Horizontal	Pass
4	7437.157	54.58	74.0	19.42	Peak	24.00	100	Horizontal	Pass
4**	7437.157	44.00	54.0	10.00	AV	24.00	100	Horizontal	Pass
5	12512.903	53.09	74.0	20.91	Peak	295.00	400	Horizontal	Pass
5**	12512.903	43.17	54.0	10.83	AV	295.00	400	Horizontal	Pass
6	16152.251	53.71	74.0	20.29	Peak	276.00	200	Horizontal	Pass
6**	16152.251	44.12	54.0	9.88	AV	276.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.897	49.41	74.0	24.59	Peak	162.00	200	Vertical	Pass
1**	1156.897	35.13	54.0	18.87	AV	162.00	200	Vertical	Pass
2	1340.501	46.37	74.0	27.63	Peak	63.00	100	Vertical	Pass
2**	1340.501	38.45	54.0	15.55	AV	63.00	100	Vertical	Pass
3	4924.781	48.23	74.0	25.77	Peak	38.00	200	Vertical	Pass
3**	4924.781	38.90	54.0	15.10	AV	38.00	200	Vertical	Pass
4	7934.945	52.73	74.0	21.27	Peak	260.00	300	Vertical	Pass
4**	7934.945	43.22	54.0	10.78	AV	260.00	300	Vertical	Pass
5	12496.238	52.86	74.0	21.14	Peak	212.00	100	Vertical	Pass
5**	12496.238	43.37	54.0	10.64	AV	212.00	100	Vertical	Pass
6	17098.306	54.00	74.0	20.00	Peak	259.00	300	Vertical	Pass
6**	17098.306	43.32	54.0	10.68	AV	259.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.528	40.34	74.0	33.66	Peak	5.00	200	Horizontal	Pass
1**	1507.528	28.22	54.0	25.78	AV	5.00	200	Horizontal	Pass
2	2345.615	38.96	74.0	35.04	Peak	85.00	300	Horizontal	Pass
2**	2345.615	29.28	54.0	24.72	AV	85.00	300	Horizontal	Pass
3	4206.391	48.00	74.0	26.00	Peak	202.00	200	Horizontal	Pass
3**	4206.391	39.53	54.0	14.47	AV	202.00	200	Horizontal	Pass
4	7438.953	54.33	74.0	19.68	Peak	85.00	300	Horizontal	Pass
4**	7438.953	44.20	54.0	9.80	AV	85.00	300	Horizontal	Pass
5	12510.447	53.08	74.0	20.92	Peak	123.00	300	Horizontal	Pass
5**	12510.447	43.02	54.0	10.98	AV	123.00	300	Horizontal	Pass
6	16147.951	53.55	74.0	20.45	Peak	28.00	100	Horizontal	Pass
6**	16147.951	44.01	54.0	9.99	AV	28.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.780	49.22	74.0	24.79	Peak	15.00	100	Vertical	Pass
1**	1163.780	35.01	54.0	18.99	AV	15.00	100	Vertical	Pass
2	1337.431	46.23	74.0	27.78	Peak	48.00	400	Vertical	Pass
2**	1337.431	38.32	54.0	15.68	AV	48.00	400	Vertical	Pass
3	4924.554	48.06	74.0	25.94	Peak	125.00	200	Vertical	Pass
3**	4924.554	38.57	54.0	15.43	AV	125.00	200	Vertical	Pass
4	7930.191	52.67	74.0	21.33	Peak	56.00	300	Vertical	Pass
4**	7930.191	43.51	54.0	10.49	AV	56.00	300	Vertical	Pass
5	12496.728	52.92	74.0	21.08	Peak	171.00	400	Vertical	Pass
5**	12496.728	43.31	54.0	10.69	AV	171.00	400	Vertical	Pass
6	17097.523	53.79	74.0	20.21	Peak	96.00	100	Vertical	Pass
6**	17097.523	43.27	54.0	10.73	AV	96.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.845	40.06	74.0	33.94	Peak	41.00	400	Horizontal	Pass
1**	1503.845	28.21	54.0	25.79	AV	41.00	400	Horizontal	Pass
2	2348.687	38.98	74.0	35.02	Peak	127.00	300	Horizontal	Pass
2**	2348.687	29.27	54.0	24.73	AV	127.00	300	Horizontal	Pass
3	4205.342	48.03	74.0	25.97	Peak	56.00	200	Horizontal	Pass
3**	4205.342	39.43	54.0	14.57	AV	56.00	200	Horizontal	Pass
4	7437.565	54.01	74.0	19.99	Peak	196.00	300	Horizontal	Pass
4**	7437.565	44.01	54.0	9.99	AV	196.00	300	Horizontal	Pass
5	12517.909	52.86	74.0	21.14	Peak	309.00	300	Horizontal	Pass
5**	12517.909	42.85	54.0	11.15	AV	309.00	300	Horizontal	Pass
6	16153.277	53.69	74.0	20.31	Peak	93.00	400	Horizontal	Pass
6**	16153.277	43.72	54.0	10.28	AV	93.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.538	49.38	74.0	24.62	Peak	179.00	200	Vertical	Pass
1**	1160.538	34.83	54.0	19.17	AV	179.00	200	Vertical	Pass
2	1335.638	46.21	74.0	27.79	Peak	57.00	200	Vertical	Pass
2**	1335.638	38.25	54.0	15.75	AV	57.00	200	Vertical	Pass
3	4922.688	48.30	74.0	25.70	Peak	109.00	200	Vertical	Pass
3**	4922.688	38.64	54.0	15.37	AV	109.00	200	Vertical	Pass
4	7936.280	52.61	74.0	21.39	Peak	33.00	100	Vertical	Pass
4**	7936.280	43.08	54.0	10.92	AV	33.00	100	Vertical	Pass
5	12496.291	52.86	74.0	21.14	Peak	308.00	400	Vertical	Pass
5**	12496.291	43.09	54.0	10.91	AV	308.00	400	Vertical	Pass
6	17102.284	53.67	74.0	20.33	Peak	231.00	400	Vertical	Pass
6**	17102.284	43.15	54.0	10.85	AV	231.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.985	40.60	74.0	33.40	Peak	307.00	100	Horizontal	Pass
1**	1510.985	28.48	54.0	25.52	AV	307.00	100	Horizontal	Pass
2	2348.560	39.11	74.0	34.90	Peak	309.00	300	Horizontal	Pass
2**	2348.560	29.40	54.0	24.60	AV	309.00	300	Horizontal	Pass
3	4205.405	47.96	74.0	26.04	Peak	120.00	200	Horizontal	Pass
3**	4205.405	39.68	54.0	14.32	AV	120.00	200	Horizontal	Pass
4	7433.895	54.46	74.0	19.54	Peak	243.00	200	Horizontal	Pass
4**	7433.895	44.17	54.0	9.83	AV	243.00	200	Horizontal	Pass
5	12512.141	53.23	74.0	20.78	Peak	337.00	100	Horizontal	Pass
5**	12512.141	43.45	54.0	10.55	AV	337.00	100	Horizontal	Pass
6	16151.646	53.62	74.0	20.38	Peak	7.00	400	Horizontal	Pass
6**	16151.646	43.99	54.0	10.01	AV	7.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.213	49.01	74.0	24.99	Peak	201.00	300	Vertical	Pass
1**	1157.213	35.01	54.0	18.99	AV	201.00	300	Vertical	Pass
2	1335.279	45.77	74.0	28.23	Peak	189.00	400	Vertical	Pass
2**	1335.279	38.18	54.0	15.82	AV	189.00	400	Vertical	Pass
3	4926.241	48.03	74.0	25.97	Peak	302.00	200	Vertical	Pass
3**	4926.241	38.43	54.0	15.57	AV	302.00	200	Vertical	Pass
4	7935.246	52.45	74.0	21.55	Peak	25.00	200	Vertical	Pass
4**	7935.246	43.19	54.0	10.81	AV	25.00	200	Vertical	Pass
5	12497.965	52.51	74.0	21.49	Peak	248.00	100	Vertical	Pass
5**	12497.965	43.11	54.0	10.89	AV	248.00	100	Vertical	Pass
6	17100.160	53.84	74.0	20.16	Peak	62.00	300	Vertical	Pass
6**	17100.160	42.99	54.0	11.01	AV	62.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.219	40.61	74.0	33.39	Peak	102.00	300	Horizontal	Pass
1**	1509.219	28.57	54.0	25.43	AV	102.00	300	Horizontal	Pass
2	2343.577	39.12	74.0	34.88	Peak	232.00	200	Horizontal	Pass
2**	2343.577	29.27	54.0	24.73	AV	232.00	200	Horizontal	Pass
3	4203.841	47.87	74.0	26.13	Peak	114.00	200	Horizontal	Pass
3**	4203.841	39.45	54.0	14.55	AV	114.00	200	Horizontal	Pass
4	7435.026	54.41	74.0	19.59	Peak	315.00	400	Horizontal	Pass
4**	7435.026	44.16	54.0	9.85	AV	315.00	400	Horizontal	Pass
5	12513.998	52.92	74.0	21.08	Peak	316.00	300	Horizontal	Pass
5**	12513.998	43.04	54.0	10.96	AV	316.00	300	Horizontal	Pass
6	16151.697	53.41	74.0	20.59	Peak	299.00	400	Horizontal	Pass
6**	16151.697	43.92	54.0	10.08	AV	299.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.067	49.12	74.0	24.88	Peak	244.00	400	Vertical	Pass
1**	1160.067	34.95	54.0	19.05	AV	244.00	400	Vertical	Pass
2	1339.044	46.10	74.0	27.90	Peak	115.00	200	Vertical	Pass
2**	1339.044	38.43	54.0	15.57	AV	115.00	200	Vertical	Pass
3	4920.532	48.12	74.0	25.88	Peak	9.00	200	Vertical	Pass
3**	4920.532	38.78	54.0	15.23	AV	9.00	200	Vertical	Pass
4	7935.977	52.60	74.0	21.40	Peak	328.00	400	Vertical	Pass
4**	7935.977	43.18	54.0	10.82	AV	328.00	400	Vertical	Pass
5	12494.024	52.71	74.0	21.29	Peak	181.00	300	Vertical	Pass
5**	12494.024	43.12	54.0	10.88	AV	181.00	300	Vertical	Pass
6	17102.146	53.86	74.0	20.14	Peak	43.00	400	Vertical	Pass
6**	17102.146	43.06	54.0	10.94	AV	43.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.133	40.33	74.0	33.67	Peak	37.00	300	Horizontal	Pass
1**	1509.133	28.23	54.0	25.77	AV	37.00	300	Horizontal	Pass
2	2348.888	38.93	74.0	35.07	Peak	156.00	100	Horizontal	Pass
2**	2348.888	29.12	54.0	24.88	AV	156.00	100	Horizontal	Pass
3	4206.921	47.76	74.0	26.24	Peak	330.00	200	Horizontal	Pass
3**	4206.921	39.02	54.0	14.98	AV	330.00	200	Horizontal	Pass
4	7438.940	54.24	74.0	19.76	Peak	120.00	100	Horizontal	Pass
4**	7438.940	43.94	54.0	10.06	AV	120.00	100	Horizontal	Pass
5	12513.718	53.03	74.0	20.97	Peak	187.00	300	Horizontal	Pass
5**	12513.718	42.84	54.0	11.16	AV	187.00	300	Horizontal	Pass
6	16149.075	53.46	74.0	20.54	Peak	352.00	400	Horizontal	Pass
6**	16149.075	43.86	54.0	10.14	AV	352.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.017	48.99	74.0	25.01	Peak	291.00	300	Vertical	Pass
1**	1159.017	34.94	54.0	19.06	AV	291.00	300	Vertical	Pass
2	1340.314	45.94	74.0	28.06	Peak	306.00	300	Vertical	Pass
2**	1340.314	38.27	54.0	15.73	AV	306.00	300	Vertical	Pass
3	4922.486	47.77	74.0	26.23	Peak	346.00	200	Vertical	Pass
3**	4922.486	38.31	54.0	15.69	AV	346.00	200	Vertical	Pass
4	7930.011	52.57	74.0	21.44	Peak	318.00	200	Vertical	Pass
4**	7930.011	43.34	54.0	10.66	AV	318.00	200	Vertical	Pass
5	12496.932	52.92	74.0	21.08	Peak	56.00	100	Vertical	Pass
5**	12496.932	43.18	54.0	10.82	AV	56.00	100	Vertical	Pass
6	17096.836	53.77	74.0	20.23	Peak	341.00	300	Vertical	Pass
6**	17096.836	43.03	54.0	10.97	AV	341.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.864	40.52	74.0	33.48	Peak	145.00	400	Horizontal	Pass
1**	1505.864	28.61	54.0	25.39	AV	145.00	400	Horizontal	Pass
2	2346.970	39.09	74.0	34.91	Peak	353.00	100	Horizontal	Pass
2**	2346.970	29.76	54.0	24.24	AV	353.00	100	Horizontal	Pass
3	4204.907	47.90	74.0	26.10	Peak	185.00	200	Horizontal	Pass
3**	4204.907	39.54	54.0	14.46	AV	185.00	200	Horizontal	Pass
4	7436.448	54.29	74.0	19.71	Peak	349.00	200	Horizontal	Pass
4**	7436.448	44.04	54.0	9.96	AV	349.00	200	Horizontal	Pass
5	12511.500	53.44	74.0	20.57	Peak	189.00	300	Horizontal	Pass
5**	12511.500	43.15	54.0	10.85	AV	189.00	300	Horizontal	Pass
6	16152.180	53.60	74.0	20.40	Peak	36.00	200	Horizontal	Pass
6**	16152.180	44.16	54.0	9.84	AV	36.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.858	49.17	74.0	24.83	Peak	279.00	200	Vertical	Pass
1**	1160.858	34.81	54.0	19.19	AV	279.00	200	Vertical	Pass
2	1335.683	46.00	74.0	28.00	Peak	222.00	400	Vertical	Pass
2**	1335.683	37.97	54.0	16.03	AV	222.00	400	Vertical	Pass
3	4922.827	48.29	74.0	25.71	Peak	125.00	200	Vertical	Pass
3**	4922.827	38.60	54.0	15.41	AV	125.00	200	Vertical	Pass
4	7931.428	52.35	74.0	21.65	Peak	155.00	400	Vertical	Pass
4**	7931.428	43.02	54.0	10.99	AV	155.00	400	Vertical	Pass
5	12497.781	52.64	74.0	21.37	Peak	177.00	400	Vertical	Pass
5**	12497.781	42.91	54.0	11.09	AV	177.00	400	Vertical	Pass
6	17099.027	53.45	74.0	20.55	Peak	295.00	200	Vertical	Pass
6**	17099.027	42.95	54.0	11.05	AV	295.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.488	40.65	74.0	33.36	Peak	220.00	200	Horizontal	Pass
1**	1509.488	28.93	54.0	25.07	AV	220.00	200	Horizontal	Pass
2	2341.485	39.08	74.0	34.92	Peak	3.00	300	Horizontal	Pass
2**	2341.485	29.62	54.0	24.38	AV	3.00	300	Horizontal	Pass
3	4202.909	48.21	74.0	25.79	Peak	125.00	200	Horizontal	Pass
3**	4202.909	39.65	54.0	14.35	AV	125.00	200	Horizontal	Pass
4	7433.478	54.54	74.0	19.46	Peak	100.00	100	Horizontal	Pass
4**	7433.478	44.36	54.0	9.64	AV	100.00	100	Horizontal	Pass
5	12512.327	53.49	74.0	20.51	Peak	354.00	400	Horizontal	Pass
5**	12512.327	43.46	54.0	10.54	AV	354.00	400	Horizontal	Pass
6	16146.931	53.76	74.0	20.25	Peak	0.00	400	Horizontal	Pass
6**	16146.931	44.26	54.0	9.74	AV	0.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.636	49.62	74.0	24.38	Peak	263.00	200	Vertical	Pass
1**	1162.636	35.08	54.0	18.92	AV	263.00	200	Vertical	Pass
2	1335.753	46.70	74.0	27.30	Peak	298.00	200	Vertical	Pass
2**	1335.753	38.39	54.0	15.61	AV	298.00	200	Vertical	Pass
3	4926.976	48.40	74.0	25.60	Peak	149.00	200	Vertical	Pass
3**	4926.976	39.05	54.0	14.95	AV	149.00	200	Vertical	Pass
4	7929.941	53.01	74.0	20.99	Peak	38.00	200	Vertical	Pass
4**	7929.941	43.54	54.0	10.46	AV	38.00	200	Vertical	Pass
5	12494.038	53.21	74.0	20.80	Peak	314.00	200	Vertical	Pass
5**	12494.038	43.79	54.0	10.21	AV	314.00	200	Vertical	Pass
6	17096.599	54.24	74.0	19.76	Peak	158.00	200	Vertical	Pass
6**	17096.599	43.78	54.0	10.22	AV	158.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.403	40.54	74.0	33.46	Peak	192.00	100	Horizontal	Pass
1**	1508.403	28.49	54.0	25.51	AV	192.00	100	Horizontal	Pass
2	2341.768	39.20	74.0	34.80	Peak	113.00	400	Horizontal	Pass
2**	2341.768	29.42	54.0	24.59	AV	113.00	400	Horizontal	Pass
3	4202.835	48.04	74.0	25.96	Peak	324.00	200	Horizontal	Pass
3**	4202.835	39.80	54.0	14.20	AV	324.00	200	Horizontal	Pass
4	7437.511	54.43	74.0	19.57	Peak	228.00	400	Horizontal	Pass
4**	7437.511	43.98	54.0	10.02	AV	228.00	400	Horizontal	Pass
5	12511.304	53.11	74.0	20.89	Peak	4.00	100	Horizontal	Pass
5**	12511.304	43.30	54.0	10.71	AV	4.00	100	Horizontal	Pass
6	16151.097	53.64	74.0	20.36	Peak	271.00	100	Horizontal	Pass
6**	16151.097	44.06	54.0	9.94	AV	271.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.149	49.38	74.0	24.62	Peak	183.00	100	Vertical	Pass
1**	1162.149	35.14	54.0	18.86	AV	183.00	100	Vertical	Pass
2	1336.112	46.60	74.0	27.41	Peak	235.00	100	Vertical	Pass
2**	1336.112	38.33	54.0	15.67	AV	235.00	100	Vertical	Pass
3	4920.646	48.43	74.0	25.58	Peak	138.00	200	Vertical	Pass
3**	4920.646	38.98	54.0	15.02	AV	138.00	200	Vertical	Pass
4	7933.229	52.91	74.0	21.09	Peak	202.00	300	Vertical	Pass
4**	7933.229	43.47	54.0	10.53	AV	202.00	300	Vertical	Pass
5	12500.022	53.13	74.0	20.88	Peak	80.00	400	Vertical	Pass
5**	12500.022	43.36	54.0	10.64	AV	80.00	400	Vertical	Pass
6	17103.909	54.06	74.0	19.94	Peak	41.00	400	Vertical	Pass
6**	17103.909	43.51	54.0	10.49	AV	41.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.778	40.29	74.0	33.72	Peak	274.00	100	Horizontal	Pass
1**	1510.778	28.42	54.0	25.58	AV	274.00	100	Horizontal	Pass
2	2348.653	38.92	74.0	35.09	Peak	195.00	300	Horizontal	Pass
2**	2348.653	29.39	54.0	24.61	AV	195.00	300	Horizontal	Pass
3	4204.549	47.93	74.0	26.07	Peak	239.00	200	Horizontal	Pass
3**	4204.549	39.41	54.0	14.60	AV	239.00	200	Horizontal	Pass
4	7439.096	54.08	74.0	19.92	Peak	176.00	300	Horizontal	Pass
4**	7439.096	44.23	54.0	9.77	AV	176.00	300	Horizontal	Pass
5	12512.319	53.14	74.0	20.86	Peak	241.00	400	Horizontal	Pass
5**	12512.319	43.19	54.0	10.81	AV	241.00	400	Horizontal	Pass
6	16150.593	53.71	74.0	20.29	Peak	337.00	300	Horizontal	Pass
6**	16150.593	44.03	54.0	9.97	AV	337.00	300	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.245	49.29	74.0	24.71	Peak	206.00	200	Vertical	Pass
1**	1163.245	34.89	54.0	19.11	AV	206.00	200	Vertical	Pass
2	1336.505	46.32	74.0	27.68	Peak	289.00	400	Vertical	Pass
2**	1336.505	38.33	54.0	15.67	AV	289.00	400	Vertical	Pass
3	4924.334	48.39	74.0	25.61	Peak	265.00	200	Vertical	Pass
3**	4924.334	38.60	54.0	15.40	AV	265.00	200	Vertical	Pass
4	7929.638	52.91	74.0	21.09	Peak	10.00	300	Vertical	Pass
4**	7929.638	43.39	54.0	10.61	AV	10.00	300	Vertical	Pass
5	12496.118	53.05	74.0	20.96	Peak	158.00	300	Vertical	Pass
5**	12496.118	43.31	54.0	10.69	AV	158.00	300	Vertical	Pass
6	17098.163	53.91	74.0	20.09	Peak	350.00	200	Vertical	Pass
6**	17098.163	43.37	54.0	10.63	AV	350.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.161	39.92	74.0	34.08	Peak	275.00	300	Horizontal	Pass
1**	1504.161	28.22	54.0	25.79	AV	275.00	300	Horizontal	Pass
2	2348.571	38.87	74.0	35.13	Peak	162.00	400	Horizontal	Pass
2**	2348.571	29.42	54.0	24.58	AV	162.00	400	Horizontal	Pass
3	4201.499	47.84	74.0	26.16	Peak	245.00	200	Horizontal	Pass
3**	4201.499	39.52	54.0	14.48	AV	245.00	200	Horizontal	Pass
4	7439.259	54.26	74.0	19.74	Peak	176.00	300	Horizontal	Pass
4**	7439.259	43.83	54.0	10.17	AV	176.00	300	Horizontal	Pass
5	12517.370	52.99	74.0	21.01	Peak	168.00	400	Horizontal	Pass
5**	12517.370	42.79	54.0	11.21	AV	168.00	400	Horizontal	Pass
6	16149.537	53.63	74.0	20.37	Peak	116.00	200	Horizontal	Pass
6**	16149.537	43.66	54.0	10.34	AV	116.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.961	49.05	74.0	24.96	Peak	207.00	200	Vertical	Pass
1**	1160.961	35.08	54.0	18.92	AV	207.00	200	Vertical	Pass
2	1338.331	46.05	74.0	27.95	Peak	219.00	300	Vertical	Pass
2**	1338.331	38.17	54.0	15.83	AV	219.00	300	Vertical	Pass
3	4926.045	48.37	74.0	25.64	Peak	287.00	200	Vertical	Pass
3**	4926.045	38.35	54.0	15.65	AV	287.00	200	Vertical	Pass
4	7935.428	52.73	74.0	21.27	Peak	247.00	300	Vertical	Pass
4**	7935.428	43.28	54.0	10.72	AV	247.00	300	Vertical	Pass
5	12494.925	52.83	74.0	21.17	Peak	70.00	200	Vertical	Pass
5**	12494.925	43.28	54.0	10.73	AV	70.00	200	Vertical	Pass
6	17098.309	53.94	74.0	20.06	Peak	267.00	300	Vertical	Pass
6**	17098.309	43.26	54.0	10.74	AV	267.00	300	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.874	40.56	74.0	33.44	Peak	149.00	300	Horizontal	Pass
1**	1503.874	28.68	54.0	25.32	AV	149.00	300	Horizontal	Pass
2	2342.477	39.11	74.0	34.89	Peak	169.00	100	Horizontal	Pass
2**	2342.477	29.47	54.0	24.53	AV	169.00	100	Horizontal	Pass
3	4199.823	48.03	74.0	25.97	Peak	128.00	200	Horizontal	Pass
3**	4199.823	39.77	54.0	14.23	AV	128.00	200	Horizontal	Pass
4	7436.192	54.30	74.0	19.70	Peak	319.00	400	Horizontal	Pass
4**	7436.192	44.25	54.0	9.75	AV	319.00	400	Horizontal	Pass
5	12513.265	53.17	74.0	20.83	Peak	348.00	300	Horizontal	Pass
5**	12513.265	43.37	54.0	10.63	AV	348.00	300	Horizontal	Pass
6	16152.436	53.78	74.0	20.22	Peak	280.00	100	Horizontal	Pass
6**	16152.436	44.10	54.0	9.90	AV	280.00	100	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.919	49.47	74.0	24.54	Peak	164.00	300	Vertical	Pass
1**	1163.919	34.95	54.0	19.06	AV	164.00	300	Vertical	Pass
2	1333.998	46.29	74.0	27.71	Peak	317.00	400	Vertical	Pass
2**	1333.998	38.21	54.0	15.79	AV	317.00	400	Vertical	Pass
3	4922.676	48.13	74.0	25.88	Peak	199.00	200	Vertical	Pass
3**	4922.676	38.84	54.0	15.16	AV	199.00	200	Vertical	Pass
4	7936.293	52.67	74.0	21.33	Peak	335.00	300	Vertical	Pass
4**	7936.293	43.25	54.0	10.75	AV	335.00	300	Vertical	Pass
5	12499.389	52.84	74.0	21.16	Peak	205.00	200	Vertical	Pass
5**	12499.389	43.40	54.0	10.60	AV	205.00	200	Vertical	Pass
6	17103.329	54.11	74.0	19.89	Peak	253.00	200	Vertical	Pass
6**	17103.329	43.59	54.0	10.41	AV	253.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.968	40.21	74.0	33.80	Peak	4.00	200	Horizontal	Pass
1**	1510.968	28.39	54.0	25.61	AV	4.00	200	Horizontal	Pass
2	2340.303	38.53	74.0	35.47	Peak	147.00	100	Horizontal	Pass
2**	2340.303	29.96	54.0	24.04	AV	147.00	100	Horizontal	Pass
3	4203.546	48.14	74.0	25.86	Peak	236.00	200	Horizontal	Pass
3**	4203.546	39.72	54.0	14.28	AV	236.00	200	Horizontal	Pass
4	7435.057	53.81	74.0	20.19	Peak	28.00	200	Horizontal	Pass
4**	7435.057	44.03	54.0	9.97	AV	28.00	200	Horizontal	Pass
5	12513.932	52.95	74.0	21.05	Peak	39.00	100	Horizontal	Pass
5**	12513.932	43.66	54.0	10.34	AV	39.00	100	Horizontal	Pass
6	16146.440	53.85	74.0	20.15	Peak	210.00	300	Horizontal	Pass
6**	16146.440	43.68	54.0	10.33	AV	210.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.942	48.61	74.0	25.39	Peak	91.00	400	Vertical	Pass
1**	1159.942	34.17	54.0	19.83	AV	91.00	400	Vertical	Pass
2	1336.050	48.74	74.0	25.26	Peak	254.00	300	Vertical	Pass
2**	1336.050	37.96	54.0	16.04	AV	254.00	300	Vertical	Pass
3	4925.668	48.95	74.0	25.05	Peak	220.00	200	Vertical	Pass
3**	4925.668	41.39	54.0	12.61	AV	220.00	200	Vertical	Pass
4	7937.649	52.09	74.0	21.91	Peak	351.00	100	Vertical	Pass
4**	7937.649	41.11	54.0	12.89	AV	351.00	100	Vertical	Pass
5	12489.474	49.82	74.0	24.18	Peak	44.00	100	Vertical	Pass
5**	12489.474	40.73	54.0	13.27	AV	44.00	100	Vertical	Pass
6	17104.801	55.34	74.0	18.66	Peak	43.00	200	Vertical	Pass
6**	17104.801	42.35	54.0	11.65	AV	43.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.320	39.92	74.0	34.08	Peak	150.00	300	Horizontal	Pass
1**	1506.320	28.23	54.0	25.77	AV	150.00	300	Horizontal	Pass
2	2341.680	38.45	74.0	35.56	Peak	356.00	200	Horizontal	Pass
2**	2341.680	29.72	54.0	24.28	AV	356.00	200	Horizontal	Pass
3	4204.671	47.90	74.0	26.10	Peak	286.00	200	Horizontal	Pass
3**	4204.671	39.51	54.0	14.49	AV	286.00	200	Horizontal	Pass
4	7436.819	53.79	74.0	20.21	Peak	218.00	100	Horizontal	Pass
4**	7436.819	44.03	54.0	9.97	AV	218.00	100	Horizontal	Pass
5	12514.668	52.69	74.0	21.31	Peak	27.00	200	Horizontal	Pass
5**	12514.668	43.44	54.0	10.56	AV	27.00	200	Horizontal	Pass
6	16147.236	53.62	74.0	20.38	Peak	155.00	200	Horizontal	Pass
6**	16147.236	43.59	54.0	10.41	AV	155.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.532	48.49	74.0	25.51	Peak	232.00	400	Vertical	Pass
1**	1156.532	34.01	54.0	19.99	AV	232.00	400	Vertical	Pass
2	1332.355	48.46	74.0	25.54	Peak	271.00	200	Vertical	Pass
2**	1332.355	37.83	54.0	16.17	AV	271.00	200	Vertical	Pass
3	4925.532	48.70	74.0	25.31	Peak	32.00	200	Vertical	Pass
3**	4925.532	41.38	54.0	12.62	AV	32.00	200	Vertical	Pass
4	7932.812	51.93	74.0	22.07	Peak	117.00	100	Vertical	Pass
4**	7932.812	41.07	54.0	12.93	AV	117.00	100	Vertical	Pass
5	12491.323	49.63	74.0	24.37	Peak	351.00	400	Vertical	Pass
5**	12491.323	40.67	54.0	13.33	AV	351.00	400	Vertical	Pass
6	17105.535	55.17	74.0	18.83	Peak	141.00	400	Vertical	Pass
6**	17105.535	42.16	54.0	11.84	AV	141.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.143	39.80	74.0	34.20	Peak	81.00	200	Horizontal	Pass
1**	1507.143	28.19	54.0	25.81	AV	81.00	200	Horizontal	Pass
2	2339.510	38.36	74.0	35.64	Peak	161.00	300	Horizontal	Pass
2**	2339.510	29.65	54.0	24.35	AV	161.00	300	Horizontal	Pass
3	4208.006	47.68	74.0	26.32	Peak	137.00	200	Horizontal	Pass
3**	4208.006	39.25	54.0	14.75	AV	137.00	200	Horizontal	Pass
4	7435.452	53.56	74.0	20.44	Peak	189.00	400	Horizontal	Pass
4**	7435.452	43.80	54.0	10.20	AV	189.00	400	Horizontal	Pass
5	12514.015	52.41	74.0	21.59	Peak	64.00	100	Horizontal	Pass
5**	12514.015	43.31	54.0	10.69	AV	64.00	100	Horizontal	Pass
6	16150.180	53.39	74.0	20.61	Peak	91.00	300	Horizontal	Pass
6**	16150.180	43.47	54.0	10.53	AV	91.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.096	48.34	74.0	25.66	Peak	140.00	300	Vertical	Pass
1**	1160.096	33.86	54.0	20.14	AV	140.00	300	Vertical	Pass
2	1337.569	48.16	74.0	25.84	Peak	168.00	400	Vertical	Pass
2**	1337.569	37.73	54.0	16.27	AV	168.00	400	Vertical	Pass
3	4926.096	48.53	74.0	25.47	Peak	184.00	200	Vertical	Pass
3**	4926.096	41.31	54.0	12.69	AV	184.00	200	Vertical	Pass
4	7932.081	51.74	74.0	22.27	Peak	267.00	100	Vertical	Pass
4**	7932.081	40.95	54.0	13.05	AV	267.00	100	Vertical	Pass
5	12491.114	49.58	74.0	24.42	Peak	3.00	200	Vertical	Pass
5**	12491.114	40.46	54.0	13.54	AV	3.00	200	Vertical	Pass
6	17104.460	55.11	74.0	18.89	Peak	0.00	200	Vertical	Pass
6**	17104.460	41.94	54.0	12.06	AV	0.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.991	39.80	74.0	34.20	Peak	59.00	200	Horizontal	Pass
1**	1503.991	28.06	54.0	25.94	AV	59.00	200	Horizontal	Pass
2	2341.852	38.09	74.0	35.91	Peak	268.00	100	Horizontal	Pass
2**	2341.852	29.62	54.0	24.38	AV	268.00	100	Horizontal	Pass
3	4204.937	47.58	74.0	26.42	Peak	239.00	200	Horizontal	Pass
3**	4204.937	39.17	54.0	14.83	AV	239.00	200	Horizontal	Pass
4	7435.700	53.48	74.0	20.53	Peak	326.00	100	Horizontal	Pass
4**	7435.700	43.78	54.0	10.23	AV	326.00	100	Horizontal	Pass
5	12512.647	52.25	74.0	21.75	Peak	37.00	300	Horizontal	Pass
5**	12512.647	43.09	54.0	10.91	AV	37.00	300	Horizontal	Pass
6	16150.117	53.12	74.0	20.89	Peak	274.00	300	Horizontal	Pass
6**	16150.117	43.27	54.0	10.73	AV	274.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.915	48.30	74.0	25.70	Peak	175.00	400	Vertical	Pass
1**	1158.915	33.82	54.0	20.18	AV	175.00	400	Vertical	Pass
2	1331.951	48.06	74.0	25.94	Peak	134.00	200	Vertical	Pass
2**	1331.951	37.64	54.0	16.37	AV	134.00	200	Vertical	Pass
3	4930.425	48.34	74.0	25.66	Peak	293.00	200	Vertical	Pass
3**	4930.425	41.04	54.0	12.97	AV	293.00	200	Vertical	Pass
4	7932.673	51.51	74.0	22.49	Peak	2.00	300	Vertical	Pass
4**	7932.673	40.75	54.0	13.25	AV	2.00	300	Vertical	Pass
5	12495.997	49.29	74.0	24.71	Peak	214.00	300	Vertical	Pass
5**	12495.997	40.27	54.0	13.73	AV	214.00	300	Vertical	Pass
6	17104.126	55.02	74.0	18.98	Peak	88.00	200	Vertical	Pass
6**	17104.126	41.82	54.0	12.18	AV	88.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.180	39.66	74.0	34.34	Peak	229.00	300	Horizontal	Pass
1**	1507.180	27.90	54.0	26.10	AV	229.00	300	Horizontal	Pass
2	2342.854	37.86	74.0	36.14	Peak	317.00	300	Horizontal	Pass
2**	2342.854	29.59	54.0	24.41	AV	317.00	300	Horizontal	Pass
3	4204.500	47.49	74.0	26.51	Peak	118.00	200	Horizontal	Pass
3**	4204.500	39.15	54.0	14.86	AV	118.00	200	Horizontal	Pass
4	7438.363	53.19	74.0	20.81	Peak	26.00	100	Horizontal	Pass
4**	7438.363	43.50	54.0	10.50	AV	26.00	100	Horizontal	Pass
5	12510.515	52.12	74.0	21.89	Peak	128.00	200	Horizontal	Pass
5**	12510.515	42.91	54.0	11.09	AV	128.00	200	Horizontal	Pass
6	16149.679	52.82	74.0	21.18	Peak	273.00	200	Horizontal	Pass
6**	16149.679	43.20	54.0	10.80	AV	273.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.686	48.15	74.0	25.85	Peak	292.00	200	Vertical	Pass
1**	1155.686	33.67	54.0	20.33	AV	292.00	200	Vertical	Pass
2	1333.779	47.77	74.0	26.23	Peak	35.00	400	Vertical	Pass
2**	1333.779	37.43	54.0	16.57	AV	35.00	400	Vertical	Pass
3	4924.762	48.20	74.0	25.80	Peak	311.00	200	Vertical	Pass
3**	4924.762	41.00	54.0	13.00	AV	311.00	200	Vertical	Pass
4	7939.225	51.48	74.0	22.52	Peak	249.00	400	Vertical	Pass
4**	7939.225	40.71	54.0	13.29	AV	249.00	400	Vertical	Pass
5	12491.257	49.09	74.0	24.91	Peak	326.00	400	Vertical	Pass
5**	12491.257	40.19	54.0	13.81	AV	326.00	400	Vertical	Pass
6	17104.348	54.81	74.0	19.19	Peak	275.00	100	Vertical	Pass
6**	17104.348	41.81	54.0	12.19	AV	275.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.785	39.58	74.0	34.42	Peak	350.00	200	Horizontal	Pass
1**	1503.785	27.80	54.0	26.21	AV	350.00	200	Horizontal	Pass
2	2340.508	37.77	74.0	36.23	Peak	112.00	100	Horizontal	Pass
2**	2340.508	29.57	54.0	24.43	AV	112.00	100	Horizontal	Pass
3	4207.943	47.49	74.0	26.51	Peak	181.00	200	Horizontal	Pass
3**	4207.943	38.93	54.0	15.07	AV	181.00	200	Horizontal	Pass
4	7436.769	53.02	74.0	20.98	Peak	314.00	200	Horizontal	Pass
4**	7436.769	43.43	54.0	10.57	AV	314.00	200	Horizontal	Pass
5	12513.424	52.01	74.0	22.00	Peak	152.00	300	Horizontal	Pass
5**	12513.424	42.66	54.0	11.34	AV	152.00	300	Horizontal	Pass
6	16144.453	52.73	74.0	21.27	Peak	278.00	400	Horizontal	Pass
6**	16144.453	43.17	54.0	10.84	AV	278.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.577	47.92	74.0	26.08	Peak	145.00	200	Vertical	Pass
1**	1161.577	33.37	54.0	20.63	AV	145.00	200	Vertical	Pass
2	1338.214	47.62	74.0	26.38	Peak	341.00	300	Vertical	Pass
2**	1338.214	37.14	54.0	16.86	AV	341.00	300	Vertical	Pass
3	4928.825	48.14	74.0	25.86	Peak	66.00	200	Vertical	Pass
3**	4928.825	40.81	54.0	13.19	AV	66.00	200	Vertical	Pass
4	7933.070	51.27	74.0	22.73	Peak	190.00	300	Vertical	Pass
4**	7933.070	40.63	54.0	13.37	AV	190.00	300	Vertical	Pass
5	12490.352	49.03	74.0	24.97	Peak	95.00	300	Vertical	Pass
5**	12490.352	39.96	54.0	14.04	AV	95.00	300	Vertical	Pass
6	17099.357	54.74	74.0	19.26	Peak	269.00	100	Vertical	Pass
6**	17099.357	41.74	54.0	12.26	AV	269.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.241	39.53	74.0	34.47	Peak	45.00	200	Horizontal	Pass
1**	1504.241	27.63	54.0	26.37	AV	45.00	200	Horizontal	Pass
2	2341.471	37.73	74.0	36.27	Peak	343.00	300	Horizontal	Pass
2**	2341.471	29.45	54.0	24.55	AV	343.00	300	Horizontal	Pass
3	4210.692	47.35	74.0	26.66	Peak	79.00	200	Horizontal	Pass
3**	4210.692	38.66	54.0	15.34	AV	79.00	200	Horizontal	Pass
4	7440.060	52.79	74.0	21.21	Peak	197.00	300	Horizontal	Pass
4**	7440.060	43.26	54.0	10.75	AV	197.00	300	Horizontal	Pass
5	12514.445	51.98	74.0	22.02	Peak	164.00	300	Horizontal	Pass
5**	12514.445	42.52	54.0	11.48	AV	164.00	300	Horizontal	Pass
6	16145.487	52.61	74.0	21.39	Peak	337.00	400	Horizontal	Pass
6**	16145.487	42.99	54.0	11.01	AV	337.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.092	47.82	74.0	26.18	Peak	348.00	100	Vertical	Pass
1**	1155.092	33.19	54.0	20.81	AV	348.00	100	Vertical	Pass
2	1336.853	47.39	74.0	26.61	Peak	129.00	400	Vertical	Pass
2**	1336.853	36.94	54.0	17.07	AV	129.00	400	Vertical	Pass
3	4928.869	47.99	74.0	26.01	Peak	127.00	200	Vertical	Pass
3**	4928.869	40.61	54.0	13.39	AV	127.00	200	Vertical	Pass
4	7938.913	51.17	74.0	22.83	Peak	289.00	200	Vertical	Pass
4**	7938.913	40.51	54.0	13.50	AV	289.00	200	Vertical	Pass
5	12495.705	48.78	74.0	25.22	Peak	254.00	300	Vertical	Pass
5**	12495.705	39.86	54.0	14.14	AV	254.00	300	Vertical	Pass
6	17104.655	54.66	74.0	19.34	Peak	161.00	400	Vertical	Pass
6**	17104.655	41.70	54.0	12.30	AV	161.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.059	39.45	74.0	34.55	Peak	181.00	200	Horizontal	Pass
1**	1504.059	27.60	54.0	26.40	AV	181.00	200	Horizontal	Pass
2	2341.012	37.59	74.0	36.41	Peak	240.00	100	Horizontal	Pass
2**	2341.012	29.20	54.0	24.80	AV	240.00	100	Horizontal	Pass
3	4206.622	47.19	74.0	26.81	Peak	59.00	200	Horizontal	Pass
3**	4206.622	38.65	54.0	15.35	AV	59.00	200	Horizontal	Pass
4	7437.138	52.62	74.0	21.38	Peak	250.00	100	Horizontal	Pass
4**	7437.138	43.00	54.0	11.00	AV	250.00	100	Horizontal	Pass
5	12513.681	51.81	74.0	22.19	Peak	157.00	100	Horizontal	Pass
5**	12513.681	42.48	54.0	11.52	AV	157.00	100	Horizontal	Pass
6	16145.794	52.40	74.0	21.60	Peak	25.00	400	Horizontal	Pass
6**	16145.794	42.80	54.0	11.20	AV	25.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.583	47.67	74.0	26.33	Peak	328.00	300	Vertical	Pass
1**	1159.583	33.01	54.0	20.99	AV	328.00	300	Vertical	Pass
2	1337.636	47.38	74.0	26.62	Peak	123.00	300	Vertical	Pass
2**	1337.636	36.74	54.0	17.27	AV	123.00	300	Vertical	Pass
3	4926.589	47.74	74.0	26.26	Peak	61.00	200	Vertical	Pass
3**	4926.589	40.35	54.0	13.65	AV	61.00	200	Vertical	Pass
4	7937.144	51.15	74.0	22.85	Peak	330.00	200	Vertical	Pass
4**	7937.144	40.25	54.0	13.76	AV	330.00	200	Vertical	Pass
5	12490.592	48.71	74.0	25.29	Peak	32.00	400	Vertical	Pass
5**	12490.592	39.62	54.0	14.38	AV	32.00	400	Vertical	Pass
6	17100.933	54.50	74.0	19.50	Peak	47.00	200	Vertical	Pass
6**	17100.933	41.63	54.0	12.37	AV	47.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.493	39.35	74.0	34.65	Peak	345.00	400	Horizontal	Pass
1**	1505.493	27.31	54.0	26.69	AV	345.00	400	Horizontal	Pass
2	2342.641	37.50	74.0	36.50	Peak	205.00	300	Horizontal	Pass
2**	2342.641	29.14	54.0	24.86	AV	205.00	300	Horizontal	Pass
3	4210.677	46.97	74.0	27.03	Peak	359.00	200	Horizontal	Pass
3**	4210.677	38.44	54.0	15.56	AV	359.00	200	Horizontal	Pass
4	7440.055	52.46	74.0	21.54	Peak	180.00	300	Horizontal	Pass
4**	7440.055	42.78	54.0	11.22	AV	180.00	300	Horizontal	Pass
5	12513.733	51.75	74.0	22.25	Peak	28.00	400	Horizontal	Pass
5**	12513.733	42.35	54.0	11.65	AV	28.00	400	Horizontal	Pass
6	16146.411	52.38	74.0	21.62	Peak	352.00	400	Horizontal	Pass
6**	16146.411	42.70	54.0	11.30	AV	352.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.643	47.57	74.0	26.43	Peak	121.00	400	Vertical	Pass
1**	1161.643	32.85	54.0	21.15	AV	121.00	400	Vertical	Pass
2	1336.404	47.23	74.0	26.77	Peak	26.00	100	Vertical	Pass
2**	1336.404	36.59	54.0	17.41	AV	26.00	100	Vertical	Pass
3	4924.317	47.69	74.0	26.31	Peak	110.00	200	Vertical	Pass
3**	4924.317	40.25	54.0	13.75	AV	110.00	200	Vertical	Pass
4	7933.854	50.94	74.0	23.06	Peak	127.00	400	Vertical	Pass
4**	7933.854	40.11	54.0	13.89	AV	127.00	400	Vertical	Pass
5	12491.989	48.44	74.0	25.56	Peak	112.00	300	Vertical	Pass
5**	12491.989	39.47	54.0	14.53	AV	112.00	300	Vertical	Pass
6	17100.769	54.35	74.0	19.65	Peak	350.00	200	Vertical	Pass
6**	17100.769	41.45	54.0	12.55	AV	350.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.653	39.99	74.0	34.01	Peak	314.00	200	Horizontal	Pass
1**	1505.653	28.18	54.0	25.83	AV	314.00	200	Horizontal	Pass
2	2338.252	38.38	74.0	35.62	Peak	198.00	100	Horizontal	Pass
2**	2338.252	29.79	54.0	24.21	AV	198.00	100	Horizontal	Pass
3	4204.576	48.13	74.0	25.87	Peak	188.00	200	Horizontal	Pass
3**	4204.576	39.61	54.0	14.39	AV	188.00	200	Horizontal	Pass
4	7438.056	53.69	74.0	20.31	Peak	74.00	100	Horizontal	Pass
4**	7438.056	43.81	54.0	10.19	AV	74.00	100	Horizontal	Pass
5	12510.394	52.70	74.0	21.30	Peak	343.00	200	Horizontal	Pass
5**	12510.394	43.51	54.0	10.49	AV	343.00	200	Horizontal	Pass
6	16149.915	53.81	74.0	20.20	Peak	169.00	200	Horizontal	Pass
6**	16149.915	43.67	54.0	10.33	AV	169.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.880	48.52	74.0	25.48	Peak	281.00	200	Vertical	Pass
1**	1155.880	33.89	54.0	20.11	AV	281.00	200	Vertical	Pass
2	1337.762	48.56	74.0	25.45	Peak	158.00	200	Vertical	Pass
2**	1337.762	37.92	54.0	16.08	AV	158.00	200	Vertical	Pass
3	4925.022	48.89	74.0	25.11	Peak	97.00	200	Vertical	Pass
3**	4925.022	41.10	54.0	12.91	AV	97.00	200	Vertical	Pass
4	7932.367	51.79	74.0	22.21	Peak	84.00	300	Vertical	Pass
4**	7932.367	40.83	54.0	13.17	AV	84.00	300	Vertical	Pass
5	12495.356	49.68	74.0	24.32	Peak	193.00	400	Vertical	Pass
5**	12495.356	40.68	54.0	13.33	AV	193.00	400	Vertical	Pass
6	17101.251	55.15	74.0	18.85	Peak	142.00	300	Vertical	Pass
6**	17101.251	42.28	54.0	11.72	AV	142.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.494	39.90	74.0	34.10	Peak	281.00	100	Horizontal	Pass
1**	1504.494	28.04	54.0	25.96	AV	281.00	100	Horizontal	Pass
2	2343.464	38.18	74.0	35.82	Peak	315.00	100	Horizontal	Pass
2**	2343.464	29.46	54.0	24.54	AV	315.00	100	Horizontal	Pass
3	4207.934	47.81	74.0	26.19	Peak	290.00	200	Horizontal	Pass
3**	4207.934	39.46	54.0	14.54	AV	290.00	200	Horizontal	Pass
4	7439.641	53.77	74.0	20.23	Peak	23.00	100	Horizontal	Pass
4**	7439.641	43.96	54.0	10.04	AV	23.00	100	Horizontal	Pass
5	12515.378	52.45	74.0	21.55	Peak	268.00	100	Horizontal	Pass
5**	12515.378	43.37	54.0	10.63	AV	268.00	100	Horizontal	Pass
6	16146.183	53.44	74.0	20.56	Peak	226.00	200	Horizontal	Pass
6**	16146.183	43.38	54.0	10.63	AV	226.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.040	48.52	74.0	25.48	Peak	156.00	300	Vertical	Pass
1**	1155.040	33.74	54.0	20.26	AV	156.00	300	Vertical	Pass
2	1335.202	48.32	74.0	25.68	Peak	15.00	400	Vertical	Pass
2**	1335.202	37.72	54.0	16.28	AV	15.00	400	Vertical	Pass
3	4930.081	48.66	74.0	25.34	Peak	349.00	200	Vertical	Pass
3**	4930.081	41.01	54.0	12.99	AV	349.00	200	Vertical	Pass
4	7933.468	51.72	74.0	22.28	Peak	234.00	100	Vertical	Pass
4**	7933.468	40.82	54.0	13.18	AV	234.00	100	Vertical	Pass
5	12492.234	49.67	74.0	24.33	Peak	176.00	300	Vertical	Pass
5**	12492.234	40.47	54.0	13.53	AV	176.00	300	Vertical	Pass
6	17100.532	55.04	74.0	18.96	Peak	110.00	100	Vertical	Pass
6**	17100.532	42.08	54.0	11.92	AV	110.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.495	39.69	74.0	34.31	Peak	23.00	100	Horizontal	Pass
1**	1505.495	27.97	54.0	26.03	AV	23.00	100	Horizontal	Pass
2	2340.701	38.18	74.0	35.82	Peak	51.00	200	Horizontal	Pass
2**	2340.701	29.39	54.0	24.61	AV	51.00	200	Horizontal	Pass
3	4206.890	47.55	74.0	26.46	Peak	244.00	200	Horizontal	Pass
3**	4206.890	39.36	54.0	14.64	AV	244.00	200	Horizontal	Pass
4	7438.018	53.72	74.0	20.29	Peak	16.00	300	Horizontal	Pass
4**	7438.018	43.86	54.0	10.14	AV	16.00	300	Horizontal	Pass
5	12509.698	52.16	74.0	21.84	Peak	285.00	200	Horizontal	Pass
5**	12509.698	43.34	54.0	10.66	AV	285.00	200	Horizontal	Pass
6	16148.297	53.44	74.0	20.56	Peak	14.00	100	Horizontal	Pass
6**	16148.297	43.13	54.0	10.87	AV	14.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.522	48.41	74.0	25.59	Peak	268.00	400	Vertical	Pass
1**	1155.522	33.55	54.0	20.45	AV	268.00	400	Vertical	Pass
2	1338.455	48.03	74.0	25.97	Peak	276.00	300	Vertical	Pass
2**	1338.455	37.62	54.0	16.38	AV	276.00	300	Vertical	Pass
3	4928.876	48.47	74.0	25.53	Peak	190.00	200	Vertical	Pass
3**	4928.876	40.89	54.0	13.11	AV	190.00	200	Vertical	Pass
4	7933.973	51.61	74.0	22.39	Peak	340.00	400	Vertical	Pass
4**	7933.973	40.65	54.0	13.36	AV	340.00	400	Vertical	Pass
5	12490.102	49.41	74.0	24.59	Peak	249.00	100	Vertical	Pass
5**	12490.102	40.37	54.0	13.63	AV	249.00	100	Vertical	Pass
6	17102.918	54.91	74.0	19.09	Peak	40.00	400	Vertical	Pass
6**	17102.918	41.86	54.0	12.15	AV	40.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.072	39.42	74.0	34.58	Peak	41.00	200	Horizontal	Pass
1**	1509.072	27.84	54.0	26.16	AV	41.00	200	Horizontal	Pass
2	2345.418	37.93	74.0	36.07	Peak	338.00	100	Horizontal	Pass
2**	2345.418	29.27	54.0	24.73	AV	338.00	100	Horizontal	Pass
3	4208.135	47.35	74.0	26.65	Peak	293.00	200	Horizontal	Pass
3**	4208.135	39.14	54.0	14.86	AV	293.00	200	Horizontal	Pass
4	7438.768	53.43	74.0	20.58	Peak	163.00	400	Horizontal	Pass
4**	7438.768	43.82	54.0	10.18	AV	163.00	400	Horizontal	Pass
5	12509.080	52.13	74.0	21.87	Peak	266.00	200	Horizontal	Pass
5**	12509.080	43.22	54.0	10.78	AV	266.00	200	Horizontal	Pass
6	16147.863	53.29	74.0	20.71	Peak	197.00	200	Horizontal	Pass
6**	16147.863	42.90	54.0	11.10	AV	197.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.907	48.40	74.0	25.60	Peak	357.00	100	Vertical	Pass
1**	1160.907	33.41	54.0	20.59	AV	357.00	100	Vertical	Pass
2	1331.387	47.74	74.0	26.26	Peak	111.00	200	Vertical	Pass
2**	1331.387	37.60	54.0	16.40	AV	111.00	200	Vertical	Pass
3	4925.798	48.29	74.0	25.71	Peak	336.00	200	Vertical	Pass
3**	4925.798	40.67	54.0	13.33	AV	336.00	200	Vertical	Pass
4	7938.503	51.35	74.0	22.65	Peak	30.00	100	Vertical	Pass
4**	7938.503	40.45	54.0	13.55	AV	30.00	100	Vertical	Pass
5	12490.489	49.26	74.0	24.75	Peak	56.00	200	Vertical	Pass
5**	12490.489	40.10	54.0	13.90	AV	56.00	200	Vertical	Pass
6	17104.815	54.62	74.0	19.38	Peak	302.00	300	Vertical	Pass
6**	17104.815	41.56	54.0	12.44	AV	302.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.434	39.23	74.0	34.77	Peak	179.00	300	Horizontal	Pass
1**	1509.434	27.72	54.0	26.28	AV	179.00	300	Horizontal	Pass
2	2344.052	37.67	74.0	36.33	Peak	279.00	400	Horizontal	Pass
2**	2344.052	29.13	54.0	24.87	AV	279.00	400	Horizontal	Pass
3	4208.613	47.35	74.0	26.65	Peak	66.00	200	Horizontal	Pass
3**	4208.613	39.06	54.0	14.94	AV	66.00	200	Horizontal	Pass
4	7434.108	53.23	74.0	20.77	Peak	173.00	400	Horizontal	Pass
4**	7434.108	43.64	54.0	10.36	AV	173.00	400	Horizontal	Pass
5	12513.265	52.04	74.0	21.96	Peak	19.00	200	Horizontal	Pass
5**	12513.265	43.14	54.0	10.86	AV	19.00	200	Horizontal	Pass
6	16143.555	53.14	74.0	20.86	Peak	87.00	200	Horizontal	Pass
6**	16143.555	42.65	54.0	11.35	AV	87.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.829	48.36	74.0	25.64	Peak	141.00	200	Vertical	Pass
1**	1160.829	34.12	54.0	19.89	AV	141.00	200	Vertical	Pass
2	1335.346	48.66	74.0	25.34	Peak	335.00	200	Vertical	Pass
2**	1335.346	37.86	54.0	16.14	AV	335.00	200	Vertical	Pass
3	4925.050	48.79	74.0	25.21	Peak	35.00	200	Vertical	Pass
3**	4925.050	41.25	54.0	12.75	AV	35.00	200	Vertical	Pass
4	7937.157	51.99	74.0	22.01	Peak	30.00	100	Vertical	Pass
4**	7937.157	40.87	54.0	13.13	AV	30.00	100	Vertical	Pass
5	12490.087	49.54	74.0	24.46	Peak	83.00	300	Vertical	Pass
5**	12490.087	40.59	54.0	13.41	AV	83.00	300	Vertical	Pass
6	17104.777	55.33	74.0	18.67	Peak	63.00	200	Vertical	Pass
6**	17104.777	42.25	54.0	11.75	AV	63.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.520	39.93	74.0	34.08	Peak	212.00	100	Horizontal	Pass
1**	1504.520	28.26	54.0	25.74	AV	212.00	100	Horizontal	Pass
2	2340.891	38.43	74.0	35.57	Peak	264.00	200	Horizontal	Pass
2**	2340.891	29.91	54.0	24.09	AV	264.00	200	Horizontal	Pass
3	4204.063	47.98	74.0	26.02	Peak	132.00	200	Horizontal	Pass
3**	4204.063	39.50	54.0	14.50	AV	132.00	200	Horizontal	Pass
4	7435.694	53.52	74.0	20.49	Peak	280.00	400	Horizontal	Pass
4**	7435.694	43.78	54.0	10.22	AV	280.00	400	Horizontal	Pass
5	12512.814	52.79	74.0	21.21	Peak	77.00	100	Horizontal	Pass
5**	12512.814	43.56	54.0	10.44	AV	77.00	100	Horizontal	Pass
6	16144.236	53.68	74.0	20.32	Peak	214.00	200	Horizontal	Pass
6**	16144.236	43.39	54.0	10.61	AV	214.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.680	48.43	74.0	25.57	Peak	188.00	100	Vertical	Pass
1**	1156.680	33.99	54.0	20.02	AV	188.00	100	Vertical	Pass
2	1333.069	48.56	74.0	25.44	Peak	169.00	100	Vertical	Pass
2**	1333.069	37.68	54.0	16.33	AV	169.00	100	Vertical	Pass
3	4927.058	48.88	74.0	25.12	Peak	259.00	200	Vertical	Pass
3**	4927.058	41.33	54.0	12.67	AV	259.00	200	Vertical	Pass
4	7935.600	52.09	74.0	21.91	Peak	191.00	100	Vertical	Pass
4**	7935.600	40.87	54.0	13.13	AV	191.00	100	Vertical	Pass
5	12494.767	49.78	74.0	24.22	Peak	100.00	100	Vertical	Pass
5**	12494.767	40.48	54.0	13.52	AV	100.00	100	Vertical	Pass
6	17100.064	55.11	74.0	18.89	Peak	288.00	400	Vertical	Pass
6**	17100.064	42.19	54.0	11.81	AV	288.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.140	39.77	74.0	34.23	Peak	63.00	100	Horizontal	Pass
1**	1506.140	28.12	54.0	25.88	AV	63.00	100	Horizontal	Pass
2	2338.018	38.33	74.0	35.67	Peak	219.00	200	Horizontal	Pass
2**	2338.018	29.56	54.0	24.44	AV	219.00	200	Horizontal	Pass
3	4204.910	47.71	74.0	26.29	Peak	116.00	200	Horizontal	Pass
3**	4204.910	39.37	54.0	14.63	AV	116.00	200	Horizontal	Pass
4	7433.847	53.77	74.0	20.23	Peak	190.00	200	Horizontal	Pass
4**	7433.847	43.88	54.0	10.12	AV	190.00	200	Horizontal	Pass
5	12509.397	52.52	74.0	21.48	Peak	3.00	100	Horizontal	Pass
5**	12509.397	43.44	54.0	10.56	AV	3.00	100	Horizontal	Pass
6	16148.346	53.61	74.0	20.39	Peak	25.00	200	Horizontal	Pass
6**	16148.346	43.42	54.0	10.58	AV	25.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.203	48.35	74.0	25.66	Peak	282.00	200	Vertical	Pass
1**	1160.203	33.91	54.0	20.09	AV	282.00	200	Vertical	Pass
2	1333.393	48.18	74.0	25.83	Peak	296.00	200	Vertical	Pass
2**	1333.393	37.71	54.0	16.29	AV	296.00	200	Vertical	Pass
3	4923.353	48.55	74.0	25.45	Peak	44.00	200	Vertical	Pass
3**	4923.353	41.36	54.0	12.65	AV	44.00	200	Vertical	Pass
4	7933.171	51.71	74.0	22.29	Peak	125.00	400	Vertical	Pass
4**	7933.171	40.99	54.0	13.01	AV	125.00	400	Vertical	Pass
5	12492.022	49.59	74.0	24.41	Peak	40.00	400	Vertical	Pass
5**	12492.022	40.46	54.0	13.54	AV	40.00	400	Vertical	Pass
6	17104.137	54.99	74.0	19.01	Peak	121.00	100	Vertical	Pass
6**	17104.137	42.14	54.0	11.86	AV	121.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.035	39.69	74.0	34.31	Peak	158.00	200	Horizontal	Pass
1**	1510.035	28.14	54.0	25.86	AV	158.00	200	Horizontal	Pass
2	2342.070	38.08	74.0	35.92	Peak	27.00	300	Horizontal	Pass
2**	2342.070	29.60	54.0	24.40	AV	27.00	300	Horizontal	Pass
3	4208.604	47.40	74.0	26.60	Peak	174.00	200	Horizontal	Pass
3**	4208.604	38.97	54.0	15.03	AV	174.00	200	Horizontal	Pass
4	7437.286	53.31	74.0	20.70	Peak	254.00	200	Horizontal	Pass
4**	7437.286	43.59	54.0	10.41	AV	254.00	200	Horizontal	Pass
5	12508.269	52.31	74.0	21.69	Peak	155.00	100	Horizontal	Pass
5**	12508.269	43.29	54.0	10.71	AV	155.00	100	Horizontal	Pass
6	16142.873	53.25	74.0	20.75	Peak	154.00	100	Horizontal	Pass
6**	16142.873	43.39	54.0	10.61	AV	154.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.125	48.22	74.0	25.78	Peak	104.00	200	Vertical	Pass
1**	1158.125	33.65	54.0	20.35	AV	104.00	200	Vertical	Pass
2	1331.411	48.13	74.0	25.87	Peak	103.00	100	Vertical	Pass
2**	1331.411	37.69	54.0	16.32	AV	103.00	100	Vertical	Pass
3	4927.848	48.26	74.0	25.74	Peak	328.00	200	Vertical	Pass
3**	4927.848	41.02	54.0	12.98	AV	328.00	200	Vertical	Pass
4	7933.837	51.48	74.0	22.52	Peak	259.00	300	Vertical	Pass
4**	7933.837	40.70	54.0	13.31	AV	259.00	300	Vertical	Pass
5	12493.946	49.54	74.0	24.46	Peak	48.00	200	Vertical	Pass
5**	12493.946	40.32	54.0	13.68	AV	48.00	200	Vertical	Pass
6	17102.632	54.84	74.0	19.16	Peak	53.00	300	Vertical	Pass
6**	17102.632	41.80	54.0	12.20	AV	53.00	300	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.491	39.63	74.0	34.37	Peak	114.00	400	Horizontal	Pass
1**	1510.491	27.89	54.0	26.11	AV	114.00	400	Horizontal	Pass
2	2339.637	37.95	74.0	36.05	Peak	107.00	400	Horizontal	Pass
2**	2339.637	29.50	54.0	24.50	AV	107.00	400	Horizontal	Pass
3	4207.996	47.30	74.0	26.70	Peak	56.00	200	Horizontal	Pass
3**	4207.996	38.91	54.0	15.09	AV	56.00	200	Horizontal	Pass
4	7436.530	53.41	74.0	20.59	Peak	270.00	300	Horizontal	Pass
4**	7436.530	43.54	54.0	10.46	AV	270.00	300	Horizontal	Pass
5	12514.219	52.08	74.0	21.92	Peak	72.00	100	Horizontal	Pass
5**	12514.219	42.96	54.0	11.04	AV	72.00	100	Horizontal	Pass
6	16148.910	52.90	74.0	21.10	Peak	310.00	100	Horizontal	Pass
6**	16148.910	43.11	54.0	10.89	AV	310.00	100	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.254	48.19	74.0	25.81	Peak	214.00	300	Vertical	Pass
1**	1158.254	33.54	54.0	20.47	AV	214.00	300	Vertical	Pass
2	1332.602	47.96	74.0	26.04	Peak	305.00	300	Vertical	Pass
2**	1332.602	37.62	54.0	16.38	AV	305.00	300	Vertical	Pass
3	4923.975	48.24	74.0	25.76	Peak	164.00	200	Vertical	Pass
3**	4923.975	40.75	54.0	13.25	AV	164.00	200	Vertical	Pass
4	7933.074	51.25	74.0	22.75	Peak	150.00	300	Vertical	Pass
4**	7933.074	40.53	54.0	13.47	AV	150.00	300	Vertical	Pass
5	12491.108	49.23	74.0	24.77	Peak	280.00	300	Vertical	Pass
5**	12491.108	40.00	54.0	14.00	AV	280.00	300	Vertical	Pass
6	17104.492	54.98	74.0	19.02	Peak	275.00	400	Vertical	Pass
6**	17104.492	41.75	54.0	12.25	AV	275.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.863	39.60	74.0	34.41	Peak	116.00	200	Horizontal	Pass
1**	1505.863	27.88	54.0	26.12	AV	116.00	200	Horizontal	Pass
2	2343.053	37.82	74.0	36.18	Peak	59.00	300	Horizontal	Pass
2**	2343.053	29.54	54.0	24.47	AV	59.00	300	Horizontal	Pass
3	4203.413	47.41	74.0	26.59	Peak	7.00	200	Horizontal	Pass
3**	4203.413	39.07	54.0	14.94	AV	7.00	200	Horizontal	Pass
4	7439.551	53.11	74.0	20.90	Peak	75.00	400	Horizontal	Pass
4**	7439.551	43.48	54.0	10.52	AV	75.00	400	Horizontal	Pass
5	12510.786	51.92	74.0	22.08	Peak	233.00	200	Horizontal	Pass
5**	12510.786	42.72	54.0	11.28	AV	233.00	200	Horizontal	Pass
6	16143.490	52.63	74.0	21.37	Peak	324.00	200	Horizontal	Pass
6**	16143.490	42.93	54.0	11.07	AV	324.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.476	48.15	74.0	25.85	Peak	354.00	100	Vertical	Pass
1**	1159.476	33.66	54.0	20.34	AV	354.00	100	Vertical	Pass
2	1335.988	47.68	74.0	26.32	Peak	349.00	100	Vertical	Pass
2**	1335.988	37.37	54.0	16.63	AV	349.00	100	Vertical	Pass
3	4924.317	47.93	74.0	26.07	Peak	26.00	200	Vertical	Pass
3**	4924.317	40.95	54.0	13.05	AV	26.00	200	Vertical	Pass
4	7932.820	51.47	74.0	22.53	Peak	123.00	300	Vertical	Pass
4**	7932.820	40.46	54.0	13.54	AV	123.00	300	Vertical	Pass
5	12490.680	48.84	74.0	25.16	Peak	167.00	200	Vertical	Pass
5**	12490.680	40.05	54.0	13.96	AV	167.00	200	Vertical	Pass
6	17102.464	54.74	74.0	19.27	Peak	356.00	200	Vertical	Pass
6**	17102.464	41.62	54.0	12.39	AV	356.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.493	39.54	74.0	34.46	Peak	360.00	300	Horizontal	Pass
1**	1508.493	27.63	54.0	26.37	AV	360.00	300	Horizontal	Pass
2	2345.033	37.71	74.0	36.29	Peak	130.00	400	Horizontal	Pass
2**	2345.033	29.33	54.0	24.67	AV	130.00	400	Horizontal	Pass
3	4209.155	47.48	74.0	26.52	Peak	304.00	200	Horizontal	Pass
3**	4209.155	38.80	54.0	15.20	AV	304.00	200	Horizontal	Pass
4	7434.003	52.89	74.0	21.11	Peak	287.00	200	Horizontal	Pass
4**	7434.003	43.36	54.0	10.64	AV	287.00	200	Horizontal	Pass
5	12508.463	51.74	74.0	22.26	Peak	327.00	300	Horizontal	Pass
5**	12508.463	42.61	54.0	11.39	AV	327.00	300	Horizontal	Pass
6	16146.147	52.50	74.0	21.50	Peak	51.00	400	Horizontal	Pass
6**	16146.147	43.00	54.0	11.01	AV	51.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.662	47.73	74.0	26.27	Peak	58.00	200	Vertical	Pass
1**	1161.662	33.33	54.0	20.67	AV	58.00	200	Vertical	Pass
2	1334.959	47.47	74.0	26.53	Peak	83.00	200	Vertical	Pass
2**	1334.959	37.12	54.0	16.88	AV	83.00	200	Vertical	Pass
3	4925.254	47.89	74.0	26.12	Peak	135.00	200	Vertical	Pass
3**	4925.254	40.67	54.0	13.33	AV	135.00	200	Vertical	Pass
4	7935.228	51.26	74.0	22.74	Peak	166.00	200	Vertical	Pass
4**	7935.228	40.61	54.0	13.39	AV	166.00	200	Vertical	Pass
5	12493.529	49.02	74.0	24.98	Peak	127.00	200	Vertical	Pass
5**	12493.529	39.83	54.0	14.17	AV	127.00	200	Vertical	Pass
6	17106.434	54.69	74.0	19.31	Peak	337.00	400	Vertical	Pass
6**	17106.434	41.65	54.0	12.35	AV	337.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.075	39.44	74.0	34.56	Peak	114.00	100	Horizontal	Pass
1**	1504.075	27.55	54.0	26.45	AV	114.00	100	Horizontal	Pass
2	2343.333	37.44	74.0	36.56	Peak	263.00	100	Horizontal	Pass
2**	2343.333	29.39	54.0	24.61	AV	263.00	100	Horizontal	Pass
3	4209.960	47.16	74.0	26.84	Peak	298.00	200	Horizontal	Pass
3**	4209.960	38.48	54.0	15.52	AV	298.00	200	Horizontal	Pass
4	7439.804	52.53	74.0	21.47	Peak	218.00	300	Horizontal	Pass
4**	7439.804	43.06	54.0	10.95	AV	218.00	300	Horizontal	Pass
5	12509.374	51.84	74.0	22.16	Peak	267.00	100	Horizontal	Pass
5**	12509.374	42.44	54.0	11.56	AV	267.00	100	Horizontal	Pass
6	16150.040	52.59	74.0	21.41	Peak	81.00	300	Horizontal	Pass
6**	16150.040	42.86	54.0	11.14	AV	81.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.740	47.65	74.0	26.35	Peak	174.00	200	Vertical	Pass
1**	1159.740	32.90	54.0	21.10	AV	174.00	200	Vertical	Pass
2	1332.615	47.21	74.0	26.79	Peak	324.00	100	Vertical	Pass
2**	1332.615	36.80	54.0	17.20	AV	324.00	100	Vertical	Pass
3	4928.395	47.71	74.0	26.29	Peak	26.00	200	Vertical	Pass
3**	4928.395	40.53	54.0	13.47	AV	26.00	200	Vertical	Pass
4	7937.309	51.13	74.0	22.87	Peak	154.00	300	Vertical	Pass
4**	7937.309	40.41	54.0	13.59	AV	154.00	300	Vertical	Pass
5	12495.558	48.75	74.0	25.25	Peak	148.00	400	Vertical	Pass
5**	12495.558	39.72	54.0	14.28	AV	148.00	400	Vertical	Pass
6	17100.475	54.43	74.0	19.57	Peak	240.00	200	Vertical	Pass
6**	17100.475	41.62	54.0	12.38	AV	240.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.901	39.15	74.0	34.85	Peak	67.00	300	Horizontal	Pass
1**	1506.901	27.53	54.0	26.47	AV	67.00	300	Horizontal	Pass
2	2342.959	37.33	74.0	36.67	Peak	288.00	100	Horizontal	Pass
2**	2342.959	28.95	54.0	25.05	AV	288.00	100	Horizontal	Pass
3	4209.290	47.08	74.0	26.92	Peak	222.00	200	Horizontal	Pass
3**	4209.290	38.52	54.0	15.48	AV	222.00	200	Horizontal	Pass
4	7435.920	52.47	74.0	21.53	Peak	67.00	100	Horizontal	Pass
4**	7435.920	42.91	54.0	11.09	AV	67.00	100	Horizontal	Pass
5	12512.323	51.68	74.0	22.32	Peak	170.00	300	Horizontal	Pass
5**	12512.323	42.35	54.0	11.65	AV	170.00	300	Horizontal	Pass
6	16147.946	52.12	74.0	21.88	Peak	226.00	300	Horizontal	Pass
6**	16147.946	42.60	54.0	11.41	AV	226.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.427	47.55	74.0	26.45	Peak	129.00	400	Vertical	Pass
1**	1159.427	32.73	54.0	21.27	AV	129.00	400	Vertical	Pass
2	1332.289	47.33	74.0	26.67	Peak	188.00	100	Vertical	Pass
2**	1332.289	36.48	54.0	17.52	AV	188.00	100	Vertical	Pass
3	4923.484	47.56	74.0	26.45	Peak	45.00	200	Vertical	Pass
3**	4923.484	40.28	54.0	13.72	AV	45.00	200	Vertical	Pass
4	7933.404	51.01	74.0	22.99	Peak	317.00	200	Vertical	Pass
4**	7933.404	40.16	54.0	13.84	AV	317.00	200	Vertical	Pass
5	12493.731	48.57	74.0	25.43	Peak	320.00	200	Vertical	Pass
5**	12493.731	39.60	54.0	14.40	AV	320.00	200	Vertical	Pass
6	17102.410	54.27	74.0	19.73	Peak	239.00	200	Vertical	Pass
6**	17102.410	41.37	54.0	12.64	AV	239.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.350	39.07	74.0	34.93	Peak	221.00	400	Horizontal	Pass
1**	1506.350	27.28	54.0	26.72	AV	221.00	400	Horizontal	Pass
2	2341.928	37.40	74.0	36.60	Peak	107.00	100	Horizontal	Pass
2**	2341.928	28.86	54.0	25.14	AV	107.00	100	Horizontal	Pass
3	4205.975	46.94	74.0	27.06	Peak	359.00	200	Horizontal	Pass
3**	4205.975	38.27	54.0	15.73	AV	359.00	200	Horizontal	Pass
4	7440.958	52.27	74.0	21.73	Peak	89.00	400	Horizontal	Pass
4**	7440.958	42.49	54.0	11.51	AV	89.00	400	Horizontal	Pass
5	12514.211	51.63	74.0	22.37	Peak	11.00	300	Horizontal	Pass
5**	12514.211	42.18	54.0	11.82	AV	11.00	300	Horizontal	Pass
6	16143.478	52.34	74.0	21.67	Peak	342.00	300	Horizontal	Pass
6**	16143.478	42.53	54.0	11.47	AV	342.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.030	47.29	74.0	26.71	Peak	226.00	300	Vertical	Pass
1**	1160.030	32.84	54.0	21.16	AV	226.00	300	Vertical	Pass
2	1337.955	47.18	74.0	26.82	Peak	27.00	400	Vertical	Pass
2**	1337.955	36.55	54.0	17.45	AV	27.00	400	Vertical	Pass
3	4925.191	47.50	74.0	26.50	Peak	147.00	200	Vertical	Pass
3**	4925.191	40.07	54.0	13.93	AV	147.00	200	Vertical	Pass
4	7936.900	50.88	74.0	23.12	Peak	327.00	400	Vertical	Pass
4**	7936.900	39.97	54.0	14.03	AV	327.00	400	Vertical	Pass
5	12490.273	48.27	74.0	25.73	Peak	266.00	300	Vertical	Pass
5**	12490.273	39.35	54.0	14.65	AV	266.00	300	Vertical	Pass
6	17101.018	54.28	74.0	19.72	Peak	349.00	400	Vertical	Pass
6**	17101.018	41.27	54.0	12.73	AV	349.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.748	40.00	74.0	34.00	Peak	114.00	100	Horizontal	Pass
1**	1503.748	28.36	54.0	25.64	AV	114.00	100	Horizontal	Pass
2	2343.858	38.29	74.0	35.71	Peak	286.00	400	Horizontal	Pass
2**	2343.858	29.93	54.0	24.07	AV	286.00	400	Horizontal	Pass
3	4209.713	47.92	74.0	26.08	Peak	247.00	200	Horizontal	Pass
3**	4209.713	39.42	54.0	14.58	AV	247.00	200	Horizontal	Pass
4	7439.533	53.66	74.0	20.34	Peak	144.00	400	Horizontal	Pass
4**	7439.533	43.86	54.0	10.14	AV	144.00	400	Horizontal	Pass
5	12509.416	52.89	74.0	21.11	Peak	102.00	100	Horizontal	Pass
5**	12509.416	43.66	54.0	10.34	AV	102.00	100	Horizontal	Pass
6	16144.709	53.68	74.0	20.32	Peak	78.00	400	Horizontal	Pass
6**	16144.709	43.44	54.0	10.56	AV	78.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.606	48.54	74.0	25.47	Peak	4.00	200	Vertical	Pass
1**	1160.606	33.92	54.0	20.08	AV	4.00	200	Vertical	Pass
2	1336.460	48.59	74.0	25.41	Peak	356.00	400	Vertical	Pass
2**	1336.460	37.83	54.0	16.17	AV	356.00	400	Vertical	Pass
3	4926.130	48.70	74.0	25.30	Peak	160.00	200	Vertical	Pass
3**	4926.130	41.20	54.0	12.80	AV	160.00	200	Vertical	Pass
4	7933.476	51.90	74.0	22.10	Peak	194.00	300	Vertical	Pass
4**	7933.476	41.10	54.0	12.90	AV	194.00	300	Vertical	Pass
5	12492.070	49.59	74.0	24.41	Peak	129.00	100	Vertical	Pass
5**	12492.070	40.61	54.0	13.39	AV	129.00	100	Vertical	Pass
6	17104.371	55.09	74.0	18.91	Peak	35.00	100	Vertical	Pass
6**	17104.371	42.08	54.0	11.92	AV	35.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.698	39.78	74.0	34.22	Peak	5.00	300	Horizontal	Pass
1**	1503.698	28.03	54.0	25.97	AV	5.00	300	Horizontal	Pass
2	2339.174	38.24	74.0	35.76	Peak	64.00	200	Horizontal	Pass
2**	2339.174	29.60	54.0	24.40	AV	64.00	200	Horizontal	Pass
3	4206.928	47.63	74.0	26.37	Peak	133.00	200	Horizontal	Pass
3**	4206.928	39.34	54.0	14.66	AV	133.00	200	Horizontal	Pass
4	7439.761	53.62	74.0	20.38	Peak	136.00	100	Horizontal	Pass
4**	7439.761	43.82	54.0	10.18	AV	136.00	100	Horizontal	Pass
5	12509.610	52.67	74.0	21.33	Peak	273.00	400	Horizontal	Pass
5**	12509.610	43.43	54.0	10.57	AV	273.00	400	Horizontal	Pass
6	16148.755	53.49	74.0	20.51	Peak	351.00	400	Horizontal	Pass
6**	16148.755	43.55	54.0	10.45	AV	351.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.785	48.21	74.0	25.79	Peak	200.00	300	Vertical	Pass
1**	1156.785	33.85	54.0	20.15	AV	200.00	300	Vertical	Pass
2	1335.794	48.16	74.0	25.84	Peak	299.00	100	Vertical	Pass
2**	1335.794	37.67	54.0	16.33	AV	299.00	100	Vertical	Pass
3	4926.369	48.55	74.0	25.45	Peak	45.00	200	Vertical	Pass
3**	4926.369	41.32	54.0	12.68	AV	45.00	200	Vertical	Pass
4	7937.260	51.67	74.0	22.33	Peak	79.00	100	Vertical	Pass
4**	7937.260	40.89	54.0	13.11	AV	79.00	100	Vertical	Pass
5	12496.564	49.59	74.0	24.41	Peak	242.00	100	Vertical	Pass
5**	12496.564	40.66	54.0	13.34	AV	242.00	100	Vertical	Pass
6	17101.662	55.08	74.0	18.92	Peak	79.00	300	Vertical	Pass
6**	17101.662	42.02	54.0	11.98	AV	79.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.466	39.70	74.0	34.30	Peak	128.00	400	Horizontal	Pass
1**	1504.466	27.96	54.0	26.04	AV	128.00	400	Horizontal	Pass
2	2342.499	38.26	74.0	35.74	Peak	93.00	100	Horizontal	Pass
2**	2342.499	29.63	54.0	24.38	AV	93.00	100	Horizontal	Pass
3	4205.158	47.52	74.0	26.48	Peak	110.00	200	Horizontal	Pass
3**	4205.158	39.09	54.0	14.91	AV	110.00	200	Horizontal	Pass
4	7435.657	53.53	74.0	20.47	Peak	105.00	200	Horizontal	Pass
4**	7435.657	43.62	54.0	10.38	AV	105.00	200	Horizontal	Pass
5	12514.191	52.25	74.0	21.76	Peak	228.00	100	Horizontal	Pass
5**	12514.191	43.28	54.0	10.72	AV	228.00	100	Horizontal	Pass
6	16149.322	53.35	74.0	20.65	Peak	355.00	400	Horizontal	Pass
6**	16149.322	43.46	54.0	10.54	AV	355.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.991	48.15	74.0	25.85	Peak	359.00	400	Vertical	Pass
1**	1161.991	33.60	54.0	20.40	AV	359.00	400	Vertical	Pass
2	1333.135	47.89	74.0	26.11	Peak	189.00	400	Vertical	Pass
2**	1333.135	37.51	54.0	16.49	AV	189.00	400	Vertical	Pass
3	4925.651	48.44	74.0	25.56	Peak	17.00	200	Vertical	Pass
3**	4925.651	41.24	54.0	12.76	AV	17.00	200	Vertical	Pass
4	7936.596	51.69	74.0	22.31	Peak	188.00	100	Vertical	Pass
4**	7936.596	40.76	54.0	13.24	AV	188.00	100	Vertical	Pass
5	12492.558	49.39	74.0	24.61	Peak	300.00	100	Vertical	Pass
5**	12492.558	40.29	54.0	13.71	AV	300.00	100	Vertical	Pass
6	17102.913	54.86	74.0	19.14	Peak	351.00	300	Vertical	Pass
6**	17102.913	41.76	54.0	12.24	AV	351.00	300	Vertical	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.044	39.79	74.0	34.21	Peak	198.00	400	Horizontal	Pass
1**	1511.044	27.79	54.0	26.21	AV	198.00	400	Horizontal	Pass
2	2341.946	37.99	74.0	36.01	Peak	350.00	200	Horizontal	Pass
2**	2341.946	29.51	54.0	24.49	AV	350.00	200	Horizontal	Pass
3	4204.412	47.37	74.0	26.63	Peak	164.00	200	Horizontal	Pass
3**	4204.412	38.90	54.0	15.10	AV	164.00	200	Horizontal	Pass
4	7440.855	53.28	74.0	20.73	Peak	122.00	400	Horizontal	Pass
4**	7440.855	43.60	54.0	10.40	AV	122.00	400	Horizontal	Pass
5	12509.942	52.22	74.0	21.78	Peak	99.00	300	Horizontal	Pass
5**	12509.942	43.03	54.0	10.97	AV	99.00	300	Horizontal	Pass
6	16144.323	53.10	74.0	20.90	Peak	279.00	300	Horizontal	Pass
6**	16144.323	43.16	54.0	10.84	AV	279.00	300	Horizontal	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.215	48.29	74.0	25.71	Peak	346.00	200	Vertical	Pass
1**	1162.215	33.70	54.0	20.30	AV	346.00	200	Vertical	Pass
2	1338.384	47.82	74.0	26.18	Peak	277.00	200	Vertical	Pass
2**	1338.384	37.53	54.0	16.47	AV	277.00	200	Vertical	Pass
3	4926.600	48.09	74.0	25.91	Peak	326.00	200	Vertical	Pass
3**	4926.600	40.89	54.0	13.11	AV	326.00	200	Vertical	Pass
4	7931.735	51.45	74.0	22.55	Peak	221.00	300	Vertical	Pass
4**	7931.735	40.56	54.0	13.44	AV	221.00	300	Vertical	Pass
5	12490.357	49.26	74.0	24.74	Peak	350.00	200	Vertical	Pass
5**	12490.357	40.23	54.0	13.77	AV	350.00	200	Vertical	Pass
6	17102.396	54.97	74.0	19.03	Peak	181.00	200	Vertical	Pass
6**	17102.396	41.73	54.0	12.27	AV	181.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.255	39.77	74.0	34.23	Peak	284.00	100	Horizontal	Pass
1**	1510.255	28.25	54.0	25.75	AV	284.00	100	Horizontal	Pass
2	2346.485	38.72	74.0	35.28	Peak	325.00	300	Horizontal	Pass
2**	2346.485	29.90	54.0	24.10	AV	325.00	300	Horizontal	Pass
3	4209.034	47.57	74.0	26.43	Peak	308.00	200	Horizontal	Pass
3**	4209.034	39.65	54.0	14.35	AV	308.00	200	Horizontal	Pass
4	7436.939	53.51	74.0	20.49	Peak	225.00	300	Horizontal	Pass
4**	7436.939	43.58	54.0	10.43	AV	225.00	300	Horizontal	Pass
5	12507.785	52.74	74.0	21.26	Peak	314.00	200	Horizontal	Pass
5**	12507.785	43.41	54.0	10.59	AV	314.00	200	Horizontal	Pass
6	16146.395	53.66	74.0	20.34	Peak	259.00	400	Horizontal	Pass
6**	16146.395	43.52	54.0	10.48	AV	259.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.978	50.34	74.0	23.67	Peak	232.00	300	Vertical	Pass
1**	1159.978	31.86	54.0	22.14	AV	232.00	300	Vertical	Pass
2	1336.475	48.89	74.0	25.12	Peak	36.00	200	Vertical	Pass
2**	1336.475	36.23	54.0	17.77	AV	36.00	200	Vertical	Pass
3	4929.169	50.01	74.0	23.99	Peak	344.00	200	Vertical	Pass
3**	4929.169	38.36	54.0	15.64	AV	344.00	200	Vertical	Pass
4	7936.983	50.00	74.0	24.00	Peak	39.00	300	Vertical	Pass
4**	7936.983	40.95	54.0	13.05	AV	39.00	300	Vertical	Pass
5	12490.171	55.48	74.0	18.53	Peak	95.00	200	Vertical	Pass
5**	12490.171	43.77	54.0	10.23	AV	95.00	200	Vertical	Pass
6	17099.738	56.23	74.0	17.77	Peak	263.00	100	Vertical	Pass
6**	17099.738	44.91	54.0	9.10	AV	263.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.483	39.63	74.0	34.37	Peak	291.00	200	Horizontal	Pass
1**	1511.483	28.15	54.0	25.85	AV	291.00	200	Horizontal	Pass
2	2346.688	38.43	74.0	35.57	Peak	183.00	200	Horizontal	Pass
2**	2346.688	29.83	54.0	24.17	AV	183.00	200	Horizontal	Pass
3	4210.613	47.53	74.0	26.47	Peak	243.00	200	Horizontal	Pass
3**	4210.613	39.45	54.0	14.55	AV	243.00	200	Horizontal	Pass
4	7434.426	53.40	74.0	20.60	Peak	221.00	400	Horizontal	Pass
4**	7434.426	43.57	54.0	10.43	AV	221.00	400	Horizontal	Pass
5	12509.847	52.63	74.0	21.37	Peak	55.00	300	Horizontal	Pass
5**	12509.847	43.13	54.0	10.87	AV	55.00	300	Horizontal	Pass
6	16146.219	53.64	74.0	20.36	Peak	276.00	400	Horizontal	Pass
6**	16146.219	43.26	54.0	10.74	AV	276.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.789	50.18	74.0	23.83	Peak	173.00	300	Vertical	Pass
1**	1161.789	31.57	54.0	22.43	AV	173.00	300	Vertical	Pass
2	1331.841	48.79	74.0	25.21	Peak	205.00	300	Vertical	Pass
2**	1331.841	36.15	54.0	17.85	AV	205.00	300	Vertical	Pass
3	4930.239	49.82	74.0	24.18	Peak	75.00	200	Vertical	Pass
3**	4930.239	38.33	54.0	15.67	AV	75.00	200	Vertical	Pass
4	7939.428	49.83	74.0	24.17	Peak	224.00	200	Vertical	Pass
4**	7939.428	40.74	54.0	13.26	AV	224.00	200	Vertical	Pass
5	12489.982	55.39	74.0	18.62	Peak	188.00	100	Vertical	Pass
5**	12489.982	43.73	54.0	10.28	AV	188.00	100	Vertical	Pass
6	17104.104	56.10	74.0	17.90	Peak	108.00	400	Vertical	Pass
6**	17104.104	44.66	54.0	9.34	AV	108.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.100	39.47	74.0	34.53	Peak	300.00	200	Horizontal	Pass
1**	1505.100	27.97	54.0	26.03	AV	300.00	200	Horizontal	Pass
2	2341.007	38.30	74.0	35.70	Peak	92.00	200	Horizontal	Pass
2**	2341.007	29.82	54.0	24.19	AV	92.00	200	Horizontal	Pass
3	4205.689	47.46	74.0	26.54	Peak	172.00	200	Horizontal	Pass
3**	4205.689	39.33	54.0	14.67	AV	172.00	200	Horizontal	Pass
4	7435.487	53.37	74.0	20.63	Peak	137.00	400	Horizontal	Pass
4**	7435.487	43.31	54.0	10.69	AV	137.00	400	Horizontal	Pass
5	12510.496	52.38	74.0	21.62	Peak	182.00	200	Horizontal	Pass
5**	12510.496	42.86	54.0	11.14	AV	182.00	200	Horizontal	Pass
6	16147.417	53.57	74.0	20.43	Peak	215.00	300	Horizontal	Pass
6**	16147.417	43.15	54.0	10.85	AV	215.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.948	49.96	74.0	24.04	Peak	69.00	300	Vertical	Pass
1**	1159.948	31.51	54.0	22.49	AV	69.00	300	Vertical	Pass
2	1332.295	48.54	74.0	25.46	Peak	351.00	100	Vertical	Pass
2**	1332.295	35.92	54.0	18.08	AV	351.00	100	Vertical	Pass
3	4930.829	49.59	74.0	24.41	Peak	31.00	200	Vertical	Pass
3**	4930.829	38.20	54.0	15.80	AV	31.00	200	Vertical	Pass
4	7936.812	49.83	74.0	24.17	Peak	315.00	100	Vertical	Pass
4**	7936.812	40.66	54.0	13.34	AV	315.00	100	Vertical	Pass
5	12497.278	55.17	74.0	18.83	Peak	77.00	400	Vertical	Pass
5**	12497.278	43.43	54.0	10.57	AV	77.00	400	Vertical	Pass
6	17102.515	55.92	74.0	18.09	Peak	248.00	100	Vertical	Pass
6**	17102.515	44.59	54.0	9.42	AV	248.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.210	39.33	74.0	34.67	Peak	108.00	100	Horizontal	Pass
1**	1506.210	27.79	54.0	26.21	AV	108.00	100	Horizontal	Pass
2	2345.640	38.13	74.0	35.87	Peak	55.00	400	Horizontal	Pass
2**	2345.640	29.68	54.0	24.32	AV	55.00	400	Horizontal	Pass
3	4207.807	47.44	74.0	26.56	Peak	28.00	200	Horizontal	Pass
3**	4207.807	39.08	54.0	14.93	AV	28.00	200	Horizontal	Pass
4	7439.966	53.20	74.0	20.81	Peak	221.00	200	Horizontal	Pass
4**	7439.966	43.25	54.0	10.75	AV	221.00	200	Horizontal	Pass
5	12506.525	52.33	74.0	21.67	Peak	15.00	100	Horizontal	Pass
5**	12506.525	42.77	54.0	11.23	AV	15.00	100	Horizontal	Pass
6	16145.842	53.55	74.0	20.45	Peak	315.00	100	Horizontal	Pass
6**	16145.842	43.13	54.0	10.87	AV	315.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.010	49.74	74.0	24.26	Peak	207.00	400	Vertical	Pass
1**	1161.010	31.25	54.0	22.75	AV	207.00	400	Vertical	Pass
2	1334.400	48.41	74.0	25.59	Peak	73.00	200	Vertical	Pass
2**	1334.400	35.77	54.0	18.23	AV	73.00	200	Vertical	Pass
3	4928.131	49.41	74.0	24.59	Peak	254.00	200	Vertical	Pass
3**	4928.131	38.04	54.0	15.96	AV	254.00	200	Vertical	Pass
4	7935.241	49.67	74.0	24.33	Peak	62.00	100	Vertical	Pass
4**	7935.241	40.55	54.0	13.45	AV	62.00	100	Vertical	Pass
5	12492.874	55.08	74.0	18.92	Peak	196.00	200	Vertical	Pass
5**	12492.874	43.33	54.0	10.68	AV	196.00	200	Vertical	Pass
6	17099.950	55.77	74.0	18.23	Peak	135.00	200	Vertical	Pass
6**	17099.950	44.53	54.0	9.47	AV	135.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.883	39.30	74.0	34.70	Peak	183.00	100	Horizontal	Pass
1**	1507.883	27.53	54.0	26.47	AV	183.00	100	Horizontal	Pass
2	2342.952	37.89	74.0	36.11	Peak	96.00	200	Horizontal	Pass
2**	2342.952	29.44	54.0	24.56	AV	96.00	200	Horizontal	Pass
3	4208.565	47.33	74.0	26.67	Peak	291.00	200	Horizontal	Pass
3**	4208.565	38.78	54.0	15.22	AV	291.00	200	Horizontal	Pass
4	7436.391	52.93	74.0	21.08	Peak	75.00	100	Horizontal	Pass
4**	7436.391	43.11	54.0	10.89	AV	75.00	100	Horizontal	Pass
5	12506.219	52.06	74.0	21.94	Peak	202.00	200	Horizontal	Pass
5**	12506.219	42.51	54.0	11.49	AV	202.00	200	Horizontal	Pass
6	16143.311	53.49	74.0	20.52	Peak	72.00	200	Horizontal	Pass
6**	16143.311	42.86	54.0	11.14	AV	72.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.723	49.72	74.0	24.28	Peak	111.00	100	Vertical	Pass
1**	1155.723	31.12	54.0	22.88	AV	111.00	100	Vertical	Pass
2	1337.520	48.26	74.0	25.74	Peak	254.00	100	Vertical	Pass
2**	1337.520	35.71	54.0	18.29	AV	254.00	100	Vertical	Pass
3	4930.782	49.23	74.0	24.77	Peak	67.00	200	Vertical	Pass
3**	4930.782	37.82	54.0	16.18	AV	67.00	200	Vertical	Pass
4	7941.373	49.44	74.0	24.56	Peak	116.00	200	Vertical	Pass
4**	7941.373	40.36	54.0	13.64	AV	116.00	200	Vertical	Pass
5	12493.891	54.81	74.0	19.19	Peak	340.00	200	Vertical	Pass
5**	12493.891	43.13	54.0	10.88	AV	340.00	200	Vertical	Pass
6	17100.852	55.58	74.0	18.42	Peak	297.00	300	Vertical	Pass
6**	17100.852	44.43	54.0	9.57	AV	297.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.948	39.23	74.0	34.77	Peak	330.00	200	Horizontal	Pass
1**	1507.948	27.29	54.0	26.71	AV	330.00	200	Horizontal	Pass
2	2343.893	37.60	74.0	36.40	Peak	191.00	400	Horizontal	Pass
2**	2343.893	29.26	54.0	24.74	AV	191.00	400	Horizontal	Pass
3	4212.072	47.32	74.0	26.68	Peak	287.00	200	Horizontal	Pass
3**	4212.072	38.71	54.0	15.30	AV	287.00	200	Horizontal	Pass
4	7439.440	52.87	74.0	21.13	Peak	66.00	100	Horizontal	Pass
4**	7439.440	43.03	54.0	10.97	AV	66.00	100	Horizontal	Pass
5	12510.634	51.78	74.0	22.22	Peak	60.00	100	Horizontal	Pass
5**	12510.634	42.33	54.0	11.68	AV	60.00	100	Horizontal	Pass
6	16148.196	53.40	74.0	20.60	Peak	153.00	400	Horizontal	Pass
6**	16148.196	42.71	54.0	11.29	AV	153.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.050	49.52	74.0	24.49	Peak	171.00	100	Vertical	Pass
1**	1156.050	31.07	54.0	22.93	AV	171.00	100	Vertical	Pass
2	1333.929	47.97	74.0	26.03	Peak	20.00	100	Vertical	Pass
2**	1333.929	35.59	54.0	18.41	AV	20.00	100	Vertical	Pass
3	4931.063	48.93	74.0	25.07	Peak	235.00	200	Vertical	Pass
3**	4931.063	37.70	54.0	16.30	AV	235.00	200	Vertical	Pass
4	7938.587	49.43	74.0	24.57	Peak	80.00	300	Vertical	Pass
4**	7938.587	40.35	54.0	13.66	AV	80.00	300	Vertical	Pass
5	12496.444	54.60	74.0	19.40	Peak	240.00	400	Vertical	Pass
5**	12496.444	43.02	54.0	10.99	AV	240.00	400	Vertical	Pass
6	17098.566	55.53	74.0	18.47	Peak	256.00	100	Vertical	Pass
6**	17098.566	44.42	54.0	9.58	AV	256.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.767	39.20	74.0	34.80	Peak	66.00	100	Horizontal	Pass
1**	1505.767	27.28	54.0	26.72	AV	66.00	100	Horizontal	Pass
2	2344.767	37.33	74.0	36.67	Peak	304.00	200	Horizontal	Pass
2**	2344.767	29.08	54.0	24.92	AV	304.00	200	Horizontal	Pass
3	4210.320	47.02	74.0	26.98	Peak	59.00	200	Horizontal	Pass
3**	4210.320	38.66	54.0	15.34	AV	59.00	200	Horizontal	Pass
4	7442.187	52.85	74.0	21.16	Peak	73.00	200	Horizontal	Pass
4**	7442.187	43.02	54.0	10.98	AV	73.00	200	Horizontal	Pass
5	12506.632	51.68	74.0	22.32	Peak	236.00	300	Horizontal	Pass
5**	12506.632	42.23	54.0	11.77	AV	236.00	300	Horizontal	Pass
6	16146.222	53.13	74.0	20.87	Peak	212.00	300	Horizontal	Pass
6**	16146.222	42.65	54.0	11.35	AV	212.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.590	49.42	74.0	24.59	Peak	3.00	400	Vertical	Pass
1**	1158.590	30.90	54.0	23.10	AV	3.00	400	Vertical	Pass
2	1337.427	47.82	74.0	26.18	Peak	228.00	300	Vertical	Pass
2**	1337.427	35.43	54.0	18.57	AV	228.00	300	Vertical	Pass
3	4933.413	48.87	74.0	25.13	Peak	97.00	200	Vertical	Pass
3**	4933.413	37.54	54.0	16.46	AV	97.00	200	Vertical	Pass
4	7938.831	49.33	74.0	24.67	Peak	206.00	100	Vertical	Pass
4**	7938.831	40.23	54.0	13.77	AV	206.00	100	Vertical	Pass
5	12495.446	54.48	74.0	19.52	Peak	120.00	200	Vertical	Pass
5**	12495.446	42.72	54.0	11.28	AV	120.00	200	Vertical	Pass
6	17104.593	55.30	74.0	18.71	Peak	295.00	100	Vertical	Pass
6**	17104.593	44.39	54.0	9.61	AV	295.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.739	39.66	74.0	34.34	Peak	346.00	400	Horizontal	Pass
1**	1509.739	28.24	54.0	25.77	AV	346.00	400	Horizontal	Pass
2	2343.057	38.52	74.0	35.48	Peak	181.00	300	Horizontal	Pass
2**	2343.057	29.71	54.0	24.29	AV	181.00	300	Horizontal	Pass
3	4204.487	47.29	74.0	26.71	Peak	231.00	200	Horizontal	Pass
3**	4204.487	39.38	54.0	14.62	AV	231.00	200	Horizontal	Pass
4	7437.681	53.48	74.0	20.52	Peak	74.00	300	Horizontal	Pass
4**	7437.681	43.39	54.0	10.61	AV	74.00	300	Horizontal	Pass
5	12504.964	52.67	74.0	21.33	Peak	249.00	300	Horizontal	Pass
5**	12504.964	43.12	54.0	10.88	AV	249.00	300	Horizontal	Pass
6	16149.105	53.62	74.0	20.38	Peak	159.00	400	Horizontal	Pass
6**	16149.105	43.33	54.0	10.67	AV	159.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.925	50.17	74.0	23.84	Peak	147.00	400	Vertical	Pass
1**	1160.925	31.73	54.0	22.27	AV	147.00	400	Vertical	Pass
2	1336.851	48.72	74.0	25.28	Peak	292.00	300	Vertical	Pass
2**	1336.851	36.06	54.0	17.95	AV	292.00	300	Vertical	Pass
3	4930.237	49.87	74.0	24.13	Peak	96.00	200	Vertical	Pass
3**	4930.237	38.31	54.0	15.69	AV	96.00	200	Vertical	Pass
4	7936.996	49.95	74.0	24.05	Peak	341.00	400	Vertical	Pass
4**	7936.996	40.72	54.0	13.28	AV	341.00	400	Vertical	Pass
5	12492.345	55.42	74.0	18.58	Peak	248.00	400	Vertical	Pass
5**	12492.345	43.50	54.0	10.50	AV	248.00	400	Vertical	Pass
6	17102.257	56.21	74.0	17.79	Peak	251.00	200	Vertical	Pass
6**	17102.257	44.70	54.0	9.30	AV	251.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.710	39.46	74.0	34.54	Peak	174.00	200	Horizontal	Pass
1**	1506.710	28.13	54.0	25.87	AV	174.00	200	Horizontal	Pass
2	2342.517	38.15	74.0	35.86	Peak	297.00	400	Horizontal	Pass
2**	2342.517	29.68	54.0	24.32	AV	297.00	400	Horizontal	Pass
3	4204.842	47.37	74.0	26.63	Peak	21.00	200	Horizontal	Pass
3**	4204.842	39.32	54.0	14.68	AV	21.00	200	Horizontal	Pass
4	7437.637	53.29	74.0	20.71	Peak	240.00	400	Horizontal	Pass
4**	7437.637	43.30	54.0	10.70	AV	240.00	400	Horizontal	Pass
5	12510.982	52.35	74.0	21.65	Peak	132.00	300	Horizontal	Pass
5**	12510.982	42.92	54.0	11.08	AV	132.00	300	Horizontal	Pass
6	16145.582	53.42	74.0	20.58	Peak	140.00	300	Horizontal	Pass
6**	16145.582	43.08	54.0	10.92	AV	140.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.760	50.04	74.0	23.96	Peak	308.00	200	Vertical	Pass
1**	1160.760	31.33	54.0	22.67	AV	308.00	200	Vertical	Pass
2	1336.183	48.67	74.0	25.33	Peak	70.00	200	Vertical	Pass
2**	1336.183	36.01	54.0	17.99	AV	70.00	200	Vertical	Pass
3	4932.419	49.52	74.0	24.48	Peak	306.00	200	Vertical	Pass
3**	4932.419	38.16	54.0	15.84	AV	306.00	200	Vertical	Pass
4	7935.436	49.66	74.0	24.34	Peak	141.00	200	Vertical	Pass
4**	7935.436	40.62	54.0	13.38	AV	141.00	200	Vertical	Pass
5	12491.584	55.15	74.0	18.85	Peak	302.00	300	Vertical	Pass
5**	12491.584	43.63	54.0	10.37	AV	302.00	300	Vertical	Pass
6	17105.879	55.81	74.0	18.19	Peak	78.00	400	Vertical	Pass
6**	17105.879	44.45	54.0	9.55	AV	78.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.635	39.42	74.0	34.58	Peak	164.00	100	Horizontal	Pass
1**	1506.635	27.96	54.0	26.04	AV	164.00	100	Horizontal	Pass
2	2344.885	38.07	74.0	35.93	Peak	98.00	400	Horizontal	Pass
2**	2344.885	29.70	54.0	24.30	AV	98.00	400	Horizontal	Pass
3	4204.937	47.18	74.0	26.82	Peak	203.00	200	Horizontal	Pass
3**	4204.937	39.09	54.0	14.92	AV	203.00	200	Horizontal	Pass
4	7438.736	53.19	74.0	20.81	Peak	344.00	300	Horizontal	Pass
4**	7438.736	43.08	54.0	10.93	AV	344.00	300	Horizontal	Pass
5	12507.125	52.11	74.0	21.89	Peak	326.00	200	Horizontal	Pass
5**	12507.125	42.58	54.0	11.43	AV	326.00	200	Horizontal	Pass
6	16144.208	53.50	74.0	20.50	Peak	327.00	100	Horizontal	Pass
6**	16144.208	42.95	54.0	11.05	AV	327.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.915	49.75	74.0	24.25	Peak	319.00	200	Vertical	Pass
1**	1161.915	31.40	54.0	22.61	AV	319.00	200	Vertical	Pass
2	1330.870	48.31	74.0	25.69	Peak	19.00	400	Vertical	Pass
2**	1330.870	35.63	54.0	18.37	AV	19.00	400	Vertical	Pass
3	4930.803	49.50	74.0	24.50	Peak	109.00	200	Vertical	Pass
3**	4930.803	37.97	54.0	16.03	AV	109.00	200	Vertical	Pass
4	7936.147	49.82	74.0	24.18	Peak	340.00	300	Vertical	Pass
4**	7936.147	40.55	54.0	13.45	AV	340.00	300	Vertical	Pass
5	12496.306	55.11	74.0	18.89	Peak	259.00	200	Vertical	Pass
5**	12496.306	43.25	54.0	10.75	AV	259.00	200	Vertical	Pass
6	17102.587	55.88	74.0	18.12	Peak	224.00	100	Vertical	Pass
6**	17102.587	44.46	54.0	9.54	AV	224.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.257	39.31	74.0	34.69	Peak	311.00	200	Horizontal	Pass
1**	1509.257	27.63	54.0	26.37	AV	311.00	200	Horizontal	Pass
2	2341.906	37.93	74.0	36.07	Peak	251.00	200	Horizontal	Pass
2**	2341.906	29.46	54.0	24.54	AV	251.00	200	Horizontal	Pass
3	4205.340	47.26	74.0	26.74	Peak	86.00	200	Horizontal	Pass
3**	4205.340	38.93	54.0	15.07	AV	86.00	200	Horizontal	Pass
4	7435.779	52.97	74.0	21.03	Peak	72.00	100	Horizontal	Pass
4**	7435.779	43.06	54.0	10.94	AV	72.00	100	Horizontal	Pass
5	12509.147	52.30	74.0	21.70	Peak	177.00	200	Horizontal	Pass
5**	12509.147	42.56	54.0	11.44	AV	177.00	200	Horizontal	Pass
6	16142.911	53.36	74.0	20.64	Peak	255.00	400	Horizontal	Pass
6**	16142.911	43.06	54.0	10.94	AV	255.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.967	49.55	74.0	24.46	Peak	46.00	200	Vertical	Pass
1**	1157.967	31.03	54.0	22.97	AV	46.00	200	Vertical	Pass
2	1333.264	48.36	74.0	25.64	Peak	32.00	300	Vertical	Pass
2**	1333.264	35.74	54.0	18.26	AV	32.00	300	Vertical	Pass
3	4931.264	49.24	74.0	24.76	Peak	38.00	200	Vertical	Pass
3**	4931.264	37.97	54.0	16.04	AV	38.00	200	Vertical	Pass
4	7941.750	49.58	74.0	24.43	Peak	344.00	300	Vertical	Pass
4**	7941.750	40.53	54.0	13.47	AV	344.00	300	Vertical	Pass
5	12495.726	54.79	74.0	19.21	Peak	80.00	400	Vertical	Pass
5**	12495.726	43.25	54.0	10.75	AV	80.00	400	Vertical	Pass
6	17103.971	55.55	74.0	18.45	Peak	60.00	100	Vertical	Pass
6**	17103.971	44.28	54.0	9.72	AV	60.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.637	39.19	74.0	34.81	Peak	204.00	200	Horizontal	Pass
1**	1506.637	27.37	54.0	26.63	AV	204.00	200	Horizontal	Pass
2	2345.035	37.81	74.0	36.19	Peak	313.00	400	Horizontal	Pass
2**	2345.035	29.30	54.0	24.70	AV	313.00	400	Horizontal	Pass
3	4210.843	47.08	74.0	26.92	Peak	129.00	200	Horizontal	Pass
3**	4210.843	38.67	54.0	15.33	AV	129.00	200	Horizontal	Pass
4	7435.858	52.81	74.0	21.19	Peak	123.00	100	Horizontal	Pass
4**	7435.858	42.95	54.0	11.05	AV	123.00	100	Horizontal	Pass
5	12505.792	51.93	74.0	22.07	Peak	162.00	200	Horizontal	Pass
5**	12505.792	42.42	54.0	11.59	AV	162.00	200	Horizontal	Pass
6	16147.077	53.27	74.0	20.73	Peak	186.00	400	Horizontal	Pass
6**	16147.077	42.83	54.0	11.17	AV	186.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.417	49.59	74.0	24.41	Peak	211.00	100	Vertical	Pass
1**	1160.417	31.07	54.0	22.93	AV	211.00	100	Vertical	Pass
2	1334.543	48.11	74.0	25.89	Peak	320.00	200	Vertical	Pass
2**	1334.543	35.59	54.0	18.41	AV	320.00	200	Vertical	Pass
3	4926.545	49.15	74.0	24.85	Peak	23.00	200	Vertical	Pass
3**	4926.545	37.65	54.0	16.35	AV	23.00	200	Vertical	Pass
4	7937.354	49.22	74.0	24.79	Peak	299.00	300	Vertical	Pass
4**	7937.354	40.21	54.0	13.79	AV	299.00	300	Vertical	Pass
5	12494.326	54.53	74.0	19.47	Peak	304.00	300	Vertical	Pass
5**	12494.326	42.85	54.0	11.15	AV	304.00	300	Vertical	Pass
6	17104.585	55.48	74.0	18.53	Peak	174.00	300	Vertical	Pass
6**	17104.585	44.33	54.0	9.67	AV	174.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.135	38.94	74.0	35.06	Peak	207.00	100	Horizontal	Pass
1**	1507.135	27.19	54.0	26.82	AV	207.00	100	Horizontal	Pass
2	2340.909	37.52	74.0	36.49	Peak	0.00	300	Horizontal	Pass
2**	2340.909	29.25	54.0	24.75	AV	0.00	300	Horizontal	Pass
3	4209.094	47.15	74.0	26.85	Peak	193.00	200	Horizontal	Pass
3**	4209.094	38.62	54.0	15.38	AV	193.00	200	Horizontal	Pass
4	7434.977	52.73	74.0	21.27	Peak	156.00	200	Horizontal	Pass
4**	7434.977	43.00	54.0	11.01	AV	156.00	200	Horizontal	Pass
5	12512.541	51.52	74.0	22.48	Peak	52.00	400	Horizontal	Pass
5**	12512.541	42.19	54.0	11.81	AV	52.00	400	Horizontal	Pass
6	16146.049	53.33	74.0	20.68	Peak	83.00	200	Horizontal	Pass
6**	16146.049	42.66	54.0	11.34	AV	83.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.860	49.35	74.0	24.65	Peak	6.00	300	Vertical	Pass
1**	1156.860	30.78	54.0	23.22	AV	6.00	300	Vertical	Pass
2	1332.856	47.90	74.0	26.10	Peak	180.00	100	Vertical	Pass
2**	1332.856	35.53	54.0	18.47	AV	180.00	100	Vertical	Pass
3	4928.477	48.80	74.0	25.20	Peak	229.00	200	Vertical	Pass
3**	4928.477	37.55	54.0	16.45	AV	229.00	200	Vertical	Pass
4	7940.765	49.42	74.0	24.58	Peak	49.00	100	Vertical	Pass
4**	7940.765	40.21	54.0	13.79	AV	49.00	100	Vertical	Pass
5	12496.928	54.44	74.0	19.56	Peak	123.00	200	Vertical	Pass
5**	12496.928	42.86	54.0	11.14	AV	123.00	200	Vertical	Pass
6	17102.725	55.32	74.0	18.68	Peak	261.00	200	Vertical	Pass
6**	17102.725	44.14	54.0	9.86	AV	261.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.649	38.95	74.0	35.05	Peak	325.00	200	Horizontal	Pass
1**	1509.649	26.99	54.0	27.02	AV	325.00	200	Horizontal	Pass
2	2342.940	37.19	74.0	36.81	Peak	83.00	300	Horizontal	Pass
2**	2342.940	29.03	54.0	24.97	AV	83.00	300	Horizontal	Pass
3	4210.167	46.74	74.0	27.26	Peak	316.00	200	Horizontal	Pass
3**	4210.167	38.44	54.0	15.56	AV	316.00	200	Horizontal	Pass
4	7436.192	52.78	74.0	21.22	Peak	316.00	200	Horizontal	Pass
4**	7436.192	42.92	54.0	11.08	AV	316.00	200	Horizontal	Pass
5	12510.311	51.51	74.0	22.49	Peak	136.00	100	Horizontal	Pass
5**	12510.311	42.06	54.0	11.94	AV	136.00	100	Horizontal	Pass
6	16147.594	53.09	74.0	20.91	Peak	36.00	400	Horizontal	Pass
6**	16147.594	42.47	54.0	11.53	AV	36.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.094	49.18	74.0	24.82	Peak	257.00	100	Vertical	Pass
1**	1161.094	30.79	54.0	23.21	AV	257.00	100	Vertical	Pass
2	1333.999	47.65	74.0	26.35	Peak	266.00	300	Vertical	Pass
2**	1333.999	35.43	54.0	18.57	AV	266.00	300	Vertical	Pass
3	4933.043	48.68	74.0	25.32	Peak	59.00	200	Vertical	Pass
3**	4933.043	37.27	54.0	16.73	AV	59.00	200	Vertical	Pass
4	7938.904	49.26	74.0	24.74	Peak	155.00	400	Vertical	Pass
4**	7938.904	40.02	54.0	13.99	AV	155.00	400	Vertical	Pass
5	12494.284	54.41	74.0	19.59	Peak	131.00	300	Vertical	Pass
5**	12494.284	42.71	54.0	11.29	AV	131.00	300	Vertical	Pass
6	17101.073	55.15	74.0	18.85	Peak	57.00	400	Vertical	Pass
6**	17101.073	44.31	54.0	9.69	AV	57.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.754	39.68	74.0	34.32	Peak	33.00	400	Horizontal	Pass
1**	1504.754	28.21	54.0	25.79	AV	33.00	400	Horizontal	Pass
2	2343.824	38.62	74.0	35.39	Peak	177.00	400	Horizontal	Pass
2**	2343.824	29.76	54.0	24.25	AV	177.00	400	Horizontal	Pass
3	4207.103	47.55	74.0	26.45	Peak	360.00	200	Horizontal	Pass
3**	4207.103	39.42	54.0	14.58	AV	360.00	200	Horizontal	Pass
4	7439.583	53.50	74.0	20.50	Peak	110.00	300	Horizontal	Pass
4**	7439.583	43.52	54.0	10.48	AV	110.00	300	Horizontal	Pass
5	12505.790	52.53	74.0	21.47	Peak	333.00	200	Horizontal	Pass
5**	12505.790	43.14	54.0	10.86	AV	333.00	200	Horizontal	Pass
6	16145.896	53.47	74.0	20.53	Peak	299.00	100	Horizontal	Pass
6**	16145.896	43.40	54.0	10.60	AV	299.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.973	50.04	74.0	23.96	Peak	104.00	200	Vertical	Pass
1**	1160.973	31.82	54.0	22.18	AV	104.00	200	Vertical	Pass
2	1337.512	48.74	74.0	25.26	Peak	350.00	100	Vertical	Pass
2**	1337.512	36.20	54.0	17.80	AV	350.00	100	Vertical	Pass
3	4927.975	50.01	74.0	23.99	Peak	197.00	200	Vertical	Pass
3**	4927.975	38.11	54.0	15.89	AV	197.00	200	Vertical	Pass
4	7936.903	49.96	74.0	24.04	Peak	306.00	300	Vertical	Pass
4**	7936.903	40.75	54.0	13.25	AV	306.00	300	Vertical	Pass
5	12493.879	55.37	74.0	18.63	Peak	87.00	300	Vertical	Pass
5**	12493.879	43.56	54.0	10.44	AV	87.00	300	Vertical	Pass
6	17103.333	55.98	74.0	18.02	Peak	305.00	200	Vertical	Pass
6**	17103.333	44.75	54.0	9.25	AV	305.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.949	39.55	74.0	34.45	Peak	106.00	100	Horizontal	Pass
1**	1505.949	27.92	54.0	26.08	AV	106.00	100	Horizontal	Pass
2	2347.084	38.39	74.0	35.61	Peak	284.00	100	Horizontal	Pass
2**	2347.084	29.65	54.0	24.35	AV	284.00	100	Horizontal	Pass
3	4206.806	47.33	74.0	26.67	Peak	60.00	200	Horizontal	Pass
3**	4206.806	39.31	54.0	14.69	AV	60.00	200	Horizontal	Pass
4	7439.224	53.35	74.0	20.65	Peak	316.00	300	Horizontal	Pass
4**	7439.224	43.53	54.0	10.47	AV	316.00	300	Horizontal	Pass
5	12507.301	52.53	74.0	21.48	Peak	298.00	100	Horizontal	Pass
5**	12507.301	43.11	54.0	10.90	AV	298.00	100	Horizontal	Pass
6	16147.153	53.39	74.0	20.61	Peak	260.00	200	Horizontal	Pass
6**	16147.153	42.99	54.0	11.01	AV	260.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.130	50.06	74.0	23.94	Peak	234.00	200	Vertical	Pass
1**	1158.130	31.47	54.0	22.53	AV	234.00	200	Vertical	Pass
2	1332.866	48.59	74.0	25.41	Peak	317.00	100	Vertical	Pass
2**	1332.866	36.12	54.0	17.88	AV	317.00	100	Vertical	Pass
3	4927.944	49.70	74.0	24.30	Peak	299.00	200	Vertical	Pass
3**	4927.944	38.28	54.0	15.72	AV	299.00	200	Vertical	Pass
4	7935.781	49.56	74.0	24.44	Peak	124.00	200	Vertical	Pass
4**	7935.781	40.55	54.0	13.46	AV	124.00	200	Vertical	Pass
5	12489.821	55.16	74.0	18.84	Peak	286.00	400	Vertical	Pass
5**	12489.821	43.53	54.0	10.47	AV	286.00	400	Vertical	Pass
6	17100.366	55.96	74.0	18.04	Peak	162.00	100	Vertical	Pass
6**	17100.366	44.52	54.0	9.48	AV	162.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.445	39.34	74.0	34.66	Peak	338.00	200	Horizontal	Pass
1**	1509.445	27.89	54.0	26.11	AV	338.00	200	Horizontal	Pass
2	2343.821	38.29	74.0	35.71	Peak	236.00	300	Horizontal	Pass
2**	2343.821	29.58	54.0	24.42	AV	236.00	300	Horizontal	Pass
3	4209.731	47.42	74.0	26.58	Peak	31.00	200	Horizontal	Pass
3**	4209.731	39.26	54.0	14.74	AV	31.00	200	Horizontal	Pass
4	7436.133	53.23	74.0	20.77	Peak	287.00	200	Horizontal	Pass
4**	7436.133	43.22	54.0	10.78	AV	287.00	200	Horizontal	Pass
5	12510.245	52.10	74.0	21.90	Peak	228.00	400	Horizontal	Pass
5**	12510.245	42.64	54.0	11.36	AV	228.00	400	Horizontal	Pass
6	16143.030	53.56	74.0	20.44	Peak	136.00	100	Horizontal	Pass
6**	16143.030	43.06	54.0	10.94	AV	136.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.157	49.68	74.0	24.32	Peak	196.00	100	Vertical	Pass
1**	1162.157	31.49	54.0	22.51	AV	196.00	100	Vertical	Pass
2	1332.293	48.25	74.0	25.75	Peak	304.00	300	Vertical	Pass
2**	1332.293	35.71	54.0	18.29	AV	304.00	300	Vertical	Pass
3	4929.444	49.34	74.0	24.66	Peak	185.00	200	Vertical	Pass
3**	4929.444	38.16	54.0	15.85	AV	185.00	200	Vertical	Pass
4	7941.199	49.65	74.0	24.35	Peak	266.00	300	Vertical	Pass
4**	7941.199	40.54	54.0	13.47	AV	266.00	300	Vertical	Pass
5	12496.489	54.88	74.0	19.12	Peak	261.00	200	Vertical	Pass
5**	12496.489	43.17	54.0	10.83	AV	261.00	200	Vertical	Pass
6	17104.969	55.90	74.0	18.10	Peak	242.00	400	Vertical	Pass
6**	17104.969	44.35	54.0	9.65	AV	242.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.645	39.29	74.0	34.71	Peak	117.00	200	Horizontal	Pass
1**	1505.645	27.65	54.0	26.35	AV	117.00	200	Horizontal	Pass
2	2347.630	37.93	74.0	36.07	Peak	259.00	100	Horizontal	Pass
2**	2347.630	29.65	54.0	24.35	AV	259.00	100	Horizontal	Pass
3	4209.439	47.40	74.0	26.60	Peak	326.00	200	Horizontal	Pass
3**	4209.439	39.04	54.0	14.96	AV	326.00	200	Horizontal	Pass
4	7438.288	53.03	74.0	20.97	Peak	99.00	300	Horizontal	Pass
4**	7438.288	42.99	54.0	11.01	AV	99.00	300	Horizontal	Pass
5	12511.630	52.19	74.0	21.81	Peak	36.00	200	Horizontal	Pass
5**	12511.630	42.74	54.0	11.27	AV	36.00	200	Horizontal	Pass
6	16148.629	53.45	74.0	20.55	Peak	80.00	300	Horizontal	Pass
6**	16148.629	43.12	54.0	10.88	AV	80.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.801	49.72	74.0	24.28	Peak	126.00	100	Vertical	Pass
1**	1156.801	31.08	54.0	22.93	AV	126.00	100	Vertical	Pass
2	1336.805	48.16	74.0	25.84	Peak	39.00	400	Vertical	Pass
2**	1336.805	35.64	54.0	18.36	AV	39.00	400	Vertical	Pass
3	4926.402	49.36	74.0	24.64	Peak	265.00	200	Vertical	Pass
3**	4926.402	37.99	54.0	16.01	AV	265.00	200	Vertical	Pass
4	7940.099	49.43	74.0	24.57	Peak	283.00	200	Vertical	Pass
4**	7940.099	40.25	54.0	13.75	AV	283.00	200	Vertical	Pass
5	12497.041	54.96	74.0	19.05	Peak	302.00	300	Vertical	Pass
5**	12497.041	43.14	54.0	10.86	AV	302.00	300	Vertical	Pass
6	17105.629	55.70	74.0	18.30	Peak	195.00	400	Vertical	Pass
6**	17105.629	44.27	54.0	9.74	AV	195.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.961	39.28	74.0	34.72	Peak	94.00	100	Horizontal	Pass
1**	1508.961	27.28	54.0	26.72	AV	94.00	100	Horizontal	Pass
2	2341.498	37.63	74.0	36.37	Peak	255.00	400	Horizontal	Pass
2**	2341.498	29.43	54.0	24.57	AV	255.00	400	Horizontal	Pass
3	4210.671	47.21	74.0	26.79	Peak	28.00	200	Horizontal	Pass
3**	4210.671	38.78	54.0	15.22	AV	28.00	200	Horizontal	Pass
4	7436.542	52.80	74.0	21.20	Peak	352.00	400	Horizontal	Pass
4**	7436.542	42.84	54.0	11.16	AV	352.00	400	Horizontal	Pass
5	12505.654	51.90	74.0	22.10	Peak	60.00	100	Horizontal	Pass
5**	12505.654	42.37	54.0	11.63	AV	60.00	100	Horizontal	Pass
6	16143.601	53.20	74.0	20.80	Peak	278.00	300	Horizontal	Pass
6**	16143.601	42.79	54.0	11.21	AV	278.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.442	49.48	74.0	24.52	Peak	12.00	300	Vertical	Pass
1**	1159.442	31.00	54.0	23.00	AV	12.00	300	Vertical	Pass
2	1333.012	48.22	74.0	25.78	Peak	256.00	300	Vertical	Pass
2**	1333.012	35.69	54.0	18.31	AV	256.00	300	Vertical	Pass
3	4926.525	49.03	74.0	24.97	Peak	302.00	200	Vertical	Pass
3**	4926.525	37.77	54.0	16.23	AV	302.00	200	Vertical	Pass
4	7938.055	49.28	74.0	24.72	Peak	37.00	200	Vertical	Pass
4**	7938.055	40.33	54.0	13.68	AV	37.00	200	Vertical	Pass
5	12491.595	54.75	74.0	19.26	Peak	228.00	100	Vertical	Pass
5**	12491.595	42.87	54.0	11.13	AV	228.00	100	Vertical	Pass
6	17103.536	55.42	74.0	18.58	Peak	4.00	300	Vertical	Pass
6**	17103.536	44.30	54.0	9.70	AV	4.00	300	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.350	39.19	74.0	34.81	Peak	318.00	400	Horizontal	Pass
1**	1511.350	27.24	54.0	26.76	AV	318.00	400	Horizontal	Pass
2	2344.017	37.38	74.0	36.62	Peak	192.00	100	Horizontal	Pass
2**	2344.017	28.98	54.0	25.02	AV	192.00	100	Horizontal	Pass
3	4210.633	47.10	74.0	26.90	Peak	280.00	200	Horizontal	Pass
3**	4210.633	38.47	54.0	15.53	AV	280.00	200	Horizontal	Pass
4	7435.138	52.75	74.0	21.25	Peak	239.00	400	Horizontal	Pass
4**	7435.138	42.92	54.0	11.08	AV	239.00	400	Horizontal	Pass
5	12510.528	51.69	74.0	22.31	Peak	15.00	300	Horizontal	Pass
5**	12510.528	42.08	54.0	11.92	AV	15.00	300	Horizontal	Pass
6	16144.489	53.25	74.0	20.75	Peak	261.00	300	Horizontal	Pass
6**	16144.489	42.46	54.0	11.54	AV	261.00	300	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.945	49.50	74.0	24.50	Peak	76.00	100	Vertical	Pass
1**	1160.945	30.91	54.0	23.09	AV	76.00	100	Vertical	Pass
2	1331.446	47.71	74.0	26.29	Peak	220.00	300	Vertical	Pass
2**	1331.446	35.55	54.0	18.45	AV	220.00	300	Vertical	Pass
3	4927.419	48.93	74.0	25.07	Peak	266.00	200	Vertical	Pass
3**	4927.419	37.68	54.0	16.32	AV	266.00	200	Vertical	Pass
4	7935.849	49.16	74.0	24.84	Peak	360.00	400	Vertical	Pass
4**	7935.849	40.28	54.0	13.72	AV	360.00	400	Vertical	Pass
5	12492.209	54.35	74.0	19.65	Peak	144.00	200	Vertical	Pass
5**	12492.209	42.75	54.0	11.25	AV	144.00	200	Vertical	Pass
6	17102.836	55.38	74.0	18.62	Peak	280.00	200	Vertical	Pass
6**	17102.836	44.34	54.0	9.66	AV	280.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass


Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


SISO-ANT0

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	61.73	74.0	12.27	Peak	181.00	150	Horizontal	Pass
1**	5146.750	49.39	54.0	4.61	AV	181.00	150	Horizontal	Pass
2	5150.000	62.11	74.0	11.89	Peak	164.00	100	Horizontal	Pass
2**	5150.000	50.70	54.0	3.30	AV	164.00	100	Horizontal	Pass
3	5148.917	60.93	74.0	13.07	Peak	160.00	150	Horizontal	Pass
3**	5148.917	50.92	54.0	3.08	AV	160.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.55	74.0	21.45	Peak	233.00	200	Horizontal	Pass
1**	5350.000	41.53	54.0	12.47	AV	233.00	200	Horizontal	Pass
2	5359.533	54.28	74.0	19.72	Peak	298.00	200	Horizontal	Pass
2**	5359.533	41.73	54.0	12.27	AV	298.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	58.86	74.0	15.14	Peak	174.00	100	Horizontal	Pass
1**	5147.833	47.60	54.0	6.40	AV	174.00	100	Horizontal	Pass
2	5150.000	58.59	74.0	15.41	Peak	167.00	150	Horizontal	Pass
2**	5150.000	48.64	54.0	5.36	AV	167.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.77	74.0	22.23	Peak	13.00	150	Horizontal	Pass
1**	5350.000	41.54	54.0	12.46	AV	13.00	150	Horizontal	Pass
2	5458.350	54.33	74.0	19.67	Peak	88.00	150	Horizontal	Pass
2**	5458.350	42.29	54.0	11.71	AV	88.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.584	62.75	74.0	11.25	Peak	145.00	100	Horizontal	Pass
1**	5144.584	50.81	54.0	3.19	AV	145.00	100	Horizontal	Pass
2	5150.000	63.38	74.0	10.62	Peak	165.00	100	Horizontal	Pass
2**	5150.000	52.80	54.0	1.20	AV	165.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.07	74.0	21.93	Peak	137.00	150	Horizontal	Pass
1**	5350.000	42.29	54.0	11.71	AV	137.00	150	Horizontal	Pass
2	5359.717	54.10	74.0	19.90	Peak	155.00	150	Horizontal	Pass
2**	5359.717	42.68	54.0	11.32	AV	155.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	58.56	74.0	15.44	Peak	198.00	150	Horizontal	Pass
1**	5147.833	47.38	54.0	6.62	AV	198.00	150	Horizontal	Pass
2	5150.000	60.05	74.0	13.95	Peak	173.00	150	Horizontal	Pass
2**	5150.000	47.78	54.0	6.22	AV	173.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.60	74.0	23.40	Peak	360.00	200	Horizontal	Pass
1**	5350.000	40.69	54.0	13.31	AV	360.00	200	Horizontal	Pass
2	5447.900	53.65	74.0	20.35	Peak	241.00	150	Horizontal	Pass
2**	5447.900	41.70	54.0	12.30	AV	241.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	65.57	74.0	8.43	Peak	165.00	150	Horizontal	Pass
1**	5146.750	51.24	54.0	2.76	AV	165.00	150	Horizontal	Pass
2	5150.000	65.24	74.0	8.76	Peak	165.00	200	Horizontal	Pass
2**	5150.000	52.86	54.0	1.14	AV	165.00	200	Horizontal	Pass
3	5148.917	62.22	74.0	11.78	Peak	161.00	150	Horizontal	Pass
3**	5148.917	53.21	54.0	0.79	AV	161.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.00	74.0	22.00	Peak	162.00	150	Horizontal	Pass
1**	5350.000	42.56	54.0	11.44	AV	162.00	150	Horizontal	Pass
2	5356.233	54.17	74.0	19.83	Peak	159.00	150	Horizontal	Pass
2**	5356.233	42.64	54.0	11.36	AV	159.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.167	65.85	74.0	8.15	Peak	173.00	200	Horizontal	Pass
1**	5139.167	50.73	54.0	3.27	AV	173.00	200	Horizontal	Pass
2	5150.000	65.08	74.0	8.92	Peak	175.00	150	Horizontal	Pass
2**	5150.000	52.50	54.0	1.50	AV	175.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	74.0	15.76	Peak	133.00	100	Horizontal	Pass
1**	5350.000	48.29	54.0	5.71	AV	133.00	100	Horizontal	Pass
2	5354.400	60.98	74.0	13.02	Peak	167.00	150	Horizontal	Pass
2**	5354.400	48.09	54.0	5.91	AV	167.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.416	59.93	74.0	14.07	Peak	180.00	150	Horizontal	Pass
1**	5142.416	48.36	54.0	5.64	AV	180.00	150	Horizontal	Pass
2	5150.000	58.13	74.0	15.87	Peak	165.00	200	Horizontal	Pass
2**	5150.000	48.70	54.0	5.30	AV	165.00	200	Horizontal	Pass
3	5148.917	58.08	74.0	15.92	Peak	180.00	150	Horizontal	Pass
3**	5148.917	49.58	54.0	4.42	AV	180.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.60	74.0	14.40	Peak	165.00	150	Horizontal	Pass
1**	5350.000	50.47	54.0	3.53	AV	165.00	150	Horizontal	Pass
2	5358.433	63.11	74.0	10.89	Peak	160.00	200	Horizontal	Pass
2**	5358.433	50.62	54.0	3.38	AV	160.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	63.64	74.0	10.36	Peak	175.00	150	Horizontal	Pass
1**	5148.917	48.61	54.0	5.39	AV	175.00	150	Horizontal	Pass
2	5150.000	65.12	74.0	8.88	Peak	175.00	150	Horizontal	Pass
2**	5150.000	49.31	54.0	4.69	AV	175.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.73	74.0	22.27	Peak	229.00	200	Horizontal	Pass
1**	5350.000	40.86	54.0	13.14	AV	229.00	200	Horizontal	Pass
2	5362.100	53.42	74.0	20.58	Peak	203.00	200	Horizontal	Pass
2**	5362.100	41.33	54.0	12.67	AV	203.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	63.15	74.0	10.85	Peak	166.00	100	Horizontal	Pass
1**	5147.833	52.35	54.0	1.65	AV	166.00	100	Horizontal	Pass
2	5150.000	65.03	74.0	8.97	Peak	166.00	150	Horizontal	Pass
2**	5150.000	53.46	54.0	0.54	AV	166.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.92	74.0	21.08	Peak	201.00	100	Horizontal	Pass
1**	5350.000	43.20	54.0	10.80	AV	201.00	100	Horizontal	Pass
2	5354.767	54.77	74.0	19.23	Peak	159.00	200	Horizontal	Pass
2**	5354.767	42.89	54.0	11.11	AV	159.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	61.84	74.0	12.16	Peak	178.00	100	Horizontal	Pass
1**	5146.750	51.28	54.0	2.72	AV	178.00	100	Horizontal	Pass
2	5150.000	60.62	74.0	13.38	Peak	167.00	100	Horizontal	Pass
2**	5150.000	51.27	54.0	2.73	AV	167.00	100	Horizontal	Pass
3	5147.833	60.61	74.0	13.39	Peak	178.00	150	Horizontal	Pass
3**	5147.833	51.73	54.0	2.27	AV	178.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.12	74.0	13.88	Peak	154.00	150	Horizontal	Pass
1**	5350.000	49.71	54.0	4.29	AV	154.00	150	Horizontal	Pass
2	5352.383	61.19	74.0	12.81	Peak	141.00	150	Horizontal	Pass
2**	5352.383	49.84	54.0	4.16	AV	141.00	150	Horizontal	Pass


U-NII-1 11ax160(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	60.11	74.0	13.89	Peak	174.00	100	Horizontal	Pass
1**	5146.750	49.93	54.0	4.07	AV	174.00	100	Horizontal	Pass
2	5150.000	57.33	74.0	16.67	Peak	174.00	100	Horizontal	Pass
2**	5150.000	48.69	54.0	5.31	AV	174.00	100	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

3# Bandedge - ATT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.21	74.0	15.79	Peak	171.00	200	Horizontal	Pass
1**	5350.000	48.33	54.0	5.67	AV	171.00	200	Horizontal	Pass
2	5384.100	62.04	74.0	11.96	Peak	178.00	150	Horizontal	Pass
2**	5384.100	49.72	54.0	4.28	AV	178.00	150	Horizontal	Pass
3	5391.067	60.96	74.0	13.04	Peak	198.00	150	Horizontal	Pass
3**	5391.067	51.35	54.0	2.65	AV	198.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4927.917	53.32	74.0	20.68	Peak	301.00	150	Horizontal	Pass
1**	4927.917	41.19	54.0	12.81	AV	301.00	150	Horizontal	Pass
2	5150.000	51.87	74.0	22.13	Peak	46.00	200	Horizontal	Pass
2**	5150.000	41.72	54.0	12.28	AV	46.00	200	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.04	74.0	10.96	Peak	151.00	100	Horizontal	Pass
1**	5350.000	51.77	54.0	2.23	AV	151.00	100	Horizontal	Pass
2	5350.550	63.69	74.0	10.31	Peak	149.00	150	Horizontal	Pass
2**	5350.550	50.93	54.0	3.07	AV	149.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5064.416	53.98	74.0	20.02	Peak	235.00	100	Horizontal	Pass
1**	5064.416	41.86	54.0	12.14	AV	235.00	100	Horizontal	Pass
2	5150.000	51.85	74.0	22.15	Peak	49.00	100	Horizontal	Pass
2**	5150.000	41.80	54.0	12.20	AV	49.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.15	74.0	10.85	Peak	175.00	150	Horizontal	Pass
1**	5350.000	52.37	54.0	1.63	AV	175.00	150	Horizontal	Pass
2	5353.300	64.58	74.0	9.42	Peak	175.00	150	Horizontal	Pass
2**	5353.300	51.91	54.0	2.09	AV	175.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.583	66.86	74.0	7.14	Peak	190.00	150	Horizontal	Pass
1**	5131.583	51.62	54.0	2.38	AV	190.00	150	Horizontal	Pass
2	5150.000	64.78	74.0	9.22	Peak	156.00	100	Horizontal	Pass
2**	5150.000	52.29	54.0	1.71	AV	156.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.63	74.0	10.37	Peak	196.00	200	Horizontal	Pass
1**	5350.000	52.86	54.0	1.14	AV	196.00	200	Horizontal	Pass
2	5350.550	65.47	74.0	8.53	Peak	201.00	100	Horizontal	Pass
2**	5350.550	53.25	54.0	0.75	AV	201.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.583	53.72	74.0	20.28	Peak	0.00	100	Horizontal	Pass
1**	5092.583	41.58	54.0	12.42	AV	0.00	100	Horizontal	Pass
2	5150.000	52.26	74.0	21.74	Peak	343.00	150	Horizontal	Pass
2**	5150.000	41.97	54.0	12.03	AV	343.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.67	74.0	9.33	Peak	172.00	200	Horizontal	Pass
1**	5350.000	52.99	54.0	1.01	AV	172.00	200	Horizontal	Pass
2	5351.650	65.83	74.0	8.17	Peak	176.00	100	Horizontal	Pass
2**	5351.650	52.12	54.0	1.88	AV	176.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.667	65.59	74.0	8.41	Peak	149.00	100	Horizontal	Pass
1**	5145.667	50.56	54.0	3.44	AV	149.00	100	Horizontal	Pass
2	5150.000	63.97	74.0	10.03	Peak	174.00	150	Horizontal	Pass
2**	5150.000	50.45	54.0	3.55	AV	174.00	150	Horizontal	Pass
3	5143.500	64.10	74.0	9.90	Peak	151.00	150	Horizontal	Pass
3**	5143.500	51.00	54.0	3.00	AV	151.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.40	74.0	14.60	Peak	200.00	200	Horizontal	Pass
1**	5350.000	51.06	54.0	2.94	AV	200.00	200	Horizontal	Pass
2	5350.733	62.53	74.0	11.47	Peak	197.00	100	Horizontal	Pass
2**	5350.733	51.59	54.0	2.41	AV	197.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.667	63.46	74.0	10.54	Peak	177.00	150	Horizontal	Pass
1**	5145.667	51.57	54.0	2.43	AV	177.00	150	Horizontal	Pass
2	5150.000	59.70	74.0	14.30	Peak	153.00	150	Horizontal	Pass
2**	5150.000	50.71	54.0	3.29	AV	153.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.01	74.0	12.99	Peak	176.00	200	Horizontal	Pass
1**	5350.000	52.27	54.0	1.73	AV	176.00	200	Horizontal	Pass
2	5352.750	63.43	74.0	10.57	Peak	174.00	150	Horizontal	Pass
2**	5352.750	51.86	54.0	2.14	AV	174.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.916	53.74	74.0	20.26	Peak	53.00	200	Horizontal	Pass
1**	5122.916	41.52	54.0	12.48	AV	53.00	200	Horizontal	Pass
2	5150.000	51.94	74.0	22.06	Peak	155.00	100	Horizontal	Pass
2**	5150.000	41.65	54.0	12.35	AV	155.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.96	74.0	7.04	Peak	156.00	150	Horizontal	Pass
1**	5350.000	53.09	54.0	0.91	AV	156.00	150	Horizontal	Pass
2	5351.100	68.04	74.0	5.96	Peak	153.00	150	Horizontal	Pass
2**	5351.100	52.44	54.0	1.56	AV	153.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.916	54.85	74.0	19.15	Peak	175.00	200	Horizontal	Pass
1**	5122.916	43.56	54.0	10.44	AV	175.00	200	Horizontal	Pass
2	5150.000	54.02	74.0	19.98	Peak	172.00	100	Horizontal	Pass
2**	5150.000	44.46	54.0	9.54	AV	172.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.75	74.0	11.25	Peak	173.00	200	Horizontal	Pass
1**	5350.000	51.72	54.0	2.28	AV	173.00	200	Horizontal	Pass
2	5350.367	64.14	74.0	9.86	Peak	173.00	150	Horizontal	Pass
2**	5350.367	51.73	54.0	2.27	AV	173.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.750	64.17	74.0	9.83	Peak	178.00	100	Horizontal	Pass
1**	5133.750	50.26	54.0	3.74	AV	178.00	100	Horizontal	Pass
2	5150.000	62.49	74.0	11.51	Peak	153.00	150	Horizontal	Pass
2**	5150.000	51.20	54.0	2.80	AV	153.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.41	74.0	12.59	Peak	175.00	200	Horizontal	Pass
1**	5350.000	52.81	54.0	1.19	AV	175.00	200	Horizontal	Pass
2	5352.750	64.84	74.0	9.16	Peak	175.00	100	Horizontal	Pass
2**	5352.750	52.29	54.0	1.71	AV	175.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.500	55.16	74.0	18.84	Peak	145.00	200	Horizontal	Pass
1**	5458.500	43.92	54.0	10.08	AV	145.00	200	Horizontal	Pass
2	5460.000	55.97	74.0	18.03	Peak	154.00	200	Horizontal	Pass
2**	5460.000	44.79	54.0	9.21	AV	154.00	200	Horizontal	Pass
3	5469.666	62.65	68.2	5.55	Peak	204.00	200	Horizontal	Pass
3**	5469.666	49.22	--	--	AV	204.00	200	Horizontal	N/A
4	5469.834	69.04	68.2	7.16	Peak	157.00	100	Horizontal	Pass
4**	5469.834	49.44	--	--	AV	157.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.57	68.2	2.63	Peak	158.00	150	Horizontal	Pass
2	5726.500	66.81	68.2	1.39	Peak	125.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.166	54.76	74.0	19.24	Peak	143.00	150	Horizontal	Pass
1**	5458.166	43.92	54.0	10.08	AV	143.00	150	Horizontal	Pass
2	5460.000	53.70	74.0	20.30	Peak	199.00	200	Horizontal	Pass
2**	5460.000	44.08	54.0	9.92	AV	199.00	200	Horizontal	Pass
3	5469.666	58.49	68.2	9.71	Peak	173.00	200	Horizontal	Pass
3**	5469.666	47.35	--	--	AV	173.00	200	Horizontal	N/A
4	5469.834	57.98	68.2	10.22	Peak	156.00	100	Horizontal	Pass
4**	5469.834	47.19	--	--	AV	156.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.70	68.2	4.50	Peak	196.00	200	Horizontal	Pass
2	5725.334	64.63	68.2	3.57	Peak	166.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.833	60.11	74.0	13.89	Peak	170.00	100	Horizontal	Pass
1**	5459.833	49.57	54.0	4.43	AV	170.00	100	Horizontal	Pass
2	5460.000	59.37	74.0	14.63	Peak	162.00	100	Horizontal	Pass
2**	5460.000	50.42	54.0	3.58	AV	162.00	100	Horizontal	Pass
3	5469.334	65.92	68.2	2.28	Peak	170.00	200	Horizontal	Pass
3**	5469.334	53.80	--	--	AV	170.00	200	Horizontal	N/A
4	5469.834	64.92	68.2	3.28	Peak	167.00	150	Horizontal	Pass
4**	5469.834	54.13	--	--	AV	167.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	69.98	68.2	6.22	Peak	130.00	150	Horizontal	Pass
2	5726.500	62.41	68.2	5.79	Peak	169.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.500	54.85	74.0	19.15	Peak	199.00	150	Horizontal	Pass
1**	5457.500	44.02	54.0	9.98	AV	199.00	150	Horizontal	Pass
2	5460.000	53.45	74.0	20.55	Peak	154.00	100	Horizontal	Pass
2**	5460.000	44.44	54.0	9.56	AV	154.00	100	Horizontal	Pass
3	5469.000	59.77	68.2	8.43	Peak	152.00	100	Horizontal	Pass
3**	5469.000	47.73	--	--	AV	152.00	100	Horizontal	N/A
4	5469.834	58.58	68.2	9.62	Peak	172.00	200	Horizontal	Pass
4**	5469.834	47.63	--	--	AV	172.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	69.93	68.2	6.27	Peak	175.00	100	Horizontal	Pass
2	5727.500	64.10	68.2	4.10	Peak	169.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.833	59.32	74.0	14.68	Peak	164.00	200	Horizontal	Pass
1**	5459.833	48.82	54.0	5.18	AV	164.00	200	Horizontal	Pass
2	5460.000	58.83	74.0	15.17	Peak	161.00	150	Horizontal	Pass
2**	5460.000	48.88	54.0	5.12	AV	161.00	150	Horizontal	Pass
3	5469.167	66.02	68.2	2.18	Peak	172.00	150	Horizontal	Pass
3**	5469.167	52.39	--	--	AV	172.00	150	Horizontal	N/A
4	5469.834	64.40	68.2	3.80	Peak	164.00	100	Horizontal	Pass
4**	5469.834	52.78	--	--	AV	164.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.28	68.2	6.92	Peak	120.00	200	Horizontal	Pass
2	5725.834	64.96	68.2	3.24	Peak	158.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.833	64.95	74.0	9.05	Peak	170.00	100	Horizontal	Pass
1**	5458.833	52.81	54.0	1.19	AV	170.00	100	Horizontal	Pass
2	5460.000	64.61	74.0	9.39	Peak	165.00	200	Horizontal	Pass
2**	5460.000	53.50	54.0	0.50	AV	165.00	200	Horizontal	Pass
3	5467.666	67.55	68.2	0.65	Peak	170.00	150	Horizontal	Pass
3**	5467.666	54.17	--	--	AV	170.00	150	Horizontal	N/A
4	5469.834	65.28	68.2	2.92	Peak	167.00	200	Horizontal	Pass
4**	5469.834	54.50	--	--	AV	167.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.40	68.2	5.80	Peak	155.00	200	Horizontal	Pass
2	5732.000	63.61	68.2	4.59	Peak	158.00	200	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.500	63.09	74.0	10.91	Peak	166.00	100	Horizontal	Pass
1**	5458.500	51.76	54.0	2.24	AV	166.00	100	Horizontal	Pass
2	5460.000	61.48	74.0	12.52	Peak	162.00	200	Horizontal	Pass
2**	5460.000	52.36	54.0	1.64	AV	162.00	200	Horizontal	Pass
3	5460.334	63.44	68.2	4.76	Peak	164.00	100	Horizontal	Pass
3**	5460.334	52.65	--	--	AV	164.00	100	Horizontal	N/A
4	5469.834	61.20	68.2	7.00	Peak	164.00	100	Horizontal	Pass
4**	5469.834	52.68	--	--	AV	164.00	100	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.05	68.2	5.15	Peak	158.00	100	Horizontal	Pass
2	5725.167	64.59	68.2	3.69	Peak	158.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.166	58.20	74.0	15.80	Peak	162.00	100	Horizontal	Pass
1**	5458.166	46.65	54.0	7.35	AV	162.00	100	Horizontal	Pass
2	5460.000	59.12	74.0	14.88	Peak	164.00	100	Horizontal	Pass
2**	5460.000	47.51	54.0	6.49	AV	164.00	100	Horizontal	Pass
3	5469.167	64.54	68.2	3.66	Peak	162.00	200	Horizontal	Pass
3**	5469.167	50.90	--	--	AV	162.00	200	Horizontal	N/A
4	5469.834	61.66	68.2	6.54	Peak	128.00	100	Horizontal	Pass
4**	5469.834	51.35	--	--	AV	128.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	66.38	68.2	1.82	Peak	124.00	100	Horizontal	Pass
2	5727.000	66.66	68.2	1.54	Peak	163.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.667	62.24	74.0	11.76	Peak	141.00	200	Horizontal	Pass
1**	5456.667	47.73	54.0	6.27	AV	141.00	200	Horizontal	Pass
2	5460.000	59.13	74.0	14.87	Peak	165.00	150	Horizontal	Pass
2**	5460.000	49.95	54.0	4.05	AV	165.00	150	Horizontal	Pass
3	5469.334	65.40	68.2	2.80	Peak	137.00	100	Horizontal	Pass
3**	5469.334	53.41	--	--	AV	137.00	100	Horizontal	N/A
4	5469.834	63.40	68.2	4.80	Peak	165.00	100	Horizontal	Pass
4**	5469.834	53.17	--	--	AV	165.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.35	68.2	3.85	Peak	120.00	200	Horizontal	Pass
2	5728.000	64.83	68.2	3.37	Peak	123.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.834	62.23	74.0	11.77	Peak	179.00	150	Horizontal	Pass
1**	5456.834	49.53	54.0	4.47	AV	179.00	150	Horizontal	Pass
2	5460.000	60.69	74.0	13.31	Peak	165.00	200	Horizontal	Pass
2**	5460.000	50.96	54.0	3.04	AV	165.00	200	Horizontal	Pass
3	5466.833	65.76	68.2	2.44	Peak	144.00	150	Horizontal	Pass
3**	5466.833	51.32	--	--	AV	144.00	150	Horizontal	N/A
4	5469.834	63.26	68.2	4.94	Peak	165.00	200	Horizontal	Pass
4**	5469.834	52.82	--	--	AV	165.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.42	68.2	2.78	Peak	151.00	100	Horizontal	Pass
2	5730.833	66.98	68.2	1.22	Peak	162.00	100	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.167	61.73	74.0	12.27	Peak	161.00	150	Horizontal	Pass
1**	5459.167	51.10	54.0	2.90	AV	161.00	150	Horizontal	Pass
2	5460.000	61.45	74.0	12.55	Peak	163.00	200	Horizontal	Pass
2**	5460.000	51.73	54.0	2.27	AV	163.00	200	Horizontal	Pass
3	5463.834	62.48	68.2	5.72	Peak	172.00	150	Horizontal	Pass
3**	5463.834	51.00	--	--	AV	172.00	150	Horizontal	N/A
4	5469.834	61.13	68.2	7.07	Peak	163.00	200	Horizontal	Pass
4**	5469.834	52.07	--	--	AV	163.00	200	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.39	68.2	4.81	Peak	157.00	200	Horizontal	Pass
2	5732.334	64.49	68.2	3.71	Peak	168.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	58.18	68.2	10.02	Peak	164.00	150	Horizontal	Pass
2	5650.000	57.93	68.2	10.27	Peak	167.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	56.37	68.3	11.93	Peak	159.00	200	Horizontal	Pass
2	5926.333	56.67	68.2	11.53	Peak	136.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.500	56.94	68.2	11.26	Peak	125.00	150	Horizontal	Pass
2	5650.000	54.21	68.2	13.99	Peak	183.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	53.86	68.3	14.44	Peak	173.00	150	Horizontal	Pass
2	5948.666	55.87	68.2	12.33	Peak	195.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.166	64.09	68.2	4.11	Peak	171.00	150	Horizontal	Pass
2	5650.000	69.54	68.2	6.66	Peak	171.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	63.28	68.3	5.02	Peak	136.00	200	Horizontal	Pass
2	5928.667	66.43	68.2	1.77	Peak	169.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.834	56.08	68.2	12.12	Peak	168.00	200	Horizontal	Pass
2	5650.000	55.71	68.2	12.49	Peak	156.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	53.82	68.3	14.48	Peak	153.00	100	Horizontal	Pass
2	5940.833	56.34	68.2	11.86	Peak	135.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.000	63.11	68.2	5.09	Peak	127.00	150	Horizontal	Pass
2	5650.000	60.60	68.2	7.60	Peak	123.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	65.90	68.3	2.40	Peak	138.00	200	Horizontal	Pass
2	5930.833	67.45	68.2	0.75	Peak	167.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.333	66.14	68.2	2.06	Peak	168.00	150	Horizontal	Pass
2	5650.000	62.33	68.2	5.87	Peak	153.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	64.34	68.3	3.96	Peak	173.00	200	Horizontal	Pass
2	5925.500	66.71	68.2	1.49	Peak	168.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.000	62.51	68.2	5.69	Peak	160.00	150	Horizontal	Pass
2	5650.000	59.13	68.2	9.07	Peak	169.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	56.19	68.3	12.11	Peak	157.00	150	Horizontal	Pass
2	5940.500	58.32	68.2	9.88	Peak	153.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.833	66.46	68.2	1.74	Peak	162.00	150	Horizontal	Pass
2	5650.000	61.83	68.2	6.37	Peak	175.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	63.15	68.3	5.15	Peak	173.00	100	Horizontal	Pass
2	5928.000	67.10	68.2	1.10	Peak	173.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.000	66.29	68.2	1.91	Peak	168.00	100	Horizontal	Pass
2	5650.000	64.28	68.2	3.92	Peak	126.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	63.76	68.3	4.54	Peak	140.00	100	Horizontal	Pass
2	5930.500	66.78	68.2	1.42	Peak	173.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26030251-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ15C0294-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ15C0294-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--