











































11.5.3. Test Result-Standard Power Client

TestMode	Antenna	Channel	Result [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-MIMO	Ant0	5955	2.84	3.44	≤17.00	PASS
	Ant1	5955	3.54	4.34	≤17.00	PASS
	total	5955	6.21	6.91	≤17.00	PASS
	Ant0	6175	2.27	2.87	≤17.00	PASS
	Ant1	6175	3.79	4.59	≤17.00	PASS
	total	6175	6.11	6.81	≤17.00	PASS
	Ant0	6415	2.53	3.13	≤17.00	PASS
	Ant1	6415	3.53	4.33	≤17.00	PASS
	total	6415	6.07	6.77	≤17.00	PASS
	Ant0	6535	2.71	3.31	≤17.00	PASS
	Ant1	6535	3.28	4.08	≤17.00	PASS
	total	6535	6.01	6.71	≤17.00	PASS
	Ant0	6715	2.73	3.33	≤17.00	PASS
	Ant1	6715	3.03	3.83	≤17.00	PASS
	total	6715	5.89	6.59	≤17.00	PASS
	Ant0	6855	2.67	3.27	≤17.00	PASS
	Ant1	6855	2.90	3.70	≤17.00	PASS
	total	6855	5.80	6.50	≤17.00	PASS
11AX20MIMO	Ant0	5955	3.04	3.64	≤17.00	PASS
	Ant1	5955	3.99	4.79	≤17.00	PASS
	total	5955	6.55	7.25	≤17.00	PASS
	Ant0	6175	2.04	2.64	≤17.00	PASS
	Ant1	6175	3.63	4.43	≤17.00	PASS
	total	6175	5.92	6.62	≤17.00	PASS
	Ant0	6415	2.41	3.01	≤17.00	PASS
	Ant1	6415	3.31	4.11	≤17.00	PASS
	total	6415	5.89	6.59	≤17.00	PASS
	Ant0	6535	3.12	3.72	≤17.00	PASS
	Ant1	6535	3.62	4.42	≤17.00	PASS
	total	6535	6.39	7.09	≤17.00	PASS
	Ant0	6715	3.15	3.75	≤17.00	PASS
	Ant1	6715	3.13	3.93	≤17.00	PASS
	total	6715	6.15	6.85	≤17.00	PASS
	Ant0	6855	2.83	3.43	≤17.00	PASS
	Ant1	6855	3.07	3.87	≤17.00	PASS
	total	6855	5.96	6.66	≤17.00	PASS
11AX40MIMO	Ant0	5965	-0.21	0.39	≤17.00	PASS
	Ant1	5965	0.35	1.15	≤17.00	PASS
	total	5965	3.09	3.79	≤17.00	PASS
	Ant0	6165	-1.23	-0.63	≤17.00	PASS
	Ant1	6165	-0.25	0.55	≤17.00	PASS
	total	6165	2.30	3.00	≤17.00	PASS
	Ant0	6405	-0.63	-0.03	≤17.00	PASS
	Ant1	6405	0.00	0.80	≤17.00	PASS
	total	6405	2.71	3.41	≤17.00	PASS
	Ant0	6565	-0.37	0.23	≤17.00	PASS
	Ant1	6565	-0.33	0.47	≤17.00	PASS
	total	6565	2.66	3.36	≤17.00	PASS
	Ant0	6725	0.37	0.97	≤17.00	PASS
	Ant1	6725	0.32	1.12	≤17.00	PASS
	total	6725	3.36	4.06	≤17.00	PASS
	Ant0	6845	-0.20	0.40	≤17.00	PASS
	Ant1	6845	-0.35	0.45	≤17.00	PASS
	total	6845	2.74	3.44	≤17.00	PASS
11AX80MIMO	Ant0	5985	-2.59	-1.99	≤17.00	PASS
	Ant1	5985	-1.91	-1.11	≤17.00	PASS

	total	5985	0.77	1.47	≤17.00	PASS
	Ant0	6145	-3.05	-2.45	≤17.00	PASS
	Ant1	6145	-2.00	-1.20	≤17.00	PASS
	total	6145	0.52	1.22	≤17.00	PASS
	Ant0	6385	-2.75	-2.15	≤17.00	PASS
	Ant1	6385	-1.98	-1.18	≤17.00	PASS
	total	6385	0.66	1.36	≤17.00	PASS
	Ant0	6625	-2.27	-1.67	≤17.00	PASS
	Ant1	6625	-2.12	-1.32	≤17.00	PASS
	total	6625	0.82	1.52	≤17.00	PASS
	Ant0	6705	-2.13	-1.53	≤17.00	PASS
	Ant1	6705	-2.08	-1.28	≤17.00	PASS
	total	6705	0.91	1.61	≤17.00	PASS
	Ant0	6785	-2.31	-1.71	≤17.00	PASS
	Ant1	6785	-2.30	-1.50	≤17.00	PASS
	total	6785	0.71	1.41	≤17.00	PASS
11AX160MIMO	Ant0	6025	-5.60	-5.00	≤17.00	PASS
	Ant1	6025	-4.97	-4.17	≤17.00	PASS
	total	6025	-2.26	-1.56	≤17.00	PASS
	Ant0	6185	-5.84	-5.24	≤17.00	PASS
	Ant1	6185	-5.04	-4.24	≤17.00	PASS
	total	6185	-2.41	-1.71	≤17.00	PASS
	Ant0	6345	-5.57	-4.97	≤17.00	PASS
	Ant1	6345	-5.04	-4.24	≤17.00	PASS
	total	6345	-2.29	-1.59	≤17.00	PASS
	Ant0	6665	-5.93	-5.33	≤17.00	PASS
	Ant1	6665	-5.70	-4.90	≤17.00	PASS
	total	6665	-2.80	-2.10	≤17.00	PASS

Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.

TestMode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant0	5955	26Tone	RU0	10.69	11.29	≤17.00	PASS
			52Tone	RU37	7.59	8.19	≤17.00	PASS
			106Tone	RU53	4.65	5.25	≤17.00	PASS
	Ant1	5955	26Tone	RU0	11.18	11.98	≤17.00	PASS
			52Tone	RU37	8.12	8.92	≤17.00	PASS
			106Tone	RU53	5.16	5.96	≤17.00	PASS
	total	5955	26Tone	RU0	13.95	14.65	≤17.00	PASS
			52Tone	RU37	10.87	11.57	≤17.00	PASS
			106Tone	RU53	7.92	8.62	≤17.00	PASS
	Ant0	6175	26Tone	RU4	7.93	8.53	≤17.00	PASS
			52Tone	RU38	6.03	6.63	≤17.00	PASS
			106Tone	RU53	3.28	3.88	≤17.00	PASS
	Ant1	6175	26Tone	RU4	9.12	9.92	≤17.00	PASS
			52Tone	RU38	7.16	7.96	≤17.00	PASS
			106Tone	RU53	4.49	5.29	≤17.00	PASS
	total	6175	26Tone	RU4	11.58	12.28	≤17.00	PASS
			52Tone	RU38	9.64	10.34	≤17.00	PASS
			106Tone	RU53	6.94	7.64	≤17.00	PASS
	Ant0	6415	26Tone	RU8	9.97	10.57	≤17.00	PASS
			52Tone	RU40	6.88	7.48	≤17.00	PASS
			106Tone	RU54	3.98	4.58	≤17.00	PASS
	Ant1	6415	26Tone	RU8	10.70	11.50	≤17.00	PASS
			52Tone	RU40	7.68	8.48	≤17.00	PASS
			106Tone	RU54	4.75	5.55	≤17.00	PASS
	total	6415	26Tone	RU8	13.36	14.06	≤17.00	PASS
			52Tone	RU40	10.31	11.01	≤17.00	PASS
			106Tone	RU54	7.39	8.09	≤17.00	PASS
	Ant0	6535	26Tone	RU0	10.73	11.33	≤17.00	PASS
			52Tone	RU37	7.58	8.18	≤17.00	PASS
			106Tone	RU53	4.64	5.24	≤17.00	PASS
	Ant1	6535	26Tone	RU0	10.90	11.70	≤17.00	PASS
			52Tone	RU37	7.75	8.55	≤17.00	PASS
			106Tone	RU53	4.87	5.67	≤17.00	PASS
	total	6535	26Tone	RU0	13.83	14.53	≤17.00	PASS
			52Tone	RU37	10.68	11.38	≤17.00	PASS
			106Tone	RU53	7.77	8.47	≤17.00	PASS
	Ant0	6715	26Tone	RU4	9.02	9.62	≤17.00	PASS
			52Tone	RU38	7.25	7.85	≤17.00	PASS
			106Tone	RU53	4.54	5.14	≤17.00	PASS
	Ant1	6715	26Tone	RU4	9.21	10.01	≤17.00	PASS
			52Tone	RU38	7.76	8.56	≤17.00	PASS
			106Tone	RU53	4.85	5.65	≤17.00	PASS
	total	6715	26Tone	RU4	12.13	12.83	≤17.00	PASS
			52Tone	RU38	10.52	11.22	≤17.00	PASS
			106Tone	RU53	7.71	8.41	≤17.00	PASS
	Ant0	6855	26Tone	RU8	10.27	10.87	≤17.00	PASS
			52Tone	RU40	7.28	7.88	≤17.00	PASS
			106Tone	RU54	4.31	4.91	≤17.00	PASS
	Ant1	6855	26Tone	RU8	10.41	11.21	≤17.00	PASS
			52Tone	RU40	7.43	8.23	≤17.00	PASS
			106Tone	RU54	4.53	5.33	≤17.00	PASS
	total	6855	26Tone	RU8	13.35	14.05	≤17.00	PASS
			52Tone	RU40	10.37	11.07	≤17.00	PASS
			106Tone	RU54	7.43	8.13	≤17.00	PASS

Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.4. Test Graphs-Standard Power Client

