


Exhibit C

RE314 Internal Photos





Model: EIA660W
Single Station Smoke Alarm
with Supplemental Heat Alarm



Single-and/or Multiple-station
Smoke Alarm
Issue No. 0043499
836618

WARNING

Please see user manual for important information on maintenance and battery life (B18486 Rev0). Constant use at high or low temperature or high humidity may reduce battery life. Use only batteries specified, the use of other batteries may have a detrimental effect on alarm operation. Maintenance: Clean Alarm monthly by gently vacuuming the openings in the exterior of the Alarm.

A18620 Rev0

Standby: No Beep or flash

Low Battery: 1 beep+ 1 yellow flash every 48 sec

Alarm: 3 long beeps, repeating with flashing red LED

End of Life: 3 beeps with 3 yellow flashes

Alarm Silence: 1 red flashevery 8 secs

Sensitivity: 1.95%-4.0% OBS/Ft

Conforms to: ANSI/UL 217

For repair or service return to:
Ei Electronics US, 2 Tunxis
Road, Suite 209, Tariffville,
Connecticut 0608


Made in Ireland


Model RE314
Smoke and Heat Alarm, DSC
FCC ID: U5X - RE314
IC ID: 8310A - RE314
Manual: 47 - 0023 - 03_RevA
Date: 17215



ESN 4EF 45E

Daughter
Board





Antenna

Transmitter Ckt

