

Label:

Pepwave:

<u>Model: MAX Transit</u> Product Code: MAX-TST-LTEA-W-T Serial No.: 2934-97D9-BF7A LAN MAC: 00-1A-DD-3B-BF-20 AP Password: DD3BBF20 Default Access Username: admin http://192.168.50.1 Password: admin Input: 12-56V DC Made in Taiwan  M?	PEPWAVE   FCC ID: U8G-P1813 Contains FCC ID: N7NMC7455 IC: 20682-P1813 Contains IC: 2417C-MC7455 CAN ICES-3(A)/NMB-3(A) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
--	--

<u>Model: MAX Transit LTE</u> Product Code: MAX-TST-LTE-US-T Serial No.: 2934-97D9-BF7A LAN MAC: 00-1A-DD-3B-BF-20 AP Password: DD3BBF20 Default Access Username: admin http://192.168.50.1 Password: admin Input: 12-56V DC Made in Taiwan  M?	PEPWAVE   FCC ID: U8G-P1813 Contains FCC ID: N7NMC7355 IC: 20682-P1813 Contains IC: 2417C-MC7355 CAN ICES-3(A)/NMB-3(A) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
---	--

Model: MAX Transit LTEA

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

**MAX transit with Content Hub (MAX-TST-CHBA-E-T,
MAX-TST-CHBB-E-T, MAX-TST-CHBC-E-T)**

Product Code: MAX-TST-CHBB-E-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit with M12 Connector

Product Code: MAX-TST-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit with ContentHub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit with Content Hub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit LTEA with M12 Connector

Product Code: MAX-TST-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit LTEA with ContentHub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit LTEA with Content Hub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo813

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 813

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo LTE

Product Code: MAX-TST-LTE-US-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7355
IC: 20682-P1813
Contains IC: 2417C-MC7355
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo LTEA

Product Code: MAX-TST-DUO-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Quad

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Quad LTE

Product Code: MAX-TST-LTE-US-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7355
IC: 20682-P1813
Contains IC: 2417C-MC7355
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Quad LTEA

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo with M12 Connector

Product Code: MAX-TST-DUO-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Duo with ContentHub with M12 connector

Product Code: MAX-TST-DUO-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PEPWAVE



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Duo with Content Hub with M12 connector

PEPWAVE

Product Code: MAX-TST-DUO-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Duo LTEA with M12 Connector

PEPWAVE

Product Code: MAX-TST-DUO-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit Duo LTEA with ContentHub with M12 connector

Product Code: MAX-TST-DUO-CHBA-LTE-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo LTEA with Content Hub with M12 connector

Product Code: MAX-TST-DUO-CHBA-LTE-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo813M12

Product Code: MAX-TST-DUO-CHBA-LTE-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 813M12

Product Code: MAX-TST-DUO-CHBA-LTE-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

PEPWAVE



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Peplink:

Model: MAX Transit

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit LTE

Product Code: MAX-TST-LTE-US-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7355
IC: 20682-P1813
Contains IC: 2417C-MC7355
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit LTEA

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**MAX transit with Content Hub (MAX-TST-CHBA-E-T,
MAX-TST-CHBB-E-T, MAX-TST-CHBC-E-T)**

Product Code: MAX-TST-CHBB-E-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit with M12 Connector

Product Code: MAX-TST-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit with ContentHub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit with Content Hub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit LTEA with M12 Connector

Product Code: MAX-TST-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Model: MAX Transit LTEA with ContentHub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit LTEA with Content Hub with M12 connector

Product Code: MAX-TST-CHBA-LTEA-W

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo813

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 813

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813

Contains FCC ID: N7NMC7455

IC: 20682-P1813

Contains IC: 2417C-MC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo LTE

Product Code: MAX-TST-LTE-US-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7355
IC: 20682-P1813
Contains IC: 2417C-MC7355
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Duo LTEA

Product Code: MAX-TST-DUO-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Quad

Product Code: MAX-TST-LTEA-W-T

Serial No.: 2934-97D9-BF7A

LAN MAC: 00-1A-DD-3B-BF-20

AP Password: DD3BBF20

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12-56V DC

Made in Taiwan



M?

peplink



FCC ID: U8G-P1813
Contains FCC ID: N7NMC7455
IC: 20682-P1813
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.