

Label and Label Location:

	Peplink Model: CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: MAX CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: MAX Transit Quad Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink   FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad LTE Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink   FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad LTEA Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink   FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: MAX Transit Quad LTEA Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo817 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo817 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? peplink  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: Pismo817 Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Input: 12-56V $\equiv$ 3A Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo817 Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo 817 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M?    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: Pismo 817 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan M? peplink FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo 817 Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Input: 12-56V $\equiv$ 3A Made in Taiwan M? peplink FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo 817 Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan M? peplink FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Pepwave
	Model: CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: MAX CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: MAX Transit Quad Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) Made in Taiwan  M? This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Quad

Product Code: MAX-TST-QUAD-LTE-US-T

Serial No.: 2934-45E0-5EEF

LAN MAC: 00-1A-DD-31-80-00

AP Password: DD318000

Default Access Username: admin
http://192.168.50.1 Password: admin

Made in Taiwan



M?

PEPWAVE

FCC ID: U8G-P1817

Contains FCC ID: N7NMC7355

IC: 20682-P1817

Contains IC: 2417C-MC7355

CAN ICES-3(B)/NMB-3(B)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Quad LTE

Product Code: MAX-CX4-LTE-US-T

Serial No.: 2934-45E0-5EEF

LAN MAC: 00-1A-DD-31-80-00

AP Password: DD3180000

Default Access Username: admin
http://192.168.50.1 Password: admin

Made in Taiwan



M?

PEPWAVE

FCC ID: U8G-P1817

Contains FCC ID: N7NMC7355

IC: 20682-P1817

Contains IC: 2417C-MC7355

CAN ICES-3(B)/NMB-3(B)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Quad LTEA**PEPWAVE**

Product Code: MAX-CX4-LTEA-W-T

Serial No.: 2934-45E0-5EEF

LAN MAC: 00-1A-DD-31-80-00

AP Password: DD318000

Default Access Username: admin
http://192.168.50.1 Password: admin

Made in Taiwan



M?



FCC ID: U8G-P1817

Contains FCC ID: N7NMC7455

IC: 20682-P1817

Contains IC: 2417C-MC7455

CAN ICES-3(B)/NMB-3(B)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

	Model: MAX Transit Quad LTEA Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo817 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	Model: Pismo817 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000 Default Access Username: admin http://192.168.50.1 Password: admin Made in Taiwan  M? PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B) This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.