

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEP WAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access https://192.168.50.1	Username: admin Password: admin
--	------------------------------------



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 M2M

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini LTEA

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max BR1 Mini

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00



Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910GXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910GXNF
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00



Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)


This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00



Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?


FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-IMC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T
Serial No.: 2933-F028-5015
LAN MAC: 00-1A-DD-26-C9-00

PEP WAVE



Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910GXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910GXNF
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T
Serial No.: 2933-F028-5015
LAN MAC: 00-1A-DD-26-C9-00

Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

PEP WAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T
Serial No.: 2933-F028-5015
LAN MAC: 00-1A-DD-26-C9-00

PEP WAVE



Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-IMC7455
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

Pismo



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910GXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910GXNF
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00

Default Access Username: admin
<http://192.168.50.1> Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

Pismo



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

Product Code: MAX-BR1-MINI-LTE-US-T

Serial No.: 2933-F028-5015

LAN MAC: 00-1A-DD-26-C9-00

Default Access Username: admin
http://192.168.50.1 Password: admin

Input: 12V - 28V DC

Made in Taiwan



M?

Pismo



FCC ID: U8G-P1930LITER5

Contains FCC ID: N7NMC7455

IC: 20682-P1930LITER5

Contains IC: 2417C-IMC7455

CAN ICES-3(A)/NMB-3(A)

This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NM7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NNC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTE

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) the device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini LTEA

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NNC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Max transit mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX Transit Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) the device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-BR1-MINI-LTE-US-T

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX-Transit-Mini

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: **MAX-Transit-Mini**

Product Code:MAX-TST-MINI-LTEA-W-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NNC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 Lite

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0



Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930 LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITE

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T

Serial No.:2935-B2DE-8B1A

LAN MAC:00-1A-DD-5F-1F-C0

AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin

PEPWAVE



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NNC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910CXNF
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910CXNF
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: R17LE910NAV2
IC: 20682-P1930LITER5
Contains IC: 5131A-LE910NAV2
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo930LITER5

Product Code:MAX-BR1-MINI-LTE-US-T
Serial No.:2935-B2DE-8B1A
LAN MAC:00-1A-DD-5F-1F-C0
AP Password:DD5F1FC0

Default Access	Username: admin
https://192.168.50.1	Password: admin



FCC ID: U8G-P1930LITER5
Contains FCC ID: N7NMC7455
IC: 20682-P1930LITER5
Contains IC: 2417C-MC7455
CAN ICES-3(A)/NMB-3(A)

Made in PRC



N8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) if this device must accept any interference received, including interference that may cause undesired operation.