

Model: AC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access Username: admin

https://192.168.0.3 Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One AC Mini

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One AC Mini

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access Username: admin

https://192.168.0.3 Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One series

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
https://192.168.0.3	Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One series

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access Username: admin

https://192.168.0.3 Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: APO-AC-MINI

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: APO-AC-MINI

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access Username: admin

https://192.168.0.3 Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoAC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
https://192.168.0.3	Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoAC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access Username: admin

https://192.168.0.3 Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan




M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

AC One AC Mini

Label location



Rear side