

Model: MAX BR1 Mini



Product Code: MAX-BR1-MINI-LTEA-US-DC-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access	Username: admin
https://192.168.50.1	Password: admin

Input : 10-30V DC, 18W max (Power Port)

Input : 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NEM74B

Made in Taiwan



M8 HW3

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

PEP WAVE

Product Code: MAX-BR1-MINI-LTEA-US-DC-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access	Username: admin
-----------------------	-----------------

https://192.168.50.1	Password: admin
----------------------	-----------------

Input : 10-30V DC, 18W max (Power Port)

Input : 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NEM74B

Made in Taiwan



M8 HW3

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini



Product Code:MAX-BR1-MINI-LTEA-W-DC-T-PRM

Serial No.:2931-D8D2-A59A

LAN MAC:00-1A-DD-E3-DD-40

AP Password:DDE3DD40

Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1MT01
Contains FCC ID: N7NMC7455

Input : 10-30V DC, 18W max (Power Port)
Input : 802.3at (LAN 1)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

PEPWAVE

Product Code:MAX-BR1-MINI-LTEA-W-DC-T-PRM

Serial No.:2931-D8D2-A59A

LAN MAC:00-1A-DD-E3-DD-40

AP Password:DDE3DD40

Default Access

Username: admin

https://192.168.50.1

Password: admin

FCC ID: U8G-P1MT01

Contains FCC ID: N7NMC7455

Input : 10-30V DC, 18W max (Power Port)

Input : 802.3at (LAN 1)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini



Product Code: MAX-BR1-MINI-LTE-US-DC-T-PRM

Serial No.:192E-D5D2-6577

LAN MAC:10-56-CA-83-7D-40

AP Password:CA837D40

Default Access

Username: admin

https://192.168.50.1

Password: admin

Input : 10-30V DC, 18W max (Power Port)

Input : 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: RI7LE910CXNF

Made in Taiwan



M8 HW3

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: MAX BR1 Mini

PEPWAVE

Product Code: MAX-BR1-MINI-LTE-US-DC-T-PRM

Serial No.:192E-D5D2-6577

LAN MAC:10-56-CA-83-7D-40

AP Password:CA837D40

Default Access	Username: admin
https://192.168.50.1	Password: admin

Input : 10-30V DC, 18W max (Power Port)
Input : 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: RI7LE910CXNF

Made in Taiwan



M8 HW3

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.