

Model: BR2



Product Code:MAX-BR2-LTE-US-T-PRM

Serial No.:2831-3E3A-BD04

LAN MAC:00-1A-DD-D0-8A-40

AP Password:DDD08A40

Default Access

<https://192.168.50.1>

Username: admin

Password: admin

FCC ID: U8G-P1MT03A

Contains FCC ID: XMR202008EC25AFXD

Input : 10-30V DC, 34W max (Power Port)

Input : 10-30V DC, 34W max (Terminal Block)

Output : 5V DC, 2A (USB Port)

Made in Taiwan



M8 HW1

Model: BR2

PEPWAVE

Product Code:MAX-BR2-LTE-US-T-PRM

Serial No.:2831-3E3A-BD04

LAN MAC:00-1A-DD-D0-8A-40

AP Password:DDD08A40

Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1MT03A

Contains FCC ID: XMR202008EC25AFXD

Input : 10-30V DC, 34W max (Power Port)

Input : 10-30V DC, 34W max (Terminal Block)

Output : 5V DC, 2A (USB Port)

Made in Taiwan



M8 HW1

Model: MAX BR2



Product Code:MAX-BR2-LTE-US-T-PRM

Serial No.:2831-3E3A-BD04

LAN MAC:00-1A-DD-D0-8A-40

AP Password:DDD08A40

Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1MT03A

Contains FCC ID: XMR202008EC25AFXD

Input : 10-30V DC, 34W max (Power Port)

Input : 10-30V DC, 34W max (Terminal Block)

Output : 5V DC, 2A (USB Port)

Made in Taiwan



M8 HW1

Model: MAX BR2

PEPWAVE

Product Code:MAX-BR2-LTE-US-T-PRM

Serial No.:2831-3E3A-BD04

LAN MAC:00-1A-DD-D0-8A-40

AP Password:DDD08A40

Default Access

Username: admin

<https://192.168.50.1>

Password: admin

FCC ID: U8G-P1MT03A

Contains FCC ID: XMR202008EC25AFXD

Input : 10-30V DC, 34W max (Power Port)

Input : 10-30V DC, 34W max (Terminal Block)

Output : 5V DC, 2A (USB Port)

Made in Taiwan



M8 HW1

Label location

