

Model: BPL-SDX-C1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX-F1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX-LR1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX-C1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX-F1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-SDX-LR1

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: EBX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: EBX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: EXM-3LTEA-R

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: EXM-3LTEA-R

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Peplink Balance SDX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Peplink Balance SDX

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoX03

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoX03

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX)

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX)

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-C1)

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-C1) PEPWAVE

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-F1)

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-F1) PEPWAVE

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40

**Default Access**

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-LR1)

Product Code: BPL-SDX-LR1

Serial No.: 182C-6B44-702D

LAN MAC: 10-56-CA-65-C4-40



Default Access

<https://192.168.1.1>

Username: admin

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: SDX Main Chassis (BPL-SDX-LR1)

PEPWAVE



Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

Made in Taiwan



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Balance SDX

Front panel

Label location



Rear Side