

Model: Balance Two

Product Code: BPL-TWO

Serial No.: 192C-1C7D-24A7

LAN MAC: 10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Balance Two

Product Code:BPL-TWO

Serial No.:192C-1C7D-24A7

LAN MAC:10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-ONE-LC-SF

Product Code: BPL-TWO

Serial No.: 192C-1C7D-24A7

LAN MAC: 10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-ONE-LC-SF

Product Code:BPL-TWO

Serial No.:192C-1C7D-24A7

LAN MAC:10-56-CA-60-D7-D0

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-TWO

Product Code: BPL-TWO

Serial No.: 192C-1C7D-24A7

LAN MAC: 10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A
IC: 20682-P1X09A
CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: BPL-TWO

Product Code: BPL-TWO

Serial No.: 192C-1C7D-24A7

LAN MAC: 10-56-CA-60-D7-D0

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoX09A

Product Code:BPL-TWO

Serial No.:192C-1C7D-24A7

LAN MAC:10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A

IC: 20682-P1X09A

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoX09A

Product Code:BPL-TWO

Serial No.:192C-1C7D-24A7

LAN MAC:10-56-CA-60-D7-D0



Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1X09A
IC: 20682-P1X09A
CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Label location



Rear side