



Spectrum Plot




LTE Band 71_10M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
133172	668	8.9414	133172	668	8.9460
133297	680.5	8.9590	133297	680.5	8.9580
133422	693	8.9764	133422	693	8.9906
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
133172	668	9.895	133172	668	9.558
133297	680.5	9.917	133297	680.5	9.553
133422	693	9.898	133422	693	9.556

Spectrum Plot




LTE Band 71_15M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
133197	670.5	13.385	133197	670.5	13.403
133297	680.5	13.446	133297	680.5	13.451
133397	690.5	13.410	133397	690.5	13.435
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
133197	670.5	14.62	133197	670.5	14.21
133297	680.5	14.58	133297	680.5	14.30
133397	690.5	14.75	133397	690.5	14.26

Spectrum Plot





LTE Band 71_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
133222	673	17.889	133222	673	17.873
133322	683	17.832	133322	683	17.869
133372	688	17.778	133372	688	17.814
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
133222	673	19.48	133222	673	18.95
133322	683	19.29	133322	683	18.94
133372	688	19.34	133372	688	18.89


Spectrum Plot





APPENDIX C - CONDUCTED EMISSIONS






















































LTE Band 71_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
133297	680.5	133297	680.5
 Date: 16.JUL.2020 17:05:44		 Date: 16.JUL.2020 17:09:08	
Channel	Frequency(MHz)	-	-
133297	680.5	-	-
 Date: 16.JUL.2020 17:13:36		-	




APPENDIX D - RADIATED SPURIOUS EMISSION (9KHZ TO 30MHZ)

Note: Below 30MHz, The measured value have enough margin over 20dB than the limit, therefore they are not reported

APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)


Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		34.2680	-65.48	-17.27	-82.75	-13.00	-69.75	peak	
2		211.0990	-71.95	-18.28	-90.23	-13.00	-77.23	peak	
3		421.9770	-74.28	-13.01	-87.29	-13.00	-74.29	peak	
4		638.9660	-73.57	-8.54	-82.11	-13.00	-69.11	peak	
5		747.5090	-72.22	-6.76	-78.98	-13.00	-65.98	peak	
6	*	896.7920	-72.44	-5.46	-77.90	-13.00	-64.90	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		122.0530	-71.95	-17.03	-88.98	-13.00	-75.98	peak	
2		346.6080	-73.35	-13.73	-87.08	-13.00	-74.08	peak	
3		529.0650	-69.72	-11.82	-81.54	-13.00	-68.54	peak	
4		644.3010	-72.63	-8.53	-81.16	-13.00	-68.16	peak	
5		846.1580	-72.70	-6.06	-78.76	-13.00	-65.76	peak	
6	*	896.4040	-72.92	-5.45	-78.37	-13.00	-65.37	peak	

Test Mode: LTE Band 4_TX Mode_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.4530	-67.14	-16.84	-83.98	-13.00	-70.98	peak	
2		110.6070	-68.18	-18.10	-86.28	-13.00	-73.28	peak	
3		273.1790	-74.13	-15.58	-89.71	-13.00	-76.71	peak	
4		350.0030	-72.41	-13.71	-86.12	-13.00	-73.12	peak	
5		535.6610	-68.71	-11.63	-80.34	-13.00	-67.34	peak	
6	*	959.7450	-67.24	-5.09	-72.33	-13.00	-59.33	peak	

Test Mode: LTE Band 4_TX Mode_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		117.6880	-70.03	-17.33	-87.36	-13.00	-74.36	peak	
2		253.8760	-68.59	-16.70	-85.29	-13.00	-72.29	peak	
3		303.7340	-68.87	-14.26	-83.13	-13.00	-70.13	peak	
4		420.6190	-67.76	-13.01	-80.77	-13.00	-67.77	peak	
5		534.7880	-64.19	-11.66	-75.85	-13.00	-62.85	peak	
6	*	959.6480	-67.69	-5.09	-72.78	-13.00	-59.78	peak	


Test Mode: LTE Band 7_TX Mode_5M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		33.8800	-66.11	-17.28	-83.39	-25.00	-58.39	peak	
2		95.8630	-66.02	-20.24	-86.26	-25.00	-61.26	peak	
3		308.4870	-73.37	-14.18	-87.55	-25.00	-62.55	peak	
4		533.7210	-69.57	-11.69	-81.26	-25.00	-56.26	peak	
5		778.6460	-72.87	-6.55	-79.42	-25.00	-54.42	peak	
6	*	959.7450	-67.26	-5.09	-72.35	-25.00	-47.35	peak	


Test Mode: LTE Band 7_TX Mode_5M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		120.5980	-70.28	-17.06	-87.34	-25.00	-62.34	peak	
2		214.1060	-70.01	-18.18	-88.19	-25.00	-63.19	peak	
3		308.6810	-69.14	-14.18	-83.32	-25.00	-58.32	peak	
4		415.4780	-68.49	-13.21	-81.70	-25.00	-56.70	peak	
5		527.3190	-64.16	-11.87	-76.03	-25.00	-51.03	peak	
6	*	959.7450	-67.81	-5.09	-72.90	-25.00	-47.90	peak	

Test Mode: LTE Band 12_TX Mode_1.4M




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	31.9400	-64.79	-17.30	-82.09	-13.00	-69.09	peak	
2	168.4190	-74.29	-15.57	-89.86	-13.00	-76.86	peak	
3	423.8200	-73.95	-12.99	-86.94	-13.00	-73.94	peak	
4	537.6980	-68.83	-11.59	-80.42	-13.00	-67.42	peak	
5	705.0230	-72.88	-8.38	-81.26	-13.00	-68.26	peak	
6 *	912.7000	-72.72	-5.34	-78.06	-13.00	-65.06	peak	

Test Mode: LTE Band 12_TX Mode_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		117.3970	-72.00	-17.36	-89.36	-13.00	-76.36	peak	
2		343.1160	-74.25	-13.75	-88.00	-13.00	-75.00	peak	
3		529.1620	-72.37	-11.82	-84.19	-13.00	-71.19	peak	
4		736.6450	-73.32	-7.18	-80.50	-13.00	-67.50	peak	
5		889.0320	-72.65	-5.54	-78.19	-13.00	-65.19	peak	
6	*	959.7450	-66.76	-5.09	-71.85	-13.00	-58.85	peak	

Test Mode: LTE Band 13_TX Mode_5M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.6770	-65.82	-16.72	-82.54	-13.00	-69.54	peak	
2		274.9250	-74.66	-15.46	-90.12	-13.00	-77.12	peak	
3		431.7740	-72.40	-12.95	-85.35	-13.00	-72.35	peak	
4		532.1690	-68.22	-11.73	-79.95	-13.00	-66.95	peak	
5		653.9040	-72.75	-8.52	-81.27	-13.00	-68.27	peak	
6	*	959.6480	-67.19	-5.09	-72.28	-13.00	-59.28	peak	

Test Mode: LTE Band 13_TX Mode_5M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		122.4410	-70.53	-17.03	-87.56	-13.00	-74.56	peak	
2		422.9470	-70.36	-13.00	-83.36	-13.00	-70.36	peak	
3		480.0800	-67.88	-12.83	-80.71	-13.00	-67.71	peak	
4		603.9490	-72.92	-8.64	-81.56	-13.00	-68.56	peak	
5		835.0030	-73.02	-6.16	-79.18	-13.00	-66.18	peak	
6	*	959.7450	-66.94	-5.09	-72.03	-13.00	-59.03	peak	

Test Mode: LTE Band 17_TX Mode_5M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.0650	-64.45	-16.68	-81.13	-13.00	-68.13	peak	
2		130.8800	-72.33	-17.11	-89.44	-13.00	-76.44	peak	
3		162.4050	-74.13	-15.57	-89.70	-13.00	-76.70	peak	
4		511.6050	-70.78	-10.14	-80.92	-13.00	-67.92	peak	
5	*	588.2350	-68.77	-8.45	-77.22	-13.00	-64.22	peak	
6		813.7600	-72.72	-5.06	-77.78	-13.00	-64.78	peak	


Test Mode: LTE Band 17_TX Mode_5M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.7650	-74.27	-16.54	-90.81	-13.00	-77.81	peak	
2		155.1300	-74.61	-15.63	-90.24	-13.00	-77.24	peak	
3		292.8700	-74.05	-15.08	-89.13	-13.00	-76.13	peak	
4		381.1400	-74.31	-12.92	-87.23	-13.00	-74.23	peak	
5	*	504.8150	-72.13	-10.24	-82.37	-13.00	-69.37	peak	
6		589.6900	-74.28	-8.41	-82.69	-13.00	-69.69	peak	


Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.5890	-65.63	-17.28	-82.91	-25.00	-57.91	peak	
2		46.4900	-67.73	-17.00	-84.73	-25.00	-59.73	peak	
3		121.5680	-70.50	-17.05	-87.55	-25.00	-62.55	peak	
4		348.2570	-73.50	-13.73	-87.23	-25.00	-62.23	peak	
5		668.0660	-72.90	-8.54	-81.44	-25.00	-56.44	peak	
6	*	959.7450	-67.79	-5.09	-72.88	-25.00	-47.88	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		122.3440	-71.62	-17.03	-88.65	-25.00	-63.65	peak	
2		480.0800	-68.54	-12.83	-81.37	-25.00	-56.37	peak	
3		646.2410	-72.61	-8.52	-81.13	-25.00	-56.13	peak	
4		780.9740	-72.38	-6.54	-78.92	-25.00	-53.92	peak	
5		885.6370	-72.08	-5.59	-77.67	-25.00	-52.67	peak	
6	*	959.7450	-67.13	-5.09	-72.22	-25.00	-47.22	peak	

Test Mode: LTE Band 66_TX CH132322_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.3560	-67.46	-16.83	-84.29	-13.00	-71.29	peak	
2		151.4440	-74.13	-14.88	-89.01	-13.00	-76.01	peak	
3		297.5260	-72.81	-14.45	-87.26	-13.00	-74.26	peak	
4		422.4620	-73.08	-13.01	-86.09	-13.00	-73.09	peak	
5	*	536.6310	-68.74	-11.61	-80.35	-13.00	-67.35	peak	
6		631.4970	-72.90	-8.56	-81.46	-13.00	-68.46	peak	

Test Mode: LTE Band 66_TX CH132322_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		121.1800	-71.77	-17.06	-88.83	-13.00	-75.83	peak	
2		153.9660	-73.96	-15.00	-88.96	-13.00	-75.96	peak	
3		289.5720	-69.60	-14.86	-84.46	-13.00	-71.46	peak	
4		419.7460	-70.72	-13.02	-83.74	-13.00	-70.74	peak	
5		634.5040	-73.55	-8.55	-82.10	-13.00	-69.10	peak	
6	*	959.7450	-68.49	-5.09	-73.58	-13.00	-60.58	peak	

Test Mode: LTE Band 71_TX CH133297_10M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		45.5200	-63.49	-16.57	-80.06	-13.00	-67.06	peak	
2		79.9550	-61.19	-20.50	-81.69	-13.00	-68.69	peak	
3		142.0350	-71.86	-16.20	-88.06	-13.00	-75.06	peak	
4		303.0550	-72.50	-14.82	-87.32	-13.00	-74.32	peak	
5		511.1200	-71.49	-10.14	-81.63	-13.00	-68.63	peak	
6	*	645.4650	-71.61	-7.48	-79.09	-13.00	-66.09	peak	


Test Mode: LTE Band 71_TX CH133297_10M



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	69.2850	-68.03	-18.09	-86.12	-13.00	-73.12	peak	
2	302.0850	-64.84	-14.84	-79.68	-13.00	-66.68	peak	
3	408.3000	-64.93	-12.35	-77.28	-13.00	-64.28	peak	
4	509.1800	-66.43	-10.18	-76.61	-13.00	-63.61	peak	
5	641.5850	-70.89	-7.52	-78.41	-13.00	-65.41	peak	
6 *	891.8450	-71.18	-4.49	-75.67	-13.00	-62.67	peak	


APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3466.833	-30.71	-17.68	-48.39	-13.00	-35.39	peak	
2		5195.833	-42.02	-12.67	-54.69	-13.00	-41.69	peak	
3		6934.333	-47.64	-7.05	-54.69	-13.00	-41.69	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3466.833	-38.53	-17.68	-56.21	-13.00	-43.21	peak	
2		5195.200	-50.21	-12.67	-62.88	-13.00	-49.88	peak	
3		6934.967	-54.08	-7.05	-61.13	-13.00	-48.13	peak	

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3464.300	-29.32	-17.68	-47.00	-13.00	-34.00	peak	
2		5196.467	-36.53	-12.67	-49.20	-13.00	-36.20	peak	
3		6928.000	-43.29	-7.08	-50.37	-13.00	-37.37	peak	

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3464.300	-35.55	-17.68	-53.23	-13.00	-40.23	peak	
2		5196.467	-44.12	-12.67	-56.79	-13.00	-43.79	peak	
3		6928.000	-52.45	-7.08	-59.53	-13.00	-46.53	peak	

Test Mode: LTE Band 4_TX CH20175_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3461.133	-29.53	-17.68	-47.21	-13.00	-34.21	peak	
2		5191.400	-37.37	-12.68	-50.05	-13.00	-37.05	peak	
3		6921.033	-44.15	-7.10	-51.25	-13.00	-38.25	peak	

Test Mode: LTE Band 4_TX CH20175_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3460.500	-35.70	-17.68	-53.38	-13.00	-40.38	peak	
2		5191.400	-46.24	-12.68	-58.92	-13.00	-45.92	peak	
3		6921.667	-52.72	-7.10	-59.82	-13.00	-46.82	peak	

Test Mode: LTE Band 4_TX CH20175_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3447.200	-31.56	-17.69	-49.25	-13.00	-36.25	peak	
2		5171.133	-38.89	-12.70	-51.59	-13.00	-38.59	peak	
3	*	6894.433	-40.61	-7.22	-47.83	-13.00	-34.83	peak	

Test Mode: LTE Band 4_TX CH20175_20M




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	3447.200	-37.33	-17.69	-55.02	-13.00	-42.02	peak	
2		5171.133	-44.52	-12.70	-57.22	-13.00	-44.22	peak	
3		6894.433	-49.70	-7.22	-56.92	-13.00	-43.92	peak	

Test Mode: LTE Band 7_TX CH21100_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		5066.000	-40.04	-12.83	-52.87	-25.00	-27.87	peak	
2	*	7598.700	-47.17	-5.37	-52.54	-25.00	-27.54	peak	

Test Mode: LTE Band 7_TX CH21100_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		5066.000	-47.70	-12.83	-60.53	-25.00	-35.53	peak	
2	*	7598.700	-54.16	-5.37	-59.53	-25.00	-34.53	peak	

Test Mode: LTE Band 7_TX CH21100_20M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5052.067	-36.59	-12.84	-49.43	-25.00	-24.43	peak	
2		7578.433	-46.43	-5.38	-51.81	-25.00	-26.81	peak	

Test Mode: LTE Band 7_TX CH21100_20M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		5052.067	-47.26	-12.84	-60.10	-25.00	-35.10	peak	
2	*	7578.433	-54.09	-5.38	-59.47	-25.00	-34.47	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1440.400	-42.99	-23.51	-66.50	-13.00	-53.50	peak	
2		2827.480	-41.48	-18.51	-59.99	-13.00	-46.99	peak	
3	*	3535.600	-40.39	-17.56	-57.95	-13.00	-44.95	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		1500.400	-46.24	-23.33	-69.57	-13.00	-56.57	peak	
2		2828.500	-43.49	-18.51	-62.00	-13.00	-49.00	peak	
3	*	3535.300	-44.01	-17.56	-61.57	-13.00	-48.57	peak	

Test Mode: LTE Band 12_TX CH23095_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		2116.300	-40.69	-20.73	-61.42	-13.00	-48.42	peak	
2		2821.300	-44.31	-18.53	-62.84	-13.00	-49.84	peak	
3	*	3526.900	-34.87	-17.59	-52.46	-13.00	-39.46	peak	

Test Mode:	LTE Band 12_TX CH23095_5M
------------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1410.700	-46.67	-23.61	-70.28	-13.00	-57.28	peak	
2		2116.000	-42.93	-20.73	-63.66	-13.00	-50.66	peak	
3	*	3527.200	-38.04	-17.59	-55.63	-13.00	-42.63	peak	

Test Mode: LTE Band 12_TX CH23095_10M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1406.200	-38.84	-23.63	-62.47	-13.00	-49.47	peak	
2		2812.600	-41.87	-18.55	-60.42	-13.00	-47.42	peak	
3	*	3515.800	-39.07	-17.62	-56.69	-13.00	-43.69	peak	

Test Mode: LTE Band 12_TX CH23095_10M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		2109.400	-42.78	-20.76	-63.54	-13.00	-50.54	peak	
2		2812.600	-44.64	-18.55	-63.19	-13.00	-50.19	peak	
3	*	3515.500	-41.25	-17.63	-58.88	-13.00	-45.88	peak	

Test Mode: LTE Band 13_TX CH23230_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1559.800	-41.16	-23.07	-64.23	-13.00	-51.23	peak	
2	*	2339.250	-44.15	-20.01	-64.16	-13.00	-51.16	peak	
3		3119.000	-53.06	-17.92	-70.98	-13.00	-57.98	peak	

Test Mode: LTE Band 13_TX CH23230_5M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1560.100	-45.53	-23.07	-68.60	-13.00	-55.60	peak	
2	*	2339.250	-48.00	-20.01	-68.01	-13.00	-55.01	peak	
3		3119.000	-53.93	-17.92	-71.85	-13.00	-58.85	peak	

Test Mode:	LTE Band 13_TX CH23230_10M
------------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1555.000	-46.91	-23.08	-69.99	-13.00	-56.99	peak	
2	*	2332.500	-47.86	-20.03	-67.89	-13.00	-54.89	peak	
3		3110.000	-53.69	-17.93	-71.62	-13.00	-58.62	peak	

Test Mode:	LTE Band 13_TX CH23230_10M
------------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1555.000	-49.29	-23.08	-72.37	-13.00	-59.37	peak	
2		2332.500	-51.90	-20.03	-71.93	-13.00	-58.93	peak	
3	*	3110.000	-53.83	-17.93	-71.76	-13.00	-58.76	peak	

Test Mode:	LTE Band 17_TX CH23790_5M
------------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1440.100	-45.57	-18.71	-64.28	-13.00	-51.28	peak	

Test Mode: LTE Band 17_TX CH23790_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1440.100	-42.27	-18.71	-60.98	-13.00	-47.98	peak	

Test Mode:	LTE Band 17_TX CH23790_10M
------------	----------------------------




Test Mode: LTE Band 17_TX CH23790_10M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1440.100	-42.93	-18.71	-61.64	-13.00	-48.64	peak	
2		2120.200	-49.67	-16.53	-66.20	-13.00	-53.20	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5181.267	-39.58	-12.68	-52.26	-25.00	-27.26	peak	
2	*	7772.867	-47.06	-5.19	-52.25	-25.00	-27.25	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		5181.900	-48.10	-12.68	-60.78	-25.00	-35.78	peak	
2	*	7772.867	-53.49	-5.19	-58.68	-25.00	-33.68	peak	

Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5167.967	-39.98	-12.70	-52.68	-25.00	-27.68	peak	
2	*	7752.600	-47.03	-5.21	-52.24	-25.00	-27.24	peak	

Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5168.600	-48.69	-12.70	-61.39	-25.00	-36.39	peak	
2	*	7752.600	-54.83	-5.21	-60.04	-25.00	-35.04	peak	

Test Mode: LTE Band 66_TX CH132322_1.4M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3489.000	-30.29	-17.67	-47.96	-13.00	-34.96	peak	
2		5233.833	-36.84	-12.63	-49.47	-13.00	-36.47	peak	
3	*	6978.667	-33.59	-6.87	-40.46	-13.00	-27.46	peak	

Test Mode: LTE Band 66_TX CH132322_1.4M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3489.633	-37.38	-17.67	-55.05	-13.00	-42.05	peak	
2		5233.833	-48.41	-12.63	-61.04	-13.00	-48.04	peak	
3	*	6978.033	-45.90	-6.87	-52.77	-13.00	-39.77	peak	

Test Mode: LTE Band 66_TX CH132322_5M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3485.833	-29.93	-17.67	-47.60	-13.00	-34.60	peak	
2		5228.767	-36.20	-12.63	-48.83	-13.00	-35.83	peak	
3	*	6971.700	-37.65	-6.91	-44.56	-13.00	-31.56	peak	

Test Mode: LTE Band 66_TX CH132322_5M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3485.833	-37.16	-17.67	-54.83	-13.00	-41.83	peak	
2		5228.767	-48.34	-12.63	-60.97	-13.00	-47.97	peak	
3	*	6971.700	-43.81	-6.91	-50.72	-13.00	-37.72	peak	

Test Mode: LTE Band 66_TX CH132322_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3472.533	-30.10	-17.67	-47.77	-13.00	-34.77	peak	
2		5207.867	-36.17	-12.66	-48.83	-13.00	-35.83	peak	
3	*	6944.467	-39.79	-7.02	-46.81	-13.00	-33.81	peak	

Test Mode: LTE Band 66_TX CH132322_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3472.533	-37.71	-17.67	-55.38	-13.00	-42.38	peak	
2		5208.500	-48.44	-12.65	-61.09	-13.00	-48.09	peak	
3	*	6944.467	-45.55	-7.02	-52.57	-13.00	-39.57	peak	

Test Mode	LTE Band 71_TX CH133297_5M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1357.000	-37.22	-23.46	-60.68	-13.00	-47.68	peak	
2		2035.000	-43.77	-21.54	-65.31	-13.00	-52.31	peak	


Test Mode	LTE Band 71_TX CH133297_5M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1357.000	-36.28	-23.46	-59.74	-13.00	-46.74	peak	
2	*	2035.000	-34.33	-21.54	-55.87	-13.00	-42.87	peak	


Test Mode	LTE Band 71_TX CH133297_10M
-----------	-----------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1351.000	-37.53	-23.48	-61.01	-13.00	-48.01	peak	
2		2029.000	-43.89	-21.57	-65.46	-13.00	-52.46	peak	

Test Mode	LTE Band 71_TX CH133297_10M
-----------	-----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1351.000	-35.32	-23.48	-58.80	-13.00	-45.80	peak	
2	*	2029.000	-34.15	-21.57	-55.72	-13.00	-42.72	peak	

Test Mode	LTE Band 71_TX CH133322_20M
-----------	-----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1357.000	-38.14	-23.46	-61.60	-13.00	-48.60	peak	
2		2035.000	-41.74	-21.54	-63.28	-13.00	-50.28	peak	

Test Mode	LTE Band 71_TX CH133322_20M
-----------	-----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1357.000	-36.40	-23.46	-59.86	-13.00	-46.86	peak	
2	*	2035.000	-34.42	-21.54	-55.96	-13.00	-42.96	peak	
3		2713.000	-49.60	-18.78	-68.38	-13.00	-55.38	peak	

APPENDIX G - BAND EDGE

