


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6185MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3726G	56.07	74.00	-17.93	40.90	3	Horizontal	344	1.70	-	38.90	9.57	33.30			
AV	12.37912G	44.70	54.00	-9.30	29.52	3	Horizontal	344	1.70	-	38.90	9.57	33.29			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6185MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5628G	45.74	83.54	-37.80	41.73	1	Vertical	255	1.16	-	37.70	16.67	50.36			
AV	18.546G	33.78	63.54	-29.76	29.77	1	Vertical	255	1.16	-	37.70	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6185MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54528G	46.24	83.54	-37.30	42.23	1	Horizontal	80	2.30	-	37.70	16.66	50.35			
AV	18.55698G	33.73	63.54	-29.81	29.72	1	Horizontal	80	2.30	-	37.70	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6345MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69416G	56.22	74.00	-17.78	40.48	3	Vertical	20	1.93	-	39.39	9.71	33.36			
AV	12.69744G	44.55	54.00	-9.45	28.81	3	Vertical	20	1.93	-	39.39	9.71	33.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68348G	56.52	74.00	-17.48	40.79	3	Horizontal	114	2.99	-	39.37	9.71	33.35			
AV	12.69596G	44.53	54.00	-9.47	28.79	3	Horizontal	114	2.99	-	39.39	9.71	33.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03506G	45.24	83.54	-38.30	41.43	1	Vertical	339	2.86	-	37.79	16.86	50.84			
AV	19.04424G	33.65	63.54	-29.89	29.85	1	Vertical	339	2.86	-	37.78	16.87	50.85			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03128G	45.39	83.54	-38.15	41.58	1	Horizontal	87	1.91	-	37.79	16.86	50.84			
AV	19.02696G	33.71	63.54	-29.83	29.89	1	Horizontal	87	1.91	-	37.79	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6665MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33736G	58.31	74.00	-15.69	41.53	3	Vertical	348	1.42	-	40.05	10.00	33.27			
AV	13.32956G	45.93	54.00	-8.07	29.19	3	Vertical	348	1.42	-	40.02	10.00	33.28			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33268G	57.52	74.00	-16.48	40.76	3	Horizontal	290	2.74	-	40.03	10.00	33.27			
AV	13.33976G	45.90	54.00	-8.10	29.11	3	Horizontal	290	2.74	-	40.06	10.00	33.27			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6665MHz_TX




EUT Y_4TX
Setting 23
05-M-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00298G	44.99	83.54	-38.55	42.13	1	Vertical	74	2.75	-	37.50	17.26	51.90			
AV	20.0007G	33.49	63.54	-30.05	30.63	1	Vertical	74	2.75	-	37.50	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_4TX

6665MHz_TX



EUT_Y_4TX
Setting 23
05-M-S-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00232G	44.93	83.54	-38.61	42.07	1	Horizontal	12	2.60	-	37.50	17.26	51.90			
AV	19.99506G	33.52	63.54	-30.02	30.65	1	Horizontal	12	2.60	-	37.51	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408152G	4.22	6.4323G	-20.56	-16.06	-4.50	1
6.405752G	3.55	6.435175G	-27.10	-18.62	-8.48	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526277G	3.89	6.51605G	-22.25	-16.12	-6.13	1
6.526177G	3.17	6.51455G	-27.62	-20.93	-6.69	2

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

08/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.969499G	-0.50	6.0031G	-32.98	-28.00	-4.98	1
5.9657G	-1.97	6.0252G	-49.39	-41.97	-7.42	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201851G	8.08	6.25775G	-19.51	-12.01	-7.50	1
6.20625G	7.89	6.25435G	-17.97	-12.21	-5.76	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408849G	3.87	6.44255G	-21.38	-16.15	-5.23	1
6.40565G	2.73	6.437G	-24.89	-20.24	-4.65	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.559651G	7.96	6.513G	-18.03	-12.23	-5.80	1
6.554653G	7.42	6.517G	-17.02	-12.63	-4.39	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

08/09/2023



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

08/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9898G	0.91	6.054G	-30.73	-24.82	-5.91	1
5.982G	-0.69	6.1051G	-48.68	-40.68	-8.00	2

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2282G	7.93	6.3265G	-17.79	-12.13	-5.66	1
6.219G	7.80	6.1243G	-18.36	-12.21	-6.15	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3919G	3.07	6.4583G	-22.11	-17.14	-4.97	1
6.3787G	1.86	6.445G	-24.78	-20.74	-4.04	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6304G	7.84	6.523G	-17.66	-12.21	-5.45	1
6.6126G	7.29	6.5286G	-18.11	-12.89	-5.22	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71G	8.06	6.8057G	-15.62	-12.12	-3.50	1
6.7141G	7.24	6.8003G	-19.10	-12.78	-6.32	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7917G	7.91	6.8955G	-20.95	-12.23	-8.72	1
6.7754G	7.25	6.6903G	-18.83	-12.81	-6.02	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

08/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04519G	1.27	6.271G	-43.17	-38.23	-4.94	1
6.00221G	-0.55	6.2712G	-47.38	-40.55	-6.83	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

08/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1986G	6.76	6.004G	-16.78	-13.24	-3.54	1
6.2044G	6.14	5.993G	-19.19	-13.87	-5.32	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

08/09/2023

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37499G	2.63	6.2006G	-23.82	-17.84	-5.98	1
6.31601G	0.87	6.1014G	-42.02	-38.66	-3.36	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

08/09/2023

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.659G	6.71	6.4708G	-17.64	-13.35	-4.29	1
6.63421G	6.26	6.4756G	-19.18	-13.86	-5.32	2


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

11/09/2023

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962648G	5.82	5.931975G	-21.59	-14.35	-7.24	1
5.963923G	5.57	5.9782G	-23.54	-14.43	-9.11	2
5.962898G	5.81	5.977775G	-22.87	-14.42	-8.45	3
5.964098G	5.98	5.979325G	-23.01	-14.10	-8.91	4


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

11/09/2023

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188552G	7.90	6.166775G	-19.93	-12.11	-7.82	1
6.203148G	8.38	6.16755G	-20.67	-11.68	-8.99	2
6.203348G	7.97	6.221675G	-20.26	-12.09	-8.17	3
6.186352G	8.79	6.22475G	-19.78	-11.21	-8.57	4

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

11/09/2023

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3871G	3.08	6.4625G	-23.22	-16.94	-6.28	1
6.3773G	2.55	6.3161G	-25.13	-23.01	-2.12	2
6.3986G	1.80	6.4549G	-26.36	-22.28	-4.08	3
6.3966G	3.29	6.4556G	-22.53	-16.75	-5.78	4


6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

11/09/2023

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6285G	7.61	6.5165G	-20.20	-12.52	-7.68	1
6.6351G	8.06	6.5197G	-19.39	-12.07	-7.32	2
6.6224G	7.90	6.5222G	-19.65	-12.13	-7.52	3
6.6219G	8.03	6.5225G	-19.30	-11.98	-7.32	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7012G	7.71	6.8164G	-19.67	-12.39	-7.28	1
6.6946G	7.49	6.5984G	-21.43	-12.52	-8.91	2
6.6967G	7.96	6.5989G	-19.12	-12.14	-6.98	3
6.7008G	7.56	6.5984G	-20.42	-12.44	-7.98	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7905G	7.80	6.8848G	-18.74	-12.20	-6.54	1
6.7931G	8.08	6.8831G	-18.50	-12.06	-6.44	2
6.7902G	7.64	6.6826G	-19.54	-12.41	-7.13	3
6.7746G	7.76	6.6848G	-20.20	-12.29	-7.91	4

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05379G	0.42	6.269G	-44.59	-39.17	-5.42	1
5.99721G	-0.35	6.2658G	-48.17	-39.75	-8.42	2
6.05199G	-0.38	6.2724G	-49.11	-40.38	-8.73	3
6.04559G	0.15	6.2698G	-47.11	-39.74	-7.37	4

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203G	8.16	6.3976G	-19.91	-11.89	-8.02	1
6.15601G	8.87	5.975G	-19.99	-11.13	-8.86	2
6.205G	9.26	6.4074G	-18.30	-10.74	-7.56	3
6.20539G	9.21	6.4016G	-19.06	-10.81	-8.25	4

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

5955MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

6195MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

6415MHz_TX

11/09/2023

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.424123G	-2.12	6.40355G	-34.93	-22.12	-12.81	1
6.424148G	-1.04	6.426525G	-35.11	-21.06	-14.05	2


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

6535MHz_TX

11/09/2023

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526227G	-0.41	6.546225G	-32.15	-20.45	-11.70	1
6.544273G	-2.15	6.523475G	-35.13	-22.24	-12.89	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

6695MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

MASK

6855MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

MASK

5965MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

MASK

6205MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_2TX

MASK

6405MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_2TX

MASK

6565MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

MASK

6685MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689049G	-4.11	6.62795G	-57.43	-42.88	-14.55	1
6.687649G	-4.61	6.62745G	-57.26	-43.88	-13.38	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

MASK

6845MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.851298G	-4.85	6.8129G	-42.35	-29.66	-12.69	1
6.836152G	-4.69	6.9007G	-56.19	-42.92	-13.27	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

5985MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9825G	-1.62	6.1036G	-52.00	-40.87	-11.13	1
5.9893G	-1.58	6.1106G	-55.25	-41.58	-13.67	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

6225MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2303G	-1.23	6.346G	-52.84	-41.20	-11.64	1
6.2139G	-1.10	6.3465G	-54.48	-41.10	-13.38	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

6385MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

6625MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

6705MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

MASK

6785MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_2TX

MASK

6025MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.014G	-2.63	6.1726G	-35.87	-29.16	-6.71	1
6.04959G	-3.12	6.262G	-51.73	-42.15	-9.58	2

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_2TX

MASK

6185MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21879G	-3.40	6.4778G	-52.75	-43.40	-9.35	1
6.21139G	-3.03	6.419G	-51.03	-41.71	-9.32	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

MASK

6345MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3516G	-2.74	6.09G	-53.69	-42.74	-10.95	1
6.3294G	-2.92	6.6758G	-52.53	-42.92	-9.61	2

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS3)_2TX

MASK

6665MHz_TX

11/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68919G	-3.20	6.428G	-49.88	-42.42	-7.46	1
6.68959G	-3.72	6.8806G	-46.77	-39.33	-7.44	2

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

5955MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

6195MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

6415MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

6535MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

6695MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS3)_4TX

MASK

6855MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

5965MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

6205MHz_TX

11/09/2023



5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

6405MHz_TX

11/09/2023

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.402101G	-2.98	6.34595G	-57.62	-42.98	-14.64	1
6.410349G	-4.23	6.3847G	-36.15	-24.25	-11.90	2
6.411548G	-4.29	6.46675G	-59.86	-44.29	-15.57	3
6.402251G	-4.34	6.45605G	-53.74	-39.11	-14.63	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

6565MHz_TX

11/09/2023

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.569999G	-4.14	6.50535G	-57.42	-44.09	-13.33	1
6.562251G	-2.81	6.5445G	-36.72	-22.31	-14.41	2
6.560651G	-4.02	6.5087G	-55.84	-42.72	-13.12	3
6.556002G	-4.28	6.626G	-58.16	-44.28	-13.88	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

6685MHz_TX

11/09/2023

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.678252G	-2.15	6.66445G	-37.23	-22.23	-15.00	1
6.672703G	-2.97	6.62485G	-59.22	-42.97	-16.25	2
6.6856G	-2.65	6.62775G	-54.31	-41.64	-12.67	3
6.682501G	-4.04	6.629G	-54.51	-42.26	-12.25	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS3)_4TX

MASK

6845MHz_TX

11/09/2023

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848849G	-2.91	6.78845G	-54.29	-41.47	-12.82	1
6.837102G	-4.40	6.90445G	-59.45	-44.40	-15.05	2
6.857797G	-2.86	6.905G	-57.22	-42.86	-14.36	3
6.851948G	-4.29	6.90255G	-56.48	-43.66	-12.82	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

5985MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

6225MHz_TX

11/09/2023



5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

6385MHz_TX

11/09/2023

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36121G	-0.99	6.5063G	-54.40	-40.85	-13.55	1
6.3692G	-1.02	6.3435G	-35.88	-21.05	-14.83	2
6.376G	-0.44	6.5067G	-53.22	-40.44	-12.78	3
6.3887G	-3.43	6.5093G	-55.14	-43.43	-11.71	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

6625MHz_TX

11/09/2023

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6189G	-1.04	6.5056G	-52.41	-40.92	-11.49	1
6.6133G	0.11	6.5033G	-53.73	-39.87	-13.86	2
6.6271G	-0.81	6.5095G	-53.33	-39.05	-14.28	3
6.6208G	-2.03	6.5068G	-51.71	-40.97	-10.74	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

6705MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS3)_4TX

MASK

6785MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_4TX

MASK

6025MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_4TX

MASK

6185MHz_TX

11/09/2023



5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_4TX

MASK

6345MHz_TX

11/09/2023

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37279G	-2.32	6.2326G	-34.09	-25.37	-8.72	1
6.32341G	-4.04	6.5776G	-50.34	-42.52	-7.82	2
6.3508G	-3.27	6.5486G	-46.09	-37.12	-8.97	3
6.36759G	-3.11	6.5808G	-51.76	-41.50	-10.26	4

6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS3)_4TX

MASK

6665MHz_TX

11/09/2023

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61961G	-3.48	6.9016G	-50.41	-42.08	-8.33	1
6.63901G	-2.75	6.4302G	-49.33	-41.46	-7.87	2
6.63061G	-3.17	6.5824G	-30.88	-23.21	-7.67	3
6.63401G	-2.76	6.972G	-51.41	-42.76	-8.65	4