


## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.39678G    | 56.56             | 74.00             | -17.44         | 42.24         | 3           | Vertical  | 127            | 2.73          | -       | 39.79      | 8.82       | 34.29      |  |
| AV   | 11.39732G    | 42.66             | 54.00             | -11.34         | 28.34         | 3           | Vertical  | 127            | 2.73          | -       | 39.79      | 8.82       | 34.29      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4022G     | 55.91             | 74.00             | -18.09         | 41.58         | 3           | Horizontal | 272            | 2.85          | -       | 39.80      | 8.82       | 34.29      |
| AV   | 11.40304G    | 42.70             | 54.00             | -11.30         | 28.38         | 3           | Horizontal | 272            | 2.85          | -       | 39.79      | 8.82       | 34.29      |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7168G      | 115.85            | Inf               | -Inf           | 110.35        | 3           | Vertical  | 162            | 2.58          | -       | 31.87      | 5.89       | 32.26      |
| AV   | 5.716G       | 103.70            | Inf               | -Inf           | 98.21         | 3           | Vertical  | 162            | 2.58          | -       | 31.86      | 5.89       | 32.26      |
| PK   | 5.8504G      | 57.13             | 68.20             | -11.07         | 51.52         | 3           | Vertical  | 162            | 2.58          | -       | 32.00      | 5.95       | 32.34      |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7224G      | 120.42            | Inf               | -Inf           | 114.90        | 3           | Horizontal | 68             | 1.04          | -       | 31.89      | 5.89       | 32.26      |
| AV   | 5.724G       | 108.62            | Inf               | -Inf           | 103.09        | 3           | Horizontal | 68             | 1.04          | -       | 31.90      | 5.89       | 32.26      |
| PK   | 5.8536G      | 58.67             | 68.20             | -9.53          | 53.05         | 3           | Horizontal | 68             | 1.04          | -       | 32.01      | 5.95       | 32.34      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.43948G    | 56.16             | 74.00             | -17.84         | 41.90         | 3           | Vertical  | 47             | 1.69          | -       | 39.72      | 8.84       | 34.30      |  |
| AV   | 11.44278G    | 42.72             | 54.00             | -11.28         | 28.47         | 3           | Vertical  | 47             | 1.69          | -       | 39.71      | 8.84       | 34.30      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43818G    | 56.15             | 74.00             | -17.85         | 41.89         | 3           | Horizontal | 121            | 2.32          | -       | 39.72      | 8.84       | 34.30      |
| AV   | 11.43956G    | 42.70             | 54.00             | -11.30         | 28.44         | 3           | Horizontal | 121            | 2.32          | -       | 39.72      | 8.84       | 34.30      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5270MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 20.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1452G      | 59.96             | 74.00             | -14.04         | 54.68         | 3           | Vertical  | 168            | 2.80          | -       | 31.73      | 5.52       | 31.97      |
| AV   | 5.147G       | 45.66             | 54.00             | -8.34          | 40.38         | 3           | Vertical  | 168            | 2.80          | -       | 31.72      | 5.53       | 31.97      |
| PK   | 5.267G       | 112.69            | Inf               | -Inf           | 108.01        | 3           | Vertical  | 168            | 2.80          | -       | 31.10      | 5.61       | 32.03      |
| AV   | 5.267G       | 100.20            | Inf               | -Inf           | 95.52         | 3           | Vertical  | 168            | 2.80          | -       | 31.10      | 5.61       | 32.03      |
| PK   | 5.3576G      | 60.71             | 74.00             | -13.29         | 55.96         | 3           | Vertical  | 168            | 2.80          | -       | 31.15      | 5.67       | 32.07      |
| AV   | 5.3576G      | 46.86             | 54.00             | -7.14          | 42.11         | 3           | Vertical  | 168            | 2.80          | -       | 31.15      | 5.67       | 32.07      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5270MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 20.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1446G      | 62.11             | 74.00             | -11.89         | 56.83         | 3           | Horizontal | 343            | 1.00          | -       | 31.73      | 5.52       | 31.97      |
| AV   | 5.15G        | 47.12             | 54.00             | -6.88          | 41.87         | 3           | Horizontal | 343            | 1.00          | -       | 31.70      | 5.53       | 31.98      |
| PK   | 5.2724G      | 116.14            | Inf               | -Inf           | 111.46        | 3           | Horizontal | 343            | 1.00          | -       | 31.10      | 5.61       | 32.03      |
| AV   | 5.2724G      | 102.83            | Inf               | -Inf           | 98.15         | 3           | Horizontal | 343            | 1.00          | -       | 31.10      | 5.61       | 32.03      |
| PK   | 5.3552G      | 67.53             | 74.00             | -6.47          | 62.80         | 3           | Horizontal | 343            | 1.00          | -       | 31.13      | 5.67       | 32.07      |
| AV   | 5.3534G      | 51.61             | 54.00             | -2.39          | 46.89         | 3           | Horizontal | 343            | 1.00          | -       | 31.12      | 5.67       | 32.07      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 20.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.80566G    | 57.11             | 74.00             | -16.89         | 43.64         | 3           | Vertical  | 71             | 2.97          | -       | 37.79      | 10.02      | 34.34      |
| AV   | 15.81104G    | 43.91             | 54.00             | -10.09         | 30.45         | 3           | Vertical  | 71             | 2.97          | -       | 37.78      | 10.02      | 34.34      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 20.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.81474G    | 57.54             | 74.00             | -16.46         | 44.10         | 3           | Horizontal | 290            | 2.29          | -       | 37.77      | 10.02      | 34.35      |
| AV   | 15.8115G     | 43.85             | 54.00             | -10.15         | 30.39         | 3           | Horizontal | 290            | 2.29          | -       | 37.78      | 10.02      | 34.34      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5310MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3076G      | 110.99            | Inf               | -Inf           | 106.30        | 3           | Vertical  | 170            | 2.93          | -       | 31.10      | 5.64       | 32.05      |
| AV   | 5.3076G      | 99.02             | Inf               | -Inf           | 94.33         | 3           | Vertical  | 170            | 2.93          | -       | 31.10      | 5.64       | 32.05      |
| PK   | 5.352G       | 63.59             | 74.00             | -10.41         | 58.87         | 3           | Vertical  | 170            | 2.93          | -       | 31.11      | 5.67       | 32.06      |
| AV   | 5.355G       | 46.90             | 54.00             | -7.10          | 42.17         | 3           | Vertical  | 170            | 2.93          | -       | 31.13      | 5.67       | 32.07      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3208G      | 112.76            | Inf               | -Inf           | 108.07        | 3           | Horizontal | 348            | 1.01          | -       | 31.10      | 5.64       | 32.05      |
| AV   | 5.3118G      | 101.32            | Inf               | -Inf           | 96.63         | 3           | Horizontal | 348            | 1.01          | -       | 31.10      | 5.64       | 32.05      |
| PK   | 5.3508G      | 67.37             | 74.00             | -6.63          | 62.66         | 3           | Horizontal | 348            | 1.01          | -       | 31.10      | 5.67       | 32.06      |
| AV   | 5.3514G      | 51.27             | 54.00             | -2.73          | 46.55         | 3           | Horizontal | 348            | 1.01          | -       | 31.11      | 5.67       | 32.06      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.93478G    | 56.55             | 74.00             | -17.45         | 43.36         | 3           | Vertical  | 295            | 1.55          | -       | 37.53      | 10.05      | 34.39      |  |
| AV   | 15.92928G    | 43.38             | 54.00             | -10.62         | 30.18         | 3           | Vertical  | 295            | 1.55          | -       | 37.54      | 10.05      | 34.39      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.93192G    | 56.94             | 74.00             | -17.06         | 43.74         | 3           | Horizontal | 189            | 2.90          | -       | 37.54      | 10.05      | 34.39      |  |
| AV   | 15.93004G    | 43.35             | 54.00             | -10.65         | 30.15         | 3           | Horizontal | 189            | 2.90          | -       | 37.54      | 10.05      | 34.39      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4596G      | 58.21             | 74.00             | -15.79         | 53.06         | 3           | Vertical  | 165            | 2.75          | -       | 31.50      | 5.76       | 32.11      |
| AV   | 5.46G        | 45.47             | 54.00             | -8.53          | 40.32         | 3           | Vertical  | 165            | 2.75          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.4632G      | 63.25             | 68.20             | -4.95          | 58.10         | 3           | Vertical  | 165            | 2.75          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.5016G      | 110.02            | Inf               | -Inf           | 104.85        | 3           | Vertical  | 165            | 2.75          | -       | 31.50      | 5.80       | 32.13      |
| AV   | 5.5016G      | 97.64             | Inf               | -Inf           | 92.47         | 3           | Vertical  | 165            | 2.75          | -       | 31.50      | 5.80       | 32.13      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5510MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.459G       | 63.11             | 74.00             | -10.89         | 57.96         | 3           | Horizontal | 78             | 1.00          | -       | 31.50      | 5.76       | 32.11      |  |
| AV   | 5.4578G      | 47.12             | 54.00             | -6.88          | 41.98         | 3           | Horizontal | 78             | 1.00          | -       | 31.50      | 5.75       | 32.11      |  |
| PK   | 5.4674G      | 64.34             | 68.20             | -3.86          | 59.20         | 3           | Horizontal | 78             | 1.00          | -       | 31.50      | 5.76       | 32.12      |  |
| PK   | 5.5076G      | 113.77            | Inf               | -Inf           | 108.60        | 3           | Horizontal | 78             | 1.00          | -       | 31.50      | 5.80       | 32.13      |  |
| AV   | 5.5178G      | 100.90            | Inf               | -Inf           | 95.73         | 3           | Horizontal | 78             | 1.00          | -       | 31.50      | 5.81       | 32.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.02462G    | 57.19             | 74.00             | -16.81         | 42.72         | 3           | Vertical  | 332            | 2.92          | -       | 40.10      | 8.60       | 34.23      |  |
| AV   | 11.01756G    | 43.45             | 54.00             | -10.55         | 28.95         | 3           | Vertical  | 332            | 2.92          | -       | 40.13      | 8.60       | 34.23      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5510MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.01722G    | 56.62             | 74.00             | -17.38         | 42.12         | 3           | Horizontal | 67             | 1.34          | -       | 40.13      | 8.60       | 34.23      |  |
| AV   | 11.01532G    | 43.18             | 54.00             | -10.82         | 28.67         | 3           | Horizontal | 67             | 1.34          | -       | 40.14      | 8.60       | 34.23      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5550MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 21.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.451G       | 60.55             | 74.00             | -13.45         | 55.41         | 3           | Vertical  | 171            | 2.71          | -       | 31.50      | 5.75       | 32.11      |  |
| PK   | 5.4606G      | 63.08             | 68.20             | -5.12          | 57.93         | 3           | Vertical  | 171            | 2.71          | -       | 31.50      | 5.76       | 32.11      |  |
| AV   | 5.46G        | 48.30             | 54.00             | -5.70          | 43.15         | 3           | Vertical  | 171            | 2.71          | -       | 31.50      | 5.76       | 32.11      |  |
| PK   | 5.5524G      | 112.48            | Inf               | -Inf           | 107.30        | 3           | Vertical  | 171            | 2.71          | -       | 31.50      | 5.84       | 32.16      |  |
| AV   | 5.553G       | 100.21            | Inf               | -Inf           | 95.01         | 3           | Vertical  | 171            | 2.71          | -       | 31.51      | 5.85       | 32.16      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 21.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4588G      | 63.95             | 74.00             | -10.05         | 58.80         | 3           | Horizontal | 81             | 1.00          | -       | 31.50      | 5.76       | 32.11      |
| AV   | 5.4588G      | 51.24             | 54.00             | -2.76          | 46.09         | 3           | Horizontal | 81             | 1.00          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.4666G      | 67.88             | 68.20             | -0.32          | 62.74         | 3           | Horizontal | 81             | 1.00          | -       | 31.50      | 5.76       | 32.12      |
| PK   | 5.5368G      | 115.56            | Inf               | -Inf           | 110.38        | 3           | Horizontal | 81             | 1.00          | -       | 31.50      | 5.83       | 32.15      |
| AV   | 5.5572G      | 103.25            | Inf               | -Inf           | 98.05         | 3           | Horizontal | 81             | 1.00          | -       | 31.51      | 5.85       | 32.16      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 21.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09988G    | 56.64             | 74.00             | -17.36         | 42.44         | 3           | Vertical  | 179            | 1.35          | -       | 39.80      | 8.65       | 34.25      |
| AV   | 11.1003G     | 42.90             | 54.00             | -11.10         | 28.70         | 3           | Vertical  | 179            | 1.35          | -       | 39.80      | 8.65       | 34.25      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 21.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.10422G    | 57.16             | 74.00             | -16.84         | 42.97         | 3           | Horizontal | 34             | 1.20          | -       | 39.79      | 8.65       | 34.25      |
| AV   | 11.1006G     | 42.94             | 54.00             | -11.06         | 28.74         | 3           | Horizontal | 34             | 1.20          | -       | 39.80      | 8.65       | 34.25      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5670MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6724G      | 109.11            | Inf               | -Inf           | 103.76        | 3           | Vertical  | 163            | 2.59          | -       | 31.69      | 5.89       | 32.23      |
| AV   | 5.6712G      | 96.38             | Inf               | -Inf           | 91.04         | 3           | Vertical  | 163            | 2.59          | -       | 31.68      | 5.89       | 32.23      |
| PK   | 5.73G        | 61.94             | 68.20             | -6.26          | 56.40         | 3           | Vertical  | 163            | 2.59          | -       | 31.92      | 5.89       | 32.27      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6682G      | 114.11            | Inf               | -Inf           | 108.78        | 3           | Horizontal | 68             | 1.06          | -       | 31.67      | 5.89       | 32.23      |
| AV   | 5.6688G      | 101.94            | Inf               | -Inf           | 96.60         | 3           | Horizontal | 68             | 1.06          | -       | 31.68      | 5.89       | 32.23      |
| PK   | 5.7288G      | 66.25             | 68.20             | -1.95          | 60.71         | 3           | Horizontal | 68             | 1.06          | -       | 31.92      | 5.89       | 32.27      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.34192G    | 56.12             | 74.00             | -17.88         | 41.94         | 3           | Vertical  | 230            | 1.81          | -       | 39.68      | 8.78       | 34.28      |  |
| AV   | 11.33844G    | 42.63             | 54.00             | -11.37         | 28.45         | 3           | Vertical  | 230            | 1.81          | -       | 39.68      | 8.78       | 34.28      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33926G    | 56.42             | 74.00             | -17.58         | 42.24         | 3           | Horizontal | 25             | 2.10          | -       | 39.68      | 8.78       | 34.28      |
| AV   | 11.34326G    | 42.65             | 54.00             | -11.35         | 28.45         | 3           | Horizontal | 25             | 2.10          | -       | 39.69      | 8.79       | 34.28      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7092G      | 112.46            | Inf               | -Inf           | 106.99        | 3           | Vertical  | 162            | 2.57          | -       | 31.84      | 5.89       | 32.26      |
| AV   | 5.7108G      | 100.83            | Inf               | -Inf           | 95.36         | 3           | Vertical  | 162            | 2.57          | -       | 31.84      | 5.89       | 32.26      |
| PK   | 5.8516G      | 60.32             | 68.20             | -7.88          | 54.71         | 3           | Vertical  | 162            | 2.57          | -       | 32.00      | 5.95       | 32.34      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7284G      | 117.56            | Inf               | -Inf           | 112.03        | 3           | Horizontal | 66             | 1.06          | -       | 31.91      | 5.89       | 32.27      |
| AV   | 5.7092G      | 105.60            | Inf               | -Inf           | 100.13        | 3           | Horizontal | 66             | 1.06          | -       | 31.84      | 5.89       | 32.26      |
| PK   | 5.858G       | 67.09             | 68.20             | -1.11          | 61.46         | 3           | Horizontal | 66             | 1.06          | -       | 32.02      | 5.95       | 32.34      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.41942G    | 57.29             | 74.00             | -16.71         | 43.00         | 3           | Vertical  | 181            | 2.14          | -       | 39.76      | 8.83       | 34.30      |
| AV   | 11.415G      | 42.59             | 54.00             | -11.41         | 28.29         | 3           | Vertical  | 181            | 2.14          | -       | 39.77      | 8.83       | 34.30      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 24  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.4245G     | 56.12             | 74.00             | -17.88         | 41.84         | 3           | Horizontal | 328            | 1.63          | -       | 39.75      | 8.83       | 34.30      |  |
| AV   | 11.41776G    | 42.62             | 54.00             | -11.38         | 28.33         | 3           | Horizontal | 328            | 1.63          | -       | 39.76      | 8.83       | 34.30      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5290MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.137G       | 57.97             | 74.00             | -16.03         | 52.64         | 3           | Vertical  | 167            | 2.80          | -       | 31.78      | 5.52       | 31.97      |
| AV   | 5.146G       | 46.09             | 54.00             | -7.91          | 40.82         | 3           | Vertical  | 167            | 2.80          | -       | 31.72      | 5.52       | 31.97      |
| PK   | 5.297G       | 108.49            | Inf               | -Inf           | 103.80        | 3           | Vertical  | 167            | 2.80          | -       | 31.10      | 5.63       | 32.04      |
| AV   | 5.287G       | 95.95             | Inf               | -Inf           | 91.27         | 3           | Vertical  | 167            | 2.80          | -       | 31.10      | 5.62       | 32.04      |
| PK   | 5.354G       | 64.19             | 74.00             | -9.81          | 59.47         | 3           | Vertical  | 167            | 2.80          | -       | 31.12      | 5.67       | 32.07      |
| AV   | 5.355G       | 48.58             | 54.00             | -5.42          | 43.85         | 3           | Vertical  | 167            | 2.80          | -       | 31.13      | 5.67       | 32.07      |
| PK   | 5.505G       | 56.47             | 68.20             | -11.73         | 51.30         | 3           | Vertical  | 167            | 2.80          | -       | 31.50      | 5.80       | 32.13      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5290MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.15G        | 59.69             | 74.00             | -14.31         | 54.44         | 3           | Horizontal | 344            | 1.02          | -       | 31.70      | 5.53       | 31.98      |
| AV   | 5.142G       | 46.75             | 54.00             | -7.25          | 41.45         | 3           | Horizontal | 344            | 1.02          | -       | 31.75      | 5.52       | 31.97      |
| PK   | 5.261G       | 109.58            | Inf               | -Inf           | 104.90        | 3           | Horizontal | 344            | 1.02          | -       | 31.10      | 5.60       | 32.02      |
| AV   | 5.302G       | 98.32             | Inf               | -Inf           | 93.63         | 3           | Horizontal | 344            | 1.02          | -       | 31.10      | 5.63       | 32.04      |
| PK   | 5.353G       | 72.17             | 74.00             | -1.83          | 67.45         | 3           | Horizontal | 344            | 1.02          | -       | 31.12      | 5.67       | 32.07      |
| AV   | 5.353G       | 52.95             | 54.00             | -1.05          | 48.23         | 3           | Horizontal | 344            | 1.02          | -       | 31.12      | 5.67       | 32.07      |
| PK   | 5.54G        | 57.45             | 68.20             | -10.75         | 52.27         | 3           | Horizontal | 344            | 1.02          | -       | 31.50      | 5.83       | 32.15      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.86806G    | 57.42             | 74.00             | -16.58         | 44.10         | 3           | Vertical  | 285            | 1.75          | -       | 37.66      | 10.03      | 34.37      |  |
| AV   | 15.87132G    | 44.66             | 54.00             | -9.34          | 31.33         | 3           | Vertical  | 285            | 1.75          | -       | 37.66      | 10.04      | 34.37      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.87232G    | 57.05             | 74.00             | -16.95         | 43.72         | 3           | Horizontal | 292            | 1.01          | -       | 37.66      | 10.04      | 34.37      |
| AV   | 15.86944G    | 44.82             | 54.00             | -9.18          | 31.49         | 3           | Horizontal | 292            | 1.01          | -       | 37.66      | 10.04      | 34.37      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5530MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.322G       | 56.12             | 68.20             | -12.08         | 51.42         | 3           | Vertical  | 172            | 2.71          | -       | 31.10      | 5.65       | 32.05      |
| PK   | 5.455G       | 63.26             | 74.00             | -10.74         | 58.12         | 3           | Vertical  | 172            | 2.71          | -       | 31.50      | 5.75       | 32.11      |
| AV   | 5.458G       | 46.30             | 54.00             | -7.70          | 41.15         | 3           | Vertical  | 172            | 2.71          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.469G       | 63.47             | 68.20             | -4.73          | 58.32         | 3           | Vertical  | 172            | 2.71          | -       | 31.50      | 5.77       | 32.12      |
| PK   | 5.518G       | 106.34            | Inf               | -Inf           | 101.17        | 3           | Vertical  | 172            | 2.71          | -       | 31.50      | 5.81       | 32.14      |
| AV   | 5.528G       | 94.47             | Inf               | -Inf           | 89.30         | 3           | Vertical  | 172            | 2.71          | -       | 31.50      | 5.82       | 32.15      |
| PK   | 5.727G       | 57.72             | 68.20             | -10.48         | 52.19         | 3           | Vertical  | 172            | 2.71          | -       | 31.91      | 5.89       | 32.27      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5530MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.331G       | 55.64             | 68.20             | -12.56         | 50.95         | 3           | Horizontal | 80             | 1.02          | -       | 31.10      | 5.65       | 32.06      |
| PK   | 5.442G       | 64.92             | 74.00             | -9.08          | 59.80         | 3           | Horizontal | 80             | 1.02          | -       | 31.48      | 5.74       | 32.10      |
| AV   | 5.453G       | 48.32             | 54.00             | -5.68          | 43.18         | 3           | Horizontal | 80             | 1.02          | -       | 31.50      | 5.75       | 32.11      |
| PK   | 5.464G       | 67.09             | 68.20             | -1.11          | 61.94         | 3           | Horizontal | 80             | 1.02          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.533G       | 109.80            | Inf               | -Inf           | 104.62        | 3           | Horizontal | 80             | 1.02          | -       | 31.50      | 5.83       | 32.15      |
| AV   | 5.533G       | 97.64             | Inf               | -Inf           | 92.46         | 3           | Horizontal | 80             | 1.02          | -       | 31.50      | 5.83       | 32.15      |
| PK   | 5.754G       | 59.11             | 68.20             | -9.09          | 53.50         | 3           | Horizontal | 80             | 1.02          | -       | 32.00      | 5.89       | 32.28      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.05754G    | 56.53             | 74.00             | -17.47         | 42.18         | 3           | Vertical  | 73             | 1.14          | -       | 39.97      | 8.62       | 34.24      |  |
| AV   | 11.05514G    | 43.15             | 54.00             | -10.85         | 28.79         | 3           | Vertical  | 73             | 1.14          | -       | 39.98      | 8.62       | 34.24      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5530MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.06148G | 56.83    | 74.00    | -17.17 | 42.49  | 3    | Horizontal | 45      | 2.39   | -       | 39.95 | 8.63 | 34.24 |  |
| AV   | 11.0579G  | 43.12    | 54.00    | -10.88 | 28.77  | 3    | Horizontal | 45      | 2.39   | -       | 39.97 | 8.62 | 34.24 |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5610MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.452G       | 58.11             | 74.00             | -15.89         | 52.97         | 3           | Vertical  | 174            | 2.79          | -       | 31.50      | 5.75       | 32.11      |
| AV   | 5.453G       | 45.18             | 54.00             | -8.82          | 40.04         | 3           | Vertical  | 174            | 2.79          | -       | 31.50      | 5.75       | 32.11      |
| PK   | 5.464G       | 57.14             | 68.20             | -11.06         | 51.99         | 3           | Vertical  | 174            | 2.79          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.595G       | 105.23            | Inf               | -Inf           | 99.94         | 3           | Vertical  | 174            | 2.79          | -       | 31.59      | 5.89       | 32.19      |
| AV   | 5.594G       | 94.04             | Inf               | -Inf           | 88.76         | 3           | Vertical  | 174            | 2.79          | -       | 31.59      | 5.88       | 32.19      |
| PK   | 5.725G       | 62.09             | 68.20             | -6.11          | 56.57         | 3           | Vertical  | 174            | 2.79          | -       | 31.90      | 5.89       | 32.27      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5610MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.459G       | 59.02             | 74.00             | -14.98         | 53.87         | 3           | Horizontal | 66             | 1.01          | -       | 31.50      | 5.76       | 32.11      |
| AV   | 5.459G       | 45.52             | 54.00             | -8.48          | 40.37         | 3           | Horizontal | 66             | 1.01          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.469G       | 59.12             | 68.20             | -9.08          | 53.97         | 3           | Horizontal | 66             | 1.01          | -       | 31.50      | 5.77       | 32.12      |
| PK   | 5.628G       | 109.46            | Inf               | -Inf           | 104.18        | 3           | Horizontal | 66             | 1.01          | -       | 31.60      | 5.89       | 32.21      |
| AV   | 5.619G       | 97.56             | Inf               | -Inf           | 92.27         | 3           | Horizontal | 66             | 1.01          | -       | 31.60      | 5.89       | 32.20      |
| PK   | 5.73G        | 65.28             | 68.20             | -2.92          | 59.74         | 3           | Horizontal | 66             | 1.01          | -       | 31.92      | 5.89       | 32.27      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.22456G    | 56.40             | 74.00             | -17.60         | 42.35         | 3           | Vertical  | 180            | 1.54          | -       | 39.60      | 8.72       | 34.27      |
| AV   | 11.21566G    | 42.66             | 54.00             | -11.34         | 28.61         | 3           | Vertical  | 180            | 1.54          | -       | 39.60      | 8.71       | 34.26      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5610MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.22348G    | 55.89             | 74.00             | -18.11         | 41.84         | 3           | Horizontal | 34             | 1.52          | -       | 39.60      | 8.72       | 34.27      |
| AV   | 11.21712G    | 42.55             | 54.00             | -11.45         | 28.50         | 3           | Horizontal | 34             | 1.52          | -       | 39.60      | 8.71       | 34.26      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 22.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.441G       | 58.22             | 74.00             | -15.78         | 53.10         | 3           | Vertical  | 164            | 2.47          | -       | 31.48      | 5.74       | 32.10      |
| PK   | 5.47G        | 60.29             | 68.20             | -7.91          | 55.14         | 3           | Vertical  | 164            | 2.47          | -       | 31.50      | 5.77       | 32.12      |
| AV   | 5.46G        | 46.35             | 54.00             | -7.65          | 41.20         | 3           | Vertical  | 164            | 2.47          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.693G       | 108.68            | Inf               | -Inf           | 103.27        | 3           | Vertical  | 164            | 2.47          | -       | 31.77      | 5.89       | 32.25      |
| AV   | 5.692G       | 96.67             | Inf               | -Inf           | 91.26         | 3           | Vertical  | 164            | 2.47          | -       | 31.77      | 5.89       | 32.25      |
| PK   | 5.853G       | 62.16             | 68.20             | -6.04          | 56.54         | 3           | Vertical  | 164            | 2.47          | -       | 32.01      | 5.95       | 32.34      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 22.5  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.44G        | 58.90             | 74.00             | -15.10         | 53.78         | 3           | Horizontal | 67             | 1.00          | -       | 31.48      | 5.74       | 32.10      |
| PK   | 5.461G       | 60.37             | 68.20             | -7.83          | 55.22         | 3           | Horizontal | 67             | 1.00          | -       | 31.50      | 5.76       | 32.11      |
| AV   | 5.46G        | 47.67             | 54.00             | -6.33          | 42.52         | 3           | Horizontal | 67             | 1.00          | -       | 31.50      | 5.76       | 32.11      |
| PK   | 5.669G       | 114.04            | Inf               | -Inf           | 108.70        | 3           | Horizontal | 67             | 1.00          | -       | 31.68      | 5.89       | 32.23      |
| AV   | 5.689G       | 102.12            | Inf               | -Inf           | 96.71         | 3           | Horizontal | 67             | 1.00          | -       | 31.76      | 5.89       | 32.24      |
| PK   | 5.858G       | 67.87             | 68.20             | -0.33          | 62.24         | 3           | Horizontal | 67             | 1.00          | -       | 32.02      | 5.95       | 32.34      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 22.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3822G     | 56.65             | 74.00             | -17.35         | 42.37         | 3           | Vertical  | 92             | 2.02          | -       | 39.76      | 8.81       | 34.29      |
| AV   | 11.37564G    | 42.67             | 54.00             | -11.33         | 28.41         | 3           | Vertical  | 92             | 2.02          | -       | 39.75      | 8.80       | 34.29      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT\_Z\_2TX  
Setting 22.5  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.38262G    | 56.22             | 74.00             | -17.78         | 41.93         | 3           | Horizontal | 173            | 2.25          | -       | 39.77      | 8.81       | 34.29      |
| AV   | 11.37546G    | 42.76             | 54.00             | -11.24         | 28.50         | 3           | Horizontal | 173            | 2.25          | -       | 39.75      | 8.80       | 34.29      |