




AFC DUT TEST HARNESS REPORT

FCC ID : UDX-600191010
Equipment : Catalyst Wireless 9163E Series Wi-Fi 6E Access Point
Brand Name : CISCO
Model Name : CW9163E-B, CW9163E-MR
Applicant : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA
Manufacturer : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA
Standard : 47 CFR FCC Part 15.407

The product was received on Apr. 17, 2023, and testing was started from Aug. 24, 2023 and completed on Sep. 11, 2023. We, Sporton International Inc. Hsinchu Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.5 and shown compliance with the applicable technical standards.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinchu Laboratory, the test report shall not be reproduced except in full.



Approved by: Sam Chen

Sporton International Inc. Hsinchu Laboratory
No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.)



Table of Contents

1	General Description	6
1.1	Product Feature of Equipment Under Test	6
1.2	Antenna Information	7
1.3	Table for Multiple Listing	9
1.4	Table for Radio Function	9
1.5	Table for EUT Information	9
1.6	Table for Permissive Change	9
1.7	Accessories	10
1.8	Support Equipment	10
1.9	Applicable Standards	11
1.10	Testing Location	11
2	Measurement Environment	12
2.1	AFCD General Capabilities Declaration	12
2.2	Test Configuration	13
3	Protocol Test Results	15
3.1	Successful Registration and Spectrum Access Request	15
3.2	Unsuccessful Spectrum Access Request	17
3.3	Successful Spectrum Access Update	18
3.4	Unsuccessful Spectrum Access Update	20
3.5	Unsuccessful Server Validation	22
4	Test Equipment and Calibration Data	23
5	Measurement Uncertainty	24

Appendix A. Tools Report

Appendix B. DUT Spectrum Inquiry Request/Response Logs

Appendix C. RF Measurement Plots

Photographs of EUT v01



History of this test report

[illegible]



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Frequency Test Group: Inquired Frequency - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1	PASS	Meraki SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1	PASS	Meraki SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1	PASS	Meraki SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1	PASS	Meraki SW only
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1	PASS	Meraki SW only
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1	PASS	Meraki SW only
3.4	3.4.4	CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1	PASS	Meraki SW only
AFC capability - Inquired Channel Test Group: Inquired Channel - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1	PASS	Cisco SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1	PASS	Cisco SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1	PASS	Cisco SW only
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1	PASS	Cisco SW only
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1	PASS	Cisco SW only
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1	PASS	Cisco SW only
3.4	3.4.4	CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1	PASS	Cisco SW only
AFC capability - Inquired Frequency & Channel Test Group: Inquired Frequency and Channel - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1	N/A	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_40MHz_10626_1	N/A	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_80MHz_10627_1	N/A	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_160MHz_10628_1	N/A	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1	N/A	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1	N/A	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1	N/A	-
AFC capability - Server Validation – Mandatory Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

**Conformity Assessment Condition:**

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Sam Chen

Report Producer: Sharon Jiang



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature of Equipment Under Test	
Power Type	From PoE
EUT Type	☒ Standard Power Access Point with Proxy ☐ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Condition of EUT	☐ Indoor ☒ Outdoor
Professional Installation	☒ Yes ☐ No
For Cisco SW:	
Firmware Version	17.13.1
Software Version	17.13.1
Hardware Version	N/A
Proxy Firmware Version	17.13.1
Proxy Software Version	17.13.1
Proxy Hardware Version	N/A
For Meraki SW:	
Firmware Version	30-202308102048-G7305c1ab-rel-jockey
Software Version	r30
Hardware Version	CW9163E
Proxy Firmware Version	N/A
Proxy Software Version	477245
Proxy Hardware Version	N/A

Note: The above information was declared by manufacturer.



1.2 Antenna Information

Ant.	2.4GHz Port	5GHz Port	6GHz Port	Bluetooth / Zigbee	GPS	Brand	Model Name	Antenna Type	Connector	Remark	Gain (dBi)
1	2	2	-	-	-	CISCO	CW-ANT-O1-NS-00	Dipole	N-Type	External Antenna	Note 1
2	1	1	-	-	-	CISCO	CW-ANT-O1-NS-00	Dipole	N-Type	External Antenna	
3	-	-	1	-	-	CISCO	CW-ANT-O1-NS-00	Dipole	N-Type	External Antenna	
4	-	-	2	-	-	CISCO	CW-ANT-O1-NS-00	Dipole	N-Type	External Antenna	
5	1	1	1	-	-	AWAN	A8M6P-100005	PIFA	N-Type	Internal Antenna	
6	-	-	-	1	-	AWAN	A8M6P-100003	PIFA	N-Type	Internal Antenna	
7	-	-	-	-	1	AWAN	A8M6P-100004	PIFA	N-Type	Internal Antenna	
8	-	-	-	-	2	CISCO	CW-ANT-GPS2-S-00	Patch	SMA	External Antenna	

Note1:

Ant.	Gain (dBi)								
	2.4GHz	5GHz UNII 1	5GHz UNII 2A	5GHz UNII 2C	5GHz UNII 3	6GHz UNII 5	6GHz UNII 7	Bluetooth / Zigbee	GPS
1	4	8	8	8	8	-	-	-	-
2	4	8	8	8	8	-	-	-	-
3	-	-	-	-	-	8	8	-	-
4	-	-	-	-	-	8	8	-	-
5	4.9	3	3	3.1	3	2.8	3.2	-	-
6	-	-	-	-	-	-	-	5.7	-
7	-	-	-	-	-	-	-	-	3.7
8	-	-	-	-	-	-	-	-	3.18

Note2: The above information was declared by manufacturer.



Note3: Directional gain information

Type	Maximum Output Power	Power Spectral Density
Non-BF	Directional gain = Max.gain + array gain. For power measurements on IEEE 802.11 devices Array Gain = 0 dB (i.e., no array gain) for N ANT ≤ 4	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ant}} \left(\sum_{k=1}^{N_{ant}} S_{j,k} \right)^2}{N_{ANT}} \right]$
BF	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ant}} \left(\sum_{k=1}^{N_{ant}} S_{j,k} \right)^2}{N_{ANT}} \right]$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ant}} \left(\sum_{k=1}^{N_{ant}} S_{j,k} \right)^2}{N_{ANT}} \right]$

Ex.

Directional Gain (NSS1) formula :

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ant}} \left(\sum_{k=1}^{N_{ant}} S_{j,k} \right)^2}{N_{ANT}} \right]$$

$$NSS1(g1,1) = 10^{G1/20} ; NSS1(g1,2) = 10^{G2/20} ;$$

$$g_{j,k} = (NSS1(g1,1) + NSS1(g1,2))^2$$

$$DG = 10 \log[(NSS1(g1,1) + NSS1(g1,2))^2 / N_{ANT}] \Rightarrow 10 \log[(10^{G1/20} + 10^{G2/20})^2 / N_{ANT}]$$

Where ;

Dipole

2.4G G1= 4 dBi ; G2= 4 dBi ;DG= 7.01dBi

5G G1= 8 dBi ; G2= 8 dBi ;DG= 11.01dBi

<For Radio 1 (2.4GHz/5GHz/6GHz Functions)>

IEEE 802.11a/b/g/n/VHT/ax

For 1TX/2RX:

The EUT supports the antenna with TX diversity functions.

Both Port 1 and Port 2 support transmit and receive functions, but only one of them will be used to transmit at one time.

For 2TX/2RX:

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

<For Scanning Radio 2 (2.4GHz/5GHz/6GHz Functions)>

IEEE 802.11a/b/g/n/VHT/ax

For 1TX/1RX:

Only Port 1 can be use as transmitting/receiving antenna.

<For Radio 3 / Bluetooth/Zigbee Functions>

For 1TX/1RX:

Only Port 1 can be use as transmitting/receiving antenna.

<For Radio 4 / GPS Functions>

For 1RX:

The EUT supports the antenna with RX diversity functions.

Both Port 1 and Port 2 support receive functions, but only one of them will be used to receive at one time.



1.3 Table for Multiple Listing

The model names in the following table are all refer to the identical product.

Model Name	SW
CW9163E-B	Cisco
CW9163E-MR	Meraki

Note: The above information was declared by manufacturer.

1.4 Table for Radio Function

Radio	Support Band
1	2.4GHz / 5GHz UNII 1~UNII 3 / 6GHz UNII5, UNII 7
2	Scanning 2.4GHz / 5GHz UNII 1~UNII 3 / 6GHz UNII5, UNII 7
3	Bluetooth / Zigbee
4	GPS

Note1: The above information was declared by manufacturer.

Note2: The Radio 1 and Radio 2 can't be operated simultaneously.

1.5 Table for EUT Information

EUT	RJ-45 Connector	Console Connector
1	Brand Name: UDE Model Name: R66-MK-3001	Brand Name: UDE Model Name: R66-MK-2001
2	Brand Name: ODS Model Name: CMK-RJ45-CAP	Brand Name: ODS Model Name: CMK-RJ45-CG

Note1: From the above EUTs, EUT 1 was selected as representative EUT for all the tests.

Note2: The above information was declared by manufacturer.

1.6 Table for Permissive Change

This product is an extension of original one reported under Sporton project number: 340101

Below is the table for the change of the product with respect to the original one.

Modifications	Performance Checking
Adding Frequency for 6GHz	AFC DUT Test Harness



1.7 Accessories

Equipment	Brand Name	Model Name	Remark
Mount bracket 1*1	Meraki	MA-MNT-MR-16	Used for CW9163E-MR
Mount bracket 2*1	Cisco	AIR-MNT-VERT1	Used for CW9163E-B
Waterproof Covering (Cap) 1*1	UDE	R66-MK-3001	Used for EUT 1
Waterproof Covering (Cap) 2*1	ODS	CMK-RJ45-CAP	Used for EUT 2
Waterproof Covering (Cable Gland) 1*1	UDE	R66-MK-2001	Used for EUT 1
Waterproof Covering (Cable Gland) 2*1	ODS	CMK-RJ45-CG	Used for EUT 2

1.8 Support Equipment

For Cisco SW

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
A	Notebook	DELL	E4300	N/A
B	Notebook	DELL	E4300	N/A
C	WLAN module	Intel	AX210NGW	PD9AX210NG
D	Notebook	DELL	E4300	N/A
E	Proxy	Cisco	C9800-L-C-K9	N/A

For Meraki SW

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
A	Notebook	DELL	E4300	N/A
B	Notebook	DELL	E4300	N/A
C	WLAN module	Intel	AX210NGW	PD9AX210NG
D	Notebook	DELL	E4300	N/A



1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.5
- ♦ FCC KDB 987594 D05 v01r01

1.10 Testing Location

Testing Location Information				
Test Lab. : Sporton International Inc. Hsinchu Laboratory				
Hsinchu ADD: No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.)				
(TAF: 3787) TEL: 886-3-656-9065 FAX: 886-3-656-9085				
Test site Designation No. TW3787 with FCC.				
Conformity Assessment Body Identifier (CABID) TW3787 with ISED.				

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted (For Cisco SW)	TH01-CB	Jeff Wu	22.7~23.6 / 62~66	Sep. 11, 2023
RF Conducted (For Meraki SW)	TH01-CB	Jeff Wu	22.7~23.6 / 62~66	Aug. 24, 2023~ Sep. 11, 2023



2 Measurement Environment

Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.148

2.1 AFCD General Capabilities Declaration

For Cisco SW


Item	Question	Vendor Response
1	AFC DUT Type	Standard Power AP with Proxy
2	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquiredFrequencyRange field?	No
3	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquired Channels fields?	Yes
4	If the Answer to Items 2 and 3 is "Yes", what is AFC DUT's default inquiry type?	-
5	Does the AFC DUT need to be supplied with BSS configuration parameters?	Yes
6	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	No
7	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
8	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	-
9	Does the AFC DUT supports 160 MHz channel width operation?	Yes
10	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-

Note: The above information was declared by manufacturer.


For Meraki SW

Item	Question	Vendor Response
1	AFC DUT Type	Standard Power AP with Proxy
2	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquiredFrequencyRange field?	Yes
3	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquired Channels fields?	No
4	If the Answer to Items 2 and 3 is "Yes", what is AFC DUT's default inquiry type?	-
5	Does the AFC DUT need to be supplied with BSS configuration parameters?	Yes
6	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	No
7	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
8	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	-
9	Does the AFC DUT supports 160 MHz channel width operation?	Yes
10	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquired Frequency Range and/or the inquired Channels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.



18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds
20	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
21	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
22	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
23	AFC DUT Test Harness validates the presence of mandatory registration information
24	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
25	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
	Wait for 60 seconds (configurable)
	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C



3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~C



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. • During the 60 seconds wait time: • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits • For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.



14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds - If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: - For SP only operation, AFC DUT does not transmit in the band, - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. - If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency



	ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date	Remark
Spectrum analyzer	R&S	FSV40	100979	9kHz~40GHz	May 29, 2023	May 28, 2024	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-06	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-07	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-08	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-09	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-10	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-30	1 GHz – 18 GHz	Oct. 03, 2022	Oct. 02, 2023	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-2way -05	1GHz ~ 8GHz	Oct. 04, 2022	Oct. 03, 2023	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-2way -06	1GHz ~ 8GHz	Oct. 04, 2022	Oct. 03, 2023	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-2way -07	1GHz ~ 8GHz	Oct. 04, 2022	Oct. 03, 2023	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-2way -08	1GHz ~ 8GHz	Oct. 04, 2022	Oct. 03, 2023	Conducted (TH01-CB)
Test Software	SPORTON	SENSE	V5.10	-	N.C.R.	N.C.R.	Conducted (TH01-CB)

Note: Calibration Interval of instruments listed above is one year.

“*” Calibration Interval of instruments listed above is two years.

NCR means Non-Calibration required.



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	3.1 dB	Confidence levels of 95%

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Standard Power AP with Proxy
DUT Vendor Name	Cisco
DUT Product Model	CW9163E-B

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)	PASS

15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUAU33_Channel_10623_1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1 (Successful registration and spectrum access request)	PASS

Test Measurements

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)

TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
-------------------	-------------	-------	-------------------

AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS
--------------------------------------	---	-------	------

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDAU34_Channel_10624_1 (Unsuccessful spectrum access update)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (36.0 dBm EIRP) on channel 69 bandwidth 20.	true	PASS

AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS
-----------------------------	--	-------	------

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1 (Successful spectrum access update)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (31.242550085799973 dBm EIRP) on channel 69 bandwidth 20.	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1 (Unsuccessful registration and spectrum access request)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditions in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1 (Successful registration and spectrum access request)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (34.83058640530264 dBm EIRP) on channel center frequency index 47 bandwidth 160.	true	PASS

AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (32.97161728538705 dBm EIRP) on channel center frequency index 143 bandwidth 160.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1 (Successful registration and spectrum access request)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (34.781989392859664 dBm EIRP) on channel center frequency index 39 bandwidth 80.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS

AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (27.505496183106786 dBm EIRP) on channel center frequency index 7 bandwidth 80.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSA31_Channel_40MHz_10619_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (26.902779526200995 dBm EIRP) on channel center frequency index 35 bandwidth 40.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS

AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (32.90402132297106 dBm EIRP) on channel center frequency index 3 bandwidth 40.	true	PASS
--	--	------	------

TestCaseName: CT_AFC_SP_AP_AFCDSA31_Channel_20MHz_10618_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (31.478078325347333 dBm EIRP) on channel 5 bandwidth 20.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (24.33933093506581 dBm EIRP) on channel 37 bandwidth 20.	true	PASS

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Standard Power AP with Proxy
DUT Vendor Name	Cisco
DUT Product Model	CW9163E-MR

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)	PASS

15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUAU33_Frequency_10616_1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1 (Successful registration and spectrum access request)	PASS

Test Measurements

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)

TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
-------------------	-------------	-------	-------------------

AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS
--------------------------------------	---	-------	------

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDAU34_Frequency_10617_1 (Unsuccessful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum	true	PASS

	Response (23 dBm/MHz PSD) on channel 149 bandwidth 20.		
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1 (Successful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (18.091171205232293 dBm/MHz PSD) on channel 149 bandwidth 20.	true	PASS

AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1 (Unsuccessful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditions in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (8.265883039473893 dBm/MHz PSD) on channel center frequency index 15 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (9.0951143533705 dBm/MHz PSD) on channel center frequency index 47 bandwidth 160.	true	PASS

AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
---	---	------	------

TestCaseName: CT_AFC_SP_AP_AFCDSA31_Frequency_80MHz_10613_1 (Successful registration and spectrum access request)
 TestResult: PASS
 Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (8.095261203906947 dBm/MHz PSD) on channel center frequency index 7 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS

AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (13.65045364621953 dBm/MHz PSD) on channel center frequency index 151 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSA31_Frequency_40MHz_10612_1 (Successful registration and spectrum access request)
 TestResult: PASS
 Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (16.290743711094322	true	PASS

	dBm/MHz PSD) on channel center frequency index 147 bandwidth 40.		
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (9.209087693405161 dBm/MHz PSD) on channel center frequency index 3 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1 (Successful registration and spectrum access request)
 TestResult: PASS
 Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS

AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (10.296696679465345 dBm/MHz PSD) on channel 53 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (18.479811413138574 dBm/MHz PSD) on channel 5 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

AFC capability - Inquired Channel

CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1

2023-09-11T07:42:44Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "/*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201603",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -121.91889,
              "latitude": 37.416858
            },
            "majorAxis": 25,
            "minorAxis": 25,
```

```
"orientation": 0.0
},
"elevation": {
  "height": 15,
  "heightType": "AGL",
  "verticalUncertainty": 5
},
"indoorDeployment": 2
},
"inquiredChannels": [
  {
    "globalOperatingClass": 131,
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,
      21,
      25,
      29,
      33,
      37,
      41,
      45,
      49,
      53,
      57,
      61,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93,
```




```
97,  
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,
```

```
{
  "globalOperatingClass": 132,
  "channelCfi": [
    3,
    11,
    19,
    27,
    35,
    43,
    51,
    59,
    67,
    75,
    83,
    91,
    99,
    107,
    115,
    123,
    131,
    139,
    147,
    155,
    163,
    171,
    179,
    187,
    195,
    203,
    211,
    219,
    227
  ]
},
{
  "globalOperatingClass": 133,
  "channelCfi": [
```

```
        7,  
        23,  
        39,  
        55,  
        71,  
        87,  
        103,  
        119,  
        135,  
        151,  
        167,  
        183,  
        199,  
        215  
    ]  
},  
{  
    "globalOperatingClass": 134,  
    "channelCfi": [  
        15,  
        47,  
        79,  
        111,  
        143,  
        175,  
        207  
    ]  
}  
],  
"vendorExtensions": [  
    {  
        "extensionId": "APInfo",  
        "parameters": {  
            "version": "v1",  
            "PID": "CW9163E-B",  
            "countryCode": "US "  
        }  
    }  
]
```

```
        }
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "XEControllerInfo",
      "parameters": {
        "version": "v1",
        "extendedDebugEnable": "False",
        "chassisInfo": [
          {
            "role": "active",
            "PID": "C9800-L-C-K9",
            "SN": "FCL2649004F"
          }
        ],
        "licenseInfo": {
          "licensingType": "air-dna-advantage",
          "count": 1,
          "lastRumAckReceived": "<none>",
          "countAPsRequiringAFC": 1
        }
      }
    }
  ]
}
```

2023-09-11T07:42:44Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
    },
  ],
}
```



```
"availableChannelInfo": [  
  {  
    "channelCfi": [  
      1,  
      5,  
      9,  
      13,  
      17,  
      21,  
      25,  
      29,  
      129,  
      133,  
      137,  
      141,  
      145,  
      149,  
      153,  
      157  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
      24.40739665140452,  
      31.478078325347333,  
      30.919688305276527,  
      22.768089946694353,  
      32.43225321270477,  
      29.653177745881614,  
      27.416920590720782,  
      28.504197195637957,  
      22.071932211869516,  
      26.586359507192796,  
      27.88261332947064,  
      22.0174659293486,  
      26.65109590630965,  
      21.68988660313464,  
      21.697649198746056,
```

```
32.07220455062017
]
},
{
  "channelCfi": [
    3,
    11,
    19,
    27,
    131,
    139,
    147,
    155
  ],
  "globalOperatingClass": 132,
  "maxEirp": [
    27.417696608044334,
    25.778389903334165,
    32.663477702521426,
    30.427220547360594,
    25.08223216850933,
    25.027765885988412,
    24.70018655977445,
    24.70794915538587
  ]
},
{
  "channelCfi": [
    7,
    23,
    135,
    151
  ],
  "globalOperatingClass": 133,
  "maxEirp": [
    28.788689859973974,
    33.4375205040004,
```

```
28.03806584262822,
27.71048651641426
]
},
{
  "channelCfi": [
    15,
    143
  ],
  "globalOperatingClass": 134,
  "maxEirp": [
    31.79898981661379,
    30.720786473054076
  ]
}
],
"requestId": "17789456456394201603",
"availabilityExpireTime": "2023-09-12T07:42:44Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2023-09-11T07:53:20Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },

```

```
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "17789456456394201604",
      "deviceDescriptor": {
        "serialNumber": "DSM27310074",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600191010"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "longitude": -121.91889,
            "latitude": 37.416858
          },
          "majorAxis": 25,
          "minorAxis": 25,
          "orientation": 0.0
        },
        "elevation": {
          "height": 10,
          "heightType": "AGL",
          "verticalUncertainty": 5
        },
        "indoorDeployment": 2
      },
      "inquiredChannels": [
        {
          "globalOperatingClass": 131,
          "channelCfi": [
            1,
            5,

```

9,
13,
17,
21,
25,
29,
33,
37,
41,
45,
49,
53,
57,
61,
65,
69,
73,
77,
81,
85,
89,
93,
97,
101,
105,
109,
113,
117,
121,
125,
129,
133,
137,
141,
145,
149,
153,


```
        157,  
        161,  
        165,  
        169,  
        173,  
        177,  
        181,  
        185,  
        189,  
        193,  
        197,  
        201,  
        205,  
        209,  
        213,  
        217,  
        221,  
        225,  
        229,  
        233  
    ]  
},  
{  
    "globalOperatingClass": 132,  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,
```

```
99,  
107,  
115,  
123,  
131,  
139,  
147,  
155,  
163,  
171,  
179,  
187,  
195,  
203,  
211,  
219,  
227  
]  
,  
{  
  "globalOperatingClass": 133,  
  "channelCfi": [  
    7,  
    23,  
    39,  
    55,  
    71,  
    87,  
    103,  
    119,  
    135,  
    151,  
    167,  
    183,  
    199,  
    215  
  ]  
}
```

```
    },
    {
      "globalOperatingClass": 134,
      "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "APInfo",
      "parameters": {
        "version": "v1",
        "PID": "CW9163E-B",
        "countryCode": "US "
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnabled": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
```

```
    }
  ],
  "licenseInfo": {
    "licensingType": "air-dna-advantage",
    "count": 1,
    "lastRumAckReceived": "<none>",
    "countAPsRequiringAFC": 1
  }
}
}
}
}
}

##### 2023-09-11T07:53:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            65,
            69,
            73,
            77,
```

```
        81,  
        85,  
        89,  
        93  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
        32.54695845958013,  
        24.33933093506581,  
        21.33436433650817,  
        28.676256121015527,  
        21.181774615572458,  
        24.3102093698738,  
        29.867595319311764,  
        33.3345979889895,  
        22.60755015425417,  
        28.45272836564085,  
        34.0259752339342,  
        22.052041140982887,  
        32.8244879059593,  
        25.071924519155715,  
        34.07952339750133,  
        25.226154976268937  
    ]  
},  
{  
    "channelCfi": [  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91  
    ],  
    "globalOperatingClass": 132,
```



```
"maxEirp": [  
    27.349630891705623,  
    24.344664293147982,  
    24.19207457221227,  
    32.87789527595157,  
    25.617850110893983,  
    25.0623410976227,  
    28.082224475795527,  
    28.23645493290875  
]  
,  
{  
    "channelCfi": [  
        39,  
        55,  
        71,  
        87  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        27.35496424978779,  
        27.202374528852083,  
        28.072641054262508,  
        31.092524432435333  
    ]  
},  
{  
    "channelCfi": [  
        47,  
        79  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
        30.212674485491895,  
        31.082941010902324  
    ]  
}
```



```
    ],  
    "requestId": "17789456456394201604",  
    "availabilityExpireTime": "2023-09-12T07:53:20Z",  
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
  }  
],  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSA31_Channel_40MHz_10619_1

2023-09-11T08:03:40Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201605",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```

```
    },
    "elevation": {
      "height": 15,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```



```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```



```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

```
##### 2023-09-11T08:03:40Z #####
```

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{  
  "channelCfi": [  
    33,  
    37,  
    41,  
    45,  
    49,  
    53,  
    57,  
    61,  
    65,  
    69,  
    73,  
    77,  
    81,  
    85,  
    89,  
    93  
  ],  
  "globalOperatingClass": 131,  
  "maxEirp": [  
    23.892479569561182,  
    33.942780261492615,  
    22.662268044179232,  
    29.102521667335978,  
    28.690315111593684,  
    27.499656287596085,  
    32.583971214439465,  
    31.360205109935574,  
    28.06073945573887,  
    32.7701580997713,  
    24.814545176049684,  
    26.92178032435946,  
    30.284958120536785,  
    26.258508378722276,  
    23.932752873969292,  
    26.141470245142536  
  ]  
}
```

```
]
},
{
  "channelCfi": [
    35,
    43,
    51,
    59,
    67,
    75,
    83,
    91
  ],
  "globalOperatingClass": 132,
  "maxEirp": [
    26.902779526200995,
    25.672568000819044,
    30.509956244235898,
    34.37050506657539,
    31.07103941237868,
    27.824845132689497,
    29.26880833536209,
    26.943052830609105
  ]
},
{
  "channelCfi": [
    39,
    55,
    71,
    87
  ],
  "globalOperatingClass": 133,
  "maxEirp": [
    28.682867957458853,
    33.52025620087571,
    30.835145089329302,
```

```
29.953352787248917
]
},
{
  "channelCfi": [
    47,
    79
  ],
  "globalOperatingClass": 134,
  "maxEirp": [
    31.69316791409867,
    32.96365274388873
  ]
}
],
"requestId": "17789456456394201605",
"availabilityExpireTime": "2023-09-12T08:03:40Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2023-09-11T08:12:36Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
```

```
"version": "1.4",
"availableSpectrumInquiryRequests": [
  {
    "requestId": "17789456456394201606",
    "deviceDescriptor": {
      "serialNumber": "DSM27310074",
      "certificationId": [
        {
          "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
          "id": "UDX-600191010"
        }
      ]
    },
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      },
      "elevation": {
        "height": 10,
        "heightType": "AGL",
        "verticalUncertainty": 5
      },
      "indoorDeployment": 2
    },
    "inquiredChannels": [
      {
        "globalOperatingClass": 131,
        "channelCfi": [
          1,
          5,
          9,
```


13,
17,
21,
25,
29,
33,
37,
41,
45,
49,
53,
57,
61,
65,
69,
73,
77,
81,
85,
89,
93,
97,
101,
105,
109,
113,
117,
121,
125,
129,
133,
137,
141,
145,
149,
153,
157,

```
        161,  
        165,  
        169,  
        173,  
        177,  
        181,  
        185,  
        189,  
        193,  
        197,  
        201,  
        205,  
        209,  
        213,  
        217,  
        221,  
        225,  
        229,  
        233  
    ]  
},  
{  
    "globalOperatingClass": 132,  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        99,
```

```
        107,  
        115,  
        123,  
        131,  
        139,  
        147,  
        155,  
        163,  
        171,  
        179,  
        187,  
        195,  
        203,  
        211,  
        219,  
        227  
    ]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        71,  
        87,  
        103,  
        119,  
        135,  
        151,  
        167,  
        183,  
        199,  
        215  
    ]  
},
```

```
{
  "globalOperatingClass": 134,
  "channelCfi": [
    15,
    47,
    79,
    111,
    143,
    175,
    207
  ]
},
"vendorExtensions": [
  {
    "extensionId": "APInfo",
    "parameters": {
      "version": "v1",
      "PID": "CW9163E-B",
      "countryCode": "US "
    }
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ]
    }
  }
]
```

```
    ],
    "licenseInfo": {
      "licensingType": "air-dna-advantage",
      "count": 1,
      "lastRumAckReceived": "<none>",
      "countAPsRequiringAFC": 1
    }
  }
}
]
```

2023-09-11T08:12:36Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            129,
            133,
            137,
            141,
            145,
```

```
        149,  
        153,  
        157  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
        31.571694309556527,  
        29.89372136633125,  
        21.660231894943543,  
        30.254156435926745,  
        28.14668244657503,  
        25.46732987306228,  
        24.132062883763968,  
        26.440467388115827,  
        33.93450559685729,  
        31.131514755321206,  
        34.44802600136762,  
        22.261181571278822,  
        34.88442507468154,  
        32.17848895109519,  
        32.22327502593697,  
        33.7239109148744  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  

```

```
        32.90402132297106,  
        24.670531851583355,  
        28.477629829702092,  
        27.14236284040378,  
        34.14181471196102,  
        25.271481527918635,  
        35.188788907735,  
        35.23357498257678  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        27.680831808223164,  
        30.15266279704359,  
        28.281781484558444,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        15,  
        143  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
        30.69113176486298,  
        31.29208144119826  
    ]  
}  
],
```




```
"requestId": "17789456456394201606",  
  "availabilityExpireTime": "2023-09-12T08:12:36Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSA31_Channel_80MHz_10620_1

2023-09-11T08:23:40Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201607",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```

```
    },
    "elevation": {
      "height": 15,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```



```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```

```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

2023-09-11T08:23:40Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```



```
{
  "channelCfi": [
    33,
    37,
    41,
    45,
    49,
    53,
    57,
    61,
    65,
    69,
    73,
    77,
    81,
    85,
    89,
    93,
    129,
    133,
    137,
    141,
    145,
    149,
    153,
    157
  ],
  "globalOperatingClass": 131,
  "maxEirp": [
    34.54400322374141,
    32.92352875972579,
    28.761389479580043,
    30.910790036445057,
    33.41446186710529,
    24.082882610603406,
    24.77135940707113,
    29.47883934364327,
```

```
        21.964173712538045,
        23.397092303240953,
        33.57700103200743,
        33.19652719844226,
        32.561106595109706,
        26.94604292925051,
        28.37865631506544,
        34.323812693842264,
        24.539762035773883,
        26.675720798172513,
        21.025756251287888,
        23.36112663661417,
        34.19208719257037,
        32.384372525665086,
        24.377304572148848,
        27.01981772688298
    ]
},
{
    "channelCfi": [
        35,
        43,
        51,
        59,
        67,
        75,
        83,
        91,
        131,
        139,
        147,
        155
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        35.9338287163656,
        31.771689436219855,
```

```
        27.09318256724322,  
        27.781659363710943,  
        24.974473669177858,  
        36.0,  
        29.956342885890322,  
        31.388956271705254,  
        27.550061992413696,  
        24.0360562079277,  
        35.3946724823049,  
        27.38760452878866  
    ]  
},  
{  
    "channelCfi": [  
        39,  
        55,  
        71,  
        87,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        34.781989392859664,  
        30.103482523883027,  
        27.984773625817667,  
        32.96664284253013,  
        27.04635616456751,  
        30.39790448542847  
    ]  
},  
{  
    "channelCfi": [  
        47,  
        79,  
        143  
    ],  
}
```

```
"globalOperatingClass": 134,
"maxEirp": [
  33.11378248052284,
  30.995073582457483,
  30.056656121207325
]
},
"requestId": "17789456456394201607",
"availabilityExpireTime": "2023-09-12T08:23:40Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2023-09-11T08:30:56Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201608",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [

```

```
{
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
  "id": "UDX-600191010"
}
]
},
"location": {
  "ellipse": {
    "center": {
      "longitude": -121.91889,
      "latitude": 37.416858
    },
    "majorAxis": 25,
    "minorAxis": 25,
    "orientation": 0.0
  },
  "elevation": {
    "height": 10,
    "heightType": "AGL",
    "verticalUncertainty": 5
  },
  "indoorDeployment": 2
},
"inquiredChannels": [
  {
    "globalOperatingClass": 131,
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,
      21,
      25,
      29,
      33,
      37,
```

41,
45,
49,
53,
57,
61,
65,
69,
73,
77,
81,
85,
89,
93,
97,
101,
105,
109,
113,
117,
121,
125,
129,
133,
137,
141,
145,
149,
153,
157,
161,
165,
169,
173,
177,
181,
185,

```
        189,  
        193,  
        197,  
        201,  
        205,  
        209,  
        213,  
        217,  
        221,  
        225,  
        229,  
        233  
    ]  
},  
{  
    "globalOperatingClass": 132,  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        99,  
        107,  
        115,  
        123,  
        131,  
        139,  
        147,  
        155,
```

```
        163,  
        171,  
        179,  
        187,  
        195,  
        203,  
        211,  
        219,  
        227  
    ]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        71,  
        87,  
        103,  
        119,  
        135,  
        151,  
        167,  
        183,  
        199,  
        215  
    ]  
},  
{  
    "globalOperatingClass": 134,  
    "channelCfi": [  
        15,  
        47,  
        79,  
        111,
```



```
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
}
],
"vendorExtensions": [
    {
        "extensionId": "XEControllerInfo",
        "parameters": {
            "version": "v1",
            "extendedDebugEnable": "False",
            "chassisInfo": [
                {
                    "role": "active",
                    "PID": "C9800-L-C-K9",
                    "SN": "FCL2649004F"
                }
            ],
            "licenseInfo": {
                "licensingType": "air-dna-advantage",
                "count": 1,
                "lastRumAckReceived": "<none>",
                "countAPsRequiringAFC": 1
            }
        }
    }
]
```

```
    }
  }
]
}
}

##### 2023-09-11T08:30:56Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            31.652966786045713,
            25.98169469024183,
            24.833874529710908,
            21.484896269827168,
            30.80010544890001,
            24.734502666200473,
            28.287039959698,
            27.171416160486377
          ]
        }
      ]
    }
  ]
}
```

```
    },  
    {  
      "channelCfi": [  
        3,  
        11,  
        19,  
        27  
      ],  
      "globalOperatingClass": 132,  
      "maxEirp": [  
        28.991994646881643,  
        24.49519622646698,  
        27.744802622840286,  
        30.18171611712619  
      ]  
    },  
    {  
      "channelCfi": [  
        7,  
        23  
      ],  
      "globalOperatingClass": 133,  
      "maxEirp": [  
        27.505496183106786,  
        30.755102579480095  
      ]  
    },  
    {  
      "channelCfi": [  
        15  
      ],  
      "globalOperatingClass": 134,  
      "maxEirp": [  
        30.515796139746605  
      ]  
    }  
  ],
```



```
"requestId": "17789456456394201608",  
  "availabilityExpireTime": "2023-09-12T08:30:56Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSA31_Channel_160MHz_10621_1

2023-09-11T08:38:28Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201609",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```

```
    },
    "elevation": {
      "height": 15,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```



```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```



```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

2023-09-11T08:38:28Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{
  "channelCfi": [
    1,
    5,
    9,
    13,
    17,
    21,
    25,
    29,
    33,
    37,
    41,
    45,
    49,
    53,
    57,
    61,
    65,
    69,
    73,
    77,
    81,
    85,
    89,
    93
  ],
  "globalOperatingClass": 131,
  "maxEirp": [
    33.736285020272874,
    31.392109828991426,
    29.222516094400213,
    21.411843224926585,
    33.77885869832504,
    25.033387890563354,
    25.233980012367013,
    23.74838734064315,
```

```
        32.04541083631872,  
        31.46497754538372,  
        34.697025646029154,  
        25.7996865353832,  
        33.86575782690562,  
        34.324053267248715,  
        32.955847441513825,  
        25.85505240225818,  
        28.904806365930444,  
        26.28222416580991,  
        21.661474870464772,  
        30.192674967748584,  
        24.07798180127806,  
        22.815300983467502,  
        31.85820201721674,  
        32.299957127656995  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        34.402409785631235,  
        24.422143181566398,
```

```
        28.043687847203167,  
        26.75868729728296,  
        34.47527750202353,  
        28.80998649202301,  
        36.0,  
        28.865352358897994,  
        29.292524122449723,  
        24.671774827104585,  
        25.825600940107314,  
        34.86850197385655  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        71,  
        87  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        27.432443138206203,  
        29.768987253922766,  
        31.82028644866282,  
        31.875652315537803,  
        27.682074783744397,  
        28.835900896747127  
    ]  
},  
{  
    "channelCfi": [  
        15,  
        47,  
        79  
    ],  
}
```

```
        "globalOperatingClass": 134,
        "maxEirp": [
            30.442743094846023,
            34.83058640530264,
            30.69237474038421
        ]
    },
    ],
    "requestId": "17789456456394201609",
    "availabilityExpireTime": "2023-09-12T08:38:28Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2023-09-11T08:53:28Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "*/*",
        "Accept-Encoding": "deflate, gzip",
        "Content-Type": "application/json",
        "X-Forwarded-For": "192.100.100.254",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "1701",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "17789456456394201610",
                "deviceDescriptor": {
                    "serialNumber": "DSM27310074",
                    "certificationId": [
```

```
        {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600191010"
        }
    ]
},
"location": {
    "ellipse": {
        "center": {
            "longitude": -121.91889,
            "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
    },
    "elevation": {
        "height": 15,
        "heightType": "AGL",
        "verticalUncertainty": 5
    },
    "indoorDeployment": 2
},
"inquiredChannels": [
    {
        "globalOperatingClass": 131,
        "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            33,
            37,
```

41,
45,
49,
53,
57,
61,
65,
69,
73,
77,
81,
85,
89,
93,
97,
101,
105,
109,
113,
117,
121,
125,
129,
133,
137,
141,
145,
149,
153,
157,
161,
165,
169,
173,
177,
181,
185,


```
        189,  
        193,  
        197,  
        201,  
        205,  
        209,  
        213,  
        217,  
        221,  
        225,  
        229,  
        233  
    ]  
},  
{  
    "globalOperatingClass": 132,  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        99,  
        107,  
        115,  
        123,  
        131,  
        139,  
        147,  
        155,
```

```
        163,
        171,
        179,
        187,
        195,
        203,
        211,
        219,
        227
    ]
},
{
    "globalOperatingClass": 133,
    "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
```

```
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
}
],
"vendorExtensions": [
    {
        "extensionId": "XEControllerInfo",
        "parameters": {
            "version": "v1",
            "extendedDebugEnable": "False",
            "chassisInfo": [
                {
                    "role": "active",
                    "PID": "C9800-L-C-K9",
                    "SN": "FCL2649004F"
                }
            ],
            "licenseInfo": {
                "licensingType": "air-dna-advantage",
                "count": 1,
                "lastRumAckReceived": "<none>",
                "countAPsRequiringAFC": 1
            }
        }
    }
]
```

```
    }
  }
]
}
}

##### 2023-09-11T08:53:28Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            65,
            69,
            73,
            77,
```

```
        81,  
        85,  
        89,  
        93  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
        33.736285020272874,  
        31.392109828991426,  
        29.222516094400213,  
        21.411843224926585,  
        33.77885869832504,  
        25.033387890563354,  
        25.233980012367013,  
        23.74838734064315,  
        32.04541083631872,  
        31.46497754538372,  
        34.697025646029154,  
        25.7996865353832,  
        33.86575782690562,  
        34.324053267248715,  
        32.955847441513825,  
        25.85505240225818,  
        28.904806365930444,  
        26.28222416580991,  
        21.661474870464772,  
        30.192674967748584,  
        24.07798180127806,  
        22.815300983467502,  
        31.85820201721674,  
        32.299957127656995  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,
```

```
        19,
        27,
        35,
        43,
        51,
        59,
        67,
        75,
        83,
        91
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        34.402409785631235,
        24.422143181566398,
        28.043687847203167,
        26.75868729728296,
        34.47527750202353,
        28.80998649202301,
        36.0,
        28.865352358897994,
        29.292524122449723,
        24.671774827104585,
        25.825600940107314,
        34.86850197385655
    ]
},
{
    "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87
    ],
    "globalOperatingClass": 133,
```

```
"maxEirp": [
    27.432443138206203,
    29.768987253922766,
    31.82028644866282,
    31.875652315537803,
    27.682074783744397,
    28.835900896747127
],
},
{
    "channelCfi": [
        15,
        47,
        79
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        30.442743094846023,
        34.83058640530264,
        30.69237474038421
    ],
    }
],
"requestId": "17789456456394201610",
"availabilityExpireTime": "2023-09-12T08:53:28Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2023-09-11T09:01:52Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "*/*",
        "Accept-Encoding": "deflate, gzip",
    }
}
```

```
"Content-Type": "application/json",
"X-Forwarded-For": "192.100.100.254",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "1701",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "17789456456394201611",
      "deviceDescriptor": {
        "serialNumber": "DSM27310074",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600191010"
          }
        ]
      }
    }
  ],
  "location": {
    "ellipse": {
      "center": {
        "longitude": -121.91889,
        "latitude": 37.416858
      },
      "majorAxis": 25,
      "minorAxis": 25,
      "orientation": 0.0
    },
    "elevation": {
      "height": 10,
      "heightType": "AGL",
      "verticalUncertainty": 5
    }
  },
  "indoorDeployment": 2
}
```



```
},
"inquiredChannels": [
  {
    "globalOperatingClass": 131,
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,
      21,
      25,
      29,
      33,
      37,
      41,
      45,
      49,
      53,
      57,
      61,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93,
      97,
      101,
      105,
      109,
      113,
      117,
      121,
      125,
```

```
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{  
  "globalOperatingClass": 132,  
  "channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,
```

```
43,  
51,  
59,  
67,  
75,  
83,  
91,  
99,  
107,  
115,  
123,  
131,  
139,  
147,  
155,  
163,  
171,  
179,  
187,  
195,  
203,  
211,  
219,  
227  
]  
,  
{  
  "globalOperatingClass": 133,  
  "channelCfi": [  
    7,  
    23,  
    39,  
    55,  
    71,  
    87,  
    103,  
    119,
```

```
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
}
],
"vendorExtensions": [
    {
        "extensionId": "XEControllerInfo",
        "parameters": {
```

```
"version": "v1",
"extendedDebugEnabled": "False",
"chassisInfo": [
  {
    "role": "active",
    "PID": "C9800-L-C-K9",
    "SN": "FCL2649004F"
  }
],
"licenseInfo": {
  "licensingType": "air-dna-advantage",
  "count": 1,
  "lastRumAckReceived": "<none>",
  "countAPsRequiringAFC": 1
}
}
}
}
}
```

2023-09-11T09:01:52Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            129,
            133,
            137,
            141,
            145,
```

```
        149,
        153,
        157
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
        28.461591892580316,
        29.036509988541283,
        23.94071741546761,
        29.414753597390437,
        29.794648106637087,
        32.76266651594281,
        32.69735672620999,
        29.3092480156687
    ]
},
{
    "channelCfi": [
        131,
        139,
        147,
        155
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        31.47189184922013,
        26.951017372107422,
        32.804948063276896,
        32.31954797230851
    ]
},
{
    "channelCfi": [
        135,
        151
    ],
    "globalOperatingClass": 133,
```

```
        "maxEirp": [
            29.961317328747228,
            35.329847928948325
        ]
    },
    {
        "channelCfi": [
            143
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            32.97161728538705
        ]
    }
],
"requestId": "17789456456394201611",
"availabilityExpireTime": "2023-09-12T09:01:52Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1

2023-09-11T09:22:52Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201612",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```



```
    },
    "elevation": {
      "height": 15,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```



```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```

```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

```
##### 2023-09-11T09:22:52Z #####
```

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [],
    }
  ]
}
```



```
"requestId": "17789456456394201612",  
  "availabilityExpireTime": "2023-09-12T09:22:52Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

2023-09-11T09:25:24Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201613",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```

```
    },
    "elevation": {
      "height": 10,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```




```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```

```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

2023-09-11T09:25:24Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{
  "channelCfi": [
    65,
    69,
    73,
    77,
    81,
    85,
    89,
    93
  ],
  "globalOperatingClass": 131,
  "maxEirp": [
    23.995953097859392,
    31.242550085799973,
    23.674032689534428,
    33.86992397953719,
    34.33328815764512,
    33.3402445819124,
    24.961873123812033,
    34.62165219101437
  ]
},
{
  "channelCfi": [
    67,
    75,
    83,
    91
  ],
  "globalOperatingClass": 132,
  "maxEirp": [
    27.006253054499204,
    26.68433264617424,
    36.0,
    27.972173080451846
  ]
}
```

```
    },
    {
      "channelCfi": [
        71,
        87
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        29.694632602814053,
        30.982473037091655
      ]
    },
    {
      "channelCfi": [
        79
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        32.704932559453866
      ]
    }
  ],
  "requestId": "17789456456394201613",
  "availabilityExpireTime": "2023-09-12T09:25:24Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1

2023-09-11T09:40:48Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Accept-Encoding": "deflate, gzip",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.100.100.254",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "1701",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "17789456456394201614",
        "deviceDescriptor": {
          "serialNumber": "DSM27310074",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -121.91889,
          "latitude": 37.416858
        },
        "majorAxis": 25,
        "minorAxis": 25,
        "orientation": 0.0
      }
    }
  }
}
```

```
    },
    "elevation": {
      "height": 15,
      "heightType": "AGL",
      "verticalUncertainty": 5
    },
    "indoorDeployment": 2
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131,
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        97,
```




```
101,  
105,  
109,  
113,  
117,  
121,  
125,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173,  
177,  
181,  
185,  
189,  
193,  
197,  
201,  
205,  
209,  
213,  
217,  
221,  
225,  
229,  
233  
]  
,  
{
```

```
"globalOperatingClass": 132,  
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    99,  
    107,  
    115,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179,  
    187,  
    195,  
    203,  
    211,  
    219,  
    227  
]  
},  
{  
    "globalOperatingClass": 133,  
    "channelCfi": [  
        7,
```

```
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
    ]
},
{
    "globalOperatingClass": 134,
    "channelCfi": [
        15,
        47,
        79,
        111,
        143,
        175,
        207
    ]
}
],
"vendorExtensions": [
    {
        "extensionId": "APInfo",
        "parameters": {
            "version": "v1",
            "PID": "CW9163E-B",
            "countryCode": "US "
        }
    }
]
```

```
    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "XEControllerInfo",
    "parameters": {
      "version": "v1",
      "extendedDebugEnable": "False",
      "chassisInfo": [
        {
          "role": "active",
          "PID": "C9800-L-C-K9",
          "SN": "FCL2649004F"
        }
      ],
      "licenseInfo": {
        "licensingType": "air-dna-advantage",
        "count": 1,
        "lastRumAckReceived": "<none>",
        "countAPsRequiringAFC": 1
      }
    }
  }
]
}
```

```
##### 2023-09-11T09:40:48Z #####
```

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{  
  "channelCfi": [  
    1,  
    5,  
    9,  
    13,  
    17,  
    21,  
    25,  
    29,  
    33,  
    37,  
    41,  
    45,  
    49,  
    53,  
    57,  
    61,  
    65,  
    69,  
    73,  
    77,  
    81,  
    85,  
    89,  
    93,  
    117,  
    121,  
    125,  
    129,  
    133,  
    137,  
    141,  
    145,  
    149,  
    153,  
    157,
```



Page No. : 104 of 107
Report No. : FR340101-02AB

```
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        123,  
        131,  
        139,  
        147,  
        155,  
        163,  
        171,  
        179
```

```

],
"globalOperatingClass": 132,
"maxEirp": [
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0
]
},
{
    "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87,
        135,
        151,
        167
    ],

```



```
"globalOperatingClass": 133,
  "maxEirp": [
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0
  ]
},
{
  "channelCfi": [
    15,
    47,
    79,
    143
  ],
  "globalOperatingClass": 134,
  "maxEirp": [
    36.0,
    36.0,
    36.0,
    36.0
  ]
}
],
"requestId": "17789456456394201614",
"availabilityExpireTime": "2023-09-12T09:40:48Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

AFC capability - Inquired Frequency**CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1**

2023-08-24T06:31:11Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
]
```

```
}
}

##### 2023-08-24T06:31:11Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 18.68785069901488
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 18.685559657115647
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 11.50369642222546
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 13.594055477436108
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 19.679409908786877
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 10.296696679465345
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 10.141439793349893
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 9.46004323064951
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T06:31:11Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
"version": "1.4"
}

##### 2023-08-24T06:31:12Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
]
```

```
}
}

##### 2023-08-24T06:31:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 18.68785069901488
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 18.685559657115647
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 11.50369642222546
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          }
        }
      ]
    }
  ]
}
```



```
    },
    "maxPsd": 13.594055477436108
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 19.679409908786877
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 10.296696679465345
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 10.141439793349893
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 9.46004323064951
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T06:31:12Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
```

```
"version": "1.4"
}

##### 2023-08-24T06:46:51Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      ]
    },
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}
```

```
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
```

```
]
}
}

##### 2023-08-24T06:46:51Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 20.965339840242322
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 18.479811413138574
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 10.711030144120212
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
```

```
        "lowFrequency": 6005
      },
      "maxPsd": 19.506052033138218
    },
    {
      "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 20.563908655013712
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 11.548555543147195
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 9.45865707875711
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 16.18062170526551
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
    },
```

```
"maxPsd": 11.312249755940096
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 10.94378232979707
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 13.294682663527482
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 13.120448344238106
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.35497821570653
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 11.439179965601147
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.159508251258085
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 16.043225875567757
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 12.20937144144157
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 11.87874019697505
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 15.876998458904467
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6665,
        "lowFrequency": 6645
    },
    "maxPsd": 17.974172981570685
},
{
    "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
    },
    "maxPsd": 9.624747859682959
},
{
    "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
    },
    "maxPsd": 18.131383795054077
},
{
    "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
    },
    "maxPsd": 18.804595669999358
},
{
    "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
    },
    "maxPsd": 14.008630851407595
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T06:46:51Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
```



```
}  
],  
"version": "1.4"  
}
```

2023-08-24T06:46:52Z

```
{  
  "headers": {  
    "Host": "testserver.wfatestorg.org",  
    "Accept": "*/*",  
    "Content-Type": "application/json",  
    "X-Forwarded-For": "209.206.53.23",  
    "X-Forwarded-Host": "testserver.wfatestorg.org",  
    "X-Forwarded-Server": "testserver.wfatestorg.org",  
    "Content-Length": "725",  
    "Connection": "Keep-Alive"  
  },  
  "body": {  
    "version": "1.4",  
    "availableSpectrumInquiryRequests": [  
      {  
        "requestId": "114665207733200",  
        "deviceDescriptor": {  
          "serialNumber": "Q5AJ-JMWE-MUFR",  
          "certificationId": [  
            {  
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",  
              "nra": "FCC",  
              "id": "UDX-600191010"  
            }  
          ]  
        }  
      ]  
    },  
    "location": {  
      "ellipse": {  
        "center": {  
          "latitude": 38,  
          "longitude": -122
```

```
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
```

```
}  
]  
}  
}
```

2023-08-24T06:46:52Z

```
{  
  "availableSpectrumInquiryResponses": [  
    {  
      "response": {  
        "responseCode": 0,  
        "shortDescription": "SUCCESS"  
      },  
      "availableFrequencyInfo": [  
        {  
          "frequencyRange": {  
            "highFrequency": 5965,  
            "lowFrequency": 5945  
          },  
          "maxPsd": 20.965339840242322  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 5985,  
            "lowFrequency": 5965  
          },  
          "maxPsd": 18.479811413138574  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 6005,  
            "lowFrequency": 5985  
          },  
          "maxPsd": 10.711030144120212  
        },  
        {  
          "frequencyRange": {
```

```
        "highFrequency": 6025,
        "lowFrequency": 6005
    },
    "maxPsd": 19.506052033138218
},
{
    "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
    },
    "maxPsd": 20.563908655013712
},
{
    "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
    },
    "maxPsd": 11.548555543147195
},
{
    "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
    },
    "maxPsd": 9.45865707875711
},
{
    "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
    },
    "maxPsd": 16.18062170526551
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
```

```
    },
    "maxPsd": 11.312249755940096
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 10.94378232979707
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 13.294682663527482
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 13.120448344238106
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 20.35497821570653
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 11.439179965601147
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.159508251258085
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 16.043225875567757
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 12.20937144144157
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 11.87874019697505
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 15.876998458904467
},
{
  }
```

```
"frequencyRange": {
  "highFrequency": 6665,
  "lowFrequency": 6645
},
"maxPsd": 17.974172981570685
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 9.624747859682959
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 18.131383795054077
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 18.804595669999358
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 14.008630851407595
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T06:46:52Z",
```



```
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
  }  
],  
  "version": "1.4"  
}
```


CT_AFC_SP_AP_AFCDSA31_Frequency_40MHz_10612_1

2023-08-24T07:48:53Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-24T07:48:53Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.694766450438856
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 21.87814098625235
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 10.662791588060923
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },

```

```
"maxPsd": 16.23236835837077
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 16.290743711094322
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 17.83374290831351
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 21.92451434950029
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 10.857453245097549
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T07:48:53Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
```

```
}

##### 2023-08-24T07:48:54Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscolInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-24T07:48:54Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.694766450438856
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 21.87814098625235
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 10.662791588060923
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },

```

```
"maxPsd": 16.23236835837077
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 16.290743711094322
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 17.83374290831351
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 21.92451434950029
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 10.857453245097549
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T07:48:54Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
```



```
}

##### 2023-08-24T08:01:26Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.06,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1
        }
    }
]
]
```

```
}
}

##### 2023-08-24T08:01:26Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.694766450438856
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 21.87814098625235
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 10.662791588060923
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 16.23236835837077
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 16.290743711094322
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 17.83374290831351
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 21.92451434950029
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 10.857453245097549
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:01:26Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
```

```
"version": "1.4"
}

##### 2023-08-24T08:01:27Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.06,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1
        }
    }
]
]
```

```
}
}

##### 2023-08-24T08:01:27Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.694766450438856
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 21.87814098625235
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 10.662791588060923
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 16.23236835837077
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 16.290743711094322
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 17.83374290831351
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 21.92451434950029
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 10.857453245097549
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:01:27Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
```



```
"version": "1.4"
}

##### 2023-08-24T08:04:20Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      ]
    },
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}
```

```
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
```

```
]
}
}

##### 2023-08-24T08:04:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.209087693405161
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 10.382468329613756
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.249193613414255
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
```

```
        "lowFrequency": 6005
      },
      "maxPsd": 12.284770571358425
    },
    {
      "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 18.299086468725477
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 21.877439651928974
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 17.44499538716481
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 18.568633881671754
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
    },
```

```
"maxPsd": 10.776441958537621
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 17.228787350510245
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 19.228523021983456
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 15.398072281359047
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 17.270484024369047
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 10.0171095612126
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 18.96679600112921
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 13.649384017814953
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 20.765693126171
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 19.014503048110708
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 16.448393925596438
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6345,
        "lowFrequency": 6325
    },
    "maxPsd": 8.862061893821771
},
{
    "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
    },
    "maxPsd": 20.897381179145935
},
{
    "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
    },
    "maxPsd": 13.892749889872402
},
{
    "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
    },
    "maxPsd": 14.341853919330473
},
{
    "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
    },
    "maxPsd": 17.071176252676374
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:04:20Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
```

```
}  
],  
"version": "1.4"  
}
```

2023-08-24T08:04:21Z

```
{  
  "headers": {  
    "Host": "testserver.wfatestorg.org",  
    "Accept": "*/*",  
    "Content-Type": "application/json",  
    "X-Forwarded-For": "209.206.53.23",  
    "X-Forwarded-Host": "testserver.wfatestorg.org",  
    "X-Forwarded-Server": "testserver.wfatestorg.org",  
    "Content-Length": "725",  
    "Connection": "Keep-Alive"  
  },  
  "body": {  
    "version": "1.4",  
    "availableSpectrumInquiryRequests": [  
      {  
        "requestId": "114665207733200",  
        "deviceDescriptor": {  
          "serialNumber": "Q5AJ-JMWE-MUFR",  
          "certificationId": [  
            {  
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",  
              "nra": "FCC",  
              "id": "UDX-600191010"  
            }  
          ]  
        }  
      ]  
    },  
    "location": {  
      "ellipse": {  
        "center": {  
          "latitude": 38,  
          "longitude": -122
```



```
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
```

```
}  
]  
}  
}
```

2023-08-24T08:04:21Z

```
{  
  "availableSpectrumInquiryResponses": [  
    {  
      "response": {  
        "responseCode": 0,  
        "shortDescription": "SUCCESS"  
      },  
      "availableFrequencyInfo": [  
        {  
          "frequencyRange": {  
            "highFrequency": 5965,  
            "lowFrequency": 5945  
          },  
          "maxPsd": 9.209087693405161  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 5985,  
            "lowFrequency": 5965  
          },  
          "maxPsd": 10.382468329613756  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 6005,  
            "lowFrequency": 5985  
          },  
          "maxPsd": 15.249193613414255  
        },  
        {  
          "frequencyRange": {
```

```
        "highFrequency": 6025,
        "lowFrequency": 6005
    },
    "maxPsd": 12.284770571358425
},
{
    "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
    },
    "maxPsd": 18.299086468725477
},
{
    "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
    },
    "maxPsd": 21.877439651928974
},
{
    "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
    },
    "maxPsd": 17.44499538716481
},
{
    "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
    },
    "maxPsd": 18.568633881671754
},
{
    "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
```

```
    },
    "maxPsd": 10.776441958537621
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 17.228787350510245
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 19.228523021983456
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 15.398072281359047
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 17.270484024369047
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 10.0171095612126
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 18.96679600112921
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 13.649384017814953
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 20.765693126171
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 19.014503048110708
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 16.448393925596438
},
{

```

```
"frequencyRange": {
  "highFrequency": 6345,
  "lowFrequency": 6325
},
"maxPsd": 8.862061893821771
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.897381179145935
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 13.892749889872402
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.341853919330473
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 17.071176252676374
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:04:21Z",
```

```
        "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
],
"version": "1.4"
}
```

2023-08-24T08:12:20Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
```

```
        "latitude": 38,
        "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
},
"elevation": {
    "height": 10.06,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
},
"indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
}
],
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
```



```
        "identity": 1
      }
    }
  ]
}

##### 2023-08-24T08:12:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.209087693405161
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 10.382468329613756
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.249193613414255
        }
      ]
    }
  ]
}
```

```
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 12.284770571358425
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 18.299086468725477
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 21.877439651928974
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 17.44499538716481
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 18.568633881671754
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6125,
        "lowFrequency": 6105
    },
    "maxPsd": 10.776441958537621
},
{
    "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
    },
    "maxPsd": 17.228787350510245
},
{
    "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
    },
    "maxPsd": 19.228523021983456
},
{
    "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
    },
    "maxPsd": 15.398072281359047
},
{
    "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
    },
    "maxPsd": 17.270484024369047
},
{
    "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
```

```
    },
    "maxPsd": 10.0171095612126
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 18.96679600112921
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 13.649384017814953
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 20.765693126171
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 19.014503048110708
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 16.448393925596438
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 8.862061893821771
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.897381179145935
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 13.892749889872402
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.341853919330473
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 17.071176252676374
}
],
```

```
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:12:20Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2023-08-24T08:12:21Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      ]
    },
    "location": {
      "ellipse": {
```

```
        "center": {
            "latitude": 38,
            "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.06,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
```

```
        "source": "Cloud",
        "identity": 1
    }
}
]
}
}
```

2023-08-24T08:12:21Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.209087693405161
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 10.382468329613756
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.249193613414255
        }
      ]
    }
  ]
}
```



```
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 12.284770571358425
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 18.299086468725477
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 21.877439651928974
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 17.44499538716481
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 18.568633881671754
},
{

```

```
"frequencyRange": {
  "highFrequency": 6125,
  "lowFrequency": 6105
},
"maxPsd": 10.776441958537621
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 17.228787350510245
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 19.228523021983456
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 15.398072281359047
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 17.270484024369047
},
{
  "frequencyRange": {
    "highFrequency": 6225,
```

```
        "lowFrequency": 6205
      },
      "maxPsd": 10.0171095612126
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 18.96679600112921
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.649384017814953
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 20.765693126171
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 19.014503048110708
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
    },
```

```
"maxPsd": 16.448393925596438
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 8.862061893821771
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.897381179145935
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 13.892749889872402
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.341853919330473
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 17.071176252676374
}
```

```
],  
  "requestId": "114665207733200",  
  "availabilityExpireTime": "2023-08-25T08:12:21Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
}  
],  
  "version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSA31_Frequency_80MHz_10613_1

2023-08-24T08:30:56Z

{

"headers": {

"Host": "testserver.wfatestorg.org",

"User-Agent": "curl/7.74.0",

"Accept": "*/*",

"Content-Type": "application/json",

"X-Forwarded-For": "209.206.53.23",

"X-Forwarded-Host": "testserver.wfatestorg.org",

"X-Forwarded-Server": "testserver.wfatestorg.org",

"Content-Length": "725",

"Connection": "Keep-Alive"

},

"body": {

"version": "1.4",

"availableSpectrumInquiryRequests": [

{

"requestId": "114665207733200",

"deviceDescriptor": {

"serialNumber": "Q5AJ-JMWE-MUFR",

"certificationId": [

{

"rulesetId": "US_47_CFR_PART_15_SUBPART_E",

"nra": "FCC",

"id": "UDX-600191010"

}

]

},

"location": {

"ellipse": {

"center": {

"latitude": 38,

"longitude": -122

},

"majorAxis": 20,

"minorAxis": 20,

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-24T08:30:56Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.315174400584123
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.49344120138214
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 10.04395206653236
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },

```



```
"maxPsd": 19.8736875643001
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 18.03087535085222
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 10.18541314443888
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 18.95440953342476
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 19.515159431971682
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 18.841966306001893
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 20.393362149776106
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 10.201929279803073
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 20.79877873713709
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 12.96935792279947
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 17.13581172939654
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6245,
        "lowFrequency": 6225
    },
    "maxPsd": 8.92863402645939
},
{
    "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
    },
    "maxPsd": 18.571760850895185
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
    },
    "maxPsd": 8.285730108782094
},
{
    "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
    },
    "maxPsd": 20.165714989046016
},
{
    "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
    },
    "maxPsd": 18.144780486755607
},
{
    "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
```

```
    },
    "maxPsd": 11.486067085827425
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 15.311222581452286
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 17.85616171560915
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 16.080629185819948
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 21.466823475299087
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:30:56Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
```

```
"version": "1.4"
}

##### 2023-08-24T08:30:56Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
],
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
]
```

```
}
}

##### 2023-08-24T08:30:56Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.315174400584123
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.49344120138214
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 10.04395206653236
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 19.8736875643001
  },
  {
    "frequencyRange": {
      "highFrequency": 6045,
      "lowFrequency": 6025
    },
    "maxPsd": 18.03087535085222
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 10.18541314443888
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 18.95440953342476
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 19.515159431971682
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 18.841966306001893
  }
```



```
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 20.393362149776106
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 10.201929279803073
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 20.79877873713709
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 12.96935792279947
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 17.13581172939654
},
{
  }
```

```
"frequencyRange": {
  "highFrequency": 6245,
  "lowFrequency": 6225
},
"maxPsd": 8.92863402645939
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 18.571760850895185
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 8.285730108782094
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 20.165714989046016
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 18.144780486755607
},
{
  "frequencyRange": {
    "highFrequency": 6345,
```

```
        "lowFrequency": 6325
      },
      "maxPsd": 11.486067085827425
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 15.311222581452286
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 17.85616171560915
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 16.080629185819948
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 21.466823475299087
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T08:30:56Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
  "version": "1.4"
}

##### 2023-08-24T08:31:02Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}
```

```
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.06,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1
    }
  }
]
```

```
}  
]  
}  
}
```

2023-08-24T08:31:03Z

```
{  
  "availableSpectrumInquiryResponses": [  
    {  
      "response": {  
        "responseCode": 0,  
        "shortDescription": "SUCCESS"  
      },  
      "availableFrequencyInfo": [  
        {  
          "frequencyRange": {  
            "highFrequency": 5965,  
            "lowFrequency": 5945  
          },  
          "maxPsd": 8.315174400584123  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 5985,  
            "lowFrequency": 5965  
          },  
          "maxPsd": 21.49344120138214  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 6005,  
            "lowFrequency": 5985  
          },  
          "maxPsd": 10.04395206653236  
        },  
        {  
          "frequencyRange": {
```

```
        "highFrequency": 6025,
        "lowFrequency": 6005
    },
    "maxPsd": 19.8736875643001
},
{
    "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
    },
    "maxPsd": 18.03087535085222
},
{
    "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
    },
    "maxPsd": 10.18541314443888
},
{
    "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
    },
    "maxPsd": 18.95440953342476
},
{
    "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
    },
    "maxPsd": 19.515159431971682
},
{
    "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
```

```
    },
    "maxPsd": 18.841966306001893
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 20.393362149776106
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 10.201929279803073
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 20.79877873713709
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 12.96935792279947
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 17.13581172939654
  }
```



```
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 8.92863402645939
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 18.571760850895185
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 8.285730108782094
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 20.165714989046016
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 18.144780486755607
},
{

```

```
"frequencyRange": {
  "highFrequency": 6345,
  "lowFrequency": 6325
},
"maxPsd": 11.486067085827425
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.311222581452286
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 17.85616171560915
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 16.080629185819948
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 21.466823475299087
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:31:03Z",
```

```
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2023-08-24T08:31:03Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
```

```
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 10.06,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9163E"
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1
    }
  }
]
```

```
    }
  }
]
}
}

##### 2023-08-24T08:31:03Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.315174400584123
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.49344120138214
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 10.04395206653236
        },
        {

```

```
"frequencyRange": {
  "highFrequency": 6025,
  "lowFrequency": 6005
},
"maxPsd": 19.8736875643001
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 18.03087535085222
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 10.18541314443888
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 18.95440953342476
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 19.515159431971682
},
{
  "frequencyRange": {
    "highFrequency": 6125,
```

```
        "lowFrequency": 6105
      },
      "maxPsd": 18.841966306001893
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 20.393362149776106
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 10.201929279803073
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 20.79877873713709
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 12.96935792279947
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
    },
```

```
"maxPsd": 17.13581172939654
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 8.92863402645939
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 18.571760850895185
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 8.285730108782094
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 20.165714989046016
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 18.144780486755607
},
},
```



```
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 11.486067085827425
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.311222581452286
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 17.85616171560915
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 16.080629185819948
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 21.466823475299087
}
],
"requestId": "114665207733200",
```

```
"availabilityExpireTime": "2023-08-25T08:31:03Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2023-08-24T08:35:32Z #####
```

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
```

```
        "center": {
            "latitude": 38,
            "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
```

```
        "source": "Cloud",
        "identity": 1003
    }
}
]
}
}
```

2023-08-24T08:35:32Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 8.095261203906947
        }
      ]
    }
  ]
}
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 15.398175736005243
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 15.746561988715762
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 9.463414022689843
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.985231905490954
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 21.809530427842354
},
{

```

```
"frequencyRange": {
  "highFrequency": 6125,
  "lowFrequency": 6105
},
"maxPsd": 12.019337172609717
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 8.129748336595036
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 16.971472045837988
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 21.651952272410206
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 12.619185792858442
},
{
  "frequencyRange": {
    "highFrequency": 6225,
```

```
        "lowFrequency": 6205
      },
      "maxPsd": 14.861815943799623
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 13.790350442454722
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 14.908940679789904
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 12.454853956848515
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 21.0486735002209
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
    },
```

```
"maxPsd": 12.20855650506877
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.09035988911254
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.07336284810941
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 18.610956303818163
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.848719195295896
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 18.824791318064094
}
```



```
    ],
    "requestId": "114665207733200",
    "availabilityExpireTime": "2023-08-25T08:35:32Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
],
"version": "1.4"
}
```

2023-08-24T08:35:33Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
```

```
"ellipse": {
  "center": {
    "latitude": 38,
    "longitude": -122
  },
  "majorAxis": 20,
  "minorAxis": 20,
  "orientation": 0
},
"elevation": {
  "height": 10.0,
  "heightType": "AGL",
  "verticalUncertainty": 10.0
},
"indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
```

```
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

##### 2023-08-24T08:35:33Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },

```

```
"maxPsd": 8.095261203906947
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 15.398175736005243
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 15.746561988715762
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 9.463414022689843
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.985231905490954
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 21.809530427842354
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 12.019337172609717
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 8.129748336595036
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 16.971472045837988
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 21.651952272410206
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 12.619185792858442
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6225,
        "lowFrequency": 6205
    },
    "maxPsd": 14.861815943799623
},
{
    "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
    },
    "maxPsd": 13.790350442454722
},
{
    "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
    },
    "maxPsd": 14.908940679789904
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
    },
    "maxPsd": 12.454853956848515
},
{
    "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
    },
    "maxPsd": 21.0486735002209
},
{
    "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
```

```
    },
    "maxPsd": 12.20855650506877
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 20.09035988911254
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 15.07336284810941
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 18.610956303818163
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 14.848719195295896
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 18.824791318064094
  }
```

```
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T08:35:33Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2023-08-24T08:35:56Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      ]
    ]
  }
}
```



```
    },
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "height": 10.06,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
```

```
"extensionId": "CiscoInfo",
"parameters": {
  "version": "1.4",
  "source": "Cloud",
  "identity": 1
}
}
]
}
}
```

2023-08-24T08:35:56Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
```

```
        "lowFrequency": 5985
      },
      "maxPsd": 8.095261203906947
    },
    {
      "frequencyRange": {
        "highFrequency": 6025,
        "lowFrequency": 6005
      },
      "maxPsd": 15.398175736005243
    },
    {
      "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 15.746561988715762
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 9.463414022689843
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 11.985231905490954
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
```

```
"maxPsd": 21.809530427842354
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 12.019337172609717
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 8.129748336595036
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 16.971472045837988
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 21.651952272410206
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 12.619185792858442
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 14.861815943799623
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 13.790350442454722
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 14.908940679789904
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 12.454853956848515
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 21.0486735002209
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6325,
        "lowFrequency": 6305
    },
    "maxPsd": 12.20855650506877
},
{
    "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
    },
    "maxPsd": 20.09035988911254
},
{
    "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
    },
    "maxPsd": 15.07336284810941
},
{
    "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
    },
    "maxPsd": 18.610956303818163
},
{
    "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
    },
    "maxPsd": 14.848719195295896
},
{
    "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
```

```
    },
    "maxPsd": 18.824791318064094
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:35:56Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2023-08-24T08:35:57Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ]
  }
}
```

```
    ]
  },
  "location": {
    "ellipse": {
      "center": {
        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 10.06,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9163E"
      }
    }
  ]
},
"vendorExtensions": [
```



```
{
  "extensionId": "CiscoInfo",
  "parameters": {
    "version": "1.4",
    "source": "Cloud",
    "identity": 1
  }
}
]
}
}

##### 2023-08-24T08:35:57Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        },
        {
          "frequencyRange": {
```

```
        "highFrequency": 6005,
        "lowFrequency": 5985
    },
    "maxPsd": 8.095261203906947
},
{
    "frequencyRange": {
        "highFrequency": 6025,
        "lowFrequency": 6005
    },
    "maxPsd": 15.398175736005243
},
{
    "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
    },
    "maxPsd": 15.746561988715762
},
{
    "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
    },
    "maxPsd": 9.463414022689843
},
{
    "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
    },
    "maxPsd": 11.985231905490954
},
{
    "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
```

```
    },
    "maxPsd": 21.809530427842354
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 12.019337172609717
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 8.129748336595036
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 16.971472045837988
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 21.651952272410206
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 12.619185792858442
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 14.861815943799623
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 13.790350442454722
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 14.908940679789904
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 12.454853956848515
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 21.0486735002209
},
{

```

```
"frequencyRange": {
  "highFrequency": 6325,
  "lowFrequency": 6305
},
"maxPsd": 12.20855650506877
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.09035988911254
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.07336284810941
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 18.610956303818163
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.848719195295896
},
{
  "frequencyRange": {
    "highFrequency": 6425,
```

```
        "lowFrequency": 6405
      },
      "maxPsd": 18.824791318064094
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T08:35:57Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2023-08-24T08:41:55Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",

```

```
        "id": "UDX-600191010"
      }
    ]
  },
  "location": {
    "ellipse": {
      "center": {
        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 10.06,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9163E"
      }
    }
  ]
}
```

```
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1
    }
  }
]
}
}

##### 2023-08-24T08:41:55Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        }
      ]
    }
  ]
}
```



```
{
  "frequencyRange": {
    "highFrequency": 6005,
    "lowFrequency": 5985
  },
  "maxPsd": 8.095261203906947
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 15.398175736005243
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 15.746561988715762
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 9.463414022689843
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.985231905490954
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6105,
        "lowFrequency": 6085
    },
    "maxPsd": 21.809530427842354
},
{
    "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
    },
    "maxPsd": 12.019337172609717
},
{
    "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
    },
    "maxPsd": 8.129748336595036
},
{
    "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
    },
    "maxPsd": 16.971472045837988
},
{
    "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
    },
    "maxPsd": 21.651952272410206
},
{
    "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
```

```
    },
    "maxPsd": 12.619185792858442
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 14.861815943799623
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 13.790350442454722
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 14.908940679789904
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 12.454853956848515
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 21.0486735002209
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 12.20855650506877
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.09035988911254
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.07336284810941
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 18.610956303818163
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.848719195295896
},
{
  }
```

```
        "frequencyRange": {
            "highFrequency": 6425,
            "lowFrequency": 6405
        },
        "maxPsd": 18.824791318064094
    }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T08:41:55Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2023-08-24T08:41:55Z

```
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "52.52.168.165",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "723",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "114665207733200",
                "deviceDescriptor": {
                    "serialNumber": "Q5AJ-JMWE-MUFR",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",

```

```
        "nra": "FCC",
        "id": "UDX-600191010"
    }
]
},
"location": {
    "ellipse": {
        "center": {
            "latitude": 38,
            "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.06,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
```

```
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1
      }
    }
  ]
}

##### 2023-08-24T08:41:56Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.953241312765186
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 14.612402572596311
        }
      ]
    }
  ]
}
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6005,
    "lowFrequency": 5985
  },
  "maxPsd": 8.095261203906947
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 15.398175736005243
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 15.746561988715762
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 9.463414022689843
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.985231905490954
},
{

```



```
"frequencyRange": {
  "highFrequency": 6105,
  "lowFrequency": 6085
},
"maxPsd": 21.809530427842354
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 12.019337172609717
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 8.129748336595036
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 16.971472045837988
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 21.651952272410206
},
{
  "frequencyRange": {
    "highFrequency": 6205,
```

```
        "lowFrequency": 6185
      },
      "maxPsd": 12.619185792858442
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 14.861815943799623
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 13.790350442454722
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 14.908940679789904
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 12.454853956848515
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
    },
```

```
"maxPsd": 21.0486735002209
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 12.20855650506877
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.09035988911254
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 15.07336284810941
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 18.610956303818163
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.848719195295896
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 18.824791318064094
},
{
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T08:41:56Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2023-08-24T08:46:42Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [

```

```
{
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
  "nra": "FCC",
  "id": "UDX-600191010"
}
],
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
```

```
    }
  ]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2023-08-24T08:46:42Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.120903804719106
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 20.83432494490036
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 12.782406365344976
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 20.444600576669195
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 14.789825419640492
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 16.36186008461104
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 17.862114528160504
  }
```

```
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 13.65045364621953
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T08:46:42Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2023-08-24T08:46:43Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
```



```
{
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
  "nra": "FCC",
  "id": "UDX-600191010"
}
],
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
```

```
    }
  ]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2023-08-24T08:46:43Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 9.120903804719106
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 20.83432494490036
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 12.782406365344976
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 20.444600576669195
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 14.789825419640492
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 16.36186008461104
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 17.862114528160504
  }
```

```
    },  
    {  
      "frequencyRange": {  
        "highFrequency": 6745,  
        "lowFrequency": 6725  
      },  
      "maxPsd": 13.65045364621953  
    }  
  ],  
  "requestId": "114665207733200",  
  "availabilityExpireTime": "2023-08-25T08:46:43Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
}  
],  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCRSA31_Frequency_160MHz_10614_1

2023-08-24T09:05:38Z

{

"headers": {

"Host": "testserver.wfatestorg.org",

"User-Agent": "curl/7.74.0",

"Accept": "*//*",

"Content-Type": "application/json",

"X-Forwarded-For": "209.206.53.23",

"X-Forwarded-Host": "testserver.wfatestorg.org",

"X-Forwarded-Server": "testserver.wfatestorg.org",

"Content-Length": "725",

"Connection": "Keep-Alive"

},

"body": {

"version": "1.4",

"availableSpectrumInquiryRequests": [

{

"requestId": "114665207733200",

"deviceDescriptor": {

"serialNumber": "Q5AJ-JMWE-MUFR",

"certificationId": [

{

"rulesetId": "US_47_CFR_PART_15_SUBPART_E",

"nra": "FCC",

"id": "UDX-600191010"

}

]

},

"location": {

"ellipse": {

"center": {

"latitude": 38,

"longitude": -122

},

"majorAxis": 20,

"minorAxis": 20,

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-24T09:05:38Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 17.6949378046861
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.12411537507763
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 12.762290913876257
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },

```

```
"maxPsd": 18.987893512909192
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 12.444503407201449
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 13.158251257086224
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.310628232114393
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 8.265883039473893
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T09:05:38Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
```



```
}

##### 2023-08-24T09:05:39Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-24T09:05:39Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 17.6949378046861
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.12411537507763
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 12.762290913876257
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },

```

```
"maxPsd": 18.987893512909192
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 12.444503407201449
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 13.158251257086224
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 11.310628232114393
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 8.265883039473893
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T09:05:39Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
```

```
}

##### 2023-08-24T09:20:55Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```

```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
]
```

```
}
}

##### 2023-08-24T09:20:55Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.0951143533705
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.48979519337672
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 10.914637173090803
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 18.4008612097292
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 11.558844689002207
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 17.717448729497725
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 11.059620018443749
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 13.439784749499582
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 8.595359666363295
  }
```



```
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 16.538970090456914
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 21.419687118409207
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 14.732310747308473
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.42973011787067
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 14.36406712194394
},
{

```

```
"frequencyRange": {
  "highFrequency": 6405,
  "lowFrequency": 6385
},
"maxPsd": 12.534912846583108
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 18.84557368525259
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 19.333255526718307
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 11.267969260253128
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 14.618572010018166
},
{
  "frequencyRange": {
    "highFrequency": 6665,
```

```
        "lowFrequency": 6645
      },
      "maxPsd": 10.719572257917662
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 20.567844269670495
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 13.455014437065227
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 8.658665981340269
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 9.644356816680014
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-25T09:20:55Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
  "version": "1.4"
}

##### 2023-08-24T09:20:56Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}
```

```
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
```

```
]
}
}

##### 2023-08-24T09:20:56Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.0951143533705
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.48979519337672
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 10.914637173090803
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
```

```
        "lowFrequency": 6165
      },
      "maxPsd": 18.4008612097292
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 11.558844689002207
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 17.717448729497725
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 11.059620018443749
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.439784749499582
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
```

```
"maxPsd": 8.595359666363295
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 16.538970090456914
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 21.419687118409207
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 14.732310747308473
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.42973011787067
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 14.36406712194394
},
},
```



```
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 12.534912846583108
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 18.84557368525259
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 19.333255526718307
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 11.267969260253128
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 14.618572010018166
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6665,
        "lowFrequency": 6645
    },
    "maxPsd": 10.719572257917662
},
{
    "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
    },
    "maxPsd": 20.567844269670495
},
{
    "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
    },
    "maxPsd": 13.455014437065227
},
{
    "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
    },
    "maxPsd": 8.658665981340269
},
{
    "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
    },
    "maxPsd": 9.644356816680014
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-25T09:20:56Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
```



```
}  
],  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1

2023-08-25T06:12:01Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-25T06:12:02Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "114665207733200",
      "availabilityExpireTime": "2023-08-26T06:12:01Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}

##### 2023-08-25T06:12:02Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
```

```
"serialNumber": "Q5AJ-JMWE-MUFR",
"certificationId": [
  {
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
    "nra": "FCC",
    "id": "UDX-600191010"
  }
]
},
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
```

```
        "PID": "CW9163E"
      }
    }
  ]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2023-08-25T06:12:02Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "114665207733200",
      "availabilityExpireTime": "2023-08-26T06:12:02Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```


CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1

2023-08-25T07:30:40Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-25T07:30:40Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.887100499160692
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 17.121174229798072
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 21.066657111143044
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },

```

```
"maxPsd": 18.35235428480172
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 9.179871575256746
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 19.97572282730876
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 14.677105894961374
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 18.132841337074474
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 14.990271776386987
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 9.975244501467575
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 13.318758244492013
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 9.629013286874601
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 11.450546476318213
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 16.27447237447118
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6405,
        "lowFrequency": 6385
    },
    "maxPsd": 16.020728034024977
},
{
    "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
    },
    "maxPsd": 14.468840323438421
},
{
    "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
    },
    "maxPsd": 9.566716150921847
},
{
    "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
    },
    "maxPsd": 12.825261404349622
},
{
    "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
    },
    "maxPsd": 11.434149569643726
},
{
    "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
```

```
    },
    "maxPsd": 21.358939648182968
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 17.75422140945587
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 18.091171205232293
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 14.572561256459965
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 18.84164871587198
  }
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-26T07:30:40Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
```

```
"version": "1.4"
}

##### 2023-08-25T07:30:40Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
```



```
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
]
```

```
}
}

##### 2023-08-25T07:30:41Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.887100499160692
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 17.121174229798072
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 21.066657111143044
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          }
        }
      ]
    }
  ]
}
```

```
    },
    "maxPsd": 18.35235428480172
  },
  {
    "frequencyRange": {
      "highFrequency": 6045,
      "lowFrequency": 6025
    },
    "maxPsd": 9.179871575256746
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 19.97572282730876
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 14.677105894961374
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 18.132841337074474
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 14.990271776386987
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 9.975244501467575
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 13.318758244492013
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 9.629013286874601
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 11.450546476318213
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 16.27447237447118
},
{

```

```
"frequencyRange": {
  "highFrequency": 6405,
  "lowFrequency": 6385
},
"maxPsd": 16.020728034024977
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 14.468840323438421
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 9.566716150921847
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 12.825261404349622
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 11.434149569643726
},
{
  "frequencyRange": {
    "highFrequency": 6665,
```

```
        "lowFrequency": 6645
      },
      "maxPsd": 21.358939648182968
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 17.75422140945587
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 18.091171205232293
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 14.572561256459965
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 18.84164871587198
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-26T07:30:41Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
  "version": "1.4"
}

##### 2023-08-25T07:39:54Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            }
          }
        }
      }
    ]
  }
}
```

```
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.06,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1
    }
  }
]
```



```
}  
]  
}  
}
```

2023-08-25T07:39:54Z

```
{  
  "availableSpectrumInquiryResponses": [  
    {  
      "response": {  
        "responseCode": 0,  
        "shortDescription": "SUCCESS"  
      },  
      "availableFrequencyInfo": [  
        {  
          "frequencyRange": {  
            "highFrequency": 5965,  
            "lowFrequency": 5945  
          },  
          "maxPsd": 8.887100499160692  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 5985,  
            "lowFrequency": 5965  
          },  
          "maxPsd": 17.121174229798072  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 6005,  
            "lowFrequency": 5985  
          },  
          "maxPsd": 21.066657111143044  
        },  
        {  
          "frequencyRange": {
```

```
        "highFrequency": 6025,
        "lowFrequency": 6005
    },
    "maxPsd": 18.35235428480172
},
{
    "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
    },
    "maxPsd": 9.179871575256746
},
{
    "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
    },
    "maxPsd": 19.97572282730876
},
{
    "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
    },
    "maxPsd": 14.677105894961374
},
{
    "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
    },
    "maxPsd": 18.132841337074474
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
```

```
    },
    "maxPsd": 14.990271776386987
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 9.975244501467575
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 13.318758244492013
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 9.629013286874601
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 11.450546476318213
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 16.27447237447118
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 16.020728034024977
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 14.468840323438421
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 9.566716150921847
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 12.825261404349622
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 11.434149569643726
},
{

```

```
"frequencyRange": {
  "highFrequency": 6665,
  "lowFrequency": 6645
},
"maxPsd": 21.358939648182968
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 17.75422140945587
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 18.091171205232293
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 14.572561256459965
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 18.84164871587198
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-26T07:39:54Z",
```

```
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2023-08-25T07:39:55Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
```

```
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 10.06,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9163E"
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1
    }
  }
]
```

```
    }
  }
]
}
}

##### 2023-08-25T07:39:55Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.887100499160692
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 17.121174229798072
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 21.066657111143044
        }
      ]
    }
  ]
}
```



```
"frequencyRange": {
  "highFrequency": 6025,
  "lowFrequency": 6005
},
"maxPsd": 18.35235428480172
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 9.179871575256746
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 19.97572282730876
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 14.677105894961374
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 18.132841337074474
},
{
  "frequencyRange": {
    "highFrequency": 6285,
```

```
        "lowFrequency": 6265
      },
      "maxPsd": 14.990271776386987
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 9.975244501467575
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 13.318758244492013
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 9.629013286874601
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 11.450546476318213
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
    },
```

```
"maxPsd": 16.27447237447118
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 16.020728034024977
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 14.468840323438421
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 9.566716150921847
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 12.825261404349622
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 11.434149569643726
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 21.358939648182968
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 17.75422140945587
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 18.091171205232293
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 14.572561256459965
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 18.84164871587198
}
],
"requestId": "114665207733200",
```



```
"availabilityExpireTime": "2023-08-26T07:39:55Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
}  
],  
  "version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDUUAU34_Frequency_10617_1

2023-08-25T08:16:16Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,

```

```
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 2
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9163E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
```

```
}

##### 2023-08-25T08:16:16Z #####

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },

```



```
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 23
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6265,
        "lowFrequency": 6245
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
```

```
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6545,
      "lowFrequency": 6525
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6565,
      "lowFrequency": 6545
    },
    "maxPsd": 23
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 23
},
{
```

```
"frequencyRange": {
  "highFrequency": 6685,
  "lowFrequency": 6665
},
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6765,
    "lowFrequency": 6745
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6785,
```

```
        "lowFrequency": 6765
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6845,
        "lowFrequency": 6825
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6865,
        "lowFrequency": 6845
      },
      "maxPsd": 23
    }
  ],
  "requestId": "114665207733200",
  "availabilityExpireTime": "2023-08-26T08:16:16Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```

```
],
  "version": "1.4"
}

##### 2023-08-25T08:16:16Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "209.206.53.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "725",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}
```



```
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
```

```
]
}
}

##### 2023-08-25T08:16:17Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
```

```
        "lowFrequency": 6005
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
    },
```

```
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 23
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6365,
        "lowFrequency": 6345
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6545,
        "lowFrequency": 6525
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6565,
        "lowFrequency": 6545
```

```
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6585,
      "lowFrequency": 6565
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 23
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6765,
    "lowFrequency": 6745
  },
  "maxPsd": 23
},
{
```



```
"frequencyRange": {
  "highFrequency": 6785,
  "lowFrequency": 6765
},
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6805,
    "lowFrequency": 6785
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6825,
    "lowFrequency": 6805
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6845,
    "lowFrequency": 6825
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6865,
    "lowFrequency": 6845
  },
  "maxPsd": 23
}
],
"requestId": "114665207733200",
"availabilityExpireTime": "2023-08-26T08:16:17Z",
```

```
        "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
],
"version": "1.4"
}
```

2023-08-25T08:29:39Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.74.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
```

```
        "latitude": 38,
        "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
},
"elevation": {
    "height": 10.06,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
},
"indoorDeployment": 2
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9163E"
        }
    }
]
}
],
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
```

```
        "identity": 1
      }
    }
  ]
}

##### 2023-08-25T08:29:39Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        }
      ]
    }
  ]
}
```

```
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
```

```
        "highFrequency": 6125,
        "lowFrequency": 6105
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
```

```
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 23
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6545,
    "lowFrequency": 6525
  },
  "maxPsd": 23
},
{
```



```
"frequencyRange": {
  "highFrequency": 6565,
  "lowFrequency": 6545
},
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6665,
```

```
        "lowFrequency": 6645
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
    },
```

```
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6785,
    "lowFrequency": 6765
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6805,
    "lowFrequency": 6785
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6825,
    "lowFrequency": 6805
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6845,
    "lowFrequency": 6825
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6865,
    "lowFrequency": 6845
  },
  "maxPsd": 23
}
```

```
    ],
    "requestId": "114665207733200",
    "availabilityExpireTime": "2023-08-26T08:29:39Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
],
"version": "1.4"
}
```

2023-08-25T08:29:40Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "52.52.168.165",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "723",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "114665207733200",
        "deviceDescriptor": {
          "serialNumber": "Q5AJ-JMWE-MUFR",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "nra": "FCC",
              "id": "UDX-600191010"
            }
          ]
        }
      }
    ],
    "location": {
```

```
"ellipse": {
  "center": {
    "latitude": 38,
    "longitude": -122
  },
  "majorAxis": 20,
  "minorAxis": 20,
  "orientation": 0
},
"elevation": {
  "height": 10.06,
  "heightType": "AGL",
  "verticalUncertainty": 10.0
},
"indoorDeployment": 2
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9163E"
    }
  }
]
}
],
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
```

```
        "version": "1.4",
        "source": "Cloud",
        "identity": 1
      }
    }
  ]
}
```

2023-08-25T08:29:40Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },

```

```
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6025,
    "lowFrequency": 6005
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 23
},
},
```

```
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
```



```
        "highFrequency": 6245,
        "lowFrequency": 6225
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
    },
    "maxPsd": 23
},
{
    "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
```

```
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6545,
      "lowFrequency": 6525
    },
    "maxPsd": 23
  }
```

```
},
{
  "frequencyRange": {
    "highFrequency": 6565,
    "lowFrequency": 6545
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
```

```
"frequencyRange": {
  "highFrequency": 6665,
  "lowFrequency": 6645
},
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6765,
```

```
        "lowFrequency": 6745
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6845,
        "lowFrequency": 6825
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6865,
        "lowFrequency": 6845
      },
    },
```

```
        "maxPsd": 23
      }
    ],
    "requestId": "114665207733200",
    "availabilityExpireTime": "2023-08-26T08:29:40Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
],
"version": "1.4"
}
```

AFC capability - Inquired Channel

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5975	SP	20	8	16.44	24.44	31.47	Pass	2.17	10.17	-	N/A
6135	SP	20	8	14.66	22.66	24.33	Pass	0.81	8.81	-	N/A
6125	SP	40	8	17.17	25.17	26.9	Pass	1.23	9.23	-	N/A
5965	SP	40	8	15.06	23.06	32.9	Pass	-0.58	7.42	-	N/A
6145	SP	80	8	16.84	24.84	34.78	Pass	-2.63	5.37	-	N/A
5985	SP	80	8	16.73	24.73	27.5	Pass	-3.48	4.52	-	N/A
6185	SP	160	8	17.46	25.46	34.83	Pass	-4.08	3.92	-	N/A
6665	SP	160	8	13.64	21.64	32.97	Pass	-7.21	0.79	-	N/A

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6295	SP	20	8	17.44	25.44	31.24	Pass	3.6	11.60	-	N/A

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6295	SP	20	8	17.24	25.24	36	Pass	3.45	11.45	-	N/A

AFC capability - Inquired Channel

CT_AFC_SP_AP_AFCRSA31_Channel_20MHz_10618_1


Frequency (MHz): 5975

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

5975MHz_TX

11/09/2023



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
16.44	16.44

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

5975MHz

11/09/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.17	2.17	2.17


Frequency (MHz): 6135

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6135MHz_TX

11/09/2023



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
14.66	14.66

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6135MHz

11/09/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.81	0.81	0.81

CT_AFC_SP_AP_AFCRSA31_Channel_40MHz_10619_1

Frequency (MHz): 6125

5.925-6.425GHz_802.11ax HEW40_1TX


AV Power

6125MHz_TX

11/09/2023

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.067m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
17.17	17.17


5.925-6.425GHz_802.11ax HEW40_1TX

PSD

6125MHz

11/09/2023

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.23	1.23	1.23


Frequency (MHz): 5965

5.925-6.425GHz_802.11ax HEW40_1TX

AV Power

5965MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW40_1TX

PSD

5965MHz

11/09/2023



CT_AFC_SP_AP_AFCRSA31_Channel_80MHz_10620_1


Frequency (MHz): 6145

5.925-6.425GHz_802.11ax HEW80_1TX

AV Power

6145MHz_TX

11/09/2023



Sum=Total Power
 PX=Port X

Sum(dBm)	P1(dBm)
16.84	16.84


Port 1

5.925-6.425GHz_802.11ax HEW80_1TX

PSD

6145MHz

11/09/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.63	-2.63	-2.63

Port 1

Frequency (MHz): 5985

5.925-6.425GHz_802.11ax HEW80_1TX

AV Power

5985MHz_TX

11/09/2023

CF (Hz)
5.985G

Span (Hz)
120M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
1.067m

Detector Type
RMS

CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.73	16.73

5.925-6.425GHz_802.11ax HEW80_1TX

PSD

5985MHz

11/09/2023

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.48	-3.48	-3.48

CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1

Frequency (MHz): 6185

5.925-6.425GHz_802.11ax HEW160_1TX


AV Power

6185MHz_TX

11/09/2023

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.067m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
17.46	17.46


5.925-6.425GHz_802.11ax HEW160_1TX

PSD

6185MHz

11/09/2023

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/100Hz)	PD (dBm/100Hz)	Port 1 (dBm/100Hz)
-4.08	-4.08	-4.08


Frequency (MHz): 6665

6.525-6.875GHz_802.11ax HEW160_1TX

AV Power

6665MHz_TX

11/09/2023




6.525-6.875GHz_802.11ax HEW160_1TX

PSD

6665MHz

11/09/2023



CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

Bandwidth: 20MHz

Frequency (MHz): 6295

5.925-6.425GHz_802.11ax HEW20_1TX


AV Power

6295MHz_TX

11/09/2023

CF (Hz)
6.295G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.067m
Detector Type
RMS
CP BW (Hz)
20M

Sum= Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
17.44	17.44


5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6295MHz

11/09/2023

CF (Hz)
6.295G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.60	3.60	3.60

CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1

Bandwidth: 20MHz


Frequency (MHz): 6295

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6295MHz_TX

11/09/2023




5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6295MHz


11/09/2023



Duty Cycle


Bandwidth: 20MHz

DC;ax20;BWch:20




Bandwidth: 40MHz

DC;ax40;BWch:40




Bandwidth: 80MHz

DC;ax80;BWch:80



Bandwidth: 160MHz

DC;ax160;BWch:160



————THE END————

AFC capability - Inquired Frequency

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6215	SP	20	8	8.9	16.90	none	N/A	-4.27	3.73	10.29	Pass
5975	SP	20	8	8.41	16.41	none	N/A	-4.74	3.26	18.47	Pass
6685	SP	40	8	14.58	22.58	none	N/A	-2.33	5.67	16.29	Pass
5965	SP	40	8	11.21	19.21	none	N/A	-3.77	4.23	9.2	Pass
5985	SP	80	8	14.65	22.65	none	N/A	-4.13	3.87	8.09	Pass
6705	SP	80	8	17.01	25.01	none	N/A	-2.83	5.17	13.65	Pass
6025	SP	160	8	17.77	25.77	none	N/A	-3.96	4.04	8.26	Pass
6185	SP	160	8	15.37	23.37	none	N/A	-6.46	1.54	9.09	Pass

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6695	SP	20	8	12.67	20.67	none	N/A	-0.54	7.46	18.09	Pass

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6695	SP	20	8	10.21	18.21	none	N/A	-2.41	5.59	23	Pass

AFC capability - Inquired Frequency

CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1


Frequency (MHz): 6215

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

6215MHz_TX

24/08/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6215MHz

24/08/2023



Frequency (MHz): 5975

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

5975MHz_TX

24/08/2023

CF (Hz)
5.975G

Span (Hz)
30M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
1.067m

Detector Type
RMS

CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
8.41	8.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5975MHz

24/08/2023

CF (Hz)
5.975G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.74	-4.74	-4.74

CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1

Frequency (MHz): 6685

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


AV Power

6685MHz_TX

24/08/2023

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.067m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
14.58	14.58


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6685MHz

24/08/2023

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.33	-2.33	-2.33

Frequency (MHz): 5965

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

AV Power

5965MHz_TX

24/08/2023

CF (Hz)
5.965G

Span (Hz)
60M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
1.067m

Detector Type
RMS

CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
11.21	11.21

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

24/08/2023

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.77	-3.77	-3.77

CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1


Frequency (MHz): 5985

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

5985MHz_TX

24/08/2023



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
14.65	14.65

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5985MHz

24/08/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.13	-4.13	-4.13


Frequency (MHz): 6705

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

6705MHz_TX

24/08/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

24/08/2023



CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1

Frequency (MHz): 6025

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


AV Power

6025MHz_TX

24/08/2023

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.067m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
17.77	17.77


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

24/08/2023

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
-3.96	-3.96	-3.96


Frequency (MHz): 6185

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

AV Power

6185MHz_TX

24/08/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6185MHz

24/08/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.46	-6.46	-6.46

CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1

Bandwidth: 20MHz


Frequency (MHz): 6695

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

6695MHz_TX

25/08/2023



Sum= Total Power
PX=Port X


Sum(dBm)	P1(dBm)
12.67	12.67

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz

25/08/2023



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.54	-0.54	-0.54

CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1

Bandwidth: 20MHz


Frequency (MHz): 6695

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

6695MHz_TX

25/08/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz


25/08/2023



Duty Cycle


Bandwidth: 20MHz

DC;ax20;BWch:20




Bandwidth: 40MHz

DC;ax40;BWch:40




Bandwidth: 80MHz

DC;ax80;BWch:80



Bandwidth: 160MHz

DC;ax160;BWch:160



————THE END————