


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
19.5\27.5\28
9.44\4.37\4.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38948G	58.93	74.00	-15.07	26.58	3	Vertical	16	1.80	28	27.70	4.65	-				
AV	2.38964G	48.91	54.00	-5.09	16.56	3	Vertical	16	1.80	28	27.70	4.65	-				
PK	2.43604G	120.53	Inf	-Inf	88.35	3	Vertical	16	1.80	28	27.54	4.64	-				
AV	2.43524G	115.72	Inf	-Inf	83.53	3	Vertical	16	1.80	28	27.55	4.64	-				
PK	2.48452G	59.08	74.00	-14.92	26.98	3	Vertical	16	1.80	28	27.50	4.60	-				
AV	2.48436G	49.72	54.00	-4.28	17.62	3	Vertical	16	1.80	28	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
28
5.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38948G	56.46	74.00	-17.54	24.11	3	Horizontal	317	1.18	28	27.70	4.65	-				
AV	2.38932G	46.36	54.00	-7.64	14.01	3	Horizontal	317	1.18	28	27.70	4.65	-				
PK	2.43604G	118.52	Inf	-Inf	86.34	3	Horizontal	317	1.18	28	27.54	4.64	-				
AV	2.43524G	113.83	Inf	-Inf	81.64	3	Horizontal	317	1.18	28	27.55	4.64	-				
PK	2.48468G	57.34	74.00	-16.66	25.24	3	Horizontal	317	1.18	28	27.50	4.60	-				
AV	2.48468G	48.42	54.00	-5.58	16.32	3	Horizontal	317	1.18	28	27.50	4.60	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.874G	47.80	74.00	-26.20	42.48	3	Vertical	311	1.80	18.5	31.30	6.98	32.96				
AV	4.874G	38.59	54.00	-15.41	33.27	3	Vertical	311	1.80	18.5	31.30	6.98	32.96				
PK	7.29444G	52.58	74.00	-21.42	40.79	3	Vertical	345	1.80	18.5	36.29	8.60	33.10				
AV	7.29472G	41.93	54.00	-12.07	30.14	3	Vertical	345	1.80	18.5	36.29	8.60	33.10				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87404G	49.11	74.00	-24.89	43.79	3	Horizontal	42	2.24	18.5	31.30	6.98	32.96				
AV	4.87404G	42.67	54.00	-11.33	37.35	3	Horizontal	42	2.24	18.5	31.30	6.98	32.96				
PK	7.32564G	52.85	74.00	-21.15	41.12	3	Horizontal	360	1.80	18.5	36.20	8.64	33.11				
AV	7.31192G	41.86	54.00	-12.14	30.09	3	Horizontal	360	1.80	18.5	36.25	8.62	33.10				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
SET 19.5
18.5\26.5\22.5\20.5\19.5\20\19.5
9.05\ -14.49\ -15.67\ -6.99\3.92\ -2.79\3.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4544G	115.53	Inf	-Inf	83.45	3	Vertical	17	1.80	19.5	27.46	4.62	-			
AV	2.4552G	110.92	Inf	-Inf	78.85	3	Vertical	17	1.80	19.5	27.45	4.62	-			
PK	2.4858G	58.70	74.00	-15.30	26.60	3	Vertical	17	1.80	19.5	27.50	4.60	-			
AV	2.4835G	50.06	54.00	-3.94	17.96	3	Vertical	17	1.80	19.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_X_4TX
SET 18.5
19.5\16.5\18\18.5\19\18.5
-2.80\7.45\3.95\1.65\0.62\1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4545G	113.37	Inf	-Inf	81.29	3	Horizontal	321	1.13	18.5	27.46	4.62	-			
AV	2.4552G	108.81	Inf	-Inf	76.74	3	Horizontal	321	1.13	18.5	27.45	4.62	-			
PK	2.4839G	59.32	74.00	-14.68	27.22	3	Horizontal	321	1.13	18.5	27.50	4.60	-			
AV	2.4835G	52.37	54.00	-1.63	20.27	3	Horizontal	321	1.13	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 19.5
19.5\20.5\20\19.5
1.26\ -7.77\ -4.24\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	115.40	Inf	-Inf	83.38	3	Vertical	16	1.80	19.5	27.40	4.62	-			
AV	2.4637G	110.71	Inf	-Inf	78.69	3	Vertical	16	1.80	19.5	27.40	4.62	-			
PK	2.4836G	60.10	74.00	-13.90	28.00	3	Vertical	16	1.80	19.5	27.50	4.60	-			
AV	2.4835G	53.00	54.00	-1.00	20.90	3	Vertical	16	1.80	19.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5
19.5\16\17.5\18\18.5\19\18.5
-3.18\6.93\3.81\2.21\0.91\1.25\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	113.32	Inf	-Inf	81.30	3	Horizontal	322	1.14	18.5	27.40	4.62	-			
AV	2.4602G	108.75	Inf	-Inf	76.73	3	Horizontal	322	1.14	18.5	27.40	4.62	-			
PK	2.4881G	60.94	74.00	-13.06	28.84	3	Horizontal	322	1.14	18.5	27.50	4.60	-			
AV	2.4877G	53.18	54.00	-0.82	21.08	3	Horizontal	322	1.14	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92404G	47.23	74.00	-26.77	41.75	3	Vertical	51	1.80	18.5	31.40	7.03	32.95				
AV	4.92396G	39.16	54.00	-14.84	33.68	3	Vertical	51	1.80	18.5	31.40	7.03	32.95				
PK	7.37144G	52.90	74.00	-21.10	41.22	3	Vertical	334	1.80	18.5	36.10	8.70	33.12				
AV	7.37688G	42.04	54.00	-11.96	30.36	3	Vertical	334	1.80	18.5	36.10	8.70	33.12				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX

EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92764G	46.83	74.00	-27.17	41.33	3	Horizontal	49	1.80	18.5	31.41	7.04	32.95				
AV	4.90836G	36.18	54.00	-17.82	30.78	3	Horizontal	49	1.80	18.5	31.33	7.02	32.95				
PK	7.39904G	52.41	74.00	-21.59	40.71	3	Horizontal	13	1.80	18.5	36.10	8.73	33.13				
AV	7.37124G	41.46	54.00	-12.54	29.78	3	Horizontal	13	1.80	18.5	36.10	8.70	33.12				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 19
17\24\20.5\19\19.5\19
7.09\ -14.17\ -5.58\2.19\ -0.19\2.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	67.48	74.00	-6.52	35.12	3	Vertical	24	1.80	19	27.70	4.66	-			
AV	2.39G	51.79	54.00	-2.21	19.43	3	Vertical	24	1.80	19	27.70	4.66	-			
PK	2.4109G	116.72	Inf	-Inf	84.45	3	Vertical	24	1.80	19	27.61	4.66	-			
AV	2.411G	106.70	Inf	-Inf	74.43	3	Vertical	24	1.80	19	27.61	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 19
19
3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	66.00	74.00	-8.00	33.64	3	Horizontal	316	1.06	19	27.70	4.66	-			
AV	2.39G	50.81	54.00	-3.19	18.45	3	Horizontal	316	1.06	19	27.70	4.66	-			
PK	2.4128G	115.64	Inf	-Inf	83.35	3	Horizontal	316	1.06	19	27.63	4.66	-			
AV	2.4132G	105.99	Inf	-Inf	73.70	3	Horizontal	316	1.06	19	27.63	4.66	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.827G	45.74	74.00	-28.26	40.47	3	Vertical	261	2.53	-	31.30	6.94	32.97			
AV	4.81964G	32.72	54.00	-21.28	27.46	3	Vertical	261	2.53	-	31.30	6.93	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2412MHz_TX


EUT_X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82142G	46.46	74.00	-27.54	41.20	3	Horizontal	142	1.53	-	31.30	6.93	32.97			
AV	4.8236G	32.84	54.00	-21.16	27.58	3	Horizontal	142	1.53	-	31.30	6.93	32.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
SET 21
18.5\26.5\22.5\20.5\21.5\21
9.13\ -2.05\ -1.71\ 2.62\ -0.26\ 0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3893G	68.74	74.00	-5.26	36.39	3	Vertical	15	1.80	21	27.70	4.65	-				
AV	2.3899G	53.13	54.00	-0.87	20.77	3	Vertical	15	1.80	21	27.70	4.66	-				
PK	2.4163G	118.88	Inf	-Inf	86.56	3	Vertical	15	1.80	21	27.66	4.66	-				
AV	2.4162G	109.12	Inf	-Inf	76.80	3	Vertical	15	1.80	21	27.66	4.66	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_X_4TX
SET 20
21\19.5\20\20.5\20
-1.21\3.99\1.75\0.04\1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3891G	67.72	74.00	-6.28	35.37	3	Horizontal	315	1.15	20	27.70	4.65	-			
AV	2.39G	52.35	54.00	-1.65	19.99	3	Horizontal	315	1.15	20	27.70	4.66	-			
PK	2.4184G	117.75	Inf	-Inf	85.42	3	Horizontal	315	1.15	20	27.68	4.65	-			
AV	2.4183G	107.95	Inf	-Inf	75.62	3	Horizontal	315	1.15	20	27.68	4.65	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
17\25\28
9.80\8.07\8.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	61.84	74.00	-12.16	29.49	3	Vertical	15	1.80	28	27.70	4.65	-				
AV	2.38948G	45.68	54.00	-8.32	13.33	3	Vertical	15	1.80	28	27.70	4.65	-				
PK	2.43588G	119.62	Inf	-Inf	87.44	3	Vertical	15	1.80	28	27.54	4.64	-				
AV	2.4362G	110.08	Inf	-Inf	77.90	3	Vertical	15	1.80	28	27.54	4.64	-				
PK	2.48532G	61.39	74.00	-12.61	29.29	3	Vertical	15	1.80	28	27.50	4.60	-				
AV	2.48436G	45.83	54.00	-8.17	13.73	3	Vertical	15	1.80	28	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
28
8.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	60.62	74.00	-13.38	28.27	3	Horizontal	325	1.80	28	27.70	4.65	-			
AV	2.38996G	45.91	54.00	-8.09	13.55	3	Horizontal	325	1.80	28	27.70	4.66	-			
PK	2.43012G	118.31	Inf	-Inf	86.07	3	Horizontal	325	1.80	28	27.60	4.64	-			
AV	2.42996G	107.99	Inf	-Inf	75.75	3	Horizontal	325	1.80	28	27.60	4.64	-			
PK	2.48436G	58.69	74.00	-15.31	26.59	3	Horizontal	325	1.80	28	27.50	4.60	-			
AV	2.4835G	45.56	54.00	-8.44	13.46	3	Horizontal	325	1.80	28	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87642G	47.08	74.00	-26.92	41.75	3	Vertical	184	1.13	-	31.30	6.99	32.96			
AV	4.87246G	32.99	54.00	-21.01	27.67	3	Vertical	184	1.13	-	31.30	6.98	32.96			
PK	7.31182G	52.39	74.00	-21.61	40.62	3	Vertical	68	2.34	-	36.25	8.62	33.10			
AV	7.31138G	39.24	54.00	-14.76	27.47	3	Vertical	68	2.34	-	36.25	8.62	33.10			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87504G	47.15	74.00	-26.85	41.82	3	Horizontal	355	1.19	-	31.30	6.99	32.96				
AV	4.87232G	33.00	54.00	-21.00	27.68	3	Horizontal	355	1.19	-	31.30	6.98	32.96				
PK	7.31076G	52.77	74.00	-21.23	40.99	3	Horizontal	278	2.31	-	36.26	8.62	33.10				
AV	7.31376G	39.17	54.00	-14.83	27.40	3	Horizontal	278	2.31	-	36.24	8.63	33.10				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
SET 20
18.5\25.5\22\20.5\20
7.35\ -3.33\ -2.99\ -0.03\ 0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4563G	116.74	Inf	-Inf	84.68	3	Vertical	17	1.80	20	27.44	4.62	-				
AV	2.4562G	107.15	Inf	-Inf	75.09	3	Vertical	17	1.80	20	27.44	4.62	-				
PK	2.4848G	67.93	74.00	-6.07	35.83	3	Vertical	17	1.80	20	27.50	4.60	-				
AV	2.4846G	53.15	54.00	-0.85	21.05	3	Vertical	17	1.80	20	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_X_4TX
SET 20
20
2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4507G	115.38	Inf	-Inf	83.26	3	Horizontal	330	1.80	20	27.49	4.63	-			
AV	2.4501G	105.11	Inf	-Inf	72.98	3	Horizontal	330	1.80	20	27.50	4.63	-			
PK	2.4835G	65.69	74.00	-8.31	33.59	3	Horizontal	330	1.80	20	27.50	4.60	-			
AV	2.4835G	51.94	54.00	-2.06	19.84	3	Horizontal	330	1.80	20	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5
17\23\20\18.5\19\18.5
6.07\ -14.50\ -8.64\0.69\ -2.74\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4612G	115.24	Inf	-Inf	83.22	3	Vertical	18	1.80	18.5	27.40	4.62	-				
AV	2.4613G	105.53	Inf	-Inf	73.51	3	Vertical	18	1.80	18.5	27.40	4.62	-				
PK	2.4836G	66.77	74.00	-7.23	34.67	3	Vertical	18	1.80	18.5	27.50	4.60	-				
AV	2.4835G	53.29	54.00	-0.71	21.19	3	Vertical	18	1.80	18.5	27.50	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5
18.5
1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4647G	115.27	Inf	-Inf	83.25	3	Horizontal	320	1.15	18.5	27.40	4.62	-			
AV	2.4637G	105.56	Inf	-Inf	73.54	3	Horizontal	320	1.15	18.5	27.40	4.62	-			
PK	2.4842G	64.18	74.00	-9.82	32.08	3	Horizontal	320	1.15	18.5	27.50	4.60	-			
AV	2.4835G	52.23	54.00	-1.77	20.13	3	Horizontal	320	1.15	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9225G	46.75	74.00	-27.25	41.28	3	Vertical	307	2.08	-	31.39	7.03	32.95			
AV	4.92552G	33.02	54.00	-20.98	27.53	3	Vertical	307	2.08	-	31.40	7.04	32.95			
PK	7.3832G	52.09	74.00	-21.91	40.40	3	Vertical	281	1.58	-	36.10	8.71	33.12			
AV	7.38232G	38.96	54.00	-15.04	27.27	3	Vertical	281	1.58	-	36.10	8.71	33.12			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92442G	47.20	74.00	-26.80	41.72	3	Horizontal	35	2.92	-	31.40	7.03	32.95			
AV	4.9258G	33.00	54.00	-21.00	27.51	3	Horizontal	35	2.92	-	31.40	7.04	32.95			
PK	7.38264G	51.82	74.00	-22.18	40.13	3	Horizontal	288	2.85	-	36.10	8.71	33.12			
AV	7.3816G	38.98	54.00	-15.02	27.29	3	Horizontal	288	2.85	-	36.10	8.71	33.12			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19
17.22\19.5\18.5\19
5.40\14.61\2.40\1.93\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	70.85	74.00	-3.15	38.49	3	Vertical	17	1.80	19	27.70	4.66	-			
AV	2.3899G	53.81	54.00	-0.19	21.45	3	Vertical	17	1.80	19	27.70	4.66	-			
PK	2.4106G	116.24	Inf	-Inf	83.97	3	Vertical	17	1.80	19	27.61	4.66	-			
AV	2.4113G	106.35	Inf	-Inf	74.08	3	Vertical	17	1.80	19	27.61	4.66	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19
19
1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3895G	66.40	74.00	-7.60	34.05	3	Horizontal	317	1.06	19	27.70	4.65	-			
AV	2.39G	52.62	54.00	-1.38	20.26	3	Horizontal	317	1.06	19	27.70	4.66	-			
PK	2.4139G	115.29	Inf	-Inf	82.99	3	Horizontal	317	1.06	19	27.64	4.66	-			
AV	2.4131G	105.79	Inf	-Inf	73.50	3	Horizontal	317	1.06	19	27.63	4.66	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82332G	46.66	74.00	-27.34	41.40	3	Vertical	276	2.10	-	31.30	6.93	32.97			
AV	4.82512G	32.64	54.00	-21.36	27.37	3	Vertical	276	2.10	-	31.30	6.94	32.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82892G	46.44	74.00	-27.56	41.17	3	Horizontal	41	2.33	-	31.30	6.94	32.97			
AV	4.82506G	32.66	54.00	-21.34	27.39	3	Horizontal	41	2.33	-	31.30	6.94	32.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
SET 21
20\24\22\21
4.36\ -2.78\ -1.80\ 0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	68.32	74.00	-5.68	35.97	3	Vertical	16	1.80	21	27.70	4.65	-			
AV	2.3895G	53.75	54.00	-0.25	21.40	3	Vertical	16	1.80	21	27.70	4.65	-			
PK	2.4159G	118.26	Inf	-Inf	85.94	3	Vertical	16	1.80	21	27.66	4.66	-			
AV	2.4162G	108.91	Inf	-Inf	76.59	3	Vertical	16	1.80	21	27.66	4.66	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
SET 20
21\18.5\19.5\20\20.5\20
-2.10\6.65\3.30\1.11\0.66\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	67.25	74.00	-6.75	34.90	3	Horizontal	314	1.14	20	27.70	4.65	-			
AV	2.3898G	52.89	54.00	-1.11	20.53	3	Horizontal	314	1.14	20	27.70	4.66	-			
PK	2.4178G	118.08	Inf	-Inf	85.75	3	Horizontal	314	1.14	20	27.68	4.65	-			
AV	2.4184G	107.90	Inf	-Inf	75.57	3	Horizontal	314	1.14	20	27.68	4.65	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
28
7.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38916G	61.17	74.00	-12.83	28.82	3	Vertical	18	1.80	28	27.70	4.65	-				
AV	2.389G	46.40	54.00	-7.60	14.05	3	Vertical	18	1.80	28	27.70	4.65	-				
PK	2.43604G	119.68	Inf	-Inf	87.50	3	Vertical	18	1.80	28	27.54	4.64	-				
AV	2.43604G	109.75	Inf	-Inf	77.57	3	Vertical	18	1.80	28	27.54	4.64	-				
PK	2.4842G	60.71	74.00	-13.29	28.61	3	Vertical	18	1.80	28	27.50	4.60	-				
AV	2.48452G	46.37	54.00	-7.63	14.27	3	Vertical	18	1.80	28	27.50	4.60	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28
28
7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38948G	61.10	74.00	-12.90	28.75	3	Horizontal	326	1.80	28	27.70	4.65	-			
AV	2.3898G	46.63	54.00	-7.37	14.27	3	Horizontal	326	1.80	28	27.70	4.66	-			
PK	2.43012G	117.82	Inf	-Inf	85.58	3	Horizontal	326	1.80	28	27.60	4.64	-			
AV	2.43012G	107.56	Inf	-Inf	75.32	3	Horizontal	326	1.80	28	27.60	4.64	-			
PK	2.4835G	59.91	74.00	-14.09	27.81	3	Horizontal	326	1.80	28	27.50	4.60	-			
AV	2.4835G	46.51	54.00	-7.49	14.41	3	Horizontal	326	1.80	28	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX


2437MHz_TX

EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8709G	47.13	74.00	-26.87	41.81	3	Vertical	265	2.64	-	31.30	6.98	32.96			
AV	4.87236G	32.97	54.00	-21.03	27.65	3	Vertical	265	2.64	-	31.30	6.98	32.96			
PK	7.30928G	52.24	74.00	-21.76	40.46	3	Vertical	286	1.47	-	36.26	8.62	33.10			
AV	7.30822G	39.08	54.00	-14.92	27.29	3	Vertical	286	1.47	-	36.27	8.62	33.10			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87312G	47.83	74.00	-26.17	42.51	3	Horizontal	195	2.37	-	31.30	6.98	32.96				
AV	4.87232G	32.97	54.00	-21.03	27.65	3	Horizontal	195	2.37	-	31.30	6.98	32.96				
PK	7.30602G	52.70	74.00	-21.30	40.90	3	Horizontal	139	1.05	-	36.28	8.62	33.10				
AV	7.31392G	39.22	54.00	-14.78	27.45	3	Horizontal	139	1.05	-	36.24	8.63	33.10				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
SET 19
20\16\18\19\19.5\19
-3.73\8.88\7.15\1.68\1.03\1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4647G	118.09	Inf	-Inf	86.07	3	Vertical	360	1.05	19	27.40	4.62	-			
AV	2.4652G	107.78	Inf	-Inf	75.77	3	Vertical	360	1.05	19	27.40	4.61	-			
PK	2.4849G	65.72	74.00	-8.28	33.62	3	Vertical	360	1.05	19	27.50	4.60	-			
AV	2.485G	52.18	54.00	-1.82	20.08	3	Vertical	360	1.05	19	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
SET 19
19
4.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4583G	115.47	Inf	-Inf	83.43	3	Horizontal	313	1.33	19	27.42	4.62	-				
AV	2.4588G	105.55	Inf	-Inf	73.52	3	Horizontal	313	1.33	19	27.41	4.62	-				
PK	2.4852G	63.84	74.00	-10.16	31.74	3	Horizontal	313	1.33	19	27.50	4.60	-				
AV	2.4859G	49.57	54.00	-4.43	17.47	3	Horizontal	313	1.33	19	27.50	4.60	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5
18.5\20.5\19.5\18.5
2.12\6.79\2.57\0.42\2.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4702G	116.54	Inf	-Inf	84.53	3	Vertical	360	1.06	18.5	27.40	4.61	-			
AV	2.4702G	106.72	Inf	-Inf	74.71	3	Vertical	360	1.06	18.5	27.40	4.61	-			
PK	2.4837G	66.71	74.00	-7.29	34.61	3	Vertical	360	1.06	18.5	27.50	4.60	-			
AV	2.4835G	51.96	54.00	-2.04	19.86	3	Vertical	360	1.06	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5
18.5
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4636G	115.32	Inf	-Inf	83.30	3	Horizontal	320	1.16	18.5	27.40	4.62	-			
AV	2.4633G	105.32	Inf	-Inf	73.30	3	Horizontal	320	1.16	18.5	27.40	4.62	-			
PK	2.4836G	66.60	74.00	-7.40	34.50	3	Horizontal	320	1.16	18.5	27.50	4.60	-			
AV	2.4835G	53.51	54.00	-0.49	21.41	3	Horizontal	320	1.16	18.5	27.50	4.60	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92158G	46.84	74.00	-27.16	41.37	3	Vertical	126	2.84	-	31.39	7.03	32.95			
AV	4.9265G	33.04	54.00	-20.96	27.54	3	Vertical	126	2.84	-	31.41	7.04	32.95			
PK	7.38736G	52.14	74.00	-21.86	40.46	3	Vertical	297	1.90	-	36.10	8.71	33.13			
AV	7.38168G	38.95	54.00	-15.05	27.26	3	Vertical	297	1.90	-	36.10	8.71	33.12			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



EUT_X_4TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92714G	47.00	74.00	-27.00	41.50	3	Horizontal	119	2.97	-	31.41	7.04	32.95				
AV	4.9286G	33.03	54.00	-20.97	27.53	3	Horizontal	119	2.97	-	31.41	7.04	32.95				
PK	7.3905G	52.37	74.00	-21.63	40.68	3	Horizontal	261	1.78	-	36.10	8.72	33.13				
AV	7.3816G	38.90	54.00	-15.10	27.21	3	Horizontal	261	1.78	-	36.10	8.71	33.12				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_1TX	Pass	AV	2.4835G	53.94	54.00	-0.06	3	Vertical	254	2.83	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 25.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.385G	59.94	74.00	-14.06	28.49	3	Vertical	252	2.94	-	28.40	3.05	-				
AV	2.3852G	51.81	54.00	-2.19	20.36	3	Vertical	252	2.94	-	28.40	3.05	-				
PK	2.413G	112.71	Inf	-Inf	81.24	3	Vertical	252	2.94	-	28.40	3.07	-				
AV	2.4112G	108.70	Inf	-Inf	77.24	3	Vertical	252	2.94	-	28.40	3.06	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 25.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3848G	59.19	74.00	-14.81	27.74	3	Horizontal	44	1.82	-	28.40	3.05	-			
AV	2.3852G	50.55	54.00	-3.45	19.10	3	Horizontal	44	1.82	-	28.40	3.05	-			
PK	2.411G	102.89	Inf	-Inf	71.43	3	Horizontal	44	1.82	-	28.40	3.06	-			
AV	2.4112G	99.10	Inf	-Inf	67.64	3	Horizontal	44	1.82	-	28.40	3.06	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 25.5
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81368G	45.23	74.00	-28.77	37.94	3	Vertical	20	2.15	-	32.88	5.09	30.68			
AV	4.81394G	31.47	54.00	-22.53	24.18	3	Vertical	20	2.15	-	32.88	5.09	30.68			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 25.5
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83294G	45.09	74.00	-28.91	37.66	3	Horizontal	187	1.93	-	33.00	5.10	30.67			
AV	4.82388G	31.41	54.00	-22.59	24.05	3	Horizontal	187	1.93	-	32.94	5.10	30.68			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3478G	56.22	74.00	-17.78	25.01	3	Vertical	295	2.33	-	28.18	3.03	-			
AV	2.3862G	44.29	54.00	-9.71	12.84	3	Vertical	295	2.33	-	28.40	3.05	-			
PK	2.4378G	107.24	Inf	-Inf	75.74	3	Vertical	295	2.33	-	28.42	3.08	-			
AV	2.4378G	103.17	Inf	-Inf	71.67	3	Vertical	295	2.33	-	28.42	3.08	-			
PK	2.493G	55.75	74.00	-18.25	24.12	3	Vertical	295	2.33	-	28.53	3.10	-			
AV	2.4838G	44.28	54.00	-9.72	12.69	3	Vertical	295	2.33	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3458G	55.88	74.00	-18.12	24.69	3	Horizontal	278	1.86	-	28.16	3.03	-			
AV	2.3862G	44.18	54.00	-9.82	12.73	3	Horizontal	278	1.86	-	28.40	3.05	-			
PK	2.4378G	106.80	Inf	-Inf	75.30	3	Horizontal	278	1.86	-	28.42	3.08	-			
AV	2.4382G	102.61	Inf	-Inf	71.11	3	Horizontal	278	1.86	-	28.42	3.08	-			
PK	2.4926G	55.95	74.00	-18.05	24.32	3	Horizontal	278	1.86	-	28.53	3.10	-			
AV	2.4838G	45.71	54.00	-8.29	14.12	3	Horizontal	278	1.86	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8845G	45.24	74.00	-28.76	37.59	3	Vertical	38	2.28	-	33.17	5.12	30.64			
AV	4.87394G	33.21	54.00	-20.79	25.59	3	Vertical	38	2.28	-	33.15	5.11	30.64			
PK	7.32186G	50.34	74.00	-23.66	39.30	3	Vertical	9	2.52	-	36.64	6.52	32.12			
AV	7.30752G	35.84	54.00	-18.16	24.82	3	Vertical	9	2.52	-	36.62	6.51	32.11			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 28
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86692G	45.61	74.00	-28.39	38.02	3	Horizontal	340	2.81	-	33.13	5.11	30.65				
AV	4.87394G	31.72	54.00	-22.28	24.10	3	Horizontal	340	2.81	-	33.15	5.11	30.64				
PK	7.30914G	49.75	74.00	-24.25	38.73	3	Horizontal	146	1.66	-	36.62	6.51	32.11				
AV	7.3053G	35.81	54.00	-18.19	24.80	3	Horizontal	146	1.66	-	36.61	6.51	32.11				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3578G	55.82	74.00	-18.18	24.58	3	Vertical	254	2.71	-	28.20	3.04	-			
AV	2.3874G	44.10	54.00	-9.90	12.65	3	Vertical	254	2.71	-	28.40	3.05	-			
PK	2.4578G	115.41	Inf	-Inf	83.85	3	Vertical	254	2.71	-	28.48	3.08	-			
AV	2.4562G	111.52	Inf	-Inf	79.98	3	Vertical	254	2.71	-	28.46	3.08	-			
PK	2.4835G	61.67	74.00	-12.33	30.08	3	Vertical	254	2.71	-	28.50	3.09	-			
AV	2.4835G	53.79	54.00	-0.21	22.20	3	Vertical	254	2.71	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3866G	56.61	74.00	-17.39	25.16	3	Horizontal	274	2.52	-	28.40	3.05	-			
AV	2.379G	44.00	54.00	-10.00	12.56	3	Horizontal	274	2.52	-	28.39	3.05	-			
PK	2.4578G	107.90	Inf	-Inf	76.34	3	Horizontal	274	2.52	-	28.48	3.08	-			
AV	2.4562G	104.12	Inf	-Inf	72.58	3	Horizontal	274	2.52	-	28.46	3.08	-			
PK	2.4835G	56.59	74.00	-17.41	25.00	3	Horizontal	274	2.52	-	28.50	3.09	-			
AV	2.4835G	45.64	54.00	-8.36	14.05	3	Horizontal	274	2.52	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	114.65	Inf	-Inf	83.06	3	Vertical	254	2.83	-	28.50	3.09	-			
AV	2.4612G	109.58	Inf	-Inf	78.00	3	Vertical	254	2.83	-	28.50	3.08	-			
PK	2.4836G	61.42	74.00	-12.58	29.83	3	Vertical	254	2.83	-	28.50	3.09	-			
AV	2.4835G	53.94	54.00	-0.06	22.35	3	Vertical	254	2.83	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.461G	106.91	Inf	-Inf	75.33	3	Horizontal	274	2.53	-	28.50	3.08	-			
AV	2.4612G	103.05	Inf	-Inf	71.47	3	Horizontal	274	2.53	-	28.50	3.08	-			
PK	2.4872G	56.24	74.00	-17.76	24.65	3	Horizontal	274	2.53	-	28.50	3.09	-			
AV	2.4835G	45.27	54.00	-8.73	13.68	3	Horizontal	274	2.53	-	28.50	3.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91482G	45.21	74.00	-28.79	37.48	3	Vertical	169	2.54	-	33.23	5.12	30.62				
AV	4.91698G	31.93	54.00	-22.07	24.18	3	Vertical	169	2.54	-	33.23	5.13	30.61				
PK	7.37658G	50.22	74.00	-23.78	39.12	3	Vertical	90	2.37	-	36.70	6.55	32.15				
AV	7.3734G	36.43	54.00	-17.57	25.33	3	Vertical	90	2.37	-	36.70	6.55	32.15				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9276G	44.96	74.00	-29.04	37.18	3	Horizontal	119	2.12	-	33.26	5.13	30.61			
AV	4.91758G	31.89	54.00	-22.11	24.13	3	Horizontal	119	2.12	-	33.24	5.13	30.61			
PK	7.37976G	50.06	74.00	-23.94	38.96	3	Horizontal	137	2.85	-	36.70	6.55	32.15			
AV	7.371G	36.40	54.00	-17.60	25.31	3	Horizontal	137	2.85	-	36.70	6.54	32.15			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 20.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	67.00	74.00	-7.00	35.55	3	Vertical	253	2.93	-	28.40	3.05	-			
AV	2.39G	53.64	54.00	-0.36	22.18	3	Vertical	253	2.93	-	28.40	3.06	-			
PK	2.4142G	110.39	Inf	-Inf	78.92	3	Vertical	253	2.93	-	28.40	3.07	-			
AV	2.4154G	100.90	Inf	-Inf	69.43	3	Vertical	253	2.93	-	28.40	3.07	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 20.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	64.32	74.00	-9.68	32.87	3	Horizontal	44	2.21	-	28.40	3.05	-			
AV	2.39G	51.54	54.00	-2.46	20.08	3	Horizontal	44	2.21	-	28.40	3.06	-			
PK	2.4142G	101.19	Inf	-Inf	69.72	3	Horizontal	44	2.21	-	28.40	3.07	-			
AV	2.4152G	91.48	Inf	-Inf	60.01	3	Horizontal	44	2.21	-	28.40	3.07	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 20.5
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83114G	44.12	74.00	-29.88	36.70	3	Vertical	264	1.16	-	32.99	5.10	30.67			
AV	4.83354G	32.05	54.00	-21.95	24.62	3	Vertical	264	1.16	-	33.00	5.10	30.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 20.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83276G	44.46	74.00	-29.54	37.03	3	Horizontal	8	1.93	-	33.00	5.10	30.67			
AV	4.83654G	32.11	54.00	-21.89	24.66	3	Horizontal	8	1.93	-	33.02	5.10	30.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.377G	65.03	74.00	-8.97	33.61	3	Vertical	255	2.94	-	28.37	3.05	-			
AV	2.3898G	52.79	54.00	-1.21	21.34	3	Vertical	255	2.94	-	28.40	3.05	-			
PK	2.4194G	113.24	Inf	-Inf	81.77	3	Vertical	255	2.94	-	28.40	3.07	-			
AV	2.4202G	103.31	Inf	-Inf	71.84	3	Vertical	255	2.94	-	28.40	3.07	-			
PK	2.4854G	56.68	74.00	-17.32	25.09	3	Vertical	255	2.94	-	28.50	3.09	-			
AV	2.487G	45.14	54.00	-8.86	13.55	3	Vertical	255	2.94	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3854G	62.60	74.00	-11.40	31.15	3	Horizontal	52	2.96	-	28.40	3.05	-			
AV	2.3894G	50.66	54.00	-3.34	19.21	3	Horizontal	52	2.96	-	28.40	3.05	-			
PK	2.4198G	104.52	Inf	-Inf	73.05	3	Horizontal	52	2.96	-	28.40	3.07	-			
AV	2.4182G	95.25	Inf	-Inf	63.78	3	Horizontal	52	2.96	-	28.40	3.07	-			
PK	2.4906G	55.52	74.00	-18.48	23.91	3	Horizontal	52	2.96	-	28.51	3.10	-			
AV	2.4842G	44.45	54.00	-9.55	12.86	3	Horizontal	52	2.96	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3846G	60.75	74.00	-13.25	29.30	3	Vertical	257	2.62	-	28.40	3.05	-			
AV	2.3882G	46.82	54.00	-7.18	15.37	3	Vertical	257	2.62	-	28.40	3.05	-			
PK	2.441G	116.53	Inf	-Inf	85.05	3	Vertical	257	2.62	-	28.40	3.08	-			
AV	2.4394G	106.53	Inf	-Inf	75.04	3	Vertical	257	2.62	-	28.41	3.08	-			
PK	2.4835G	69.96	74.00	-4.04	38.37	3	Vertical	257	2.62	-	28.50	3.09	-			
AV	2.4838G	53.91	54.00	-0.09	22.32	3	Vertical	257	2.62	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3858G	56.57	74.00	-17.43	25.12	3	Horizontal	297	1.05	-	28.40	3.05	-			
AV	2.3886G	45.02	54.00	-8.98	13.57	3	Horizontal	297	1.05	-	28.40	3.05	-			
PK	2.4398G	108.88	Inf	-Inf	77.40	3	Horizontal	297	1.05	-	28.40	3.08	-			
AV	2.4402G	98.91	Inf	-Inf	67.43	3	Horizontal	297	1.05	-	28.40	3.08	-			
PK	2.4835G	62.47	74.00	-11.53	30.88	3	Horizontal	297	1.05	-	28.50	3.09	-			
AV	2.4835G	47.82	54.00	-6.18	16.23	3	Horizontal	297	1.05	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 24
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.8713G	45.17	74.00	-28.83	37.56	3	Vertical	114	1.12	-	33.14	5.11	30.64				
AV	4.86488G	32.70	54.00	-21.30	25.11	3	Vertical	114	1.12	-	33.13	5.11	30.65				
PK	7.3062G	49.97	74.00	-24.03	38.96	3	Vertical	342	2.78	-	36.61	6.51	32.11				
AV	7.30836G	36.78	54.00	-17.22	25.76	3	Vertical	342	2.78	-	36.62	6.51	32.11				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 24
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86842G	45.44	74.00	-28.56	37.84	3	Horizontal	325	2.59	-	33.14	5.11	30.65			
AV	4.88324G	32.46	54.00	-21.54	24.82	3	Horizontal	325	2.59	-	33.17	5.11	30.64			
PK	7.30366G	49.49	74.00	-24.51	38.48	3	Horizontal	158	2.54	-	36.61	6.51	32.11			
AV	7.29828G	36.89	54.00	-17.11	25.91	3	Horizontal	158	2.54	-	36.59	6.50	32.11			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 19.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3642G	56.08	74.00	-17.92	24.80	3	Vertical	253	2.74	-	28.24	3.04	-			
AV	2.3694G	44.57	54.00	-9.43	13.24	3	Vertical	253	2.74	-	28.29	3.04	-			
PK	2.4586G	113.26	Inf	-Inf	81.69	3	Vertical	253	2.74	-	28.49	3.08	-			
AV	2.4598G	103.00	Inf	-Inf	71.42	3	Vertical	253	2.74	-	28.50	3.08	-			
PK	2.4846G	68.58	74.00	-5.42	36.99	3	Vertical	253	2.74	-	28.50	3.09	-			
AV	2.4835G	53.52	54.00	-0.48	21.93	3	Vertical	253	2.74	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 19.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.383G	56.22	74.00	-17.78	24.77	3	Horizontal	274	2.52	-	28.40	3.05	-			
AV	2.3698G	44.34	54.00	-9.66	13.00	3	Horizontal	274	2.52	-	28.30	3.04	-			
PK	2.4594G	105.12	Inf	-Inf	73.55	3	Horizontal	274	2.52	-	28.49	3.08	-			
AV	2.4598G	95.36	Inf	-Inf	63.78	3	Horizontal	274	2.52	-	28.50	3.08	-			
PK	2.4838G	58.89	74.00	-15.11	27.30	3	Horizontal	274	2.52	-	28.50	3.09	-			
AV	2.4835G	46.36	54.00	-7.64	14.77	3	Horizontal	274	2.52	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4656G	112.63	Inf	-Inf	81.04	3	Vertical	255	2.82	-	28.50	3.09	-			
AV	2.4652G	102.28	Inf	-Inf	70.69	3	Vertical	255	2.82	-	28.50	3.09	-			
PK	2.4835G	66.04	74.00	-7.96	34.45	3	Vertical	255	2.82	-	28.50	3.09	-			
AV	2.4835G	52.61	54.00	-1.39	21.02	3	Vertical	255	2.82	-	28.50	3.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX


EUT_Z_1TX
Setting 18
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4642G	103.16	Inf	-Inf	71.57	3	Horizontal	277	1.24	-	28.50	3.09	-				
AV	2.4648G	93.31	Inf	-Inf	61.72	3	Horizontal	277	1.24	-	28.50	3.09	-				
PK	2.4862G	58.79	74.00	-15.21	27.20	3	Horizontal	277	1.24	-	28.50	3.09	-				
AV	2.484G	46.74	54.00	-7.26	15.15	3	Horizontal	277	1.24	-	28.50	3.09	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91578G	45.61	74.00	-28.39	37.88	3	Vertical	317	1.74	-	33.23	5.12	30.62				
AV	4.91872G	32.96	54.00	-21.04	25.20	3	Vertical	317	1.74	-	33.24	5.13	30.61				
PK	7.38G	50.17	74.00	-23.83	39.07	3	Vertical	29	1.22	-	36.70	6.55	32.15				
AV	7.37232G	37.51	54.00	-16.49	26.42	3	Vertical	29	1.22	-	36.70	6.54	32.15				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92664G	46.04	74.00	-27.96	38.27	3	Horizontal	174	1.80	-	33.25	5.13	30.61				
AV	4.91686G	32.90	54.00	-21.10	25.15	3	Horizontal	174	1.80	-	33.23	5.13	30.61				
PK	7.37208G	50.01	74.00	-23.99	38.92	3	Horizontal	276	1.59	-	36.70	6.54	32.15				
AV	7.371G	37.58	54.00	-16.42	26.49	3	Horizontal	276	1.59	-	36.70	6.54	32.15				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 18.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	67.34	74.00	-6.66	35.89	3	Vertical	253	2.95	-	28.40	3.05	-			
AV	2.3898G	53.01	54.00	-0.99	21.56	3	Vertical	253	2.95	-	28.40	3.05	-			
PK	2.419G	112.59	Inf	-Inf	81.12	3	Vertical	253	2.95	-	28.40	3.07	-			
AV	2.4164G	99.37	Inf	-Inf	67.90	3	Vertical	253	2.95	-	28.40	3.07	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 18.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	61.84	74.00	-12.16	30.39	3	Horizontal	52	2.96	-	28.40	3.05	-			
AV	2.39G	48.66	54.00	-5.34	17.20	3	Horizontal	52	2.96	-	28.40	3.06	-			
PK	2.416G	104.66	Inf	-Inf	73.19	3	Horizontal	52	2.96	-	28.40	3.07	-			
AV	2.4156G	91.34	Inf	-Inf	59.87	3	Horizontal	52	2.96	-	28.40	3.07	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 18.5
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81278G	46.10	74.00	-27.90	38.81	3	Vertical	119	1.17	-	32.88	5.09	30.68			
AV	4.81234G	32.57	54.00	-21.43	25.29	3	Vertical	119	1.17	-	32.87	5.09	30.68			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 18.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82772G	45.46	74.00	-28.54	38.06	3	Horizontal	14	1.64	-	32.97	5.10	30.67			
AV	4.82566G	32.44	54.00	-21.56	25.07	3	Horizontal	14	1.64	-	32.95	5.10	30.68			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	68.70	74.00	-5.30	37.25	3	Vertical	253	2.96	-	28.40	3.05	-			
AV	2.3898G	53.55	54.00	-0.45	22.10	3	Vertical	253	2.96	-	28.40	3.05	-			
PK	2.421G	115.03	Inf	-Inf	83.55	3	Vertical	253	2.96	-	28.41	3.07	-			
AV	2.4194G	101.85	Inf	-Inf	70.38	3	Vertical	253	2.96	-	28.40	3.07	-			
PK	2.4862G	56.32	74.00	-17.68	24.73	3	Vertical	253	2.96	-	28.50	3.09	-			
AV	2.4838G	44.71	54.00	-9.29	13.12	3	Vertical	253	2.96	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 21.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	63.52	74.00	-10.48	32.07	3	Horizontal	271	2.83	-	28.40	3.05	-			
AV	2.3898G	50.80	54.00	-3.20	19.35	3	Horizontal	271	2.83	-	28.40	3.05	-			
PK	2.4194G	107.66	Inf	-Inf	76.19	3	Horizontal	271	2.83	-	28.40	3.07	-			
AV	2.4186G	94.84	Inf	-Inf	63.37	3	Horizontal	271	2.83	-	28.40	3.07	-			
PK	2.4934G	56.20	74.00	-17.80	24.57	3	Horizontal	271	2.83	-	28.53	3.10	-			
AV	2.4982G	44.24	54.00	-9.76	12.56	3	Horizontal	271	2.83	-	28.58	3.10	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	59.93	74.00	-14.07	28.48	3	Vertical	256	2.62	-	28.40	3.05	-			
AV	2.3898G	46.33	54.00	-7.67	14.88	3	Vertical	256	2.62	-	28.40	3.05	-			
PK	2.4386G	118.73	Inf	-Inf	87.24	3	Vertical	256	2.62	-	28.41	3.08	-			
AV	2.4398G	104.70	Inf	-Inf	73.22	3	Vertical	256	2.62	-	28.40	3.08	-			
PK	2.487G	67.24	74.00	-6.76	35.65	3	Vertical	256	2.62	-	28.50	3.09	-			
AV	2.4835G	52.37	54.00	-1.63	20.78	3	Vertical	256	2.62	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2437MHz_TX


EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	56.36	74.00	-17.64	24.91	3	Horizontal	276	1.26	-	28.40	3.05	-			
AV	2.3898G	44.66	54.00	-9.34	13.21	3	Horizontal	276	1.26	-	28.40	3.05	-			
PK	2.4386G	109.86	Inf	-Inf	78.37	3	Horizontal	276	1.26	-	28.41	3.08	-			
AV	2.4394G	97.07	Inf	-Inf	65.58	3	Horizontal	276	1.26	-	28.41	3.08	-			
PK	2.4835G	61.59	74.00	-12.41	30.00	3	Horizontal	276	1.26	-	28.50	3.09	-			
AV	2.4835G	47.26	54.00	-6.74	15.67	3	Horizontal	276	1.26	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87508G	46.71	74.00	-27.29	39.09	3	Vertical	30	1.73	-	33.15	5.11	30.64				
AV	4.86512G	32.56	54.00	-21.44	24.97	3	Vertical	30	1.73	-	33.13	5.11	30.65				
PK	7.30968G	50.18	74.00	-23.82	39.16	3	Vertical	336	2.23	-	36.62	6.51	32.11				
AV	7.29804G	36.64	54.00	-17.36	25.66	3	Vertical	336	2.23	-	36.59	6.50	32.11				

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 23
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88828G	45.87	74.00	-28.13	38.20	3	Horizontal	276	1.66	-	33.18	5.12	30.63			
AV	4.86512G	32.42	54.00	-21.58	24.83	3	Horizontal	276	1.66	-	33.13	5.11	30.65			
PK	7.30212G	49.82	74.00	-24.18	38.82	3	Horizontal	216	2.29	-	36.60	6.51	32.11			
AV	7.29876G	36.65	54.00	-17.35	25.66	3	Horizontal	216	2.29	-	36.60	6.50	32.11			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 19
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3662G	56.51	74.00	-17.49	25.21	3	Vertical	252	2.65	-	28.26	3.04	-			
AV	2.3866G	44.26	54.00	-9.74	12.81	3	Vertical	252	2.65	-	28.40	3.05	-			
PK	2.4494G	114.36	Inf	-Inf	82.88	3	Vertical	252	2.65	-	28.40	3.08	-			
AV	2.4558G	101.32	Inf	-Inf	69.78	3	Vertical	252	2.65	-	28.46	3.08	-			
PK	2.4862G	69.36	74.00	-4.64	37.77	3	Vertical	252	2.65	-	28.50	3.09	-			
AV	2.4835G	53.61	54.00	-0.39	22.02	3	Vertical	252	2.65	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 19
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3618G	56.04	74.00	-17.96	24.78	3	Horizontal	275	2.55	-	28.22	3.04	-			
AV	2.3866G	44.23	54.00	-9.77	12.78	3	Horizontal	275	2.55	-	28.40	3.05	-			
PK	2.4618G	107.23	Inf	-Inf	75.65	3	Horizontal	275	2.55	-	28.50	3.08	-			
AV	2.4582G	94.64	Inf	-Inf	63.08	3	Horizontal	275	2.55	-	28.48	3.08	-			
PK	2.4842G	57.27	74.00	-16.73	25.68	3	Horizontal	275	2.55	-	28.50	3.09	-			
AV	2.4835G	45.60	54.00	-8.40	14.01	3	Horizontal	275	2.55	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	115.04	Inf	-Inf	83.45	3	Vertical	251	2.83	-	28.50	3.09	-			
AV	2.461G	101.21	Inf	-Inf	69.63	3	Vertical	251	2.83	-	28.50	3.08	-			
PK	2.484G	69.89	74.00	-4.11	38.30	3	Vertical	251	2.83	-	28.50	3.09	-			
AV	2.4836G	53.73	54.00	-0.27	22.14	3	Vertical	251	2.83	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.457G	105.44	Inf	-Inf	73.89	3	Horizontal	272	2.55	-	28.47	3.08	-			
AV	2.4586G	92.81	Inf	-Inf	61.24	3	Horizontal	272	2.55	-	28.49	3.08	-			
PK	2.4854G	58.59	74.00	-15.41	27.00	3	Horizontal	272	2.55	-	28.50	3.09	-			
AV	2.4835G	45.72	54.00	-8.28	14.13	3	Horizontal	272	2.55	-	28.50	3.09	-			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 18
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9141G	46.66	74.00	-27.34	38.93	3	Vertical	228	1.09	-	33.23	5.12	30.62			
AV	4.91524G	32.70	54.00	-21.30	24.97	3	Vertical	228	1.09	-	33.23	5.12	30.62			
PK	7.37826G	51.05	74.00	-22.95	39.95	3	Vertical	39	1.20	-	36.70	6.55	32.15			
AV	7.37394G	37.10	54.00	-16.90	26.00	3	Vertical	39	1.20	-	36.70	6.55	32.15			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUT_Z_1TX
Setting 18
02-D-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92394G	45.65	74.00	-28.35	37.88	3	Horizontal	215	2.52	-	33.25	5.13	30.61			
AV	4.91758G	32.68	54.00	-21.32	24.92	3	Horizontal	215	2.52	-	33.24	5.13	30.61			
PK	7.37472G	50.88	74.00	-23.12	39.78	3	Horizontal	186	2.93	-	36.70	6.55	32.15			
AV	7.38024G	37.09	54.00	-16.91	25.99	3	Horizontal	186	2.93	-	36.70	6.55	32.15			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.12387G	33.30	54.00	-20.70	Horizontal

Mode 1



Mode 1

