


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

16/04/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.09	8.09	8.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

14/05/2024



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.65	8.65	8.65


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

16/04/2024

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/04/2024

CF (Hz)
5.71G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

16/04/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

14/05/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

14/05/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

14/05/2024




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

16/04/2024

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.76	6.76	6.76


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

14/05/2024

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.36	8.36	8.36

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

14/05/2024




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

14/05/2024



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

14/05/2024

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.49	8.49	8.49

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

16/04/2024

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.77	5.77	5.77


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

16/04/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
5.61	5.61	5.61


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

14/05/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
8.16	8.16	8.16

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

16/04/2024

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Port 1

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/04/2024

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS




Port 1

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

16/04/2024




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.11	7.11	7.11

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5745MHz

14/05/2024



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	6.70

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5785MHz

14/05/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5825MHz

14/05/2024




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

16/04/2024

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
3.26	3.26	3.26


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

14/05/2024

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
4.76	4.76	4.76


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

14/05/2024

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.09	5.09	5.09


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

16/04/2024

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.26	2.26	2.26


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

16/04/2024

CF (Hz)
5.51G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Port 1


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

14/05/2024

CF (Hz)
5.55G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

16/04/2024

CF (Hz)
5.67G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.97	2.97	2.97


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

14/05/2024

CF (Hz)
5.69G
Span (Hz)
140M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.66	4.66	4.66

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

14/05/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5755MHz

14/05/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5795MHz

14/05/2024




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.83	3.83	3.83

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5210MHz

16/04/2024



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.21	-1.21	-1.21


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5290MHz

16/04/2024

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.697
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.60	-1.60	-1.60


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5530MHz

16/04/2024

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.697
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.19	-1.19	-1.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5610MHz

16/04/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/05/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/05/2024



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_1TX

PSD

5775MHz

16/04/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

16/04/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

16/04/2024



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

PSD

5570MHz

16/04/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

22/03/2024

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

14/05/2024

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.55	10.55	7.82	7.31

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

14/05/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.56	10.56	7.51	7.64


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

22/03/2024

CF (Hz)
5.26G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.73	10.73	7.66	7.87

Sum
Port 1
Port 2


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

22/03/2024

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.98	9.98	6.66	7.32

Sum
Port 1
Port 2


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

22/03/2024

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
9.76	9.76	6.47	7.09

Sum
Port 1
Port 2


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

22/03/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.54	10.54	7.41	7.71

Sum
Port 1
Port 2

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

22/03/2024

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.16	10.16	6.91	7.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

22/03/2024

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.39	10.39	7.10	7.76

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/03/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/03/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

14/05/2024

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.37	9.37	6.58	6.21

Sum
Port 1
Port 2


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

14/05/2024

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.19	9.19	6.30	6.05

Sum
Port 1
Port 2

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

14/05/2024

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
8.74	8.74	5.89	5.66

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

14/05/2024

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
10.32	10.32	7.46	7.19

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

14/05/2024

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.13	10.13	7.39	6.96

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

14/05/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.11	10.11	7.11	7.16


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

22/03/2024

CF (Hz)
5.26G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.28	10.28	7.20	7.38


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

22/03/2024

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.40	9.40	6.12	6.65

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

22/03/2024

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.27	9.27	5.99	6.51

Sum 

Port 1 

Port 2 

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

22/03/2024

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.95	9.95	6.91	7.10

Sum 

Port 1 

Port 2 

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

22/03/2024

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.65	9.65	6.37	6.95

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

22/03/2024

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	5.55	6.26

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.17	10.17	6.85	7.50

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/03/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.58	8.58	5.22	5.89

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

14/05/2024

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.19	9.19	6.35	6.04

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

14/05/2024

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.00	9.00	6.11	5.92


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

14/05/2024

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.36	9.36	6.45	6.39

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

22/03/2024

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
4.26	4.26	0.83	1.65

Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

14/05/2024

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
7.48	7.48	4.62	4.40

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

22/03/2024

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
7.54	7.54	4.32	4.73

Sum 

Port 1 


Port 2 

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.30	3.30	0.14	0.46

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

22/03/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.70	5.70	2.82	2.70


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

22/03/2024

CF (Hz)
5.55G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.85	6.85	4.00	3.82


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

22/03/2024

CF (Hz)
5.67G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.14	7.14	4.09	4.21

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.85	6.85	3.61	4.20

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.50	5.50	2.27	2.72

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

14/05/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.06	7.06	4.41	3.79

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

14/05/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.18	7.18	4.38	4.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5210MHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.34	1.34	-1.94	-1.39

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5290MHz

22/03/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.33	-0.33	-3.56	-3.08


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5530MHz

22/03/2024

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.697
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.88	0.88	-2.04	-2.13

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5610MHz

22/03/2024

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.697
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.51	3.51	0.29	0.76


Sum
Port 1
Port 2

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.30	4.30	1.23	1.45

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/03/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.37	2.37	-0.68	-0.50

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_2TX

PSD

5775MHz

22/03/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.78	-1.78	-5.01	-4.48

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/03/2024

CF (Hz)
5.17G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.87	-2.87	-6.03	-5.69

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

22/03/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.12	-2.12	-5.54	-4.74

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

PSD

5570MHz

22/03/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.98	-1.98	-4.96	-4.90

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

22/03/2024




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

14/05/2024



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

14/05/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.07	14.07	7.80	7.85	8.05	8.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

22/03/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.80	10.80	4.57	4.85	4.93	5.12


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

22/03/2024

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.95	9.95	3.84	4.21	3.72	4.13


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

22/03/2024

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.80	9.80	3.63	4.03	3.81	3.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

22/03/2024

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.56	10.56	4.39	4.47	4.69	4.94

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

22/03/2024

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	3.78	4.30	4.36	4.98


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

22/03/2024

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.37	10.37	3.94	4.90	4.37	4.62


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/03/2024

CF (Hz)
5.71G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.58	10.58	4.22	4.99	4.42	4.83

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/03/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

14/05/2024



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

14/05/2024

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.61	12.61	6.54	6.23	6.48	7.30

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

14/05/2024

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.27	12.27	6.08	5.89	6.30	6.85

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

22/03/2024




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

14/05/2024



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

14/05/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.86	13.86	7.62	7.63	7.97	8.34

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5260MHz

22/03/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.15	9.15	3.08	3.23	3.11	3.44

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5300MHz

22/03/2024




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5320MHz

22/03/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5500MHz

22/03/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5580MHz

22/03/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5700MHz

22/03/2024

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.94	9.94	3.40	4.33	3.80	4.22


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/03/2024

CF (Hz)
5.71G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.75
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.98	9.98	3.50	4.35	3.75	4.37

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/03/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5745MHz

14/05/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5785MHz

14/05/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5825MHz

14/05/2024



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

22/03/2024

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.53	6.53	-0.06	0.53	0.77	0.83

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

14/05/2024

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.11	11.11	4.98	4.86	5.15	5.84

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5270MHz

22/03/2024

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.42	7.42	1.08	1.52	1.23	1.88

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5310MHz

22/03/2024

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.75

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.35	6.35	0.20	0.54	0.35	0.34

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

22/03/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

22/03/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

22/03/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

22/03/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

22/03/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5755MHz

14/05/2024



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5795MHz

14/05/2024

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	4.66	4.43	4.58	4.93

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5210MHz

22/03/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	-2.85	-2.35	-2.02	-1.76

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5290MHz

22/03/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.62	2.62	-3.50	-3.07	-3.44	-3.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5530MHz

22/03/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.697

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.16	4.16	-1.92	-2.02	-1.62	-1.60

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5610MHz

22/03/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.68	3.68	-2.62	-2.28	-2.29	-1.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/03/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.24	4.24	-1.90	-1.48	-1.76	-1.57

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/03/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14)_4TX

PSD

5775MHz

22/03/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/03/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

22/03/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

PSD

5570MHz

22/03/2024



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-1.38
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-6.54
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-1.71
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-6.62
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	1.85
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-6.45
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	0.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5210MHz	Pass	4.83	-1.38	-1.38	17.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5210MHz	Pass	4.83	-1.56	-1.56	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5290MHz	Pass	3.89	-1.71	-1.71	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5290MHz	Pass	3.89	-1.73	-1.73	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5530MHz	Pass	4.03	-1.61	-1.61	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5530MHz	Pass	4.03	-1.54	-1.54	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5610MHz	Pass	4.03	-2.15	-2.15	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5610MHz	Pass	4.03	-2.18	-2.18	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	1.85	1.85	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	1.70	1.70	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	0.36	0.36	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	0.18	0.18	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-
5775MHz	Pass	3.86	0.41	0.41	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-
5775MHz	Pass	3.86	0.59	0.59	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-6.69	-6.69	17.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-6.54	-6.54	17.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-6.75	-6.75	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-7.68	-7.68	11.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.62	-6.62	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.70	-6.70	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-
5570MHz	Pass	4.03	-6.64	-6.64	11.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-	-	-	-
5570MHz	Pass	4.03	-6.58	-6.58	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-
5570MHz	Pass	4.03	-6.45	-6.45	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5210MHz

12/06/2024




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5210MHz

12/06/2024




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5290MHz

12/06/2024




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5290MHz

12/06/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5530MHz

12/06/2024

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
30.323
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.61	-1.61	-1.61


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5530MHz

12/06/2024

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
27.48
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.54	-1.54	-1.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5610MHz

12/06/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-2.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5610MHz

12/06/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.18	-2.18	-2.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

12/06/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

12/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

12/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

12/06/2024



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5775MHz

12/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.323

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.41	0.41	0.41

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5775MHz

12/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
27.48

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.59	0.59	0.59

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

12/06/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

12/06/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

12/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

12/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

12/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

12/06/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5570MHz

12/06/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.616
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.64	-6.64	-6.64


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

PSD

5570MHz

12/06/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
32.103
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.58	-6.58	-6.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

PSD

5570MHz

12/06/2024



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.45	-6.45	-6.45

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	1.16
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-2.95
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-0.37
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-3.06
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	3.99
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-2.01
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	2.28

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	4.83	-1.50	-1.94	1.16	17.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5210MHz	Pass	4.83	-1.80	-2.20	0.88	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5290MHz	Pass	3.89	-4.00	-2.32	-0.37	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	3.89	-4.27	-2.66	-0.66	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	4.03	-1.92	-2.56	0.55	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5530MHz	Pass	4.03	-1.88	-2.48	0.81	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5610MHz	Pass	4.03	0.13	-0.03	3.04	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5610MHz	Pass	4.03	0.49	0.39	3.40	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	0.70	0.30	3.48	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	1.25	0.85	3.99	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	-0.86	-1.33	1.88	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	-0.36	-1.11	2.28	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5775MHz	Pass	3.86	-4.86	-5.47	-2.19	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5775MHz	Pass	3.86	-4.81	-5.31	-2.10	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-5.90	-6.61	-3.26	17.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-5.81	-6.32	-3.18	17.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-5.61	-6.15	-2.95	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.97	-5.45	-3.39	11.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.86	-5.33	-3.32	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.99	-5.13	-3.06	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5570MHz	Pass	4.03	-7.34	-7.21	-4.26	11.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5570MHz	Pass	4.03	-4.85	-4.85	-2.15	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5570MHz	Pass	4.03	-5.05	-4.91	-2.01	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

13/06/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.323

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.16	1.16	-1.50	-1.94

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5210MHz

13/06/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
27.48

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.88	0.88	-1.80	-2.20

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5290MHz

13/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.37	-0.37	-4.00	-2.32

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5290MHz

13/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.66	-0.66	-4.27	-2.66

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.55	0.55	-1.92	-2.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5530MHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.81	0.81	-1.88	-2.48

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

12/06/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5610MHz

12/06/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.48	3.48	0.70	0.30

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.99	3.99	1.25	0.85

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

12/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

12/06/2024



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

12/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.323

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.19	-2.19	-4.86	-5.47

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5775MHz

12/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
27.48

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.10	-2.10	-4.81	-5.31

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.26	-3.26	-5.90	-6.61

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.18	-3.18	-5.81	-6.32

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.95	-2.95	-5.61	-6.15

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.39	-3.39	-6.97	-5.45

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.32	-3.32	-6.86	-5.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.06	-3.06	-6.99	-5.13

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5570MHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.26	-4.26	-7.34	-7.21

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

PSD

5570MHz

12/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-4.85	-4.85

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

PSD

5570MHz

12/06/2024



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	3.29
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-0.99
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	2.47
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-0.64
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	4.02
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-0.66
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	2.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.96	-2.42	-2.90	-2.18	-2.33	3.29	16.04
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.96	-2.79	-3.26	-2.34	-2.37	3.25	16.04
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.69	-4.78	-3.38	-3.16	-2.99	2.36	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.69	-4.36	-3.20	-3.08	-2.81	2.47	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.34	-3.87	-3.00	-2.61	-2.62	2.63	10.66
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.34	-2.31	-1.38	-1.70	-1.48	3.92	10.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.34	-3.72	-2.43	-1.68	-1.57	3.39	10.66
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.34	-3.37	-1.94	-1.91	-1.80	3.45	10.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.34	-3.07	-1.54	-1.38	-1.13	3.98	10.66
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.34	-2.93	-1.48	-1.50	-1.24	4.02	10.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	5.28	-4.58	-3.45	-3.05	-3.31	2.26	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	5.28	-4.58	-3.28	-3.00	-3.18	2.38	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	5.28	-5.86	-4.58	-3.99	-4.15	1.15	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	5.28	-5.89	-4.36	-4.22	-4.16	1.08	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.96	-8.61	-9.45	-8.10	-8.75	-2.75	16.04
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.96	-6.81	-7.29	-6.10	-6.70	-0.99	16.04
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.96	-7.42	-8.09	-6.71	-7.39	-1.59	16.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.69	-9.49	-8.45	-8.21	-7.75	-2.58	11.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.69	-7.68	-6.36	-6.19	-5.76	-0.64	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.69	-8.56	-7.09	-6.92	-6.53	-1.35	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.34	-10.51	-8.34	-8.07	-7.35	-2.61	10.66
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.34	-7.95	-6.29	-5.94	-5.23	-0.66	10.66
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.34	-9.93	-7.19	-6.49	-5.71	-1.12	10.66


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

13/06/2024




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5210MHz

13/06/2024



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5290MHz

13/06/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.323

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.36	2.36	-4.78	-3.38	-3.16	-2.99

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5290MHz

13/06/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
27.48

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	-4.36	-3.20	-3.08	-2.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.63	2.63	-3.87	-3.00	-2.61	-2.62

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5530MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.92	3.92	-2.31	-1.38	-1.70	-1.48

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5610MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.39	3.39	-3.72	-2.43	-1.68	-1.57

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5610MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.45	3.45	-3.37	-1.94	-1.91	-1.80

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/06/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/06/2024



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

13/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.323

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.15	1.15	-5.86	-4.58	-3.99	-4.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5775MHz

13/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
27.48

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.08	1.08	-5.89	-4.36	-4.22	-4.16

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

13/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

13/06/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.61	-2.61	-10.51	-8.34	-8.07	-7.35

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

PSD

5570MHz

13/06/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.66	-0.66	-7.95	-6.29	-5.94	-5.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5570MHz

13/06/2024





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-1.69
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-6.76
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	-1.88
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-6.51
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	2.15
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX	-6.59
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	0.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-	-	-	-	-
5210MHz	Pass	4.83	-1.69	-1.69	17.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	-	-	-	-	-
5290MHz	Pass	3.89	-1.88	-1.88	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	-	-	-	-	-
5530MHz	Pass	4.03	-1.45	-1.45	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-	-	-	-	-
5610MHz	Pass	4.03	-2.02	-2.02	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	2.15	2.15	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	0.58	0.58	30.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-	-	-	-	-
5775MHz	Pass	3.86	0.85	0.85	30.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-7.49	-7.49	17.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-6.76	-6.76	17.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-7.12	-7.12	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.51	-6.51	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-
5570MHz	Pass	4.03	-7.21	-7.21	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX	-	-	-	-	-
5570MHz	Pass	4.03	-6.59	-6.59	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

PSD

5210MHz

14/06/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.69	-1.69	-1.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

PSD

5290MHz

14/06/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.88	-1.88	-1.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

PSD

5530MHz

14/06/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.45	-1.45	-1.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

PSD

5610MHz

14/06/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.02	-2.02	-2.02

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/06/2024



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.15	2.15	2.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/06/2024



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.58	0.58	0.58


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

PSD

5775MHz

14/06/2024

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
54.089
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.85	0.85	0.85


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024

CF (Hz)
5.17G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.833
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.49	-7.49	-7.49

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_1TX

PSD

5570MHz

14/06/2024



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_1TX

PSD

5570MHz

14/06/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.833

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.59	-6.59	-6.59

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	1.16
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-3.59
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	-0.72
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-3.04
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	4.23
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX	-3.71
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	2.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5210MHz	Pass	4.83	-1.45	-2.03	1.16	17.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5290MHz	Pass	3.89	-3.75	-3.59	-0.72	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5530MHz	Pass	4.03	-2.01	-2.66	0.65	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5610MHz	Pass	4.03	0.31	0.07	3.16	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.03	1.34	1.19	4.23	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	3.86	-0.38	-0.86	2.32	30.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5775MHz	Pass	3.86	-4.95	-5.10	-2.05	30.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-7.37	-7.72	-4.69	17.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83	-6.19	-6.97	-3.59	17.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-7.16	-6.98	-4.12	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	3.89	-6.03	-6.02	-3.04	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-
5570MHz	Pass	4.03	-7.32	-7.35	-4.38	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX	-	-	-	-	-	-
5570MHz	Pass	4.03	-6.48	-6.79	-3.71	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

PSD

5210MHz

14/06/2024

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.089
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.16	1.16	-1.45	-2.03


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

PSD

5290MHz

14/06/2024

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.089
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.72	-0.72	-3.75	-3.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

PSD

5530MHz

14/06/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.65	0.65	-2.01	-2.66

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

PSD

5610MHz

14/06/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.16	3.16	0.31	0.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/06/2024




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.23	4.23	1.34	1.19

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/06/2024



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.32	2.32	-0.38	-0.86

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

PSD

5775MHz

14/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.05	-2.05	-4.95	-5.10

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024

CF (Hz)
5.17G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.833

Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.69	-4.69	-7.37	-7.72

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.59	-3.59	-6.19	-6.97

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.12	-4.12	-7.16	-6.98

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.04	-3.04	-6.03	-6.02

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_2TX

PSD

5570MHz

14/06/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.38	-4.38	-7.32	-7.35


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_2TX

PSD

5570MHz

14/06/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.01
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.71	-3.71	-6.48	-6.79

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	3.40
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-2.00
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	2.33
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-1.44
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	3.98
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX	0.75
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	5.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.96	-2.36	-2.73	-2.55	-2.49	3.40	16.04
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.69	-3.71	-3.51	-3.84	-3.33	2.33	11.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.34	-1.95	-2.65	-3.01	-2.52	3.37	10.66
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.34	-2.37	-2.69	-2.49	-1.91	3.42	10.66
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.34	-1.88	-2.04	-2.33	-1.61	3.98	10.66
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	5.28	-3.22	-3.92	-3.90	-3.59	2.28	30.00
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	5.28	-0.39	-0.61	-0.97	-0.25	5.35	30.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.96	-8.84	-9.09	-8.83	-8.89	-3.04	16.04
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.96	-7.80	-8.35	-7.77	-8.06	-2.00	16.04
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.69	-8.48	-8.30	-8.95	-8.05	-2.55	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.69	-7.41	-7.18	-7.84	-7.04	-1.44	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.34	-7.63	-7.84	-7.34	-6.51	-1.46	10.66
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.34	-5.49	-5.69	-5.03	-4.18	0.75	10.66

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

PSD

5210MHz

14/06/2024




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

PSD

5290MHz

14/06/2024



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP_2_4TX

PSD

5530MHz

14/06/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.37	3.37	-1.95	-2.65	-3.01	-2.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP_3_4TX

PSD

5610MHz

14/06/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.42	3.42	-2.37	-2.69	-2.49	-1.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/06/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/06/2024



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

PSD

5775MHz

14/06/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
54.089

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.35	5.35	-0.39	-0.61	-0.97	-0.25

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024

CF (Hz)
5.17G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.833

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.04	-3.04	-8.84	-9.09	-8.83	-8.89

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP_2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP_6_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

14/06/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 6_4TX

PSD

5570MHz

14/06/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 3_4TX

PSD

5570MHz

14/06/2024



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.07
802.11ax HEW20_Nss1,(MCS0)_1TX	8.30
802.11ax HEW40_Nss1,(MCS0)_1TX	5.20
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.35
802.11ax HEW160_Nss1,(MCS0)_1TX	-4.57
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.86
802.11ax HEW20_Nss1,(MCS0)_1TX	8.30
802.11ax HEW40_Nss1,(MCS0)_1TX	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.01
802.11ax HEW160_Nss1,(MCS0)_1TX	-4.90
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.63
802.11ax HEW20_Nss1,(MCS0)_1TX	8.98
802.11ax HEW40_Nss1,(MCS0)_1TX	6.02
802.11ax HEW80_Nss1,(MCS0)_1TX	3.26
802.11ax HEW160_Nss1,(MCS0)_1TX	-3.99
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.65
802.11ax HEW20_Nss1,(MCS0)_1TX	8.50
802.11ax HEW40_Nss1,(MCS0)_1TX	5.25
802.11ax HEW80_Nss1,(MCS0)_1TX	0.42

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	2.74	5.66	5.66	17.00
5200MHz	Pass	2.74	9.07	9.07	17.00
5240MHz	Pass	2.74	8.71	8.71	17.00
5260MHz	Pass	3.39	8.72	8.72	11.00
5300MHz	Pass	3.39	8.86	8.86	11.00
5320MHz	Pass	3.39	6.70	6.70	11.00
5500MHz	Pass	4.78	6.69	6.69	11.00
5580MHz	Pass	4.78	9.63	9.63	11.00
5700MHz	Pass	4.78	5.40	5.40	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	9.20	9.20	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.51	7.25	7.25	30.00
5745MHz	Pass	3.51	8.57	8.57	30.00
5785MHz	Pass	3.51	8.62	8.62	30.00
5825MHz	Pass	3.51	8.65	8.65	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	2.74	5.41	5.41	17.00
5200MHz	Pass	2.74	8.30	8.30	17.00
5240MHz	Pass	2.74	8.20	8.20	17.00
5260MHz	Pass	3.39	8.09	8.09	11.00
5300MHz	Pass	3.39	8.30	8.30	11.00
5320MHz	Pass	3.39	5.88	5.88	11.00
5500MHz	Pass	4.78	5.05	5.05	11.00
5580MHz	Pass	4.78	8.98	8.98	11.00
5700MHz	Pass	4.78	4.98	4.98	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	8.43	8.43	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.51	6.58	6.58	30.00
5745MHz	Pass	3.51	8.10	8.10	30.00
5785MHz	Pass	3.51	8.12	8.12	30.00
5825MHz	Pass	3.51	8.50	8.50	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	2.74	2.09	2.09	17.00
5230MHz	Pass	2.74	5.20	5.20	17.00
5270MHz	Pass	3.39	5.00	5.00	11.00
5310MHz	Pass	3.39	1.77	1.77	11.00
5510MHz	Pass	4.78	1.96	1.96	11.00
5550MHz	Pass	4.78	6.02	6.02	11.00
5670MHz	Pass	4.78	4.20	4.20	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.78	5.69	5.69	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	3.51	2.55	2.55	30.00
5755MHz	Pass	3.51	5.25	5.25	30.00
5795MHz	Pass	3.51	5.01	5.01	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	2.74	-2.35	-2.35	17.00
5290MHz	Pass	3.39	-2.01	-2.01	11.00
5530MHz	Pass	4.78	-2.02	-2.02	11.00
5610MHz	Pass	4.78	0.40	0.40	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.78	3.26	3.26	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	3.51	-0.31	-0.31	30.00
5775MHz	Pass	3.51	0.42	0.42	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.74	-4.57	-4.57	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.39	-4.90	-4.90	11.00
5570MHz	Pass	4.78	-3.99	-3.99	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

04/03/2024

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
21.306
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.66	5.66	5.66


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

04/03/2024

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
21.306
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.07	9.07	9.07

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

04/03/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.306

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.71	8.71	8.71

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

04/03/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.306

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.72	8.72	8.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

04/03/2024




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

04/03/2024




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

04/03/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
21.306
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.69	6.69	6.69


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

04/03/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
21.306
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	9.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

04/03/2024

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.306

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.40	5.40	5.40

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/03/2024

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.306

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.20	9.20	9.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

04/03/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

14/05/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

14/05/2024




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.62	8.62	8.62

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

14/05/2024



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.65	8.65	8.65

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5180MHz

04/03/2024

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.41	5.41	5.41

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5200MHz

04/03/2024

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.30	8.30	8.30

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5240MHz

04/03/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
8.20	8.20	8.20

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5260MHz

04/03/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
8.09	8.09	8.09

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz

04/03/2024

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.30	8.30	8.30

Port 1

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

PSD

5320MHz

04/03/2024

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.88	5.88	5.88

Port 1


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5500MHz

04/03/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5580MHz

04/03/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

04/03/2024

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.98	4.98	4.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/03/2024

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.43	8.43	8.43

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

04/03/2024




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.58	6.58	6.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

14/05/2024



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.10	8.10	8.10

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5785MHz

14/05/2024

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.12	8.12	8.12

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5825MHz

14/05/2024

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.50	8.50	8.50


5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

PSD

5190MHz

04/03/2024

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.09	2.09	2.09


5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

PSD

5230MHz

04/03/2024

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.20	5.20	5.20


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

PSD

5270MHz

04/03/2024

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.00	5.00	5.00


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

PSD

5310MHz

04/03/2024

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.77	1.77	1.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5510MHz

04/03/2024

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.96	1.96	1.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5550MHz

04/03/2024

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.02	6.02	6.02

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5670MHz

04/03/2024

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.20	4.20	4.20

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

04/03/2024

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	5.69

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

04/03/2024




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

14/05/2024




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5795MHz

14/05/2024

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5210MHz

04/03/2024

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5290MHz

04/03/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.01	-2.01	-2.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5530MHz

04/03/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.02	-2.02	-2.02

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5610MHz

04/03/2024




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	0.40

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/03/2024




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	3.26

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

04/03/2024




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5775MHz

04/03/2024




5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

04/03/2024




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

04/03/2024




5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5570MHz

04/03/2024



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.99	-3.99	-3.99




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 15	Pass	PK	101.78M	39.47	43.50	-4.03	Horizontal

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
QP	44.55M	35.45	40.00	-4.55	-13.75	3	Vertical	32	1.00	-	49.20	16.63	1.22	31.60		
QP	58.13M	35.81	40.00	-4.19	-17.62	3	Vertical	358	1.00	"Worst"	53.43	12.68	1.37	31.67		
PK	70.74M	30.16	40.00	-9.84	-17.69	3	Vertical	120	1.00	-	47.85	12.51	1.50	31.70		
PK	101.78M	37.71	43.50	-5.79	-12.93	3	Vertical	188	1.50	-	50.64	17.04	1.77	31.74		
PK	625.58M	36.65	46.00	-9.35	-2.92	3	Vertical	193	1.50	-	39.57	24.64	4.72	32.28		
PK	800.18M	40.98	46.00	-5.02	-1.04	3	Vertical	182	1.00	-	42.02	25.87	5.43	32.34		

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	42.61M	25.66	40.00	-14.34	-12.77	3	Horizontal	267	1.50	-	38.43	17.61	1.20	31.58		
PK	101.78M	39.47	43.50	-4.03	-12.93	3	Horizontal	258	1.50	"Worst"	52.40	17.04	1.77	31.74		
PK	443.22M	27.26	46.00	-18.74	-5.67	3	Horizontal	106	1.00	-	32.93	22.45	3.91	32.03		
PK	624.61M	36.99	46.00	-9.01	-2.92	3	Horizontal	253	1.50	-	39.91	24.64	4.71	32.27		
PK	895.24M	32.58	46.00	-13.42	-0.14	3	Horizontal	144	1.00	-	32.72	26.40	5.82	32.36		
PK	955.38M	32.74	46.00	-13.26	0.39	3	Horizontal	75	1.00	-	32.35	26.70	6.00	32.31		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Vertical	299	2.00	23.5

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 23.5
21.5\26\24\23\23.5
4.91\ -0.93\ -0.24\ 1.33\ 0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	68.42	74.00	-5.58	61.98	3	Vertical	64	1.80	23.5	32.10	7.24	32.90			
AV	5.15G	53.38	54.00	-0.62	46.94	3	Vertical	64	1.80	23.5	32.10	7.24	32.90			
PK	5.1733G	108.62	Inf	-Inf	102.30	3	Vertical	64	1.80	23.5	31.96	7.26	32.90			
AV	5.173G	99.60	Inf	-Inf	93.28	3	Vertical	64	1.80	23.5	31.96	7.26	32.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 21.5
23.5\17.5\20.5\22\21.5
-5.79\5.68\4.20\ -1.20\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	68.14	74.00	-5.86	61.70	3	Horizontal	335	1.80	21.5	32.10	7.24	32.90			
AV	5.15G	52.92	54.00	-1.08	46.48	3	Horizontal	335	1.80	21.5	32.10	7.24	32.90			
PK	5.1774G	114.20	Inf	-Inf	107.89	3	Horizontal	335	1.80	21.5	31.94	7.26	32.89			
AV	5.1732G	104.86	Inf	-Inf	98.54	3	Horizontal	335	1.80	21.5	31.96	7.26	32.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34674G	56.16	68.20	-12.04	49.18	3	Vertical	177	1.52	-	39.98	10.02	43.02			
PK	15.54834G	55.80	74.00	-18.20	46.99	3	Vertical	92	1.36	-	38.90	12.46	42.55			
AV	15.52755G	43.65	54.00	-10.35	34.84	3	Vertical	92	1.36	-	38.94	12.45	42.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37191G	55.90	68.20	-12.30	48.84	3	Horizontal	359	1.02	-	40.04	10.04	43.02			
PK	15.54285G	55.45	74.00	-18.55	46.65	3	Horizontal	166	1.66	-	38.91	12.45	42.56			
AV	15.52536G	43.31	54.00	-10.69	34.50	3	Horizontal	166	1.66	-	38.95	12.44	42.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\5.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14778G	60.61	74.00	-13.39	54.18	3	Vertical	51	1.99	28	32.09	7.24	32.90			
AV	5.14918G	48.32	54.00	-5.68	41.88	3	Vertical	51	1.99	28	32.10	7.24	32.90			
PK	5.2063G	109.62	Inf	-Inf	103.48	3	Vertical	51	1.99	28	31.75	7.28	32.89			
AV	5.20728G	101.09	Inf	-Inf	94.96	3	Vertical	51	1.99	28	31.74	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14974G	63.74	74.00	-10.26	57.30	3	Horizontal	336	1.80	28	32.10	7.24	32.90			
AV	5.14988G	50.92	54.00	-3.08	44.48	3	Horizontal	336	1.80	28	32.10	7.24	32.90			
PK	5.20378G	116.44	Inf	-Inf	110.28	3	Horizontal	336	1.80	28	31.77	7.28	32.89			
AV	5.20714G	107.45	Inf	-Inf	101.32	3	Horizontal	336	1.80	28	31.74	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39166G	56.42	68.20	-11.78	49.32	3	Vertical	128	1.69	-	40.08	10.05	43.03			
PK	15.6024G	55.62	74.00	-18.38	47.05	3	Vertical	205	2.68	-	38.58	12.48	42.49			
AV	15.58524G	43.23	54.00	-10.77	34.58	3	Vertical	205	2.68	-	38.69	12.47	42.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38875G	56.29	68.20	-11.91	49.20	3	Horizontal	9	2.94	-	40.08	10.04	43.03			
PK	15.61368G	55.14	74.00	-18.86	46.67	3	Horizontal	325	2.20	-	38.46	12.49	42.48			
AV	15.59361G	43.25	54.00	-10.75	34.63	3	Horizontal	325	2.20	-	38.64	12.48	42.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	60.62	74.00	-13.38	54.25	3	Vertical	66	1.80	28	32.04	7.23	32.90			
AV	5.149G	47.69	54.00	-6.31	41.25	3	Vertical	66	1.80	28	32.10	7.24	32.90			
PK	5.24312G	109.44	Inf	-Inf	103.56	3	Vertical	66	1.80	28	31.46	7.30	32.88			
AV	5.24286G	100.82	Inf	-Inf	94.94	3	Vertical	66	1.80	28	31.46	7.30	32.88			
PK	5.3518G	59.75	74.00	-14.25	53.86	3	Vertical	66	1.80	28	31.40	7.35	32.86			
AV	5.35622G	47.03	54.00	-6.97	41.13	3	Vertical	66	1.80	28	31.41	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
24
5.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.11754G	60.23	74.00	-13.77	53.96	3	Horizontal	335	1.80	28	31.97	7.21	32.91				
AV	5.14952G	48.32	54.00	-5.68	41.88	3	Horizontal	335	1.80	28	32.10	7.24	32.90				
PK	5.2335G	116.29	Inf	-Inf	110.34	3	Horizontal	335	1.80	28	31.53	7.30	32.88				
AV	5.2426G	107.33	Inf	-Inf	101.45	3	Horizontal	335	1.80	28	31.46	7.30	32.88				
PK	5.36454G	59.15	74.00	-14.85	53.23	3	Horizontal	335	1.80	28	31.43	7.35	32.86				
AV	5.36376G	47.30	54.00	-6.70	41.38	3	Horizontal	335	1.80	28	31.43	7.35	32.86				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46713G	56.02	68.20	-12.18	48.81	3	Vertical	143	1.32	-	40.17	10.08	43.04			
PK	15.71832G	55.07	74.00	-18.93	46.65	3	Vertical	313	1.54	-	38.24	12.54	42.36			
AV	15.72261G	42.96	54.00	-11.04	34.52	3	Vertical	313	1.54	-	38.25	12.54	42.35			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49038G	56.99	68.20	-11.21	49.82	3	Horizontal	51	2.43	-	40.12	10.09	43.04			
PK	15.73143G	55.11	74.00	-18.89	46.65	3	Horizontal	234	2.56	-	38.26	12.54	42.34			
AV	15.7323G	42.87	54.00	-11.13	34.41	3	Horizontal	234	2.56	-	38.26	12.54	42.34			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 24
18\24
6.31\6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1378G	59.88	74.00	-14.12	53.50	3	Vertical	52	2.00	28	32.05	7.23	32.90				
AV	5.14898G	47.69	54.00	-6.31	41.25	3	Vertical	52	2.00	28	32.10	7.24	32.90				
PK	5.25324G	110.59	Inf	-Inf	104.78	3	Vertical	52	2.00	28	31.39	7.30	32.88				
AV	5.25298G	101.54	Inf	-Inf	95.73	3	Vertical	52	2.00	28	31.39	7.30	32.88				
PK	5.35048G	59.33	74.00	-14.67	53.44	3	Vertical	52	2.00	28	31.40	7.35	32.86				
AV	5.38766G	47.26	54.00	-6.74	41.27	3	Vertical	52	2.00	28	31.48	7.36	32.85				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 24
5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14378G	60.72	74.00	-13.28	54.31	3	Horizontal	335	1.80	28	32.08	7.23	32.90			
AV	5.14898G	48.11	54.00	-5.89	41.67	3	Horizontal	335	1.80	28	32.10	7.24	32.90			
PK	5.2535G	116.20	Inf	-Inf	110.39	3	Horizontal	335	1.80	28	31.39	7.30	32.88			
AV	5.25298G	107.09	Inf	-Inf	101.28	3	Horizontal	335	1.80	28	31.39	7.30	32.88			
PK	5.36738G	60.06	74.00	-13.94	54.13	3	Horizontal	335	1.80	28	31.43	7.36	32.86			
AV	5.35958G	47.28	54.00	-6.72	41.37	3	Horizontal	335	1.80	28	31.42	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50746G	55.31	68.20	-12.89	48.15	3	Vertical	220	1.19	-	40.10	10.10	43.04			
PK	15.7893G	54.80	74.00	-19.20	46.20	3	Vertical	121	1.50	-	38.30	12.57	42.27			
AV	15.79416G	42.33	54.00	-11.67	33.73	3	Vertical	121	1.50	-	38.30	12.57	42.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX



EUT_Y_1TX
Setting 24
06-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51967G	56.18	68.20	-12.02	49.01	3	Horizontal	3	2.91	-	40.10	10.11	43.04			
PK	15.78582G	54.72	74.00	-19.28	46.13	3	Horizontal	275	1.74	-	38.30	12.57	42.28			
AV	15.78897G	42.34	54.00	-11.66	33.74	3	Horizontal	275	1.74	-	38.30	12.57	42.27			