


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70279G	51.68	83.54	-31.86	47.06	1	Vertical	105	1.62	-	37.89	15.76	49.03			
AV	20.7G	41.18	63.54	-22.36	36.56	1	Vertical	105	1.62	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 18.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71761G	51.70	83.54	-31.84	47.10	1	Horizontal	96	2.51	-	37.86	15.77	49.03			
AV	20.70048G	41.30	63.54	-22.24	36.68	1	Horizontal	96	2.51	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8642G	102.44	Inf	-Inf	92.26	3	Vertical	82	1.80	-	34.41	8.42	32.65			
RMS	6.8948G	91.32	Inf	-Inf	80.88	3	Vertical	82	1.80	-	34.66	8.45	32.67			
PK	7.1336G	67.27	88.20	-20.93	55.66	3	Vertical	82	1.80	-	35.80	8.51	32.70			
RMS	7.1384G	55.19	68.20	-13.01	43.55	3	Vertical	82	1.80	-	35.83	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0022G	92.37	Inf	-Inf	81.45	3	Horizontal	335	1.80	-	35.11	8.56	32.75			
RMS	6.8282G	82.73	Inf	-Inf	72.76	3	Horizontal	335	1.80	-	34.21	8.38	32.62			
PK	7.1684G	64.82	88.20	-23.38	53.04	3	Horizontal	335	1.80	-	35.97	8.50	32.69			
RMS	7.205G	54.00	68.20	-14.20	42.06	3	Horizontal	335	1.80	-	36.11	8.50	32.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81224G	56.64	88.20	-31.56	35.79	3	Vertical	290	2.08	-	40.22	11.81	31.18			
RMS	13.80839G	44.61	68.20	-23.59	23.76	3	Vertical	290	2.08	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80846G	56.69	88.20	-31.51	35.84	3	Horizontal	82	1.82	-	40.22	11.81	31.18			
RMS	13.80942G	44.41	68.20	-23.79	23.56	3	Horizontal	82	1.82	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72529G	53.31	83.54	-30.23	48.70	1	Vertical	89	2.16	-	37.85	15.78	49.02			
AV	20.7G	41.15	63.54	-22.39	36.53	1	Vertical	89	2.16	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_1TX
Setting 16.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71641G	53.64	83.54	-29.90	49.03	1	Horizontal	339	1.38	-	37.87	15.77	49.03			
AV	20.70051G	41.40	63.54	-22.14	36.78	1	Horizontal	339	1.38	-	37.90	15.76	49.04			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	64.11	88.20	-24.09	56.51	3	Vertical	307	1.80	-	32.40	7.64	32.44			
RMS	5.9234G	52.25	68.20	-15.95	44.65	3	Vertical	307	1.80	-	32.40	7.64	32.44			
PK	6.0026G	110.54	Inf	-Inf	102.79	3	Vertical	307	1.80	-	32.51	7.68	32.44			
RMS	6.0222G	99.75	Inf	-Inf	91.97	3	Vertical	307	1.80	-	32.54	7.68	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	66.41	88.20	-21.79	58.81	3	Horizontal	66	1.80	-	32.40	7.64	32.44			
RMS	5.925G	52.22	68.20	-15.98	44.62	3	Horizontal	66	1.80	-	32.40	7.64	32.44			
PK	6.0206G	109.92	Inf	-Inf	102.14	3	Horizontal	66	1.80	-	32.54	7.68	32.44			
RMS	6.0218G	99.47	Inf	-Inf	91.69	3	Horizontal	66	1.80	-	32.54	7.68	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96975G	56.52	74.00	-17.48	39.17	3	Vertical	212	2.17	-	39.04	11.10	32.79			
AV	11.9737G	45.51	54.00	-8.49	28.14	3	Vertical	212	2.17	-	39.05	11.11	32.79			
PK	17.95089G	61.66	74.00	-12.34	31.60	3	Vertical	39	1.00	-	48.03	13.43	31.40			
AV	17.95659G	48.82	54.00	-5.18	18.56	3	Vertical	39	1.00	-	48.21	13.44	31.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9725G	56.81	74.00	-17.19	39.45	3	Horizontal	207	1.79	-	39.05	11.10	32.79			
AV	11.96927G	45.49	54.00	-8.51	28.14	3	Horizontal	207	1.79	-	39.04	11.10	32.79			
PK	17.9582G	61.99	74.00	-12.01	31.68	3	Horizontal	152	1.20	-	48.26	13.44	31.39			
AV	17.95834G	48.86	54.00	-5.14	18.54	3	Horizontal	152	1.20	-	48.27	13.44	31.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94148G	53.28	83.54	-30.26	44.14	1	Vertical	308	1.55	-	38.88	17.38	47.12			
AV	23.94966G	41.73	63.54	-21.81	32.57	1	Vertical	308	1.55	-	38.90	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




EUT_X_2TX
Setting 16.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.939G	54.10	83.54	-29.44	44.96	1	Horizontal	243	1.99	-	38.88	17.38	47.12			
AV	23.93686G	42.67	63.54	-20.87	33.54	1	Horizontal	243	1.99	-	38.87	17.38	47.12			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0002G	109.39	Inf	-Inf	98.48	3	Vertical	76	1.80	-	35.10	8.56	32.75			
RMS	7.0014G	99.52	Inf	-Inf	88.60	3	Vertical	76	1.80	-	35.11	8.56	32.75			
PK	7.129G	68.68	88.20	-19.52	57.10	3	Vertical	76	1.80	-	35.77	8.51	32.70			
RMS	7.125G	57.09	68.20	-11.11	45.52	3	Vertical	76	1.80	-	35.75	8.52	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9902G	108.14	Inf	-Inf	97.25	3	Horizontal	72	1.80	-	35.08	8.55	32.74			
RMS	6.9934G	98.97	Inf	-Inf	88.08	3	Horizontal	72	1.80	-	35.09	8.55	32.75			
PK	7.1286G	65.84	88.20	-22.36	54.26	3	Horizontal	72	1.80	-	35.77	8.51	32.70			
RMS	7.1278G	55.11	68.20	-13.09	43.52	3	Horizontal	72	1.80	-	35.77	8.52	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05007G	58.79	88.20	-29.41	37.19	3	Vertical	272	1.84	-	41.00	11.90	31.30			
RMS	14.05145G	47.13	68.20	-21.07	25.52	3	Vertical	272	1.84	-	41.01	11.90	31.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0515G	59.39	88.20	-28.81	37.78	3	Horizontal	267	1.49	-	41.01	11.90	31.30			
RMS	14.05217G	47.21	68.20	-20.99	25.60	3	Horizontal	267	1.49	-	41.01	11.90	31.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07596G	53.84	83.54	-29.70	48.41	1	Vertical	82	2.87	-	38.24	16.06	48.87			
AV	21.07173G	40.61	63.54	-22.93	35.15	1	Vertical	82	2.87	-	38.27	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07926G	53.46	83.54	-30.08	48.05	1	Horizontal	341	1.55	-	38.22	16.06	48.87			
AV	21.06429G	40.71	63.54	-22.83	35.22	1	Horizontal	341	1.55	-	38.31	16.05	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	71.01	88.20	-17.19	63.41	3	Vertical	304	1.06	-	32.40	7.64	32.44			
RMS	5.925G	56.13	68.20	-12.07	48.53	3	Vertical	304	1.06	-	32.40	7.64	32.44			
PK	6.087G	109.08	Inf	-Inf	101.28	3	Vertical	304	1.06	-	32.53	7.70	32.43			
RMS	6.067G	99.44	Inf	-Inf	91.61	3	Vertical	304	1.06	-	32.57	7.69	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.909G	72.10	88.20	-16.10	64.51	3	Horizontal	69	1.80	-	32.40	7.63	32.44			
RMS	5.9245G	55.99	68.20	-12.21	48.39	3	Horizontal	69	1.80	-	32.40	7.64	32.44			
PK	6.021G	110.04	Inf	-Inf	102.26	3	Horizontal	69	1.80	-	32.54	7.68	32.44			
RMS	6.082G	98.63	Inf	-Inf	90.82	3	Horizontal	69	1.80	-	32.54	7.70	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04745G	57.57	74.00	-16.43	39.87	3	Vertical	226	1.48	-	39.29	11.14	32.73			
AV	12.04509G	46.14	54.00	-7.86	28.46	3	Vertical	226	1.48	-	39.28	11.14	32.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04845G	57.53	74.00	-16.47	39.83	3	Horizontal	247	1.64	-	39.29	11.14	32.73			
AV	12.04626G	46.17	54.00	-7.83	28.47	3	Horizontal	247	1.64	-	39.29	11.14	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX



EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08278G	55.60	83.54	-27.94	52.25	1	Vertical	153	1.75	-	37.53	15.30	49.48			
AV	18.08334G	42.35	63.54	-21.19	39.00	1	Vertical	153	1.75	-	37.53	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX


6025MHz_TX

EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07248G	55.94	83.54	-27.60	52.62	1	Horizontal	331	1.79	-	37.49	15.30	49.47			
AV	18.07668G	42.64	63.54	-20.90	39.31	1	Horizontal	331	1.79	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.895G	70.25	88.20	-17.95	62.68	3	Vertical	303	1.80	-	32.38	7.63	32.44			
RMS	5.9245G	54.45	68.20	-13.75	46.85	3	Vertical	303	1.80	-	32.40	7.64	32.44			
PK	6.0455G	109.72	Inf	-Inf	101.87	3	Vertical	303	1.80	-	32.59	7.69	32.43			
RMS	6.103G	99.45	Inf	-Inf	91.67	3	Vertical	303	1.80	-	32.51	7.70	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8945G	71.21	88.20	-16.99	63.64	3	Horizontal	67	1.80	-	32.38	7.63	32.44			
RMS	5.923G	54.53	68.20	-13.67	46.93	3	Horizontal	67	1.80	-	32.40	7.64	32.44			
PK	6.0605G	109.97	Inf	-Inf	102.13	3	Horizontal	67	1.80	-	32.58	7.69	32.43			
RMS	6.0815G	99.33	Inf	-Inf	91.52	3	Horizontal	67	1.80	-	32.54	7.70	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04879G	57.98	74.00	-16.02	40.27	3	Vertical	148	2.41	-	39.30	11.14	32.73			
AV	12.05241G	46.09	54.00	-7.91	28.37	3	Vertical	148	2.41	-	39.30	11.14	32.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05122G	57.79	74.00	-16.21	40.08	3	Horizontal	311	2.54	-	39.30	11.14	32.73			
AV	12.05083G	46.02	54.00	-7.98	28.31	3	Horizontal	311	2.54	-	39.30	11.14	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX


6025MHz_TX

EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08766G	55.60	83.54	-27.94	52.23	1	Vertical	342	2.70	-	37.55	15.30	49.48			
AV	18.08982G	42.80	63.54	-20.74	39.42	1	Vertical	342	2.70	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6025MHz_TX




EUT_X_2TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08406G	55.74	83.54	-27.80	52.38	1	Horizontal	242	2.03	-	37.54	15.30	49.48			
AV	18.06522G	42.74	63.54	-20.80	39.45	1	Horizontal	242	2.03	-	37.46	15.30	49.47			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9526G	109.54	Inf	-Inf	98.73	3	Vertical	296	1.21	-	35.01	8.51	32.71			
RMS	6.9114G	99.65	Inf	-Inf	89.09	3	Vertical	296	1.21	-	34.77	8.47	32.68			
PK	7.1418G	80.61	88.20	-7.59	68.95	3	Vertical	296	1.21	-	35.85	8.51	32.70			
RMS	7.1318G	66.79	68.20	-1.41	55.19	3	Vertical	296	1.21	-	35.79	8.51	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9142G	107.11	Inf	-Inf	96.54	3	Horizontal	73	1.80	-	34.79	8.47	32.69			
RMS	6.9142G	96.38	Inf	-Inf	85.81	3	Horizontal	73	1.80	-	34.79	8.47	32.69			
PK	7.1414G	77.29	88.20	-10.91	65.63	3	Horizontal	73	1.80	-	35.85	8.51	32.70			
RMS	7.1302G	62.05	68.20	-6.15	50.46	3	Horizontal	73	1.80	-	35.78	8.51	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96825G	59.52	88.20	-28.68	38.06	3	Vertical	208	1.12	-	40.84	11.87	31.25			
RMS	13.97058G	47.41	68.20	-20.79	25.95	3	Vertical	208	1.12	-	40.84	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97121G	58.64	88.20	-29.56	37.18	3	Horizontal	148	1.43	-	40.84	11.87	31.25			
RMS	13.9699G	47.33	68.20	-20.87	25.87	3	Horizontal	148	1.43	-	40.84	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96847G	50.11	83.54	-33.43	45.01	1	Vertical	335	2.46	-	38.03	15.97	48.90			
AV	20.96754G	40.65	63.54	-22.89	35.55	1	Vertical	335	2.46	-	38.03	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96169G	51.10	83.54	-32.44	45.98	1	Horizontal	27	2.88	-	38.05	15.97	48.90			
AV	20.95077G	40.59	63.54	-22.95	35.44	1	Horizontal	27	2.88	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0146G	107.37	Inf	-Inf	98.01	3	Vertical	344	1.80	-	36.06	8.61	35.31			
RMS	6.953G	96.72	Inf	-Inf	87.51	3	Vertical	344	1.80	-	35.91	8.57	35.27			
PK	7.1346G	77.57	88.20	-10.63	67.38	3	Vertical	344	1.80	-	36.71	8.58	35.10			
RMS	7.1322G	64.38	68.20	-3.82	54.21	3	Vertical	344	1.80	-	36.69	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0306G	109.44	Inf	-Inf	100.00	3	Horizontal	52	1.49	-	36.12	8.60	35.28			
RMS	7.031G	99.88	Inf	-Inf	90.44	3	Horizontal	52	1.49	-	36.12	8.60	35.28			
PK	7.1258G	78.55	88.20	-9.65	68.43	3	Horizontal	52	1.49	-	36.65	8.58	35.11			
RMS	7.1298G	67.77	68.20	-0.43	57.61	3	Horizontal	52	1.49	-	36.68	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97226G	59.22	88.20	-28.98	40.65	3	Vertical	14	2.85	-	40.36	11.75	33.54			
RMS	13.97106G	47.33	68.20	-20.87	28.76	3	Vertical	14	2.85	-	40.36	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9718G	59.45	88.20	-28.75	40.88	3	Horizontal	157	2.21	-	40.36	11.75	33.54			
RMS	13.96954G	47.33	68.20	-20.87	28.76	3	Horizontal	157	2.21	-	40.36	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95116G	53.48	83.54	-30.06	48.33	1	Vertical	27	1.08	-	38.10	15.96	48.91			
AV	20.96373G	40.69	63.54	-22.85	35.57	1	Vertical	27	1.08	-	38.05	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96505G	53.55	83.54	-29.99	48.44	1	Horizontal	197	1.29	-	38.04	15.97	48.90			
AV	20.96148G	40.70	63.54	-22.84	35.58	1	Horizontal	197	1.29	-	38.05	15.97	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	77.96	88.20	-10.24	71.23	3	Vertical	307	1.09	-	34.20	8.11	35.58			
RMS	5.9244G	67.29	68.20	-0.91	60.56	3	Vertical	307	1.09	-	34.20	8.11	35.58			
PK	6.0858G	107.94	Inf	-Inf	101.09	3	Vertical	307	1.09	-	34.10	8.19	35.44			
RMS	6.027G	97.97	Inf	-Inf	91.26	3	Vertical	307	1.09	-	34.10	8.17	35.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	76.32	88.20	-11.88	69.59	3	Horizontal	60	1.80	-	34.20	8.11	35.58			
RMS	5.925G	64.53	68.20	-3.67	57.80	3	Horizontal	60	1.80	-	34.20	8.11	35.58			
PK	6.2358G	106.15	Inf	-Inf	98.61	3	Horizontal	60	1.80	-	34.44	8.25	35.15			
RMS	6.2388G	95.87	Inf	-Inf	88.30	3	Horizontal	60	1.80	-	34.46	8.25	35.14			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21002G	57.22	74.00	-16.78	40.41	3	Vertical	35	2.47	-	38.90	11.14	33.23			
AV	12.20952G	45.78	54.00	-8.22	28.97	3	Vertical	35	2.47	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21243G	57.13	74.00	-16.87	40.31	3	Horizontal	10	2.20	-	38.90	11.14	33.22			
AV	12.21112G	45.71	54.00	-8.29	28.90	3	Horizontal	10	2.20	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30726G	55.49	83.54	-28.05	52.30	1	Vertical	126	1.29	-	37.50	15.28	49.59			
AV	18.30777G	42.43	63.54	-21.11	39.24	1	Vertical	126	1.29	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX

6105MHz_TX




EUT_X_2TX
Setting 20
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32154G	55.25	83.54	-28.29	52.06	1	Horizontal	313	1.85	-	37.50	15.28	49.59			
AV	18.30666G	42.47	63.54	-21.07	39.28	1	Horizontal	313	1.85	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9196G	80.78	88.20	-7.42	73.18	3	Vertical	311	1.80	-	32.40	7.64	32.44			
RMS	5.9226G	66.61	68.20	-1.59	59.01	3	Vertical	311	1.80	-	32.40	7.64	32.44			
PK	6.1422G	109.29	Inf	-Inf	101.33	3	Vertical	311	1.80	-	32.67	7.71	32.42			
RMS	6.0222G	98.26	Inf	-Inf	90.48	3	Vertical	311	1.80	-	32.54	7.68	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	80.86	88.20	-7.34	73.26	3	Horizontal	64	1.80	-	32.40	7.64	32.44			
RMS	5.9238G	65.31	68.20	-2.89	57.71	3	Horizontal	64	1.80	-	32.40	7.64	32.44			
PK	6.081G	107.77	Inf	-Inf	99.96	3	Horizontal	64	1.80	-	32.54	7.70	32.43			
RMS	6.0822G	97.27	Inf	-Inf	89.46	3	Horizontal	64	1.80	-	32.54	7.70	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20997G	57.69	74.00	-16.31	39.89	3	Vertical	297	2.27	-	39.10	11.20	32.50			
AV	12.20986G	45.62	54.00	-8.38	27.82	3	Vertical	297	2.27	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21026G	56.98	74.00	-17.02	39.18	3	Horizontal	203	2.18	-	39.10	11.20	32.50			
AV	12.2076G	45.60	54.00	-8.40	27.80	3	Horizontal	203	2.18	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30444G	52.62	83.54	-30.92	49.43	1	Vertical	99	2.12	-	37.50	15.28	49.59			
AV	18.32022G	42.46	63.54	-21.08	39.27	1	Vertical	99	2.12	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_X_2TX
Setting 20.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32442G	53.47	83.54	-30.07	50.29	1	Horizontal	16	2.11	-	37.50	15.28	49.60			
AV	18.30633G	42.44	63.54	-21.10	39.25	1	Horizontal	16	2.11	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	75.50	88.20	-12.70	68.77	3	Vertical	299	1.09	-	34.20	8.11	35.58			
RMS	5.925G	62.17	68.20	-6.03	55.44	3	Vertical	299	1.09	-	34.20	8.11	35.58			
PK	6.0474G	109.92	Inf	-Inf	103.17	3	Vertical	299	1.09	-	34.10	8.17	35.52			
RMS	6.048G	98.86	Inf	-Inf	92.11	3	Vertical	299	1.09	-	34.10	8.17	35.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	71.65	88.20	-16.55	64.92	3	Horizontal	58	1.80	-	34.20	8.11	35.58			
RMS	5.9244G	60.72	68.20	-7.48	53.99	3	Horizontal	58	1.80	-	34.20	8.11	35.58			
PK	6.0606G	108.15	Inf	-Inf	101.36	3	Horizontal	58	1.80	-	34.10	8.18	35.49			
RMS	6.0408G	97.37	Inf	-Inf	90.63	3	Horizontal	58	1.80	-	34.10	8.17	35.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21188G	56.98	74.00	-17.02	40.17	3	Vertical	301	1.50	-	38.90	11.14	33.23			
AV	12.20824G	45.60	54.00	-8.40	28.79	3	Vertical	301	1.50	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21007G	57.20	74.00	-16.80	40.39	3	Horizontal	107	1.71	-	38.90	11.14	33.23			
AV	12.20889G	45.77	54.00	-8.23	28.96	3	Horizontal	107	1.71	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30426G	58.81	83.54	-24.73	55.62	1	Vertical	277	1.73	-	37.50	15.28	49.59			
AV	18.30057G	45.02	63.54	-18.52	41.82	1	Vertical	277	1.73	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31161G	58.53	83.54	-25.01	55.34	1	Horizontal	42	1.63	-	37.50	15.28	49.59			
AV	18.30078G	45.98	63.54	-17.56	42.78	1	Horizontal	42	1.63	-	37.50	15.28	49.58			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7778G	105.56	Inf	-Inf	96.05	3	Vertical	41	1.80	-	36.10	8.43	35.02			
RMS	6.7568G	95.66	Inf	-Inf	86.14	3	Vertical	41	1.80	-	36.10	8.41	34.99			
PK	7.199G	78.92	88.20	-9.28	68.34	3	Vertical	41	1.80	-	37.00	8.56	34.98			
RMS	7.1336G	65.21	68.20	-2.99	55.03	3	Vertical	41	1.80	-	36.70	8.58	35.10			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7526G	105.19	Inf	-Inf	95.68	3	Horizontal	49	1.80	-	36.10	8.40	34.99			
RMS	6.8702G	95.10	Inf	-Inf	85.75	3	Horizontal	49	1.80	-	36.00	8.51	35.16			
PK	7.2014G	77.30	88.20	-10.90	66.71	3	Horizontal	49	1.80	-	37.00	8.56	34.97			
RMS	7.1264G	63.78	68.20	-4.42	53.65	3	Horizontal	49	1.80	-	36.66	8.58	35.11			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80774G	58.01	88.20	-30.19	39.53	3	Vertical	61	2.91	-	40.28	11.69	33.49			
RMS	13.8097G	45.41	68.20	-22.79	26.93	3	Vertical	61	2.91	-	40.28	11.69	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81021G	58.40	88.20	-29.80	39.92	3	Horizontal	1	1.03	-	40.28	11.69	33.49			
RMS	13.8092G	45.30	68.20	-22.90	26.82	3	Horizontal	1	1.03	-	40.28	11.69	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71287G	53.74	83.54	-29.80	49.13	1	Vertical	14	1.40	-	37.87	15.77	49.03			
AV	20.7024G	41.51	63.54	-22.03	36.88	1	Vertical	14	1.40	-	37.90	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72325G	53.75	83.54	-29.79	49.14	1	Horizontal	101	2.40	-	37.85	15.78	49.02			
AV	20.70108G	41.41	63.54	-22.13	36.79	1	Horizontal	101	2.40	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7832G	106.58	Inf	-Inf	96.76	3	Vertical	305	1.80	-	34.10	8.31	32.59			
RMS	6.8468G	95.82	Inf	-Inf	85.77	3	Vertical	305	1.80	-	34.29	8.40	32.64			
PK	7.1408G	77.94	88.20	-10.26	66.29	3	Vertical	305	1.80	-	35.84	8.51	32.70			
RMS	7.1312G	61.32	68.20	-6.88	49.72	3	Vertical	305	1.80	-	35.79	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7724G	104.25	Inf	-Inf	94.45	3	Horizontal	68	1.80	-	34.10	8.28	32.58			
RMS	6.776G	94.42	Inf	-Inf	84.61	3	Horizontal	68	1.80	-	34.10	8.29	32.58			
PK	7.133G	75.26	88.20	-12.94	63.65	3	Horizontal	68	1.80	-	35.80	8.51	32.70			
RMS	7.1312G	58.28	68.20	-9.92	46.68	3	Horizontal	68	1.80	-	35.79	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8084G	56.27	88.20	-31.93	35.42	3	Vertical	220	1.20	-	40.22	11.81	31.18			
RMS	13.8094G	44.28	68.20	-23.92	23.43	3	Vertical	220	1.20	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81196G	55.81	88.20	-32.39	34.96	3	Horizontal	352	2.24	-	40.22	11.81	31.18			
RMS	13.80786G	44.18	68.20	-24.02	23.33	3	Horizontal	352	2.24	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72619G	51.41	83.54	-32.13	46.80	1	Vertical	236	1.33	-	37.85	15.78	49.02			
AV	20.70117G	41.25	63.54	-22.29	36.63	1	Vertical	236	1.33	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 19
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70762G	51.54	83.54	-32.00	46.92	1	Horizontal	142	1.45	-	37.88	15.77	49.03			
AV	20.70003G	41.36	63.54	-22.18	36.74	1	Horizontal	142	1.45	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8738G	104.51	Inf	-Inf	94.25	3	Vertical	49	1.80	-	34.49	8.43	32.66			
RMS	6.8558G	95.11	Inf	-Inf	84.99	3	Vertical	49	1.80	-	34.35	8.41	32.64			
PK	7.1924G	70.91	88.20	-17.29	59.03	3	Vertical	49	1.80	-	36.07	8.49	32.68			
RMS	7.1348G	57.99	68.20	-10.21	46.37	3	Vertical	49	1.80	-	35.81	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8294G	103.69	Inf	-Inf	93.71	3	Horizontal	53	1.80	-	34.22	8.38	32.62			
RMS	6.8306G	93.47	Inf	-Inf	83.49	3	Horizontal	53	1.80	-	34.22	8.38	32.62			
PK	7.1264G	67.60	88.20	-20.60	56.02	3	Horizontal	53	1.80	-	35.76	8.52	32.70			
RMS	7.1264G	55.90	68.20	-12.30	44.32	3	Horizontal	53	1.80	-	35.76	8.52	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80959G	55.80	88.20	-32.40	34.95	3	Vertical	35	1.42	-	40.22	11.81	31.18			
RMS	13.80963G	44.30	68.20	-23.90	23.45	3	Vertical	35	1.42	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80815G	56.07	88.20	-32.13	35.22	3	Horizontal	93	1.31	-	40.22	11.81	31.18			
RMS	13.80838G	44.40	68.20	-23.80	23.55	3	Horizontal	93	1.31	-	40.22	11.81	31.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70003G	51.61	83.54	-31.93	46.99	1	Vertical	179	1.46	-	37.90	15.76	49.04			
AV	20.70072G	41.33	63.54	-22.21	36.71	1	Vertical	179	1.46	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72961G	51.36	83.54	-32.18	46.76	1	Horizontal	132	2.65	-	37.84	15.78	49.02			
AV	20.70027G	41.13	63.54	-22.41	36.51	1	Horizontal	132	2.65	-	37.90	15.76	49.04			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	65.77	88.20	-22.43	57.38	3	Vertical	233	2.06	-	32.55	7.44	31.60			
RMS	5.9238G	51.69	68.20	-16.51	43.30	3	Vertical	233	2.06	-	32.55	7.44	31.60			
PK	6.0234G	109.79	Inf	-Inf	101.31	3	Vertical	233	2.06	-	32.55	7.49	31.56			
RMS	5.9638G	99.66	Inf	-Inf	91.24	3	Vertical	233	2.06	-	32.57	7.46	31.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.881G	62.71	88.20	-25.49	54.47	3	Horizontal	113	1.10	-	32.42	7.42	31.60			
RMS	5.9234G	51.49	68.20	-16.71	43.10	3	Horizontal	113	1.10	-	32.55	7.44	31.60			
PK	6.0234G	108.47	Inf	-Inf	99.99	3	Horizontal	113	1.10	-	32.55	7.49	31.56			
RMS	6.0226G	98.04	Inf	-Inf	89.56	3	Horizontal	113	1.10	-	32.55	7.49	31.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.066G	60.10	74.00	-13.90	42.96	3	Vertical	135	1.67	-	39.23	10.84	32.93			
AV	12.0524G	48.03	54.00	-5.97	30.94	3	Vertical	135	1.67	-	39.20	10.83	32.94			
PK	17.9685G	63.51	74.00	-10.49	33.10	3	Vertical	152	2.91	-	51.10	13.56	34.25			
AV	17.96976G	51.57	54.00	-2.43	21.09	3	Vertical	152	2.91	-	51.17	13.56	34.25			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.9685G	59.13	74.00	-14.87	42.40	3	Horizontal	280	3.00	-	38.91	10.80	32.98				
AV	11.98086G	47.10	54.00	-6.90	30.29	3	Horizontal	280	3.00	-	38.99	10.80	32.98				
PK	17.94462G	64.22	74.00	-9.78	34.91	3	Horizontal	324	2.14	-	49.94	13.55	34.18				
AV	17.96976G	51.65	54.00	-2.35	21.17	3	Horizontal	324	2.14	-	51.17	13.56	34.25				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93001G	54.73	74.00	-19.27	45.61	1	Vertical	243	2.07	-	38.86	17.38	47.12			
AV	23.9349G	42.39	54.00	-11.61	33.26	1	Vertical	243	2.07	-	38.87	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_X_4TX
Setting 12.5
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93649G	55.24	74.00	-18.76	46.11	1	Horizontal	200	2.80	-	38.87	17.38	47.12			
AV	23.93781G	42.43	54.00	-11.57	33.29	1	Horizontal	200	2.80	-	38.88	17.38	47.12			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9982G	109.21	Inf	-Inf	98.30	3	Vertical	52	1.80	-	35.10	8.56	32.75			
RMS	6.9978G	99.64	Inf	-Inf	88.73	3	Vertical	52	1.80	-	35.10	8.56	32.75			
PK	7.217G	65.68	88.20	-22.52	53.71	3	Vertical	52	1.80	-	36.13	8.51	32.67			
RMS	7.2242G	54.51	68.20	-13.69	42.50	3	Vertical	52	1.80	-	36.15	8.52	32.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9954G	108.35	Inf	-Inf	97.45	3	Horizontal	71	1.80	-	35.09	8.56	32.75			
RMS	6.9962G	98.65	Inf	-Inf	87.75	3	Horizontal	71	1.80	-	35.09	8.56	32.75			
PK	7.1754G	64.84	88.20	-23.36	53.02	3	Horizontal	71	1.80	-	36.00	8.50	32.68			
RMS	7.219G	54.52	68.20	-13.68	42.54	3	Horizontal	71	1.80	-	36.14	8.51	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05438G	58.82	88.20	-29.38	37.19	3	Vertical	40	1.77	-	41.02	11.91	31.30			
RMS	14.05362G	46.46	68.20	-21.74	24.85	3	Vertical	40	1.77	-	41.01	11.90	31.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05082G	59.65	88.20	-28.55	38.05	3	Horizontal	344	1.45	-	41.00	11.90	31.30			
RMS	14.05436G	46.38	68.20	-21.82	24.75	3	Horizontal	344	1.45	-	41.02	11.91	31.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0612G	53.43	83.54	-30.11	47.92	1	Vertical	13	1.88	-	38.33	16.05	48.87			
AV	21.0657G	40.73	63.54	-22.81	35.24	1	Vertical	13	1.88	-	38.31	16.05	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX




EUT_X_4TX
Setting 12.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06759G	53.92	83.54	-29.62	48.45	1	Horizontal	29	1.38	-	38.29	16.05	48.87			
AV	21.06012G	40.73	63.54	-22.81	35.21	1	Horizontal	29	1.38	-	38.34	16.05	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	73.04	88.20	-15.16	64.70	3	Vertical	235	1.29	-	32.51	7.43	31.60			
RMS	5.925G	59.78	68.20	-8.42	51.39	3	Vertical	235	1.29	-	32.55	7.44	31.60			
PK	6.0474G	110.82	Inf	-Inf	102.23	3	Vertical	235	1.29	-	32.59	7.51	31.51			
RMS	6.0666G	100.41	Inf	-Inf	91.75	3	Vertical	235	1.29	-	32.60	7.52	31.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.905G	71.33	88.20	-16.87	62.99	3	Horizontal	104	2.75	-	32.51	7.43	31.60			
RMS	5.925G	58.00	68.20	-10.20	49.61	3	Horizontal	104	2.75	-	32.55	7.44	31.60			
PK	5.9866G	108.87	Inf	-Inf	100.49	3	Horizontal	104	2.75	-	32.53	7.46	31.61			
RMS	6.0466G	98.73	Inf	-Inf	90.14	3	Horizontal	104	2.75	-	32.59	7.51	31.51			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04808G	60.71	74.00	-13.29	43.62	3	Vertical	25	1.07	-	39.20	10.83	32.94			
AV	12.05786G	47.73	54.00	-6.27	30.60	3	Vertical	25	1.07	-	39.22	10.84	32.93			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06158G	60.75	74.00	-13.25	43.62	3	Horizontal	66	1.48	-	39.22	10.84	32.93			
AV	12.06188G	48.08	54.00	-5.92	30.95	3	Horizontal	66	1.48	-	39.22	10.84	32.93			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0633G	47.65	83.54	-35.89	44.37	1	Vertical	346	2.60	-	37.45	15.30	49.47			
AV	18.08313G	35.11	63.54	-28.43	31.76	1	Vertical	346	2.60	-	37.53	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_X_4TX
Setting 18
06-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06057G	47.17	83.54	-36.37	43.90	1	Horizontal	351	1.18	-	37.44	15.30	49.47			
AV	18.08322G	35.18	63.54	-28.36	31.83	1	Horizontal	351	1.18	-	37.53	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	63.32	88.20	-24.88	54.99	3	Vertical	236	2.20	-	32.50	7.43	31.60			
RMS	5.925G	53.00	68.20	-15.20	44.61	3	Vertical	236	2.20	-	32.55	7.44	31.60			
PK	6.0826G	108.39	Inf	-Inf	99.68	3	Vertical	236	2.20	-	32.60	7.54	31.43			
RMS	6.0842G	99.69	Inf	-Inf	90.97	3	Vertical	236	2.20	-	32.60	7.54	31.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8474G	63.01	88.20	-25.19	54.89	3	Horizontal	119.9	2.72	-	32.30	7.41	31.59			
RMS	5.9122G	52.08	68.20	-16.12	43.73	3	Horizontal	119.9	2.72	-	32.52	7.43	31.60			
PK	5.9738G	106.57	Inf	-Inf	98.17	3	Horizontal	119.9	2.72	-	32.55	7.46	31.61			
RMS	6.033G	98.61	Inf	-Inf	90.08	3	Horizontal	119.9	2.72	-	32.57	7.50	31.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06362G	59.70	74.00	-14.30	42.56	3	Vertical	144	1.63	-	39.23	10.84	32.93			
AV	12.05534G	48.05	54.00	-5.95	30.94	3	Vertical	144	1.63	-	39.21	10.84	32.94			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05594G	59.52	74.00	-14.48	42.41	3	Horizontal	222	2.67	-	39.21	10.84	32.94			
AV	12.05468G	48.04	54.00	-5.96	30.94	3	Horizontal	222	2.67	-	39.21	10.83	32.94			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.08571G	47.25	74.00	-26.75	43.89	1	Vertical	65	1.75	-	37.54	15.30	49.48				
AV	18.08958G	35.11	54.00	-18.89	31.73	1	Vertical	65	1.75	-	37.56	15.30	49.48				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT_X_4TX
Setting 16
06-K-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08022G	47.29	74.00	-26.71	43.95	1	Horizontal	329	1.34	-	37.52	15.30	49.48			
AV	18.08373G	35.19	54.00	-18.81	31.84	1	Horizontal	329	1.34	-	37.53	15.30	49.48			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.977G	109.14	Inf	-Inf	98.28	3	Vertical	51	1.80	-	35.05	8.54	32.73			
RMS	6.9174G	99.81	Inf	-Inf	89.23	3	Vertical	51	1.80	-	34.80	8.47	32.69			
PK	7.137G	68.94	88.20	-19.26	57.31	3	Vertical	51	1.80	-	35.82	8.51	32.70			
RMS	7.1378G	57.14	68.20	-11.06	45.50	3	Vertical	51	1.80	-	35.83	8.51	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9158G	109.08	Inf	-Inf	98.51	3	Horizontal	73	1.53	-	34.79	8.47	32.69			
RMS	6.915G	99.62	Inf	-Inf	89.05	3	Horizontal	73	1.53	-	34.79	8.47	32.69			
PK	7.1486G	69.04	88.20	-19.16	57.33	3	Horizontal	73	1.53	-	35.89	8.51	32.69			
RMS	7.1278G	56.67	68.20	-11.53	45.08	3	Horizontal	73	1.53	-	35.77	8.52	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9739G	59.27	88.20	-28.93	37.80	3	Vertical	23	1.13	-	40.85	11.87	31.25			
RMS	13.97462G	46.46	68.20	-21.74	24.99	3	Vertical	23	1.13	-	40.85	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97084G	58.42	88.20	-29.78	36.96	3	Horizontal	21	2.04	-	40.84	11.87	31.25			
RMS	13.97448G	46.46	68.20	-21.74	24.99	3	Horizontal	21	2.04	-	40.85	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95167G	49.76	83.54	-33.78	44.62	1	Vertical	33	2.70	-	38.09	15.96	48.91			
AV	20.96286G	37.47	63.54	-26.07	32.35	1	Vertical	33	2.70	-	38.05	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95158G	48.12	83.54	-35.42	42.98	1	Horizontal	132	1.39	-	38.09	15.96	48.91			
AV	20.95477G	37.78	63.54	-25.76	32.64	1	Horizontal	132	1.39	-	38.08	15.96	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.938G	109.15	Inf	-Inf	99.92	3	Vertical	41	1.80	-	35.92	8.56	35.25			
RMS	6.9375G	99.60	Inf	-Inf	90.37	3	Vertical	41	1.80	-	35.92	8.56	35.25			
PK	7.127G	72.48	88.20	-15.72	62.35	3	Vertical	41	1.80	-	36.66	8.58	35.11			
RMS	7.1375G	59.09	68.20	-9.11	48.88	3	Vertical	41	1.80	-	36.72	8.58	35.09			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.034G	109.12	Inf	-Inf	99.66	3	Horizontal	63	1.43	-	36.14	8.60	35.28			
RMS	7.035G	99.77	Inf	-Inf	90.31	3	Horizontal	63	1.43	-	36.14	8.60	35.28			
PK	7.133G	72.45	88.20	-15.75	62.27	3	Horizontal	63	1.43	-	36.70	8.58	35.10			
RMS	7.1345G	58.31	88.20	-29.89	48.12	3	Horizontal	63	1.43	-	36.71	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97478G	58.48	88.20	-29.72	39.92	3	Vertical	108	1.83	-	40.35	11.75	33.54			
RMS	13.9749G	46.97	68.20	-21.23	28.41	3	Vertical	108	1.83	-	40.35	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97118G	58.66	88.20	-29.54	40.09	3	Horizontal	348	1.05	-	40.36	11.75	33.54			
RMS	13.97408G	46.98	68.20	-21.22	28.42	3	Horizontal	348	1.05	-	40.35	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9535G	50.94	83.54	-32.60	45.79	1	Vertical	315	1.02	-	38.09	15.96	48.90			
AV	20.95059G	40.86	63.54	-22.68	35.71	1	Vertical	315	1.02	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_X_4TX
Setting 16
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9583G	52.53	83.54	-31.01	47.39	1	Horizontal	123	2.49	-	38.07	15.97	48.90			
AV	20.9457G	40.71	63.54	-22.83	35.56	1	Horizontal	123	2.49	-	38.10	15.96	48.91			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.26	88.20	-8.94	72.53	3	Vertical	307	1.08	-	34.20	8.11	35.58			
RMS	5.925G	67.43	68.20	-0.77	60.70	3	Vertical	307	1.08	-	34.20	8.11	35.58			
PK	6.0486G	108.05	Inf	-Inf	101.29	3	Vertical	307	1.08	-	34.10	8.17	35.51			
RMS	6.0468G	98.09	Inf	-Inf	91.34	3	Vertical	307	1.08	-	34.10	8.17	35.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.907G	76.16	88.20	-12.04	69.43	3	Horizontal	55	1.80	-	34.20	8.10	35.57			
RMS	5.9238G	65.53	68.20	-2.67	58.80	3	Horizontal	55	1.80	-	34.20	8.11	35.58			
PK	6.1626G	106.76	Inf	-Inf	99.61	3	Horizontal	55	1.80	-	34.23	8.21	35.29			
RMS	6.2586G	96.95	Inf	-Inf	89.26	3	Horizontal	55	1.80	-	34.52	8.27	35.10			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21118G	57.47	74.00	-16.53	40.66	3	Vertical	273	2.52	-	38.90	11.14	33.23			
AV	12.2068G	45.75	54.00	-8.25	28.94	3	Vertical	273	2.52	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20746G	57.13	74.00	-16.87	40.32	3	Horizontal	286	2.89	-	38.90	11.14	33.23			
AV	12.21214G	45.64	54.00	-8.36	28.83	3	Horizontal	286	2.89	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30657G	52.45	83.54	-31.09	49.26	1	Vertical	182	1.76	-	37.50	15.28	49.59			
AV	18.30009G	42.54	63.54	-21.00	39.34	1	Vertical	182	1.76	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
Setting 20
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30123G	53.11	83.54	-30.43	49.91	1	Horizontal	191	1.62	-	37.50	15.28	49.58			
AV	18.32037G	42.46	63.54	-21.08	39.27	1	Horizontal	191	1.62	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	78.57	88.20	-9.63	70.97	3	Vertical	298.5	1.80	-	32.40	7.64	32.44			
RMS	5.916G	57.71	68.20	-10.49	50.11	3	Vertical	298.5	1.80	-	32.40	7.64	32.44			
PK	6.0858G	110.53	Inf	-Inf	102.73	3	Vertical	298.5	1.80	-	32.53	7.70	32.43			
RMS	6.0864G	99.89	Inf	-Inf	92.09	3	Vertical	298.5	1.80	-	32.53	7.70	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	70.20	88.20	-18.00	62.60	3	Horizontal	70	1.80	-	32.40	7.64	32.44			
RMS	5.9214G	55.20	68.20	-13.00	47.60	3	Horizontal	70	1.80	-	32.40	7.64	32.44			
PK	6.1548G	109.14	Inf	-Inf	101.14	3	Horizontal	70	1.80	-	32.71	7.71	32.42			
RMS	6.1548G	97.93	Inf	-Inf	89.93	3	Horizontal	70	1.80	-	32.71	7.71	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20688G	57.76	74.00	-16.24	39.96	3	Vertical	162	1.89	-	39.10	11.20	32.50			
AV	12.20904G	46.01	54.00	-7.99	28.21	3	Vertical	162	1.89	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20636G	57.48	74.00	-16.52	39.68	3	Horizontal	20	2.64	-	39.10	11.20	32.50			
AV	12.2084G	46.01	54.00	-7.99	28.21	3	Horizontal	20	2.64	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32448G	52.38	83.54	-31.16	49.20	1	Vertical	125	2.70	-	37.50	15.28	49.60			
AV	18.31041G	42.60	63.54	-20.94	39.41	1	Vertical	125	2.70	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 17.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32637G	53.20	83.54	-30.34	50.02	1	Horizontal	82	1.63	-	37.50	15.28	49.60			
AV	18.31392G	42.59	63.54	-20.95	39.40	1	Horizontal	82	1.63	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.41	88.20	-12.79	67.81	3	Vertical	297	1.80	-	32.40	7.64	32.44			
RMS	5.925G	62.65	68.20	-5.55	55.05	3	Vertical	297	1.80	-	32.40	7.64	32.44			
PK	6.046G	110.01	Inf	-Inf	102.16	3	Vertical	297	1.80	-	32.59	7.69	32.43			
RMS	6.086G	99.98	Inf	-Inf	92.18	3	Vertical	297	1.80	-	32.53	7.70	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	71.27	88.20	-16.93	64.55	3	Horizontal	58	1.80	-	34.20	8.10	35.58			
RMS	5.921G	58.11	68.20	-10.09	51.38	3	Horizontal	58	1.80	-	34.20	8.11	35.58			
PK	6.08G	107.01	Inf	-Inf	100.18	3	Horizontal	58	1.80	-	34.10	8.18	35.45			
RMS	6.0415G	96.49	Inf	-Inf	89.75	3	Horizontal	58	1.80	-	34.10	8.17	35.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21376G	58.00	74.00	-16.00	41.18	3	Vertical	213	1.87	-	38.90	11.14	33.22			
AV	12.20912G	45.78	54.00	-8.22	28.97	3	Vertical	213	1.87	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21138G	57.60	74.00	-16.40	40.79	3	Horizontal	64	2.04	-	38.90	11.14	33.23			
AV	12.20608G	46.14	54.00	-7.86	29.33	3	Horizontal	64	2.04	-	38.90	11.14	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31518G	55.99	83.54	-27.55	52.80	1	Vertical	314	1.67	-	37.50	15.28	49.59			
AV	18.30462G	42.73	63.54	-20.81	39.54	1	Vertical	314	1.67	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_X_4TX
Setting 18.5
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3192G	55.31	83.54	-28.23	52.12	1	Horizontal	25	2.72	-	37.50	15.28	49.59			
AV	18.30678G	42.63	63.54	-20.91	39.44	1	Horizontal	25	2.72	-	37.50	15.28	49.59			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7958G	108.30	Inf	-Inf	98.80	3	Vertical	42	1.80	-	36.10	8.45	35.05			
RMS	6.7568G	98.45	Inf	-Inf	88.93	3	Vertical	42	1.80	-	36.10	8.41	34.99			
PK	7.1978G	77.82	88.20	-10.38	67.25	3	Vertical	42	1.80	-	36.99	8.56	34.98			
RMS	7.1372G	61.11	68.20	-7.09	50.90	3	Vertical	42	1.80	-	36.72	8.58	35.09			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7982G	105.19	Inf	-Inf	95.68	3	Horizontal	73	1.80	-	36.10	8.46	35.05			
RMS	6.7766G	96.66	Inf	-Inf	87.15	3	Horizontal	73	1.80	-	36.10	8.43	35.02			
PK	7.1678G	74.67	88.20	-13.53	64.26	3	Horizontal	73	1.80	-	36.87	8.57	35.03			
RMS	7.1294G	59.39	68.20	-8.81	49.23	3	Horizontal	73	1.80	-	36.68	8.58	35.10			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81116G	55.16	88.20	-33.04	36.68	3	Vertical	245	1.21	-	40.28	11.69	33.49			
RMS	13.80626G	44.39	68.20	-23.81	25.90	3	Vertical	245	1.21	-	40.29	11.69	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8083G	55.23	88.20	-32.97	36.75	3	Horizontal	160	1.32	-	40.28	11.69	33.49			
RMS	13.80634G	44.50	68.20	-23.70	26.01	3	Horizontal	160	1.32	-	40.29	11.69	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71026G	51.91	83.54	-31.63	47.29	1	Vertical	152	2.44	-	37.88	15.77	49.03			
AV	20.70012G	41.36	63.54	-22.18	36.74	1	Vertical	152	2.44	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 17
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70138G	51.95	83.54	-31.59	47.33	1	Horizontal	340	1.42	-	37.90	15.76	49.04			
AV	20.70024G	41.36	63.54	-22.18	36.74	1	Horizontal	340	1.42	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8972G	109.10	Inf	-Inf	98.64	3	Vertical	47.1	1.80	-	34.68	8.45	32.67			
RMS	6.797G	98.13	Inf	-Inf	88.29	3	Vertical	47.1	1.80	-	34.10	8.34	32.60			
PK	7.1378G	66.96	88.20	-21.24	55.32	3	Vertical	47.1	1.80	-	35.83	8.51	32.70			
RMS	7.1372G	55.44	68.20	-12.76	43.81	3	Vertical	47.1	1.80	-	35.82	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7556G	104.54	Inf	-Inf	94.77	3	Horizontal	77	1.80	-	34.10	8.24	32.57			
RMS	6.7562G	95.62	Inf	-Inf	85.85	3	Horizontal	77	1.80	-	34.10	8.24	32.57			
PK	7.1282G	68.57	88.20	-19.63	56.98	3	Horizontal	77	1.80	-	35.77	8.52	32.70			
RMS	7.169G	54.64	68.20	-13.56	42.85	3	Horizontal	77	1.80	-	35.98	8.50	32.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80724G	56.13	88.20	-32.07	35.29	3	Vertical	3	2.52	-	40.21	11.81	31.18			
RMS	13.80652G	44.50	68.20	-23.70	23.65	3	Vertical	3	2.52	-	40.21	11.81	31.17			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80978G	56.01	88.20	-32.19	35.16	3	Horizontal	11	1.17	-	40.22	11.81	31.18			
RMS	13.80616G	44.49	68.20	-23.71	23.64	3	Horizontal	11	1.17	-	40.21	11.81	31.17			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70291G	54.01	83.54	-29.53	49.39	1	Vertical	34	2.87	-	37.89	15.76	49.03			
AV	20.70294G	41.28	63.54	-22.26	36.66	1	Vertical	34	2.87	-	37.89	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71605G	54.93	83.54	-28.61	50.32	1	Horizontal	341	2.03	-	37.87	15.77	49.03			
AV	20.70255G	41.41	63.54	-22.13	36.79	1	Horizontal	341	2.03	-	37.89	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8756G	107.89	Inf	-Inf	97.62	3	Vertical	49.9	1.80	-	34.50	8.43	32.66			
RMS	6.8972G	98.18	Inf	-Inf	87.72	3	Vertical	49.9	1.80	-	34.68	8.45	32.67			
PK	7.1378G	66.74	88.20	-21.46	55.10	3	Vertical	49.9	1.80	-	35.83	8.51	32.70			
RMS	7.1378G	56.53	68.20	-11.67	44.89	3	Vertical	49.9	1.80	-	35.83	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.896G	106.69	Inf	-Inf	96.24	3	Horizontal	74	1.45	-	34.67	8.45	32.67			
RMS	6.8948G	97.13	Inf	-Inf	86.69	3	Horizontal	74	1.45	-	34.66	8.45	32.67			
PK	7.136G	67.54	88.20	-20.66	55.91	3	Horizontal	74	1.45	-	35.82	8.51	32.70			
RMS	7.1354G	56.05	68.20	-12.15	44.43	3	Horizontal	74	1.45	-	35.81	8.51	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8772G	54.16	88.20	-34.04	33.02	3	Vertical	154	1.98	-	40.52	11.83	31.21			
RMS	14.11G	42.99	68.20	-25.21	21.16	3	Vertical	154	1.98	-	41.24	11.93	31.34			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.912G	54.30	88.20	-33.90	32.95	3	Horizontal	335	1.77	-	40.72	11.85	31.22			
RMS	14.1088G	42.98	68.20	-25.22	21.15	3	Horizontal	335	1.77	-	41.24	11.93	31.34			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70141G	51.72	83.54	-31.82	47.10	1	Vertical	54	1.02	-	37.90	15.76	49.04			
AV	20.70015G	41.34	63.54	-22.20	36.72	1	Vertical	54	1.02	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_4TX
Setting 15.5
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71347G	52.19	83.54	-31.35	47.58	1	Horizontal	323	2.83	-	37.87	15.77	49.03			
AV	20.70258G	41.51	63.54	-22.03	36.89	1	Horizontal	323	2.83	-	37.89	15.76	49.03			



**RSE TX above 1GHz_Standard Power Access Point_
Radio 4_Non-beamforming mode_Full RU**


Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	68.11	68.20	-0.09	3	Vertical	299	1.10	22

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.77	88.20	-7.43	71.96	3	Vertical	306	1.82	24	34.20	5.77	31.16			
RMS	5.925G	65.69	68.20	-2.51	56.88	3	Vertical	306	1.82	24	34.20	5.77	31.16			
PK	5.9568G	116.52	Inf	-Inf	107.68	3	Vertical	306	1.82	24	34.21	5.80	31.17			
RMS	5.949G	103.68	Inf	-Inf	94.86	3	Vertical	306	1.82	24	34.20	5.79	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	75.24	88.20	-12.96	66.43	3	Horizontal	63	1.78	24	34.20	5.77	31.16			
RMS	5.925G	60.71	68.20	-7.49	51.90	3	Horizontal	63	1.78	24	34.20	5.77	31.16			
PK	5.9604G	110.49	Inf	-Inf	101.63	3	Horizontal	63	1.78	24	34.22	5.81	31.17			
RMS	5.961G	97.39	Inf	-Inf	88.53	3	Horizontal	63	1.78	24	34.22	5.81	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9066G	47.93	74.00	-26.07	40.90	3	Vertical	23	1.80	-	38.91	11.07	42.95			
AV	11.91875G	35.80	54.00	-18.20	28.72	3	Vertical	23	1.80	-	38.94	11.08	42.94			
PK	17.88985G	57.98	74.00	-16.02	39.51	3	Vertical	359	1.80	-	46.66	13.41	41.60			
AV	17.88605G	45.15	54.00	-8.85	26.77	3	Vertical	359	1.80	-	46.57	13.41	41.60			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9313G	48.37	74.00	-25.63	41.26	3	Horizontal	97	2.45	-	38.96	11.08	42.93			
AV	11.9221G	35.88	54.00	-18.12	28.80	3	Horizontal	97	2.45	-	38.94	11.08	42.94			
PK	17.88995G	57.35	74.00	-16.65	38.87	3	Horizontal	307	1.80	-	46.66	13.41	41.59			
AV	17.88985G	45.08	54.00	-8.92	26.61	3	Horizontal	307	1.80	-	46.66	13.41	41.60			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81361G	57.87	83.54	-25.67	48.69	1	Vertical	4	2.94	-	39.02	17.34	47.18			
AV	23.80596G	43.41	63.54	-20.13	34.20	1	Vertical	4	2.94	-	39.06	17.34	47.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83251G	53.04	83.54	-30.50	43.96	1	Horizontal	293	2.80	-	38.90	17.35	47.17			
AV	23.80728G	40.39	63.54	-23.15	31.18	1	Horizontal	293	2.80	-	39.06	17.34	47.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3882G	58.70	74.00	-15.30	42.28	3	Vertical	1	1.80	24	38.80	8.92	31.30			
AV	12.40232G	44.88	54.00	-9.12	28.45	3	Vertical	1	1.80	24	38.80	8.93	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39884G	58.89	74.00	-15.11	42.46	3	Horizontal	343	1.80	24	38.80	8.93	31.30			
AV	12.40172G	44.89	54.00	-9.11	28.46	3	Horizontal	343	1.80	24	38.80	8.93	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57357G	54.31	83.54	-29.23	50.97	1	Vertical	98	1.80	15	37.70	15.27	49.63			
AV	18.58616G	39.42	63.54	-24.12	36.07	1	Vertical	98	1.80	15	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57389G	54.24	83.54	-29.30	50.90	1	Horizontal	183	1.80	15	37.70	15.27	49.63			
AV	18.5898G	40.39	63.54	-23.15	37.04	1	Horizontal	183	1.80	15	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8386G	57.85	88.20	-30.35	41.32	3	Vertical	358	1.05	24	38.98	9.13	31.58			
RMS	12.84848G	44.43	68.20	-23.77	27.89	3	Vertical	358	1.05	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83696G	58.20	88.20	-30.00	41.68	3	Horizontal	355	1.80	24	38.97	9.13	31.58			
RMS	12.84864G	44.45	68.20	-23.75	27.91	3	Horizontal	355	1.80	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26186G	60.51	83.54	-23.03	56.87	1	Vertical	136	1.80	24	37.92	15.24	49.52			
RMS	19.2261G	49.50	63.54	-14.04	45.80	1	Vertical	136	1.80	24	37.95	15.24	49.49			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.24568G	60.34	83.54	-23.20	56.70	1	Horizontal	297	1.80	24	37.91	15.24	49.51				
AV	19.23181G	50.42	63.54	-13.12	46.74	1	Horizontal	297	1.80	24	37.94	15.24	49.50				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05616G	59.51	88.20	-28.69	42.64	3	Vertical	49	1.80	24	39.42	9.23	31.78			
RMS	13.05948G	45.53	68.20	-22.67	28.64	3	Vertical	49	1.80	24	39.44	9.23	31.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07332G	60.01	88.20	-28.19	43.08	3	Horizontal	360	1.80	24	39.49	9.24	31.80			
RMS	13.05952G	45.57	68.20	-22.63	28.68	3	Horizontal	360	1.80	24	39.44	9.23	31.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.60464G	53.66	83.54	-29.88	50.20	1	Vertical	342	1.84	24	37.83	15.22	49.59				
AV	19.60364G	39.04	63.54	-24.50	35.60	1	Vertical	342	1.84	24	37.82	15.22	49.60				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59613G	51.50	83.54	-32.04	48.06	1	Horizontal	25	1.80	24	37.82	15.22	49.60			
AV	19.60592G	36.99	63.54	-26.55	33.52	1	Horizontal	25	1.80	24	37.84	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40792G	59.80	88.20	-28.40	42.23	3	Vertical	13	1.80	24	40.33	9.39	32.15			
RMS	13.40784G	45.77	68.20	-22.43	28.20	3	Vertical	13	1.80	24	40.33	9.39	32.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40188G	59.76	88.20	-28.44	42.21	3	Horizontal	162	1.80	24	40.31	9.39	32.15			
RMS	13.40864G	45.67	68.20	-22.53	28.09	3	Horizontal	162	1.80	24	40.33	9.40	32.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0874G	49.06	83.54	-34.48	45.19	1	Vertical	336	1.76	24	37.85	15.27	49.25			
AV	20.08196G	34.11	63.54	-29.43	30.26	1	Vertical	336	1.76	24	37.83	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08564G	50.29	83.54	-33.25	46.43	1	Horizontal	333	1.80	24	37.84	15.27	49.25			
AV	20.08668G	35.58	63.54	-27.96	31.71	1	Horizontal	333	1.80	24	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69832G	62.58	88.20	-25.62	44.44	3	Vertical	48	1.80	24	40.89	9.53	32.28			
RMS	13.7206G	48.82	68.20	-19.38	30.59	3	Vertical	48	1.80	24	40.98	9.54	32.29			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72704G	62.57	88.20	-25.63	44.31	3	Horizontal	109	1.47	24	41.01	9.54	32.29			
RMS	13.71104G	48.75	68.20	-19.45	30.55	3	Horizontal	109	1.47	24	40.94	9.54	32.28			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56928G	47.52	83.54	-36.02	43.02	1	Vertical	12	1.80	24	37.94	15.66	49.10			
AV	20.56316G	33.45	63.54	-30.09	28.98	1	Vertical	12	1.80	24	37.93	15.65	49.11			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55181G	50.30	83.54	-33.24	45.87	1	Horizontal	335	1.80	24	37.90	15.64	49.11			
AV	20.56404G	35.90	63.54	-27.64	31.43	1	Horizontal	335	1.80	24	37.93	15.65	49.11			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET 21.5
24\16.5\20\21.5\22\21.5
-7.49\20.40\11.70\3.09\0.03\3.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	81.56	88.20	-6.64	72.74	3	Vertical	295	2.92	21.5	34.20	5.77	31.15			
RMS	5.9248G	65.11	68.20	-3.09	56.30	3	Vertical	295	2.92	21.5	34.20	5.77	31.16			
PK	5.9762G	112.80	Inf	-Inf	103.91	3	Vertical	295	2.92	21.5	34.25	5.82	31.18			
RMS	5.9774G	99.81	Inf	-Inf	90.91	3	Vertical	295	2.92	21.5	34.25	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	73.58	88.20	-14.62	64.76	3	Horizontal	67	1.76	21.5	34.20	5.77	31.15			
RMS	5.925G	59.35	68.20	-8.85	50.54	3	Horizontal	67	1.76	21.5	34.20	5.77	31.16			
PK	5.981G	105.52	Inf	-Inf	96.61	3	Horizontal	67	1.76	21.5	34.26	5.83	31.18			
RMS	5.9782G	93.18	Inf	-Inf	84.27	3	Horizontal	67	1.76	21.5	34.26	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93125G	48.20	74.00	-25.80	41.09	3	Vertical	90	1.86	-	38.96	11.08	42.93			
AV	11.91645G	35.77	54.00	-18.23	28.71	3	Vertical	90	1.86	-	38.93	11.07	42.94			
PK	17.8761G	57.65	74.00	-16.35	39.53	3	Vertical	13	1.80	-	46.33	13.41	41.62			
AV	17.9198G	45.44	54.00	-8.56	26.22	3	Vertical	13	1.80	-	47.34	13.42	41.54			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91295G	47.55	74.00	-26.45	40.49	3	Horizontal	298	1.80	-	38.93	11.07	42.94			
AV	11.91905G	35.57	54.00	-18.43	28.49	3	Horizontal	298	1.80	-	38.94	11.08	42.94			
PK	17.90631G	57.07	74.00	-16.93	38.18	3	Horizontal	143	1.98	-	47.04	13.42	41.57			
AV	17.90865G	45.37	54.00	-8.63	26.42	3	Horizontal	143	1.98	-	47.09	13.42	41.56			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86291G	49.35	83.54	-34.19	40.35	1	Vertical	38	2.08	-	38.80	17.36	47.16			
AV	23.84521G	36.60	63.54	-26.94	27.59	1	Vertical	38	2.08	-	38.83	17.35	47.17			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84644G	49.69	83.54	-33.85	40.69	1	Horizontal	198	1.84	-	38.82	17.35	47.17			
AV	23.84527G	36.58	63.54	-26.96	27.57	1	Horizontal	198	1.84	-	38.83	17.35	47.17			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4356G	58.37	74.00	-15.63	41.93	3	Vertical	25	1.80	24	38.80	8.94	31.30			
AV	12.42784G	45.24	54.00	-8.76	28.80	3	Vertical	25	1.80	24	38.80	8.94	31.30			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42816G	58.59	74.00	-15.41	42.15	3	Horizontal	331	1.80	24	38.80	8.94	31.30			
AV	12.43176G	45.28	54.00	-8.72	28.84	3	Horizontal	331	1.80	24	38.80	8.94	31.30			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.64745G	49.71	83.54	-37.83	42.23	1	Vertical	25	1.56	24	37.79	15.27	49.58			
AV	18.61724G	37.79	63.54	-31.75	28.39	1	Vertical	25	1.56	24	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6528G	49.87	83.54	-33.67	46.39	1	Horizontal	55	1.80	24	37.79	15.27	49.58			
RMS	18.60293G	37.00	83.54	-46.54	33.63	1	Horizontal	55	1.80	24	37.71	15.27	49.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78112G	58.80	88.20	-29.40	42.38	3	Vertical	351	2.95	24	38.86	9.10	31.54			
RMS	12.84864G	44.74	68.20	-23.46	28.20	3	Vertical	351	2.95	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83264G	57.91	88.20	-30.29	41.39	3	Horizontal	105	1.80	24	38.97	9.13	31.58			
RMS	12.8388G	44.64	68.20	-23.56	28.11	3	Horizontal	105	1.80	24	38.98	9.13	31.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.20549G	49.71	83.54	-36.83	42.96	1	Vertical	347	1.80	24	37.99	15.24	49.48				
AV	19.20917G	36.94	63.54	-31.60	28.20	1	Vertical	347	1.80	24	37.98	15.24	49.48				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.24593G	49.86	83.54	-37.68	42.22	1	Horizontal	50	1.80	24	37.91	15.24	49.51				
AV	19.22539G	36.97	63.54	-31.57	28.27	1	Horizontal	50	1.80	24	37.95	15.24	49.49				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12232G	59.63	88.20	-28.57	42.58	3	Vertical	306	1.97	24	39.64	9.26	31.85			
RMS	13.10416G	45.97	68.20	-22.23	28.94	3	Vertical	306	1.97	24	39.61	9.25	31.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.15264G	60.51	88.20	-27.69	43.40	3	Horizontal	338	1.80	24	39.71	9.28	31.88			
RMS	13.09848G	45.98	68.20	-22.22	28.96	3	Horizontal	338	1.80	24	39.59	9.25	31.82			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6994G	50.48	83.54	-33.06	46.98	1	Vertical	342	1.71	24	37.80	15.22	49.52			
AV	19.68557G	36.10	63.54	-27.44	32.52	1	Vertical	342	1.71	24	37.89	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6999G	49.32	83.54	-34.22	45.81	1	Horizontal	21	1.72	24	37.81	15.22	49.52			
AV	19.68741G	35.42	63.54	-28.12	31.85	1	Horizontal	21	1.72	24	37.88	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40848G	59.48	88.20	-28.72	41.91	3	Vertical	4	1.80	24	40.33	9.39	32.15			
RMS	13.40536G	45.95	68.20	-22.25	28.39	3	Vertical	4	1.80	24	40.32	9.39	32.15			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40952G	59.82	88.20	-28.38	42.23	3	Horizontal	285	2.95	24	40.34	9.40	32.15			
RMS	13.40184G	45.90	68.20	-22.30	28.35	3	Horizontal	285	2.95	24	40.31	9.39	32.15			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04501G	48.07	83.54	-35.47	44.38	1	Vertical	336	1.80	24	37.71	15.24	49.26			
AV	20.04421G	33.36	63.54	-30.18	29.67	1	Vertical	336	1.80	24	37.71	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0717G	47.03	83.54	-36.51	43.23	1	Horizontal	356	1.49	24	37.79	15.26	49.25			
AV	20.05884G	33.27	63.54	-30.27	29.53	1	Horizontal	356	1.49	24	37.74	15.25	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.66968G	62.67	88.20	-25.53	44.65	3	Vertical	200	1.80	24	40.78	9.52	32.28			
RMS	13.71776G	49.09	68.20	-19.11	30.86	3	Vertical	200	1.80	24	40.97	9.54	32.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70896G	63.30	88.20	-24.90	45.11	3	Horizontal	176	1.80	24	40.94	9.53	32.28			
RMS	13.72416G	49.04	68.20	-19.16	30.79	3	Horizontal	176	1.80	24	41.00	9.54	32.29			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.5179G	45.87	83.54	-37.67	41.68	1	Vertical	315	1.54	24	37.71	15.61	49.13				
AV	20.533G	32.53	63.54	-31.01	28.22	1	Vertical	315	1.54	24	37.80	15.63	49.12				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53396G	48.87	83.54	-34.67	44.56	1	Horizontal	332	1.82	24	37.80	15.63	49.12			
AV	20.53148G	34.49	63.54	-29.05	30.19	1	Horizontal	332	1.82	24	37.79	15.63	49.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5
24\16.5\20\21.5\22\22.5
-7.01\19.83\10.68\4.06\2.11\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	83.23	88.20	-4.97	74.42	3	Vertical	297	1.05	22.5	34.20	5.76	31.15			
RMS	5.925G	68.02	68.20	-0.18	59.21	3	Vertical	297	1.05	22.5	34.20	5.77	31.16			
PK	6.021G	111.62	Inf	-Inf	102.66	3	Vertical	297	1.05	22.5	34.30	5.86	31.20			
RMS	6.0226G	98.72	Inf	-Inf	89.76	3	Vertical	297	1.05	22.5	34.30	5.86	31.20			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.16	88.20	-13.04	66.35	3	Horizontal	55	1.83	22.5	34.20	5.77	31.16			
RMS	5.925G	60.43	68.20	-7.77	51.62	3	Horizontal	55	1.83	22.5	34.20	5.77	31.16			
PK	6.0098G	103.93	Inf	-Inf	94.97	3	Horizontal	55	1.83	22.5	34.30	5.85	31.19			
RMS	6.0102G	91.27	Inf	-Inf	82.31	3	Horizontal	55	1.83	22.5	34.30	5.85	31.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98248G	55.77	74.00	-18.23	50.64	3	Vertical	27	2.04	-	39.30	8.73	42.90			
AV	11.95527G	41.87	54.00	-12.13	36.77	3	Vertical	27	2.04	-	39.30	8.72	42.92			
PK	17.95305G	63.25	74.00	-10.75	46.31	3	Vertical	75	1.57	-	46.79	11.64	41.49			
AV	17.96136G	49.97	54.00	-4.03	33.02	3	Vertical	75	1.57	-	46.78	11.64	41.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96217G	52.98	74.00	-21.02	47.86	3	Horizontal	90	1.31	-	39.30	8.73	42.91			
AV	11.95602G	39.81	54.00	-14.19	34.70	3	Horizontal	90	1.31	-	39.30	8.73	42.92			
PK	17.96715G	62.60	74.00	-11.40	45.65	3	Horizontal	348	2.07	-	46.77	11.65	41.47			
AV	17.96133G	49.92	54.00	-4.08	32.97	3	Horizontal	348	2.07	-	46.78	11.64	41.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92605G	52.49	83.54	-31.05	43.39	1	Vertical	24	1.99	-	38.85	17.38	47.13			
AV	23.95194G	40.18	63.54	-23.36	30.99	1	Vertical	24	1.99	-	38.91	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92842G	53.13	83.54	-30.41	44.02	1	Horizontal	298	2.83	-	38.86	17.38	47.13			
AV	23.95497G	40.44	63.54	-23.10	31.24	1	Horizontal	298	2.83	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.47624G	59.12	74.00	-14.88	42.71	3	Vertical	6	1.68	24	38.75	8.96	31.30			
AV	12.4444G	45.64	54.00	-8.36	29.19	3	Vertical	6	1.68	24	38.80	8.95	31.30			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.50152G	58.36	74.00	-15.64	41.99	3	Horizontal	267	1.95	24	38.70	8.97	31.30			
AV	12.46328G	45.67	54.00	-8.33	29.24	3	Horizontal	267	1.95	24	38.77	8.96	31.30			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.65438G	45.70	83.54	-37.84	42.23	1	Vertical	21	1.80	24	37.78	15.27	49.58				
AV	18.65022G	32.24	63.54	-31.30	28.75	1	Vertical	21	1.80	24	37.80	15.27	49.58				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61522G	45.56	83.54	-37.98	42.16	1	Horizontal	338	1.80	24	37.73	15.27	49.60			
AV	18.64495G	32.12	63.54	-31.42	28.64	1	Horizontal	338	1.80	24	37.79	15.27	49.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84664G	58.35	88.20	-29.85	41.82	3	Vertical	128	1.80	24	38.99	9.13	31.59			
RMS	12.84856G	44.97	68.20	-23.23	28.43	3	Vertical	128	1.80	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80808G	58.21	88.20	-29.99	41.73	3	Horizontal	146	1.80	24	38.92	9.12	31.56			
RMS	12.78576G	44.71	68.20	-23.49	28.27	3	Horizontal	146	1.80	24	38.87	9.11	31.54			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.13102G	45.40	83.54	-38.14	41.81	1	Vertical	8	1.48	24	37.78	15.24	49.43				
AV	19.20055G	31.66	63.54	-31.88	27.90	1	Vertical	8	1.48	24	38.00	15.24	49.48				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.15068G	44.94	83.54	-38.60	41.44	1	Horizontal	353	1.80	24	37.70	15.24	49.44				
AV	19.20551G	31.60	63.54	-31.94	27.85	1	Horizontal	353	1.80	24	37.99	15.24	49.48				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.18664G	59.59	88.20	-28.61	42.37	3	Vertical	88	1.80	24	39.85	9.29	31.92			
RMS	13.17688G	45.87	68.20	-22.33	28.68	3	Vertical	88	1.80	24	39.81	9.29	31.91			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.19888G	59.59	88.20	-28.61	42.32	3	Horizontal	287	1.80	24	39.90	9.30	31.93			
RMS	13.1852G	45.90	68.20	-22.30	28.69	3	Horizontal	287	1.80	24	39.84	9.29	31.92			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86317G	44.89	83.54	-38.65	41.38	1	Vertical	339	1.80	24	37.68	15.21	49.38			
AV	19.85998G	31.27	63.54	-32.27	27.78	1	Vertical	339	1.80	24	37.66	15.21	49.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.84511G	45.66	83.54	-37.88	42.20	1	Horizontal	14	1.82	24	37.65	15.21	49.40			
AV	19.86221G	31.92	63.54	-31.62	28.42	1	Horizontal	14	1.82	24	37.67	15.21	49.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40296G	59.49	88.20	-28.71	41.94	3	Vertical	79	2.50	24	40.31	9.39	32.15			
RMS	13.4852G	46.30	68.20	-21.90	28.60	3	Vertical	79	2.50	24	40.50	9.43	32.23			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4268G	59.59	88.20	-28.61	41.95	3	Horizontal	313	2.66	24	40.41	9.40	32.17			
RMS	13.45304G	46.37	68.20	-21.83	28.65	3	Horizontal	313	2.66	24	40.50	9.42	32.20			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08831G	46.36	83.54	-37.18	42.49	1	Vertical	336	1.76	24	37.85	15.27	49.25			
AV	20.08991G	31.89	63.54	-31.65	28.01	1	Vertical	336	1.76	24	37.86	15.27	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06193G	45.82	83.54	-37.72	42.07	1	Horizontal	336	1.85	24	37.75	15.25	49.25			
AV	20.08911G	32.34	63.54	-31.20	28.46	1	Horizontal	336	1.85	24	37.86	15.27	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57768G	59.64	88.20	-28.56	41.83	3	Vertical	82	1.80	24	40.60	9.47	32.26			
RMS	13.56808G	46.38	68.20	-21.82	28.57	3	Vertical	82	1.80	24	40.60	9.47	32.26			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.51144G	59.10	88.20	-29.10	41.39	3	Horizontal	259	1.80	24	40.52	9.44	32.25			
RMS	13.57768G	46.39	68.20	-21.81	28.58	3	Horizontal	259	1.80	24	40.60	9.47	32.26			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.42421G	46.69	83.54	-36.85	42.31	1	Vertical	48	1.55	24	38.00	15.54	49.16				
AV	20.40551G	32.73	63.54	-30.81	28.37	1	Vertical	48	1.55	24	38.00	15.52	49.16				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.40631G	48.31	83.54	-35.23	43.94	1	Horizontal	26	1.77	24	38.00	15.53	49.16			
AV	20.40823G	34.45	63.54	-29.09	30.08	1	Horizontal	26	1.77	24	38.00	15.53	49.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5
24\18\21\22.5\23\22.5
-5.79\19.18\7.10\1.11\2.19\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	82.54	88.20	-5.66	73.73	3	Vertical	304	1.57	22.5	34.20	5.76	31.15			
RMS	5.9235G	67.12	68.20	-1.08	58.30	3	Vertical	304	1.57	22.5	34.20	5.77	31.15			
PK	6.0515G	108.37	Inf	-Inf	99.41	3	Vertical	304	1.57	22.5	34.31	5.86	31.21			
RMS	6.0505G	94.85	Inf	-Inf	85.90	3	Vertical	304	1.57	22.5	34.30	5.86	31.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9015G	75.52	88.20	-12.68	66.72	3	Horizontal	64	1.73	22.5	34.20	5.74	31.14			
RMS	5.925G	60.60	68.20	-7.60	51.79	3	Horizontal	64	1.73	22.5	34.20	5.77	31.16			
PK	6.0605G	101.78	Inf	-Inf	92.78	3	Horizontal	64	1.73	22.5	34.34	5.87	31.21			
RMS	6.0375G	88.94	Inf	-Inf	79.98	3	Horizontal	64	1.73	22.5	34.30	5.86	31.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93192G	58.25	74.00	-15.75	41.59	3	Vertical	250	1.80	22.5	39.34	8.72	31.40			
AV	11.89G	45.29	54.00	-8.71	28.64	3	Vertical	250	1.80	22.5	39.42	8.70	31.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89416G	58.59	74.00	-15.41	41.95	3	Horizontal	240	1.80	22.5	39.41	8.70	31.47			
AV	11.89032G	45.36	54.00	-8.64	28.71	3	Horizontal	240	1.80	22.5	39.42	8.70	31.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.11982G	45.72	83.54	-37.82	42.25	1	Vertical	341	1.84	22.5	37.68	15.29	49.50			
AV	18.14073G	31.63	63.54	-31.91	28.09	1	Vertical	341	1.84	22.5	37.76	15.29	49.51			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.09418G	45.36	83.54	-38.18	41.97	1	Horizontal	1	1.80	22.5	37.58	15.30	49.49			
AV	18.14681G	31.72	63.54	-31.82	28.15	1	Horizontal	1	1.80	22.5	37.79	15.29	49.51			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45608G	58.57	74.00	-15.43	42.13	3	Vertical	359	1.67	24	38.79	8.95	31.30			
AV	12.44328G	45.18	54.00	-8.82	28.73	3	Vertical	359	1.67	24	38.80	8.95	31.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45928G	58.42	74.00	-15.58	41.99	3	Horizontal	196	1.80	24	38.78	8.95	31.30			
AV	12.4308G	45.27	54.00	-8.73	28.83	3	Horizontal	196	1.80	24	38.80	8.94	31.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.45238G	45.69	83.54	-37.85	42.36	1	Vertical	29	1.81	24	37.71	15.28	49.66			
AV	18.43096G	31.72	63.54	-31.82	28.35	1	Vertical	29	1.81	24	37.74	15.28	49.65			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.50449G	45.29	83.54	-38.25	41.82	1	Horizontal	213	1.80	24	37.88	15.27	49.68			
AV	18.41786G	31.65	63.54	-31.89	28.25	1	Horizontal	213	1.80	24	37.76	15.28	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5316G	58.16	74.00	-15.84	41.80	3	Vertical	326	1.12	24	38.70	8.99	31.33			
AV	12.54856G	44.89	54.00	-9.11	28.53	3	Vertical	326	1.12	24	38.70	9.00	31.34			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.5652G	58.41	74.00	-15.59	42.09	3	Horizontal	69	1.05	24	38.67	9.00	31.35			
AV	12.54472G	44.83	54.00	-9.17	28.48	3	Horizontal	69	1.05	24	38.70	8.99	31.34			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0035G	45.46	83.54	-38.08	41.65	1	Vertical	248	1.80	24	37.90	15.25	49.34			
AV	18.9717G	31.39	63.54	-32.15	27.66	1	Vertical	248	1.80	24	37.84	15.25	49.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.9113G	45.10	83.54	-38.44	41.22	1	Horizontal	194	1.75	24	38.03	15.25	49.40			
AV	18.95732G	31.33	63.54	-32.21	27.64	1	Horizontal	194	1.75	24	37.81	15.25	49.37			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23624G	59.41	88.20	-28.79	42.10	3	Vertical	289	1.80	24	39.97	9.31	31.97			
RMS	13.18344G	45.90	68.20	-22.30	28.69	3	Vertical	289	1.80	24	39.83	9.29	31.91			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.20328G	59.16	88.20	-29.04	41.89	3	Horizontal	37	1.80	24	39.91	9.30	31.94			
RMS	13.18376G	45.94	68.20	-22.26	28.72	3	Horizontal	37	1.80	24	39.84	9.29	31.91			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.97358G	45.16	83.54	-38.38	41.45	1	Vertical	335	1.76	24	37.80	15.20	49.29			
AV	19.98509G	31.30	63.54	-32.24	27.58	1	Vertical	335	1.76	24	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.13502G	45.15	83.54	-38.39	41.38	1	Horizontal	53	1.80	24	37.69	15.31	49.23			
AV	20.10805G	31.04	63.54	-32.50	27.14	1	Horizontal	53	1.80	24	37.85	15.29	49.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5
24\18\21\22.5\22\21.5
-5.68\17.95\5.41\3.35\1.04\3.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9165G	76.89	88.20	-11.31	69.82	3	Vertical	303	2.95	21.5	32.40	7.64	32.97			
RMS	5.9245G	65.16	68.20	-3.04	58.09	3	Vertical	303	2.95	21.5	32.40	7.64	32.97			
PK	6.2495G	107.35	Inf	-Inf	99.58	3	Vertical	303	2.95	21.5	33.00	7.79	33.02			
RMS	6.222G	94.43	Inf	-Inf	86.81	3	Vertical	303	2.95	21.5	32.89	7.75	33.02			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	70.08	88.20	-18.12	63.01	3	Horizontal	68	1.80	21.5	32.40	7.64	32.97			
RMS	5.922G	57.06	68.20	-11.14	49.99	3	Horizontal	68	1.80	21.5	32.40	7.64	32.97			
PK	6.257G	96.92	Inf	-Inf	89.15	3	Horizontal	68	1.80	21.5	33.00	7.80	33.03			
RMS	6.256G	84.85	Inf	-Inf	77.08	3	Horizontal	68	1.80	21.5	33.00	7.80	33.03			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2031G	53.32	74.00	-20.68	48.56	3	Vertical	194	1.07	-	38.89	8.83	42.96			
AV	12.20334G	40.08	54.00	-13.92	35.32	3	Vertical	194	1.07	-	38.89	8.83	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20073G	51.09	74.00	-22.91	46.32	3	Horizontal	145	1.09	-	38.90	8.83	42.96			
AV	12.20334G	38.01	54.00	-15.99	33.25	3	Horizontal	145	1.09	-	38.89	8.83	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3063G	49.79	83.54	-33.75	46.60	1	Vertical	203	1.42	-	37.50	15.28	49.59			
AV	18.31068G	36.46	63.54	-27.08	33.27	1	Vertical	203	1.42	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_X_1TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32787G	49.00	83.54	-34.54	45.82	1	Horizontal	184	1.00	-	37.50	15.28	49.60			
AV	18.32943G	36.46	63.54	-27.08	33.28	1	Horizontal	184	1.00	-	37.50	15.28	49.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.462G	57.95	74.00	-16.05	41.52	3	Vertical	190	2.01	24	38.78	8.95	31.30			
AV	12.46216G	45.21	54.00	-8.79	28.78	3	Vertical	190	2.01	24	38.78	8.95	31.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4596G	58.05	74.00	-15.95	41.62	3	Horizontal	1	1.80	24	38.78	8.95	31.30			
AV	12.43016G	45.13	54.00	-8.87	28.69	3	Horizontal	1	1.80	24	38.80	8.94	31.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.80946G	40.11	83.54	-43.43	36.48	1	Vertical	91	2.51	-	37.84	15.26	49.47			
AV	18.80895G	26.65	63.54	-36.89	23.02	1	Vertical	91	2.51	-	37.84	15.26	49.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_X_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.78534G	39.98	83.54	-43.56	36.41	1	Horizontal	65	2.81	-	37.80	15.26	49.49			
AV	18.80763G	26.66	63.54	-36.88	23.04	1	Horizontal	65	2.81	-	37.83	15.26	49.47			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	80.44	88.20	-7.76	71.63	3	Vertical	305	1.52	24	34.20	5.77	31.16			
RMS	5.925G	64.96	68.20	-3.24	56.15	3	Vertical	305	1.52	24	34.20	5.77	31.16			
PK	5.9524G	120.60	Inf	-Inf	111.77	3	Vertical	305	1.52	24	34.20	5.80	31.17			
RMS	5.9528G	106.81	Inf	-Inf	97.97	3	Vertical	305	1.52	24	34.21	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9176G	74.26	88.20	-13.94	65.45	3	Horizontal	54	2.25	24	34.20	5.76	31.15			
RMS	5.925G	61.51	68.20	-6.69	52.70	3	Horizontal	54	2.25	24	34.20	5.77	31.16			
PK	5.9506G	119.55	Inf	-Inf	110.72	3	Horizontal	54	2.25	24	34.20	5.80	31.17			
RMS	5.9518G	106.75	Inf	-Inf	97.92	3	Horizontal	54	2.25	24	34.20	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90577G	53.73	74.00	-20.27	48.58	3	Vertical	195	1.40	-	39.39	8.71	42.95			
AV	11.89893G	40.12	54.00	-13.88	34.96	3	Vertical	195	1.40	-	39.40	8.71	42.95			
PK	17.87991G	62.42	74.00	-11.58	45.58	3	Vertical	132	1.75	-	46.86	11.59	41.61			
AV	17.87376G	49.32	54.00	-4.68	32.51	3	Vertical	132	1.75	-	46.85	11.58	41.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91714G	53.90	74.00	-20.10	48.76	3	Horizontal	51	1.99	-	39.37	8.71	42.94			
AV	11.89839G	40.33	54.00	-13.67	35.17	3	Horizontal	51	1.99	-	39.40	8.71	42.95			
PK	17.86323G	62.71	74.00	-11.29	45.95	3	Horizontal	208	2.67	-	46.83	11.57	41.64			
AV	17.87997G	49.34	54.00	-4.66	32.50	3	Horizontal	208	2.67	-	46.86	11.59	41.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82933G	52.96	83.54	-30.58	43.87	1	Vertical	238	2.92	-	38.92	17.35	47.18			
AV	23.83305G	39.38	63.54	-24.16	30.30	1	Vertical	238	2.92	-	38.90	17.35	47.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83209G	53.01	83.54	-30.53	43.92	1	Horizontal	277	1.61	-	38.91	17.35	47.17			
AV	23.83455G	39.36	63.54	-24.18	30.29	1	Horizontal	277	1.61	-	38.89	17.35	47.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40688G	59.12	74.00	-14.88	42.69	3	Vertical	340	1.80	24	38.80	8.93	31.30			
AV	12.40824G	44.91	54.00	-9.09	28.48	3	Vertical	340	1.80	24	38.80	8.93	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38388G	58.94	74.00	-15.06	42.52	3	Horizontal	302	1.75	24	38.80	8.92	31.30			
AV	12.404G	44.91	54.00	-9.09	28.48	3	Horizontal	302	1.75	24	38.80	8.93	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59539G	55.70	83.54	-27.84	52.35	1	Vertical	119	1.80	15	37.70	15.27	49.62			
AV	18.57065G	43.46	63.54	-20.08	40.12	1	Vertical	119	1.80	15	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60118G	55.97	83.54	-27.57	52.61	1	Horizontal	209	2.02	15	37.70	15.27	49.61			
AV	18.58252G	43.44	63.54	-20.10	40.09	1	Horizontal	209	2.02	15	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84216G	58.20	88.20	-30.00	41.68	3	Vertical	214	1.80	24	38.98	9.13	31.59			
AV	12.84884G	44.48	68.20	-23.72	27.94	3	Vertical	214	1.80	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83336G	57.98	88.20	-30.22	41.46	3	Horizontal	333	1.80	24	38.97	9.13	31.58			
AV	12.8488G	44.40	68.20	-23.80	27.86	3	Horizontal	333	1.80	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24328G	47.05	83.54	-36.49	43.41	1	Vertical	37	1.80	24	37.91	15.24	49.51			
AV	19.25403G	32.11	63.54	-31.43	28.47	1	Vertical	37	1.80	24	37.91	15.24	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2494G	49.63	83.54	-33.91	46.00	1	Horizontal	61	1.47	24	37.90	15.24	49.51			
AV	19.24824G	35.25	63.54	-28.29	31.62	1	Horizontal	61	1.47	24	37.90	15.24	49.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06336G	59.86	88.20	-28.34	42.97	3	Vertical	245	2.64	24	39.45	9.23	31.79			
RMS	13.0568G	45.61	68.20	-22.59	28.73	3	Vertical	245	2.64	24	39.43	9.23	31.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05408G	60.14	88.20	-28.06	43.27	3	Horizontal	34	1.80	24	39.42	9.23	31.78			
RMS	13.05988G	45.57	68.20	-22.63	28.68	3	Horizontal	34	1.80	24	39.44	9.23	31.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61279G	54.84	83.54	-28.70	51.33	1	Vertical	339	1.52	24	37.88	15.22	49.59			
AV	19.61191G	40.18	63.54	-23.36	36.68	1	Vertical	339	1.52	24	37.87	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60524G	53.54	83.54	-30.00	50.08	1	Horizontal	21	1.63	24	37.83	15.22	49.59			
AV	19.60708G	39.41	63.54	-24.13	35.94	1	Horizontal	21	1.63	24	37.84	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40392G	59.90	88.20	-28.30	42.34	3	Vertical	10	1.80	24	40.32	9.39	32.15			
RMS	13.40808G	45.73	68.20	-22.47	28.16	3	Vertical	10	1.80	24	40.33	9.39	32.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4022G	59.45	88.20	-28.75	41.90	3	Horizontal	355	1.80	24	40.31	9.39	32.15			
RMS	13.40152G	45.71	68.20	-22.49	28.16	3	Horizontal	355	1.80	24	40.31	9.39	32.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08204G	49.82	83.54	-33.72	45.97	1	Vertical	335	1.78	24	37.83	15.27	49.25			
AV	20.0836G	36.13	63.54	-27.41	32.28	1	Vertical	335	1.78	24	37.83	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06886G	54.52	83.54	-29.02	50.73	1	Horizontal	12	1.80	24	37.78	15.26	49.25			
AV	20.0862G	39.11	63.54	-24.43	35.25	1	Horizontal	12	1.80	24	37.84	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70548G	62.55	88.20	-25.65	44.38	3	Vertical	1	1.80	24	40.92	9.53	32.28			
RMS	13.72116G	48.82	68.20	-19.38	30.59	3	Vertical	1	1.80	24	40.98	9.54	32.29			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70452G	63.25	88.20	-24.95	45.08	3	Horizontal	225	1.80	24	40.92	9.53	32.28			
RMS	13.71856G	48.80	68.20	-19.40	30.57	3	Horizontal	225	1.80	24	40.97	9.54	32.28			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.57024G	48.60	83.54	-34.94	44.10	1	Vertical	16	1.60	24	37.94	15.66	49.10				
AV	20.56804G	34.25	63.54	-29.29	29.76	1	Vertical	16	1.60	24	37.94	15.65	49.10				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56216G	51.31	83.54	-32.23	46.85	1	Horizontal	334	1.78	24	37.92	15.65	49.11			
AV	20.56508G	37.57	63.54	-25.97	33.10	1	Horizontal	334	1.78	24	37.93	15.65	49.11			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21
24\16\20\22\21\21.5\21
-11.70\20.70\8.88\4.64\2.53\0.78\2.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	79.83	88.20	-8.37	71.02	3	Vertical	300	1.08	21	34.20	5.77	31.16			
RMS	5.925G	66.06	68.20	-2.14	57.25	3	Vertical	300	1.08	21	34.20	5.77	31.16			
PK	5.967G	114.86	Inf	-Inf	105.99	3	Vertical	300	1.08	21	34.23	5.81	31.17			
RMS	5.9676G	102.16	Inf	-Inf	93.29	3	Vertical	300	1.08	21	34.24	5.81	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.22	88.20	-9.98	69.41	3	Horizontal	53	2.09	21	34.20	5.77	31.16			
RMS	5.925G	63.55	68.20	-4.65	54.74	3	Horizontal	53	2.09	21	34.20	5.77	31.16			
PK	5.9832G	115.32	Inf	-Inf	106.40	3	Horizontal	53	2.09	21	34.27	5.83	31.18			
RMS	5.9808G	102.51	Inf	-Inf	93.60	3	Horizontal	53	2.09	21	34.26	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93068G	53.96	74.00	-20.04	48.83	3	Vertical	221	2.55	-	39.34	8.72	42.93			
AV	11.92946G	39.95	54.00	-14.05	34.82	3	Vertical	221	2.55	-	39.34	8.72	42.93			
PK	17.89614G	64.38	74.00	-9.62	47.47	3	Vertical	285	1.69	-	46.89	11.60	41.58			
AV	17.89243G	50.14	54.00	-3.86	33.25	3	Vertical	285	1.69	-	46.88	11.60	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93231G	53.55	74.00	-20.45	48.42	3	Horizontal	47	2.20	-	39.34	8.72	42.93			
AV	11.92013G	40.08	54.00	-13.92	34.95	3	Horizontal	47	2.20	-	39.36	8.71	42.94			
PK	17.89827G	64.89	74.00	-9.11	47.97	3	Horizontal	119	1.80	-	46.90	11.60	41.58			
AV	17.89264G	50.11	54.00	-3.89	33.21	3	Horizontal	119	1.80	-	46.89	11.60	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85868G	53.38	83.54	-30.16	44.38	1	Vertical	326	1.41	-	38.80	17.36	47.16			
AV	23.85586G	39.63	63.54	-23.91	30.63	1	Vertical	326	1.41	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87467G	53.39	83.54	-30.15	44.38	1	Horizontal	51	1.21	-	38.80	17.36	47.15			
AV	23.85955G	39.65	63.54	-23.89	30.65	1	Horizontal	51	1.21	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40848G	59.78	74.00	-14.22	43.35	3	Vertical	119	1.80	24	38.80	8.93	31.30			
AV	12.44336G	45.43	54.00	-8.57	28.98	3	Vertical	119	1.80	24	38.80	8.95	31.30			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44008G	60.41	74.00	-13.59	43.97	3	Horizontal	102	1.80	24	38.80	8.94	31.30			
AV	12.448G	45.48	54.00	-8.52	29.03	3	Horizontal	102	1.80	24	38.80	8.95	31.30			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61548G	48.46	83.54	-35.08	45.06	1	Vertical	23	1.64	24	37.73	15.27	49.60			
AV	18.61492G	34.14	63.54	-29.40	30.74	1	Vertical	23	1.64	24	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61532G	48.31	83.54	-35.23	44.91	1	Horizontal	322	1.82	24	37.73	15.27	49.60			
AV	18.61476G	33.82	63.54	-29.72	30.42	1	Horizontal	322	1.82	24	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7824G	58.02	88.20	-30.18	41.60	3	Vertical	65	2.45	24	38.86	9.10	31.54			
RMS	12.84872G	44.81	68.20	-23.39	28.27	3	Vertical	65	2.45	24	39.00	9.13	31.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83608G	58.73	88.20	-29.47	42.21	3	Horizontal	4	1.80	24	38.97	9.13	31.58			
RMS	12.84744G	44.82	68.20	-23.38	28.29	3	Horizontal	4	1.80	24	38.99	9.13	31.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.20517G	46.14	83.54	-37.40	42.39	1	Vertical	21	1.80	24	37.99	15.24	49.48				
AV	19.20973G	32.63	63.54	-30.91	28.89	1	Vertical	21	1.80	24	37.98	15.24	49.48				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.20245G	49.28	83.54	-34.26	45.52	1	Horizontal	44	1.61	24	38.00	15.24	49.48				
AV	19.20301G	35.66	63.54	-27.88	31.91	1	Horizontal	44	1.61	24	37.99	15.24	49.48				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14648G	59.51	88.20	-28.69	42.43	3	Vertical	23	2.57	24	39.69	9.27	31.88			
RMS	13.10008G	45.99	68.20	-22.21	28.97	3	Vertical	23	2.57	24	39.60	9.25	31.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12984G	60.00	88.20	-28.20	42.93	3	Horizontal	64	1.80	24	39.66	9.27	31.86			
RMS	13.098G	45.96	68.20	-22.24	28.94	3	Horizontal	64	1.80	24	39.59	9.25	31.82			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.67414G	51.62	83.54	-31.92	47.98	1	Vertical	341	1.68	24	37.96	15.22	49.54			
AV	19.69268G	36.88	63.54	-26.66	33.34	1	Vertical	341	1.68	24	37.84	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.72665G	54.52	83.54	-29.02	50.95	1	Horizontal	288	1.58	24	37.85	15.21	49.49			
AV	19.70731G	40.11	63.54	-23.43	36.60	1	Horizontal	288	1.58	24	37.81	15.21	49.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40896G	60.00	88.20	-28.20	42.41	3	Vertical	1	2.20	24	40.34	9.40	32.15			
RMS	13.40144G	45.97	68.20	-22.23	28.42	3	Vertical	1	2.20	24	40.31	9.39	32.15			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40431G	60.00	88.20	-28.20	42.44	3	Horizontal	360	1.80	24	40.32	9.39	32.15			
RMS	13.40544G	45.90	88.20	-42.30	28.34	3	Horizontal	360	1.80	24	40.32	9.39	32.15			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



EUT_X_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.03382G	48.69	83.54	-34.85	44.99	1	Vertical	339	1.78	24	37.73	15.23	49.26			
AV	20.04877G	34.84	63.54	-28.70	31.16	1	Vertical	339	1.78	24	37.70	15.24	49.26			