


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




EUT_X_4TX
 Setting 20
 05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30123G	53.11	83.54	-30.43	49.91	1	Horizontal	191	1.62	-	37.50	15.28	49.58			
AV	18.32037G	42.46	63.54	-21.08	39.27	1	Horizontal	191	1.62	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	81.86	88.20	-6.34	74.26	3	Vertical	294	1.80	-	32.40	7.64	32.44			
RMS	5.925G	67.52	68.20	-0.68	59.92	3	Vertical	294	1.80	-	32.40	7.64	32.44			
PK	6.0658G	110.84	Inf	-Inf	103.01	3	Vertical	294	1.80	-	32.57	7.69	32.43			
RMS	6.0858G	100.94	Inf	-Inf	93.14	3	Vertical	294	1.80	-	32.53	7.70	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	78.97	88.20	-9.23	71.37	3	Horizontal	75	1.80	-	32.40	7.64	32.44			
RMS	5.9226G	62.50	68.20	-5.70	54.90	3	Horizontal	75	1.80	-	32.40	7.64	32.44			
PK	6.177G	110.01	Inf	-Inf	101.96	3	Horizontal	75	1.80	-	32.75	7.72	32.42			
RMS	6.1762G	100.41	Inf	-Inf	92.36	3	Horizontal	75	1.80	-	32.75	7.72	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20599G	57.22	74.00	-16.78	39.42	3	Vertical	162	1.89	-	39.10	11.20	32.50			
AV	12.20912G	46.58	54.00	-7.42	28.78	3	Vertical	162	1.89	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20685G	57.74	74.00	-16.26	39.94	3	Horizontal	20	2.64	-	39.10	11.20	32.50			
AV	12.2054G	46.25	54.00	-7.75	28.45	3	Horizontal	20	2.64	-	39.10	11.20	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32463G	52.86	83.54	-30.68	49.68	1	Vertical	125	2.70	-	37.50	15.28	49.60			
AV	18.31087G	42.92	63.54	-20.62	39.73	1	Vertical	125	2.70	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-I-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32587G	53.85	83.54	-29.69	50.67	1	Horizontal	82	1.63	-	37.50	15.28	49.60			
AV	18.31426G	42.61	63.54	-20.93	39.42	1	Horizontal	82	1.63	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-R-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	76.60	88.20	-11.60	69.00	3	Vertical	295	1.80	-	32.40	7.64	32.44			
RMS	5.925G	67.39	68.20	-0.81	59.79	3	Vertical	295	1.80	-	32.40	7.64	32.44			
PK	6.126G	110.82	Inf	-Inf	102.93	3	Vertical	295	1.80	-	32.60	7.71	32.42			
RMS	6.0855G	100.74	Inf	-Inf	92.94	3	Vertical	295	1.80	-	32.53	7.70	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.62	88.20	-12.58	68.02	3	Horizontal	59	1.80	-	32.40	7.64	32.44			
RMS	5.9215G	64.10	68.20	-4.10	56.50	3	Horizontal	59	1.80	-	32.40	7.64	32.44			
PK	6.141G	108.58	Inf	-Inf	100.63	3	Horizontal	59	1.80	-	32.66	7.71	32.42			
RMS	6.0615G	98.57	Inf	-Inf	90.73	3	Horizontal	59	1.80	-	32.58	7.69	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
 Setting 19.5
 01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2232G	54.03	74.00	-19.97	69.27	3	Vertical	176	2.05	-	39.10	11.20	65.54			
AV	12.20934G	42.90	54.00	-11.10	58.15	3	Vertical	176	2.05	-	39.10	11.20	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21072G	54.09	74.00	-19.91	69.34	3	Horizontal	123	1.82	-	39.10	11.20	65.55			
AV	12.20712G	42.83	54.00	-11.17	58.08	3	Horizontal	123	1.82	-	39.10	11.20	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_X_4TX
Setting 19.5
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30321G	53.08	83.54	-30.46	49.89	1	Vertical	158	2.11	-	37.50	15.28	49.59			
AV	18.32808G	41.75	63.54	-21.79	38.57	1	Vertical	158	2.11	-	37.50	15.28	49.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX



EUT_X_4TX
 Setting 19.5
 01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.303G	54.59	83.54	-28.95	51.40	1	Horizontal	199	1.74	-	37.50	15.28	49.59			
AV	18.32553G	42.67	63.54	-20.87	39.49	1	Horizontal	199	1.74	-	37.50	15.28	49.60			




RSE TX above 1GHz_Indoor Access Point_Scanning Radio 5 Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.86	68.20	-0.34	3	Vertical	262	3.00	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 22.5
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	78.90	88.20	-9.30	70.05	3	Vertical	262	3.00	-	34.24	5.76	31.15			
RMS	5.925G	67.86	68.20	-0.34	59.00	3	Vertical	262	3.00	-	34.25	5.77	31.16			
PK	5.9588G	120.44	Inf	-Inf	111.51	3	Vertical	262	3.00	-	34.30	5.80	31.17			
RMS	5.9594G	109.78	Inf	-Inf	100.84	3	Vertical	262	3.00	-	34.30	5.81	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 22.5
02-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	70.21	88.20	-17.99	61.35	3	Horizontal	266	2.23	-	34.25	5.77	31.16			
RMS	5.925G	60.79	68.20	-7.41	51.93	3	Horizontal	266	2.23	-	34.25	5.77	31.16			
PK	5.9526G	112.26	Inf	-Inf	103.33	3	Horizontal	266	2.23	-	34.30	5.80	31.17			
RMS	5.9566G	102.22	Inf	-Inf	93.29	3	Horizontal	266	2.23	-	34.30	5.80	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 22.5
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91756G	52.06	74.00	-21.94	47.28	3	Vertical	112	2.80	-	39.30	8.71	43.23			
AV	11.90988G	39.20	54.00	-14.80	34.42	3	Vertical	112	2.80	-	39.30	8.71	43.23			
PK	17.86965G	63.04	74.00	-10.96	46.47	3	Vertical	21	1.80	-	46.38	11.58	41.39			
AV	17.87856G	49.99	54.00	-4.01	33.37	3	Vertical	21	1.80	-	46.41	11.59	41.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 22.5
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92305G	52.47	74.00	-21.53	47.69	3	Horizontal	32	1.80	-	39.30	8.71	43.23			
AV	11.89725G	38.89	54.00	-15.11	34.11	3	Horizontal	32	1.80	-	39.31	8.71	43.24			
PK	17.85954G	63.31	74.00	-10.69	46.81	3	Horizontal	65	2.61	-	46.34	11.57	41.41			
AV	17.87814G	49.78	54.00	-4.22	33.16	3	Horizontal	65	2.61	-	46.41	11.59	41.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3704G	52.08	74.00	-21.92	47.68	3	Vertical	112	1.80	-	38.66	8.91	43.17			
AV	12.3444G	38.75	54.00	-15.25	34.32	3	Vertical	112	1.80	-	38.70	8.90	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.478G	51.18	74.00	-22.82	46.77	3	Horizontal	257	1.80	-	38.60	8.96	43.15			
AV	12.3962G	38.65	54.00	-15.35	34.28	3	Horizontal	257	1.80	-	38.61	8.92	43.16			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58737G	64.03	83.54	-19.51	61.56	1	Vertical	297	1.79	-	37.70	15.27	50.50			
AV	18.58551G	49.98	63.54	-13.56	47.51	1	Vertical	297	1.79	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57978G	56.28	83.54	-27.26	53.81	1	Horizontal	207	2.28	-	37.70	15.27	50.50			
AV	18.58704G	42.32	63.54	-21.22	39.85	1	Horizontal	207	2.28	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.923G	52.04	88.20	-36.16	46.45	3	Vertical	269	1.80	-	39.15	9.17	42.73			
RMS	12.8764G	38.48	68.20	-29.72	33.05	3	Vertical	269	1.80	-	39.05	9.15	42.77			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8506G	50.69	88.20	-37.51	45.35	3	Horizontal	87	1.24	-	39.00	9.14	42.80			
RMS	12.8732G	38.39	68.20	-29.81	32.97	3	Horizontal	87	1.24	-	39.05	9.15	42.78			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25598G	64.30	83.54	-19.24	62.46	1	Vertical	308	1.80	-	37.91	15.24	51.31			
AV	19.24719G	49.92	63.54	-13.62	48.07	1	Vertical	308	1.80	-	37.91	15.24	51.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25052G	63.61	83.54	-19.93	61.77	1	Horizontal	206	1.95	-	37.90	15.24	51.30			
AV	19.24773G	49.08	63.54	-14.46	47.24	1	Horizontal	206	1.95	-	37.90	15.24	51.30			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9442G	51.46	88.20	-36.74	45.80	3	Vertical	284	1.80	-	39.19	9.18	42.71			
RMS	12.9634G	38.53	68.20	-29.67	32.80	3	Vertical	284	1.80	-	39.23	9.19	42.69			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9472G	51.70	88.20	-36.50	46.03	3	Horizontal	222	2.17	-	39.19	9.18	42.70			
RMS	12.9462G	38.50	68.20	-29.70	32.83	3	Horizontal	222	2.17	-	39.19	9.18	42.70			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30407G	65.17	83.54	-18.37	63.32	1	Vertical	330	1.80	-	37.98	15.23	51.36			
AV	19.30452G	51.04	63.54	-12.50	49.20	1	Vertical	330	1.80	-	37.98	15.23	51.37			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.31064G	61.43	83.54	-22.11	59.61	1	Horizontal	207	2.02	-	37.96	15.23	51.37			
AV	19.30536G	47.02	63.54	-16.52	45.18	1	Horizontal	207	2.02	-	37.98	15.23	51.37			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.035G	52.18	88.20	-36.02	46.18	3	Vertical	0	1.00	-	39.44	9.22	42.66			
RMS	13.0486G	39.38	68.20	-28.82	33.32	3	Vertical	0	1.00	-	39.49	9.23	42.66			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0404G	52.91	88.20	-35.29	46.89	3	Horizontal	20	1.80	-	39.46	9.22	42.66			
RMS	13.0178G	39.51	68.20	-28.69	33.58	3	Horizontal	20	1.80	-	39.37	9.21	42.65			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42428G	65.12	83.54	-18.42	63.50	1	Vertical	304	1.80	-	37.90	15.23	51.51			
AV	19.42533G	50.89	63.54	-12.65	49.27	1	Vertical	304	1.80	-	37.90	15.23	51.51			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41507G	63.13	83.54	-20.41	61.46	1	Horizontal	206	2.00	-	37.94	15.23	51.50			
AV	19.42323G	48.51	63.54	-15.03	46.88	1	Horizontal	206	2.00	-	37.91	15.23	51.51			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1052G	52.89	88.20	-35.31	46.50	3	Vertical	22	1.80	-	39.81	9.25	42.67			
RMS	13.1258G	40.08	68.20	-28.12	33.65	3	Vertical	22	1.80	-	39.85	9.26	42.68			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1108G	52.60	88.20	-35.60	46.19	3	Horizontal	44	1.80	-	39.82	9.26	42.67			
RMS	13.1118G	40.09	68.20	-28.11	33.68	3	Horizontal	44	1.80	-	39.82	9.26	42.67			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54725G	65.90	83.54	-17.64	64.23	1	Vertical	302	1.80	-	38.09	15.22	51.64			
AV	19.54749G	52.14	63.54	-11.40	50.47	1	Vertical	302	1.80	-	38.09	15.22	51.64			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54512G	62.27	83.54	-21.27	60.60	1	Horizontal	206	2.01	-	38.09	15.22	51.64			
AV	19.54611G	48.76	63.54	-14.78	47.09	1	Horizontal	206	2.01	-	38.09	15.22	51.64			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.089G	52.73	88.20	-35.47	46.42	3	Vertical	60	1.31	-	39.73	9.25	42.67			
RMS	13.0864G	39.98	68.20	-28.22	33.68	3	Vertical	60	1.31	-	39.72	9.25	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1114G	52.53	88.20	-35.67	46.12	3	Horizontal	293	2.09	-	39.82	9.26	42.67			
RMS	13.1086G	40.07	68.20	-28.13	33.66	3	Horizontal	293	2.09	-	39.82	9.26	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61052G	67.15	83.54	-16.39	65.76	1	Vertical	303	1.80	-	37.86	15.22	51.69			
AV	19.6056G	53.10	63.54	-10.44	51.73	1	Vertical	303	1.80	-	37.83	15.22	51.68			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61409G	61.80	83.54	-21.74	60.39	1	Horizontal	206	2.02	-	37.88	15.22	51.69			
AV	19.60704G	47.61	63.54	-15.93	46.24	1	Horizontal	206	2.02	-	37.84	15.22	51.69			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4636G	53.63	88.20	-34.57	46.43	3	Vertical	40	1.80	-	40.53	9.42	42.75			
RMS	13.4374G	41.16	68.20	-27.04	34.00	3	Vertical	40	1.80	-	40.50	9.41	42.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.417G	53.81	88.20	-34.39	46.65	3	Horizontal	152	1.32	-	40.50	9.40	42.74			
RMS	13.433G	42.42	68.20	-25.78	35.26	3	Horizontal	152	1.32	-	40.50	9.41	42.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07849G	57.62	83.54	-25.92	56.55	1	Vertical	46	1.80	-	37.81	15.26	52.00			
AV	20.08497G	43.26	63.54	-20.28	42.15	1	Vertical	46	1.80	-	37.84	15.27	52.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07642G	55.88	83.54	-27.66	54.81	1	Horizontal	210	2.13	-	37.81	15.26	52.00			
AV	20.08425G	41.57	63.54	-21.97	40.46	1	Horizontal	210	2.13	-	37.84	15.27	52.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74732G	65.26	88.20	-22.94	43.71	3	Vertical	80	1.06	-	40.19	11.78	30.42			
RMS	13.75107G	51.84	68.20	-16.36	30.28	3	Vertical	80	1.06	-	40.20	11.79	30.43			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75015G	65.43	88.20	-22.77	43.87	3	Horizontal	81	1.61	-	40.20	11.79	30.43			
RMS	13.75163G	51.91	68.20	-16.29	30.35	3	Horizontal	81	1.61	-	40.20	11.79	30.43			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62198G	64.34	83.54	-19.20	62.73	1	Vertical	109	1.55	-	37.96	15.70	52.05			
AV	20.62098G	49.68	63.54	-13.86	48.07	1	Vertical	109	1.55	-	37.96	15.70	52.05			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 28
01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.627G	63.21	83.54	-20.33	61.61	1	Horizontal	310	1.57	-	37.95	15.70	52.05			
AV	20.62275G	49.01	63.54	-14.53	47.41	1	Horizontal	310	1.57	-	37.95	15.70	52.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8774G	55.17	88.20	-33.03	46.94	3	Vertical	216	1.03	-	41.15	9.61	42.53			
RMS	13.7426G	41.76	68.20	-26.44	33.83	3	Vertical	216	1.03	-	40.99	9.55	42.61			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7234G	54.51	88.20	-33.69	46.65	3	Horizontal	291	2.97	-	40.95	9.54	42.63			
RMS	13.6972G	41.91	68.20	-26.29	34.13	3	Horizontal	291	2.97	-	40.89	9.53	42.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67501G	56.66	83.54	-26.88	55.09	1	Vertical	306	1.80	-	37.90	15.74	52.07			
AV	20.68842G	41.99	63.54	-21.55	40.42	1	Vertical	306	1.80	-	37.90	15.75	52.08			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68911G	51.54	83.54	-32.00	49.97	1	Horizontal	208	1.96	-	37.90	15.75	52.08			
AV	20.68374G	37.72	63.54	-25.82	36.14	1	Horizontal	208	1.96	-	37.90	15.75	52.07			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14G	55.52	88.20	-32.68	46.81	3	Vertical	236	1.80	-	41.50	9.67	42.46			
RMS	14.089G	42.80	68.20	-25.40	33.76	3	Vertical	236	1.80	-	41.78	9.70	42.44			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 28
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0788G	55.95	88.20	-32.25	46.94	3	Horizontal	272	1.79	-	41.76	9.69	42.44			
RMS	14.0804G	42.73	68.20	-25.47	33.72	3	Horizontal	272	1.79	-	41.76	9.69	42.44			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98767G	56.18	83.54	-27.36	54.44	1	Vertical	283	1.80	-	37.95	15.99	52.20			
AV	20.98614G	42.22	63.54	-21.32	40.46	1	Vertical	283	1.80	-	37.96	15.99	52.19			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 28
06-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98035G	50.00	83.54	-33.54	48.23	1	Horizontal	215	2.13	-	37.98	15.98	52.19			
AV	20.98569G	36.93	63.54	-26.61	35.17	1	Horizontal	215	2.13	-	37.96	15.99	52.19			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0918G	110.17	Inf	-Inf	100.18	3	Vertical	99	2.09	-	35.58	6.40	31.99			
RMS	7.0927G	99.66	Inf	-Inf	89.66	3	Vertical	99	2.09	-	35.59	6.40	31.99			
PK	7.1254G	77.65	88.20	-10.55	67.55	3	Vertical	99	2.09	-	35.70	6.41	32.01			
RMS	7.125G	67.33	68.20	-0.87	57.23	3	Vertical	99	2.09	-	35.70	6.41	32.01			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0929G	109.46	Inf	-Inf	99.46	3	Horizontal	96	2.02	-	35.59	6.40	31.99			
RMS	7.0931G	99.49	Inf	-Inf	89.49	3	Horizontal	96	2.02	-	35.59	6.40	31.99			
PK	7.1251G	79.48	88.20	-8.72	69.38	3	Horizontal	96	2.02	-	35.70	6.41	32.01			
RMS	7.125G	67.16	68.20	-1.04	57.06	3	Horizontal	96	2.02	-	35.70	6.41	32.01			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
02-I-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.3127G	55.63	88.20	-32.57	45.94	3	Vertical	191	1.80	-	42.30	9.77	42.38			
RMS	14.316G	44.13	68.20	-24.07	34.44	3	Vertical	191	1.80	-	42.30	9.77	42.38			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
02-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.3193G	56.73	88.20	-31.47	47.04	3	Horizontal	326	1.80	-	42.30	9.77	42.38			
RMS	14.3181G	44.00	68.20	-24.20	34.31	3	Horizontal	326	1.80	-	42.30	9.77	42.38			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28527G	53.51	83.54	-30.03	51.20	1	Vertical	285	1.80	-	38.28	16.23	52.20			
AV	21.28761G	39.58	63.54	-23.96	37.25	1	Vertical	285	1.80	-	38.30	16.23	52.20			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 26.5
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29352G	46.81	83.54	-36.73	44.43	1	Horizontal	298	1.80	-	38.35	16.23	52.20			
AV	21.2856G	33.48	63.54	-30.06	31.17	1	Horizontal	298	1.80	-	38.28	16.23	52.20			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1115G	105.71	Inf	-Inf	95.65	3	Vertical	24	2.06	80_BP 1M	35.65	6.41	32.00			
RMS	7.1115G	98.41	Inf	-Inf	88.35	3	Vertical	24	2.06	80_BP 1M	35.65	6.41	32.00			
PK	7.1255G	77.25	88.20	-10.95	67.15	3	Vertical	24	2.06	80_BP 1M	35.70	6.41	32.01			
RMS	7.1255G	67.38	68.20	-0.82	57.28	3	Vertical	24	2.06	80_BP 1M	35.70	6.41	32.01			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1075G	96.48	Inf	-Inf	86.45	3	Horizontal	97	2.06	80_BP 1M	35.63	6.40	32.00			
RMS	7.1095G	89.80	Inf	-Inf	79.76	3	Horizontal	97	2.06	80_BP 1M	35.64	6.40	32.00			
PK	7.1255G	70.60	88.20	-17.60	60.50	3	Horizontal	97	2.06	80_BP 1M	35.70	6.41	32.01			
RMS	7.1255G	60.76	68.20	-7.44	50.66	3	Horizontal	97	2.06	80_BP 1M	35.70	6.41	32.01			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
02-I-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.239G	55.18	88.20	-33.02	45.56	3	Vertical	360	1.58	-	42.28	9.74	42.40			
RMS	14.3773G	44.05	68.20	-24.15	34.33	3	Vertical	360	1.58	-	42.30	9.79	42.37			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
02-I-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.368G	56.01	88.20	-32.19	46.30	3	Horizontal	94	1.80	-	42.30	9.78	42.37			
RMS	14.3776G	44.10	68.20	-24.10	34.38	3	Horizontal	94	1.80	-	42.30	9.79	42.37			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Z_1TX
Setting 12
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34689G	44.67	83.54	-38.87	42.28	1	Vertical	359.9	1.80	-	38.31	16.28	52.20			
AV	21.35355G	33.13	63.54	-30.41	30.73	1	Vertical	359.9	1.80	-	38.32	16.28	52.20			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX



EUT_Z_1TX
Setting 12
06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34404G	44.34	83.54	-39.20	41.95	1	Horizontal	1	1.80	-	38.31	16.28	52.20			
AV	21.34035G	33.13	63.54	-30.41	30.74	1	Horizontal	1	1.80	-	38.32	16.27	52.20			



**RSE TX above 1GHz_Standard Power Access Point_
Scanning Radio 5**


Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	5.925G	67.86	68.20	-0.34	3	Vertical	262	3.00	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	78.90	88.20	-9.30	70.05	3	Vertical	262	3.00	-	34.24	5.76	31.15			
RMS	5.925G	67.86	68.20	-0.34	59.00	3	Vertical	262	3.00	-	34.25	5.77	31.16			
PK	5.9588G	120.44	Inf	-Inf	111.51	3	Vertical	262	3.00	-	34.30	5.80	31.17			
RMS	5.9594G	109.78	Inf	-Inf	100.84	3	Vertical	262	3.00	-	34.30	5.81	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	70.21	88.20	-17.99	61.35	3	Horizontal	266	2.23	-	34.25	5.77	31.16			
RMS	5.925G	60.79	68.20	-7.41	51.93	3	Horizontal	266	2.23	-	34.25	5.77	31.16			
PK	5.9526G	112.26	Inf	-Inf	103.33	3	Horizontal	266	2.23	-	34.30	5.80	31.17			
RMS	5.9566G	102.22	Inf	-Inf	93.29	3	Horizontal	266	2.23	-	34.30	5.80	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91756G	52.06	74.00	-21.94	47.28	3	Vertical	112	2.80	-	39.30	8.71	43.23			
AV	11.90988G	39.20	54.00	-14.80	34.42	3	Vertical	112	2.80	-	39.30	8.71	43.23			
PK	17.86965G	63.04	74.00	-10.96	46.47	3	Vertical	21	1.80	-	46.38	11.58	41.39			
AV	17.87856G	49.99	54.00	-4.01	33.37	3	Vertical	21	1.80	-	46.41	11.59	41.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92305G	52.47	74.00	-21.53	47.69	3	Horizontal	32	1.80	-	39.30	8.71	43.23			
AV	11.89725G	38.89	54.00	-15.11	34.11	3	Horizontal	32	1.80	-	39.31	8.71	43.24			
PK	17.85954G	63.31	74.00	-10.69	46.81	3	Horizontal	65	2.61	-	46.34	11.57	41.41			
AV	17.87814G	49.78	54.00	-4.22	33.16	3	Horizontal	65	2.61	-	46.41	11.59	41.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3704G	52.08	74.00	-21.92	47.68	3	Vertical	112	1.80	-	38.66	8.91	43.17			
AV	12.3444G	38.75	54.00	-15.25	34.32	3	Vertical	112	1.80	-	38.70	8.90	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.478G	51.18	74.00	-22.82	46.77	3	Horizontal	257	1.80	-	38.60	8.96	43.15			
AV	12.3962G	38.65	54.00	-15.35	34.28	3	Horizontal	257	1.80	-	38.61	8.92	43.16			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58737G	64.03	83.54	-19.51	61.56	1	Vertical	297	1.79	-	37.70	15.27	50.50			
AV	18.58551G	49.98	63.54	-13.56	47.51	1	Vertical	297	1.79	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57978G	56.28	83.54	-27.26	53.81	1	Horizontal	207	2.28	-	37.70	15.27	50.50			
AV	18.58704G	42.32	63.54	-21.22	39.85	1	Horizontal	207	2.28	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.923G	52.04	88.20	-36.16	46.45	3	Vertical	269	1.80	-	39.15	9.17	42.73			
RMS	12.8764G	38.48	68.20	-29.72	33.05	3	Vertical	269	1.80	-	39.05	9.15	42.77			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8506G	50.69	88.20	-37.51	45.35	3	Horizontal	87	1.24	-	39.00	9.14	42.80			
RMS	12.8732G	38.39	68.20	-29.81	32.97	3	Horizontal	87	1.24	-	39.05	9.15	42.78			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25598G	64.30	83.54	-19.24	62.46	1	Vertical	308	1.80	-	37.91	15.24	51.31			
AV	19.24719G	49.92	63.54	-13.62	48.07	1	Vertical	308	1.80	-	37.91	15.24	51.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25052G	63.61	83.54	-19.93	61.77	1	Horizontal	206	1.95	-	37.90	15.24	51.30			
AV	19.24773G	49.08	63.54	-14.46	47.24	1	Horizontal	206	1.95	-	37.90	15.24	51.30			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.089G	52.73	88.20	-35.47	46.42	3	Vertical	60	1.31	-	39.73	9.25	42.67			
RMS	13.0864G	39.98	68.20	-28.22	33.68	3	Vertical	60	1.31	-	39.72	9.25	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1114G	52.53	88.20	-35.67	46.12	3	Horizontal	293	2.09	-	39.82	9.26	42.67			
RMS	13.1086G	40.07	68.20	-28.13	33.66	3	Horizontal	293	2.09	-	39.82	9.26	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61052G	67.15	83.54	-16.39	65.76	1	Vertical	303	1.80	-	37.86	15.22	51.69			
AV	19.6056G	53.10	63.54	-10.44	51.73	1	Vertical	303	1.80	-	37.83	15.22	51.68			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61409G	61.80	83.54	-21.74	60.39	1	Horizontal	206	2.02	-	37.88	15.22	51.69			
AV	19.60704G	47.61	63.54	-15.93	46.24	1	Horizontal	206	2.02	-	37.84	15.22	51.69			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4636G	53.63	88.20	-34.57	46.43	3	Vertical	40	1.80	-	40.53	9.42	42.75			
RMS	13.4374G	41.16	68.20	-27.04	34.00	3	Vertical	40	1.80	-	40.50	9.41	42.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
 Setting 28
 02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.417G	53.81	88.20	-34.39	46.65	3	Horizontal	152	1.32	-	40.50	9.40	42.74			
RMS	13.433G	42.42	68.20	-25.78	35.26	3	Horizontal	152	1.32	-	40.50	9.41	42.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.078497G	57.62	83.54	-25.92	56.55	1	Vertical	46	1.80	-	37.81	15.26	52.00			
AV	20.08497G	43.26	63.54	-20.28	42.15	1	Vertical	46	1.80	-	37.84	15.27	52.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
 Setting 28
 06-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07642G	55.88	83.54	-27.66	54.81	1	Horizontal	210	2.13	-	37.81	15.26	52.00			
AV	20.08425G	41.57	63.54	-21.97	40.46	1	Horizontal	210	2.13	-	37.84	15.27	52.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
 Setting 28
 01-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71421G	64.59	88.20	-23.61	43.11	3	Vertical	215	2.54	-	40.13	11.77	30.42			
RMS	13.71448G	51.33	68.20	-16.87	29.85	3	Vertical	215	2.54	-	40.13	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
 Setting 28
 01-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71043G	64.95	88.20	-23.25	43.48	3	Horizontal	343	1.73	-	40.12	11.77	30.42			
RMS	13.71349G	51.06	68.20	-17.14	29.58	3	Horizontal	343	1.73	-	40.13	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
 Setting 28
 01-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56492G	65.11	83.54	-18.43	63.56	1	Vertical	227	1.54	-	37.93	15.65	52.03			
AV	20.56108G	50.50	63.54	-13.04	48.95	1	Vertical	227	1.54	-	37.92	15.65	52.02			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX



EUT_Z_1TX
 Setting 28
 01-E-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56767G	64.79	83.54	-18.75	63.23	1	Horizontal	94	1.51	-	37.94	15.65	52.03			
AV	20.56003G	50.46	63.54	-13.08	48.91	1	Horizontal	94	1.51	-	37.92	15.65	52.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

19/04/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.907304G	-1.94	6.90225G	-33.11	-21.34	-11.77	1


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

19/04/2024

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.996052G	0.22	6.9821G	-31.31	-19.80	-11.51	1

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

19/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.62G	1.88	6.579G	-24.18	-18.22	-5.96	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

19/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67521G	1.21	6.6591G	-27.56	-18.81	-8.75	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

19/04/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6712G	5.09	6.503G	-22.85	-15.17	-7.68	1


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

19/04/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75582G	7.00	6.6634G	-18.90	-13.06	-5.84	1


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

19/04/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

19/04/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

19/04/2024



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

19/04/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197699G	-7.69	6.1829G	-40.71	-27.77	-12.94	1
6.203773G	-7.81	6.183G	-40.74	-27.81	-12.93	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

19/04/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410301G	-8.62	6.4033G	-39.44	-28.12	-11.32	1
6.423823G	-8.60	6.426725G	-39.86	-28.62	-11.24	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

19/04/2024



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

19/04/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.523748G	-8.16	6.56395G	-60.73	-48.16	-12.57	1
6.523873G	-8.08	6.55925G	-60.82	-48.08	-12.74	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

19/04/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532201G	-7.76	6.522925G	-40.46	-27.86	-12.60	1
6.530101G	-7.68	6.5229G	-40.53	-27.72	-12.81	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

19/04/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.686227G	-7.23	6.730925G	-59.84	-47.23	-12.61	1
6.703023G	-7.89	6.654275G	-60.16	-47.89	-12.27	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

19/04/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867152G	-6.84	6.8352G	-58.95	-46.84	-12.11	1
6.867102G	-7.21	6.833425G	-59.57	-47.21	-12.36	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

19/04/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89365G	-7.34	6.860525G	-59.22	-47.34	-11.88	1
6.887752G	-7.49	6.883525G	-37.24	-27.51	-9.73	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

19/04/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.991776G	-7.63	6.962525G	-59.66	-47.14	-12.52	1
6.987727G	-8.17	6.983325G	-38.03	-27.77	-10.26	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

19/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

19/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.469954G	-3.55	6.4625G	-34.59	-23.63	-10.96	1
6.502696G	-3.72	6.50745G	-35.42	-23.72	-11.70	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

19/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519501G	-3.61	6.60065G	-56.11	-43.61	-12.50	1
6.529749G	-3.73	6.5025G	-34.48	-23.79	-10.69	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

19/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

19/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

19/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

19/04/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01039G	-1.00	6.0305G	-30.18	-21.05	-9.13	1
6.01389G	-0.99	6.0299G	-30.85	-20.99	-9.86	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

19/04/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2302G	-0.34	6.1806G	-27.76	-20.39	-7.37	1
6.25559G	0.12	6.1803G	-28.65	-19.93	-8.72	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34791G	-1.71	6.3407G	-30.87	-21.79	-9.08	1
6.3721G	-1.47	6.4303G	-31.01	-21.51	-9.50	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49169G	-1.17	6.4196G	-31.48	-21.18	-10.30	1
6.4697G	-1.35	6.5111G	-31.49	-21.37	-10.12	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57529G	-0.74	6.5003G	-29.16	-20.75	-8.41	1
6.5306G	-0.70	6.5002G	-29.16	-20.70	-8.46	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

20/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6136G	-0.56	6.58G	-28.37	-20.66	-7.71	1
6.6293G	-0.49	6.5794G	-30.17	-20.50	-9.67	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

20/04/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67181G	-0.54	6.6605G	-28.30	-20.61	-7.69	1
6.7004G	-0.69	6.6597G	-29.81	-20.73	-9.08	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

20/04/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75871G	-0.67	6.74G	-30.03	-20.67	-9.36	1
6.75801G	-1.00	6.7401G	-29.80	-21.04	-8.76	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

20/04/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98801G	-0.65	6.9778G	-30.76	-20.69	-10.07	1
6.99021G	-0.13	6.9803G	-27.11	-20.28	-6.83	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

20/04/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05179G	2.26	6.273G	-45.19	-37.43	-7.76	1
6.08339G	2.03	6.2804G	-46.26	-37.97	-8.29	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

20/04/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1902G	2.02	6.3872G	-36.91	-30.48	-6.43	1
6.25998G	2.60	6.3934G	-36.57	-30.85	-5.72	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

20/04/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27142G	1.49	6.604G	-46.73	-38.51	-8.22	1
6.3526G	1.44	6.601G	-47.20	-38.56	-8.64	2


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

20/04/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53579G	1.69	6.6942G	-37.62	-28.98	-8.64	1
6.46821G	1.49	6.6904G	-35.14	-28.31	-6.83	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

20/04/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58782G	1.82	6.4756G	-35.31	-28.33	-6.98	1
6.6708G	1.66	6.468G	-34.80	-30.18	-4.62	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

20/04/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75922G	2.62	6.5652G	-44.46	-37.38	-7.08	1
6.75542G	2.46	6.6224G	-36.96	-29.73	-7.23	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

20/04/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91062G	2.69	6.7998G	-32.38	-27.08	-5.30	1
6.91002G	3.17	6.8244G	-26.18	-22.32	-3.86	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

20/04/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13019G	5.34	6.3946G	-19.17	-16.28	-2.89	1
6.25696G	5.15	6.3918G	-20.15	-16.15	-4.00	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

20/04/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.271G	5.32	6.5834G	-21.30	-14.68	-6.62	1
6.35458G	5.24	6.5274G	-20.00	-15.03	-4.97	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

20/04/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36981G	4.63	6.7958G	-24.16	-15.37	-8.79	1
6.37261G	4.62	6.7346G	-21.51	-15.78	-5.73	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

20/04/2024

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5742G	4.65	6.9038G	-23.63	-15.42	-8.21	1
6.567G	4.65	6.9134G	-22.40	-15.41	-6.99	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

20/04/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7358G	5.02	6.4766G	-20.20	-15.07	-5.13	1
6.71981G	4.86	6.4334G	-20.54	-15.51	-5.03	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

20/04/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76064G	0.89	6.405G	-44.33	-39.11	-5.22	1
6.75264G	0.89	6.4042G	-44.74	-39.05	-5.69	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958574G	-9.25	6.003275G	-60.83	-49.25	-11.58	1
5.963173G	-9.27	6.00365G	-61.17	-49.27	-11.90	2
5.962548G	-9.10	6.00115G	-60.81	-49.10	-11.71	3
5.964198G	-9.43	6.000875G	-61.25	-49.43	-11.82	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198099G	-10.32	6.1535G	-61.23	-50.32	-10.91	1
6.204023G	-9.97	6.2338G	-60.90	-49.97	-10.93	2
6.198374G	-10.00	6.22835G	-61.00	-50.00	-11.00	3
6.198299G	-10.33	6.23405G	-61.24	-50.33	-10.91	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.424023G	-12.92	6.45925G	-61.00	-52.92	-8.08	1
6.418749G	-12.72	6.460225G	-61.44	-52.72	-8.72	2
6.415975G	-12.64	6.463475G	-60.94	-52.64	-8.30	3
6.422498G	-12.33	6.455025G	-61.21	-52.33	-8.88	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427077G	-13.17	6.4796G	-61.13	-53.17	-7.96	1
6.443498G	-13.07	6.472425G	-61.29	-53.07	-8.22	2
6.43635G	-13.20	6.48255G	-60.86	-53.20	-7.66	3
6.427477G	-13.20	6.47885G	-61.38	-53.20	-8.18	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.483823G	-12.83	6.4382G	-61.28	-52.83	-8.45	1
6.467202G	-12.87	6.525G	-61.46	-52.87	-8.59	2
6.484248G	-13.01	6.4382G	-60.78	-53.01	-7.77	3
6.467852G	-13.37	6.425G	-61.22	-53.37	-7.85	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

20/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521398G	-12.50	6.55235G	-61.18	-52.50	-8.68	1
6.523673G	-12.57	6.472625G	-60.85	-52.57	-8.28	2
6.517599G	-12.25	6.56435G	-60.99	-52.25	-8.74	3
6.507852G	-12.30	6.554325G	-61.19	-52.30	-8.89	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

20/04/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526727G	-12.40	6.574125G	-60.97	-52.40	-8.57	1
6.542398G	-12.29	6.573825G	-60.89	-52.29	-8.60	2
6.533225G	-12.14	6.571375G	-60.83	-52.14	-8.69	3
6.542098G	-12.34	6.570925G	-61.24	-52.34	-8.90	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

20/04/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688152G	-12.13	6.733G	-60.28	-52.13	-8.15	1
6.687102G	-12.94	6.729275G	-60.41	-52.94	-7.47	2
6.685627G	-12.81	6.730475G	-60.20	-52.81	-7.39	3
6.687352G	-12.69	6.740075G	-60.37	-52.69	-7.68	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867952G	-10.88	6.833675G	-59.53	-50.88	-8.65	1
6.866952G	-10.83	6.8413G	-59.58	-50.83	-8.75	2
6.883623G	-10.81	6.835175G	-59.03	-50.81	-8.22	3
6.883673G	-10.65	6.842075G	-59.70	-50.65	-9.05	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.902173G	-10.31	6.856625G	-59.67	-50.31	-9.36	1
6.887002G	-10.27	6.8612G	-60.05	-50.27	-9.78	2
6.903548G	-10.41	6.845225G	-59.47	-50.41	-9.06	3
6.887577G	-10.18	6.859625G	-59.55	-50.18	-9.37	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.108302G	-21.08	7.078675G	-63.66	-61.08	-2.58	1
7.106127G	-20.58	7.075875G	-63.91	-60.58	-3.33	2
7.107527G	-20.31	7.069825G	-63.49	-60.31	-3.18	3
7.106227G	-20.45	7.076175G	-63.98	-60.45	-3.53	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.983145G	-8.01	5.9869G	-36.50	-28.03	-8.47	1
5.982296G	-7.72	6.0469G	-56.80	-47.72	-9.08	2
5.972348G	-7.55	6.06485G	-56.34	-47.55	-8.79	3
5.981096G	-8.04	6.0518G	-56.93	-48.04	-8.89	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190054G	-7.93	6.27775G	-57.47	-47.93	-9.54	1
6.216597G	-8.18	6.1258G	-57.54	-48.18	-9.36	2
6.221646G	-8.03	6.105G	-56.92	-48.03	-8.89	3
6.215897G	-8.35	6.27065G	-57.44	-48.35	-9.09	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.386705G	-8.00	6.4836G	-56.90	-48.00	-8.90	1
6.421996G	-8.31	6.47035G	-56.88	-48.31	-8.57	2
6.421496G	-7.73	6.5009G	-56.73	-47.73	-9.00	3
6.422996G	-8.59	6.48965G	-57.14	-48.59	-8.55	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

20/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

20/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

20/04/2024

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669454G	-8.11	6.7806G	-56.19	-48.11	-8.08	1
6.680351G	-8.37	6.7739G	-56.38	-48.37	-8.01	2
6.667104G	-8.16	6.78415G	-55.96	-48.16	-7.80	3
6.680351G	-8.27	6.7531G	-56.28	-48.27	-8.01	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

20/04/2024

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.902096G	-6.03	6.8169G	-55.34	-46.03	-9.31	1
6.879151G	-6.33	6.8199G	-55.87	-46.29	-9.58	2
6.902996G	-6.49	6.8063G	-55.28	-46.49	-8.79	3
6.869954G	-6.60	6.8117G	-55.61	-46.60	-9.01	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

20/04/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.921401G	-6.31	6.85625G	-55.07	-46.31	-8.76	1
6.908654G	-6.60	6.84845G	-55.55	-46.60	-8.95	2
6.930049G	-6.53	6.98895G	-54.79	-46.49	-8.30	3
6.909204G	-6.46	6.84695G	-55.68	-46.46	-9.22	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

20/04/2024

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989404G	-7.16	6.9134G	-55.82	-47.16	-8.66	1
6.993853G	-7.24	6.91545G	-56.06	-47.24	-8.82	2
6.987504G	-6.84	6.9121G	-55.71	-46.84	-8.87	3
6.991453G	-7.19	6.90985G	-56.24	-47.19	-9.05	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.068504G	-6.83	6.98875G	-55.51	-46.83	-8.68	1
7.069204G	-6.44	6.98885G	-56.52	-46.44	-10.08	2
7.068404G	-6.42	6.9887G	-55.65	-46.42	-9.23	3
7.072053G	-6.85	6.989G	-56.42	-46.85	-9.57	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01729G	-5.44	6.1579G	-53.92	-45.44	-8.48	1
6.01519G	-5.26	6.1759G	-54.51	-45.26	-9.25	2
6.02299G	-5.10	6.1306G	-53.98	-45.10	-8.88	3
5.9853G	-4.47	6.0294G	-33.96	-24.48	-9.48	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

20/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

20/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

20/04/2024

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8044G	-3.19	6.7404G	-32.34	-23.22	-9.12	1
6.75581G	-3.42	6.6389G	-53.30	-43.42	-9.88	2
6.7936G	-3.54	6.6501G	-52.68	-43.52	-9.16	3
6.75381G	-3.76	6.8298G	-32.96	-23.78	-9.18	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

20/04/2024

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88549G	-3.89	6.6817G	-52.18	-43.89	-8.29	1
6.8731G	-4.32	6.8209G	-32.59	-24.34	-8.25	2
6.82901G	-4.11	6.676G	-52.27	-44.11	-8.16	3
6.83091G	-4.27	6.7069G	-52.54	-44.27	-8.27	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

20/04/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

20/04/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2714G	0.89	6.7654G	-45.24	-39.02	-6.22	1
6.31059G	0.76	6.771G	-45.91	-39.24	-6.67	2
6.2734G	0.76	6.769G	-45.65	-39.24	-6.41	3
6.2718G	0.72	6.7686G	-45.47	-39.28	-6.19	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

20/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28823G	-0.94	6.9446G	-48.68	-40.94	-7.74	1
6.4334G	-1.02	6.9318G	-48.63	-41.02	-7.61	2
6.52498G	-0.97	6.9314G	-48.48	-40.97	-7.51	3
6.27144G	-0.65	6.9302G	-48.13	-40.65	-7.48	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

20/04/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

20/04/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/05/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963823G	-4.94	5.96685G	-39.17	-25.14	-14.03	1
5.963873G	-5.80	5.995575G	-59.34	-45.80	-13.54	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/05/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187502G	-5.92	6.16095G	-58.12	-45.92	-12.20	1
6.203098G	-6.48	6.234925G	-59.37	-46.48	-12.89	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422498G	-3.37	6.44755G	-57.68	-43.37	-14.31	1
6.422048G	-4.48	6.3787G	-58.77	-44.48	-14.29	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443698G	-5.57	6.47395G	-59.12	-45.57	-13.55	1
6.426277G	-6.72	6.469575G	-59.23	-46.72	-12.51	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

24/05/2024



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

24/05/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541648G	-5.20	6.4981G	-58.24	-45.20	-13.04	1
6.526102G	-6.37	6.499825G	-59.22	-46.37	-12.85	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/05/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688602G	-5.79	6.68335G	-38.62	-25.87	-12.75	1
6.701723G	-5.76	6.662975G	-58.59	-45.51	-13.08	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.111301G	-8.36	7.155125G	-59.04	-48.36	-10.68	1
7.109026G	-9.12	7.149725G	-59.10	-49.12	-9.98	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.976247G	-1.00	6.03355G	-53.15	-41.00	-12.15	1
5.983145G	-2.28	6.0325G	-55.32	-42.28	-13.04	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542596G	-0.10	6.5592G	-37.13	-24.43	-12.70	1
6.512853G	-1.61	6.5988G	-55.25	-41.61	-13.64	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.572498G	-2.27	6.4999G	-54.68	-41.60	-13.08	1
6.581596G	-2.61	6.6344G	-55.45	-42.61	-12.84	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59791G	-1.53	6.8222G	-52.07	-41.53	-10.54	1
6.6136G	-2.20	6.8195G	-51.98	-42.20	-9.78	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67621G	-1.73	6.9044G	-51.49	-41.73	-9.76	1
6.7199G	-1.98	6.9022G	-51.19	-41.98	-9.21	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75321G	-0.56	6.9784G	-51.41	-40.56	-10.85	1
6.75791G	1.70	6.9355G	-51.20	-38.30	-12.90	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8459G	-0.82	7.0042G	-51.27	-40.82	-10.45	1
6.90139G	-1.84	6.9972G	-50.74	-41.54	-9.20	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

24/05/2024



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

24/05/2024

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05619G	1.89	6.4014G	-47.89	-38.11	-9.78	1
6.04759G	1.45	6.2866G	-46.46	-38.55	-7.91	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

24/05/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25638G	1.11	6.5678G	-50.13	-38.89	-11.24	1
6.24039G	0.04	6.4862G	-48.15	-39.96	-8.19	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31721G	2.38	6.4896G	-26.57	-20.00	-6.57	1
6.31801G	1.07	6.6018G	-47.11	-38.93	-8.18	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

24/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45521G	2.69	6.6528G	-23.51	-18.72	-4.79	1
6.5228G	1.34	6.652G	-32.14	-24.37	-7.77	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

24/05/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.62961G	0.15	6.821G	-32.95	-26.05	-6.90	1
6.71999G	1.26	6.9212G	-47.72	-38.74	-8.98	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

24/05/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75842G	2.73	6.69G	-26.51	-18.78	-7.73	1
6.75802G	2.85	6.5644G	-46.28	-37.14	-9.14	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

29/05/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

29/05/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2718G	6.53	6.583G	-20.64	-13.92	-6.72	1
6.41536G	5.58	6.581G	-21.60	-15.23	-6.37	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

29/05/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27344G	5.28	6.711G	-21.73	-16.25	-5.48	1
6.48818G	4.49	6.7402G	-24.67	-17.96	-6.71	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

29/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43464G	5.09	6.8894G	-22.37	-15.41	-6.96	1
6.48822G	4.46	6.8994G	-25.04	-16.06	-8.98	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

29/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7606G	5.21	6.4042G	-23.30	-14.89	-8.41	1
6.7338G	4.36	6.4278G	-23.53	-18.56	-4.97	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

29/05/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76024G	0.17	6.399G	-48.69	-39.77	-8.92	1
6.75984G	-0.77	6.4058G	-49.61	-40.77	-8.84	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

29/05/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.964223G	-11.35	6.002875G	-65.34	-51.35	-13.99	1
5.963723G	-11.78	5.999G	-65.94	-51.78	-14.16	2
5.963123G	-10.51	5.96735G	-44.83	-30.54	-14.29	3
5.963798G	-11.00	5.94275G	-44.65	-30.50	-14.15	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

29/05/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

29/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

29/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

29/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

29/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

29/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

29/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

29/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

29/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

29/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

29/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087302G	-10.94	7.082575G	-45.64	-30.99	-14.65	1
7.088752G	-11.13	7.082725G	-44.95	-31.15	-13.80	2
7.087502G	-11.65	7.0829G	-45.63	-31.45	-14.18	3
7.086527G	-10.88	7.082575G	-45.46	-30.89	-14.57	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

29/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.109001G	-9.98	7.1027G	-44.37	-30.00	-14.37	1
7.121923G	-10.81	7.127275G	-45.23	-30.83	-14.40	2
7.110001G	-11.37	7.102525G	-45.00	-31.50	-13.50	3
7.106452G	-10.35	7.1023G	-45.38	-30.55	-14.83	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

23/05/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

23/05/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

23/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

23/05/2024



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

23/05/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473203G	-2.22	6.56435G	-55.73	-42.22	-13.51	1
6.488799G	-2.50	6.4161G	-55.88	-42.50	-13.38	2
6.488149G	-2.11	6.5187G	-33.98	-25.42	-8.56	3
6.502396G	-2.69	6.418G	-56.03	-42.69	-13.34	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

23/05/2024

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538147G	-1.43	6.5915G	-55.17	-41.43	-13.74	1
6.52355G	-2.59	6.45995G	-55.59	-42.52	-13.07	2
6.537547G	-2.11	6.5606G	-34.07	-22.35	-11.72	3
6.519651G	-2.11	6.43295G	-55.84	-42.11	-13.73	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

23/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

23/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

23/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

23/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

23/05/2024



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

23/05/2024

