


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65321G	57.76	74.00	-16.24	47.95	3	Vertical	51	1.56	-	40.40	12.08	42.67			
RMS	13.64847G	44.06	54.00	-9.94	34.25	3	Vertical	51	1.56	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65261G	58.14	74.00	-15.86	48.33	3	Horizontal	229	2.16	-	40.40	12.08	42.67			
RMS	13.6502G	44.03	54.00	-9.97	34.22	3	Horizontal	229	2.16	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 22
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47493G	42.30	83.54	-41.24	38.07	1	Vertical	357	1.78	-	37.80	15.58	49.15			
AV	20.47463G	28.65	63.54	-34.89	24.42	1	Vertical	357	1.78	-	37.80	15.58	49.15			
PK	27.29958G	57.60	97.74	-40.14	44.99	1	Vertical	62	1.00	-	39.90	18.48	45.77			
RMS	27.29953G	43.85	77.74	-33.89	31.24	1	Vertical	62	1.00	-	39.90	18.48	45.77			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 22
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47458G	42.37	83.54	-41.17	38.14	1	Horizontal	330	2.44	-	37.80	15.58	49.15			
AV	20.47459G	28.49	63.54	-35.05	24.26	1	Horizontal	330	2.44	-	37.80	15.58	49.15			
PK	27.2997G	57.70	97.74	-40.04	45.09	1	Horizontal	315	2.27	-	39.90	18.48	45.77			
RMS	27.29987G	43.82	77.74	-33.92	31.21	1	Horizontal	315	2.27	-	39.90	18.48	45.77			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9195G	108.97	Inf	-Inf	100.46	3	Vertical	288	1.20	-	35.60	8.37	35.46			
RMS	6.9175G	97.68	Inf	-Inf	89.17	3	Vertical	288	1.20	-	35.60	8.37	35.46			
PK	7.137G	81.36	88.20	-6.84	72.56	3	Vertical	288	1.20	-	35.85	8.43	35.48			
RMS	7.1285G	62.74	68.20	-5.46	53.99	3	Vertical	288	1.20	-	35.81	8.43	35.49			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9295G	109.88	Inf	-Inf	101.38	3	Horizontal	68	1.60	-	35.60	8.37	35.47			
RMS	6.928G	97.54	Inf	-Inf	89.04	3	Horizontal	68	1.60	-	35.60	8.37	35.47			
PK	7.129G	83.98	88.20	-4.22	75.22	3	Horizontal	68	1.60	-	35.82	8.43	35.49			
RMS	7.1405G	62.46	68.20	-5.74	53.64	3	Horizontal	68	1.60	-	35.86	8.44	35.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96996G	57.87	88.20	-30.33	47.08	3	Vertical	239	1.91	-	41.08	12.19	42.48			
RMS	13.96593G	44.77	68.20	-23.43	34.00	3	Vertical	239	1.91	-	41.06	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97417G	57.61	88.20	-30.59	46.80	3	Horizontal	132	2.91	-	41.10	12.19	42.48			
RMS	13.97076G	44.87	68.20	-23.33	34.08	3	Horizontal	132	2.91	-	41.08	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95504G	44.92	83.54	-38.62	39.78	1	Vertical	318	2.19	-	38.08	15.96	48.90			
AV	20.95471G	31.69	63.54	-31.85	26.55	1	Vertical	318	2.19	-	38.08	15.96	48.90			
PK	27.93987G	57.77	97.74	-39.97	44.50	1	Vertical	114	2.03	-	40.06	18.86	45.65			
RMS	27.93953G	43.96	77.74	-33.78	30.69	1	Vertical	114	2.03	-	40.06	18.86	45.65			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
 Setting 22
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95545G	45.36	83.54	-38.18	40.22	1	Horizontal	182	1.62	-	38.08	15.96	48.90			
AV	20.95461G	31.54	63.54	-32.00	26.40	1	Horizontal	182	1.62	-	38.08	15.96	48.90			
PK	27.93956G	57.33	97.74	-40.41	44.06	1	Horizontal	244	2.04	-	40.06	18.86	45.65			
RMS	27.93979G	43.89	77.74	-33.85	30.62	1	Horizontal	244	2.04	-	40.06	18.86	45.65			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	75.87	88.20	-12.33	68.83	3	Vertical	309	1.00	-	34.52	7.62	35.10			
RMS	5.9242G	64.11	68.20	-4.09	57.03	3	Vertical	309	1.00	-	34.55	7.63	35.10			
PK	6.0458G	107.18	Inf	-Inf	99.96	3	Vertical	309	1.00	-	34.60	7.74	35.12			
RMS	6.2314G	97.72	Inf	-Inf	89.89	3	Vertical	309	1.00	-	34.94	7.94	35.05			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	76.49	88.20	-11.71	69.42	3	Horizontal	61	1.80	-	34.54	7.63	35.10			
RMS	5.9242G	66.16	68.20	-2.04	59.08	3	Horizontal	61	1.80	-	34.55	7.63	35.10			
PK	6.1626G	107.60	Inf	-Inf	99.87	3	Horizontal	61	1.80	-	34.93	7.88	35.08			
RMS	6.1594G	97.33	Inf	-Inf	89.62	3	Horizontal	61	1.80	-	34.92	7.87	35.08			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20896G	55.54	74.00	-18.46	48.42	3	Vertical	201	1.74	-	38.72	11.59	43.19			
AV	12.20716G	42.15	54.00	-11.85	35.04	3	Vertical	201	1.74	-	38.71	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21214G	55.51	74.00	-18.49	48.39	3	Horizontal	66	1.34	-	38.72	11.59	43.19			
AV	12.21242G	42.05	54.00	-11.95	34.93	3	Horizontal	66	1.34	-	38.72	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31487G	43.46	83.54	-40.08	40.27	1	Vertical	16	2.98	-	37.50	15.28	49.59			
AV	18.31454G	29.62	63.54	-33.92	26.43	1	Vertical	16	2.98	-	37.50	15.28	49.59			
PK	24.41975G	53.11	97.74	-44.63	43.58	1	Vertical	302	2.31	-	38.92	17.46	46.85			
RMS	24.41951G	42.35	77.74	-35.39	32.83	1	Vertical	302	2.31	-	38.92	17.46	46.86			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_X_2TX
 Setting 22
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31476G	42.87	83.54	-40.67	39.68	1	Horizontal	50	1.72	-	37.50	15.28	49.59			
AV	18.3146G	29.31	63.54	-34.23	26.12	1	Horizontal	50	1.72	-	37.50	15.28	49.59			
PK	24.42025G	53.24	97.74	-44.50	43.71	1	Horizontal	8	2.39	-	38.92	17.46	46.85			
RMS	24.41968G	41.66	77.74	-36.08	32.13	1	Horizontal	8	2.39	-	38.92	17.46	46.85			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_X_2TX
 Setting 25
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52923G	55.33	74.00	-18.67	48.05	3	Vertical	133	1.08	-	38.70	11.70	43.12			
AV	12.52681G	42.32	54.00	-11.68	35.04	3	Vertical	133	1.08	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_X_2TX
 Setting 25
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52502G	55.87	74.00	-18.13	48.59	3	Horizontal	59	2.92	-	38.70	11.70	43.12			
AV	12.52546G	42.28	54.00	-11.72	35.00	3	Horizontal	59	2.92	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_X_2TX
 Setting 25
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79467G	44.32	83.54	-39.22	40.74	1	Vertical	321	2.79	-	37.80	15.26	49.48			
AV	18.7947G	30.51	63.54	-33.03	26.93	1	Vertical	321	2.79	-	37.80	15.26	49.48			
PK	25.06045G	55.97	97.74	-41.77	45.59	1	Vertical	123	1.39	-	39.30	17.56	46.48			
RMS	25.05975G	42.03	77.74	-35.71	31.65	1	Vertical	123	1.39	-	39.30	17.56	46.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_X_2TX
 Setting 25
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79504G	43.53	83.54	-40.01	39.95	1	Horizontal	46	2.64	-	37.80	15.26	49.48			
AV	18.79456G	30.20	63.54	-33.34	26.62	1	Horizontal	46	2.64	-	37.80	15.26	49.48			
PK	25.05968G	56.02	97.74	-41.72	45.64	1	Horizontal	264	2.70	-	39.30	17.56	46.48			
RMS	25.05963G	42.13	77.74	-35.61	31.75	1	Horizontal	264	2.70	-	39.30	17.56	46.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84689G	54.96	88.20	-33.24	46.76	3	Vertical	155	2.05	-	39.19	11.81	42.80			
RMS	12.84777G	42.36	68.20	-25.84	34.16	3	Vertical	155	2.05	-	39.19	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85375G	54.96	88.20	-33.24	46.75	3	Horizontal	2	1.50	-	39.20	11.81	42.80			
RMS	12.85007G	42.38	68.20	-25.82	34.17	3	Horizontal	2	1.50	-	39.20	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27508G	43.18	83.54	-40.36	39.52	1	Vertical	29	2.70	-	37.95	15.24	49.53			
AV	19.27457G	29.42	63.54	-34.12	25.76	1	Vertical	29	2.70	-	37.95	15.24	49.53			
PK	25.70019G	55.29	97.74	-42.45	44.72	1	Vertical	206	1.95	-	39.10	17.66	46.19			
RMS	25.69951G	42.92	77.74	-34.82	32.36	1	Vertical	206	1.95	-	39.10	17.65	46.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27468G	43.13	83.54	-40.41	39.47	1	Horizontal	274	2.74	-	37.95	15.24	49.53			
AV	19.27463G	29.13	63.54	-34.41	25.47	1	Horizontal	274	2.74	-	37.95	15.24	49.53			
PK	25.70033G	55.18	97.74	-42.56	44.61	1	Horizontal	1	2.96	-	39.10	17.66	46.19			
RMS	25.69965G	41.94	77.74	-35.80	31.38	1	Horizontal	1	2.96	-	39.10	17.65	46.19			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16549G	57.41	88.20	-30.79	48.55	3	Vertical	143	1.00	-	39.63	11.92	42.69			
RMS	13.1668G	43.79	68.20	-24.41	34.93	3	Vertical	143	1.00	-	39.63	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16648G	57.36	88.20	-30.84	48.50	3	Horizontal	349	2.42	-	39.63	11.92	42.69			
RMS	13.16777G	43.73	68.20	-24.47	34.86	3	Horizontal	349	2.42	-	39.64	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75455G	43.16	83.54	-40.38	39.50	1	Vertical	321	1.35	-	37.92	15.21	49.47			
AV	19.75468G	29.58	63.54	-33.96	25.92	1	Vertical	321	1.35	-	37.92	15.21	49.47			
PK	26.3395G	55.93	97.74	-41.81	44.85	1	Vertical	120	1.68	-	39.18	17.90	46.00			
RMS	26.33964G	42.49	77.74	-35.25	31.41	1	Vertical	120	1.68	-	39.18	17.90	46.00			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75486G	42.64	83.54	-40.90	38.98	1	Horizontal	12	1.07	-	37.92	15.21	49.47			
AV	19.75452G	29.40	63.54	-34.14	25.74	1	Horizontal	12	1.07	-	37.92	15.21	49.47			
PK	26.33969G	56.26	97.74	-41.48	45.18	1	Horizontal	3	2.65	-	39.18	17.90	46.00			
RMS	26.33964G	42.38	77.74	-35.36	31.30	1	Horizontal	3	2.65	-	39.18	17.90	46.00			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49442G	56.80	88.20	-31.40	47.24	3	Vertical	111	1.48	-	40.29	12.03	42.76			
RMS	13.48787G	43.74	68.20	-24.46	34.19	3	Vertical	111	1.48	-	40.28	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 24
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48658G	56.60	88.20	-31.60	47.06	3	Horizontal	112	2.89	-	40.27	12.03	42.76			
RMS	13.49018G	43.78	68.20	-24.42	34.23	3	Horizontal	112	2.89	-	40.28	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23493G	42.27	83.54	-41.27	38.12	1	Vertical	8	2.16	-	37.97	15.39	49.21			
AV	20.23472G	28.86	63.54	-34.68	24.71	1	Vertical	8	2.16	-	37.97	15.39	49.21			
PK	26.97982G	56.17	97.74	-41.57	44.24	1	Vertical	121	1.70	-	39.66	18.29	46.02			
RMS	26.97962G	42.69	77.74	-35.05	30.76	1	Vertical	121	1.70	-	39.66	18.29	46.02			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 24
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23483G	42.27	83.54	-41.27	38.12	1	Horizontal	227	1.55	-	37.97	15.39	49.21			
AV	20.23458G	28.80	63.54	-34.74	24.65	1	Horizontal	227	1.55	-	37.97	15.39	49.21			
PK	26.9797G	55.75	97.74	-41.99	43.82	1	Horizontal	162	1.21	-	39.66	18.29	46.02			
RMS	26.97974G	42.72	77.74	-35.02	30.79	1	Horizontal	221	1.71	-	39.66	18.29	46.02			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9546G	105.78	Inf	-Inf	97.30	3	Vertical	32.7	1.46	-	35.60	8.38	35.50			
AV	6.9578G	94.71	Inf	-Inf	86.24	3	Vertical	32.7	1.46	-	35.60	8.38	35.51			
PK	7.2618G	64.75	74.00	-9.25	55.14	3	Vertical	32.7	1.46	-	36.55	8.47	35.41			
AV	7.2522G	53.92	54.00	-0.08	44.36	3	Vertical	32.7	1.46	-	36.51	8.46	35.41			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8106G	106.32	Inf	-Inf	97.73	3	Horizontal	73	1.50	-	35.60	8.32	35.33			
AV	6.929G	95.17	Inf	-Inf	86.67	3	Horizontal	73	1.50	-	35.60	8.37	35.47			
PK	7.2714G	66.52	74.00	-7.48	56.86	3	Horizontal	73	1.50	-	36.59	8.47	35.40			
AV	7.2522G	53.26	54.00	-0.74	43.70	3	Horizontal	73	1.50	-	36.51	8.46	35.41			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80831G	57.12	88.20	-31.08	48.15	3	Vertical	315	1.80	-	40.72	10.83	42.58			
AV	13.8061G	44.24	68.20	-23.96	35.28	3	Vertical	315	1.80	-	40.71	10.83	42.58			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80595G	57.13	88.20	-31.07	48.17	3	Horizontal	352	2.22	-	40.71	10.83	42.58			
AV	13.81053G	44.25	68.20	-23.95	35.27	3	Horizontal	352	2.22	-	40.72	10.83	42.57			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71514G	42.61	83.54	-40.93	38.00	1	Vertical	319	1.23	-	37.87	15.77	49.03			
AV	20.71474G	29.56	63.54	-33.98	24.95	1	Vertical	319	1.23	-	37.87	15.77	49.03			
PK	27.61953G	56.76	97.74	-40.98	43.82	1	Vertical	268	1.16	-	39.88	18.67	45.61			
RMS	27.61986G	43.19	77.74	-34.55	30.25	1	Vertical	268	1.16	-	39.88	18.67	45.61			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_2TX
 Setting 21
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71458G	42.59	83.54	-40.95	37.98	1	Horizontal	183	1.54	-	37.87	15.77	49.03			
AV	20.71452G	29.37	63.54	-34.17	24.76	1	Horizontal	183	1.54	-	37.87	15.77	49.03			
PK	27.62027G	56.58	97.74	-41.16	43.64	1	Horizontal	64	2.53	-	39.88	18.67	45.61			
RMS	27.61961G	43.18	77.74	-34.56	30.24	1	Horizontal	64	2.53	-	39.88	18.67	45.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9064G	61.20	88.20	-27.00	53.61	3	Vertical	299	1.61	-	32.40	7.63	32.44			
RMS	5.9216G	48.88	68.20	-19.32	41.28	3	Vertical	299	1.61	-	32.40	7.64	32.44			
PK	5.9608G	110.09	Inf	-Inf	102.45	3	Vertical	299	1.61	-	32.42	7.66	32.44			
RMS	5.9636G	98.83	Inf	-Inf	91.18	3	Vertical	299	1.61	-	32.43	7.66	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8814G	59.75	88.20	-28.45	52.24	3	Horizontal	75	1.84	-	32.33	7.62	32.44			
RMS	5.9244G	48.82	68.20	-19.38	41.22	3	Horizontal	75	1.84	-	32.40	7.64	32.44			
PK	5.9572G	105.43	Inf	-Inf	97.80	3	Horizontal	75	1.84	-	32.41	7.66	32.44			
RMS	5.9582G	95.19	Inf	-Inf	87.55	3	Horizontal	75	1.84	-	32.42	7.66	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.908G	56.33	74.00	-17.67	48.89	3	Vertical	280	1.41	-	39.20	11.47	43.23			
AV	11.90769G	42.99	54.00	-11.01	35.55	3	Vertical	280	1.41	-	39.20	11.47	43.23			
PK	17.87991G	64.27	74.00	-9.73	46.96	3	Vertical	274	2.76	-	44.84	13.85	41.38			
AV	17.87499G	51.64	54.00	-2.36	34.33	3	Vertical	274	2.76	-	44.85	13.85	41.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90951G	55.70	74.00	-18.30	48.26	3	Horizontal	286	2.17	-	39.20	11.47	43.23			
AV	11.90521G	43.16	54.00	-10.84	35.73	3	Horizontal	286	2.17	-	39.20	11.47	43.24			
PK	17.87733G	63.49	74.00	-10.51	46.17	3	Horizontal	179	2.81	-	44.85	13.85	41.38			
AV	17.87202G	51.51	54.00	-2.49	34.19	3	Horizontal	179	2.81	-	44.86	13.85	41.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81995G	42.03	83.54	-41.51	32.88	1	Vertical	11	1.50	-	38.98	17.35	47.18			
AV	23.82G	34.50	63.54	-29.04	25.35	1	Vertical	11	1.50	-	38.98	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8199G	44.15	83.54	-39.39	35.00	1	Horizontal	338	1.41	-	38.98	17.35	47.18			
AV	23.81995G	37.84	63.54	-25.70	28.69	1	Horizontal	338	1.41	-	38.98	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39025G	55.01	74.00	-18.99	47.91	3	Vertical	343	1.04	-	38.62	11.65	43.17			
AV	12.38776G	42.71	54.00	-11.29	35.61	3	Vertical	343	1.04	-	38.62	11.65	43.17			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38788G	55.35	74.00	-18.65	48.25	3	Horizontal	229	2.29	-	38.62	11.65	43.17			
AV	12.38824G	42.56	54.00	-11.44	35.46	3	Horizontal	229	2.29	-	38.62	11.65	43.17			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58471G	42.34	83.54	-41.20	38.99	1	Vertical	62	1.70	-	37.70	15.27	49.62			
AV	18.58468G	28.71	63.54	-34.83	25.36	1	Vertical	62	1.70	-	37.70	15.27	49.62			
PK	24.78015G	48.84	97.74	-48.90	38.67	1	Vertical	334	1.44	-	39.30	17.52	46.65			
RMS	24.78G	42.80	77.74	-34.94	32.63	1	Vertical	334	1.44	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58455G	44.03	83.54	-39.51	40.68	1	Horizontal	269	2.05	-	37.70	15.27	49.62			
AV	18.58456G	30.40	63.54	-33.14	27.05	1	Horizontal	269	2.05	-	37.70	15.27	49.62			
PK	24.7799G	51.22	97.74	-46.52	41.05	1	Horizontal	342	1.53	-	39.30	17.52	46.65			
RMS	24.77995G	46.91	77.74	-30.83	36.74	1	Horizontal	342	1.53	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83356G	55.06	88.20	-33.14	46.95	3	Vertical	71	1.45	-	39.13	11.80	42.82			
RMS	12.82619G	43.09	68.20	-25.11	35.01	3	Vertical	71	1.45	-	39.10	11.80	42.82			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83223G	55.23	88.20	-32.97	47.12	3	Horizontal	212	2.65	-	39.13	11.80	42.82			
RMS	12.82999G	42.89	68.20	-25.31	34.79	3	Horizontal	212	2.65	-	39.12	11.80	42.82			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24474G	39.94	83.54	-43.60	36.30	1	Vertical	71	2.62	-	37.91	15.24	49.51			
AV	19.24467G	27.36	63.54	-36.18	23.72	1	Vertical	71	2.62	-	37.91	15.24	49.51			
PK	25.65988G	49.74	97.74	-48.00	39.01	1	Vertical	341.9	1.49	-	39.26	17.65	46.18			
RMS	25.66006G	45.13	77.74	-32.61	34.40	1	Vertical	341.9	1.49	-	39.26	17.65	46.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24487G	41.15	83.54	-42.39	37.51	1	Horizontal	4	2.55	-	37.91	15.24	49.51			
AV	19.24452G	27.60	63.54	-35.94	23.96	1	Horizontal	4	2.55	-	37.91	15.24	49.51			
PK	25.66006G	50.02	97.74	-47.72	39.29	1	Horizontal	39	1.52	-	39.26	17.65	46.18			
RMS	25.65996G	46.16	97.74	-51.58	35.43	1	Horizontal	39	1.52	-	39.26	17.65	46.18			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87418G	55.63	88.20	-32.57	47.39	3	Vertical	49	2.61	-	39.20	11.82	42.78			
RMS	12.87345G	43.01	68.20	-25.19	34.77	3	Vertical	49	2.61	-	39.20	11.82	42.78			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86946G	55.47	88.20	-32.73	47.23	3	Horizontal	108	2.60	-	39.20	11.82	42.78			
RMS	12.87375G	42.91	68.20	-25.29	34.67	3	Horizontal	108	2.60	-	39.20	11.82	42.78			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3047G	41.28	83.54	-42.26	37.62	1	Vertical	278	2.98	-	37.98	15.23	49.55			
AV	19.30491G	28.32	63.54	-35.22	24.66	1	Vertical	278	2.98	-	37.98	15.23	49.55			
PK	25.73999G	49.02	97.74	-48.72	38.29	1	Vertical	85	1.95	-	39.26	17.66	46.19			
RMS	25.74013G	42.30	77.74	-35.44	31.57	1	Vertical	85	1.95	-	39.26	17.66	46.19			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30505G	41.19	83.54	-42.35	37.53	1	Horizontal	44	1.72	-	37.98	15.23	49.55			
AV	19.30466G	28.11	63.54	-35.43	24.45	1	Horizontal	44	1.72	-	37.98	15.23	49.55			
PK	25.74008G	51.50	97.74	-46.24	40.77	1	Horizontal	135	1.20	-	39.26	17.66	46.19			
RMS	25.73981G	46.43	77.74	-31.31	35.70	1	Horizontal	135	1.20	-	39.26	17.66	46.19			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95014G	56.90	88.20	-31.30	48.46	3	Vertical	316	2.51	-	39.30	11.84	42.70			
RMS	12.95412G	43.59	68.20	-24.61	35.15	3	Vertical	316	2.51	-	39.30	11.84	42.70			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94572G	55.89	88.20	-32.31	47.46	3	Horizontal	56	2.93	-	39.29	11.84	42.70			
RMS	12.94627G	43.52	68.20	-24.68	35.09	3	Horizontal	56	2.93	-	39.29	11.84	42.70			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42463G	42.32	83.54	-41.22	38.82	1	Vertical	84	2.20	-	37.90	15.23	49.63			
AV	19.42471G	29.48	63.54	-34.06	25.98	1	Vertical	84	2.20	-	37.90	15.23	49.63			
PK	25.90006G	48.54	97.74	-49.20	37.97	1	Vertical	248	1.62	-	39.10	17.69	46.22			
RMS	25.89956G	41.44	77.74	-36.30	30.88	1	Vertical	248	1.62	-	39.10	17.68	46.22			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42472G	42.47	83.54	-41.07	38.97	1	Horizontal	58	1.91	-	37.90	15.23	49.63			
AV	19.42466G	29.24	63.54	-34.30	25.74	1	Horizontal	58	1.91	-	37.90	15.23	49.63			
PK	25.89958G	49.98	97.74	-47.76	39.42	1	Horizontal	173	2.20	-	39.10	17.68	46.22			
RMS	25.9001G	42.53	77.74	-35.21	31.96	1	Horizontal	173	2.20	-	39.10	17.69	46.22			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03308G	56.27	88.20	-31.93	47.69	3	Vertical	232	2.39	-	39.37	11.87	42.66			
RMS	13.0298G	43.87	68.20	-24.33	35.30	3	Vertical	232	2.39	-	39.36	11.87	42.66			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02742G	56.60	88.20	-31.60	48.04	3	Horizontal	124	1.03	-	39.35	11.87	42.66			
RMS	13.02833G	43.99	68.20	-24.21	35.42	3	Horizontal	124	1.03	-	39.36	11.87	42.66			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54496G	43.76	83.54	-39.78	40.09	1	Vertical	234	2.82	-	38.09	15.22	49.64			
AV	19.54488G	29.82	63.54	-33.72	26.15	1	Vertical	234	2.82	-	38.09	15.22	49.64			
PK	26.06022G	48.86	97.74	-48.88	38.10	1	Vertical	209	1.04	-	39.22	17.74	46.20			
RMS	26.05994G	42.92	77.74	-34.82	32.16	1	Vertical	209	1.04	-	39.22	17.74	46.20			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54469G	42.51	83.54	-41.03	38.84	1	Horizontal	281	2.09	-	38.09	15.22	49.64			
AV	19.5446G	29.88	63.54	-33.66	26.21	1	Horizontal	281	2.09	-	38.09	15.22	49.64			
PK	26.0601G	50.46	97.74	-47.28	39.70	1	Horizontal	115	1.08	-	39.22	17.74	46.20			
RMS	26.05981G	43.77	77.74	-33.97	33.01	1	Horizontal	115	1.08	-	39.22	17.74	46.20			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07243G	56.49	88.20	-31.71	47.79	3	Vertical	276	1.39	-	39.49	11.88	42.67			
RMS	13.06564G	44.00	68.20	-24.20	35.32	3	Vertical	276	1.39	-	39.46	11.88	42.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07275G	56.54	88.20	-31.66	47.84	3	Horizontal	357	1.05	-	39.49	11.88	42.67			
RMS	13.07353G	44.04	68.20	-24.16	35.33	3	Horizontal	357	1.05	-	39.49	11.89	42.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60507G	42.87	83.54	-40.67	39.41	1	Vertical	132	2.47	-	37.83	15.22	49.59			
AV	19.60456G	29.66	63.54	-33.88	26.20	1	Vertical	132	2.47	-	37.83	15.22	49.59			
PK	26.1396G	49.75	97.74	-47.99	38.81	1	Vertical	314	2.97	-	39.30	17.78	46.14			
RMS	26.14012G	42.29	77.74	-35.45	31.35	1	Vertical	314	2.97	-	39.30	17.78	46.14			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60467G	42.56	83.54	-40.98	39.10	1	Horizontal	314	1.83	-	37.83	15.22	49.59			
AV	19.6045G	29.56	63.54	-33.98	26.10	1	Horizontal	314	1.83	-	37.83	15.22	49.59			
PK	26.14023G	50.94	97.74	-46.80	40.00	1	Horizontal	218	1.72	-	39.30	17.78	46.14			
RMS	26.13976G	43.54	77.74	-34.20	32.60	1	Horizontal	218	1.72	-	39.30	17.78	46.14			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39441G	56.82	74.00	-17.18	47.48	3	Vertical	309	2.36	-	40.09	11.99	42.74			
AV	13.38598G	44.09	54.00	-9.91	34.76	3	Vertical	309	2.36	-	40.07	11.99	42.73			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39213G	57.21	74.00	-16.79	47.88	3	Horizontal	96	2.34	-	40.08	11.99	42.74			
AV	13.38647G	44.22	54.00	-9.78	34.90	3	Horizontal	96	2.34	-	40.07	11.99	42.74			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08458G	41.98	83.54	-41.56	38.12	1	Vertical	302	2.53	-	37.84	15.27	49.25			
AV	20.08455G	29.22	63.54	-34.32	25.36	1	Vertical	302	2.53	-	37.84	15.27	49.25			
PK	26.7801G	49.23	97.74	-48.51	37.15	1	Vertical	311	2.24	-	39.88	18.17	45.97			
RMS	26.77988G	42.74	77.74	-35.00	30.66	1	Vertical	311	2.24	-	39.88	18.17	45.97			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08475G	41.31	83.54	-42.23	37.45	1	Horizontal	209	1.00	-	37.84	15.27	49.25			
AV	20.08492G	28.70	63.54	-34.84	24.84	1	Horizontal	209	1.00	-	37.84	15.27	49.25			
PK	26.77981G	52.37	97.74	-45.37	40.29	1	Horizontal	236	1.66	-	39.88	18.17	45.97			
RMS	26.77951G	43.97	77.74	-33.77	31.89	1	Horizontal	236	1.66	-	39.88	18.17	45.97			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74913G	58.04	88.20	-30.16	47.94	3	Vertical	209	1.36	-	40.60	12.11	42.61			
RMS	13.74833G	44.78	68.20	-23.42	34.69	3	Vertical	209	1.36	-	40.59	12.11	42.61			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74637G	57.42	88.20	-30.78	47.33	3	Horizontal	322	1.35	-	40.59	12.11	42.61			
RMS	13.75391G	44.72	68.20	-23.48	34.60	3	Horizontal	322	1.35	-	40.61	12.12	42.61			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62473G	41.60	83.54	-41.94	37.03	1	Vertical	231	2.78	-	37.95	15.70	49.08			
AV	20.62468G	29.06	63.54	-34.48	24.49	1	Vertical	231	2.78	-	37.95	15.70	49.08			
PK	27.50015G	51.56	97.74	-46.18	38.76	1	Vertical	344	1.43	-	39.80	18.60	45.60			
RMS	27.49995G	45.36	77.74	-32.38	32.56	1	Vertical	344	1.43	-	39.80	18.60	45.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62462G	41.83	83.54	-41.71	37.26	1	Horizontal	354	2.11	-	37.95	15.70	49.08			
AV	20.62466G	28.88	63.54	-34.66	24.31	1	Horizontal	354	2.11	-	37.95	15.70	49.08			
PK	27.49998G	51.78	97.74	-45.96	38.98	1	Horizontal	15	2.75	-	39.80	18.60	45.60			
RMS	27.49993G	46.66	77.74	-31.08	33.86	1	Horizontal	15	2.75	-	39.80	18.60	45.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79026G	57.12	88.20	-31.08	46.90	3	Vertical	313	2.75	-	40.68	12.13	42.59			
RMS	13.7942G	45.18	68.20	-23.02	34.94	3	Vertical	313	2.75	-	40.69	12.13	42.58			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79049G	57.19	88.20	-31.01	46.97	3	Horizontal	97	1.59	-	40.68	12.13	42.59			
RMS	13.78533G	44.90	68.20	-23.30	34.69	3	Horizontal	97	1.59	-	40.67	12.13	42.59			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68472G	39.86	83.54	-43.68	35.25	1	Vertical	168	2.21	-	37.90	15.75	49.04			
AV	20.6846G	27.55	63.54	-35.99	22.94	1	Vertical	168	2.21	-	37.90	15.75	49.04			
PK	27.58016G	49.59	97.74	-48.15	36.79	1	Vertical	106	2.50	-	39.76	18.65	45.61			
RMS	27.57962G	43.89	77.74	-33.85	31.09	1	Vertical	106	2.50	-	39.76	18.65	45.61			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68518G	39.72	83.54	-43.82	35.11	1	Horizontal	187	2.52	-	37.90	15.75	49.04			
AV	20.685G	27.18	63.54	-36.36	22.57	1	Horizontal	187	2.52	-	37.90	15.75	49.04			
PK	27.58034G	52.38	97.74	-45.36	39.58	1	Horizontal	296	1.95	-	39.76	18.65	45.61			
RMS	27.57968G	46.96	77.74	-30.78	34.16	1	Horizontal	296	1.95	-	39.76	18.65	45.61			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99421G	58.11	88.20	-30.09	47.19	3	Vertical	340	1.79	-	41.18	12.20	42.46			
RMS	13.98698G	45.56	68.20	-22.64	34.68	3	Vertical	340	1.79	-	41.15	12.20	42.47			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99292G	57.85	88.20	-30.35	46.94	3	Horizontal	19	2.18	-	41.17	12.20	42.46			
RMS	13.99283G	45.51	68.20	-22.69	34.60	3	Horizontal	19	2.18	-	41.17	12.20	42.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98512G	43.95	83.54	-39.59	38.89	1	Vertical	96	1.65	-	37.96	15.99	48.89			
AV	20.98452G	31.18	63.54	-32.36	26.12	1	Vertical	96	1.65	-	37.96	15.99	48.89			
PK	27.98027G	52.30	97.74	-45.44	39.09	1	Vertical	42	2.83	-	39.98	18.89	45.66			
RMS	27.97991G	44.43	77.74	-33.31	31.22	1	Vertical	42	2.83	-	39.98	18.89	45.66			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.9849G	44.15	83.54	-39.39	39.09	1	Horizontal	27	1.53	-	37.96	15.99	48.89				
AV	20.98464G	30.89	63.54	-32.65	25.83	1	Horizontal	27	1.53	-	37.96	15.99	48.89				
PK	27.98034G	53.66	97.74	-44.08	40.45	1	Horizontal	293	2.17	-	39.98	18.89	45.66				
RMS	27.98002G	44.43	77.74	-33.31	31.22	1	Horizontal	293	2.17	-	39.98	18.89	45.66				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18705G	58.93	88.20	-29.27	47.44	3	Vertical	254	2.40	-	41.65	12.26	42.42			
RMS	14.1916G	46.26	68.20	-21.94	34.74	3	Vertical	254	2.40	-	41.67	12.26	42.41			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 12
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19374G	59.12	88.20	-29.08	47.60	3	Horizontal	214	1.32	-	41.67	12.26	42.41			
RMS	14.19081G	46.17	68.20	-22.03	34.66	3	Horizontal	214	1.32	-	41.66	12.26	42.41			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28455G	44.05	83.54	-39.49	38.39	1	Vertical	60	2.10	-	38.28	16.23	48.85			
AV	21.28453G	30.03	63.54	-33.51	24.37	1	Vertical	60	2.10	-	38.28	16.23	48.85			
PK	28.37958G	50.23	97.74	-47.51	36.77	1	Vertical	92	2.27	-	40.00	19.07	45.61			
RMS	28.37951G	42.52	77.74	-35.22	29.06	1	Vertical	92	2.27	-	40.00	19.07	45.61			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 12
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28483G	43.13	83.54	-40.41	37.47	1	Horizontal	143	1.42	-	38.28	16.23	48.85			
AV	21.28468G	29.95	63.54	-33.59	24.29	1	Horizontal	143	1.42	-	38.28	16.23	48.85			
PK	28.3799G	51.10	97.74	-46.64	37.64	1	Horizontal	215	1.23	-	40.00	19.07	45.61			
RMS	28.37979G	45.47	77.74	-32.27	32.01	1	Horizontal	215	1.23	-	40.00	19.07	45.61			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 01-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1065G	109.79	Inf	-Inf	98.34	3	Vertical	301	1.97	BP 1MHz	35.64	8.52	32.71			
RMS	7.1065G	103.96	Inf	-Inf	92.51	3	Vertical	301	1.97	BP 1MHz	35.64	8.52	32.71			
PK	7.1255G	77.26	88.20	-10.94	65.69	3	Vertical	301	1.97	BP 1MHz	35.75	8.52	32.70			
RMS	7.1255G	67.32	68.20	-0.88	55.75	3	Vertical	301	1.97	BP 1MHz	35.75	8.52	32.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 01-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1075G	106.32	Inf	-Inf	94.87	3	Horizontal	304	1.80	BP 1MHz	35.64	8.52	32.71			
RMS	7.1075G	100.54	Inf	-Inf	89.09	3	Horizontal	304	1.80	BP 1MHz	35.64	8.52	32.71			
PK	7.1255G	77.49	88.20	-10.71	65.92	3	Horizontal	304	1.80	BP 1MHz	35.75	8.52	32.70			
RMS	7.1255G	66.25	68.20	-1.95	54.68	3	Horizontal	304	1.80	BP 1MHz	35.75	8.52	32.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22965G	59.44	88.20	-28.76	47.81	3	Vertical	109	1.94	-	41.76	12.27	42.40			
RMS	14.23009G	46.54	68.20	-21.66	34.91	3	Vertical	109	1.94	-	41.76	12.27	42.40			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22967G	59.36	88.20	-28.84	47.73	3	Horizontal	17	1.09	-	41.76	12.27	42.40			
RMS	14.22649G	46.57	68.20	-21.63	34.96	3	Horizontal	17	1.09	-	41.75	12.27	42.41			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34468G	43.56	83.54	-39.98	37.81	1	Vertical	318	2.67	-	38.31	16.28	48.84			
AV	21.34467G	31.08	63.54	-32.46	25.33	1	Vertical	318	2.67	-	38.31	16.28	48.84			
PK	28.45995G	49.78	97.74	-47.96	36.17	1	Vertical	298	1.04	-	40.10	19.11	45.60			
RMS	28.46003G	42.96	77.74	-34.78	29.35	1	Vertical	298	1.04	-	40.10	19.11	45.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 13
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34491G	43.69	83.54	-39.85	37.94	1	Horizontal	128	2.20	-	38.31	16.28	48.84			
AV	21.34465G	30.78	63.54	-32.76	25.03	1	Horizontal	128	2.20	-	38.31	16.28	48.84			
PK	28.46044G	51.89	97.74	-45.85	38.28	1	Horizontal	230	2.58	-	40.10	19.11	45.60			
RMS	28.4599G	44.19	77.74	-33.55	30.58	1	Horizontal	230	2.58	-	40.10	19.11	45.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 01-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8678G	60.21	88.20	-27.99	52.78	3	Vertical	304	1.77	-	32.27	7.61	32.45			
RMS	5.923G	49.17	68.20	-19.03	41.57	3	Vertical	304	1.77	-	32.40	7.64	32.44			
PK	5.9638G	111.40	Inf	-Inf	103.75	3	Vertical	304	1.77	-	32.43	7.66	32.44			
RMS	5.964G	100.49	Inf	-Inf	92.84	3	Vertical	304	1.77	-	32.43	7.66	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 01-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9112G	60.00	88.20	-28.20	52.40	3	Horizontal	71	1.36	-	32.40	7.64	32.44			
RMS	5.915G	49.21	68.20	-18.99	41.61	3	Horizontal	71	1.36	-	32.40	7.64	32.44			
PK	5.9836G	109.28	Inf	-Inf	101.58	3	Horizontal	71	1.36	-	32.47	7.67	32.44			
RMS	5.9832G	100.22	Inf	-Inf	92.52	3	Horizontal	71	1.36	-	32.47	7.67	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93017G	55.35	74.00	-18.65	47.90	3	Vertical	223	1.63	-	39.20	11.48	43.23			
AV	11.93183G	42.43	54.00	-11.57	34.98	3	Vertical	223	1.63	-	39.20	11.48	43.23			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93264G	55.42	74.00	-18.58	47.97	3	Horizontal	170	2.29	-	39.20	11.48	43.23			
AV	11.93392G	42.37	54.00	-11.63	34.92	3	Horizontal	170	2.29	-	39.20	11.48	43.23			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85972G	46.30	83.54	-37.24	37.30	1	Vertical	114	2.99	-	38.80	17.36	47.16			
AV	23.85966G	38.20	63.54	-25.34	29.20	1	Vertical	114	2.99	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85995G	51.89	83.54	-31.65	42.89	1	Horizontal	311	2.33	-	38.80	17.36	47.16			
AV	23.8597G	42.93	63.54	-20.61	33.93	1	Horizontal	311	2.33	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40645G	55.49	74.00	-18.51	48.39	3	Vertical	310	1.46	-	38.60	11.66	43.16			
AV	12.40918G	42.13	54.00	-11.87	35.03	3	Vertical	310	1.46	-	38.60	11.66	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41401G	55.57	74.00	-18.43	48.47	3	Horizontal	272	2.83	-	38.60	11.66	43.16			
AV	12.4118G	42.27	54.00	-11.73	35.17	3	Horizontal	272	2.83	-	38.60	11.66	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.6145G	42.52	83.54	-41.02	39.12	1	Vertical	26	2.16	-	37.73	15.27	49.60				
AV	18.61492G	29.60	63.54	-33.94	26.20	1	Vertical	26	2.16	-	37.73	15.27	49.60				
PK	24.81986G	49.21	97.74	-48.53	39.02	1	Vertical	47	1.24	-	39.30	17.52	46.63				
RMS	24.81966G	43.34	77.74	-34.40	33.15	1	Vertical	47	1.24	-	39.30	17.52	46.63				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61537G	42.57	83.54	-40.97	39.17	1	Horizontal	144	1.01	-	37.73	15.27	49.60			
AV	18.61477G	29.44	63.54	-34.10	26.04	1	Horizontal	144	1.01	-	37.73	15.27	49.60			
PK	24.8197G	52.32	97.74	-45.42	42.13	1	Horizontal	97	1.50	-	39.30	17.52	46.63			
RMS	24.8196G	45.27	77.74	-32.47	35.08	1	Horizontal	97	1.50	-	39.30	17.52	46.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81158G	55.38	88.20	-32.82	47.37	3	Vertical	308	2.61	-	39.05	11.80	42.84			
RMS	12.81027G	42.41	68.20	-25.79	34.41	3	Vertical	308	2.61	-	39.04	11.80	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80978G	54.93	88.20	-33.27	46.93	3	Horizontal	78	1.41	-	39.04	11.80	42.84			
RMS	12.81344G	42.41	68.20	-25.79	34.40	3	Horizontal	78	1.41	-	39.05	11.80	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 17
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21546G	41.69	83.54	-41.85	37.97	1	Vertical	322	1.94	-	37.97	15.24	49.49			
AV	19.21461G	28.55	63.54	-34.99	24.83	1	Vertical	322	1.94	-	37.97	15.24	49.49			
PK	25.61956G	49.15	97.74	-48.59	38.26	1	Vertical	354	2.55	-	39.42	17.64	46.17			
RMS	25.61954G	42.03	77.74	-35.71	31.14	1	Vertical	354	2.55	-	39.42	17.64	46.17			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 17
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21456G	42.04	83.54	-41.50	38.32	1	Horizontal	68	1.41	-	37.97	15.24	49.49			
AV	19.21469G	28.60	63.54	-34.94	24.88	1	Horizontal	68	1.41	-	37.97	15.24	49.49			
PK	25.61996G	52.80	97.74	-44.94	41.91	1	Horizontal	52	2.96	-	39.42	17.64	46.17			
RMS	25.61965G	45.15	77.74	-32.59	34.26	1	Horizontal	52	2.96	-	39.42	17.64	46.17			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89032G	55.78	88.20	-32.42	47.52	3	Vertical	217	2.82	-	39.20	11.82	42.76			
RMS	12.88745G	42.75	68.20	-25.45	34.49	3	Vertical	217	2.82	-	39.20	11.82	42.76			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89248G	55.75	88.20	-32.45	47.49	3	Horizontal	204	1.23	-	39.20	11.82	42.76			
RMS	12.88986G	42.71	68.20	-25.49	34.45	3	Horizontal	204	1.23	-	39.20	11.82	42.76			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33467G	41.92	83.54	-41.62	38.40	1	Vertical	106	1.73	-	37.86	15.23	49.57			
AV	19.33454G	28.61	63.54	-34.93	25.09	1	Vertical	106	1.73	-	37.86	15.23	49.57			
PK	25.78012G	48.83	97.74	-48.91	38.24	1	Vertical	158	1.75	-	39.12	17.67	46.20			
RMS	25.77986G	42.25	77.74	-35.49	31.66	1	Vertical	158	1.75	-	39.12	17.67	46.20			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33495G	42.08	83.54	-41.46	38.56	1	Horizontal	131	2.37	-	37.86	15.23	49.57			
AV	19.33463G	29.47	63.54	-34.07	25.95	1	Horizontal	131	2.37	-	37.86	15.23	49.57			
PK	25.77968G	52.54	97.74	-45.20	41.95	1	Horizontal	345	1.00	-	39.12	17.67	46.20			
RMS	25.77978G	45.24	77.74	-32.50	34.65	1	Horizontal	345	1.00	-	39.12	17.67	46.20			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97026G	56.40	88.20	-31.80	47.93	3	Vertical	247	1.44	-	39.30	11.85	42.68			
RMS	12.96623G	42.98	68.20	-25.22	34.51	3	Vertical	247	1.44	-	39.30	11.85	42.68			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96897G	56.64	88.20	-31.56	48.17	3	Horizontal	329	2.04	-	39.30	11.85	42.68			
RMS	12.96558G	43.06	68.20	-25.14	34.59	3	Horizontal	329	2.04	-	39.30	11.85	42.68			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45453G	43.32	83.54	-40.22	39.92	1	Vertical	138	2.42	-	37.82	15.23	49.65			
AV	19.45454G	29.59	63.54	-33.95	26.19	1	Vertical	138	2.42	-	37.82	15.23	49.65			
PK	25.93968G	49.75	97.74	-47.99	39.35	1	Vertical	325	1.48	-	38.94	17.69	46.23			
RMS	25.9402G	42.48	77.74	-35.26	32.08	1	Vertical	325	1.48	-	38.94	17.69	46.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45496G	42.77	83.54	-40.77	39.37	1	Horizontal	286	2.07	-	37.82	15.23	49.65			
AV	19.45457G	29.49	63.54	-34.05	26.09	1	Horizontal	286	2.07	-	37.82	15.23	49.65			
PK	25.94G	51.49	97.74	-46.25	41.09	1	Horizontal	358	2.57	-	38.94	17.69	46.23			
RMS	25.93972G	45.44	77.74	-32.30	35.04	1	Horizontal	358	2.57	-	38.94	17.69	46.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04721G	56.75	88.20	-31.45	48.14	3	Vertical	96	1.79	-	39.39	11.88	42.66			
RMS	13.05155G	43.41	68.20	-24.79	34.78	3	Vertical	96	1.79	-	39.41	11.88	42.66			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04787G	57.28	88.20	-30.92	48.66	3	Horizontal	136	1.82	-	39.40	11.88	42.66			
RMS	13.04667G	43.45	68.20	-24.75	34.84	3	Horizontal	136	1.82	-	39.39	11.88	42.66			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57495G	42.92	83.54	-40.62	39.37	1	Vertical	15	2.65	-	37.95	15.22	49.62			
AV	19.57454G	29.69	63.54	-33.85	26.14	1	Vertical	15	2.65	-	37.95	15.22	49.62			
PK	26.10005G	50.96	97.74	-46.78	40.07	1	Vertical	159	1.26	-	39.30	17.76	46.17			
RMS	26.09983G	42.57	77.74	-35.17	31.68	1	Vertical	159	1.26	-	39.30	17.76	46.17			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57535G	43.27	83.54	-40.27	39.72	1	Horizontal	139	2.25	-	37.95	15.22	49.62			
AV	19.57486G	29.43	63.54	-34.11	25.88	1	Horizontal	139	2.25	-	37.95	15.22	49.62			
PK	26.09969G	52.88	97.74	-44.86	41.99	1	Horizontal	54	2.69	-	39.30	17.76	46.17			
RMS	26.1004G	44.51	77.74	-33.23	33.62	1	Horizontal	54	2.69	-	39.30	17.76	46.17			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1292G	57.14	88.20	-31.06	48.32	3	Vertical	2	1.94	-	39.60	11.90	42.68			
RMS	13.13303G	43.61	68.20	-24.59	34.78	3	Vertical	2	1.94	-	39.60	11.91	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13183G	57.01	88.20	-31.19	48.19	3	Horizontal	71	1.09	-	39.60	11.90	42.68			
RMS	13.12736G	43.61	68.20	-24.59	34.79	3	Horizontal	71	1.09	-	39.60	11.90	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69507G	44.03	83.54	-39.51	40.50	1	Vertical	148	2.58	-	37.83	15.22	49.52			
AV	19.69494G	30.00	63.54	-33.54	26.47	1	Vertical	148	2.58	-	37.83	15.22	49.52			
PK	26.26038G	49.74	97.74	-48.00	38.84	1	Vertical	142	2.89	-	39.10	17.86	46.06			
RMS	26.25952G	40.23	77.74	-37.51	29.33	1	Vertical	142	2.89	-	39.10	17.86	46.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69495G	43.61	83.54	-39.93	40.08	1	Horizontal	160	1.59	-	37.83	15.22	49.52			
AV	19.69456G	29.80	63.54	-33.74	26.27	1	Horizontal	160	1.59	-	37.83	15.22	49.52			
PK	26.2604G	51.05	97.74	-46.69	40.15	1	Horizontal	166	1.02	-	39.10	17.86	46.06			
RMS	26.26002G	42.35	77.74	-35.39	31.45	1	Horizontal	166	1.02	-	39.10	17.86	46.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36897G	57.18	74.00	-16.82	47.88	3	Vertical	213	2.83	-	40.04	11.99	42.73			
AV	13.36779G	43.83	54.00	-10.17	34.53	3	Vertical	213	2.83	-	40.04	11.99	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3679G	56.96	74.00	-17.04	47.66	3	Horizontal	78	2.63	-	40.04	11.99	42.73			
AV	13.36929G	43.90	54.00	-10.10	34.60	3	Horizontal	78	2.63	-	40.04	11.99	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05511G	41.84	83.54	-41.70	38.14	1	Vertical	243	2.31	-	37.72	15.24	49.26			
AV	20.05463G	28.88	63.54	-34.66	25.18	1	Vertical	243	2.31	-	37.72	15.24	49.26			
PK	26.73956G	50.63	97.74	-47.11	38.41	1	Vertical	358	1.62	-	40.04	18.14	45.96			
RMS	26.73967G	41.74	77.74	-36.00	29.52	1	Vertical	358	1.62	-	40.04	18.14	45.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 16
 03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05503G	41.92	83.54	-41.62	38.22	1	Horizontal	262	2.66	-	37.72	15.24	49.26			
AV	20.05451G	28.50	63.54	-35.04	24.80	1	Horizontal	262	2.66	-	37.72	15.24	49.26			
PK	26.73988G	52.17	97.74	-45.57	39.95	1	Horizontal	57	1.78	-	40.04	18.14	45.96			
RMS	26.73968G	43.71	77.74	-34.03	31.49	1	Horizontal	57	1.78	-	40.04	18.14	45.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76678G	57.38	88.20	-30.82	47.23	3	Vertical	305	2.09	-	40.63	12.12	42.60			
RMS	13.77412G	44.31	68.20	-23.89	34.14	3	Vertical	305	2.09	-	40.65	12.12	42.60			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77185G	57.34	88.20	-30.86	47.18	3	Horizontal	312	1.76	-	40.64	12.12	42.60			
RMS	13.77322G	44.33	68.20	-23.87	34.16	3	Horizontal	312	1.76	-	40.65	12.12	42.60			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65493G	42.85	83.54	-40.69	38.29	1	Vertical	291	2.88	-	37.90	15.72	49.06			
AV	20.65463G	29.54	63.54	-34.00	24.98	1	Vertical	291	2.88	-	37.90	15.72	49.06			
PK	27.5396G	50.37	97.74	-47.37	37.63	1	Vertical	49	1.12	-	39.72	18.62	45.60			
RMS	27.53953G	41.74	77.74	-36.00	29.00	1	Vertical	49	1.12	-	39.72	18.62	45.60			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 16
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65499G	42.80	83.54	-40.74	38.24	1	Horizontal	58	1.65	-	37.90	15.72	49.06			
AV	20.65487G	29.41	63.54	-34.13	24.85	1	Horizontal	58	1.65	-	37.90	15.72	49.06			
PK	27.53995G	52.24	97.74	-45.50	39.50	1	Horizontal	14	1.82	-	39.72	18.62	45.60			
RMS	27.53973G	43.82	77.74	-33.92	31.08	1	Horizontal	14	1.82	-	39.72	18.62	45.60			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84899G	58.42	88.20	-29.78	48.02	3	Vertical	109	1.09	-	40.80	12.15	42.55			
RMS	13.84566G	44.66	68.20	-23.54	34.27	3	Vertical	109	1.09	-	40.79	12.15	42.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85374G	57.35	88.20	-30.85	46.94	3	Horizontal	22	2.12	-	40.81	12.15	42.55			
RMS	13.8478G	44.64	68.20	-23.56	34.24	3	Horizontal	22	2.12	-	40.80	12.15	42.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77452G	44.15	83.54	-39.39	39.33	1	Vertical	179	2.49	-	38.00	15.82	49.00			
AV	20.77514G	30.51	63.54	-33.03	25.69	1	Vertical	179	2.49	-	38.00	15.82	49.00			
PK	27.69998G	49.03	97.74	-48.71	36.03	1	Vertical	344	2.57	-	39.90	18.72	45.62			
RMS	27.69988G	42.06	77.74	-35.68	29.06	1	Vertical	344	2.57	-	39.90	18.72	45.62			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_X_4TX
 Setting 15
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77452G	44.63	83.54	-38.91	39.81	1	Horizontal	28	1.19	-	38.00	15.82	49.00			
AV	20.77497G	30.20	63.54	-33.34	25.38	1	Horizontal	28	1.19	-	38.00	15.82	49.00			
PK	27.69984G	50.56	97.74	-47.18	37.56	1	Horizontal	289	2.52	-	39.90	18.72	45.62			
RMS	27.70022G	43.02	77.74	-34.72	30.02	1	Horizontal	289	2.52	-	39.90	18.72	45.62			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 13
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0662G	108.22	Inf	-Inf	97.00	3	Vertical	54	1.70	-	35.40	8.54	32.72			
RMS	7.0666G	98.41	Inf	-Inf	87.19	3	Vertical	54	1.70	-	35.40	8.54	32.72			
PK	7.1836G	65.17	88.20	-23.03	53.32	3	Vertical	54	1.70	-	36.03	8.50	32.68			
RMS	7.1814G	54.18	68.20	-14.02	42.33	3	Vertical	54	1.70	-	36.03	8.50	32.68			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 13
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0672G	108.30	Inf	-Inf	97.39	3	Horizontal	66.4	1.71	-	35.40	8.54	33.03			
RMS	7.0672G	98.46	Inf	-Inf	87.55	3	Horizontal	66.4	1.71	-	35.40	8.54	33.03			
PK	7.1782G	65.01	88.20	-23.19	53.56	3	Horizontal	66.4	1.71	-	36.01	8.50	33.06			
RMS	7.1846G	53.71	68.20	-14.49	42.24	3	Horizontal	66.4	1.71	-	36.04	8.50	33.07			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	66.92	88.20	-21.28	59.32	3	Vertical	299	1.80	-	32.40	7.64	32.44			
RMS	5.925G	49.53	68.20	-18.67	41.93	3	Vertical	299	1.80	-	32.40	7.64	32.44			
PK	5.9686G	110.90	Inf	-Inf	103.24	3	Vertical	299	1.80	-	32.44	7.66	32.44			
RMS	5.9682G	99.55	Inf	-Inf	91.89	3	Vertical	299	1.80	-	32.44	7.66	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	62.79	88.20	-25.41	55.19	3	Horizontal	76	1.53	-	32.40	7.64	32.44			
RMS	5.925G	49.18	68.20	-19.02	41.58	3	Horizontal	76	1.53	-	32.40	7.64	32.44			
PK	6.0162G	110.58	Inf	-Inf	102.81	3	Horizontal	76	1.53	-	32.53	7.68	32.44			
RMS	6.0134G	99.12	Inf	-Inf	91.35	3	Horizontal	76	1.53	-	32.53	7.68	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97077G	55.41	74.00	-18.59	47.97	3	Vertical	290	2.61	-	39.16	11.50	43.22			
AV	11.96511G	42.34	54.00	-11.66	34.90	3	Vertical	290	2.61	-	39.17	11.50	43.23			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96671G	55.14	74.00	-18.86	47.70	3	Horizontal	152	2.29	-	39.17	11.50	43.23			
AV	11.96571G	42.41	54.00	-11.59	34.97	3	Horizontal	152	2.29	-	39.17	11.50	43.23			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94128G	52.63	83.54	-30.91	43.49	1	Vertical	233	1.20	-	38.88	17.38	47.12			
AV	23.94308G	39.38	63.54	-24.16	30.23	1	Vertical	233	1.20	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 18
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94726G	52.24	83.54	-31.30	43.09	1	Horizontal	25	1.18	-	38.89	17.38	47.12			
AV	23.94118G	39.32	63.54	-24.22	30.18	1	Horizontal	25	1.18	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45087G	55.27	74.00	-18.73	48.16	3	Vertical	315	2.71	-	38.60	11.67	43.16			
AV	12.44638G	42.23	54.00	-11.77	35.12	3	Vertical	315	2.71	-	38.60	11.67	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45197G	55.26	74.00	-18.74	48.15	3	Horizontal	82	1.69	-	38.60	11.67	43.16			
AV	12.44928G	42.26	54.00	-11.74	35.15	3	Horizontal	82	1.69	-	38.60	11.67	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 16
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66666G	44.31	83.54	-39.23	40.88	1	Vertical	357	1.35	-	37.73	15.27	49.57			
AV	18.6688G	32.06	63.54	-31.48	28.64	1	Vertical	357	1.35	-	37.72	15.27	49.57			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 16
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67708G	44.79	83.54	-38.75	41.39	1	Horizontal	165	1.84	-	37.69	15.27	49.56			
AV	18.6715G	32.11	63.54	-31.43	28.69	1	Horizontal	165	1.84	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77224G	54.85	88.20	-33.35	47.06	3	Vertical	284	2.30	-	38.89	11.78	42.88			
RMS	12.76592G	42.13	68.20	-26.07	34.37	3	Vertical	284	2.30	-	38.86	11.78	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76638G	54.84	88.20	-33.36	47.07	3	Horizontal	4	1.84	-	38.87	11.78	42.88			
RMS	12.76794G	42.08	68.20	-26.12	34.31	3	Horizontal	4	1.84	-	38.87	11.78	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.15162G	44.83	83.54	-38.71	41.32	1	Vertical	207	1.61	-	37.71	15.24	49.44				
AV	19.16432G	32.13	63.54	-31.41	28.55	1	Vertical	207	1.61	-	37.79	15.24	49.45				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15738G	44.58	83.54	-38.96	41.05	1	Horizontal	241	1.41	-	37.74	15.24	49.45			
AV	19.14618G	32.09	63.54	-31.45	28.57	1	Horizontal	241	1.41	-	37.72	15.24	49.44			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93392G	55.92	88.20	-32.28	47.53	3	Vertical	322	1.44	-	39.27	11.84	42.72			
RMS	12.92874G	42.73	68.20	-25.47	34.35	3	Vertical	322	1.44	-	39.26	11.84	42.72			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93403G	55.76	88.20	-32.44	47.37	3	Horizontal	185	2.54	-	39.27	11.84	42.72			
RMS	12.93484G	42.65	68.20	-25.55	34.26	3	Horizontal	185	2.54	-	39.27	11.84	42.72			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39354G	46.63	83.54	-36.91	43.04	1	Vertical	250	1.79	-	37.97	15.23	49.61			
AV	19.39266G	32.56	63.54	-30.98	28.97	1	Vertical	250	1.79	-	37.97	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38982G	45.59	83.54	-37.95	42.01	1	Horizontal	207	1.03	-	37.96	15.23	49.61			
AV	19.39302G	32.58	63.54	-30.96	28.99	1	Horizontal	207	1.03	-	37.97	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 19
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08958G	56.60	88.20	-31.60	47.82	3	Vertical	127	2.99	-	39.56	11.89	42.67			
RMS	13.09226G	43.46	68.20	-24.74	34.67	3	Vertical	127	2.99	-	39.57	11.89	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 19
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08562G	56.44	88.20	-31.76	47.68	3	Horizontal	159	1.91	-	39.54	11.89	42.67			
RMS	13.08834G	43.58	68.20	-24.62	34.81	3	Horizontal	159	1.91	-	39.55	11.89	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 19
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63544G	45.21	83.54	-38.33	41.55	1	Vertical	191	2.63	-	38.01	15.22	49.57			
AV	19.63738G	32.79	63.54	-30.75	29.12	1	Vertical	191	2.63	-	38.02	15.22	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 19
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.62716G	45.65	83.54	-37.89	42.05	1	Horizontal	62	2.48	-	37.96	15.22	49.58			
AV	19.64428G	32.85	63.54	-30.69	29.12	1	Horizontal	62	2.48	-	38.07	15.22	49.56			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2531G	56.98	74.00	-17.02	47.83	3	Vertical	28	2.92	-	39.91	11.95	42.71			
AV	13.25919G	43.68	54.00	-10.32	34.52	3	Vertical	28	2.92	-	39.92	11.95	42.71			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
 Setting 15
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2554G	56.15	74.00	-17.85	47.00	3	Horizontal	132	2.81	-	39.91	11.95	42.71			
AV	13.25214G	43.66	54.00	-10.34	34.52	3	Horizontal	132	2.81	-	39.90	11.95	42.71			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
 Setting 15
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8733G	45.15	83.54	-38.39	41.57	1	Vertical	220	1.47	-	37.74	15.21	49.37			
AV	19.88496G	32.82	63.54	-30.72	29.16	1	Vertical	220	1.47	-	37.81	15.21	49.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
 Setting 15
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.87906G	46.25	83.54	-37.29	42.64	1	Horizontal	71	1.65	-	37.77	15.21	49.37				
AV	19.87504G	32.90	63.54	-30.64	29.31	1	Horizontal	71	1.65	-	37.75	15.21	49.37				

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41448G	56.83	88.20	-31.37	47.44	3	Vertical	328	1.60	-	40.13	12.00	42.74			
RMS	13.4121G	43.61	88.20	-44.59	34.23	3	Vertical	328	1.60	-	40.12	12.00	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41402G	57.22	88.20	-30.98	47.83	3	Horizontal	99	1.86	-	40.13	12.00	42.74			
RMS	13.41027G	43.63	68.20	-24.57	34.25	3	Horizontal	99	1.86	-	40.12	12.00	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11074G	47.36	83.54	-36.18	43.47	1	Vertical	116	2.94	-	37.84	15.29	49.24			
AV	20.10664G	33.33	63.54	-30.21	29.42	1	Vertical	116	2.94	-	37.86	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10922G	46.78	83.54	-36.76	42.89	1	Horizontal	94	2.81	-	37.84	15.29	49.24			
AV	20.10906G	33.34	63.54	-30.20	29.44	1	Horizontal	94	2.81	-	37.85	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57469G	56.52	88.20	-31.68	46.78	3	Vertical	219	2.03	-	40.40	12.06	42.72			
RMS	13.56655G	44.09	68.20	-24.11	34.36	3	Vertical	219	2.03	-	40.40	12.05	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
 Setting 17
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57241G	57.36	88.20	-30.84	47.63	3	Horizontal	152	1.18	-	40.40	12.05	42.72			
RMS	13.56781G	43.92	68.20	-24.28	34.19	3	Horizontal	152	1.18	-	40.40	12.05	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35174G	46.79	83.54	-36.75	42.39	1	Vertical	118	1.09	-	38.10	15.48	49.18			
AV	20.34576G	34.21	63.54	-29.33	29.80	1	Vertical	118	1.09	-	38.11	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
 Setting 17
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36218G	46.41	83.54	-37.13	42.02	1	Horizontal	152	1.09	-	38.08	15.49	49.18			
AV	20.35942G	34.24	63.54	-29.30	29.85	1	Horizontal	152	1.09	-	38.08	15.49	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 18
 03-S-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73499G	57.90	88.20	-30.30	47.87	3	Vertical	134	2.75	-	40.54	12.11	42.62			
RMS	13.72676G	44.14	68.20	-24.06	34.14	3	Vertical	134	2.75	-	40.51	12.11	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 18
 03-S-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72558G	58.06	88.20	-30.14	48.07	3	Horizontal	116	2.33	-	40.50	12.11	42.62			
RMS	13.72604G	44.22	68.20	-23.98	34.23	3	Horizontal	116	2.33	-	40.50	12.11	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 18
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58554G	46.99	83.54	-36.55	42.45	1	Vertical	170	2.60	-	37.97	15.67	49.10			
AV	20.60122G	34.28	63.54	-29.26	29.69	1	Vertical	170	2.60	-	38.00	15.68	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 18
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.60224G	46.69	83.54	-36.85	42.10	1	Horizontal	161	2.73	-	38.00	15.68	49.09			
AV	20.5977G	34.38	63.54	-29.16	29.79	1	Horizontal	161	2.73	-	38.00	15.68	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88752G	57.74	88.20	-30.46	47.23	3	Vertical	119	2.64	-	40.88	12.16	42.53			
RMS	13.88895G	44.82	68.20	-23.38	34.31	3	Vertical	119	2.64	-	40.88	12.16	42.53			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
 Setting 16
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88616G	57.64	88.20	-30.56	47.14	3	Horizontal	24	1.11	-	40.87	12.16	42.53			
RMS	13.8866G	44.82	68.20	-23.38	34.32	3	Horizontal	24	1.11	-	40.87	12.16	42.53			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
 Setting 16
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83984G	47.75	83.54	-35.79	42.64	1	Vertical	93	2.58	-	38.20	15.87	48.96			
AV	20.84292G	35.74	63.54	-27.80	30.63	1	Vertical	93	2.58	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
 Setting 16
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8374G	48.06	83.54	-35.48	42.95	1	Horizontal	64	1.23	-	38.20	15.87	48.96			
AV	20.83882G	35.79	63.54	-27.75	30.68	1	Horizontal	64	1.23	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.997G	110.56	Inf	-Inf	99.66	3	Vertical	49	1.80	-	35.09	8.56	32.75			
RMS	6.9874G	99.51	Inf	-Inf	88.63	3	Vertical	49	1.80	-	35.07	8.55	32.74			
PK	7.2166G	64.69	88.20	-23.51	52.72	3	Vertical	49	1.80	-	36.13	8.51	32.67			
RMS	7.2246G	54.16	68.20	-14.04	42.15	3	Vertical	49	1.80	-	36.15	8.52	32.66			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0338G	109.28	Inf	-Inf	98.23	3	Horizontal	62	1.80	-	35.24	8.55	32.74			
RMS	7.0362G	98.99	Inf	-Inf	87.94	3	Horizontal	62	1.80	-	35.24	8.55	32.74			
PK	7.1258G	66.18	88.20	-22.02	54.61	3	Horizontal	62	1.80	-	35.75	8.52	32.70			
RMS	7.2206G	54.10	68.20	-14.10	42.12	3	Horizontal	62	1.80	-	36.14	8.51	32.67			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 03-S-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04887G	57.45	88.20	-30.75	46.48	3	Vertical	354	1.96	-	41.20	12.22	42.45			
RMS	14.04571G	44.86	68.20	-23.34	33.90	3	Vertical	354	1.96	-	41.20	12.21	42.45			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 03-S-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0452G	57.55	88.20	-30.65	46.59	3	Horizontal	227	2.40	-	41.20	12.21	42.45			
RMS	14.0509G	44.93	68.20	-23.27	33.96	3	Horizontal	227	2.40	-	41.20	12.22	42.45			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06658G	48.37	83.54	-35.17	42.89	1	Vertical	307	1.42	-	38.30	16.05	48.87			
AV	21.07066G	36.00	63.54	-27.54	30.53	1	Vertical	307	1.42	-	38.28	16.06	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 19
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07506G	49.25	83.54	-34.29	43.81	1	Horizontal	308	1.21	-	38.25	16.06	48.87			
AV	21.07502G	36.04	63.54	-27.50	30.60	1	Horizontal	308	1.21	-	38.25	16.06	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	64.07	88.20	-24.13	56.47	3	Vertical	295	1.87	-	32.40	7.64	32.44			
RMS	5.919G	49.82	68.20	-18.38	42.22	3	Vertical	295	1.87	-	32.40	7.64	32.44			
PK	6.0425G	109.29	Inf	-Inf	101.44	3	Vertical	295	1.87	-	32.59	7.69	32.43			
RMS	6.052G	98.27	Inf	-Inf	90.41	3	Vertical	295	1.87	-	32.60	7.69	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 01-S-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	71.00	88.20	-17.20	63.40	3	Horizontal	60.5	1.80	-	32.40	7.64	32.44			
RMS	5.923G	50.62	68.20	-17.58	43.02	3	Horizontal	60.5	1.80	-	32.40	7.64	32.44			
PK	6.0615G	106.89	Inf	-Inf	99.05	3	Horizontal	60.5	1.80	-	32.58	7.69	32.43			
RMS	6.0545G	97.20	Inf	-Inf	89.35	3	Horizontal	60.5	1.80	-	32.59	7.69	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05464G	55.16	74.00	-18.84	47.84	3	Vertical	301	1.37	-	38.99	11.54	43.21			
AV	12.0522G	42.04	54.00	-11.96	34.71	3	Vertical	301	1.37	-	39.00	11.54	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05208G	55.32	74.00	-18.68	47.99	3	Horizontal	122	1.91	-	39.00	11.54	43.21			
AV	12.05275G	42.09	54.00	-11.91	34.77	3	Horizontal	122	1.91	-	38.99	11.54	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07522G	44.63	83.54	-38.91	41.31	1	Vertical	195	2.91	-	37.50	15.30	49.48			
AV	18.07696G	32.44	63.54	-31.10	29.11	1	Vertical	195	2.91	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08164G	44.63	83.54	-38.91	41.28	1	Horizontal	350	2.42	-	37.53	15.30	49.48			
AV	18.08104G	32.39	63.54	-31.15	29.05	1	Horizontal	350	2.42	-	37.52	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 21
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37447G	55.13	74.00	-18.87	48.00	3	Vertical	183	1.69	-	38.65	11.65	43.17			
AV	12.37039G	42.06	54.00	-11.94	34.92	3	Vertical	183	1.69	-	38.66	11.65	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 21
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37289G	54.88	74.00	-19.12	47.75	3	Horizontal	198	1.52	-	38.65	11.65	43.17			
AV	12.37086G	41.99	54.00	-12.01	34.85	3	Horizontal	198	1.52	-	38.66	11.65	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 21
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56002G	45.34	83.54	-38.20	42.01	1	Vertical	62	1.65	-	37.70	15.27	49.64			
AV	18.5637G	32.15	63.54	-31.39	28.82	1	Vertical	62	1.65	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 21
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56124G	44.52	83.54	-39.02	41.19	1	Horizontal	75	2.98	-	37.70	15.27	49.64			
AV	18.55964G	32.10	63.54	-31.44	28.77	1	Horizontal	75	2.98	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68933G	55.95	74.00	-18.05	48.28	3	Vertical	147	2.41	-	38.88	11.75	42.96			
AV	12.68921G	42.30	54.00	-11.70	34.63	3	Vertical	147	2.41	-	38.88	11.75	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68646G	56.20	74.00	-17.80	48.54	3	Horizontal	119	2.75	-	38.87	11.75	42.96			
AV	12.68604G	42.31	54.00	-11.64	34.70	3	Horizontal	119	2.75	-	38.87	11.75	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03684G	45.39	83.54	-38.15	41.61	1	Vertical	53	2.27	-	37.90	15.25	49.37			
AV	19.03048G	32.71	63.54	-30.83	28.92	1	Vertical	53	2.27	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03622G	46.76	83.54	-36.78	42.97	1	Horizontal	133	1.24	-	37.90	15.25	49.36			
AV	19.0428G	32.24	63.54	-31.30	28.46	1	Horizontal	133	1.24	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 23
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00876G	57.49	88.20	-30.71	48.96	3	Vertical	174	1.76	-	39.32	11.86	42.65			
RMS	13.01147G	43.17	68.20	-25.03	34.64	3	Vertical	174	1.76	-	39.32	11.86	42.65			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 23
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01075G	56.65	88.20	-31.55	48.12	3	Horizontal	224	2.81	-	39.32	11.86	42.65			
RMS	13.01428G	43.18	68.20	-25.02	34.64	3	Horizontal	224	2.81	-	39.33	11.86	42.65			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 23
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51178G	45.39	83.54	-38.15	41.82	1	Vertical	230	2.88	-	38.02	15.22	49.67			
AV	19.52442G	32.99	63.54	-30.55	29.38	1	Vertical	230	2.88	-	38.05	15.22	49.66			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 23
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51964G	45.64	83.54	-37.90	42.04	1	Horizontal	309	1.04	-	38.04	15.22	49.66			
AV	19.51852G	33.01	63.54	-30.53	29.41	1	Horizontal	309	1.04	-	38.04	15.22	49.66			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
 Setting 23
 03-S-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33139G	56.47	74.00	-17.53	47.22	3	Vertical	118	2.71	-	40.00	11.97	42.72			
AV	13.3281G	43.93	54.00	-10.07	34.68	3	Vertical	118	2.71	-	40.00	11.97	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
 Setting 23
 03-S-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33119G	57.25	74.00	-16.75	48.00	3	Horizontal	119	1.71	-	40.00	11.97	42.72			
AV	13.32736G	43.87	54.00	-10.13	34.62	3	Horizontal	119	1.71	-	40.00	11.97	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
 Setting 23
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00074G	46.23	83.54	-37.31	42.50	1	Vertical	345	1.69	-	37.80	15.20	49.27			
AV	20.0042G	33.41	63.54	-30.13	29.69	1	Vertical	345	1.69	-	37.79	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
 Setting 23
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99672G	46.19	83.54	-37.35	42.46	1	Horizontal	98	2.36	-	37.80	15.20	49.27			
AV	20.00412G	33.46	63.54	-30.08	29.74	1	Horizontal	98	2.36	-	37.79	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64764G	57.82	88.20	-30.38	48.01	3	Vertical	90	1.88	-	40.40	12.08	42.67			
RMS	13.64616G	44.09	68.20	-24.11	34.28	3	Vertical	90	1.88	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65384G	57.69	88.20	-30.51	47.88	3	Horizontal	270	2.50	-	40.40	12.08	42.67			
RMS	13.652G	44.15	68.20	-24.05	34.34	3	Horizontal	270	2.50	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47272G	47.19	83.54	-36.35	42.94	1	Vertical	271	2.01	-	37.82	15.58	49.15			
AV	20.47406G	34.56	63.54	-28.98	30.32	1	Vertical	271	2.01	-	37.81	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47174G	47.06	83.54	-36.48	42.80	1	Horizontal	91	2.36	-	37.83	15.58	49.15			
AV	20.4703G	34.52	63.54	-29.02	30.25	1	Horizontal	91	2.36	-	37.84	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9082G	107.25	Inf	-Inf	96.72	3	Vertical	313	2.96	-	34.75	8.46	32.68			
RMS	6.9954G	94.60	Inf	-Inf	83.70	3	Vertical	313	2.96	-	35.09	8.56	32.75			
PK	7.1386G	73.80	88.20	-14.40	62.16	3	Vertical	313	2.96	-	35.83	8.51	32.70			
RMS	7.133G	57.63	68.20	-10.57	46.02	3	Vertical	313	2.96	-	35.80	8.51	32.70			
PK	7.3738G	66.09	74.00	-7.91	53.90	3	Vertical	313	2.96	-	36.10	8.70	32.61			
AV	7.3634G	52.30	54.00	-1.70	40.12	3	Vertical	313	2.96	-	36.10	8.69	32.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9346G	105.40	Inf	-Inf	94.70	3	Horizontal	50	2.83	-	34.91	8.49	32.70			
RMS	7.0114G	93.10	Inf	-Inf	82.14	3	Horizontal	50	2.83	-	35.15	8.56	32.75			
PK	7.1826G	65.71	88.20	-22.49	53.86	3	Horizontal	50	2.83	-	36.03	8.50	32.68			
RMS	7.141G	56.06	68.20	-12.14	44.40	3	Horizontal	50	2.83	-	35.85	8.51	32.70			
PK	7.3242G	65.47	74.00	-8.53	53.26	3	Horizontal	50	2.83	-	36.20	8.64	32.63			
AV	7.3738G	52.22	54.00	-1.78	40.03	3	Horizontal	50	2.83	-	36.10	8.70	32.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97028G	57.45	88.20	-30.75	46.66	3	Vertical	220	1.17	-	41.08	12.19	42.48			
RMS	13.96994G	44.73	68.20	-23.47	33.94	3	Vertical	220	1.17	-	41.08	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96503G	57.97	88.20	-30.23	47.20	3	Horizontal	12	2.53	-	41.06	12.19	42.48			
RMS	13.9685G	44.82	68.20	-23.38	34.04	3	Horizontal	12	2.53	-	41.07	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95314G	47.20	83.54	-36.34	42.05	1	Vertical	95	1.85	-	38.09	15.96	48.90			
AV	20.9541G	35.33	63.54	-28.21	30.19	1	Vertical	95	1.85	-	38.08	15.96	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96094G	48.63	83.54	-34.91	43.50	1	Horizontal	258	1.89	-	38.06	15.97	48.90			
AV	20.95958G	35.35	63.54	-28.19	30.22	1	Horizontal	258	1.89	-	38.06	15.97	48.90			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4042G	58.92	74.00	-15.08	52.51	3	Vertical	356	1.00	-	31.52	7.37	32.48			
AV	5.457G	47.71	54.00	-6.29	41.04	3	Vertical	356	1.00	-	31.73	7.41	32.47			
PK	5.9242G	69.84	88.20	-18.36	62.24	3	Vertical	356	1.00	-	32.40	7.64	32.44			
RMS	5.9226G	59.33	68.20	-8.87	51.73	3	Vertical	356	1.00	-	32.40	7.64	32.44			
PK	6.1786G	107.53	Inf	-Inf	99.47	3	Vertical	356	1.00	-	32.76	7.72	32.42			
RMS	6.177G	98.06	Inf	-Inf	90.01	3	Vertical	356	1.00	-	32.75	7.72	32.42			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3994G	57.90	74.00	-16.10	51.51	3	Horizontal	115	1.80	-	31.50	7.37	32.48			
AV	5.4554G	47.68	54.00	-6.32	41.02	3	Horizontal	115	1.80	-	31.72	7.41	32.47			
PK	5.9194G	67.94	88.20	-20.26	60.34	3	Horizontal	115	1.80	-	32.40	7.64	32.44			
RMS	5.9178G	56.69	68.20	-11.51	49.09	3	Horizontal	115	1.80	-	32.40	7.64	32.44			
PK	6.0938G	101.74	Inf	-Inf	93.96	3	Horizontal	115	1.80	-	32.51	7.70	32.43			
RMS	6.0666G	91.01	Inf	-Inf	83.18	3	Horizontal	115	1.80	-	32.57	7.69	32.43			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21172G	55.69	74.00	-18.31	48.57	3	Vertical	333	3.00	-	38.72	11.59	43.19			
AV	12.21274G	42.11	54.00	-11.89	34.98	3	Vertical	333	3.00	-	38.73	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20703G	55.23	74.00	-18.77	48.12	3	Horizontal	71	2.48	-	38.71	11.59	43.19			
AV	12.2068G	42.02	54.00	-11.98	34.91	3	Horizontal	71	2.48	-	38.71	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30596G	45.64	83.54	-37.90	42.45	1	Vertical	127	2.60	-	37.50	15.28	49.59			
AV	18.3185G	31.90	63.54	-31.64	28.71	1	Vertical	127	2.60	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.31834G	45.09	83.54	-38.45	41.90	1	Horizontal	268	1.40	-	37.50	15.28	49.59				
AV	18.31646G	31.88	63.54	-31.66	28.69	1	Horizontal	268	1.40	-	37.50	15.28	49.59				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52977G	55.87	74.00	-18.13	48.59	3	Vertical	319	2.57	-	38.70	11.70	43.12			
AV	12.52516G	42.26	54.00	-11.74	34.98	3	Vertical	319	2.57	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52957G	54.86	74.00	-19.14	47.58	3	Horizontal	182	2.52	-	38.70	11.70	43.12			
AV	12.53175G	42.22	54.00	-11.78	34.94	3	Horizontal	182	2.52	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79316G	46.18	83.54	-37.36	42.60	1	Vertical	21	2.47	-	37.80	15.26	49.48			
AV	18.787G	32.39	63.54	-31.15	28.81	1	Vertical	21	2.47	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80484G	45.79	83.54	-37.75	42.18	1	Horizontal	115	1.43	-	37.82	15.26	49.47			
AV	18.80342G	32.50	63.54	-31.04	28.90	1	Horizontal	115	1.43	-	37.81	15.26	49.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84642G	54.88	88.20	-33.32	46.68	3	Vertical	34	1.92	-	39.19	11.81	42.80			
RMS	12.8466G	42.44	68.20	-25.76	34.24	3	Vertical	34	1.92	-	39.19	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8497G	55.60	88.20	-32.60	47.39	3	Horizontal	158	1.41	-	39.20	11.81	42.80			
RMS	12.85327G	42.37	68.20	-25.83	34.16	3	Horizontal	158	1.41	-	39.20	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.283G	44.89	83.54	-38.65	41.21	1	Vertical	282	1.64	-	37.97	15.24	49.53			
AV	19.28038G	32.64	63.54	-30.90	28.97	1	Vertical	282	1.64	-	37.96	15.24	49.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27132G	45.40	83.54	-38.14	41.74	1	Horizontal	127	2.11	-	37.94	15.24	49.52			
AV	19.28094G	32.75	63.54	-30.79	29.08	1	Horizontal	127	2.11	-	37.96	15.24	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17499G	56.71	88.20	-31.49	47.83	3	Vertical	56	2.56	-	39.65	11.92	42.69			
RMS	13.16739G	43.66	68.20	-24.54	34.80	3	Vertical	56	2.56	-	39.63	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 24
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17306G	57.15	88.20	-31.05	48.27	3	Horizontal	350	2.09	-	39.65	11.92	42.69			
RMS	13.16748G	43.53	68.20	-24.67	34.67	3	Horizontal	350	2.09	-	39.63	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75296G	45.91	83.54	-37.63	42.26	1	Vertical	63	2.61	-	37.91	15.21	49.47			
AV	19.75896G	33.01	63.54	-30.53	29.33	1	Vertical	63	2.61	-	37.94	15.21	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 24
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75434G	45.54	83.54	-38.00	41.88	1	Horizontal	294	2.91	-	37.92	15.21	49.47			
AV	19.75936G	32.96	63.54	-30.58	29.28	1	Horizontal	294	2.91	-	37.94	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 25
 03-S-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48865G	56.85	88.20	-31.35	47.30	3	Vertical	43	1.30	-	40.28	12.03	42.76			
RMS	13.48693G	43.82	68.20	-24.38	34.28	3	Vertical	43	1.30	-	40.27	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 25
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48575G	57.23	88.20	-30.97	47.69	3	Horizontal	70	2.28	-	40.27	12.03	42.76			
RMS	13.48829G	43.77	68.20	-24.43	34.22	3	Horizontal	70	2.28	-	40.28	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24026G	47.92	83.54	-35.62	43.76	1	Vertical	19	2.62	-	37.98	15.39	49.21			
AV	20.24284G	34.42	63.54	-29.12	30.25	1	Vertical	19	2.62	-	37.99	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 25
 01-S-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24198G	47.51	83.54	-36.03	43.35	1	Horizontal	320	1.04	-	37.98	15.39	49.21			
AV	20.2437G	34.54	63.54	-29.00	30.37	1	Horizontal	320	1.04	-	37.99	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8986G	106.40	Inf	-Inf	95.93	3	Vertical	314	2.25	-	34.69	8.45	32.67			
RMS	6.9002G	93.34	Inf	-Inf	82.86	3	Vertical	314	2.25	-	34.70	8.46	32.68			
PK	7.2218G	68.18	88.20	-20.02	56.19	3	Vertical	314	2.25	-	36.14	8.52	32.67			
RMS	7.2186G	55.51	68.20	-12.69	43.53	3	Vertical	314	2.25	-	36.14	8.51	32.67			
PK	7.2962G	65.22	74.00	-8.78	52.96	3	Vertical	314	2.25	-	36.29	8.61	32.64			
AV	7.2946G	52.26	54.00	-1.74	40.01	3	Vertical	314	2.25	-	36.29	8.60	32.64			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9106G	114.74	Inf	-Inf	104.19	3	Horizontal	64	2.32	-	34.76	8.47	32.68			
RMS	6.8482G	93.12	Inf	-Inf	83.07	3	Horizontal	64	2.32	-	34.29	8.40	32.64			
PK	7.2202G	70.93	88.20	-17.27	58.95	3	Horizontal	64	2.32	-	36.14	8.51	32.67			
RMS	7.1746G	56.68	68.20	-11.52	44.86	3	Horizontal	64	2.32	-	36.00	8.50	32.68			
PK	7.2634G	65.28	74.00	-8.72	53.13	3	Horizontal	64	2.32	-	36.23	8.57	32.65			
AV	7.261G	52.22	54.00	-1.78	40.09	3	Horizontal	64	2.32	-	36.22	8.56	32.65			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81166G	57.68	88.20	-30.52	47.39	3	Vertical	16	2.38	-	40.72	12.14	42.57			
RMS	13.80571G	44.22	68.20	-23.98	33.96	3	Vertical	16	2.38	-	40.71	12.13	42.58			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 03-S-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81174G	58.18	88.20	-30.02	47.89	3	Horizontal	140	2.35	-	40.72	12.14	42.57			
RMS	13.80998G	44.27	68.20	-23.93	33.98	3	Horizontal	140	2.35	-	40.72	12.14	42.57			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 22
 01-S-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71924G	47.65	83.54	-35.89	43.04	1	Vertical	202	1.53	-	37.86	15.78	49.03			
AV	20.72158G	34.86	63.54	-28.68	30.24	1	Vertical	202	1.53	-	37.86	15.78	49.02			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_X_4TX
 Setting 22
 01-S-A-4


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70714G	48.05	83.54	-35.49	43.42	1	Horizontal	52	2.98	-	37.89	15.77	49.03			
AV	20.7131G	34.86	63.54	-28.68	30.25	1	Horizontal	52	2.98	-	37.87	15.77	49.03			

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	Pass	RMS	7.126G	68.08	68.20	-0.12	3	Vertical	72	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	72.35	88.20	-15.85	65.82	3	Vertical	57	2.26	-	34.00	8.11	35.58			
RMS	5.925G	56.53	68.20	-11.67	50.00	3	Vertical	57	2.26	-	34.00	8.11	35.58			
PK	6.013G	110.68	Inf	-Inf	104.17	3	Vertical	57	2.26	-	33.93	8.16	35.58			
RMS	6.01G	99.87	Inf	-Inf	93.38	3	Vertical	57	2.26	-	33.92	8.16	35.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.83	88.20	-20.37	61.30	3	Horizontal	292	1.80	-	34.00	8.11	35.58			
RMS	5.9215G	54.64	68.20	-13.56	48.11	3	Horizontal	292	1.80	-	34.00	8.11	35.58			
PK	5.963G	102.76	Inf	-Inf	96.25	3	Horizontal	292	1.80	-	33.97	8.14	35.60			
RMS	6.023G	91.66	Inf	-Inf	85.10	3	Horizontal	292	1.80	-	33.95	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9671G	57.17	74.00	-16.83	41.00	3	Vertical	150	2.87	-	38.53	11.06	33.42			
AV	11.99G	46.72	54.00	-7.28	30.51	3	Vertical	150	2.87	-	38.58	11.07	33.44			
PK	17.95494G	54.22	74.00	-19.78	30.63	3	Vertical	12	2.59	-	43.85	13.34	33.60			
AV	17.95912G	45.63	54.00	-8.37	22.00	3	Vertical	12	2.59	-	43.89	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9493G	57.07	74.00	-16.93	40.93	3	Horizontal	85	2.88	-	38.50	11.05	33.41			
AV	11.975G	46.75	54.00	-7.25	30.57	3	Horizontal	85	2.88	-	38.55	11.06	33.43			
PK	17.95138G	54.09	74.00	-19.91	30.53	3	Horizontal	336	2.45	-	43.81	13.34	33.59			
AV	17.95554G	46.03	54.00	-7.97	22.43	3	Horizontal	336	2.45	-	43.86	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94467G	53.42	83.54	-30.12	44.27	1	Vertical	3	2.62	-	38.89	17.38	47.12			
AV	23.93982G	42.86	63.54	-20.68	33.72	1	Vertical	3	2.62	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_X_1TX
Setting 4
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93919G	53.54	83.54	-30.00	44.40	1	Horizontal	34	2.59	-	38.88	17.38	47.12			
AV	23.9408G	42.84	63.54	-20.70	33.70	1	Horizontal	34	2.59	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.903G	62.24	88.20	-25.96	55.71	3	Vertical	63	2.53	-	34.00	8.10	35.57			
RMS	5.9025G	51.57	68.20	-16.63	45.04	3	Vertical	63	2.53	-	34.00	8.10	35.57			
PK	6.013G	110.28	Inf	-Inf	103.77	3	Vertical	63	2.53	-	33.93	8.16	35.58			
RMS	6.023G	99.64	Inf	-Inf	93.08	3	Vertical	63	2.53	-	33.95	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.744G	60.71	88.20	-27.49	54.93	3	Horizontal	291.1	1.80	-	33.35	7.94	35.51			
RMS	5.9085G	51.00	68.20	-17.20	44.48	3	Horizontal	291.1	1.80	-	34.00	8.10	35.58			
PK	6.008G	100.93	Inf	-Inf	94.44	3	Horizontal	291.1	1.80	-	33.92	8.16	35.59			
RMS	6.0085G	90.98	Inf	-Inf	84.49	3	Horizontal	291.1	1.80	-	33.92	8.16	35.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.979G	58.23	74.00	-15.77	42.04	3	Vertical	218	2.76	-	38.56	11.06	33.43			
AV	11.9821G	46.77	54.00	-7.23	30.58	3	Vertical	218	2.76	-	38.56	11.06	33.43			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9876G	58.29	74.00	-15.71	42.09	3	Horizontal	16	2.90	-	38.58	11.06	33.44			
AV	11.982G	46.77	54.00	-7.23	30.58	3	Horizontal	16	2.90	-	38.56	11.06	33.43			
PK	17.9578G	54.49	74.00	-19.51	30.87	3	Horizontal	192	1.34	-	43.88	13.34	33.60			
AV	17.95548G	46.44	54.00	-7.56	22.85	3	Horizontal	192	1.34	-	43.85	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93926G	54.38	83.54	-39.76	34.64	1	Vertical	61	2.54	-	38.88	17.38	47.12			
AV	23.94296G	42.97	63.54	-30.23	24.16	1	Vertical	61	2.54	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93864G	54.72	83.54	-28.82	45.58	1	Horizontal	191	1.53	-	38.88	17.38	47.12			
AV	23.94368G	42.98	63.54	-20.56	33.83	1	Horizontal	191	1.53	-	38.89	17.38	47.12			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	108.70	Inf	-Inf	99.63	3	Vertical	306	1.80	-	35.78	8.61	35.32			
RMS	7.013G	98.57	Inf	-Inf	89.50	3	Vertical	306	1.80	-	35.78	8.61	35.32			
PK	7.1282G	79.62	88.20	-8.58	69.74	3	Vertical	306	1.80	-	36.41	8.58	35.11			
RMS	7.125G	67.74	68.20	-0.46	57.87	3	Vertical	306	1.80	-	36.40	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0154G	105.74	Inf	-Inf	96.65	3	Horizontal	30	2.92	-	35.79	8.61	35.31			
RMS	7.0002G	96.26	Inf	-Inf	87.29	3	Horizontal	30	2.92	-	35.70	8.61	35.34			
PK	7.1258G	76.89	88.20	-11.31	67.02	3	Horizontal	30	2.92	-	36.40	8.58	35.11			
RMS	7.125G	64.97	68.20	-3.23	55.10	3	Horizontal	30	2.92	-	36.40	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0637G	60.90	88.20	-27.30	42.12	3	Vertical	168	2.47	-	40.56	11.78	33.56			
RMS	14.0508G	48.93	68.20	-19.27	30.16	3	Vertical	168	2.47	-	40.55	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0586G	61.05	88.20	-27.15	42.27	3	Horizontal	126	1.93	-	40.56	11.78	33.56			
RMS	14.0521G	48.93	68.20	-19.27	30.16	3	Horizontal	126	1.93	-	40.55	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08795G	55.81	83.54	-27.73	50.44	1	Vertical	154	2.67	-	38.17	16.07	48.87			
AV	21.07915G	43.91	63.54	-19.63	38.49	1	Vertical	154	2.67	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_X_1TX
Setting 1
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07895G	54.85	83.54	-28.69	49.43	1	Horizontal	71	1.93	-	38.23	16.06	48.87			
AV	21.07675G	43.92	63.54	-19.62	38.49	1	Horizontal	71	1.93	-	38.24	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0018G	110.05	Inf	-Inf	101.07	3	Vertical	308	1.80	-	35.71	8.61	35.34			
RMS	7.0034G	99.15	Inf	-Inf	90.15	3	Vertical	308	1.80	-	35.72	8.61	35.33			
PK	7.1274G	78.11	88.20	-10.09	68.23	3	Vertical	308	1.80	-	36.41	8.58	35.11			
RMS	7.125G	66.97	68.20	-1.23	57.10	3	Vertical	308	1.80	-	36.40	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.061G	105.86	Inf	-Inf	96.43	3	Horizontal	30	2.59	-	36.07	8.59	35.23			
RMS	7.0014G	96.88	Inf	-Inf	87.90	3	Horizontal	30	2.59	-	35.71	8.61	35.34			
PK	7.125G	80.21	88.20	-7.99	70.34	3	Horizontal	30	2.59	-	36.40	8.58	35.11			
RMS	7.125G	64.29	68.20	-3.91	54.42	3	Horizontal	30	2.59	-	36.40	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0459G	59.99	88.20	-28.21	41.22	3	Vertical	257	2.96	-	40.55	11.78	33.56			
RMS	14.0485G	48.86	68.20	-19.34	30.09	3	Vertical	257	2.96	-	40.55	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0656G	59.93	88.20	-28.27	41.14	3	Horizontal	310	2.18	-	40.57	11.78	33.56			
RMS	14.0721G	48.94	68.20	-19.26	30.16	3	Horizontal	310	2.18	-	40.57	11.78	33.57			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08565G	55.59	83.54	-27.95	50.20	1	Vertical	323	1.66	-	38.19	16.07	48.87			
AV	21.07745G	43.72	63.54	-19.82	38.29	1	Vertical	323	1.66	-	38.24	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_X_1TX
Setting 2
05-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.05055G	56.84	83.54	-26.70	51.27	1	Horizontal	99	2.34	-	38.40	16.04	48.87			
AV	21.07355G	43.73	63.54	-19.81	38.28	1	Horizontal	99	2.34	-	38.26	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 6.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	72.61	88.20	-15.59	66.08	3	Vertical	59.9	2.25	-	34.00	8.10	35.57			
RMS	5.9242G	56.97	68.20	-11.23	50.44	3	Vertical	59.9	2.25	-	34.00	8.11	35.58			
PK	6.0362G	108.58	Inf	-Inf	101.98	3	Vertical	59.9	2.25	-	33.97	8.17	35.54			
RMS	6.037G	97.65	Inf	-Inf	91.05	3	Vertical	59.9	2.25	-	33.97	8.17	35.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 5.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	64.78	88.20	-23.42	58.25	3	Horizontal	290.1	1.80	-	34.00	8.10	35.57			
RMS	5.925G	52.56	68.20	-15.64	46.03	3	Horizontal	290.1	1.80	-	34.00	8.11	35.58			
PK	6.0314G	99.98	Inf	-Inf	93.40	3	Horizontal	290.1	1.80	-	33.96	8.17	35.55			
RMS	6.0338G	89.04	Inf	-Inf	82.44	3	Horizontal	290.1	1.80	-	33.97	8.17	35.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 6.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04548G	58.62	74.00	-15.38	42.24	3	Vertical	60	1.80	-	38.69	11.09	33.40			
AV	12.0475G	46.03	54.00	-7.97	29.64	3	Vertical	60	1.80	-	38.70	11.09	33.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 6.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05414G	58.41	74.00	-15.59	42.00	3	Horizontal	240	1.25	-	38.71	11.09	33.39			
AV	12.04922G	46.88	54.00	-7.12	30.49	3	Horizontal	240	1.25	-	38.70	11.09	33.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 6.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07859G	54.07	83.54	-29.47	50.74	1	Vertical	305	2.50	-	37.51	15.30	49.48			
AV	18.07597G	43.21	63.54	-20.33	39.89	1	Vertical	305	2.50	-	37.50	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_X_1TX
Setting 6.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07416G	54.81	83.54	-28.73	51.49	1	Horizontal	211	2.08	-	37.50	15.30	49.48			
AV	18.07352G	43.59	63.54	-19.95	40.28	1	Horizontal	211	2.08	-	37.49	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9014G	67.31	88.20	-20.89	60.78	3	Vertical	57.9	2.24	-	34.00	8.10	35.57			
RMS	5.9218G	53.27	68.20	-14.93	46.74	3	Vertical	57.9	2.24	-	34.00	8.11	35.58			
PK	6.0358G	107.18	Inf	-Inf	100.58	3	Vertical	57.9	2.24	-	33.97	8.17	35.54			
RMS	6.0388G	97.38	Inf	-Inf	90.76	3	Vertical	57.9	2.24	-	33.98	8.17	35.53			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9134G	62.51	88.20	-25.69	55.99	3	Horizontal	288	1.80	-	34.00	8.10	35.58			
RMS	5.9152G	51.47	68.20	-16.73	44.95	3	Horizontal	288	1.80	-	34.00	8.10	35.58			
PK	6.0958G	99.32	Inf	-Inf	92.64	3	Horizontal	288	1.80	-	33.91	8.19	35.42			
RMS	6.1G	89.30	Inf	-Inf	82.62	3	Horizontal	288	1.80	-	33.90	8.19	35.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0502G	58.99	74.00	-15.01	42.60	3	Vertical	196	1.31	-	38.70	11.09	33.40			
AV	12.05418G	46.86	54.00	-7.14	30.45	3	Vertical	196	1.31	-	38.71	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05118G	58.89	74.00	-15.11	42.50	3	Horizontal	150	2.13	-	38.70	11.09	33.40			
AV	12.05406G	46.56	54.00	-7.44	30.15	3	Horizontal	150	2.13	-	38.71	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07235G	54.45	83.54	-29.09	51.13	1	Vertical	167	1.74	-	37.49	15.30	49.47			
AV	18.07527G	43.46	63.54	-20.08	40.14	1	Vertical	167	1.74	-	37.50	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07208G	54.71	83.54	-28.83	51.39	1	Horizontal	216	2.69	-	37.49	15.30	49.47			
AV	18.07319G	43.60	63.54	-19.94	40.29	1	Horizontal	216	2.69	-	37.49	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	63.96	88.20	-24.24	56.36	3	Vertical	296	3.00	-	32.40	7.64	32.44			
RMS	5.9225G	52.48	68.20	-15.72	44.88	3	Vertical	296	3.00	-	32.40	7.64	32.44			
PK	6.0885G	108.35	Inf	-Inf	100.56	3	Vertical	296	3.00	-	32.52	7.70	32.43			
RMS	6.0935G	97.75	Inf	-Inf	89.97	3	Vertical	296	3.00	-	32.51	7.70	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7905G	64.14	88.20	-24.06	56.83	3	Horizontal	65	1.80	-	32.18	7.58	32.45			
RMS	5.9115G	52.23	68.20	-15.97	44.63	3	Horizontal	65	1.80	-	32.40	7.64	32.44			
PK	5.98G	99.66	Inf	-Inf	91.97	3	Horizontal	65	1.80	-	32.46	7.67	32.44			
RMS	5.982G	88.10	Inf	-Inf	80.41	3	Horizontal	65	1.80	-	32.46	7.67	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.102G	58.13	74.00	-15.87	40.32	3	Vertical	65	1.58	-	39.30	11.16	32.65			
AV	12.1405G	46.80	54.00	-7.20	28.93	3	Vertical	65	1.58	-	39.30	11.17	32.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04872G	58.34	74.00	-15.66	40.64	3	Horizontal	26	2.68	-	39.29	11.14	32.73			
AV	12.04716G	46.56	54.00	-7.44	28.86	3	Horizontal	26	2.68	-	39.29	11.14	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07266G	54.28	83.54	-29.26	50.96	1	Vertical	199	1.13	-	37.49	15.30	49.47			
AV	18.07726G	43.37	63.54	-20.17	40.04	1	Vertical	199	1.13	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_X_1TX
Setting 8
01-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07498G	54.79	83.54	-28.75	51.47	1	Horizontal	172	2.12	-	37.50	15.30	49.48			
AV	18.07642G	43.31	63.54	-20.23	39.98	1	Horizontal	172	2.12	-	37.51	15.30	49.48			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 6
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.937G	107.01	Inf	-Inf	96.30	3	Vertical	74	1.80	-	34.92	8.49	32.70			
RMS	6.9075G	96.42	Inf	-Inf	85.90	3	Vertical	74	1.80	-	34.74	8.46	32.68			
PK	7.138G	78.26	88.20	-9.94	66.62	3	Vertical	74	1.80	-	35.83	8.51	32.70			
RMS	7.125G	67.62	68.20	-0.58	56.05	3	Vertical	74	1.80	-	35.75	8.52	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 6
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.92G	97.98	Inf	-Inf	89.06	3	Horizontal	325	1.80	-	35.60	8.55	35.23			
RMS	6.92G	87.23	Inf	-Inf	78.31	3	Horizontal	325	1.80	-	35.60	8.55	35.23			
PK	7.143G	70.01	88.20	-18.19	60.05	3	Horizontal	325	1.80	-	36.47	8.57	35.08			
RMS	7.1265G	58.21	68.20	-9.99	48.33	3	Horizontal	325	1.80	-	36.41	8.58	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6985MHz_TX

EUT_X_1TX
Setting 6
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97066G	61.66	88.20	-26.54	40.20	3	Vertical	165	1.45	-	40.84	11.87	31.25			
RMS	13.95998G	50.07	68.20	-18.13	28.63	3	Vertical	165	1.45	-	40.82	11.86	31.24			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 6
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97744G	61.67	88.20	-26.53	40.20	3	Horizontal	129	1.56	-	40.85	11.87	31.25			
RMS	13.97324G	49.98	68.20	-18.22	28.51	3	Horizontal	129	1.56	-	40.85	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6985MHz_TX

EUT_X_1TX
Setting 6
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95116G	46.86	83.54	-36.68	41.71	1	Vertical	154	1.78	-	38.10	15.96	48.91			
AV	20.9442G	35.54	63.54	-28.00	30.39	1	Vertical	154	1.78	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_X_1TX
Setting 6
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94195G	47.63	83.54	-35.91	42.49	1	Horizontal	256	1.32	-	38.10	15.95	48.91			
AV	20.94546G	35.63	63.54	-27.91	30.48	1	Horizontal	256	1.32	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.94G	108.64	Inf	-Inf	97.91	3	Vertical	72	1.80	-	34.94	8.50	32.71			
RMS	6.9075G	98.27	Inf	-Inf	87.75	3	Vertical	72	1.80	-	34.74	8.46	32.68			
PK	7.129G	79.85	88.20	-8.35	68.27	3	Vertical	72	1.80	-	35.77	8.51	32.70			
RMS	7.126G	68.08	68.20	-0.12	56.50	3	Vertical	72	1.80	-	35.76	8.52	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.924G	99.95	Inf	-Inf	91.03	3	Horizontal	324	1.80	-	35.60	8.55	35.23			
RMS	6.921G	89.46	Inf	-Inf	80.54	3	Horizontal	324	1.80	-	35.60	8.55	35.23			
PK	7.127G	69.40	88.20	-18.80	59.52	3	Horizontal	324	1.80	-	36.41	8.58	35.11			
RMS	7.133G	58.58	68.20	-9.62	48.67	3	Horizontal	324	1.80	-	36.43	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.982G	61.63	88.20	-26.57	40.15	3	Vertical	55	1.86	-	40.86	11.87	31.25			
RMS	13.97648G	50.13	68.20	-18.07	28.66	3	Vertical	55	1.86	-	40.85	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98422G	61.12	88.20	-27.08	39.63	3	Horizontal	222	1.89	-	40.87	11.87	31.25			
RMS	13.98206G	50.04	68.20	-18.16	28.56	3	Horizontal	222	1.89	-	40.86	11.87	31.25			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX


6985MHz_TX

EUT_X_1TX
Setting 5
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96679G	47.49	83.54	-36.05	42.39	1	Vertical	53	2.20	-	38.03	15.97	48.90			
AV	20.94522G	35.46	63.54	-28.08	30.31	1	Vertical	53	2.20	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX


6985MHz_TX

EUT_X_1TX
Setting 5
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94399G	47.26	83.54	-36.28	42.11	1	Horizontal	299	1.99	-	38.10	15.96	48.91			
AV	20.94048G	35.68	63.54	-27.86	30.54	1	Horizontal	299	1.99	-	38.10	15.95	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_X_1TX
Setting 5.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.918G	108.93	Inf	-Inf	98.34	3	Vertical	72	1.80	-	34.81	8.47	32.69			
RMS	6.9355G	98.04	Inf	-Inf	87.34	3	Vertical	72	1.80	-	34.91	8.49	32.70			
PK	7.177G	80.45	88.20	-7.75	68.62	3	Vertical	72	1.80	-	36.01	8.50	32.68			
RMS	7.168G	67.86	68.20	-0.34	56.08	3	Vertical	72	1.80	-	35.97	8.50	32.69			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX



EUT_X_1TX
Setting 5.5
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.927G	99.38	Inf	-Inf	90.46	3	Horizontal	323	1.80	-	35.60	8.56	35.24			
RMS	6.92G	89.02	Inf	-Inf	80.10	3	Horizontal	323	1.80	-	35.60	8.55	35.23			
PK	7.172G	67.67	88.20	-20.53	57.59	3	Horizontal	323	1.80	-	36.54	8.57	35.03			
RMS	7.1625G	57.03	68.20	-11.17	46.98	3	Horizontal	323	1.80	-	36.52	8.57	35.04			