


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

08/06/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

08/06/2024




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

08/06/2024




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

08/06/2024



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

08/06/2024

CF (Hz)  
6.825G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.75862G | -3.45    | 6.492G   | -52.18     | -43.45     | -8.73      | 1    |
| 6.74822G | -3.96    | 6.5056G  | -52.08     | -43.96     | -8.12      | 2    |
| 6.74882G | -3.85    | 6.509G   | -52.15     | -43.85     | -8.30      | 3    |
| 6.75122G | -3.96    | 6.5076G  | -52.11     | -43.96     | -8.15      | 4    |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

08/06/2024

CF (Hz)  
6.985G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.93901G | -3.90    | 6.648G   | -52.39     | -43.90     | -8.49      | 1    |
| 7.04758G | -4.60    | 6.6118G  | -52.43     | -44.60     | -7.83      | 2    |
| 6.92402G | -3.34    | 6.6488G  | -52.58     | -43.34     | -9.24      | 3    |
| 6.91842G | -4.90    | 6.6234G  | -52.39     | -44.90     | -7.49      | 4    |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6105MHz\_TX

08/06/2024




## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6265MHz\_TX

08/06/2024




## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6425MHz\_TX

08/06/2024

CF (Hz)  
6.425G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.36701G | -0.60    | 6.9506G  | -51.81     | -40.60     | -11.21     | 1    |
| 6.4094G  | -0.91    | 6.9242G  | -52.15     | -40.91     | -11.24     | 2    |
| 6.45179G | -0.82    | 6.9298G  | -52.21     | -40.82     | -11.39     | 3    |
| 6.45379G | -0.64    | 6.929G   | -51.65     | -40.64     | -11.01     | 4    |


## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6585MHz\_TX

08/06/2024

CF (Hz)  
6.585G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.5714G  | 1.10     | 6.085G   | -49.90     | -38.90     | -11.00     | 1    |
| 6.5814G  | -0.39    | 6.0858G  | -50.85     | -40.39     | -10.46     | 2    |
| 6.44903G | 0.31     | 6.0854G  | -49.42     | -39.69     | -9.73      | 3    |
| 6.51102G | 0.36     | 6.0762G  | -49.54     | -39.64     | -9.90      | 4    |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

08/06/2024




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


MASK

6905MHz\_TX

08/06/2024



Test Mode: Mode 3




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

MASK

7025MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

MASK

7025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

MASK

6025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

MASK

6025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

MASK

6025MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

MASK

6985MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

MASK

6105MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

MASK

6105MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

MASK

6105MHz\_TX

05/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.19178G | 7.66     | 6.4878G  | -18.28     | -15.06     | -3.22      | 1    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

MASK

6905MHz\_TX

05/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.83782G | 5.19     | 6.107G   | -48.22     | -27.33     | -20.89     | 1    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

MASK

6905MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

MASK

5985MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

MASK

5985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

MASK

7025MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

MASK

7025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

MASK

6025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_2TX

MASK

6025MHz\_TX

05/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.10018G | 4.07     | 6.235G   | -33.16     | -30.07     | -3.09      | 1    |
| 6.09398G | 4.79     | 6.2292G  | -31.40     | -27.70     | -3.70      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

MASK

6025MHz\_TX

05/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.10018G | 4.87     | 6.2216G  | -28.59     | -27.35     | -1.24      | 1    |
| 6.09278G | 5.62     | 6.2228G  | -27.73     | -25.97     | -1.76      | 2    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_2TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

MASK

6985MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

MASK

6105MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

MASK

6105MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

MASK

6105MHz\_TX

05/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU\_8\_2TX

MASK

6905MHz\_TX

05/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU\_1\_2TX

MASK

6905MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

5985MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

5985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

7025MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

7025MHz\_TX

05/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6025MHz\_TX

05/07/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.08099G | 3.26     | 6.2184G  | -33.27     | -28.43     | -4.84      | 1    |
| 6.10118G | 3.50     | 6.224G   | -34.38     | -28.92     | -5.46      | 2    |
| 6.06199G | 3.30     | 6.2292G  | -35.05     | -29.56     | -5.49      | 3    |
| 6.08059G | 3.35     | 6.2476G  | -38.54     | -33.20     | -5.34      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6025MHz\_TX

05/07/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.09718G | 3.27     | 6.236G   | -37.41     | -30.94     | -6.47      | 1    |
| 6.09398G | 3.97     | 6.228G   | -34.84     | -29.02     | -5.82      | 2    |
| 6.09898G | 3.31     | 6.2332G  | -36.42     | -30.11     | -6.31      | 3    |
| 6.08898G | 3.60     | 6.236G   | -37.09     | -31.26     | -5.83      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6025MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6985MHz\_TX

05/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6985MHz\_TX

05/07/2024




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

MASK

## 6105MHz\_TX

05/07/2024




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

MASK

## 6105MHz\_TX

05/07/2024




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

## 6105MHz\_TX

05/07/2024

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.19658G | 3.12     | 6.4994G  | -29.62     | -29.49     | -0.13      | 1    |
| 6.25936G | 3.75     | 6.4946G  | -30.44     | -28.29     | -2.15      | 2    |
| 6.19978G | 2.80     | 6.5006G  | -32.06     | -29.74     | -2.32      | 3    |
| 6.19738G | 3.48     | 6.5018G  | -32.43     | -29.30     | -3.13      | 4    |


## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

MASK

## 6905MHz\_TX

05/07/2024

CF (Hz)  
6.905G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.83462G | 0.85     | 7.479G   | -50.01     | -39.15     | -10.86     | 1    |
| 6.83782G | -0.29    | 6.4034G  | -49.80     | -40.29     | -9.51      | 2    |
| 6.83862G | 0.17     | 7.4942G  | -50.00     | -39.83     | -10.17     | 3    |
| 6.85381G | 0.33     | 6.3786G  | -49.30     | -39.67     | -9.63      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

6905MHz\_TX

05/07/2024




Test Mode: Mode 4

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_1TX

MASK

5985MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

MASK

7025MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_1TX

MASK

6025MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_1TX

MASK

6025MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_1TX

MASK

6985MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_1TX

MASK

6985MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 5\_1TX

MASK

6105MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_1TX

MASK

6105MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_1TX

MASK

6105MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 5\_1TX

MASK

6905MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_1TX

MASK

6905MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_1TX

MASK

6905MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_2TX

MASK

5985MHz\_TX

02/07/2024




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.0035G | 2.45     | 5.9408G  | -29.34     | -17.57     | -11.77     | 1    |
| 5.9935G | 3.18     | 5.939G   | -30.86     | -16.92     | -13.94     | 2    |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_2TX

MASK

7025MHz\_TX

02/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.05999G | 3.13     | 6.9326G  | -35.49     | -25.52     | -9.97      | 1    |
| 7.06069G | 3.03     | 7.1227G  | -36.99     | -28.09     | -8.90      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_2TX

MASK

6025MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_2TX

MASK

6025MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_4\_2TX

MASK

6985MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_2TX

MASK

6985MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 5\_2TX

MASK

6105MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_2TX

MASK

6105MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_2TX

MASK

6105MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 5\_2TX

MASK

6905MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_2TX

MASK

6905MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_2TX

MASK

6905MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_4\_TX

MASK

5985MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_2\_TX

MASK

7025MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_8\_4TX

MASK

6025MHz\_TX

02/07/2024



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_4\_4TX

MASK

6025MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_4TX

MASK

6985MHz\_TX

02/07/2024




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

MASK

6985MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 5\_4TX

MASK

6105MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 4\_4TX

MASK

6105MHz\_TX

02/07/2024




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_6\_4TX

MASK

## 6105MHz\_TX

02/07/2024

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0918G  | 2.70     | 6.8974G  | -47.35     | -37.30     | -10.05     | 1    |
| 6.1154G  | 3.15     | 6.9022G  | -47.25     | -36.85     | -10.40     | 2    |
| 6.101G   | 1.86     | 6.9026G  | -47.28     | -38.14     | -9.14      | 3    |
| 6.13499G | 2.42     | 6.8802G  | -47.29     | -37.58     | -9.71      | 4    |


## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_5\_4TX

MASK

## 6905MHz\_TX

02/07/2024

CF (Hz)  
6.905G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76104G | -6.89    | 6.403G   | -55.60     | -46.89     | -8.71      | 1    |
| 6.80303G | -6.96    | 6.4006G  | -55.50     | -46.96     | -8.54      | 2    |
| 6.84422G | -6.82    | 6.3974G  | -55.41     | -46.82     | -8.59      | 3    |
| 6.75384G | -6.64    | 6.375G   | -54.28     | -46.64     | -7.64      | 4    |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

MASK

## 6905MHz\_TX

02/07/2024




## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

MASK

## 6905MHz\_TX

02/07/2024




Test Mode: Mode 5

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

6195MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

6415MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

6535MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

6695MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

MASK

6855MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

5965MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

6205MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

6405MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

6565MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

6685MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

MASK

6845MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

5985MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

6225MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

6385MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

6625MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

6705MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

MASK

6785MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

MASK

6025MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

MASK

6185MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

MASK

6345MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

MASK

6665MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

28/05/2024



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

28/05/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.687702G | 3.05     | 6.712825G | -29.13     | -21.08     | -8.05      | 1    |
| 6.685827G | 2.72     | 6.673675G | -32.61     | -24.17     | -8.44      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

28/05/2024

CF (Hz)  
6.855G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.851951G | 3.17     | 6.87735G  | -30.44     | -24.55     | -5.89      | 1    |
| 6.847327G | 3.40     | 6.832775G | -31.56     | -24.79     | -6.77      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

28/05/2024



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

28/05/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.00819G | 2.36     | 6.0297G  | -22.92     | -17.67     | -5.25      | 1    |
| 6.02169G | 2.88     | 6.1258G  | -43.66     | -37.12     | -6.54      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

28/05/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.2319G  | 4.67     | 6.3051G  | -26.06     | -21.32     | -4.74      | 1    |
| 6.25999G | 4.60     | 6.2975G  | -25.11     | -19.70     | -5.41      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

28/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.3669G  | 3.75     | 6.296G   | -29.29     | -23.54     | -5.75      | 1    |
| 6.35141G | 4.42     | 6.5198G  | -41.36     | -35.58     | -5.78      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

28/05/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.59971G | 3.90     | 6.7633G  | -42.29     | -36.10     | -6.19      | 1    |
| 6.59171G | 3.44     | 6.7627G  | -42.16     | -36.56     | -5.60      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

28/05/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6884G  | 3.78     | 6.8416G  | -42.03     | -36.22     | -5.81      | 1    |
| 6.67341G | 3.63     | 6.8568G  | -42.28     | -36.37     | -5.91      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

28/05/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76421G | 4.22     | 6.9249G  | -42.30     | -35.77     | -6.53      | 1    |
| 6.75591G | 3.39     | 6.6452G  | -42.35     | -36.61     | -5.74      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

28/05/2024




## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 5955MHz\_TX

28/05/2024




## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6195MHz\_TX

28/05/2024




## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6415MHz\_TX

28/05/2024

CF (Hz)  
6.415G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.419674G | 2.34     | 6.43595G  | -33.58     | -24.49     | -9.09      | 1    |
| 6.424223G | 3.09     | 6.394325G | -32.18     | -23.65     | -8.53      | 2    |
| 6.418599G | 2.17     | 6.393675G | -34.08     | -24.41     | -9.67      | 3    |
| 6.423348G | 2.77     | 6.439075G | -35.30     | -27.82     | -7.48      | 4    |


## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6535MHz\_TX

28/05/2024

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.543623G | 2.19     | 6.52275G  | -28.16     | -17.83     | -10.33     | 1    |
| 6.527677G | 3.41     | 6.5529G   | -28.78     | -20.34     | -8.44      | 2    |
| 6.529826G | 2.19     | 6.568525G | -48.30     | -37.24     | -11.06     | 3    |
| 6.540574G | 2.25     | 6.5228G   | -28.02     | -17.82     | -10.20     | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

28/05/2024

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.702898G | 3.23     | 6.715G    | -30.02     | -22.25     | -7.77      | 1    |
| 6.686877G | 2.87     | 6.6745G   | -30.04     | -22.84     | -7.20      | 2    |
| 6.686802G | 3.16     | 6.6762G   | -27.90     | -21.10     | -6.80      | 3    |
| 6.704323G | 3.22     | 6.716025G | -30.47     | -23.24     | -7.23      | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

28/05/2024

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.853525G | 2.41     | 6.831975G | -35.28     | -26.89     | -8.39      | 1    |
| 6.848902G | 2.52     | 6.834225G | -33.06     | -23.72     | -9.34      | 2    |
| 6.851326G | 3.20     | 6.833325G | -31.39     | -24.00     | -7.39      | 3    |
| 6.846127G | 3.08     | 6.836225G | -28.09     | -21.81     | -6.28      | 4    |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 5965MHz\_TX

28/05/2024




## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6205MHz\_TX

28/05/2024




## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6405MHz\_TX

28/05/2024




## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6565MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

28/05/2024

CF (Hz)  
5.985G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01939G | 1.96     | 6.1188G  | -43.87     | -37.99     | -5.88      | 1    |
| 6.02139G | 2.16     | 6.0298G  | -23.20     | -17.86     | -5.34      | 2    |
| 6.01809G | 1.96     | 6.1171G  | -43.62     | -38.04     | -5.58      | 3    |
| 6.01729G | 2.67     | 6.118G   | -43.67     | -37.33     | -6.34      | 4    |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

28/05/2024

CF (Hz)  
6.225G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.2124G  | 3.96     | 6.3227G  | -32.00     | -26.29     | -5.71      | 1    |
| 6.19391G | 4.20     | 6.3111G  | -28.68     | -23.02     | -5.66      | 2    |
| 6.2449G  | 3.99     | 6.3042G  | -26.33     | -21.91     | -4.42      | 3    |
| 6.19351G | 4.13     | 6.3086G  | -27.85     | -22.75     | -5.10      | 4    |


## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6385MHz\_TX

28/05/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.3864G  | 3.52     | 6.5246G  | -42.33     | -36.48     | -5.85      | 1    |
| 6.35321G | 4.18     | 6.5213G  | -41.58     | -35.56     | -6.02      | 2    |
| 6.3802G  | 3.57     | 6.4779G  | -30.42     | -25.39     | -5.03      | 3    |
| 6.3956G  | 3.82     | 6.3381G  | -22.38     | -16.33     | -6.05      | 4    |


## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

28/05/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6271G  | 3.99     | 6.7598G  | -41.60     | -35.96     | -5.64      | 1    |
| 6.59761G | 3.57     | 6.7625G  | -42.39     | -36.43     | -5.96      | 2    |
| 6.65859G | 3.71     | 6.7707G  | -42.53     | -36.29     | -6.24      | 3    |
| 6.59041G | 3.87     | 6.7648G  | -42.28     | -36.13     | -6.15      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

28/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.039G   | 2.48     | 6.2852G  | -41.17     | -37.52     | -3.65      | 1    |
| 6.05999G | 3.27     | 6.289G   | -41.11     | -36.73     | -4.38      | 2    |
| 6.0374G  | 2.53     | 6.2802G  | -41.38     | -37.47     | -3.91      | 3    |
| 6.10118G | 3.23     | 6.2778G  | -40.96     | -36.77     | -4.19      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

28/05/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.1988G  | 3.68     | 6.4416G  | -40.05     | -36.30     | -3.75      | 1    |
| 6.25538G | 3.89     | 6.4458G  | -39.74     | -36.11     | -3.63      | 2    |
| 6.11982G | 3.77     | 6.374G   | -30.25     | -27.22     | -3.03      | 3    |
| 6.25978G | 4.06     | 6.3932G  | -32.03     | -28.69     | -3.34      | 4    |


## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6345MHz\_TX

28/05/2024

CF (Hz)  
6.345G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX


28/05/2024

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Test Mode: Mode 6



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6195MHz\_TX

MASK

28/05/2024

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

28/05/2024

CF (Hz)  
6.415G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.408802G | 4.09     | 6.39425G | -28.00     | -21.39     | -6.61      | 1    |
| 6.405677G | 4.31     | 6.43575G | -28.61     | -22.25     | -6.36      | 2    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

28/05/2024

CF (Hz)  
6.535G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.541723G | 4.23     | 6.556425G | -29.43     | -21.98     | -7.45      | 1    |
| 6.526352G | 4.76     | 6.5533G   | -23.78     | -18.68     | -5.10      | 2    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

28/05/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.69385G  | 3.94     | 6.676125G | -26.82     | -20.41     | -6.41      | 1    |
| 6.687827G | 3.23     | 6.67365G  | -29.99     | -23.68     | -6.31      | 2    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

28/05/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.853425G | 6.27     | 6.8346G  | -23.62     | -17.51     | -6.11      | 1    |
| 6.846452G | 6.50     | 6.83695G | -23.21     | -16.12     | -7.09      | 2    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

28/05/2024



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

28/05/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.02259G | 2.65     | 6.12G    | -43.14     | -37.35     | -5.79      | 1    |
| 6.01859G | 2.50     | 6.1211G  | -43.26     | -37.50     | -5.76      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

28/05/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2409G | 5.86     | 6.3055G  | -22.96     | -19.39     | -3.57      | 1    |
| 6.2166G | 5.55     | 6.3044G  | -23.23     | -17.96     | -5.27      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

28/05/2024

CF (Hz)  
6.415G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.411676G | 6.49     | 6.434475G | -23.67     | -18.62     | -5.05      | 1    |
| 6.417124G | 6.87     | 6.3947G   | -24.56     | -18.97     | -5.59      | 2    |
| 6.409951G | 5.83     | 6.395625G | -23.77     | -18.78     | -4.99      | 3    |
| 6.406052G | 6.34     | 6.4357G   | -24.91     | -19.14     | -5.77      | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

28/05/2024

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.543398G | 6.33     | 6.55275G | -24.92     | -19.64     | -5.28      | 1    |
| 6.541423G | 6.84     | 6.51575G | -20.64     | -13.45     | -7.19      | 2    |
| 6.540549G | 6.40     | 6.52575G | -22.68     | -15.17     | -7.51      | 3    |
| 6.527452G | 6.24     | 6.5564G  | -25.20     | -20.17     | -5.03      | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

28/05/2024

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.689651G | 6.56     | 6.7156G   | -24.30     | -16.03     | -8.27      | 1    |
| 6.688502G | 5.32     | 6.674175G | -25.72     | -18.51     | -7.21      | 2    |
| 6.688127G | 6.24     | 6.67755G  | -21.77     | -15.65     | -6.12      | 3    |
| 6.686877G | 6.02     | 6.715525G | -25.32     | -17.94     | -7.38      | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

28/05/2024

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.847502G | 6.11     | 6.8357G   | -23.89     | -15.78     | -8.11      | 1    |
| 6.847702G | 6.27     | 6.835325G | -24.62     | -18.76     | -5.86      | 2    |
| 6.848627G | 6.72     | 6.872925G | -20.05     | -15.70     | -4.35      | 3    |
| 6.858874G | 6.30     | 6.835725G | -22.12     | -14.98     | -7.14      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

28/05/2024

CF (Hz)  
5.965G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.973948G | 2.00     | 6.0333G  | -45.59     | -38.00     | -7.59      | 1    |
| 5.978497G | 1.92     | 6.03675G | -45.70     | -38.08     | -7.62      | 2    |
| 5.982396G | 1.98     | 6.0306G  | -45.50     | -38.02     | -7.48      | 3    |
| 5.982746G | 2.74     | 6.0595G  | -45.50     | -37.26     | -8.24      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

28/05/2024

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.186405G | 6.31     | 6.2441G  | -24.51     | -17.99     | -6.52      | 1    |
| 6.212198G | 5.77     | 6.2424G  | -22.90     | -19.27     | -3.63      | 2    |
| 6.218497G | 5.69     | 6.24125G | -21.94     | -14.64     | -7.30      | 3    |
| 6.198802G | 6.08     | 6.23935G | -21.19     | -16.20     | -4.99      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

28/05/2024

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.393803G | 5.69     | 6.44225G | -23.25     | -18.88     | -4.37      | 1    |
| 6.420796G | 5.78     | 6.44215G | -24.53     | -18.82     | -5.71      | 2    |
| 6.389354G | 5.48     | 6.361G   | -27.28     | -22.15     | -5.13      | 3    |
| 6.415797G | 5.51     | 6.36015G | -29.53     | -22.24     | -7.29      | 4    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

28/05/2024

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.56595G  | 5.95     | 6.60405G | -24.05     | -19.67     | -4.38      | 1    |
| 6.557202G | 4.99     | 6.60065G | -25.82     | -19.83     | -5.99      | 2    |
| 6.559801G | 5.62     | 6.60135G | -23.48     | -19.26     | -4.22      | 3    |
| 6.574048G | 5.70     | 6.6021G  | -24.76     | -19.71     | -5.05      | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

28/05/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.3849G  | 5.82     | 6.4535G  | -20.24     | -14.46     | -5.78      | 1    |
| 6.3852G  | 7.57     | 6.4575G  | -21.18     | -14.29     | -6.89      | 2    |
| 6.34951G | 5.79     | 6.4586G  | -19.91     | -16.40     | -3.51      | 3    |
| 6.41099G | 5.36     | 6.3161G  | -21.28     | -15.91     | -5.37      | 4    |


6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

28/05/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6251G  | 6.04     | 6.6999G  | -21.37     | -14.26     | -7.11      | 1    |
| 6.6251G  | 6.49     | 6.5425G  | -24.53     | -18.21     | -6.32      | 2    |
| 6.65939G | 5.72     | 6.6958G  | -19.75     | -14.51     | -5.24      | 3    |
| 6.59271G | 5.34     | 6.548G   | -24.42     | -19.56     | -4.86      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

28/05/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

28/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

28/05/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0356G  | 2.41     | 6.4072G  | -41.49     | -37.59     | -3.90      | 1    |
| 6.09738G | 2.85     | 6.29G    | -41.45     | -37.15     | -4.30      | 2    |
| 6.04519G | 2.13     | 6.2978G  | -41.48     | -37.87     | -3.61      | 3    |
| 6.10018G | 2.98     | 6.4084G  | -41.27     | -37.02     | -4.25      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

28/05/2024

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.202G   | 5.06     | 6.378G   | -27.99     | -26.28     | -1.71      | 1    |
| 6.21239G | 5.13     | 6.341G   | -22.43     | -21.51     | -0.92      | 2    |
| 6.1672G  | 5.24     | 6.3432G  | -22.95     | -20.53     | -2.42      | 3    |
| 6.23539G | 5.29     | 6.3184G  | -20.83     | -17.44     | -3.39      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6345MHz\_TX

28/05/2024




## 6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

28/05/2024




Test Mode: Mode 7

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

MASK

6025MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_1TX

MASK

6025MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

MASK

6025MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

MASK

6025MHz\_TX

09/07/2024



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_2TX

MASK

6025MHz\_TX

09/07/2024

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0392G  | 3.40     | 6.2348G  | -34.80     | -30.17     | -4.63      | 1    |
| 6.09358G | 3.64     | 6.2292G  | -32.62     | -28.63     | -3.99      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

MASK

6025MHz\_TX

09/07/2024

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07659G | 5.08     | 6.2202G  | -26.57     | -26.43     | -0.14      | 1    |
| 6.09598G | 5.21     | 6.2216G  | -26.40     | -26.01     | -0.39      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

5985MHz\_TX

09/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6025MHz\_TX

09/07/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6025MHz\_TX

09/07/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




Port 1  
Port 2  
Port 3  
Port 4

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6025MHz\_TX

09/07/2024




Test Mode: Mode 8

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_1TX

MASK

5985MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_1TX

MASK

6025MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_1TX

MASK

6025MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_2TX

MASK

5985MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_2TX

MASK

6025MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_2TX

MASK

6025MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

MASK

5985MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

MASK

6025MHz\_TX

12/07/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 4\_4TX

MASK

6025MHz\_TX

12/07/2024




Test Mode: Mode 9

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TX

18/05/2024




5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6195MHz\_TX

18/05/2024




5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6415MHz\_TX

18/05/2024




6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6435MHz\_TX

18/05/2024




6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6475MHz\_TX

18/05/2024




6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6515MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6535MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6695MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6875MHz\_TX

18/05/2024




6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6895MHz\_TX

18/05/2024




6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6995MHz\_TX

18/05/2024




6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7095MHz\_TX

18/05/2024




6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7115MHz\_TX

18/05/2024




Test Mode: Mode 10

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TX

18/05/2024




5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6195MHz\_TX

18/05/2024




5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6415MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6535MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6695MHz\_TX

18/05/2024




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6855MHz\_TX

18/05/2024



### Test Mode: Mode 1

| Contention Based Protocol Threshold Level 802.11ax HEW20 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                        | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -65.60                    | 5.40           | -71.08               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -66.60                    | 5.40           | -72.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
| 6                                                        | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -65.60                    | 5.40           | -71.04               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -66.60                    | 5.40           | -72.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
| 7                                                        | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -66.60                    | 5.40           | -72.07               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -67.60                    | 5.40           | -73.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
| 8                                                        | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -66.60                    | 5.40           | -72.04               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -67.60                    | 5.40           | -73.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level 802.11ax HEW320 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                         | 31      | 320             | 6105            | Low edge                     | 5950 | OFF        | -57.60                    | 5.40           | -63.08               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -58.60                    | 5.40           | -64.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6105 | OFF        | -60.60                    | 5.40           | -66.07               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -61.60                    | 5.40           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6260 | OFF        | -59.60                    | 5.40           | -65.09               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -60.60                    | 5.40           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
| 5/6/7                                                     | 95      | 320             | 6425            | Low edge                     | 6270 | OFF        | -59.60                    | 5.40           | -65.01               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -60.60                    | 5.40           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6425 | OFF        | -59.60                    | 5.40           | -65.02               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -60.60                    | 5.40           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6580 | OFF        | -57.60                    | 5.40           | -63.04               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -58.60                    | 5.40           | -64.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
| 7/8                                                       | 159     | 320             | 6745            | Low edge                     | 6590 | OFF        | -56.60                    | 5.40           | -62.03               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -57.60                    | 5.40           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6745 | OFF        | -56.60                    | 5.40           | -62.09               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -57.60                    | 5.40           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6900 | OFF        | -60.60                    | 5.40           | -66.01               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -61.60                    | 5.40           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -76.60                    | 5.40           | -82.00               | ≤ -62                 |


| Contention Based protocol 802.11ax HEW20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -71.08                     | OFF        | 9                                    | 90                        | 90        | Pass        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -71.04                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -72.07                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -72.04                     | OFF        | 9                                    | 90                        | 90        | Pass        |

| Contention Based protocol 802.11ax HEW320 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 31      | 320             | 6105            | Low edge                     | 5950 | -63.08                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6105 | -66.07                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6260 | -65.09                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 5/6/7                                     | 95      | 320             | 6425            | Low edge                     | 6270 | -65.01                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6425 | -65.02                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6580 | -63.04                     | OFF        | 9                                    | 90                        | 90        | Pass        |
| 7/8                                       | 159     | 320             | 6745            | Low edge                     | 6590 | -62.03                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6745 | -62.09                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6900 | -66.01                     | OFF        | 9                                    | 90                        | 90        | Pass        |


## Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




## Frequency (MHz): 6695 MHz



Date: 28.AUG 2024 12:44:23


## Frequency (MHz): 7015 MHz



Date: 28.AUG 2024 12:44:46


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 28.AUG 2024 12:45:21

Frequency (MHz): 6105 MHz




Date: 28.AUG 2024 12:45:39


## Frequency (MHz): 6260 MHz




## Frequency (MHz): 6270 MHz




## Frequency (MHz): 6425 MHz



## Frequency (MHz): 6580 MHz




## Frequency (MHz): 6590 MHz




Date: 29.AUG.2024 13:12:48

## Frequency (MHz): 6745 MHz



Date: 28.AUG.2024 12:48:19

## Frequency (MHz): 6900 MHz




Date: 28.AUG.2024 12:48:52

## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

### Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


### Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

### Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

### Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6745 MHz



Note : M1 : Inject AWGN signal



### Test Mode: Mode 2


| Contention Based Protocol Threshold Level 802.11ax HEW20 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                        | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -72.53                    | 6.47           | -79.04               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -73.53                    | 6.47           | -80.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -75.53                    | 6.47           | -82.00               | ≤ -62                 |
| 6                                                        | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -71.53                    | 6.47           | -78.07               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -72.53                    | 6.47           | -79.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -75.53                    | 6.47           | -82.00               | ≤ -62                 |
| 7                                                        | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -72.53                    | 6.47           | -79.03               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -73.53                    | 6.47           | -80.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -75.53                    | 6.47           | -82.00               | ≤ -62                 |
| 8                                                        | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -72.53                    | 6.47           | -79.04               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -73.53                    | 6.47           | -80.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -75.53                    | 6.47           | -82.00               | ≤ -62                 |

| Contention Based protocol 802.11ax HEW20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -79.04                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -78.07                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -79.03                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -79.04                     | OFF        | 10                                   | 100                       | 90        | Pass        |


## Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz



## Frequency (MHz): 6695 MHz



## Frequency (MHz): 7015 MHz

