EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:7025MHz;TX



EIRP PSD (dBm)
4.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.59	12.03	8.55	33.01	58.93

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



EIRP PSD (dBm)
4.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.08	11.40	5.88	31.22	57.75

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
4.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.35	11.49	5.91	31.27	57.95

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
4.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.06	11.80	5.95	31.32	58.14

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6505MHz;TX



Page 8

EIRP PSD (dBm)
4.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.21	12.07	6.06	31.35	58.28

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



Page 8

EIRP PSD (dBm)
4.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.56	11.92	6.19	31.46	58.42

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6825MHz;TX



Page 8

EIRP PSD (dBm)
4.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.88	11.60	6.21	31.67	58.65

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6985MHz;TX



Page 8

EIRP PSD (dBm)
4.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.61	11.70	6.30	31.85	58.85

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX



Page 8

EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.33	11.40	5.90	31.26	57.89

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX



Page 8

EIRP PSD (dBm)
4.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.37	11.80	5.95	31.32	58.14

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6425MHz;TX



Page 8

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.07	11.80	5.95	31.32	58.14

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6585MHz;TX



Page 8

EIRP PSD (dBm)
4.45

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.62	12.01	6.13	31.41	58.36

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6745MHz;TX



Page 8

EIRP PSD (dBm)
4.44

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.15	11.60	6.21	31.67	58.65

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6905MHz;TX



Page 8

EIRP PSD (dBm)
4.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.91	11.60	6.21	31.67	58.65

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



Page 8

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.00	13.30	7.65	32.98	57.53

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



Page 8

EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.49	13.22	7.72	33.02	57.87

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



Page 8

EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.64	12.77	7.99	33.04	58.18

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX



Page 8

EIRP PSD (dBm)
4.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.56	12.69	7.97	33.04	58.20

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



Page 8

EIRP PSD (dBm)
4.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.68	12.56	7.95	33.05	58.26

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX



Page 8

EIRP PSD (dBm)
4.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.79	12.48	7.93	33.05	58.31

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



Page 8

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.95	12.44	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



Page 8

EIRP PSD (dBm)
4.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.27	12.55	8.08	33.03	58.55

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX



Page 8

EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.92	12.56	8.42	33.02	58.78

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX



Page 8

EIRP PSD (dBm)
4.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.88	12.40	8.44	33.02	58.80

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX



Page 8

EIRP PSD (dBm)
4.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.47	12.03	8.55	33.01	58.93

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



Page 8

EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.16	11.68	8.53	33.04	59.05

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX



Page 8

EIRP PSD (dBm)
-3.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-26.97	11.57	8.52	33.04	59.08

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



Page 8

EIRP PSD (dBm)
4.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.33	13.30	7.67	32.99	57.57

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



EIRP PSD (dBm)
4.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.62	13.20	7.72	33.02	57.89

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP PSD (dBm)
4.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.45	12.81	7.99	33.04	58.16

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX



EIRP PSD (dBm)
4.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.62	12.58	7.96	33.05	58.24

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX



EIRP PSD (dBm)
4.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.68	12.54	7.94	33.05	58.27

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX



EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.15	12.42	7.91	33.05	58.35

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.13	12.38	7.90	33.05	58.38

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



EIRP PSD (dBm)
4.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.17	12.59	8.11	33.03	58.56

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX



EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.39	12.32	8.45	33.02	58.82

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX



EIRP PSD (dBm)
4.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.53	12.23	8.47	33.02	58.84

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



EIRP PSD (dBm)
4.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.80	12.01	8.56	33.01	58.94

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



Page 8

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.93	11.74	8.53	33.03	59.04

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



Page 8

EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.21	13.30	7.68	33.00	57.63

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



Page 8

EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.75	13.20	7.72	33.02	57.89

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



Page 8

EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.39	12.97	7.93	33.04	58.11

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX



Page 8

EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.73	12.54	7.94	33.05	58.27

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX



Page 8

EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.03	12.42	7.91	33.05	58.35

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



Page 7

EIRP PSD (dBm)
4.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.02	12.32	7.90	33.04	58.45

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



Page 8

EIRP PSD (dBm)
4.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.51	12.68	8.20	33.03	58.61

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



Page 7

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.30	12.74	8.28	33.03	58.66

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



Page 7

EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.55	12.74	8.38	33.02	58.73

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



Page 8

EIRP PSD (dBm)
4.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.52	12.09	8.52	33.01	58.89

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



Page 8

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.59	12.00	8.56	33.01	58.94

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
4.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.23	13.30	7.69	33.00	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
4.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.59	13.24	7.72	33.02	57.86

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.17	13.05	7.91	33.03	58.08

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX



Page 8

EIRP PSD (dBm)
4.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.80	12.54	7.94	33.05	58.27

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



Page 7

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.23	12.49	8.04	33.04	58.53

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



Page 8

EIRP PSD (dBm)
4.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.41	12.72	8.25	33.03	58.64

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.58	12.01	8.56	33.01	58.94

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.37	13.28	7.71	33.02	57.83

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Page 8

EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.48	13.28	7.71	33.02	57.83

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX



Page 8

EIRP PSD (dBm)
4.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.88	13.16	7.82	33.03	58.00

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



Page 8

EIRP PSD (dBm)
4.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.97	12.38	7.90	33.05	58.38

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



Page 7

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.23	12.70	8.23	33.03	58.63

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq	6.905GHz
Span	480MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.798s
Detector Type	RMS
CP BW	320MHz

Page 8



EIRP PSD (dBm)
4.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.48	12.72	8.25	33.03	58.64

Test Mode: Mode 2
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.76
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.89
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.93
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.80
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.74
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.82
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.73
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.03
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.72
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.26
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.99
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.79
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.66
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.17
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.63
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.41
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.51
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.80
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.77
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.15
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.91

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.39	5.00
6195MHz	Pass	4.64	5.00
6415MHz	Pass	4.83	5.00
6435MHz	Pass	4.78	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.43	5.00
6535MHz	Pass	4.62	5.00
6695MHz	Pass	4.79	5.00
6875MHz	Pass	4.48	5.00
6895MHz	Pass	4.91	5.00
6995MHz	Pass	4.23	5.00
7095MHz	Pass	4.36	5.00
7115MHz	Pass	1.31	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.28	5.00
6205MHz	Pass	4.55	5.00
6405MHz	Pass	4.76	5.00
6445MHz	Pass	4.44	5.00
6485MHz	Pass	4.74	5.00
6525MHz	Pass	4.74	5.00
6565MHz	Pass	4.66	5.00
6685MHz	Pass	4.18	5.00
6885MHz	Pass	4.22	5.00
6925MHz	Pass	4.43	5.00
7005MHz	Pass	4.80	5.00
7085MHz	Pass	4.75	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.16	5.00
6225MHz	Pass	4.88	5.00
6385MHz	Pass	4.89	5.00
6465MHz	Pass	4.82	5.00
6545MHz	Pass	4.19	5.00
6625MHz	Pass	4.29	5.00
6705MHz	Pass	4.18	5.00
6785MHz	Pass	4.64	5.00
6865MHz	Pass	4.97	5.00
6945MHz	Pass	4.77	5.00
7025MHz	Pass	4.52	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	3.93	5.00
6185MHz	Pass	4.43	5.00
6345MHz	Pass	4.84	5.00
6505MHz	Pass	4.03	5.00
6665MHz	Pass	4.04	5.00
6825MHz	Pass	4.17	5.00
6985MHz	Pass	4.15	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.07	5.00
6265MHz	Pass	4.60	5.00
6425MHz	Pass	4.94	5.00
6585MHz	Pass	4.26	5.00
6745MHz	Pass	4.41	5.00
6905MHz	Pass	0.56	5.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	4.96	5.00
6195MHz	Pass	4.40	5.00
6415MHz	Pass	4.23	5.00
6435MHz	Pass	4.51	5.00
6475MHz	Pass	4.80	5.00
6515MHz	Pass	4.60	5.00
6535MHz	Pass	4.30	5.00
6695MHz	Pass	4.50	5.00
6875MHz	Pass	4.50	5.00
6895MHz	Pass	4.70	5.00
6995MHz	Pass	4.30	5.00
7095MHz	Pass	4.84	5.00
7115MHz	Pass	-0.96	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.70	5.00
6205MHz	Pass	4.90	5.00
6405MHz	Pass	4.96	5.00
6445MHz	Pass	4.76	5.00
6485MHz	Pass	4.37	5.00
6525MHz	Pass	4.90	5.00
6565MHz	Pass	4.21	5.00
6685MHz	Pass	4.79	5.00
6885MHz	Pass	4.92	5.00
6925MHz	Pass	4.81	5.00
7005MHz	Pass	4.38	5.00
7085MHz	Pass	4.89	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.83	5.00
6225MHz	Pass	4.88	5.00
6385MHz	Pass	4.04	5.00
6465MHz	Pass	4.73	5.00
6545MHz	Pass	4.37	5.00
6625MHz	Pass	4.72	5.00
6705MHz	Pass	4.10	5.00
6785MHz	Pass	4.96	5.00
6865MHz	Pass	4.93	5.00
6945MHz	Pass	4.96	5.00
7025MHz	Pass	4.22	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.62	5.00
6185MHz	Pass	4.97	5.00
6345MHz	Pass	4.69	5.00
6505MHz	Pass	4.72	5.00
6665MHz	Pass	4.55	5.00
6825MHz	Pass	4.63	5.00
6985MHz	Pass	4.91	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.93	5.00
6265MHz	Pass	4.54	5.00
6425MHz	Pass	4.79	5.00
6585MHz	Pass	4.99	5.00
6745MHz	Pass	4.51	5.00
6905MHz	Pass	4.39	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX



Page 8

EIRP PSD (dBm)
4.39

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.08	13.30	7.66	32.44	57.55

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX



Page 8

EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.36	13.19	7.72	32.42	57.89

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX



Page 8

EIRP PSD (dBm)
4.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.59	11.36	8.36	34.78	58.20

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6435MHz;TX



Page 8

EIRP PSD (dBm)
4.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.72	11.32	8.34	34.74	58.22

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6475MHz;TX



Page 8

EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.35	12.53	7.94	32.38	58.28

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6515MHz;TX



Page 8

EIRP PSD (dBm)
4.43

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.46	11.07	8.29	34.64	58.31

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



EIRP PSD (dBm)
4.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.81	12.42	7.90	32.41	58.36

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



EIRP PSD (dBm)
4.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.77	12.55	8.08	32.52	58.55

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6875MHz;TX



Page 7

EIRP PSD (dBm)
4.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.50	12.57	8.42	32.65	58.78

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6895MHz;TX



Page 8

EIRP PSD (dBm)
4.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.41	12.28	8.46	32.68	58.82

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6995MHz;TX



EIRP PSD (dBm)
4.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.49	12.02	8.55	32.74	58.93

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7095MHz;TX



EIRP PSD (dBm)
4.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.37	10.73	8.59	35.18	59.05

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7115MHz;TX



Page 7

EIRP PSD (dBm)
1.31

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.01	11.57	8.52	32.71	59.08

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



Page 8

EIRP PSD (dBm)
4.28

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.68	11.10	7.65	35.12	57.53

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



EIRP PSD (dBm)
4.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.56	13.15	7.75	32.41	57.92

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.21	12.80	7.99	32.39	58.17

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6445MHz;TX



EIRP PSD (dBm)
4.44

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.06	11.32	8.35	34.75	58.22

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6485MHz;TX



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.59	12.52	7.94	32.38	58.29

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6525MHz;TX



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.68	12.43	7.91	32.41	58.35

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP PSD (dBm)
4.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.82	12.37	7.89	32.43	58.39

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



EIRP PSD (dBm)
4.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.40	12.47	8.03	32.50	58.52

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6885MHz;TX



EIRP PSD (dBm)
4.22

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.77	12.56	8.42	32.65	58.78

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6925MHz;TX



EIRP PSD (dBm)
4.43

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.95	12.24	8.47	32.69	58.84

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7005MHz;TX



EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.54	10.93	8.61	35.31	58.97

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7085MHz;TX

CF Freq	7.085GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	40MHz

Page 7



EIRP PSD (dBm)
4.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.30	11.80	8.54	32.72	59.03

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX

CF Freq	5.985GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	80MHz

Page 8



EIRP PSD (dBm)
4.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.80	11.19	7.69	35.14	57.60

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



EIRP PSD (dBm)
4.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.36	13.10	7.79	32.41	57.96

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.16	12.73	7.98	32.39	58.19

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6465MHz;TX



EIRP PSD (dBm)
4.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.42	12.58	7.95	32.38	58.25

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6545MHz;TX



EIRP PSD (dBm)
4.19

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.29	12.37	7.89	32.43	58.39

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



EIRP PSD (dBm)
4.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.24	12.32	7.88	32.45	58.42

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



EIRP PSD (dBm)
4.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.37	12.56	8.08	32.52	58.55

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.99	12.78	8.32	32.59	58.68

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6865MHz;TX



EIRP PSD (dBm)
4.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.12	12.47	8.43	32.66	58.79

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6945MHz;TX



EIRP PSD (dBm)
4.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.72	12.16	8.49	32.70	58.86

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:7025MHz;TX



EIRP PSD (dBm)
4.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.30	11.96	8.55	32.74	58.97

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



Page 7

EIRP PSD (dBm)
3.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.08	11.40	5.88	31.22	57.75

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
4.43

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.03	11.04	7.83	35.10	57.77

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



CF Freq	6.345GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.70	11.69	8.06	34.99	58.16

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6505MHz;TX



CF Freq	6.505GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.22	12.57	7.95	32.38	58.25

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



CF Freq	6.665GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.85	11.65	8.18	35.06	58.42

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6825MHz;TX



CF Freq	6.825GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.08	11.41	8.29	35.25	58.62

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.15

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.33	12.17	8.49	32.70	58.86

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX



CF Freq	6.105GHz
Span	480MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	320MHz

Page 8

EIRP PSD (dBm)
3.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.59	11.20	7.95	35.05	57.96

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX



Page 8

EIRP PSD (dBm)
4.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.96	11.48	8.00	35.02	58.06

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6425MHz;TX



Page 8

EIRP PSD (dBm)
4.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.61	11.75	8.08	34.98	58.20

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6585MHz;TX



EIRP PSD (dBm)
4.26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.30	11.87	8.11	34.96	58.28

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6745MHz;TX



EIRP PSD (dBm)
4.41

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.49	11.64	8.18	35.06	58.42

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6905MHz;TX

CF Freq	6.905GHz
Span	480MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	320MHz

Page 8



EIRP PSD (dBm)
0.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.03	11.61	6.21	31.71	58.70

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq	5.955GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	20MHz

Page 8



EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.73	11.50	5.81	31.17	57.55

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



Page 7

EIRP PSD (dBm)
4.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.72	11.41	5.90	31.26	57.89

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



Page 8

EIRP PSD (dBm)
4.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.74	11.89	5.99	31.33	58.20

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX



Page 7

EIRP PSD (dBm)
4.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.42	11.95	6.00	31.34	58.22

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



Page 7

EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.12	12.03	6.04	31.35	58.26

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX

CF Freq	6.515GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	20MHz



Page 7

EIRP PSD (dBm)
4.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.40	12.05	6.11	31.39	58.33

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq	6.535GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	20MHz



Page 8

EIRP PSD (dBm)
4.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.77	12.01	6.13	31.41	58.36

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



EIRP PSD (dBm)
4.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.99	11.69	6.21	31.60	58.57

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX



EIRP PSD (dBm)
4.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.06	11.70	6.27	31.81	58.80

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX



Page 8

EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.87	11.70	6.28	31.83	58.82

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX



Page 7

EIRP PSD (dBm)
4.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.94	10.99	8.61	35.33	58.95

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



Page 7

EIRP PSD (dBm)
4.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.81	11.82	6.40	31.99	59.06

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX



Page 7

EIRP PSD (dBm)
-0.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.67	11.77	6.40	32.00	59.08

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.03	11.50	5.83	31.18	57.58

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.21	11.45	5.91	31.27	57.92

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



Page 7

EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.44	11.36	8.36	34.79	58.19

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX



Page 8

EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.18	11.91	5.99	31.34	58.20

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX



Page 7

EIRP PSD (dBm)
4.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.29	11.23	8.32	34.69	58.26

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX



Page 8

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.11	12.05	6.11	31.39	58.34

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP PSD (dBm)
4.21

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.91	11.98	6.15	31.43	58.38

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



EIRP PSD (dBm)
4.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.60	10.60	8.34	34.92	58.57

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX



EIRP PSD (dBm)
4.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.63	11.70	6.26	31.79	58.78

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX



EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.78	11.70	6.29	31.84	58.84

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



EIRP PSD (dBm)
4.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.16	11.83	6.36	31.95	58.96

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.67	11.87	6.38	31.98	59.03

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
4.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.95	11.50	5.85	31.19	57.62

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



EIRP PSD (dBm)
4.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.19	11.55	5.92	31.28	57.98

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



EIRP PSD (dBm)
4.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.94	11.84	5.97	31.33	58.18

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX



EIRP PSD (dBm)
4.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.19	12.08	6.07	31.36	58.29

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX



EIRP PSD (dBm)
4.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.64	12.05	6.11	31.39	58.34

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.49	11.93	6.18	31.46	58.42

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



EIRP PSD (dBm)
4.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.48	11.61	6.21	31.64	58.62

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.63	11.60	6.21	31.65	58.63

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



EIRP PSD (dBm)
4.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.61	11.69	6.24	31.76	58.75

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.65	11.71	6.32	31.89	58.89

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



EIRP PSD (dBm)
4.22

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.31	11.88	6.37	31.96	59.00

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP PSD (dBm)
4.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.39	11.40	5.88	31.22	57.75

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP PSD (dBm)
4.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.12	11.51	5.92	31.28	57.96

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.30	11.80	5.96	31.32	58.15

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX



EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.42	11.97	6.16	31.43	58.38

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP PSD (dBm)
4.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.68	11.91	6.19	31.47	58.42

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.96	11.60	6.21	31.65	58.63

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



EIRP PSD (dBm)
4.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.70	11.71	6.32	31.89	58.89

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



Page 8

EIRP PSD (dBm)
4.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.17	11.50	5.91	31.27	57.96

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Page 8

EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.42	11.80	5.95	31.32	58.13

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX



EIRP PSD (dBm)
4.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.15	11.91	5.99	31.34	58.20

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



EIRP PSD (dBm)
4.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.10	12.00	6.14	31.42	58.37

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



EIRP PSD (dBm)
4.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.82	11.83	6.20	31.52	58.48

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



EIRP PSD (dBm)
4.39

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.20	11.60	6.21	31.65	58.63

Test Mode: Mode 3
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	4.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	4.69
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	4.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	3.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	4.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	3.67
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	2.16
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	4.69
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	4.83
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	2.78
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	4.65
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	4.63
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	4.89
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	4.33
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	4.74
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	3.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	4.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	3.75

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-
5985MHz	Pass	4.86	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-
7025MHz	Pass	4.89	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-
6025MHz	Pass	3.82	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-
6025MHz	Pass	3.72	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-
6985MHz	Pass	3.78	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6985MHz	Pass	3.83	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-
6105MHz	Pass	2.07	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-
6105MHz	Pass	1.95	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-
6105MHz	Pass	2.16	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.34	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.78	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.40	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-
5985MHz	Pass	4.69	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-
7025MHz	Pass	4.33	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-
6025MHz	Pass	4.57	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-
6025MHz	Pass	4.61	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-
6985MHz	Pass	4.98	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-
6985MHz	Pass	4.95	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-
6105MHz	Pass	4.67	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	4.49	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-
6105MHz	Pass	4.69	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.55	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.65	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-
5985MHz	Pass	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-
7025MHz	Pass	4.74	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-
6025MHz	Pass	3.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-
6025MHz	Pass	3.67	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6985MHz	Pass	3.48	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-
6985MHz	Pass	3.75	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-
6105MHz	Pass	4.70	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-
6105MHz	Pass	4.54	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-
6105MHz	Pass	4.83	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.61	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.53	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.63	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1;Ch:5985MHz;TX



EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.41	11.90	8.16	35.60	57.61

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:1;Ch:7025MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.13	11.28	8.60	35.28	58.98

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:1;Ch:6025MHz;TX



CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.90	8.17	35.54	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:1;Ch:6025MHz;TX



CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.67	11.90	8.17	35.54	57.66

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1;Ch:6985MHz;TX



EIRP PSD (dBm)
3.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.22	11.29	8.60	35.29	58.98

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:1;Ch:6985MHz;TX



EIRP PSD (dBm)
3.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.19	11.28	8.60	35.28	58.98

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
2.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.93	11.70	8.20	35.32	57.82

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
1.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.96	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
2.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.72	11.70	8.19	35.38	57.77

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:1;Ch:6905MHz;TX



EIRP PSD (dBm)
2.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.00	10.76	8.47	35.08	58.71

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:1;Ch:6905MHz;TX



Page 8

EIRP PSD (dBm)
2.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.52	10.95	8.61	35.32	58.96

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:1;Ch:6905MHz;TX



Page 8

EIRP PSD (dBm)
2.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.89	10.82	8.48	35.10	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:2;Ch:5985MHz;TX



EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.58	11.90	8.16	35.60	57.61

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:2;Ch:7025MHz;TX



EIRP PSD (dBm)
4.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.67	11.29	8.60	35.29	58.98

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
4.57

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.85	11.90	8.17	35.52	57.67

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
4.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.81	11.90	8.17	35.52	57.67

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:2;Ch:6985MHz;TX



EIRP PSD (dBm)
4.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.02	11.29	8.60	35.29	58.98

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:2;Ch:6985MHz;TX



EIRP PSD (dBm)
4.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.05	11.29	8.60	35.29	58.98

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.55	11.69	8.22	35.21	57.90

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.42	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.22	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.76	10.81	8.48	35.09	58.73

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.92	10.60	8.40	34.98	58.63

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.66	10.81	8.48	35.09	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
4.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.07	11.50	8.16	35.61	57.60

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:4;Ch:7025MHz;TX



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.60	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
3.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.25	11.62	8.18	35.50	57.69

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
3.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.08	11.62	8.18	35.50	57.69

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:4;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.86	10.93	8.61	35.31	58.97

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:4;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.59	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.49	11.70	8.22	35.22	57.89

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.70	8.21	35.26	57.86

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.13	11.70	8.20	35.34	57.80

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:4;Ch:6905MHz;TX



EIRP PSD (dBm)
4.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.73	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:4;Ch:6905MHz;TX



EIRP PSD (dBm)
4.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.81	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:4;Ch:6905MHz;TX



EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.71	10.93	8.61	35.31	58.97

Test Mode: Mode 4
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	4.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	4.69
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	4.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	3.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	4.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	3.67
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	2.16
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	4.69
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	4.83
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	2.78
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	4.65
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	4.63
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	4.89
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	4.33
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	4.74
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	3.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	4.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	3.75

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-
5985MHz	Pass	4.86	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-
7025MHz	Pass	4.89	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-
6025MHz	Pass	3.82	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-
6025MHz	Pass	3.72	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-
6985MHz	Pass	3.78	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6985MHz	Pass	3.83	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-
6105MHz	Pass	2.07	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-
6105MHz	Pass	1.95	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-
6105MHz	Pass	2.16	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.34	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.78	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	2.40	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-
5985MHz	Pass	4.69	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-
7025MHz	Pass	4.33	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-
6025MHz	Pass	4.57	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-
6025MHz	Pass	4.61	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-
6985MHz	Pass	4.98	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-
6985MHz	Pass	4.95	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-
6105MHz	Pass	4.67	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	4.49	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-
6105MHz	Pass	4.69	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.55	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.65	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-
5985MHz	Pass	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-
7025MHz	Pass	4.74	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-
6025MHz	Pass	3.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-
6025MHz	Pass	3.67	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6985MHz	Pass	3.48	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-
6985MHz	Pass	3.75	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-
6105MHz	Pass	4.70	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-
6105MHz	Pass	4.54	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-
6105MHz	Pass	4.83	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.61	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.53	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	4.63	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1;Ch:5985MHz;TX



EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.41	11.90	8.16	35.60	57.61

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:1;Ch:7025MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.13	11.28	8.60	35.28	58.98

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
3.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.90	8.17	35.54	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
3.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.67	11.90	8.17	35.54	57.66

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1;Ch:6985MHz;TX



EIRP PSD (dBm)
3.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.22	11.29	8.60	35.29	58.98

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:1;Ch:6985MHz;TX



EIRP PSD (dBm)
3.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.19	11.28	8.60	35.28	58.98

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
2.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.93	11.70	8.20	35.32	57.82

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
1.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.96	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:1;Ch:6105MHz;TX



EIRP PSD (dBm)
2.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.72	11.70	8.19	35.38	57.77

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:1;Ch:6905MHz;TX



EIRP PSD (dBm)
2.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.00	10.76	8.47	35.08	58.71

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:1;Ch:6905MHz;TX



EIRP PSD (dBm)
2.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.52	10.95	8.61	35.32	58.96

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:1;Ch:6905MHz;TX



EIRP PSD (dBm)
2.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.89	10.82	8.48	35.10	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:2;Ch:5985MHz;TX



EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.58	11.90	8.16	35.60	57.61

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:2;Ch:7025MHz;TX



EIRP PSD (dBm)
4.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.67	11.29	8.60	35.29	58.98

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
4.57

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.85	11.90	8.17	35.52	57.67

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
4.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.81	11.90	8.17	35.52	57.67

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:2;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.02	11.29	8.60	35.29	58.98

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:2;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.05	11.29	8.60	35.29	58.98

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.55	11.69	8.22	35.21	57.90

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.42	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:2;Ch:6105MHz;TX



EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.22	11.70	8.20	35.37	57.78

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.76	10.81	8.48	35.09	58.73

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.92	10.60	8.40	34.98	58.63

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:2;Ch:6905MHz;TX



EIRP PSD (dBm)
4.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.66	10.81	8.48	35.09	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
4.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.07	11.50	8.16	35.61	57.60

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:4;Ch:7025MHz;TX



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.60	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
3.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.25	11.62	8.18	35.50	57.69

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
3.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.08	11.62	8.18	35.50	57.69

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:4;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.86	10.93	8.61	35.31	58.97

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:4;Ch:6985MHz;TX



CF Freq	6.985GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
3.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.59	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.49	11.70	8.22	35.22	57.89

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.70	8.21	35.26	57.86

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 6;Nant:4;Ch:6105MHz;TX



EIRP PSD (dBm)
4.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.13	11.70	8.20	35.34	57.80

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:4;Ch:6905MHz;TX



EIRP PSD (dBm)
4.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.73	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:4;Ch:6905MHz;TX



Page 8

EIRP PSD (dBm)
4.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.81	10.93	8.61	35.31	58.97

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 10;Nant:4;Ch:6905MHz;TX



Page 8

EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.71	10.93	8.61	35.31	58.97

Test Mode: Mode 5
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.82
802.11be EHT20_Nss1,(MCS0)_2TX	19.98
802.11be EHT20_Nss1,(MCS0)_4TX	22.85
802.11be EHT40_Nss1,(MCS0)_1TX	14.13
802.11be EHT40_Nss1,(MCS0)_2TX	17.57
802.11be EHT40_Nss1,(MCS0)_4TX	21.66
802.11be EHT80_Nss1,(MCS0)_1TX	11.41
802.11be EHT80_Nss1,(MCS0)_2TX	14.25
802.11be EHT80_Nss1,(MCS0)_4TX	18.81
802.11be EHT160_Nss1,(MCS0)_1TX	8.53
802.11be EHT160_Nss1,(MCS0)_2TX	11.67
802.11be EHT160_Nss1,(MCS0)_4TX	15.39
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.82
802.11be EHT20_Nss1,(MCS0)_2TX	20.63
802.11be EHT20_Nss1,(MCS0)_4TX	22.91
802.11be EHT40_Nss1,(MCS0)_1TX	15.38
802.11be EHT40_Nss1,(MCS0)_2TX	18.53
802.11be EHT40_Nss1,(MCS0)_4TX	22.77
802.11be EHT80_Nss1,(MCS0)_1TX	12.02
802.11be EHT80_Nss1,(MCS0)_2TX	14.90
802.11be EHT80_Nss1,(MCS0)_4TX	19.19
802.11be EHT160_Nss1,(MCS0)_1TX	8.94
802.11be EHT160_Nss1,(MCS0)_2TX	11.76
802.11be EHT160_Nss1,(MCS0)_4TX	15.99

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	13.07	23.00
6195MHz	Pass	16.30	23.00
6415MHz	Pass	16.82	23.00
6535MHz	Pass	16.62	23.00
6695MHz	Pass	16.42	23.00
6855MHz	Pass	18.82	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	8.16	23.00
6205MHz	Pass	14.13	23.00
6405MHz	Pass	14.10	23.00
6565MHz	Pass	14.59	23.00
6685MHz	Pass	14.98	23.00
6845MHz	Pass	15.38	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	6.24	23.00
6225MHz	Pass	10.72	23.00
6385MHz	Pass	11.41	23.00
6625MHz	Pass	10.69	23.00
6705MHz	Pass	11.45	23.00
6785MHz	Pass	12.02	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	4.32	23.00
6185MHz	Pass	8.27	23.00
6345MHz	Pass	8.53	23.00
6665MHz	Pass	8.94	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.17	23.00
6195MHz	Pass	19.83	23.00
6415MHz	Pass	19.98	23.00
6535MHz	Pass	19.86	23.00
6695MHz	Pass	19.86	23.00
6855MHz	Pass	20.63	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.30	23.00
6205MHz	Pass	17.57	23.00
6405MHz	Pass	17.20	23.00
6565MHz	Pass	17.45	23.00
6685MHz	Pass	17.76	23.00
6845MHz	Pass	18.53	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	9.02	23.00
6225MHz	Pass	14.25	23.00
6385MHz	Pass	13.52	23.00
6625MHz	Pass	13.60	23.00
6705MHz	Pass	14.65	23.00
6785MHz	Pass	14.90	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	6.86	23.00
6185MHz	Pass	11.60	23.00
6345MHz	Pass	11.67	23.00
6665MHz	Pass	11.76	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	19.08	23.00
6195MHz	Pass	22.85	23.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6415MHz	Pass	22.54	23.00
6535MHz	Pass	22.74	23.00
6695MHz	Pass	22.91	23.00
6855MHz	Pass	22.86	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	14.85	23.00
6205MHz	Pass	20.55	23.00
6405MHz	Pass	21.66	23.00
6565MHz	Pass	22.13	23.00
6685MHz	Pass	22.73	23.00
6845MHz	Pass	22.77	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	12.36	23.00
6225MHz	Pass	17.21	23.00
6385MHz	Pass	18.81	23.00
6625MHz	Pass	18.08	23.00
6705MHz	Pass	18.58	23.00
6785MHz	Pass	19.19	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	10.71	23.00
6185MHz	Pass	14.82	23.00
6345MHz	Pass	15.39	23.00
6665MHz	Pass	15.99	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:5955MHz;TX



Page 8

EIRP PSD (dBm)
13.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.85	13.30	7.66	32.99	57.55

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6195MHz;TX



Page 8

EIRP PSD (dBm)
16.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.06	13.22	7.72	33.02	57.88

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6415MHz;TX



Page 8

EIRP PSD (dBm)
16.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.53	12.77	7.99	33.04	58.17

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6535MHz;TX



Page 8

EIRP PSD (dBm)
16.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.13	12.45	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6695MHz;TX



Page 8

EIRP PSD (dBm)
16.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.62	12.55	8.08	33.04	58.55

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6855MHz;TX



Page 8

EIRP PSD (dBm)
18.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.60	12.71	8.40	33.02	58.75

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:5965MHz;TX



Page 8

EIRP PSD (dBm)
8.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.80	13.30	7.67	32.99	57.58

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6205MHz;TX



Page 8

EIRP PSD (dBm)
14.13

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.22	13.22	7.72	33.02	57.87

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6405MHz;TX



Page 8

EIRP PSD (dBm)
14.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.22	12.80	7.99	33.04	58.17

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6565MHz;TX



Page 8

EIRP PSD (dBm)
14.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.28	12.37	7.89	33.04	58.39

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6685MHz;TX



EIRP PSD (dBm)
14.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.06	12.53	8.07	33.04	58.54

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6845MHz;TX



EIRP PSD (dBm)
15.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.97	12.74	8.38	33.02	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:5985MHz;TX



EIRP PSD (dBm)
4.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.80	11.50	5.85	31.19	57.63

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6225MHz;TX



EIRP PSD (dBm)
10.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.65	13.21	7.72	33.02	57.88

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6385MHz;TX



EIRP PSD (dBm)
11.41

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.62	12.97	7.93	33.04	58.11

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6625MHz;TX



EIRP PSD (dBm)
10.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.30	12.33	7.91	33.04	58.45

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6705MHz;TX



EIRP PSD (dBm)
11.45

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.59	12.52	8.06	33.04	58.54

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6785MHz;TX



EIRP PSD (dBm)
12.02

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.15	12.74	8.28	33.03	58.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
3.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.01	11.49	5.86	31.21	57.69

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
8.27

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.02	13.25	7.71	33.02	57.85

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
8.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.49	12.98	7.93	33.04	58.11

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6665MHz;TX



Page 8

EIRP PSD (dBm)
8.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.11	12.51	8.06	33.04	58.54

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX

CF Freq	5.955GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	20MHz



Page 7

EIRP PSD (dBm)
15.17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.74	13.29	7.65	32.98	57.53

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX

CF Freq	6.195GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	20MHz



Page 8

EIRP PSD (dBm)
19.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.47	13.22	7.72	33.02	57.88

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX

CF Freq	6.415GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	20MHz

Page 8



EIRP PSD (dBm)
19.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.41	12.74	7.98	33.04	58.19

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX

CF Freq	6.535GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
19.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.90	12.44	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



Page 8

EIRP PSD (dBm)
19.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.18	12.59	8.10	33.03	58.56

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6855MHz;TX



Page 8

EIRP PSD (dBm)
20.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.87	12.65	8.41	33.02	58.76

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



Page 8

EIRP PSD (dBm)
11.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.66	13.30	7.67	32.99	57.58

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



Page 8

EIRP PSD (dBm)
17.57

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.82	13.20	7.72	33.02	57.89

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



EIRP PSD (dBm)
17.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.15	12.77	7.99	33.04	58.17

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP PSD (dBm)
17.45

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.43	12.36	7.89	33.04	58.39

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



Page 8

EIRP PSD (dBm)
17.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.29	12.54	8.08	33.04	58.55

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6845MHz;TX



Page 8

EIRP PSD (dBm)
18.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.81	12.75	8.38	33.02	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



Page 8

EIRP PSD (dBm)
9.02

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.00	13.30	7.68	33.00	57.64

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



Page 8

EIRP PSD (dBm)
14.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.24	13.16	7.75	33.02	57.92

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



Page 7

EIRP PSD (dBm)
13.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.76	12.82	7.98	33.04	58.16

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



Page 8

EIRP PSD (dBm)
13.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.44	12.39	7.98	33.04	58.49

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



Page 8

EIRP PSD (dBm)
14.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.39	12.55	8.08	33.04	58.55

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



Page 8

EIRP PSD (dBm)
14.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.22	12.69	8.22	33.03	58.62

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
6.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.16	13.30	7.68	33.00	57.64

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
11.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.72	13.24	7.72	33.02	57.86

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



EIRP PSD (dBm)
11.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.41	12.94	7.94	33.04	58.12

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



EIRP PSD (dBm)
11.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.29	12.54	8.08	33.04	58.55

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



Page 7

EIRP PSD (dBm)
19.08

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.16	13.30	7.66	32.99	57.55

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



Page 8

EIRP PSD (dBm)
22.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.50	13.22	7.72	33.02	57.87

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



Page 7

EIRP PSD (dBm)
22.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.11	12.71	7.98	33.04	58.20

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



Page 7

EIRP PSD (dBm)
22.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.95	12.42	7.90	33.05	58.36

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



Page 7

EIRP PSD (dBm)
22.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.86	12.60	8.11	33.03	58.57

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



Page 7

EIRP PSD (dBm)
22.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.31	12.61	8.41	33.02	58.77

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



Page 8

EIRP PSD (dBm)
14.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.10	13.30	7.67	32.99	57.57

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



Page 7

EIRP PSD (dBm)
20.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.19	13.22	7.72	33.02	57.88

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP PSD (dBm)
21.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.36	12.81	7.99	33.04	58.16

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP PSD (dBm)
22.13

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.28	12.38	7.90	33.05	58.38

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq	6.685GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	40MHz

Page 7



EIRP PSD (dBm)
22.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.69	12.57	8.09	33.03	58.55

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq	6.845GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	40MHz

Page 7



EIRP PSD (dBm)
22.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.42	12.74	8.38	33.02	58.73

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



Page 8

EIRP PSD (dBm)
12.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.65	13.30	7.68	33.00	57.63

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



Page 7

EIRP PSD (dBm)
17.21

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.39	13.11	7.78	33.02	57.95

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



Page 8

EIRP PSD (dBm)
18.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.22	12.97	7.93	33.04	58.11

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



Page 7

EIRP PSD (dBm)
18.08

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.91	12.32	7.90	33.04	58.45

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



Page 7

EIRP PSD (dBm)
18.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.46	12.57	8.09	33.03	58.55

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



Page 7

EIRP PSD (dBm)
19.19

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.98	12.74	8.28	33.03	58.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
10.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.34	13.30	7.69	33.00	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



Page 7

EIRP PSD (dBm)
14.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.40	13.29	7.71	33.02	57.82

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
15.39

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.64	12.97	7.93	33.04	58.11

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



Page 7

EIRP PSD (dBm)
15.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.05	12.57	8.09	33.03	58.55

Test Mode: Mode 6
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.43
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.25
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.33
802.11be EHT80-BF_Nss1,(MCS0)_2TX	9.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.60
802.11be EHT160-BF_Nss1,(MCS0)_2TX	6.15
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.85
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.53
802.11be EHT20-BF_Nss1,(MCS0)_4TX	18.60
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.14
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	9.65
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.28
802.11be EHT160-BF_Nss1,(MCS0)_2TX	6.70
802.11be EHT160-BF_Nss1,(MCS0)_4TX	9.89

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.00	23.00
6195MHz	Pass	14.61	23.00
6415MHz	Pass	15.62	23.00
6535MHz	Pass	14.84	23.00
6695MHz	Pass	15.58	23.00
6855MHz	Pass	17.53	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	5.51	23.00
6205MHz	Pass	11.73	23.00
6405MHz	Pass	13.25	23.00
6565MHz	Pass	11.91	23.00
6685MHz	Pass	13.48	23.00
6845MHz	Pass	14.14	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	5.91	23.00
6225MHz	Pass	8.39	23.00
6385MHz	Pass	9.50	23.00
6625MHz	Pass	9.51	23.00
6705MHz	Pass	9.54	23.00
6785MHz	Pass	9.65	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	2.16	23.00
6185MHz	Pass	3.41	23.00
6345MHz	Pass	6.15	23.00
6665MHz	Pass	6.70	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.94	23.00
6195MHz	Pass	18.84	23.00
6415MHz	Pass	19.43	23.00
6535MHz	Pass	18.60	23.00
6695MHz	Pass	18.49	23.00
6855MHz	Pass	16.82	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	14.60	23.00
6205MHz	Pass	15.86	23.00
6405MHz	Pass	16.33	23.00
6565MHz	Pass	15.66	23.00
6685MHz	Pass	15.55	23.00
6845MHz	Pass	17.00	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	11.10	23.00
6225MHz	Pass	13.21	23.00
6385MHz	Pass	14.60	23.00
6625MHz	Pass	12.73	23.00
6705MHz	Pass	15.28	23.00
6785MHz	Pass	14.06	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	9.45	23.00
6185MHz	Pass	10.34	23.00
6345MHz	Pass	11.85	23.00
6665MHz	Pass	9.89	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX



EIRP PSD (dBm)
16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.96	11.10	7.65	35.12	57.53

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX



EIRP PSD (dBm)
14.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.03	11.11	7.92	35.06	57.89

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX



EIRP PSD (dBm)
15.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.93	11.75	8.08	34.98	58.20

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



EIRP PSD (dBm)
14.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.86	11.81	8.15	35.00	58.36

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



EIRP PSD (dBm)
15.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.56	11.49	8.26	35.20	58.57

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6855MHz;TX



EIRP PSD (dBm)
17.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.80	11.39	8.34	35.37	58.75

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



EIRP PSD (dBm)
5.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.45	11.16	7.67	35.13	57.58

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



EIRP PSD (dBm)
11.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.92	11.12	7.93	35.06	57.90

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



EIRP PSD (dBm)
13.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.30	11.72	8.07	34.98	58.18

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP PSD (dBm)
11.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.93	11.69	8.17	35.04	58.40

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



EIRP PSD (dBm)
13.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.61	11.50	8.23	35.16	58.52

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6845MHz;TX



EIRP PSD (dBm)
14.14

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.21	11.36	8.33	35.35	58.73

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



EIRP PSD (dBm)
5.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.05	11.11	7.65	35.12	57.54

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



EIRP PSD (dBm)
8.39

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.26	11.12	7.93	35.06	57.90

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



EIRP PSD (dBm)
9.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.04	11.71	8.06	34.99	58.18

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



EIRP PSD (dBm)
9.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.44	11.60	8.19	35.07	58.43

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



Page 7

EIRP PSD (dBm)
9.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.64	11.47	8.27	35.21	58.59

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



Page 8

EIRP PSD (dBm)
9.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.62	11.40	8.29	35.25	58.63

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
2.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.29	11.01	7.81	35.10	57.75

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 8

EIRP PSD (dBm)
3.41

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.24	11.25	7.96	35.04	57.98

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
6.15

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.39	11.69	8.06	34.99	58.16

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



Page 8

EIRP PSD (dBm)
6.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.24	11.61	8.19	35.07	58.43

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



EIRP PSD (dBm)
17.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.02	11.13	7.66	35.12	57.55

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



EIRP PSD (dBm)
18.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.80	11.11	7.92	35.06	57.89

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



Page 7

EIRP PSD (dBm)
19.43

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.12	11.75	8.08	34.98	58.20

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



Page 7

EIRP PSD (dBm)
18.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.08	11.83	8.15	34.99	58.35

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



EIRP PSD (dBm)
18.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.64	11.50	8.26	35.20	58.57

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



EIRP PSD (dBm)
16.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.51	11.39	8.34	35.37	58.75

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



EIRP PSD (dBm)
14.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.37	11.16	7.68	35.13	57.58

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



EIRP PSD (dBm)
15.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.80	11.11	7.93	35.06	57.90

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP PSD (dBm)
16.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.20	11.68	8.05	34.99	58.15

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP PSD (dBm)
15.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.21	11.67	8.18	35.05	58.41

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



Page 8

EIRP PSD (dBm)
15.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.55	11.50	8.23	35.15	58.52

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



Page 7

EIRP PSD (dBm)
17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.32	11.40	8.34	35.38	58.76

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
11.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.88	11.20	7.70	35.14	57.62

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



EIRP PSD (dBm)
13.21

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.88	11.52	5.92	31.28	57.97

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



Page 7

EIRP PSD (dBm)
14.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.36	11.80	5.95	31.32	58.13

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



Page 8

EIRP PSD (dBm)
12.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.48	11.93	6.18	31.46	58.42

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



Page 7

EIRP PSD (dBm)
15.28

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.30	11.61	6.21	31.64	58.62

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



Page 8

EIRP PSD (dBm)
14.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.53	11.60	6.21	31.65	58.63

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP PSD (dBm)
9.45

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.39	11.49	5.86	31.21	57.68

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP PSD (dBm)
10.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.76	11.49	5.91	31.27	57.95

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 8

EIRP PSD (dBm)
11.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.10	11.80	5.95	31.31	58.11

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



Page 8

EIRP PSD (dBm)
9.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.34	11.92	6.19	31.46	58.42

Test Mode: Mode 7
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	6.14
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	9.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	11.87
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	4.29
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	6.55
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	10.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-
5985MHz	6.14	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-
5985MHz	6.02	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-
6025MHz	4.05	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX	-	-
6025MHz	4.29	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-
6025MHz	3.98	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-
5985MHz	8.74	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-
5985MHz	9.00	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-
6025MHz	6.51	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX	-	-
6025MHz	6.52	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-
6025MHz	6.55	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-
5985MHz	11.87	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-
5985MHz	11.78	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-
6025MHz	10.20	23.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-
6025MHz	10.59	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-
6025MHz	10.25	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX



EIRP PSD (dBm)
6.14

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.56	11.54	8.17	35.57	57.64

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1;Ch:5985MHz;TX



EIRP PSD (dBm)
6.02

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.68	11.54	8.17	35.57	57.64

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
4.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.67	11.58	8.17	35.53	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU726+RU242+RU242 MRU 1;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
4.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.42	11.56	8.17	35.55	57.65

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
3.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.69	11.44	8.14	35.60	57.57

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX



EIRP PSD (dBm)
8.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.96	11.55	8.17	35.56	57.64

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:2;Ch:5985MHz;TX



CF Freq	5.985GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	80MHz

Page 8

EIRP PSD (dBm)
9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.70	11.55	8.17	35.56	57.64

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6025MHz;TX



CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
6.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.32	11.70	8.19	35.41	57.75

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU726+RU242+RU242 MRU 1;Nant:2;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
6.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.18	11.55	8.17	35.56	57.64

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:2;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
6.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.22	11.63	8.18	35.48	57.70

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
11.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.82	11.53	8.17	35.58	57.63

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
11.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.90	11.54	8.17	35.58	57.63

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX



Page 8

EIRP PSD (dBm)
10.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.52	11.57	8.17	35.54	57.66

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU726+RU242+RU242 MRU 1;Nant:4;Ch:6025MHz;TX



Page 7

EIRP PSD (dBm)
10.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.12	11.56	8.17	35.55	57.65

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:4;Ch:6025MHz;TX



CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
10.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.57	11.70	8.19	35.42	57.75

Test Mode: Mode 8
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	6.19
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	8.93
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	12.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	4.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	6.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	9.74

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-
5985MHz	6.19	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-
6025MHz	3.13	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-
6025MHz	4.28	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-
5985MHz	8.93	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-
6025MHz	6.35	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-
6025MHz	6.85	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-
5985MHz	12.25	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-
6025MHz	9.74	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-
6025MHz	9.72	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1;Ch:5985MHz;TX



EIRP PSD (dBm)
6.19

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.97	10.79	6.38	43.03	57.60

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:1;Ch:6025MHz;TX



EIRP PSD (dBm)
3.13

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.22	10.84	6.47	43.00	57.72

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:1;Ch:6025MHz;TX



CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	160MHz

Page 8

EIRP PSD (dBm)
4.28

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.97	10.88	6.45	43.01	57.69

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:2;Ch:5985MHz;TX



CF Freq	5.985GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	80MHz

Page 8

EIRP PSD (dBm)
8.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.22	10.81	6.38	43.03	57.61

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
6.35

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.92	10.87	6.45	43.01	57.70

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:2;Ch:6025MHz;TX



EIRP PSD (dBm)
6.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.42	10.87	6.45	43.01	57.70

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:4;Ch:5985MHz;TX



EIRP PSD (dBm)
12.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.10	10.80	6.38	43.03	57.60

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 8;Nant:4;Ch:6025MHz;TX



EIRP PSD (dBm)
9.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.51	10.88	6.45	43.01	57.69

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:4;Ch:6025MHz;TX

CF Freq	6.025GHz
Span	240MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	160MHz

Page 7



EIRP PSD (dBm)
9.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.50	10.89	6.44	43.01	57.68

Test Mode: Mode 1
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.76	4.95
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.81	4.83
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.01	4.97
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.71	4.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	7.71	-2.81	-2.81	4.90	5.00
6195MHz	Pass	7.71	-2.76	-2.76	4.95	5.00
6415MHz	Pass	7.71	-3.21	-3.21	4.50	5.00
6435MHz	Pass	7.64	-2.93	-2.93	4.71	5.00
6475MHz	Pass	7.64	-2.81	-2.81	4.83	5.00
6515MHz	Pass	7.64	-3.09	-3.09	4.55	5.00
6535MHz	Pass	6.98	-2.16	-2.16	4.82	5.00
6695MHz	Pass	6.98	-2.01	-2.01	4.97	5.00
6875MHz	Pass	6.98	-2.32	-2.32	4.66	5.00
6895MHz	Pass	6.54	-1.82	-1.82	4.72	5.00
6995MHz	Pass	6.54	-1.93	-1.93	4.61	5.00
7095MHz	Pass	6.54	-1.71	-1.71	4.83	5.00
7115MHz	Pass	6.54	-1.95	-1.95	4.59	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

5955MHz

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6195MHz



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6415MHz



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6435MHz



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6475MHz



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6515MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6535MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6695MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6875MHz



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6895MHz



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6995MHz



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

7095MHz



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

7115MHz



Test Mode: Mode 2
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.14	16.85
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.28	16.26

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	7.71	9.14	9.14	16.85	23.00
6195MHz	Pass	7.71	8.89	8.89	16.60	23.00
6415MHz	Pass	7.71	7.51	7.51	15.22	23.00
6535MHz	Pass	6.98	8.77	8.77	15.75	23.00
6695MHz	Pass	6.98	9.28	9.28	16.26	23.00
6855MHz	Pass	6.98	9.08	9.08	16.06	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

5955MHz

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.14	9.14	9.14

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6195MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.89	8.89	8.89

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6415MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6535MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6695MHz



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX **PSD**

6855MHz



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 10	Pass	PK	42.61M	35.38	40.00	-4.62	Vertical

Mode 10



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	42.61M	35.38	40.00	-4.62	-13.05	3	Vertical	360	1.00	"Worst"	48.43	17.18	0.43	30.66
PK	65.89M	29.30	40.00	-10.70	-17.97	3	Vertical	130	1.00	-	47.27	12.34	0.63	30.94
PK	101.78M	27.59	43.50	-15.91	-12.49	3	Vertical	358	1.50	-	40.08	17.39	0.83	30.71
PK	141.55M	24.77	43.50	-18.73	-12.86	3	Vertical	21	1.25	-	37.63	17.41	1.09	31.36
PK	918.52M	29.05	46.00	-16.95	-2.15	3	Vertical	351	2.00	-	31.20	26.77	3.12	32.04
PK	933.07M	29.60	46.00	-16.40	-2.35	3	Vertical	315	1.00	-	31.95	26.66	3.16	32.17

Mode 10



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	34.85M	30.62	40.00	-9.38	-9.00	3	Horizontal	124	1.00	"Worst"	39.62	21.32	0.37	30.69
PK	101.78M	31.79	43.50	-11.71	-12.49	3	Horizontal	296	2.00	-	44.28	17.39	0.83	30.71
PK	323.91M	27.63	46.00	-18.37	-10.16	3	Horizontal	76	1.00	-	37.79	19.43	1.73	31.32
PK	767.2M	29.71	46.00	-16.29	-3.68	3	Horizontal	325	1.25	-	33.39	25.60	2.78	32.06
PK	805.03M	30.14	46.00	-15.86	-3.09	3	Horizontal	307	1.00	-	33.23	25.95	2.92	31.96
PK	854.5M	30.24	46.00	-15.76	-2.67	3	Horizontal	333	1.50	-	32.91	26.28	2.94	31.89

Test Mode: Mode 1
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.08	68.20	-0.12	3	Horizontal	0	1.00	15_BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9232G	59.42	88.20	-28.78	50.60	3	Vertical	4	2.20	-	34.20	5.77	31.15
RMS	5.925G	46.84	68.20	-21.36	38.03	3	Vertical	4	2.20	-	34.20	5.77	31.16
PK	5.9598G	107.88	Inf	-Inf	99.02	3	Vertical	4	2.20	-	34.22	5.81	31.17
RMS	5.9596G	95.54	Inf	-Inf	86.68	3	Vertical	4	2.20	-	34.22	5.81	31.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8716G	59.37	88.20	-28.83	50.70	3	Horizontal	344	2.68	-	34.09	5.71	31.13
RMS	5.924G	46.56	68.20	-21.64	37.75	3	Horizontal	344	2.68	-	34.20	5.77	31.16
PK	5.9514G	108.42	Inf	-Inf	99.59	3	Horizontal	344	2.68	-	34.20	5.80	31.17
RMS	5.95G	95.79	Inf	-Inf	86.97	3	Horizontal	344	2.68	-	34.20	5.79	31.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.89114G	59.21	74.00	-14.79	41.72	3	Vertical	315	1.80	14.5	38.90	11.06	32.47
AV	11.89154G	45.14	54.00	-8.86	27.65	3	Vertical	315	1.80	14.5	38.90	11.06	32.47
PK	17.86234G	64.46	74.00	-9.54	35.36	3	Vertical	316	2.42	14.5	46.00	13.41	30.31
AV	17.86828G	49.77	54.00	-4.23	20.52	3	Vertical	316	2.42	14.5	46.14	13.41	30.30

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.89502G	58.96	74.00	-15.04	41.46	3	Horizontal	10	1.80	14.5	38.90	11.06	32.46
AV	11.89026G	45.15	54.00	-8.85	27.66	3	Horizontal	10	1.80	14.5	38.90	11.06	32.47
PK	17.86802G	64.20	74.00	-9.80	34.96	3	Horizontal	82	1.67	14.5	46.13	13.41	30.30
AV	17.86992G	49.76	54.00	-4.24	20.47	3	Horizontal	82	1.67	14.5	46.18	13.41	30.30

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.83594G	57.90	83.54	-25.64	48.84	1	Vertical	353	1.80	25	38.88	17.35	47.17
AV	23.82G	44.92	63.54	-18.62	35.77	1	Vertical	353	1.80	25	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.83399G	53.71	83.54	-29.83	44.63	1	Horizontal	344	1.80	25	38.90	17.35	47.17
AV	23.82004G	40.96	63.54	-22.58	31.81	1	Horizontal	344	1.80	25	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



EUT Y_1TX
SET 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.38205G	59.39	74.00	-14.61	43.17	3	Vertical	164	2.79	13	38.64	11.65	34.07
AV	12.40662G	44.70	54.00	-9.30	28.49	3	Vertical	164	2.79	13	38.60	11.66	34.05

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



EUT Y_1TX
SET 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.38425G	59.13	74.00	-14.87	42.92	3	Horizontal	4	1.80	13	38.63	11.65	34.07
AV	12.40547G	44.78	54.00	-9.22	28.57	3	Horizontal	4	1.80	13	38.60	11.66	34.05

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.57401G	59.27	83.54	-24.27	55.93	1	Vertical	9	1.80	25	37.70	15.27	49.63
AV	18.5864G	44.72	63.54	-18.82	41.37	1	Vertical	9	1.80	25	37.70	15.27	49.62

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.57273G	58.03	83.54	-25.51	54.69	1	Horizontal	311	1.80	25	37.70	15.27	49.63
AV	18.58192G	42.59	63.54	-20.95	39.24	1	Horizontal	311	1.80	25	37.70	15.27	49.62

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX



EUT Y_1TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.83651G	58.81	88.20	-29.39	41.38	3	Vertical	21	2.33	12	39.15	11.80	33.52
RMS	12.8141G	44.94	68.20	-23.26	27.63	3	Vertical	21	2.33	12	39.06	11.80	33.55

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX



EUT Y_1TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.8264G	59.06	88.20	-29.14	41.69	3	Horizontal	230	1.80	12	39.11	11.80	33.54
RMS	12.8143G	45.01	68.20	-23.19	27.70	3	Horizontal	230	1.80	12	39.06	11.80	33.55

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.23429G	55.05	83.54	-28.49	51.38	1	Vertical	34	1.80	25	37.93	15.24	49.50
AV	19.24132G	40.88	63.54	-22.66	37.22	1	Vertical	34	1.80	25	37.92	15.24	49.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.23641G	58.38	83.54	-25.16	54.71	1	Horizontal	39	1.80	25	37.93	15.24	49.50
AV	19.24392G	43.80	63.54	-19.74	40.16	1	Horizontal	39	1.80	25	37.91	15.24	49.51

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX



EUT Y_1TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.85138G	58.72	88.20	-29.48	41.21	3	Vertical	192	1.07	14	39.20	11.81	33.50
RMS	12.8728G	44.96	68.20	-23.24	27.41	3	Vertical	192	1.07	14	39.20	11.82	33.47

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX



EUT Y_1TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.85705G	59.26	88.20	-28.94	41.74	3	Horizontal	353	1.61	14	39.20	11.81	33.49
RMS	12.88035G	44.93	68.20	-23.27	27.37	3	Horizontal	353	1.61	14	39.20	11.82	33.46

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.31439G	56.41	83.54	-27.13	52.79	1	Vertical	1	1.91	25	37.94	15.23	49.55
AV	19.30428G	41.63	63.54	-21.91	37.97	1	Vertical	1	1.91	25	37.98	15.23	49.55

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.29629G	53.99	83.54	-29.55	50.30	1	Horizontal	360	1.80	25	37.99	15.24	49.54
AV	19.30312G	38.73	63.54	-24.81	35.06	1	Horizontal	360	1.80	25	37.99	15.23	49.55

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX



EUT Y_1TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.96938G	59.57	88.20	-28.63	41.76	3	Vertical	81	1.80	14	39.30	11.85	33.34
RMS	12.9548G	45.49	68.20	-22.71	27.71	3	Vertical	81	1.80	14	39.30	11.84	33.36

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX



EUT Y_1TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.93789G	60.64	88.20	-27.56	42.90	3	Horizontal	262	1.88	14	39.28	11.84	33.38
RMS	12.95683G	45.50	68.20	-22.70	27.71	3	Horizontal	262	1.88	14	39.30	11.85	33.36

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.43863G	49.77	83.54	-33.77	46.33	1	Vertical	346	1.81	25	37.85	15.23	49.64
AV	19.4282G	34.78	63.54	-28.76	31.29	1	Vertical	346	1.81	25	37.89	15.23	49.63

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42744G	54.85	83.54	-28.69	51.36	1	Horizontal	40	1.80	25	37.89	15.23	49.63
AV	19.4254G	39.66	63.54	-23.88	36.16	1	Horizontal	40	1.80	25	37.90	15.23	49.63

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.035G	60.19	88.20	-28.01	42.21	3	Vertical	167	2.82	14.5	39.37	11.87	33.26
RMS	13.03208G	46.03	68.20	-22.17	28.06	3	Vertical	167	2.82	14.5	39.36	11.87	33.26

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX



EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.03879G	60.58	88.20	-27.62	42.58	3	Horizontal	251	1.80	14.5	39.38	11.87	33.25
RMS	13.03416G	46.08	68.20	-22.12	28.10	3	Horizontal	251	1.80	14.5	39.37	11.87	33.26

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX



EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.56098G	58.76	83.54	-24.78	55.14	1	Vertical	333	1.80	25	38.03	15.22	49.63
AV	19.55187G	42.88	63.54	-20.66	39.21	1	Vertical	333	1.80	25	38.09	15.22	49.64