EIRP;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6515MHz;TX



Page 9

EIRP (dBm)
13.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.74	12.47	7.92	33.05	58.32

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



Page 9

EIRP (dBm)
14.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.62	12.43	7.91	33.05	58.35

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



Page 9

EIRP (dBm)
13.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.63	12.58	8.10	33.03	58.56

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6875MHz;TX



Page 9

EIRP (dBm)
13.44

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.26	12.50	8.43	33.02	58.79

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6895MHz;TX



Page 9

EIRP (dBm)
14.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.56	12.34	8.45	33.02	58.81

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6995MHz;TX



Page 9

EIRP (dBm)
14.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.37	12.01	8.55	33.01	58.94

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7095MHz;TX



EIRP (dBm)
15.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.27	11.63	8.53	33.04	59.06

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7115MHz;TX



EIRP (dBm)
6.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.66	11.54	8.52	33.04	59.09

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



Page 9

EIRP (dBm)
17.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.67	13.30	7.66	32.99	57.55

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



Page 9

EIRP (dBm)
17.31

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.11	13.19	7.73	33.02	57.90

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



Page 9

EIRP (dBm)
17.27

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.07	12.78	7.99	33.04	58.17

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6445MHz;TX



Page 9

EIRP (dBm)
17.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.33	12.62	7.96	33.04	58.23

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6485MHz;TX



Page 9

EIRP (dBm)
17.45

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.19	12.53	7.94	33.05	58.28

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6525MHz;TX



Page 9

EIRP (dBm)
17.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.14	12.45	7.92	33.05	58.33

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



Page 9

EIRP (dBm)
17.39

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.48	12.37	7.89	33.04	58.39

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



Page 9

EIRP (dBm)
18.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.96	12.54	8.07	33.04	58.54

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6885MHz;TX



EIRP (dBm)
16.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.86	12.42	8.44	33.02	58.80

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6925MHz;TX



EIRP (dBm)
16.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.27	12.20	8.48	33.02	58.85

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7005MHz;TX



EIRP (dBm)
16.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.72	11.99	8.56	33.01	58.95

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7085MHz;TX



EIRP (dBm)
18.55

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.30	11.69	8.53	33.04	59.05

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



CF Freq	5.985GHz
Span	200MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	80MHz

Page 9

EIRP (dBm)
20.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.27	13.30	7.67	32.99	57.58

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



CF Freq	6.225GHz
Span	200MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	80MHz

Page 9

EIRP (dBm)
20.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.82	13.15	7.75	33.02	57.93

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



Page 9

EIRP (dBm)
20.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.02	12.86	7.97	33.04	58.15

EIRP;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6465MHz;TX



Page 9

EIRP (dBm)
20.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.20	12.57	7.95	33.05	58.25

EIRP;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6545MHz;TX



Page 9

EIRP (dBm)
19.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.95	12.41	7.90	33.05	58.36

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



Page 9

EIRP (dBm)
18.26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.75	12.35	7.93	33.04	58.47

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



EIRP (dBm)
18.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.23	12.61	8.12	33.03	58.57

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



EIRP (dBm)
19.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.81	12.77	8.31	33.03	58.67

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6865MHz;TX



Page 9

EIRP (dBm)
20.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.40	12.58	8.42	33.02	58.78

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6945MHz;TX



Page 9

EIRP (dBm)
16.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.28	12.12	8.50	33.01	58.88

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:7025MHz;TX



EIRP (dBm)
21.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.98	11.95	8.55	33.02	58.98

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



EIRP (dBm)
22.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.77	13.30	7.68	33.00	57.64

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



EIRP (dBm)
23.27

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.93	13.23	7.72	33.02	57.87

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



EIRP (dBm)
23.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.40	13.02	7.92	33.03	58.09

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6505MHz;TX



Page 9

EIRP (dBm)
22.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.92	12.49	7.93	33.05	58.31

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



Page 9

EIRP (dBm)
22.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.82	12.46	8.03	33.04	58.52

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6825MHz;TX



EIRP (dBm)
22.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.38	12.75	8.38	33.02	58.72

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6985MHz;TX



EIRP (dBm)
23.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.24	12.03	8.54	33.01	58.93

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX



EIRP (dBm)
25.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.36	13.39	7.70	33.01	57.76

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX



EIRP (dBm)
25.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.99	13.13	7.81	33.03	57.98

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6425MHz;TX



EIRP (dBm)
25.41

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.97	12.70	7.98	33.04	58.20

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6585MHz;TX



EIRP (dBm)
25.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.81	12.33	7.88	33.04	58.41

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6745MHz;TX



EIRP (dBm)
23.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.94	12.69	8.22	33.03	58.62

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6905MHz;TX



EIRP (dBm)
25.12

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.13	12.28	8.46	33.02	58.83

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



Page 9

EIRP (dBm)
11.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.32	13.30	7.66	32.98	57.54

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



Page 9

EIRP (dBm)
12.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.38	13.21	7.72	33.02	57.88

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



Page 9

EIRP (dBm)
12.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.33	12.74	7.98	33.04	58.19

EIRP;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX



Page 9

EIRP (dBm)
12.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.63	12.66	7.97	33.04	58.21

EIRP;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



Page 9

EIRP (dBm)
12.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.03	12.55	7.95	33.05	58.27

EIRP;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX



Page 9

EIRP (dBm)
12.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.10	12.47	7.92	33.05	58.32

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



Page 10

EIRP (dBm)
12.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.01	12.43	7.91	33.05	58.35

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



Page 9

EIRP (dBm)
11.09

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.96	12.58	8.10	33.03	58.56

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX



Page 9

EIRP (dBm)
11.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.09	12.50	8.43	33.02	58.79

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX



Page 10

EIRP (dBm)
12.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.36	12.34	8.45	33.02	58.81

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX



Page 10

EIRP (dBm)
11.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.42	12.01	8.55	33.01	58.94

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



Page 9

EIRP (dBm)
14.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.43	11.63	8.53	33.04	59.06

EIRP;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX



Page 9

EIRP (dBm)
6.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.29	11.54	8.52	33.04	59.09

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



Page 9

EIRP (dBm)
16.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.50	13.30	7.66	32.99	57.55

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



Page 9

EIRP (dBm)
16.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.44	13.19	7.73	33.02	57.90

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



Page 9

EIRP (dBm)
15.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.71	12.78	7.99	33.04	58.17

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX



Page 9

EIRP (dBm)
15.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.29	12.62	7.96	33.04	58.23

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX



Page 9

EIRP (dBm)
15.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.08	12.53	7.94	33.05	58.28

EIRP;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX



Page 10

EIRP (dBm)
17.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.77	12.45	7.92	33.05	58.33

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



Page 10

EIRP (dBm)
15.53

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.34	12.37	7.89	33.04	58.39

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



Page 9

EIRP (dBm)
13.08

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.95	12.54	8.07	33.04	58.54

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX



Page 9

EIRP (dBm)
15.28

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.52	12.42	8.44	33.02	58.80

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX



Page 9

EIRP (dBm)
15.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.45	12.20	8.48	33.02	58.85

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



Page 10

EIRP (dBm)
15.43

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.08	11.99	8.56	33.01	58.95

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



EIRP (dBm)
14.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.35	11.69	8.53	33.04	59.05

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



EIRP (dBm)
21.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.28	13.30	7.67	32.99	57.58

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



Page 9

EIRP (dBm)
19.26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.25	13.15	7.75	33.02	57.93

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



Page 9

EIRP (dBm)
18.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.56	12.86	7.97	33.04	58.15

EIRP;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX



EIRP (dBm)
18.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.97	12.57	7.95	33.05	58.25

EIRP;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX



EIRP (dBm)
16.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.12	12.41	7.90	33.05	58.36

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



Page 9

EIRP (dBm)
18.31

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.70	12.35	7.93	33.04	58.47

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



Page 10

EIRP (dBm)
18.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.53	12.61	8.12	33.03	58.57

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



Page 9

EIRP (dBm)
16.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.44	12.77	8.31	33.03	58.67

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



Page 9

EIRP (dBm)
17.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.74	12.58	8.42	33.02	58.78

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



EIRP (dBm)
17.94

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.31	12.12	8.50	33.01	58.88

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



EIRP (dBm)
19.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.38	11.95	8.55	33.02	58.98

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP (dBm)
21.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.96	13.30	7.68	33.00	57.64

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP (dBm)
21.47

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.13	13.23	7.72	33.02	57.87

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 9

EIRP (dBm)
21.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.67	13.02	7.92	33.03	58.09

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX



Page 9

EIRP (dBm)
20.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.13	12.49	7.93	33.05	58.31

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP (dBm)
21.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.59	12.46	8.03	33.04	58.52

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



EIRP (dBm)
19.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.36	12.75	8.38	33.02	58.72

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



EIRP (dBm)
21.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.83	12.03	8.54	33.01	58.93

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP (dBm)
24.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.01	13.39	7.70	33.01	57.76

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



EIRP (dBm)
24.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.40	13.13	7.81	33.03	57.98

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX



EIRP (dBm)
23.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.45	12.70	7.98	33.04	58.20

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



CF Freq	6.585GHz
Span	800MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.57ms
Detector Type	RMS
CP BW	320MHz

Page 9

EIRP (dBm)
22.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.67	12.33	7.88	33.04	58.41

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



CF Freq	6.745GHz
Span	800MHz
RBW	1MHz
VBW	3MHz
Sweep Time	4ms
Detector Type	RMS
CP BW	320MHz

Page 9

EIRP (dBm)
22.01

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.89	12.69	8.22	33.03	58.62

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



CF Freq	6.905GHz
Span	800MHz
RBW	1MHz
VBW	3MHz
Sweep Time	4ms
Detector Type	RMS
CP BW	320MHz

Page 9

EIRP (dBm)
23.11

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.12	12.28	8.46	33.02	58.83

Test Mode: Mode 2
Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.19	0.05236
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.42	0.04385
802.11be EHT40-BF_Nss1,(MCS0)_2TX	19.69	0.09311
802.11be EHT40-BF_Nss1,(MCS0)_4TX	20.99	0.12560
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.44	0.17539
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.62	0.18281
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.84	0.30479
802.11be EHT160-BF_Nss1,(MCS0)_4TX	25.69	0.37068
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.75	0.59566
802.11be EHT320-BF_Nss1,(MCS0)_4TX	27.65	0.58210
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.50	0.04467
802.11be EHT20-BF_Nss1,(MCS0)_4TX	15.59	0.03622
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.38	0.10914
802.11be EHT40-BF_Nss1,(MCS0)_4TX	20.21	0.10495
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.18	0.16520
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.07	0.12794
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.25	0.33497
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.81	0.24044
802.11be EHT320-BF_Nss1,(MCS0)_2TX	28.75	0.74989
802.11be EHT320-BF_Nss1,(MCS0)_4TX	26.86	0.48529
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.17	0.05212
802.11be EHT20-BF_Nss1,(MCS0)_4TX	15.76	0.03767
802.11be EHT40-BF_Nss1,(MCS0)_2TX	19.03	0.07998
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.76	0.07516
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.37	0.17258
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.26	0.13366
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.87	0.30690
802.11be EHT160-BF_Nss1,(MCS0)_4TX	24.83	0.30409
802.11be EHT320-BF_Nss1,(MCS0)_2TX	28.50	0.70795
802.11be EHT320-BF_Nss1,(MCS0)_4TX	25.49	0.35400
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.81	0.06039
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.24	0.04207
802.11be EHT40-BF_Nss1,(MCS0)_2TX	19.02	0.07980
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.88	0.09727
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.79	0.19011
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.20	0.16596
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.50	0.28184
802.11be EHT160-BF_Nss1,(MCS0)_4TX	25.17	0.32885

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.63	30.00
6195MHz	Pass	17.19	30.00
6415MHz	Pass	16.83	30.00
6435MHz	Pass	16.12	30.00
6475MHz	Pass	15.76	30.00
6515MHz	Pass	16.50	30.00
6535MHz	Pass	16.92	30.00
6695MHz	Pass	17.17	30.00
6875MHz	Pass	14.92	30.00
6895MHz	Pass	15.26	30.00
6995MHz	Pass	17.81	30.00
7095MHz	Pass	16.17	30.00
7115MHz	Pass	9.92	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	19.18	30.00
6205MHz	Pass	19.69	30.00
6405MHz	Pass	17.46	30.00
6445MHz	Pass	19.98	30.00
6485MHz	Pass	19.80	30.00
6525MHz	Pass	20.38	30.00
6565MHz	Pass	17.05	30.00
6685MHz	Pass	19.03	30.00
6885MHz	Pass	18.96	30.00
6925MHz	Pass	17.36	30.00
7005MHz	Pass	19.02	30.00
7085MHz	Pass	17.29	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	21.83	30.00
6225MHz	Pass	18.78	30.00
6385MHz	Pass	22.44	30.00
6465MHz	Pass	22.04	30.00
6545MHz	Pass	22.18	30.00
6625MHz	Pass	21.82	30.00
6705MHz	Pass	21.67	30.00
6785MHz	Pass	21.07	30.00
6865MHz	Pass	22.37	30.00
6945MHz	Pass	22.08	30.00
7025MHz	Pass	22.79	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	23.78	30.00
6185MHz	Pass	24.84	30.00
6345MHz	Pass	24.48	30.00
6505MHz	Pass	25.25	30.00
6665MHz	Pass	24.87	30.00
6825MHz	Pass	24.77	30.00
6985MHz	Pass	24.50	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	27.18	30.00
6265MHz	Pass	27.75	30.00
6425MHz	Pass	27.69	30.00
6585MHz	Pass	28.75	30.00
6745MHz	Pass	28.50	30.00
6905MHz	Pass	26.51	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
5955MHz	Pass	16.42	30.00
6195MHz	Pass	15.61	30.00
6415MHz	Pass	16.24	30.00
6435MHz	Pass	15.59	30.00
6475MHz	Pass	14.73	30.00
6515MHz	Pass	14.78	30.00
6535MHz	Pass	14.56	30.00
6695MHz	Pass	15.32	30.00
6875MHz	Pass	15.76	30.00
6895MHz	Pass	16.09	30.00
6995MHz	Pass	15.42	30.00
7095MHz	Pass	16.24	30.00
7115MHz	Pass	10.98	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	20.99	30.00
6205MHz	Pass	19.25	30.00
6405MHz	Pass	19.49	30.00
6445MHz	Pass	20.21	30.00
6485MHz	Pass	17.71	30.00
6525MHz	Pass	19.34	30.00
6565MHz	Pass	18.30	30.00
6685MHz	Pass	17.52	30.00
6885MHz	Pass	18.76	30.00
6925MHz	Pass	19.88	30.00
7005MHz	Pass	19.35	30.00
7085MHz	Pass	19.05	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	22.62	30.00
6225MHz	Pass	22.40	30.00
6385MHz	Pass	21.52	30.00
6465MHz	Pass	21.07	30.00
6545MHz	Pass	19.88	30.00
6625MHz	Pass	20.34	30.00
6705MHz	Pass	20.47	30.00
6785MHz	Pass	21.03	30.00
6865MHz	Pass	21.26	30.00
6945MHz	Pass	21.24	30.00
7025MHz	Pass	22.20	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	25.68	30.00
6185MHz	Pass	24.89	30.00
6345MHz	Pass	25.69	30.00
6505MHz	Pass	23.81	30.00
6665MHz	Pass	23.97	30.00
6825MHz	Pass	24.83	30.00
6985MHz	Pass	25.17	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	24.84	30.00
6265MHz	Pass	27.52	30.00
6425MHz	Pass	27.65	30.00
6585MHz	Pass	26.86	30.00
6745MHz	Pass	25.06	30.00
6905MHz	Pass	25.49	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX



EIRP (dBm)
16.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.02	10.71	6.34	33.52	57.54

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX



EIRP (dBm)
17.19

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.95	10.81	6.60	33.53	57.88

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX



EIRP (dBm)
16.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.39	11.10	6.65	33.52	58.19

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6435MHz;TX



EIRP (dBm)
16.12

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.14	11.10	6.67	33.52	58.21

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6475MHz;TX



EIRP (dBm)
15.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.55	11.15	6.71	33.52	58.27

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6515MHz;TX



EIRP (dBm)
16.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.90	11.14	6.75	33.53	58.32

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



EIRP (dBm)
16.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.59	11.06	6.77	33.55	58.35

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



EIRP (dBm)
17.17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.73	10.81	6.85	33.70	58.56

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6875MHz;TX



EIRP (dBm)
14.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.17	10.75	6.91	33.86	58.79

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6895MHz;TX



EIRP (dBm)
15.26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.81	10.79	6.93	33.88	58.81

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6995MHz;TX



EIRP (dBm)
17.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.47	10.69	7.00	33.97	58.94

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7095MHz;TX



EIRP (dBm)
16.17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.12	10.79	7.03	34.01	59.06

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7115MHz;TX



EIRP (dBm)
9.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.41	10.77	7.03	34.02	59.09

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



EIRP (dBm)
19.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.47	10.73	6.35	33.52	57.55

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



CF Freq	6.205GHz
Span	100MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	40MHz

Page 9

EIRP (dBm)
19.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.48	10.81	6.61	33.53	57.90

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



CF Freq	6.405GHz
Span	100MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	40MHz

Page 9

EIRP (dBm)
17.46

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.73	11.10	6.64	33.52	58.17

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6445MHz;TX



EIRP (dBm)
19.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.31	11.10	6.68	33.52	58.23

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6485MHz;TX



EIRP (dBm)
19.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.51	11.17	6.72	33.52	58.28

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6525MHz;TX



EIRP (dBm)
20.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.07	11.10	6.76	33.54	58.33

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP (dBm)
17.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.62	10.94	6.80	33.58	58.39

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



EIRP (dBm)
19.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.84	10.83	6.85	33.69	58.54

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6885MHz;TX



EIRP (dBm)
18.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.12	10.77	6.92	33.87	58.80

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6925MHz;TX



EIRP (dBm)
17.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.84	10.70	6.95	33.90	58.85

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7005MHz;TX



EIRP (dBm)
19.02

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.26	10.70	7.00	33.97	58.95

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7085MHz;TX



EIRP (dBm)
17.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.02	10.77	7.03	34.00	59.05

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



EIRP (dBm)
21.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.18	10.77	6.37	33.53	57.58

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



EIRP (dBm)
18.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.38	10.85	6.61	33.53	57.93

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



EIRP (dBm)
22.44

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.31	11.13	6.63	33.52	58.15

EIRP;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6465MHz;TX



EIRP (dBm)
22.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.74	11.13	6.70	33.52	58.25

EIRP;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6545MHz;TX



EIRP (dBm)
22.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.62	11.02	6.78	33.56	58.36

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



EIRP (dBm)
21.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.99	10.85	6.84	33.63	58.47

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



EIRP (dBm)
21.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.74	10.79	6.85	33.70	58.57

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



EIRP (dBm)
21.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.02	10.70	6.86	33.78	58.67

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6865MHz;TX



EIRP (dBm)
22.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.26	10.73	6.91	33.85	58.78

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6945MHz;TX



EIRP (dBm)
22.08

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.78	10.62	6.96	33.92	58.88

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:7025MHz;TX



EIRP (dBm)
22.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.48	10.70	7.01	33.98	58.98

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



Page 9

EIRP (dBm)
23.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.11	10.85	6.41	33.53	57.64

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 9

EIRP (dBm)
24.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.74	10.83	6.59	33.53	57.87

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



EIRP (dBm)
24.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.48	11.19	6.62	33.52	58.09

EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6505MHz;TX



EIRP (dBm)
25.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.90	11.18	6.74	33.52	58.31

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



EIRP (dBm)
24.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.04	10.87	6.85	33.67	58.52

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6825MHz;TX



EIRP (dBm)
24.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.68	10.70	6.88	33.81	58.72

EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6985MHz;TX



EIRP (dBm)
24.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.21	10.67	6.99	33.96	58.93

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX



EIRP (dBm)
27.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.26	10.81	6.50	33.53	57.76

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX



EIRP (dBm)
27.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.63	10.96	6.62	33.52	57.98

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6425MHz;TX



EIRP (dBm)
27.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.45	11.10	6.66	33.52	58.20

EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6585MHz;TX



EIRP (dBm)
28.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.98	10.86	6.82	33.60	58.41

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6745MHz;TX



EIRP (dBm)
28.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.48	10.71	6.85	33.74	58.62

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6905MHz;TX



CF Freq	6.905GHz
Span	800MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	320MHz

Page 9

EIRP (dBm)
26.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.41	10.78	6.93	33.88	58.83

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



CF Freq	5.955GHz
Span	50MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS
CP BW	20MHz

Page 9

EIRP (dBm)
16.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.23	10.71	6.34	33.52	57.54

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



EIRP (dBm)
15.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.53	10.81	6.60	33.53	57.88

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



EIRP (dBm)
16.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.98	11.10	6.65	33.52	58.19

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX



EIRP (dBm)
15.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.67	11.10	6.67	33.52	58.21

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



EIRP (dBm)
14.73

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.58	11.15	6.71	33.52	58.27

EIRP;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX



EIRP (dBm)
14.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.62	11.14	6.75	33.53	58.32

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



EIRP (dBm)
14.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.95	11.06	6.77	33.55	58.35

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



EIRP (dBm)
15.32

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.58	10.81	6.85	33.70	58.56

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX



EIRP (dBm)
15.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.33	10.75	6.91	33.86	58.79

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX



EIRP (dBm)
16.09

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.98	10.79	6.93	33.88	58.81

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX



EIRP (dBm)
15.42

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.86	10.69	7.00	33.97	58.94

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



EIRP (dBm)
16.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.05	10.79	7.03	34.01	59.06

EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX



EIRP (dBm)
10.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.35	10.77	7.03	34.02	59.09

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



EIRP (dBm)
20.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.34	10.73	6.35	33.52	57.55

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



EIRP (dBm)
19.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.92	10.81	6.61	33.53	57.90

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP (dBm)
19.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.70	11.10	6.64	33.52	58.17

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX



EIRP (dBm)
20.21

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.08	11.10	6.68	33.52	58.23

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX



Page 9

EIRP (dBm)
17.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.60	11.17	6.72	33.52	58.28

EIRP;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX



Page 10

EIRP (dBm)
19.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.11	11.10	6.76	33.54	58.33

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP (dBm)
18.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.37	10.94	6.80	33.58	58.39

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



EIRP (dBm)
17.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.35	10.83	6.85	33.69	58.54

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX



EIRP (dBm)
18.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.32	10.77	6.92	33.87	58.80

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX



EIRP (dBm)
19.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.32	10.70	6.95	33.90	58.85

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



EIRP (dBm)
19.35

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.93	10.70	7.00	33.97	58.95

EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



EIRP (dBm)
19.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.26	10.77	7.03	34.00	59.05

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



EIRP (dBm)
22.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.97	10.77	6.37	33.53	57.58

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



EIRP (dBm)
22.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.24	10.85	6.61	33.53	57.93

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



EIRP (dBm)
21.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.39	11.13	6.63	33.52	58.15

EIRP;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX



EIRP (dBm)
21.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.77	11.13	6.70	33.52	58.25

EIRP;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX



EIRP (dBm)
19.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.68	11.02	6.78	33.56	58.36

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



EIRP (dBm)
20.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.49	10.85	6.84	33.63	58.47

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



EIRP (dBm)
20.47

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.46	10.79	6.85	33.70	58.57

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



EIRP (dBm)
21.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.02	10.70	6.86	33.78	58.67

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



EIRP (dBm)
21.26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.15	10.73	6.91	33.85	58.78

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



EIRP (dBm)
21.24

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.06	10.62	6.96	33.92	58.88

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



EIRP (dBm)
22.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.89	10.70	7.01	33.98	58.98

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP (dBm)
25.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.01	10.85	6.41	33.53	57.64

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP (dBm)
24.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.79	10.83	6.59	33.53	57.87

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



EIRP (dBm)
25.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.69	11.19	6.62	33.52	58.09

EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX



Page 9

EIRP (dBm)
23.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.46	11.18	6.74	33.52	58.31

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



Page 10

EIRP (dBm)
23.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.14	10.87	6.85	33.67	58.52

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



EIRP (dBm)
24.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.74	10.70	6.88	33.81	58.72

EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



EIRP (dBm)
25.17

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.88	10.67	6.99	33.96	58.93

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



Page 9

EIRP (dBm)
24.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.92	10.81	6.50	33.53	57.76

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Page 9

EIRP (dBm)
27.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.40	10.96	6.62	33.52	57.98

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX



EIRP (dBm)
27.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.41	11.10	6.66	33.52	58.20

EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



EIRP (dBm)
26.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.09	10.86	6.82	33.60	58.41

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



EIRP (dBm)
25.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.04	10.71	6.85	33.74	58.62

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



EIRP (dBm)
25.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.39	10.78	6.93	33.88	58.83

Test Mode: Mode 3
Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	23.58	0.22803
802.11be EHT20_Nss1,(MCS0)_2TX	26.00	0.39811
802.11be EHT20_Nss1,(MCS0)_4TX	26.76	0.47424
802.11be EHT40_Nss1,(MCS0)_1TX	23.68	0.23335
802.11be EHT40_Nss1,(MCS0)_2TX	26.37	0.43351
802.11be EHT40_Nss1,(MCS0)_4TX	25.87	0.38637
802.11be EHT80_Nss1,(MCS0)_1TX	23.48	0.22284
802.11be EHT80_Nss1,(MCS0)_2TX	25.56	0.35975
802.11be EHT80_Nss1,(MCS0)_4TX	25.36	0.34356
802.11be EHT160_Nss1,(MCS0)_1TX	24.29	0.26853
802.11be EHT160_Nss1,(MCS0)_2TX	25.84	0.38371
802.11be EHT160_Nss1,(MCS0)_4TX	25.06	0.32063
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.07	0.25527
802.11be EHT20_Nss1,(MCS0)_2TX	26.36	0.43251
802.11be EHT20_Nss1,(MCS0)_4TX	25.92	0.39084
802.11be EHT40_Nss1,(MCS0)_1TX	23.99	0.25061
802.11be EHT40_Nss1,(MCS0)_2TX	26.06	0.40365
802.11be EHT40_Nss1,(MCS0)_4TX	27.33	0.54075
802.11be EHT80_Nss1,(MCS0)_1TX	23.40	0.21878
802.11be EHT80_Nss1,(MCS0)_2TX	25.74	0.37497
802.11be EHT80_Nss1,(MCS0)_4TX	25.00	0.31623
802.11be EHT160_Nss1,(MCS0)_1TX	24.23	0.26485
802.11be EHT160_Nss1,(MCS0)_2TX	26.35	0.43152
802.11be EHT160_Nss1,(MCS0)_4TX	25.40	0.34674

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	22.77	36.00
6195MHz	Pass	23.21	36.00
6415MHz	Pass	23.58	36.00
6535MHz	Pass	23.67	36.00
6695MHz	Pass	24.07	36.00
6855MHz	Pass	22.63	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	22.33	36.00
6205MHz	Pass	23.03	36.00
6405MHz	Pass	23.68	36.00
6565MHz	Pass	23.34	36.00
6685MHz	Pass	23.44	36.00
6845MHz	Pass	23.99	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	22.62	36.00
6225MHz	Pass	23.05	36.00
6385MHz	Pass	23.48	36.00
6625MHz	Pass	23.40	36.00
6705MHz	Pass	23.04	36.00
6785MHz	Pass	22.02	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	23.80	36.00
6185MHz	Pass	24.06	36.00
6345MHz	Pass	24.29	36.00
6665MHz	Pass	24.23	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	25.16	36.00
6195MHz	Pass	25.81	36.00
6415MHz	Pass	26.00	36.00
6535MHz	Pass	26.36	36.00
6695MHz	Pass	25.70	36.00
6855MHz	Pass	26.20	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	23.92	36.00
6205MHz	Pass	26.37	36.00
6405MHz	Pass	26.30	36.00
6565MHz	Pass	25.76	36.00
6685MHz	Pass	25.95	36.00
6845MHz	Pass	26.06	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	23.38	36.00
6225MHz	Pass	25.56	36.00
6385MHz	Pass	25.46	36.00
6625MHz	Pass	25.74	36.00
6705MHz	Pass	25.38	36.00
6785MHz	Pass	25.71	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	25.03	36.00
6185MHz	Pass	25.76	36.00
6345MHz	Pass	25.84	36.00
6665MHz	Pass	26.35	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	25.04	36.00
6195MHz	Pass	26.76	36.00

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6415MHz	Pass	26.09	36.00
6535MHz	Pass	25.89	36.00
6695MHz	Pass	25.92	36.00
6855MHz	Pass	25.11	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	24.25	36.00
6205MHz	Pass	25.87	36.00
6405MHz	Pass	25.77	36.00
6565MHz	Pass	25.23	36.00
6685MHz	Pass	25.60	36.00
6845MHz	Pass	27.33	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	24.84	36.00
6225MHz	Pass	25.10	36.00
6385MHz	Pass	25.36	36.00
6625MHz	Pass	24.54	36.00
6705MHz	Pass	25.00	36.00
6785MHz	Pass	24.97	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	24.95	36.00
6185MHz	Pass	25.06	36.00
6345MHz	Pass	24.87	36.00
6665MHz	Pass	25.40	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:5955MHz;TX

CF Freq	5.955GHz
Span	50MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	20MHz

Page 9



EIRP (dBm)
22.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.85	13.30	7.66	32.98	57.54

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6195MHz;TX

CF Freq	6.195GHz
Span	50MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	20MHz

Page 9



EIRP (dBm)
23.21

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.84	13.21	7.72	33.02	57.88

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6415MHz;TX



Page 9

EIRP (dBm)
23.58

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.19	12.74	7.98	33.04	58.19

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6535MHz;TX



Page 9

EIRP (dBm)
23.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.89	12.43	7.91	33.05	58.35

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6695MHz;TX



Page 9

EIRP (dBm)
24.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.02	12.58	8.10	33.03	58.56

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6855MHz;TX



Page 9

EIRP (dBm)
22.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.14	12.66	8.41	33.02	58.76

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:5965MHz;TX



Page 9

EIRP (dBm)
22.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.41	13.30	7.66	32.99	57.55

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6205MHz;TX



Page 9

EIRP (dBm)
23.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.61	13.19	7.73	33.02	57.90

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6405MHz;TX



Page 9

EIRP (dBm)
23.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.34	12.78	7.99	33.04	58.17

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6565MHz;TX



Page 9

EIRP (dBm)
23.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.47	12.37	7.89	33.04	58.39

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6685MHz;TX



Page 9

EIRP (dBm)
23.44

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.41	12.54	8.07	33.04	58.54

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6845MHz;TX



Page 9

EIRP (dBm)
23.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.57	12.71	8.40	33.02	58.75

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:5985MHz;TX



Page 9

EIRP (dBm)
22.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.66	13.30	7.67	32.99	57.58

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6225MHz;TX



Page 9

EIRP (dBm)
23.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.54	13.15	7.75	33.02	57.93

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6385MHz;TX



EIRP (dBm)
23.48

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.26	12.86	7.97	33.04	58.15

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6625MHz;TX



EIRP (dBm)
23.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.39	12.35	7.93	33.04	58.47

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6705MHz;TX



EIRP (dBm)
23.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.99	12.61	8.12	33.03	58.57

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6785MHz;TX



EIRP (dBm)
22.02

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.84	12.77	8.31	33.03	58.67

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6025MHz;TX



Page 9

EIRP (dBm)
23.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.78	13.30	7.68	33.00	57.64

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6185MHz;TX



Page 9

EIRP (dBm)
24.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.72	13.23	7.72	33.02	57.87

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6345MHz;TX



Page 9

EIRP (dBm)
24.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.33	13.02	7.92	33.03	58.09

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6665MHz;TX



Page 9

EIRP (dBm)
24.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.18	12.46	8.03	33.04	58.52

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX



Page 9

EIRP (dBm)
25.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.24	13.30	7.66	32.98	57.54

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX



Page 9

EIRP (dBm)
25.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.44	13.21	7.72	33.02	57.88

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX



Page 9

EIRP (dBm)
26

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.61	12.74	7.98	33.04	58.19

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



Page 9

EIRP (dBm)
26.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.58	12.43	7.91	33.05	58.35

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



Page 9

EIRP (dBm)
25.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.65	12.58	8.10	33.03	58.56

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6855MHz;TX



Page 9

EIRP (dBm)
26.2

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.71	12.66	8.41	33.02	58.76

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



Page 9

EIRP (dBm)
23.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.00	13.30	7.66	32.99	57.55

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



Page 9

EIRP (dBm)
26.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.95	13.19	7.73	33.02	57.90

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



EIRP (dBm)
26.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.96	12.78	7.99	33.04	58.17

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP (dBm)
25.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.89	12.37	7.89	33.04	58.39

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



Page 9

EIRP (dBm)
25.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.92	12.54	8.07	33.04	58.54

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6845MHz;TX



Page 9

EIRP (dBm)
26.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.64	12.71	8.40	33.02	58.75

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



CF Freq	5.985GHz
Span	200MHz
RBW	1MHz
VBW	3MHz
Sweep Time	1.01ms
Detector Type	RMS
CP BW	80MHz

Page 9

EIRP (dBm)
23.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.42	13.30	7.67	32.99	57.58

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



CF Freq	6.225GHz
Span	200MHz
RBW	1MHz
VBW	3MHz
Sweep Time	2ms
Detector Type	RMS
CP BW	80MHz

Page 9

EIRP (dBm)
25.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.05	13.15	7.75	33.02	57.93

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



Page 9

EIRP (dBm)
25.46

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.24	12.86	7.97	33.04	58.15

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



Page 9

EIRP (dBm)
25.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.73	12.35	7.93	33.04	58.47

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX



EIRP (dBm)
25.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.33	12.61	8.12	33.03	58.57

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX



EIRP (dBm)
25.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.53	12.77	8.31	33.03	58.67

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX



Page 9

EIRP (dBm)
25.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.01	13.30	7.68	33.00	57.64

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX



Page 9

EIRP (dBm)
25.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.42	13.23	7.72	33.02	57.87

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX



EIRP (dBm)
25.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.88	13.02	7.92	33.03	58.09

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX



EIRP (dBm)
26.35

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.30	12.46	8.03	33.04	58.52

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



Page 10

EIRP (dBm)
25.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.12	13.30	7.66	32.98	57.54

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



Page 9

EIRP (dBm)
26.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.39	13.21	7.72	33.02	57.88

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



EIRP (dBm)
26.09

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.70	12.74	7.98	33.04	58.19

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



EIRP (dBm)
25.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.11	12.43	7.91	33.05	58.35

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



Page 9

EIRP (dBm)
25.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.87	12.58	8.10	33.03	58.56

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



Page 9

EIRP (dBm)
25.11

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.62	12.66	8.41	33.02	58.76

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



Page 9

EIRP (dBm)
24.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.33	13.30	7.66	32.99	57.55

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



Page 9

EIRP (dBm)
25.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.45	13.19	7.73	33.02	57.90

EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP (dBm)
25.77

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.43	12.78	7.99	33.04	58.17

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP (dBm)
25.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.36	12.37	7.89	33.04	58.39

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



Page 9

EIRP (dBm)
25.6

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.57	12.54	8.07	33.04	58.54

EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



Page 9

EIRP (dBm)
27.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.91	12.71	8.40	33.02	58.75

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



Page 10

EIRP (dBm)
24.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.88	13.30	7.67	32.99	57.58

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



Page 9

EIRP (dBm)
25.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.59	13.15	7.75	33.02	57.93

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



EIRP (dBm)
25.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.14	12.86	7.97	33.04	58.15

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



EIRP (dBm)
24.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.53	12.35	7.93	33.04	58.47

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



EIRP (dBm)
25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.95	12.61	8.12	33.03	58.57

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



EIRP (dBm)
24.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.79	12.77	8.31	33.03	58.67

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP (dBm)
24.95

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.93	13.30	7.68	33.00	57.64

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP (dBm)
25.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.72	13.23	7.72	33.02	57.87

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



EIRP (dBm)
24.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.91	13.02	7.92	33.03	58.09

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP (dBm)
25.4

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.35	12.46	8.03	33.04	58.52

Test Mode: Mode 4
Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	30.16	1.03753
802.11be EHT20-BF_Nss1,(MCS0)_4TX	30.37	1.08893
802.11be EHT40-BF_Nss1,(MCS0)_2TX	30.91	1.23310
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.63	0.57943
802.11be EHT80-BF_Nss1,(MCS0)_2TX	30.52	1.12720
802.11be EHT80-BF_Nss1,(MCS0)_4TX	30.23	1.05439
802.11be EHT160-BF_Nss1,(MCS0)_2TX	29.75	0.94406
802.11be EHT160-BF_Nss1,(MCS0)_4TX	30.49	1.11944
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	30.79	1.19950
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.65	0.73282
802.11be EHT40-BF_Nss1,(MCS0)_2TX	30.67	1.16681
802.11be EHT40-BF_Nss1,(MCS0)_4TX	31.97	1.57398
802.11be EHT80-BF_Nss1,(MCS0)_2TX	29.68	0.92897
802.11be EHT80-BF_Nss1,(MCS0)_4TX	29.79	0.95280
802.11be EHT160-BF_Nss1,(MCS0)_2TX	29.54	0.89950
802.11be EHT160-BF_Nss1,(MCS0)_4TX	30.07	1.01625

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	27.59	36.00
6195MHz	Pass	29.29	36.00
6415MHz	Pass	30.16	36.00
6535MHz	Pass	30.59	36.00
6695MHz	Pass	29.96	36.00
6855MHz	Pass	30.79	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	24.49	36.00
6205MHz	Pass	28.82	36.00
6405MHz	Pass	30.91	36.00
6565MHz	Pass	28.31	36.00
6685MHz	Pass	29.74	36.00
6845MHz	Pass	30.67	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	24.85	36.00
6225MHz	Pass	28.11	36.00
6385MHz	Pass	30.52	36.00
6625MHz	Pass	29.68	36.00
6705MHz	Pass	29.64	36.00
6785MHz	Pass	29.18	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	26.10	36.00
6185MHz	Pass	28.50	36.00
6345MHz	Pass	29.75	36.00
6665MHz	Pass	29.54	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	28.30	36.00
6195MHz	Pass	30.37	36.00
6415MHz	Pass	30.32	36.00
6535MHz	Pass	27.56	36.00
6695MHz	Pass	28.05	36.00
6855MHz	Pass	28.65	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	23.92	36.00
6205MHz	Pass	27.63	36.00
6405MHz	Pass	26.06	36.00
6565MHz	Pass	30.25	36.00
6685MHz	Pass	30.99	36.00
6845MHz	Pass	31.97	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	26.36	36.00
6225MHz	Pass	30.03	36.00
6385MHz	Pass	30.23	36.00
6625MHz	Pass	29.34	36.00
6705MHz	Pass	29.79	36.00
6785MHz	Pass	29.50	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	28.29	36.00
6185MHz	Pass	30.49	36.00
6345MHz	Pass	29.92	36.00
6665MHz	Pass	30.07	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX



EIRP (dBm)
27.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.32	13.12	7.45	31.60	57.54

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX



EIRP (dBm)
29.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.08	13.12	7.63	31.18	57.88

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



EIRP (dBm)
30.16

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.40	12.47	7.74	30.70	58.19

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX



EIRP (dBm)
30.59

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.29	12.23	7.81	30.63	58.35

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX



EIRP (dBm)
29.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.93	12.29	7.91	31.15	58.56

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX



EIRP (dBm)
30.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.77	12.09	8.03	31.68	58.76

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX



EIRP (dBm)
24.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.25	13.16	7.46	31.61	57.55

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX



EIRP (dBm)
28.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.54	13.09	7.63	31.16	57.90

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX



EIRP (dBm)
30.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.22	12.49	7.73	30.72	58.17

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



EIRP (dBm)
28.31

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.98	12.17	7.83	30.72	58.39

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX



EIRP (dBm)
29.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.68	12.27	7.91	31.12	58.54

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX



EIRP (dBm)
30.67

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.67	12.12	8.02	31.65	58.75

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX



EIRP (dBm)
24.85

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.66	13.24	7.46	31.61	57.58

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX



EIRP (dBm)
28.11

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.71	13.05	7.64	31.12	57.93

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX



EIRP (dBm)
30.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.03	12.62	7.72	30.76	58.15

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



EIRP (dBm)
29.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.41	12.15	7.87	30.92	58.47

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX



EIRP (dBm)
29.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.64	12.30	7.92	31.19	58.57

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX



EIRP (dBm)
29.18

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.29	12.30	7.97	31.45	58.67

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX



EIRP (dBm)
26.1

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.82	13.30	7.49	31.55	57.64

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX



EIRP (dBm)
28.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.37	13.16	7.62	31.20	57.87

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX



EIRP (dBm)
29.75

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.71	12.90	7.70	30.85	58.09

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



EIRP (dBm)
29.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.41	12.23	7.89	31.05	58.52

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



EIRP (dBm)
28.3

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.03	13.12	7.45	31.60	57.54

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



EIRP (dBm)
30.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.16	13.12	7.63	31.18	57.88

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



EIRP (dBm)
30.32

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.56	12.47	7.74	30.70	58.19

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



EIRP (dBm)
27.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.26	12.23	7.81	30.63	58.35

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



EIRP (dBm)
28.05

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.02	12.29	7.91	31.15	58.56

EIRP;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



EIRP (dBm)
28.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.63	12.09	8.03	31.68	58.76

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



EIRP (dBm)
23.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.68	13.16	7.46	31.61	57.55

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



EIRP (dBm)
27.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.35	13.09	7.63	31.16	57.90

EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



EIRP (dBm)
26.06

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.37	12.49	7.73	30.72	58.17

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



EIRP (dBm)
30.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.92	12.17	7.83	30.72	58.39

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



EIRP (dBm)
30.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.93	12.27	7.91	31.12	58.54

EIRP;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



EIRP (dBm)
31.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.97	12.12	8.02	31.65	58.75

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



EIRP (dBm)
26.36

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.17	13.24	7.46	31.61	57.58

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



EIRP (dBm)
30.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.63	13.05	7.64	31.12	57.93

EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



Page 9

EIRP (dBm)
30.23

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.74	12.62	7.72	30.76	58.15

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



Page 10

EIRP (dBm)
29.34

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.07	12.15	7.87	30.92	58.47

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



Page 10

EIRP (dBm)
29.79

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.79	12.30	7.92	31.19	58.57

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



Page 9

EIRP (dBm)
29.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.61	12.30	7.97	31.45	58.67

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



EIRP (dBm)
28.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.01	13.30	7.49	31.55	57.64

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



EIRP (dBm)
30.49

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.36	13.16	7.62	31.20	57.87

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 10

EIRP (dBm)
29.61

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.57	12.90	7.70	30.85	58.09

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



Page 9

EIRP (dBm)
29.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.88	12.90	7.70	30.85	58.09

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



Page 9

EIRP (dBm)
30.07

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.94	12.23	7.89	31.05	58.52

Test Mode: Mode 5
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.13	0.01297	17.23	0.05284
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	12.71	0.01866	17.36	0.05445
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	12.67	0.01849	17.25	0.05309
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	11.68	0.01472	17.86	0.06109

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	6.10	11.13	11.13	Inf	17.23	30.00
6195MHz	Pass	6.10	11.02	11.02	Inf	17.12	30.00
6415MHz	Pass	6.10	10.69	10.69	Inf	16.79	30.00
6435MHz	Pass	4.65	12.07	12.07	Inf	16.72	30.00
6475MHz	Pass	4.65	12.71	12.71	Inf	17.36	30.00
6515MHz	Pass	4.65	12.16	12.16	Inf	16.81	30.00
6535MHz	Pass	4.58	12.67	12.67	Inf	17.25	30.00
6695MHz	Pass	4.58	12.52	12.52	Inf	17.10	30.00
6875MHz	Pass	4.58	12.57	12.57	Inf	17.15	30.00
6895MHz	Pass	6.18	10.74	10.74	Inf	16.92	30.00
6995MHz	Pass	6.18	10.69	10.69	Inf	16.87	30.00
7095MHz	Pass	6.18	11.68	11.68	Inf	17.86	30.00
7115MHz	Pass	6.18	11.18	11.18	Inf	17.36	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Test Mode: Mode 6
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	25.32	0.34041	31.42	1.38676
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	25.89	0.38815	30.47	1.11429

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	6.10	23.58	23.58	Inf	29.68	36.00
6195MHz	Pass	6.10	25.32	25.32	Inf	31.42	36.00
6415MHz	Pass	6.10	22.08	22.08	Inf	28.18	36.00
6535MHz	Pass	4.58	22.86	22.86	Inf	27.44	36.00
6695MHz	Pass	4.58	25.89	25.89	Inf	30.47	36.00
6855MHz	Pass	4.58	25.56	25.56	Inf	30.14	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Test Mode: Mode 1
Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.84
802.11be EHT20_Nss1,(MCS0)_2TX	4.87
802.11be EHT20_Nss1,(MCS0)_4TX	4.71
802.11be EHT40_Nss1,(MCS0)_1TX	4.87
802.11be EHT40_Nss1,(MCS0)_2TX	4.98
802.11be EHT40_Nss1,(MCS0)_4TX	4.74
802.11be EHT80_Nss1,(MCS0)_1TX	4.82
802.11be EHT80_Nss1,(MCS0)_2TX	4.96
802.11be EHT80_Nss1,(MCS0)_4TX	4.94
802.11be EHT160_Nss1,(MCS0)_1TX	3.74
802.11be EHT160_Nss1,(MCS0)_2TX	4.92
802.11be EHT160_Nss1,(MCS0)_4TX	4.97
802.11be EHT320_Nss1,(MCS0)_1TX	0.08
802.11be EHT320_Nss1,(MCS0)_2TX	4.88
802.11be EHT320_Nss1,(MCS0)_4TX	4.76
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.93
802.11be EHT20_Nss1,(MCS0)_2TX	4.96
802.11be EHT20_Nss1,(MCS0)_4TX	4.96
802.11be EHT40_Nss1,(MCS0)_1TX	4.69
802.11be EHT40_Nss1,(MCS0)_2TX	4.96
802.11be EHT40_Nss1,(MCS0)_4TX	4.76
802.11be EHT80_Nss1,(MCS0)_1TX	4.54
802.11be EHT80_Nss1,(MCS0)_2TX	4.86
802.11be EHT80_Nss1,(MCS0)_4TX	4.81
802.11be EHT160_Nss1,(MCS0)_1TX	3.38
802.11be EHT160_Nss1,(MCS0)_2TX	4.51
802.11be EHT160_Nss1,(MCS0)_4TX	4.64
802.11be EHT320_Nss1,(MCS0)_1TX	-0.47
802.11be EHT320_Nss1,(MCS0)_2TX	4.83
802.11be EHT320_Nss1,(MCS0)_4TX	4.71
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.74
802.11be EHT20_Nss1,(MCS0)_2TX	4.86
802.11be EHT20_Nss1,(MCS0)_4TX	4.88
802.11be EHT40_Nss1,(MCS0)_1TX	4.99
802.11be EHT40_Nss1,(MCS0)_2TX	4.89
802.11be EHT40_Nss1,(MCS0)_4TX	4.89
802.11be EHT80_Nss1,(MCS0)_1TX	4.99
802.11be EHT80_Nss1,(MCS0)_2TX	4.83
802.11be EHT80_Nss1,(MCS0)_4TX	4.86
802.11be EHT160_Nss1,(MCS0)_1TX	2.88
802.11be EHT160_Nss1,(MCS0)_2TX	4.66
802.11be EHT160_Nss1,(MCS0)_4TX	4.86
802.11be EHT320_Nss1,(MCS0)_1TX	-0.78
802.11be EHT320_Nss1,(MCS0)_2TX	4.60
802.11be EHT320_Nss1,(MCS0)_4TX	4.52
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.91
802.11be EHT20_Nss1,(MCS0)_2TX	4.89
802.11be EHT20_Nss1,(MCS0)_4TX	4.81
802.11be EHT40_Nss1,(MCS0)_1TX	4.81
802.11be EHT40_Nss1,(MCS0)_2TX	4.78

Mode	EIRP PD (dBm/RBW)
802.11be EHT40_Nss1,(MCS0)_4TX	4.94
802.11be EHT80_Nss1,(MCS0)_1TX	4.89
802.11be EHT80_Nss1,(MCS0)_2TX	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	4.94
802.11be EHT160_Nss1,(MCS0)_1TX	3.37
802.11be EHT160_Nss1,(MCS0)_2TX	4.83
802.11be EHT160_Nss1,(MCS0)_4TX	4.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.84	5.00
6195MHz	Pass	4.81	5.00
6415MHz	Pass	4.74	5.00
6435MHz	Pass	4.93	5.00
6475MHz	Pass	4.80	5.00
6515MHz	Pass	4.63	5.00
6535MHz	Pass	4.66	5.00
6695MHz	Pass	4.74	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.74	5.00
6895MHz	Pass	4.87	5.00
6995MHz	Pass	4.90	5.00
7095MHz	Pass	4.91	5.00
7115MHz	Pass	-4.25	5.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.70	5.00
6205MHz	Pass	4.72	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.69	5.00
6485MHz	Pass	4.63	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.51	5.00
6565MHz	Pass	4.56	5.00
6685MHz	Pass	4.65	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.99	5.00
6925MHz	Pass	4.72	5.00
7005MHz	Pass	4.52	5.00
7085MHz	Pass	4.81	5.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	4.81	5.00
6225MHz	Pass	4.82	5.00
6385MHz	Pass	4.74	5.00
6465MHz	Pass	4.25	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.54	5.00
6625MHz	Pass	4.99	5.00
6705MHz	Pass	4.54	5.00
6785MHz	Pass	4.15	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.46	5.00
6945MHz	Pass	4.89	5.00
7025MHz	Pass	4.87	5.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	2.54	5.00
6185MHz	Pass	3.74	5.00
6345MHz	Pass	2.97	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	3.38	5.00
6665MHz	Pass	2.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	2.37	5.00
6985MHz	Pass	3.37	5.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	0.04	5.00
6265MHz	Pass	0.08	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	-0.03	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	-0.47	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	-0.78	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	-1.19	5.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	4.64	5.00
6195MHz	Pass	4.87	5.00
6415MHz	Pass	4.86	5.00
6435MHz	Pass	4.92	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.81	5.00
6535MHz	Pass	4.86	5.00
6695MHz	Pass	4.62	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6895MHz	Pass	4.89	5.00
6995MHz	Pass	4.89	5.00
7095MHz	Pass	4.63	5.00
7115MHz	Pass	-4.33	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.98	5.00
6205MHz	Pass	4.74	5.00
6405MHz	Pass	4.84	5.00
6445MHz	Pass	4.76	5.00
6485MHz	Pass	4.83	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6565MHz	Pass	4.89	5.00
6685MHz	Pass	4.89	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.50	5.00
6925MHz	Pass	4.78	5.00
7005MHz	Pass	4.69	5.00
7085MHz	Pass	4.70	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.84	5.00
6225MHz	Pass	4.96	5.00
6385MHz	Pass	4.81	5.00
6465MHz	Pass	4.86	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.56	5.00
6625MHz	Pass	4.68	5.00
6705MHz	Pass	4.70	5.00
6785MHz	Pass	4.83	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6945MHz	Pass	4.98	5.00
7025MHz	Pass	4.88	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.92	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.88	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.51	5.00
6665MHz	Pass	4.66	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.66	5.00
6985MHz	Pass	4.83	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	4.88	5.00
6265MHz	Pass	4.58	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.55	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.60	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	2.36	5.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.71	5.00
6195MHz	Pass	4.71	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6415MHz	Pass	4.58	5.00
6435MHz	Pass	4.89	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.94	5.00
6535MHz	Pass	4.72	5.00
6695MHz	Pass	4.88	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.56	5.00
6895MHz	Pass	4.54	5.00
6995MHz	Pass	4.55	5.00
7095MHz	Pass	4.81	5.00
7115MHz	Pass	-4.16	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.74	5.00
6205MHz	Pass	4.67	5.00
6405MHz	Pass	4.68	5.00
6445MHz	Pass	4.52	5.00
6485MHz	Pass	4.76	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.63	5.00
6565MHz	Pass	4.50	5.00
6685MHz	Pass	4.56	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6925MHz	Pass	4.94	5.00
7005MHz	Pass	4.60	5.00
7085MHz	Pass	4.66	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.94	5.00
6225MHz	Pass	4.71	5.00
6385MHz	Pass	4.79	5.00
6465MHz	Pass	4.81	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.50	5.00
6625MHz	Pass	4.72	5.00
6705MHz	Pass	4.76	5.00
6785MHz	Pass	4.65	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6945MHz	Pass	4.62	5.00
7025MHz	Pass	4.94	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.91	5.00
6185MHz	Pass	4.57	5.00
6345MHz	Pass	4.97	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.64	5.00
6665MHz	Pass	4.58	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6985MHz	Pass	4.96	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.74	5.00
6265MHz	Pass	4.53	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	4.76	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.71	5.00
6745MHz Straddle 6.525-6.875GHz	Pass	4.52	5.00
6905MHz Straddle 6.525-6.875GHz	Pass	4.52	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:5955MHz;TX



CF Freq	5.955GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7

EIRP PSD (dBm)
4.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.07	13.29	7.65	32.98	57.53

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6195MHz;TX



CF Freq	6.195GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.53	13.23	7.72	33.02	57.87

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6415MHz;TX

CF Freq	6.415GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.69	12.71	7.98	33.04	58.20

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6435MHz;TX

CF Freq	6.435GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.93

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.58	12.63	7.96	33.04	58.22

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6475MHz;TX

CF Freq	6.475GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.8

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.79	12.57	7.95	33.05	58.26

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6515MHz;TX

CF Freq	6.515GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.12	12.45	7.92	33.05	58.33

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6535MHz;TX



Page 7

EIRP PSD (dBm)
4.66

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.09	12.45	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6695MHz;TX



Page 7

EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.30	12.55	8.08	33.04	58.55

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6875MHz;TX

CF Freq	6.875GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.87	12.57	8.42	33.02	58.78

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6895MHz;TX

CF Freq	6.895GHz
Span	30MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.703s
Detector Type	RMS
CP BW	20MHz

Page 7



EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.10	12.29	8.46	33.02	58.82

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6995MHz;TX



Page 8

EIRP PSD (dBm)
4.9

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.61	11.99	8.56	33.01	58.95

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:7095MHz;TX



Page 7

EIRP PSD (dBm)
4.91

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.95	11.68	8.53	33.04	59.05

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:7115MHz;TX



EIRP PSD (dBm)
-4.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-27.24	11.57	8.52	33.04	59.08

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:5965MHz;TX



EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.24	13.30	7.67	32.99	57.56

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6205MHz;TX



Page 7

EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.74	13.17	7.74	33.02	57.91

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6405MHz;TX



Page 7

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.44	12.80	7.99	33.04	58.16

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6445MHz;TX



Page 7

EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.89	12.57	7.95	33.05	58.25

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6485MHz;TX



Page 7

EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.97	12.56	7.95	33.05	58.26

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6525MHz;TX



EIRP PSD (dBm)
4.51

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.25	12.44	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6565MHz;TX



EIRP PSD (dBm)
4.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.32	12.36	7.89	33.04	58.39

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6685MHz;TX



EIRP PSD (dBm)
4.65

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.40	12.55	8.08	33.03	58.55

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6885MHz;TX



EIRP PSD (dBm)
4.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.63	12.56	8.42	33.02	58.78

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6925MHz;TX



Page 7

EIRP PSD (dBm)
4.72

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.28	12.27	8.46	33.02	58.83

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:7005MHz;TX



Page 8

EIRP PSD (dBm)
4.52

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.02	11.96	8.55	33.02	58.97

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:7085MHz;TX

CF Freq	7.085GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	40MHz



Page 8

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.95	11.78	8.54	33.03	59.03

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:5985MHz;TX

CF Freq	5.985GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	54.758s
Detector Type	RMS
CP BW	80MHz



Page 7

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.14	13.30	7.67	32.99	57.57

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6225MHz;TX



Page 7

EIRP PSD (dBm)
4.82

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.81	13.11	7.80	33.03	57.97

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6385MHz;TX



Page 7

EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.54	12.82	7.98	33.04	58.16

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6465MHz;TX



EIRP PSD (dBm)
4.25

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.34	12.57	7.95	33.05	58.26

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6545MHz;TX



EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.24	12.43	7.91	33.05	58.35

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6625MHz;TX



Page 7

EIRP PSD (dBm)
4.99

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.00	12.32	7.90	33.04	58.45

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6705MHz;TX



Page 7

EIRP PSD (dBm)
4.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.52	12.63	8.14	33.03	58.58

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6785MHz;TX



EIRP PSD (dBm)
4.15

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.98	12.70	8.23	33.03	58.63

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6865MHz;TX



EIRP PSD (dBm)
4.46

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.09	12.61	8.41	33.02	58.77

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6945MHz;TX



Page 8

EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.11	12.27	8.46	33.02	58.83

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:7025MHz;TX



Page 7

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.62	12.00	8.56	33.01	58.94

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6025MHz;TX



Page 7

EIRP PSD (dBm)
2.54

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.52	13.32	7.69	33.01	57.70

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6185MHz;TX



Page 7

EIRP PSD (dBm)
3.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.65	13.20	7.72	33.02	57.89

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6345MHz;TX



EIRP PSD (dBm)
2.97

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.12	12.93	7.94	33.04	58.12

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6505MHz;TX



EIRP PSD (dBm)
3.38

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.22	12.56	7.95	33.05	58.26

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6665MHz;TX



EIRP PSD (dBm)
2.88

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.09	12.31	7.88	33.04	58.44

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6825MHz;TX



EIRP PSD (dBm)
2.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.01	12.73	8.39	33.02	58.74

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6985MHz;TX



EIRP PSD (dBm)
3.37

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.14	11.99	8.56	33.01	58.95

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6105MHz;TX



EIRP PSD (dBm)
0.04

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.01	13.33	7.69	33.01	57.70

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6265MHz;TX



Page 7

EIRP PSD (dBm)
0.08

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.54	13.11	7.79	33.03	57.97

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6425MHz;TX



Page 7

EIRP PSD (dBm)
-0.03

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.81	12.43	7.91	33.05	58.35

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6585MHz;TX



EIRP PSD (dBm)
-0.47

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.34	12.37	7.89	33.04	58.39

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6745MHz;TX



EIRP PSD (dBm)
-0.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.76	12.32	7.89	33.04	58.45

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6905MHz;TX



Page 7

EIRP PSD (dBm)
-1.19

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.70	11.99	8.56	33.01	58.95

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX



Page 7

EIRP PSD (dBm)
4.64

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.26	13.30	7.65	32.98	57.53

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX



Page 7

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.47	13.23	7.72	33.02	57.87

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX



Page 7

EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.50	12.77	7.99	33.04	58.18

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6435MHz;TX



Page 7

EIRP PSD (dBm)
4.92

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.52	12.69	7.97	33.04	58.20

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6475MHz;TX



Page 7

EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.63	12.57	7.95	33.05	58.26

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6515MHz;TX



Page 7

EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.89	12.49	7.93	33.05	58.31

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX



Page 7

EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.89	12.45	7.91	33.05	58.34

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



Page 7

EIRP PSD (dBm)
4.62

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.43	12.61	8.12	33.03	58.57

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6875MHz;TX



Page 7

EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.02	12.44	8.44	33.02	58.80

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6895MHz;TX



Page 7

EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.08	12.29	8.46	33.02	58.82

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6995MHz;TX



Page 7

EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.61	12.00	8.56	33.01	58.95

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7095MHz;TX



Page 7

EIRP PSD (dBm)
4.63

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.34	11.58	8.52	33.04	59.07

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:7115MHz;TX



Page 7

EIRP PSD (dBm)
-4.33

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-27.31	11.58	8.52	33.04	59.08

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX



Page 7

EIRP PSD (dBm)
4.98

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.97	13.30	7.67	32.99	57.57

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX



Page 7

EIRP PSD (dBm)
4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.65	13.20	7.72	33.02	57.89

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX



EIRP PSD (dBm)
4.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.46	12.81	7.99	33.04	58.16

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6445MHz;TX



EIRP PSD (dBm)
4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.80	12.59	7.96	33.05	58.24

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6485MHz;TX



Page 7

EIRP PSD (dBm)
4.83

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.84	12.51	7.93	33.05	58.30

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6525MHz;TX



Page 7

EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.76	12.47	7.92	33.05	58.32

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.95	12.39	7.90	33.05	58.38

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX



EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.16	12.57	8.09	33.03	58.56

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6885MHz;TX



Page 7

EIRP PSD (dBm)
4.5

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.38	12.36	8.45	33.02	58.81

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6925MHz;TX



Page 7

EIRP PSD (dBm)
4.78

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.25	12.25	8.47	33.02	58.83

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7005MHz;TX



Page 7

EIRP PSD (dBm)
4.69

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.84	11.98	8.56	33.01	58.96

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:7085MHz;TX



Page 7

EIRP PSD (dBm)
4.7

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.07	11.76	8.53	33.03	59.03

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX



Page 7

EIRP PSD (dBm)
4.84

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.17	13.30	7.68	33.00	57.63

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX



Page 7

EIRP PSD (dBm)
4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.61	13.12	7.77	33.02	57.94

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX



EIRP PSD (dBm)
4.81

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.49	12.81	7.99	33.04	58.16

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6465MHz;TX



EIRP PSD (dBm)
4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.81	12.51	7.93	33.05	58.30

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6545MHz;TX



Page 7

EIRP PSD (dBm)
4.56

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.16	12.47	7.92	33.05	58.32

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX



Page 7

EIRP PSD (dBm)
4.68

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.31	12.33	7.91	33.04	58.45