


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [PK]

5610MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.33913G | -38.57    | -27.00     | -11.57     | 10.70  | 0.00    | -49.27    | -57.47  | -55.57  | -59.29  | -52.15  |
| 1G          | 8G         | 1M      | PK   | 5.35138G | -42.37    | -21.20     | -21.17     | 10.70  | 0.00    | -53.07    | -61.52  | -55.91  | -60.35  | -61.31  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -63.48    | -27.00     | -36.48     | 10.70  | 0.00    | -74.18    | -81.72  | -80.27  | -80.45  | -78.84  |
| 1G          | 8G         | 1M      | PK   | 5.879G   | -45.62    | -27.00     | -18.62     | 10.70  | 0.00    | -56.32    | -70.68  | -65.24  | -70.58  | -57.30  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [AV]

5610MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.12213G | -51.56    | -41.20     | -10.36     | 10.70  | 0.00    | -62.26    | -69.18  | -68.82  | -68.46  | -67.00  |
| 1G          | 8G         | 1M      | AV   | 5.35488G | -49.78    | -41.20     | -8.58      | 10.70  | 0.00    | -60.48    | -67.03  | -64.86  | -67.28  | -67.38  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.347G   | -40.73    | -27.00     | -13.73     | 10.70  | 0.00    | -51.43    | -61.74  | -58.12  | -60.13  | -53.97  |
| 1G          | 8G         | 1M      | PK   | 5.35225G | -40.56    | -21.20     | -19.36     | 10.70  | 0.00    | -51.26    | -62.06  | -57.52  | -63.10  | -53.37  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -63.59    | -27.00     | -36.59     | 10.70  | 0.00    | -74.29    | -79.39  | -80.77  | -81.72  | -79.73  |
| 1G          | 8G         | 1M      | PK   | 5.67638G | -47.91    | -27.00     | -20.91     | 10.70  | 0.00    | -58.61    | -67.76  | -66.18  | -69.57  | -60.66  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.40    | -41.20     | -11.20     | 10.70  | 0.00    | -63.10    | -68.52  | -68.29  | -70.10  | -69.86  |
| 1G          | 8G         | 1M      | AV   | 5.37588G | -47.53    | -41.20     | -6.33      | 10.70  | 0.00    | -58.23    | -67.83  | -63.31  | -67.46  | -61.60  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34788G | -39.27    | -27.00     | -12.27     | 10.70  | 0.00    | -49.97    | -61.21  | -55.65  | -61.43  | -52.31  |
| 1G          | 8G         | 1M      | PK   | 5.35925G | -39.12    | -21.20     | -17.92     | 10.70  | 0.00    | -49.82    | -60.49  | -55.81  | -61.83  | -52.04  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -63.12    | -27.00     | -36.12     | 10.70  | 0.00    | -73.82    | -79.10  | -78.96  | -81.13  | -80.55  |
| 1G          | 8G         | 1M      | PK   | 5.87288G | -48.11    | -27.00     | -21.11     | 10.70  | 0.00    | -58.81    | -68.75  | -67.28  | -69.41  | -60.55  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.28    | -41.20     | -11.08     | 10.70  | 0.00    | -62.98    | -68.39  | -68.69  | -69.37  | -69.68  |
| 1G          | 8G         | 1M      | AV   | 5.354G   | -46.48    | -41.20     | -5.28      | 10.70  | 0.00    | -57.18    | -67.24  | -63.46  | -67.12  | -59.66  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

CSE Other [PK]

5775MHz

08/02/2025




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

CSE Other [AV]

5775MHz

08/02/2025




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [PK]

5775MHz

08/02/2025




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

CSE Other [AV]

5775MHz

08/02/2025




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

CSE Other [PK]

5570MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.33738G | -40.08    | -27.00     | -13.08     | 10.70  | 0.00     | -50.78    | -62.20  | -52.18  | -63.52  | -59.02  |
| 1G          | 8G         | 1M      | PK   | 5.36625G | -37.84    | -21.20     | -16.64     | 10.70  | 0.00     | -48.54    | -60.02  | -49.26  | -62.64  | -62.18  |
| 1G          | 8G         | 1M      | PK   | 5.46338G | -63.51    | -27.00     | -36.51     | 10.70  | 0.00     | -74.21    | -78.67  | -81.84  | -79.72  | -81.47  |
| 1G          | 8G         | 1M      | PK   | 5.88075G | -52.46    | -27.00     | -25.46     | 10.70  | 0.00     | -63.16    | -71.19  | -68.72  | -73.39  | -66.44  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

CSE Other [AV]

5570MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.37    | -41.20     | -11.17     | 10.70  | 0.00     | -63.07    | -67.77  | -68.60  | -70.07  | -70.48  |
| 1G          | 8G         | 1M      | AV   | 5.354G   | -49.51    | -41.20     | -8.31      | 10.70  | 0.00     | -60.21    | -68.87  | -64.07  | -67.67  | -65.86  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

CSE Other [PK]

5570MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34088G | -41.58    | -27.00     | -14.58     | 10.70  | 0.00    | -52.28    | -62.81  | -60.71  | -60.89  | -54.28  |
| 1G          | 8G         | 1M      | PK   | 5.382G   | -40.53    | -21.20     | -19.33     | 10.70  | 0.00    | -51.23    | -63.43  | -53.51  | -62.68  | -56.80  |
| 1G          | 8G         | 1M      | PK   | 5.46513G | -63.03    | -27.00     | -36.03     | 10.70  | 0.00    | -73.73    | -78.82  | -79.36  | -82.42  | -79.23  |
| 1G          | 8G         | 1M      | PK   | 5.88163G | -52.60    | -27.00     | -25.60     | 10.70  | 0.00    | -63.30    | -74.04  | -70.94  | -73.43  | -65.19  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

CSE Other [AV]

5570MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.46    | -41.20     | -11.26     | 10.70  | 0.00    | -63.16    | -68.19  | -68.60  | -70.03  | -70.26  |
| 1G          | 8G         | 1M      | AV   | 5.38113G | -49.08    | -41.20     | -7.88      | 10.70  | 0.00    | -59.78    | -67.90  | -66.09  | -67.90  | -63.17  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

CSE Other [PK]

5570MHz

08/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34788G | -39.88    | -27.00     | -12.88     | 10.70  | 0.00     | -50.58    | -61.97  | -55.76  | -61.45  | -53.23  |
| 1G          | 8G         | 1M      | PK   | 5.35313G | -39.24    | -21.20     | -18.04     | 10.70  | 0.00     | -49.94    | -61.09  | -51.92  | -61.01  | -56.68  |
| 1G          | 8G         | 1M      | PK   | 5.46863G | -63.35    | -27.00     | -36.35     | 10.70  | 0.00     | -74.05    | -80.96  | -81.74  | -78.41  | -79.92  |
| 1G          | 8G         | 1M      | PK   | 5.87988G | -54.36    | -27.00     | -27.36     | 10.70  | 0.00     | -65.06    | -72.78  | -72.01  | -73.24  | -68.28  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

CSE Other [AV]

5570MHz

08/02/2025



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.08    | -41.20     | -10.88     | 10.70  | 0.00     | -62.78    | -66.98  | -68.67  | -69.30  | -71.35  |
| 1G          | 8G         | 1M      | AV   | 5.38113G | -48.60    | -41.20     | -7.40      | 10.70  | 0.00     | -59.30    | -67.49  | -64.17  | -65.53  | -64.76  |



Summary

| Mode                            | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | DG<br>(dBi) | EIRP<br>(dBm) | Psum<br>(dBm) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------|--------|-----------------|----------------|------|-------------|---------------|---------------|-------------|-------------|-------------|-------------|----------------|----------------|
| 5.47-5.725GHz                   | -      | -               | -              | -    | -           | -             | -             | -           | -           | -           | -           | -              | -              |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | 1G              | 8G             | AV   | 10.70       | -47.25        | -57.95        | -57.95      |             |             |             | -41.2          | -6.05          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | 1G              | 8G             | AV   | 10.70       | -45.12        | -55.82        | -61.79      | -57.08      |             |             | -41.2          | -3.92          |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 1G              | 8G             | AV   | 10.70       | -47.59        | -58.29        | -67.27      | -63.67      | -68.09      | -61.49      | -41.2          | -6.39          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | 1G              | 8G             | AV   | 10.70       | -47.37        | -58.07        | -58.07      |             |             |             | -41.20         | -6.17          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | 1G              | 8G             | AV   | 10.70       | -48.83        | -59.53        | -60.26      | -67.64      |             |             | -41.20         | -7.63          |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 1G              | 8G             | AV   | 10.70       | -49.30        | -60.00        | -70.12      | -66.32      | -69.81      | -62.48      | -41.20         | -8.10          |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

## Result

| Mode                                                  | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 3_1TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -62.18      |             |             |             | -62.18        | -51.48        | -41.2          | -10.28         |
| 5530MHz                                               | Pass   | 1G              | 8G             | AV   | 5.41613G     | 10.70       | -57.95      |             |             |             | -57.95        | -47.25        | -41.2          | -6.05          |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.16938G     | 10.70       | -53.02      |             |             |             | -53.02        | -42.32        | -27            | -15.32         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.37588G     | 10.70       | -44.01      |             |             |             | -44.01        | -33.31        | -21.2          | -12.11         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.4625G      | 10.70       | -78.13      |             |             |             | -78.13        | -67.43        | -27            | -40.43         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.80025G     | 10.70       | -54.85      |             |             |             | -54.85        | -44.15        | -27            | -17.15         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 3_1TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -61.62      |             |             |             | -61.62        | -50.92        | -41.2          | -9.72          |
| 5610MHz                                               | Pass   | 1G              | 8G             | AV   | 5.39338G     | 10.70       | -60.05      |             |             |             | -60.05        | -49.35        | -41.2          | -8.15          |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.28925G     | 10.70       | -50.82      |             |             |             | -50.82        | -40.12        | -27            | -13.12         |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.40738G     | 10.70       | -51.08      |             |             |             | -51.08        | -40.38        | -21.2          | -19.18         |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.46775G     | 10.70       | -79.52      |             |             |             | -79.52        | -68.82        | -27            | -41.82         |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.76G        | 10.70       | -50.26      |             |             |             | -50.26        | -39.56        | -27            | -12.56         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 1_1TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | AV   | 5.09938G     | 10.70       | -63.83      |             |             |             | -63.83        | -53.13        | -41.2          | -11.93         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | AV   | 5.37325G     | 10.70       | -60.86      |             |             |             | -60.86        | -50.16        | -41.2          | -8.96          |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.298G       | 10.70       | -54.14      |             |             |             | -54.14        | -43.44        | -27            | -16.44         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.38025G     | 10.70       | -52.89      |             |             |             | -52.89        | -42.19        | -21.2          | -20.99         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.46338G     | 10.70       | -78.43      |             |             |             | -78.43        | -67.73        | -27            | -40.73         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.87463G     | 10.70       | -62.25      |             |             |             | -62.25        | -51.55        | -27            | -24.55         |
| 802.11be EHT160_Nss1(MCS0),RU996+RU484+RU242 CP 3_1TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.11863G     | 10.70       | -62.61      |             |             |             | -62.61        | -51.91        | -41.20         | -10.71         |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.375G       | 10.70       | -58.07      |             |             |             | -58.07        | -47.37        | -41.20         | -6.17          |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.27263G     | 10.70       | -52.76      |             |             |             | -52.76        | -42.06        | -27.00         | -15.06         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.42138G     | 10.70       | -43.56      |             |             |             | -43.56        | -32.86        | -21.20         | -11.66         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.4695G      | 10.70       | -79.11      |             |             |             | -79.11        | -68.41        | -27.00         | -41.41         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.80375G     | 10.70       | -50.05      |             |             |             | -50.05        | -39.35        | -27.00         | -12.35         |
| 802.11be EHT160_Nss1(MCS0),RU996+RU484 CP 2_1TX       | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14225G     | 10.70       | -64.84      |             |             |             | -64.84        | -54.14        | -41.20         | -12.94         |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.35575G     | 10.70       | -62.21      |             |             |             | -62.21        | -51.51        | -41.20         | -10.31         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.26738G     | 10.70       | -54.61      |             |             |             | -54.61        | -43.91        | -27.00         | -16.91         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.35313G     | 10.70       | -43.08      |             |             |             | -43.08        | -32.38        | -21.20         | -11.18         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.46775G     | 10.70       | -79.73      |             |             |             | -79.73        | -69.03        | -27.00         | -42.03         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.80113G     | 10.70       | -54.91      |             |             |             | -54.91        | -44.21        | -27.00         | -17.21         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 4_2TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                               | Pass   | 1G              | 8G             | AV   | 5.13963G     | 10.70       | -63.23      | -64.1       |             |             | -60.63        | -49.93        | -41.2          | -8.73          |
| 5530MHz                                               | Pass   | 1G              | 8G             | AV   | 5.37238G     | 10.70       | -63.7       | -61.91      |             |             | -59.7         | -49.00        | -41.2          | -7.80          |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.2385G      | 10.70       | -55.31      | -48.98      |             |             | -48.07        | -37.37        | -27            | -10.37         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.38988G     | 10.70       | -55.08      | -53.82      |             |             | -51.39        | -40.69        | -21.2          | -19.49         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.46163G     | 10.70       | -80.78      | -79.14      |             |             | -76.87        | -66.17        | -27            | -39.17         |
| 5530MHz                                               | Pass   | 1G              | 8G             | PK   | 5.82038G     | 10.70       | -56.08      | -52.99      |             |             | -51.26        | -40.56        | -27            | -13.56         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 3_2TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -64.37      | -65.44      |             |             | -61.86        | -51.16        | -41.2          | -9.96          |
| 5610MHz                                               | Pass   | 1G              | 8G             | AV   | 5.3505G      | 10.70       | -63.51      | -61.26      |             |             | -59.23        | -48.53        | -41.2          | -7.33          |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.33125G     | 10.70       | -53.62      | -48.82      |             |             | -47.58        | -36.88        | -27            | -9.88          |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.35225G     | 10.70       | -55.56      | -53.33      |             |             | -51.29        | -40.59        | -21.2          | -19.39         |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.46688G     | 10.70       | -80.29      | -80.39      |             |             | -77.33        | -66.63        | -27            | -39.63         |
| 5610MHz                                               | Pass   | 1G              | 8G             | PK   | 5.78013G     | 10.70       | -52.5       | -57.16      |             |             | -51.22        | -40.52        | -27            | -13.52         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 1_2TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -65.34      | -66.08      |             |             | -62.68        | -51.98        | -41.2          | -10.78         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | AV   | 5.37238G     | 10.70       | -61.79      | -57.08      |             |             | -55.82        | -45.12        | -41.2          | -3.92          |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.34963G     | 10.70       | -55.55      | -52.97      |             |             | -51.06        | -40.36        | -27            | -13.36         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.396G       | 10.70       | -55.39      | -48.34      |             |             | -47.56        | -36.86        | -21.2          | -15.66         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.4695G      | 10.70       | -79.26      | -81.48      |             |             | -77.22        | -66.52        | -27            | -39.52         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | 1G              | 8G             | PK   | 5.8755G      | 10.70       | -63.78      | -61.2       |             |             | -59.29        | -48.59        | -27            | -21.59         |
| 802.11be EHT160_Nss1(MCS0),RU996+RU484+RU242 CP 3_2TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -67.67      | -68.36      |             |             | -64.99        | -54.29        | -41.20         | -13.09         |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.39775G     | 10.70       | -60.26      | -67.64      |             |             | -59.53        | -48.83        | -41.20         | -7.63          |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.34175G     | 10.70       | -54.01      | -58.98      |             |             | -52.81        | -42.11        | -27.00         | -15.11         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.41613G     | 10.70       | -44.50      | -60.47      |             |             | -44.39        | -33.69        | -21.20         | -12.49         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.46863G     | 10.70       | -81.49      | -78.89      |             |             | -76.99        | -66.29        | -27.00         | -39.29         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.77138G     | 10.70       | -52.44      | -62.61      |             |             | -52.04        | -41.34        | -27.00         | -14.34         |
| 802.11be EHT160_Nss1(MCS0),RU996+RU484 CP 2_2TX       | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -67.52      | -67.41      |             |             | -64.45        | -53.75        | -41.20         | -12.55         |
| 5570MHz                                               | Pass   | 1G              | 8G             | AV   | 5.35138G     | 10.70       | -65.90      | -66.69      |             |             | -63.27        | -52.57        | -41.20         | -11.37         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.34525G     | 10.70       | -53.16      | -61.71      |             |             | -52.59        | -41.89        | -27.00         | -14.89         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.40825G     | 10.70       | -54.76      | -61.51      |             |             | -53.93        | -43.23        | -21.20         | -22.03         |
| 5570MHz                                               | Pass   | 1G              | 8G             | PK   | 5.466G       | 10.70       | -80.55      | -79.16      |             |             | -76.79        | -66.09        | -27.00         | -39.09         |



## CSE Harmonic (1~8GHz) R3 Puncturing

## Appendix E.5

| Mode                                                   | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.79063G     | 10.70       | -51.00      | -63.10      |             |             | -50.74        | -40.04        | -27.00         | -13.04         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                                | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -67.21      | -67.96      | -68.15      | -69.15      | -62.04        | -51.34        | -41.2          | -10.14         |
| 5530MHz                                                | Pass   | 1G              | 8G             | AV   | 5.37413G     | 10.70       | -67.61      | -67.06      | -67.21      | -63.33      | -59.89        | -49.19        | -41.2          | -7.99          |
| 5530MHz                                                | Pass   | 1G              | 8G             | PK   | 5.24025G     | 10.70       | -58.51      | -58.99      | -60.38      | -54.43      | -51.43        | -40.73        | -27            | -13.73         |
| 5530MHz                                                | Pass   | 1G              | 8G             | PK   | 5.389G       | 10.70       | -63.14      | -61.24      | -61.1       | -54.52      | -52.56        | -41.86        | -21.2          | -20.66         |
| 5530MHz                                                | Pass   | 1G              | 8G             | PK   | 5.46425G     | 10.70       | -78.71      | -80.65      | -78.81      | -80.19      | -73.49        | -62.79        | -27            | -35.79         |
| 5530MHz                                                | Pass   | 1G              | 8G             | PK   | 5.80638G     | 10.70       | -61.65      | -59.72      | -61.53      | -53.6       | -51.66        | -40.96        | -27            | -13.96         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                                | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -67.93      | -68.76      | -68.46      | -67.48      | -62.11        | -51.41        | -41.2          | -10.21         |
| 5610MHz                                                | Pass   | 1G              | 8G             | AV   | 5.35663G     | 10.70       | -66.94      | -65.96      | -66.59      | -67.23      | -60.63        | -49.93        | -41.2          | -8.73          |
| 5610MHz                                                | Pass   | 1G              | 8G             | PK   | 5.32863G     | 10.70       | -58.37      | -57.53      | -60.36      | -51.06      | -49.22        | -38.52        | -27            | -11.52         |
| 5610MHz                                                | Pass   | 1G              | 8G             | PK   | 5.3715G      | 10.70       | -60.16      | -57.21      | -61.4       | -60.21      | -53.43        | -42.73        | -21.2          | -21.53         |
| 5610MHz                                                | Pass   | 1G              | 8G             | PK   | 5.46688G     | 10.70       | -78.83      | -80.54      | -82.4       | -77.85      | -73.56        | -62.86        | -27            | -35.86         |
| 5610MHz                                                | Pass   | 1G              | 8G             | PK   | 5.79588G     | 10.70       | -59.73      | -60.6       | -60.97      | -57.02      | -53.26        | -42.56        | -27            | -15.56         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -68.64      | -69.62      | -70.21      | -69.88      | -63.53        | -52.83        | -41.2          | -11.63         |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | AV   | 5.361G       | 10.70       | -67.27      | -63.67      | -68.09      | -61.49      | -58.29        | -47.59        | -41.2          | -6.39          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | PK   | 5.34438G     | 10.70       | -61         | -58.87      | -60.92      | -53.98      | -51.61        | -40.91        | -27            | -13.91         |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | PK   | 5.35663G     | 10.70       | -62.28      | -57.78      | -62.42      | -52.45      | -50.7         | -40.00        | -21.2          | -18.80         |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | PK   | 5.46775G     | 10.70       | -79.87      | -81.03      | -79.79      | -80.41      | -74.23        | -63.53        | -27            | -36.53         |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | 1G              | 8G             | PK   | 5.87463G     | 10.70       | -68.85      | -64.89      | -71.24      | -62.38      | -59.55        | -48.85        | -27            | -21.85         |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                                | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -69.08      | -69.80      | -70.43      | -70.53      | -63.90        | -53.20        | -41.20         | -12.00         |
| 5570MHz                                                | Pass   | 1G              | 8G             | AV   | 5.39863G     | 10.70       | -71.25      | -68.83      | -70.83      | -63.34      | -61.24        | -50.54        | -41.20         | -9.34          |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.31025G     | 10.70       | -62.37      | -59.18      | -62.97      | -60.01      | -54.83        | -44.13        | -27.00         | -17.13         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.38813G     | 10.70       | -62.65      | -60.11      | -63.68      | -52.18      | -50.97        | -40.27        | -21.20         | -19.07         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.46163G     | 10.70       | -77.76      | -81.63      | -80.24      | -80.75      | -73.82        | -63.12        | -27.00         | -36.12         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.77138G     | 10.70       | -66.08      | -65.36      | -65.17      | -56.67      | -55.24        | -44.54        | -27.00         | -17.54         |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX       | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                                | Pass   | 1G              | 8G             | AV   | 5.14575G     | 10.70       | -68.69      | -69.52      | -69.92      | -71.68      | -63.80        | -53.10        | -41.20         | -11.90         |
| 5570MHz                                                | Pass   | 1G              | 8G             | AV   | 5.36625G     | 10.70       | -70.12      | -66.32      | -69.81      | -62.48      | -60.00        | -49.30        | -41.20         | -8.10          |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.3155G      | 10.70       | -61.02      | -58.88      | -63.67      | -60.90      | -54.78        | -44.08        | -27.00         | -17.08         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.403G       | 10.70       | -64.15      | -63.02      | -65.24      | -52.68      | -51.82        | -41.12        | -21.20         | -19.92         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.4625G      | 10.70       | -80.57      | -80.65      | -80.18      | -77.81      | -73.61        | -62.91        | -27.00         | -35.91         |
| 5570MHz                                                | Pass   | 1G              | 8G             | PK   | 5.78625G     | 10.70       | -65.50      | -64.74      | -66.13      | -54.67      | -53.69        | -42.99        | -27.00         | -15.99         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

CSE Other [PK]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 1G          | 8G         | 1M      | PK   | 5.16938G | -42.32    | -27.00     | -15.32     | 10.70  | 0.00     | -53.02    | -53.02  |
| 1G          | 8G         | 1M      | PK   | 5.37588G | -33.31    | -21.20     | -12.11     | 10.70  | 0.00     | -44.01    | -44.01  |
| 1G          | 8G         | 1M      | PK   | 5.4625G  | -67.43    | -27.00     | -40.43     | 10.70  | 0.00     | -78.13    | -78.13  |
| 1G          | 8G         | 1M      | PK   | 5.80025G | -44.15    | -27.00     | -17.15     | 10.70  | 0.00     | -54.85    | -54.85  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

CSE Other [AV]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -51.48    | -41.20     | -10.28     | 10.70  | 0.00     | -62.18    | -62.18  |
| 1G          | 8G         | 1M      | AV   | 5.41613G | -47.25    | -41.20     | -6.05      | 10.70  | 0.00     | -57.95    | -57.95  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

CSE Other [PK]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | PK   | 5.28925G | -40.12    | -27.00     | -13.12     | 10.70  | 0.00    | -50.82    | -50.82  |
| 1G          | 8G         | 1M      | PK   | 5.40738G | -40.38    | -21.20     | -19.18     | 10.70  | 0.00    | -51.08    | -51.08  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -68.82    | -27.00     | -41.82     | 10.70  | 0.00    | -79.52    | -79.52  |
| 1G          | 8G         | 1M      | PK   | 5.76G    | -39.56    | -27.00     | -12.56     | 10.70  | 0.00    | -50.26    | -50.26  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

CSE Other [AV]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -50.92    | -41.20     | -9.72      | 10.70  | 0.00    | -61.62    | -61.62  |
| 1G          | 8G         | 1M      | AV   | 5.39338G | -49.35    | -41.20     | -8.15      | 10.70  | 0.00    | -60.05    | -60.05  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_1TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | PK   | 5.298G   | -43.44    | -27.00     | -16.44     | 10.70  | 0.00    | -54.14    | -54.14  |
| 1G          | 8G         | 1M      | PK   | 5.38025G | -42.19    | -21.20     | -20.99     | 10.70  | 0.00    | -52.89    | -52.89  |
| 1G          | 8G         | 1M      | PK   | 5.46338G | -67.73    | -27.00     | -40.73     | 10.70  | 0.00    | -78.43    | -78.43  |
| 1G          | 8G         | 1M      | PK   | 5.87463G | -51.55    | -27.00     | -24.55     | 10.70  | 0.00    | -62.25    | -62.25  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_1TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | AV   | 5.09938G | -53.13    | -41.20     | -11.93     | 10.70  | 0.00    | -63.83    | -63.83  |
| 1G          | 8G         | 1M      | AV   | 5.37325G | -50.16    | -41.20     | -8.96      | 10.70  | 0.00    | -60.86    | -60.86  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_1TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | PK   | 5.27263G | -42.06    | -27.00     | -15.06     | 10.70  | 0.00    | -52.76    | -52.76  |
| 1G          | 8G         | 1M      | PK   | 5.42138G | -32.86    | -21.20     | -11.66     | 10.70  | 0.00    | -43.56    | -43.56  |
| 1G          | 8G         | 1M      | PK   | 5.4695G  | -68.41    | -27.00     | -41.41     | 10.70  | 0.00    | -79.11    | -79.11  |
| 1G          | 8G         | 1M      | PK   | 5.80375G | -39.35    | -27.00     | -12.35     | 10.70  | 0.00    | -50.05    | -50.05  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_1TX

CSE Other [AV]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | AV   | 5.11863G | -51.91    | -41.20     | -10.71     | 10.70  | 0.00    | -62.61    | -62.61  |
| 1G          | 8G         | 1M      | AV   | 5.375G   | -47.37    | -41.20     | -6.17      | 10.70  | 0.00    | -58.07    | -58.07  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_1TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | PK   | 5.26738G | -43.91    | -27.00     | -16.91     | 10.70  | 0.00    | -54.61    | -54.61  |
| 1G          | 8G         | 1M      | PK   | 5.35313G | -32.38    | -21.20     | -11.18     | 10.70  | 0.00    | -43.08    | -43.08  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -69.03    | -27.00     | -42.03     | 10.70  | 0.00    | -79.73    | -79.73  |
| 1G          | 8G         | 1M      | PK   | 5.80113G | -44.21    | -27.00     | -17.21     | 10.70  | 0.00    | -54.91    | -54.91  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_1TX

CSE Other [AV]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14225G | -54.14    | -41.20     | -12.94     | 10.70  | 0.00    | -64.84    | -64.84  |
| 1G          | 8G         | 1M      | AV   | 5.35575G | -51.51    | -41.20     | -10.31     | 10.70  | 0.00    | -62.21    | -62.21  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_2TX

CSE Other [PK]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.2385G  | -37.37    | -27.00     | -10.37     | 10.70  | 0.00    | -48.07    | -55.31  | -48.98  |
| 1G          | 8G         | 1M      | PK   | 5.38988G | -40.69    | -21.20     | -19.49     | 10.70  | 0.00    | -51.39    | -55.08  | -53.82  |
| 1G          | 8G         | 1M      | PK   | 5.46163G | -66.17    | -27.00     | -39.17     | 10.70  | 0.00    | -76.87    | -80.78  | -79.14  |
| 1G          | 8G         | 1M      | PK   | 5.82038G | -40.56    | -27.00     | -13.56     | 10.70  | 0.00    | -51.26    | -56.08  | -52.99  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_2TX

CSE Other [AV]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.13963G | -49.93    | -41.20     | -8.73      | 10.70  | 0.00    | -60.63    | -63.23  | -64.10  |
| 1G          | 8G         | 1M      | AV   | 5.37238G | -49.00    | -41.20     | -7.80      | 10.70  | 0.00    | -59.70    | -63.70  | -61.91  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX

CSE Other [PK]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.33125G | -36.88    | -27.00     | -9.88      | 10.70  | 0.00    | -47.58    | -53.62  | -48.82  |
| 1G          | 8G         | 1M      | PK   | 5.35225G | -40.59    | -21.20     | -19.39     | 10.70  | 0.00    | -51.29    | -55.56  | -53.33  |
| 1G          | 8G         | 1M      | PK   | 5.46688G | -66.63    | -27.00     | -39.63     | 10.70  | 0.00    | -77.33    | -80.29  | -80.39  |
| 1G          | 8G         | 1M      | PK   | 5.78013G | -40.52    | -27.00     | -13.52     | 10.70  | 0.00    | -51.22    | -52.50  | -57.16  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX

CSE Other [AV]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -51.16    | -41.20     | -9.96      | 10.70  | 0.00    | -61.86    | -64.37  | -65.44  |
| 1G          | 8G         | 1M      | AV   | 5.3505G  | -48.53    | -41.20     | -7.33      | 10.70  | 0.00    | -59.23    | -63.51  | -61.26  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_2TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34963G | -40.36    | -27.00     | -13.36     | 10.70  | 0.00     | -51.06    | -55.55  | -52.97  |
| 1G          | 8G         | 1M      | PK   | 5.396G   | -36.86    | -21.20     | -15.66     | 10.70  | 0.00     | -47.56    | -55.39  | -48.34  |
| 1G          | 8G         | 1M      | PK   | 5.4695G  | -66.52    | -27.00     | -39.52     | 10.70  | 0.00     | -77.22    | -79.26  | -81.48  |
| 1G          | 8G         | 1M      | PK   | 5.8755G  | -48.59    | -27.00     | -21.59     | 10.70  | 0.00     | -59.29    | -63.78  | -61.20  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_2TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -51.98    | -41.20     | -10.78     | 10.70  | 0.00     | -62.68    | -65.34  | -66.08  |
| 1G          | 8G         | 1M      | AV   | 5.37238G | -45.12    | -41.20     | -3.92      | 10.70  | 0.00     | -55.82    | -61.79  | -57.08  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_2TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34175G | -42.11    | -27.00     | -15.11     | 10.70  | 0.00    | -52.81    | -54.01  | -58.98  |
| 1G          | 8G         | 1M      | PK   | 5.41613G | -33.69    | -21.20     | -12.49     | 10.70  | 0.00    | -44.39    | -44.50  | -60.47  |
| 1G          | 8G         | 1M      | PK   | 5.46863G | -66.29    | -27.00     | -39.29     | 10.70  | 0.00    | -76.99    | -81.49  | -78.89  |
| 1G          | 8G         | 1M      | PK   | 5.77138G | -41.34    | -27.00     | -14.34     | 10.70  | 0.00    | -52.04    | -52.44  | -62.61  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_2TX

CSE Other [AV]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -54.29    | -41.20     | -13.09     | 10.70  | 0.00    | -64.99    | -67.67  | -68.36  |
| 1G          | 8G         | 1M      | AV   | 5.39775G | -48.83    | -41.20     | -7.63      | 10.70  | 0.00    | -59.53    | -60.26  | -67.64  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_2TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34525G | -41.89    | -27.00     | -14.89     | 10.70  | 0.00    | -52.59    | -53.16  | -61.71  |
| 1G          | 8G         | 1M      | PK   | 5.40825G | -43.23    | -21.20     | -22.03     | 10.70  | 0.00    | -53.93    | -54.76  | -61.51  |
| 1G          | 8G         | 1M      | PK   | 5.466G   | -66.09    | -27.00     | -39.09     | 10.70  | 0.00    | -76.79    | -80.55  | -79.16  |
| 1G          | 8G         | 1M      | PK   | 5.79063G | -40.04    | -27.00     | -13.04     | 10.70  | 0.00    | -50.74    | -51.00  | -63.10  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_2TX

CSE Other [AV]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -53.75    | -41.20     | -12.55     | 10.70  | 0.00    | -64.45    | -67.52  | -67.41  |
| 1G          | 8G         | 1M      | AV   | 5.35138G | -52.57    | -41.20     | -11.37     | 10.70  | 0.00    | -63.27    | -65.90  | -66.69  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

CSE Other [PK]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.24025G | -40.73    | -27.00     | -13.73     | 10.70  | 0.00    | -51.43    | -58.51  | -58.99  | -60.38  | -54.43  |
| 1G          | 8G         | 1M      | PK   | 5.389G   | -41.86    | -21.20     | -20.66     | 10.70  | 0.00    | -52.56    | -63.14  | -61.24  | -61.10  | -54.52  |
| 1G          | 8G         | 1M      | PK   | 5.46425G | -62.79    | -27.00     | -35.79     | 10.70  | 0.00    | -73.49    | -78.71  | -80.65  | -78.81  | -80.19  |
| 1G          | 8G         | 1M      | PK   | 5.80638G | -40.96    | -27.00     | -13.96     | 10.70  | 0.00    | -51.66    | -61.65  | -59.72  | -61.53  | -53.60  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

CSE Other [AV]

5530MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -51.34    | -41.20     | -10.14     | 10.70  | 0.00    | -62.04    | -67.21  | -67.96  | -68.15  | -69.15  |
| 1G          | 8G         | 1M      | AV   | 5.37413G | -49.19    | -41.20     | -7.99      | 10.70  | 0.00    | -59.89    | -67.61  | -67.06  | -67.21  | -63.33  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_4TX

CSE Other [PK]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.32863G | -38.52    | -27.00     | -11.52     | 10.70  | 0.00     | -49.22    | -58.37  | -57.53  | -60.36  | -51.06  |
| 1G          | 8G         | 1M      | PK   | 5.3715G  | -42.73    | -21.20     | -21.53     | 10.70  | 0.00     | -53.43    | -60.16  | -57.21  | -61.40  | -60.21  |
| 1G          | 8G         | 1M      | PK   | 5.46688G | -62.86    | -27.00     | -35.86     | 10.70  | 0.00     | -73.56    | -78.83  | -80.54  | -82.40  | -77.85  |
| 1G          | 8G         | 1M      | PK   | 5.79588G | -42.56    | -27.00     | -15.56     | 10.70  | 0.00     | -53.26    | -59.73  | -60.60  | -60.97  | -57.02  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 1\_4TX

CSE Other [AV]

5610MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -51.41    | -41.20     | -10.21     | 10.70  | 0.00     | -62.11    | -67.93  | -68.76  | -68.46  | -67.48  |
| 1G          | 8G         | 1M      | AV   | 5.35663G | -49.93    | -41.20     | -8.73      | 10.70  | 0.00     | -60.63    | -66.94  | -65.96  | -66.59  | -67.23  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_4TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.34438G | -40.91    | -27.00     | -13.91     | 10.70  | 0.00    | -51.61    | -61.00  | -58.87  | -60.92  | -53.98  |
| 1G          | 8G         | 1M      | PK   | 5.35663G | -40.00    | -21.20     | -18.80     | 10.70  | 0.00    | -50.70    | -62.28  | -57.78  | -62.42  | -52.45  |
| 1G          | 8G         | 1M      | PK   | 5.46775G | -63.53    | -27.00     | -36.53     | 10.70  | 0.00    | -74.23    | -79.87  | -81.03  | -79.79  | -80.41  |
| 1G          | 8G         | 1M      | PK   | 5.87463G | -48.85    | -27.00     | -21.85     | 10.70  | 0.00    | -59.55    | -68.85  | -64.89  | -71.24  | -62.38  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_4TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -52.83    | -41.20     | -11.63     | 10.70  | 0.00    | -63.53    | -68.64  | -69.62  | -70.21  | -69.88  |
| 1G          | 8G         | 1M      | AV   | 5.361G   | -47.59    | -41.20     | -6.39      | 10.70  | 0.00    | -58.29    | -67.27  | -63.67  | -68.09  | -61.49  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.31025G | -44.13    | -27.00     | -17.13     | 10.70  | 0.00     | -54.83    | -62.37  | -59.18  | -62.97  | -60.01  |
| 1G          | 8G         | 1M      | PK   | 5.38813G | -40.27    | -21.20     | -19.07     | 10.70  | 0.00     | -50.97    | -62.65  | -60.11  | -63.68  | -52.18  |
| 1G          | 8G         | 1M      | PK   | 5.46163G | -63.12    | -27.00     | -36.12     | 10.70  | 0.00     | -73.82    | -77.76  | -81.63  | -80.24  | -80.75  |
| 1G          | 8G         | 1M      | PK   | 5.77138G | -44.54    | -27.00     | -17.54     | 10.70  | 0.00     | -55.24    | -66.08  | -65.36  | -65.17  | -56.67  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 3\_4TX

CSE Other [AV]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -53.20    | -41.20     | -12.00     | 10.70  | 0.00     | -63.90    | -69.08  | -69.80  | -70.43  | -70.53  |
| 1G          | 8G         | 1M      | AV   | 5.39863G | -50.54    | -41.20     | -9.34      | 10.70  | 0.00     | -61.24    | -71.25  | -68.83  | -70.83  | -63.34  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Other [PK]

5570MHz

13/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | PK   | 5.3155G  | -44.08    | -27.00     | -17.08     | 10.70  | 0.00    | -54.78    | -61.02  | -58.88  | -63.67  | -60.90  |
| 1G          | 8G         | 1M      | PK   | 5.403G   | -41.12    | -21.20     | -19.92     | 10.70  | 0.00    | -51.82    | -64.15  | -63.02  | -65.24  | -52.68  |
| 1G          | 8G         | 1M      | PK   | 5.4625G  | -62.91    | -27.00     | -35.91     | 10.70  | 0.00    | -73.61    | -80.57  | -80.65  | -80.18  | -77.81  |
| 1G          | 8G         | 1M      | PK   | 5.78625G | -42.99    | -27.00     | -15.99     | 10.70  | 0.00    | -53.69    | -65.50  | -64.74  | -66.13  | -54.67  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

CSE Other [AV]

5570MHz

13/02/2025



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 1G          | 8G         | 1M      | AV   | 5.14575G | -53.10    | -41.20     | -11.90     | 10.70  | 0.00    | -63.80    | -68.69  | -69.52  | -69.92  | -71.68  |
| 1G          | 8G         | 1M      | AV   | 5.36625G | -49.30    | -41.20     | -8.10      | 10.70  | 0.00    | -60.00    | -70.12  | -66.32  | -69.81  | -62.48  |



Summary

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | EIRP<br>(dBm) | Psum<br>(dBm) | P1<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) | DG<br>(dBi) |
|--------------------------------|--------|-----------------|----------------|------|---------------|---------------|-------------|----------------|----------------|-------------|
| 5.47-5.725GHz                  | -      | -               | -              | -    | -             | -             | -           | -              | -              | -           |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 8G              | 40G            | AV   | -51.07        | -57.17        | -57.17      | -41.20         | -9.87          | 6.10        |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | -50.54        | -56.64        | -56.64      | -41.20         | -9.34          | 6.10        |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | -50.81        | -56.91        | -56.91      | -41.20         | -9.61          | 6.10        |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | -50.73        | -56.83        | -56.83      | -41.20         | -9.53          | 6.10        |
| 802.11ax HEW160_Nss1(MCS0)_1TX | Pass   | 8G              | 40G            | AV   | -50.94        | -57.04        | -57.04      | -41.20         | -9.74          | 6.10        |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

## Result

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11a_Nss1,(6Mbps)_1TX       | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.004G      | 6.10        | -67.00      | -67.00        | -60.90        | -41.20         | -19.70         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 39.826G      | 6.10        | -57.73      | -57.73        | -51.63        | -41.20         | -10.43         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11.006G      | 6.10        | -60.36      | -60.36        | -54.26        | -21.20         | -33.06         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 38.43G       | 6.10        | -51.42      | -51.42        | -45.32        | -27.00         | -18.32         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.164G      | 6.10        | -65.84      | -65.84        | -59.74        | -41.20         | -18.54         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 39.81G       | 6.10        | -57.85      | -57.85        | -51.75        | -41.20         | -10.55         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.144G      | 6.10        | -59.84      | -59.84        | -53.74        | -21.20         | -32.54         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 36.836G      | 6.10        | -50.38      | -50.38        | -44.28        | -27.00         | -17.28         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.398G      | 6.10        | -66.50      | -66.50        | -60.40        | -41.20         | -19.20         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 39.09G       | 6.10        | -58.02      | -58.02        | -51.92        | -41.20         | -10.72         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.395G      | 6.10        | -59.13      | -59.13        | -53.03        | -21.20         | -31.83         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 37.349G      | 6.10        | -50.83      | -50.83        | -44.73        | -27.00         | -17.73         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.441G      | 6.10        | -66.24      | -66.24        | -60.14        | -41.20         | -18.94         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 39.84G       | 6.10        | -57.17      | -57.17        | -51.07        | -41.20         | -9.87          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.441G      | 6.10        | -59.03      | -59.03        | -52.93        | -21.20         | -31.73         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 37.431G      | 6.10        | -49.53      | -49.53        | -43.43        | -27.00         | -16.43         |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.013G      | 6.10        | -66.29      | -66.29        | -60.19        | -41.20         | -18.99         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 39.816G      | 6.10        | -56.64      | -56.64        | -50.54        | -41.20         | -9.34          |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11G          | 6.10        | -59.00      | -59.00        | -52.90        | -21.20         | -31.70         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 36.127G      | 6.10        | -49.96      | -49.96        | -43.86        | -27.00         | -16.86         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.151G      | 6.10        | -65.39      | -65.39        | -59.29        | -41.20         | -18.09         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 39.069G      | 6.10        | -56.98      | -56.98        | -50.88        | -41.20         | -9.68          |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.172G      | 6.10        | -58.11      | -58.11        | -52.01        | -21.20         | -30.81         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 36.825G      | 6.10        | -50.38      | -50.38        | -44.28        | -27.00         | -17.28         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.391G      | 6.10        | -65.56      | -65.56        | -59.46        | -41.20         | -18.26         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 39.807G      | 6.10        | -56.77      | -56.77        | -50.67        | -41.20         | -9.47          |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.4G        | 6.10        | -59.70      | -59.70        | -53.60        | -21.20         | -32.40         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 38.236G      | 6.10        | -49.81      | -49.81        | -43.71        | -27.00         | -16.71         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.443G      | 6.10        | -66.45      | -66.45        | -60.35        | -41.20         | -19.15         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 39.79G       | 6.10        | -56.98      | -56.98        | -50.88        | -41.20         | -9.68          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.446G      | 6.10        | -59.06      | -59.06        | -52.96        | -21.20         | -31.76         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.343G      | 6.10        | -48.64      | -48.64        | -42.54        | -27.00         | -15.54         |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 11.053G      | 6.10        | -66.56      | -66.56        | -60.46        | -41.20         | -19.26         |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 39.803G      | 6.10        | -57.16      | -57.16        | -51.06        | -41.20         | -9.86          |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 11.038G      | 6.10        | -58.60      | -58.60        | -52.50        | -21.20         | -31.30         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 38.594G      | 6.10        | -49.85      | -49.85        | -43.75        | -27.00         | -16.75         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 11.108G      | 6.10        | -65.59      | -65.59        | -59.49        | -41.20         | -18.29         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 39.89G       | 6.10        | -57.27      | -57.27        | -51.17        | -41.20         | -9.97          |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 11.084G      | 6.10        | -59.05      | -59.05        | -52.95        | -21.20         | -31.75         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 37.425G      | 6.10        | -49.76      | -49.76        | -43.66        | -27.00         | -16.66         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 11.32G       | 6.10        | -66.36      | -66.36        | -60.26        | -41.20         | -19.06         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 39.861G      | 6.10        | -57.24      | -57.24        | -51.14        | -41.20         | -9.94          |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 11.347G      | 6.10        | -59.53      | -59.53        | -53.43        | -21.20         | -32.23         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 36.605G      | 6.10        | -49.36      | -49.36        | -43.26        | -27.00         | -16.26         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.404G      | 6.10        | -66.26      | -66.26        | -60.16        | -41.20         | -18.96         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 39.85G       | 6.10        | -56.91      | -56.91        | -50.81        | -41.20         | -9.61          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.451G      | 6.10        | -58.60      | -58.60        | -52.50        | -21.20         | -31.30         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.263G      | 6.10        | -50.10      | -50.10        | -44.00        | -27.00         | -17.00         |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 11.098G      | 6.10        | -65.75      | -65.75        | -59.65        | -41.20         | -18.45         |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 39.905G      | 6.10        | -56.98      | -56.98        | -50.88        | -41.20         | -9.68          |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 11.125G      | 6.10        | -58.09      | -58.09        | -51.99        | -21.20         | -30.79         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 36.35G       | 6.10        | -49.34      | -49.34        | -43.24        | -27.00         | -16.24         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 11.175G      | 6.10        | -65.57      | -65.57        | -59.47        | -41.20         | -18.27         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 39.791G      | 6.10        | -56.83      | -56.83        | -50.73        | -41.20         | -9.53          |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 11.23G       | 6.10        | -58.48      | -58.48        | -52.38        | -21.20         | -31.18         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 38.464G      | 6.10        | -49.42      | -49.42        | -43.32        | -27.00         | -16.32         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.384G      | 6.10        | -65.97      | -65.97        | -59.87        | -41.20         | -18.67         |



## CSE Harmonic (8~40GHz)\_R1

## Appendix E.6

| Mode                            | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | 8G              | 40G            | AV   | 39.833G      | 6.10        | -57.04      | -57.04        | -50.94        | -41.20         | -9.74          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | 8G              | 40G            | PK   | 11.39G       | 6.10        | -59.06      | -59.06        | -52.96        | -21.20         | -31.76         |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | 8G              | 40G            | PK   | 38.316G      | 6.10        | -50.67      | -50.67        | -44.57        | -27.00         | -17.57         |
| 802.11ax HEW160_Nss1_(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5570MHz                         | Pass   | 8G              | 40G            | AV   | 11.179G      | 6.10        | -65.57      | -65.57        | -59.47        | -41.20         | -18.27         |
| 5570MHz                         | Pass   | 8G              | 40G            | AV   | 39.832G      | 6.10        | -57.04      | -57.04        | -50.94        | -41.20         | -9.74          |
| 5570MHz                         | Pass   | 8G              | 40G            | PK   | 11.162G      | 6.10        | -56.39      | -56.39        | -50.29        | -21.20         | -29.09         |
| 5570MHz                         | Pass   | 8G              | 40G            | PK   | 38.008G      | 6.10        | -49.56      | -49.56        | -43.46        | -27.00         | -16.46         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5500MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.006G  | -54.26    | -21.20     | -33.06     | 6.10   | 0.00    | -60.36    | -60.36  |
| 8G          | 40G        | 1M      | PK   | 38.43G   | -45.32    | -27.00     | -18.32     | 6.10   | 0.00    | -51.42    | -51.42  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5500MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.004G  | -60.90    | -41.20     | -19.70     | 6.10   | 0.00    | -67.00    | -67.00  |
| 8G          | 40G        | 1M      | AV   | 39.826G  | -51.63    | -41.20     | -10.43     | 6.10   | 0.00    | -57.73    | -57.73  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5580MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.144G  | -53.74    | -21.20     | -32.54     | 6.10   | 0.00    | -59.84    | -59.84  |
| 8G          | 40G        | 1M      | PK   | 36.836G  | -44.28    | -27.00     | -17.28     | 6.10   | 0.00    | -50.38    | -50.38  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5580MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.164G  | -59.74    | -41.20     | -18.54     | 6.10   | 0.00    | -65.84    | -65.84  |
| 8G          | 40G        | 1M      | AV   | 39.81G   | -51.75    | -41.20     | -10.55     | 6.10   | 0.00    | -57.85    | -57.85  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5700MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.395G  | -53.03    | -21.20     | -31.83     | 6.10   | 0.00     | -59.13    | -59.13  |
| 8G          | 40G        | 1M      | PK   | 37.349G  | -44.73    | -27.00     | -17.73     | 6.10   | 0.00     | -50.83    | -50.83  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5700MHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.398G  | -60.40    | -41.20     | -19.20     | 6.10   | 0.00     | -66.50    | -66.50  |
| 8G          | 40G        | 1M      | AV   | 39.09G   | -51.92    | -41.20     | -10.72     | 6.10   | 0.00     | -58.02    | -58.02  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.441G  | -52.93    | -21.20     | -31.73     | 6.10   | 0.00    | -59.03    | -59.03  |
| 8G          | 40G        | 1M      | PK   | 37.431G  | -43.43    | -27.00     | -16.43     | 6.10   | 0.00    | -49.53    | -49.53  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

25/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.441G  | -60.14    | -41.20     | -18.94     | 6.10   | 0.00    | -66.24    | -66.24  |
| 8G          | 40G        | 1M      | AV   | 39.84G   | -51.07    | -41.20     | -9.87      | 6.10   | 0.00    | -57.17    | -57.17  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

5500MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11G      | -52.90    | -21.20     | -31.70     | 6.10   | 0.00    | -59.00    | -59.00  |
| 8G          | 40G        | 1M      | PK   | 36.127G  | -43.86    | -27.00     | -16.86     | 6.10   | 0.00    | -49.96    | -49.96  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

5500MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.013G  | -60.19    | -41.20     | -18.99     | 6.10   | 0.00    | -66.29    | -66.29  |
| 8G          | 40G        | 1M      | AV   | 39.816G  | -50.54    | -41.20     | -9.34      | 6.10   | 0.00    | -56.64    | -56.64  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

5580MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.172G  | -52.01    | -21.20     | -30.81     | 6.10   | 0.00    | -58.11    | -58.11  |
| 8G          | 40G        | 1M      | PK   | 36.825G  | -44.28    | -27.00     | -17.28     | 6.10   | 0.00    | -50.38    | -50.38  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

5580MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.151G  | -59.29    | -41.20     | -18.09     | 6.10   | 0.00    | -65.39    | -65.39  |
| 8G          | 40G        | 1M      | AV   | 39.069G  | -50.88    | -41.20     | -9.68      | 6.10   | 0.00    | -56.98    | -56.98  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

5700MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.4G    | -53.60    | -21.20     | -32.40     | 6.10   | 0.00    | -59.70    | -59.70  |
| 8G          | 40G        | 1M      | PK   | 38.236G  | -43.71    | -27.00     | -16.71     | 6.10   | 0.00    | -49.81    | -49.81  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

5700MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.391G  | -59.46    | -41.20     | -18.26     | 6.10   | 0.00    | -65.56    | -65.56  |
| 8G          | 40G        | 1M      | AV   | 39.807G  | -50.67    | -41.20     | -9.47      | 6.10   | 0.00    | -56.77    | -56.77  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.446G  | -52.96    | -21.20     | -31.76     | 6.10   | 0.00    | -59.06    | -59.06  |
| 8G          | 40G        | 1M      | PK   | 38.343G  | -42.54    | -27.00     | -15.54     | 6.10   | 0.00    | -48.64    | -48.64  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.443G  | -60.35    | -41.20     | -19.15     | 6.10   | 0.00    | -66.45    | -66.45  |
| 8G          | 40G        | 1M      | AV   | 39.79G   | -50.88    | -41.20     | -9.68      | 6.10   | 0.00    | -56.98    | -56.98  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [PK]

5510MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.038G  | -52.50    | -21.20     | -31.30     | 6.10   | 0.00    | -58.60    | -58.60  |
| 8G          | 40G        | 1M      | PK   | 38.594G  | -43.75    | -27.00     | -16.75     | 6.10   | 0.00    | -49.85    | -49.85  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [AV]

5510MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.053G  | -60.46    | -41.20     | -19.26     | 6.10   | 0.00    | -66.56    | -66.56  |
| 8G          | 40G        | 1M      | AV   | 39.803G  | -51.06    | -41.20     | -9.86      | 6.10   | 0.00    | -57.16    | -57.16  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [PK]

5550MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.084G  | -52.95    | -21.20     | -31.75     | 6.10   | 0.00    | -59.05    | -59.05  |
| 8G          | 40G        | 1M      | PK   | 37.425G  | -43.66    | -27.00     | -16.66     | 6.10   | 0.00    | -49.76    | -49.76  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [AV]

5550MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.08G   | -59.49    | -41.20     | -18.29     | 6.10   | 0.00    | -65.59    | -65.59  |
| 8G          | 40G        | 1M      | AV   | 39.89G   | -51.17    | -41.20     | -9.97      | 6.10   | 0.00    | -57.27    | -57.27  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [PK]

5670MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.347G  | -53.43    | -21.20     | -32.23     | 6.10   | 0.00    | -59.53    | -59.53  |
| 8G          | 40G        | 1M      | PK   | 36.605G  | -43.26    | -27.00     | -16.26     | 6.10   | 0.00    | -49.36    | -49.36  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [AV]

5670MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.32G   | -60.26    | -41.20     | -19.06     | 6.10   | 0.00    | -66.36    | -66.36  |
| 8G          | 40G        | 1M      | AV   | 39.861G  | -51.14    | -41.20     | -9.94      | 6.10   | 0.00    | -57.24    | -57.24  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [PK]

5710MHz Straddle 5.47-5.725GHz

27/12/2024




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE [AV]

5710MHz Straddle 5.47-5.725GHz

27/12/2024




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [PK]

5530MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.125G  | -51.99    | -21.20     | -30.79     | 6.10   | 0.00    | -58.09    | -58.09  |
| 8G          | 40G        | 1M      | PK   | 36.35G   | -43.24    | -27.00     | -16.24     | 6.10   | 0.00    | -49.34    | -49.34  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [AV]

5530MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.098G  | -59.65    | -41.20     | -18.45     | 6.10   | 0.00    | -65.75    | -65.75  |
| 8G          | 40G        | 1M      | AV   | 39.905G  | -50.88    | -41.20     | -9.68      | 6.10   | 0.00    | -56.98    | -56.98  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [PK]

5610MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.23G   | -52.38    | -21.20     | -31.18     | 6.10   | 0.00    | -58.48    | -58.48  |
| 8G          | 40G        | 1M      | PK   | 38.464G  | -43.32    | -27.00     | -16.32     | 6.10   | 0.00    | -49.42    | -49.42  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [AV]

5610MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.175G  | -59.47    | -41.20     | -18.27     | 6.10   | 0.00    | -65.57    | -65.57  |
| 8G          | 40G        | 1M      | AV   | 39.791G  | -50.73    | -41.20     | -9.53      | 6.10   | 0.00    | -56.83    | -56.83  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.39G   | -52.96    | -21.20     | -31.76     | 6.10   | 0.00    | -59.06    | -59.06  |
| 8G          | 40G        | 1M      | PK   | 38.316G  | -44.57    | -27.00     | -17.57     | 6.10   | 0.00    | -50.67    | -50.67  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.384G  | -59.87    | -41.20     | -18.67     | 6.10   | 0.00    | -65.97    | -65.97  |
| 8G          | 40G        | 1M      | AV   | 39.833G  | -50.94    | -41.20     | -9.74      | 6.10   | 0.00    | -57.04    | -57.04  |

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE [PK]

5570MHz

27/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.162G  | -50.29    | -21.20     | -29.09     | 6.10   | 0.00    | -56.39    | -56.39  |
| 8G          | 40G        | 1M      | PK   | 38.008G  | -43.46    | -27.00     | -16.46     | 6.10   | 0.00    | -49.56    | -49.56  |

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE [AV]

5570MHz

27/12/2024



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.179G  | -59.47    | -41.20     | -18.27     | 6.10   | 0.00    | -65.57    | -65.57  |
| 8G          | 40G        | 1M      | AV   | 39.832G  | -50.94    | -41.20     | -9.74      | 6.10   | 0.00    | -57.04    | -57.04  |

## Summary

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | DG<br>(dBi) | Psum<br>(dBm) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|-------------|---------------|-------------|-------------|-------------|-------------|---------------|----------------|----------------|
| 5.47-5.725GHz                  | -      | -               | -              | -    | -           | -             | -           | -           | -           | -           | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 8G              | 40G            | AV   | 10.70       | -88.98        | -88.98      |             |             |             | -78.28        | -41.20         | -37.08         |
| 802.11a_Nss1(6Mbps)_2TX        | Pass   | 8G              | 40G            | AV   | 10.70       | -86.54        | -90.08      | -89.08      |             |             | -75.84        | -41.20         | -34.64         |
| 802.11a_Nss1(6Mbps)_4TX        | Pass   | 8G              | 40G            | AV   | 10.70       | -83.74        | -90.19      | -90.06      | -90.02      | -88.91      | -73.04        | -41.20         | -31.84         |
| 802.11be EHT20_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -88.82        | -88.82      |             |             |             | -78.12        | -41.20         | -36.92         |
| 802.11be EHT20_Nss1(MCS0)_2TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -86.72        | -89.43      | -90.05      |             |             | -76.02        | -41.20         | -34.82         |
| 802.11be EHT20_Nss1(MCS0)_4TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -83.53        | -89.81      | -89.55      | -89.74      | -89.12      | -72.83        | -41.20         | -31.63         |
| 802.11be EHT40_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | PK   | 10.70       | -68.43        | -68.43      |             |             |             | -57.73        | -27.00         | -30.73         |
| 802.11be EHT40_Nss1(MCS0)_2TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -86.69        | -89.56      | -89.85      |             |             | -75.99        | -41.20         | -34.79         |
| 802.11be EHT40_Nss1(MCS0)_4TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -83.42        | -89.12      | -89.91      | -89.22      | -89.54      | -72.72        | -41.20         | -31.52         |
| 802.11be EHT80_Nss1(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -88.61        | -88.61      |             |             |             | -77.91        | -41.20         | -36.71         |
| 802.11be EHT80_Nss1(MCS0)_2TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -86.61        | -89.16      | -90.13      |             |             | -75.91        | -41.20         | -34.71         |
| 802.11be EHT80_Nss1(MCS0)_4TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -83.59        | -89.77      | -89.88      | -89.13      | -89.69      | -72.89        | -41.20         | -31.69         |
| 802.11be EHT160_Nss1(MCS0)_1TX | Pass   | 8G              | 40G            | AV   | 10.70       | -89.34        | -89.34      |             |             |             | -78.64        | -41.20         | -37.44         |
| 802.11be EHT160_Nss1(MCS0)_2TX | Pass   | 8G              | 40G            | AV   | 10.70       | -86.72        | -90.34      | -89.19      |             |             | -76.02        | -41.20         | -34.82         |
| 802.11be EHT160_Nss1(MCS0)_4TX | Pass   | 8G              | 40G            | AV   | 10.70       | -83.61        | -90.22      | -89.07      | -89.31      | -90.03      | -72.91        | -41.20         | -31.71         |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

## Result

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11a_Nss1(6Mbps)_1TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11G          | 10.70       | -89.85      |             |             |             | -89.85        | -79.15        | -41.20         | -37.95         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.911G      | 10.70       | -89.28      |             |             |             | -89.28        | -78.58        | -41.20         | -37.38         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11.003G      | 10.70       | -82.88      |             |             |             | -82.88        | -72.18        | -21.20         | -50.98         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 38.047G      | 10.70       | -80.05      |             |             |             | -80.05        | -69.35        | -27.00         | -42.35         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.159G      | 10.70       | -93.98      |             |             |             | -93.98        | -83.28        | -41.20         | -42.08         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.949G      | 10.70       | -88.98      |             |             |             | -88.98        | -78.28        | -41.20         | -37.08         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.166G      | 10.70       | -86.38      |             |             |             | -86.38        | -75.68        | -21.20         | -54.48         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 16.737G      | 10.70       | -78.64      |             |             |             | -78.64        | -67.94        | -27.00         | -40.94         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.403G      | 10.70       | -89.31      |             |             |             | -89.31        | -78.61        | -41.20         | -37.41         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.91G       | 10.70       | -89.20      |             |             |             | -89.20        | -78.50        | -41.20         | -37.30         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.405G      | 10.70       | -82.06      |             |             |             | -82.06        | -71.36        | -21.20         | -50.16         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 32.783G      | 10.70       | -80.93      |             |             |             | -80.93        | -70.23        | -27.00         | -43.23         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.44G       | 10.70       | -92.45      |             |             |             | -92.45        | -81.75        | -41.20         | -40.55         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.898G      | 10.70       | -89.18      |             |             |             | -89.18        | -78.48        | -41.20         | -37.28         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.44G       | 10.70       | -83.62      |             |             |             | -83.62        | -72.92        | -21.20         | -51.72         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 17.173G      | 10.70       | -80.33      |             |             |             | -80.33        | -69.63        | -27.00         | -42.63         |
| 802.11be EHT20_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.001G      | 10.70       | -93.24      |             |             |             | -93.24        | -82.54        | -41.20         | -41.34         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.901G      | 10.70       | -89.30      |             |             |             | -89.30        | -78.60        | -41.20         | -37.40         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11G          | 10.70       | -83.57      |             |             |             | -83.57        | -72.87        | -21.20         | -51.67         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 16.496G      | 10.70       | -77.21      |             |             |             | -77.21        | -66.51        | -27.00         | -39.51         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.159G      | 10.70       | -92.59      |             |             |             | -92.59        | -81.89        | -41.20         | -40.69         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.964G      | 10.70       | -88.82      |             |             |             | -88.82        | -78.12        | -41.20         | -36.92         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.162G      | 10.70       | -85.83      |             |             |             | -85.83        | -75.13        | -21.20         | -53.93         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 16.73G       | 10.70       | -76.17      |             |             |             | -76.17        | -65.47        | -27.00         | -38.47         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.399G      | 10.70       | -89.26      |             |             |             | -89.26        | -78.56        | -41.20         | -37.36         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.733G      | 10.70       | -89.14      |             |             |             | -89.14        | -78.44        | -41.20         | -37.24         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.387G      | 10.70       | -82.41      |             |             |             | -82.41        | -71.71        | -21.20         | -50.51         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 33.187G      | 10.70       | -81.16      |             |             |             | -81.16        | -70.46        | -27.00         | -43.46         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.441G      | 10.70       | -90.66      |             |             |             | -90.66        | -79.96        | -41.20         | -38.76         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.897G      | 10.70       | -89.26      |             |             |             | -89.26        | -78.56        | -41.20         | -37.36         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.441G      | 10.70       | -82.87      |             |             |             | -82.87        | -72.17        | -21.20         | -50.97         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 17.17G       | 10.70       | -80.57      |             |             |             | -80.57        | -69.87        | -27.00         | -42.87         |
| 802.11be EHT40_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 11.011G      | 10.70       | -95.42      |             |             |             | -95.42        | -84.72        | -41.20         | -43.52         |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 38.897G      | 10.70       | -89.10      |             |             |             | -89.10        | -78.40        | -41.20         | -37.20         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 11.006G      | 10.70       | -87.35      |             |             |             | -87.35        | -76.65        | -21.20         | -55.45         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 38.021G      | 10.70       | -80.26      |             |             |             | -80.26        | -69.56        | -27.00         | -42.56         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 11.094G      | 10.70       | -93.76      |             |             |             | -93.76        | -83.06        | -41.20         | -41.86         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 38.891G      | 10.70       | -88.82      |             |             |             | -88.82        | -78.12        | -41.20         | -36.92         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 11.107G      | 10.70       | -84.35      |             |             |             | -84.35        | -73.65        | -21.20         | -52.45         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 16.659G      | 10.70       | -73.75      |             |             |             | -73.75        | -63.05        | -27.00         | -36.05         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 11.351G      | 10.70       | -84.54      |             |             |             | -84.54        | -73.84        | -41.20         | -32.64         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 11.356G      | 10.70       | -77.15      |             |             |             | -77.15        | -66.45        | -21.20         | -45.25         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 38.169G      | 10.70       | -80.30      |             |             |             | -80.30        | -69.60        | -27.00         | -42.60         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.41G       | 10.70       | -86.36      |             |             |             | -86.36        | -75.66        | -41.20         | -34.46         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.41G       | 10.70       | -78.47      |             |             |             | -78.47        | -67.77        | -21.20         | -46.57         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 17.144G      | 10.70       | -68.43      |             |             |             | -68.43        | -57.73        | -27.00         | -30.73         |
| 802.11be EHT80_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 11.123G      | 10.70       | -95.73      |             |             |             | -95.73        | -85.03        | -41.20         | -43.83         |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 38.89G       | 10.70       | -89.57      |             |             |             | -89.57        | -78.87        | -41.20         | -37.67         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 10.991G      | 10.70       | -85.49      |             |             |             | -85.49        | -74.79        | -21.20         | -53.59         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 32.895G      | 10.70       | -80.99      |             |             |             | -80.99        | -70.29        | -27.00         | -43.29         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 11.242G      | 10.70       | -94.61      |             |             |             | -94.61        | -83.91        | -41.20         | -42.71         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 38.918G      | 10.70       | -89.49      |             |             |             | -89.49        | -78.79        | -41.20         | -37.59         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 11.237G      | 10.70       | -86.32      |             |             |             | -86.32        | -75.62        | -21.20         | -54.42         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 32.877G      | 10.70       | -80.50      |             |             |             | -80.50        | -69.80        | -27.00         | -42.80         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.377G      | 10.70       | -88.61      |             |             |             | -88.61        | -77.91        | -41.20         | -36.71         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.358G      | 10.70       | -80.49      |             |             |             | -80.49        | -69.79        | -21.20         | -48.59         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 37.582G      | 10.70       | -80.53      |             |             |             | -80.53        | -69.83        | -27.00         | -42.83         |
| 802.11be EHT160_Nss1(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 11.233G      | 10.70       | -95.61      |             |             |             | -95.61        | -84.91        | -41.20         | -43.71         |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 38.952G      | 10.70       | -89.34      |             |             |             | -89.34        | -78.64        | -41.20         | -37.44         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 11.241G      | 10.70       | -86.44      |             |             |             | -86.44        | -75.74        | -21.20         | -54.54         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 38.068G      | 10.70       | -80.96      |             |             |             | -80.96        | -70.26        | -27.00         | -43.26         |
| 802.11a_Nss1(6Mbps)_2TX        | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.001G      | 10.70       | -94.80      | -96.32      |             |             | -92.48        | -81.78        | -41.20         | -40.58         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.944G      | 10.70       | -89.07      | -90.53      |             |             | -86.73        | -76.03        | -41.20         | -34.83         |

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dB) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11.006G      | 10.70      | -88.46      | -88.13      |             |             | -85.28        | -74.58        | -21.20         | -53.38         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 38.494G      | 10.70      | -83.86      | -80.70      |             |             | -78.99        | -68.29        | -27.00         | -41.29         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.164G      | 10.70      | -94.51      | -95.29      |             |             | -91.87        | -81.17        | -41.20         | -39.97         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.9G        | 10.70      | -90.08      | -89.08      |             |             | -86.54        | -75.84        | -41.20         | -34.64         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.16G       | 10.70      | -87.19      | -84.87      |             |             | -82.87        | -72.17        | -21.20         | -50.97         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 37.355G      | 10.70      | -79.46      | -87.11      |             |             | -78.77        | -68.07        | -27.00         | -41.07         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.401G      | 10.70      | -90.01      | -96.70      |             |             | -89.17        | -78.47        | -41.20         | -37.27         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.99G       | 10.70      | -90.36      | -89.29      |             |             | -86.78        | -76.08        | -41.20         | -34.88         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.397G      | 10.70      | -82.65      | -88.51      |             |             | -81.65        | -70.95        | -21.20         | -49.75         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 37.984G      | 10.70      | -82.40      | -79.59      |             |             | -77.76        | -67.06        | -27.00         | -40.06         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.441G      | 10.70      | -91.92      | -97.34      |             |             | -90.82        | -80.12        | -41.20         | -38.92         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.928G      | 10.70      | -89.23      | -90.65      |             |             | -86.87        | -76.17        | -41.20         | -34.97         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.443G      | 10.70      | -85.48      | -88.09      |             |             | -83.58        | -72.88        | -21.20         | -51.68         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.149G      | 10.70      | -80.64      | -82.56      |             |             | -78.48        | -67.78        | -27.00         | -40.78         |
| 802.11be EHT20_Nss1(MCS0)_2TX  | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.003G      | 10.70      | -95.00      | -96.32      |             |             | -92.60        | -81.90        | -41.20         | -40.70         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.894G      | 10.70      | -89.42      | -90.52      |             |             | -86.92        | -76.22        | -41.20         | -35.02         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 10.986G      | 10.70      | -91.15      | -85.83      |             |             | -84.71        | -74.01        | -21.20         | -52.81         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 38.181G      | 10.70      | -81.07      | -81.90      |             |             | -78.45        | -67.75        | -27.00         | -40.75         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.165G      | 10.70      | -94.62      | -96.01      |             |             | -92.25        | -81.55        | -41.20         | -40.35         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.957G      | 10.70      | -88.80      | -90.98      |             |             | -86.74        | -76.04        | -41.20         | -34.84         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.174G      | 10.70      | -87.85      | -87.54      |             |             | -84.68        | -73.98        | -21.20         | -52.78         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 38.192G      | 10.70      | -81.53      | -80.95      |             |             | -78.22        | -67.52        | -27.00         | -40.52         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.39G       | 10.70      | -91.15      | -96.12      |             |             | -89.95        | -79.25        | -41.20         | -38.05         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.893G      | 10.70      | -89.43      | -90.05      |             |             | -86.72        | -76.02        | -41.20         | -34.82         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.396G      | 10.70      | -83.08      | -89.47      |             |             | -82.18        | -71.48        | -21.20         | -50.28         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 38.501G      | 10.70      | -80.23      | -84.30      |             |             | -78.79        | -68.09        | -27.00         | -41.09         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.441G      | 10.70      | -92.50      | -96.67      |             |             | -91.09        | -80.39        | -41.20         | -39.19         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.929G      | 10.70      | -89.38      | -90.41      |             |             | -86.85        | -76.15        | -41.20         | -34.95         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.443G      | 10.70      | -84.11      | -88.57      |             |             | -82.78        | -72.08        | -21.20         | -50.88         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 37.993G      | 10.70      | -82.56      | -80.36      |             |             | -78.31        | -67.61        | -27.00         | -40.61         |
| 802.11be EHT40_Nss1(MCS0)_2TX  | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 11.043G      | 10.70      | -96.26      | -95.90      |             |             | -93.07        | -82.37        | -41.20         | -41.17         |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 38.899G      | 10.70      | -89.56      | -89.85      |             |             | -86.69        | -75.99        | -41.20         | -34.79         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 11.032G      | 10.70      | -88.77      | -87.35      |             |             | -84.99        | -74.29        | -21.20         | -53.09         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 38.194G      | 10.70      | -80.64      | -83.49      |             |             | -78.82        | -68.12        | -27.00         | -41.12         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 11.096G      | 10.70      | -95.95      | -96.35      |             |             | -93.14        | -82.44        | -41.20         | -41.24         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 38.907G      | 10.70      | -89.66      | -90.05      |             |             | -86.84        | -76.14        | -41.20         | -34.94         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 11.095G      | 10.70      | -91.14      | -85.60      |             |             | -84.53        | -73.83        | -21.20         | -52.63         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 38.2G        | 10.70      | -81.33      | -80.85      |             |             | -78.07        | -67.37        | -27.00         | -40.37         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 11.353G      | 10.70      | -90.60      | -96.69      |             |             | -89.64        | -78.94        | -41.20         | -37.74         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 38.93G       | 10.70      | -89.98      | -89.83      |             |             | -86.89        | -76.19        | -41.20         | -34.99         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 11.347G      | 10.70      | -83.67      | -86.82      |             |             | -81.96        | -71.26        | -21.20         | -50.06         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 38.164G      | 10.70      | -83.55      | -81.05      |             |             | -79.11        | -68.41        | -27.00         | -41.41         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.411G      | 10.70      | -93.33      | -96.29      |             |             | -91.55        | -80.85        | -41.20         | -39.65         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.915G      | 10.70      | -89.51      | -89.92      |             |             | -86.70        | -76.00        | -41.20         | -34.80         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.409G      | 10.70      | -84.66      | -90.58      |             |             | -83.67        | -72.97        | -21.20         | -51.77         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 32.756G      | 10.70      | -83.07      | -80.75      |             |             | -78.75        | -68.05        | -27.00         | -41.05         |
| 802.11be EHT80_Nss1(MCS0)_2TX  | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 11.046G      | 10.70      | -96.00      | -96.08      |             |             | -93.03        | -82.33        | -41.20         | -41.13         |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 38.943G      | 10.70      | -89.72      | -89.84      |             |             | -86.77        | -76.07        | -41.20         | -34.87         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 11.114G      | 10.70      | -87.18      | -87.95      |             |             | -84.54        | -73.84        | -21.20         | -52.64         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 38.188G      | 10.70      | -80.09      | -85.29      |             |             | -78.94        | -68.24        | -27.00         | -41.24         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 11.225G      | 10.70      | -95.44      | -96.70      |             |             | -93.01        | -82.31        | -41.20         | -41.11         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 38.913G      | 10.70      | -89.32      | -90.17      |             |             | -86.71        | -76.01        | -41.20         | -34.81         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 11.258G      | 10.70      | -86.95      | -90.14      |             |             | -85.25        | -74.55        | -21.20         | -53.35         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 37.621G      | 10.70      | -85.10      | -80.18      |             |             | -78.97        | -68.27        | -27.00         | -41.27         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.369G      | 10.70      | -91.35      | -97.05      |             |             | -90.31        | -79.61        | -41.20         | -38.41         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.881G      | 10.70      | -89.16      | -90.13      |             |             | -86.61        | -75.91        | -41.20         | -34.71         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.362G      | 10.70      | -84.02      | -89.64      |             |             | -82.97        | -72.27        | -21.20         | -51.07         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 37.611G      | 10.70      | -79.95      | -85.20      |             |             | -78.82        | -68.12        | -27.00         | -41.12         |
| 802.11be EHT160_Nss1(MCS0)_2TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 11.127G      | 10.70      | -96.22      | -96.01      |             |             | -93.10        | -82.40        | -41.20         | -41.20         |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 38.931G      | 10.70      | -90.34      | -89.19      |             |             | -86.72        | -76.02        | -41.20         | -34.82         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 11.079G      | 10.70      | -87.79      | -87.25      |             |             | -84.50        | -73.80        | -21.20         | -52.60         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 37.862G      | 10.70      | -85.70      | -79.56      |             |             | -78.61        | -67.91        | -27.00         | -40.91         |
| 802.11a_Nss1(6Mbps)_4TX        | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 11.001G      | 10.70      | -97.34      | -95.86      | -95.47      | -96.68      | -90.26        | -79.56        | -41.20         | -38.36         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.933G      | 10.70      | -89.88      | -90.09      | -90.54      | -89.82      | -84.05        | -73.35        | -41.20         | -32.15         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 10.995G      | 10.70      | -89.10      | -88.59      | -85.68      | -90.21      | -82.03        | -71.33        | -21.20         | -50.13         |

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 32.81G       | 10.70       | -81.55      | -84.28      | -79.92      | -83.82      | -76.01        | -65.31        | -27.00         | -38.31         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.16G       | 10.70       | -95.82      | -96.38      | -96.15      | -96.26      | -90.13        | -79.43        | -41.20         | -38.23         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.933G      | 10.70       | -89.64      | -89.71      | -89.99      | -90.65      | -83.96        | -73.26        | -41.20         | -32.06         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.162G      | 10.70       | -89.95      | -88.92      | -89.53      | -87.37      | -82.81        | -72.11        | -21.20         | -50.91         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 38.196G      | 10.70       | -83.96      | -83.45      | -80.20      | -81.15      | -75.89        | -65.19        | -27.00         | -38.19         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.399G      | 10.70       | -96.11      | -94.64      | -96.78      | -93.11      | -88.90        | -78.20        | -41.20         | -37.00         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.887G      | 10.70       | -89.98      | -90.32      | -89.62      | -89.86      | -83.92        | -73.22        | -41.20         | -32.02         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.4G        | 10.70       | -90.83      | -91.17      | -88.26      | -84.92      | -82.00        | -71.30        | -21.20         | -50.10         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 38.172G      | 10.70       | -84.39      | -81.50      | -84.02      | -81.39      | -76.59        | -65.89        | -27.00         | -38.89         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.44G       | 10.70       | -96.96      | -95.06      | -95.85      | -96.13      | -89.93        | -79.23        | -41.20         | -38.03         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.933G      | 10.70       | -90.19      | -90.06      | -90.02      | -88.91      | -83.74        | -73.04        | -41.20         | -31.84         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.435G      | 10.70       | -87.54      | -88.24      | -88.68      | -87.88      | -82.04        | -71.34        | -21.20         | -50.14         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.181G      | 10.70       | -85.50      | -84.33      | -79.66      | -82.43      | -76.38        | -65.68        | -27.00         | -38.68         |
| 802.11be EHT20_Nss1(MCS0)_4TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 10.988G      | 10.70       | -96.48      | -96.27      | -97.02      | -97.10      | -90.68        | -79.98        | -41.20         | -38.78         |
| 5500MHz                        | Pass   | 8G              | 40G            | AV   | 38.901G      | 10.70       | -89.39      | -89.88      | -90.02      | -90.11      | -83.82        | -73.12        | -41.20         | -31.92         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 11.007G      | 10.70       | -96.37      | -88.72      | -89.88      | -90.18      | -82.49        | -71.79        | -21.20         | -50.59         |
| 5500MHz                        | Pass   | 8G              | 40G            | PK   | 38.196G      | 10.70       | -84.02      | -82.70      | -81.21      | -82.80      | -76.55        | -65.85        | -27.00         | -38.85         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 11.157G      | 10.70       | -96.28      | -96.09      | -96.21      | -96.51      | -90.25        | -79.55        | -41.20         | -38.35         |
| 5580MHz                        | Pass   | 8G              | 40G            | AV   | 38.919G      | 10.70       | -89.99      | -90.04      | -89.95      | -88.59      | -83.58        | -72.88        | -41.20         | -31.68         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 11.174G      | 10.70       | -87.85      | -91.95      | -89.49      | -88.43      | -83.15        | -72.45        | -21.20         | -51.25         |
| 5580MHz                        | Pass   | 8G              | 40G            | PK   | 38.193G      | 10.70       | -83.22      | -81.39      | -82.12      | -82.54      | -76.25        | -65.55        | -27.00         | -38.55         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 11.399G      | 10.70       | -95.92      | -94.24      | -96.26      | -92.13      | -88.29        | -77.59        | -41.20         | -36.39         |
| 5700MHz                        | Pass   | 8G              | 40G            | AV   | 38.936G      | 10.70       | -89.93      | -89.63      | -89.26      | -90.17      | -83.71        | -73.01        | -41.20         | -31.81         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 11.388G      | 10.70       | -87.81      | -91.10      | -86.60      | -87.97      | -82.07        | -71.37        | -21.20         | -50.17         |
| 5700MHz                        | Pass   | 8G              | 40G            | PK   | 38.191G      | 10.70       | -81.01      | -83.36      | -80.97      | -83.34      | -75.99        | -65.29        | -27.00         | -38.29         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.439G      | 10.70       | -96.64      | -94.24      | -96.29      | -95.71      | -89.60        | -78.90        | -41.20         | -37.70         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.9G        | 10.70       | -89.81      | -89.55      | -89.74      | -89.12      | -83.53        | -72.83        | -41.20         | -31.63         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.456G      | 10.70       | -89.07      | -88.43      | -86.97      | -89.70      | -82.40        | -71.70        | -21.20         | -50.50         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.192G      | 10.70       | -79.47      | -84.41      | -81.70      | -84.87      | -76.03        | -65.33        | -27.00         | -38.33         |
| 802.11be EHT40_Nss1(MCS0)_4TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 11.006G      | 10.70       | -96.40      | -96.64      | -95.90      | -96.67      | -90.37        | -79.67        | -41.20         | -38.47         |
| 5510MHz                        | Pass   | 8G              | 40G            | AV   | 38.927G      | 10.70       | -89.44      | -89.55      | -89.39      | -89.82      | -83.53        | -72.83        | -41.20         | -31.63         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 11.021G      | 10.70       | -89.16      | -88.06      | -88.56      | -89.11      | -82.68        | -71.98        | -21.20         | -50.78         |
| 5510MHz                        | Pass   | 8G              | 40G            | PK   | 38.192G      | 10.70       | -81.42      | -82.83      | -83.08      | -83.19      | -76.55        | -65.85        | -27.00         | -38.85         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 11.106G      | 10.70       | -96.62      | -96.53      | -95.45      | -96.18      | -90.15        | -79.45        | -41.20         | -38.25         |
| 5550MHz                        | Pass   | 8G              | 40G            | AV   | 38.904G      | 10.70       | -89.19      | -89.49      | -89.89      | -90.27      | -83.67        | -72.97        | -41.20         | -31.77         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 11.111G      | 10.70       | -88.17      | -90.56      | -91.71      | -86.45      | -82.72        | -72.02        | -21.20         | -50.82         |
| 5550MHz                        | Pass   | 8G              | 40G            | PK   | 38.198G      | 10.70       | -83.36      | -84.08      | -81.36      | -80.07      | -75.91        | -65.21        | -27.00         | -38.21         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 11.34G       | 10.70       | -94.03      | -96.65      | -95.87      | -94.67      | -89.17        | -78.47        | -41.20         | -37.27         |
| 5670MHz                        | Pass   | 8G              | 40G            | AV   | 38.899G      | 10.70       | -89.12      | -89.91      | -89.22      | -89.54      | -83.42        | -72.72        | -41.20         | -31.52         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 11.349G      | 10.70       | -85.68      | -91.36      | -89.58      | -88.12      | -82.16        | -71.46        | -21.20         | -50.26         |
| 5670MHz                        | Pass   | 8G              | 40G            | PK   | 37.6G        | 10.70       | -83.67      | -83.06      | -81.47      | -82.28      | -76.52        | -65.82        | -27.00         | -38.82         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.414G      | 10.70       | -95.57      | -94.68      | -96.14      | -94.46      | -89.14        | -78.44        | -41.20         | -37.24         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.93G       | 10.70       | -89.07      | -89.51      | -90.66      | -89.51      | -83.63        | -72.93        | -41.20         | -31.73         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.407G      | 10.70       | -87.04      | -89.65      | -88.38      | -87.48      | -82.01        | -71.31        | -21.20         | -50.11         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.194G      | 10.70       | -80.22      | -82.59      | -82.89      | -85.56      | -76.40        | -65.70        | -27.00         | -38.70         |
| 802.11be EHT80_Nss1(MCS0)_4TX  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 11.091G      | 10.70       | -96.95      | -96.03      | -96.53      | -95.78      | -90.28        | -79.58        | -41.20         | -38.38         |
| 5530MHz                        | Pass   | 8G              | 40G            | AV   | 38.944G      | 10.70       | -89.44      | -89.35      | -89.30      | -90.57      | -83.61        | -72.91        | -41.20         | -31.71         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 11.091G      | 10.70       | -80.95      | -89.43      | -90.41      | -85.99      | -82.70        | -72.00        | -21.20         | -50.80         |
| 5530MHz                        | Pass   | 8G              | 40G            | PK   | 38.179G      | 10.70       | -85.50      | -79.81      | -83.49      | -82.35      | -76.28        | -65.58        | -27.00         | -38.58         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 11.233G      | 10.70       | -96.30      | -97.23      | -95.27      | -96.77      | -90.31        | -79.61        | -41.20         | -38.41         |
| 5610MHz                        | Pass   | 8G              | 40G            | AV   | 38.903G      | 10.70       | -89.77      | -89.88      | -89.13      | -89.69      | -83.59        | -72.89        | -41.20         | -31.69         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 11.199G      | 10.70       | -88.70      | -87.36      | -88.61      | -88.64      | -82.27        | -71.57        | -21.20         | -50.37         |
| 5610MHz                        | Pass   | 8G              | 40G            | PK   | 38.191G      | 10.70       | -82.25      | -82.37      | -81.49      | -81.53      | -75.87        | -65.17        | -27.00         | -38.17         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 11.379G      | 10.70       | -94.91      | -96.69      | -97.43      | -92.63      | -88.98        | -78.28        | -41.20         | -37.08         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | AV   | 38.942G      | 10.70       | -89.41      | -89.60      | -90.15      | -89.32      | -83.59        | -72.89        | -41.20         | -31.69         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 11.424G      | 10.70       | -85.60      | -87.75      | -90.74      | -88.63      | -81.77        | -71.07        | -21.20         | -49.87         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 8G              | 40G            | PK   | 38.169G      | 10.70       | -82.51      | -81.81      | -80.74      | -82.16      | -75.73        | -65.03        | -27.00         | -38.03         |
| 802.11be EHT160_Nss1(MCS0)_4TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 11.102G      | 10.70       | -95.78      | -96.90      | -96.23      | -96.30      | -90.26        | -79.56        | -41.20         | -38.36         |
| 5570MHz                        | Pass   | 8G              | 40G            | AV   | 38.909G      | 10.70       | -90.22      | -89.07      | -89.31      | -90.03      | -83.61        | -72.91        | -41.20         | -31.71         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 11.172G      | 10.70       | -87.00      | -89.94      | -90.19      | -86.08      | -81.92        | -71.22        | -21.20         | -50.02         |
| 5570MHz                        | Pass   | 8G              | 40G            | PK   | 38.199G      | 10.70       | -85.32      | -80.87      | -80.88      | -81.82      | -75.87        | -65.17        | -27.00         | -38.17         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5500MHz

20/12/2024



Limit,PK  
EIRP,PK  
Port 1


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.003G  | -72.18    | -21.20     | -50.98     | 10.70  | 0.00    | -82.88    | -82.88  |
| 8G          | 40G        | 1M      | PK   | 38.047G  | -69.35    | -27.00     | -42.35     | 10.70  | 0.00    | -80.05    | -80.05  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5500MHz

20/12/2024



Limit,AV  
EIRP,AV  
Port 1


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11G      | -79.15    | -41.20     | -37.95     | 10.70  | 0.00    | -89.85    | -89.85  |
| 8G          | 40G        | 1M      | AV   | 38.911G  | -78.58    | -41.20     | -37.38     | 10.70  | 0.00    | -89.28    | -89.28  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.166G  | -75.68    | -21.20     | -54.48     | 10.70  | 0.00    | -86.38    | -86.38  |
| 8G          | 40G        | 1M      | PK   | 16.737G  | -67.94    | -27.00     | -40.94     | 10.70  | 0.00    | -78.64    | -78.64  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.159G  | -83.28    | -41.20     | -42.08     | 10.70  | 0.00    | -93.98    | -93.98  |
| 8G          | 40G        | 1M      | AV   | 38.949G  | -78.28    | -41.20     | -37.08     | 10.70  | 0.00    | -88.98    | -88.98  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.405G  | -71.36    | -21.20     | -50.16     | 10.70  | 0.00    | -82.06    | -82.06  |
| 8G          | 40G        | 1M      | PK   | 32.783G  | -70.23    | -27.00     | -43.23     | 10.70  | 0.00    | -80.93    | -80.93  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.403G  | -78.61    | -41.20     | -37.41     | 10.70  | 0.00    | -89.31    | -89.31  |
| 8G          | 40G        | 1M      | AV   | 38.91G   | -78.50    | -41.20     | -37.30     | 10.70  | 0.00    | -89.20    | -89.20  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.44G   | -72.92    | -21.20     | -51.72     | 10.70  | 0.00    | -83.62    | -83.62  |
| 8G          | 40G        | 1M      | PK   | 17.173G  | -69.63    | -27.00     | -42.63     | 10.70  | 0.00    | -80.33    | -80.33  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.44G   | -81.75    | -41.20     | -40.55     | 10.70  | 0.00    | -92.45    | -92.45  |
| 8G          | 40G        | 1M      | AV   | 38.898G  | -78.48    | -41.20     | -37.28     | 10.70  | 0.00    | -89.18    | -89.18  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [PK]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11G      | -72.87    | -21.20     | -51.67     | 10.70  | 0.00    | -83.57    | -83.57  |
| 8G          | 40G        | 1M      | PK   | 16.496G  | -66.51    | -27.00     | -39.51     | 10.70  | 0.00    | -77.21    | -77.21  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [AV]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.001G  | -82.54    | -41.20     | -41.34     | 10.70  | 0.00    | -93.24    | -93.24  |
| 8G          | 40G        | 1M      | AV   | 38.901G  | -76.60    | -41.20     | -37.40     | 10.70  | 0.00    | -89.30    | -89.30  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [PK]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.162G  | -75.13    | -21.20     | -53.93     | 10.70  | 0.00    | -85.83    | -85.83  |
| 8G          | 40G        | 1M      | PK   | 16.73G   | -65.47    | -27.00     | -38.47     | 10.70  | 0.00    | -76.17    | -76.17  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [AV]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.159G  | -81.89    | -41.20     | -40.69     | 10.70  | 0.00    | -92.59    | -92.59  |
| 8G          | 40G        | 1M      | AV   | 38.964G  | -78.12    | -41.20     | -36.92     | 10.70  | 0.00    | -88.82    | -88.82  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [PK]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.387G  | -71.71    | -21.20     | -50.51     | 10.70  | 0.00    | -82.41    | -82.41  |
| 8G          | 40G        | 1M      | PK   | 33.187G  | -70.46    | -27.00     | -43.46     | 10.70  | 0.00    | -81.16    | -81.16  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [AV]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.399G  | -78.56    | -41.20     | -37.36     | 10.70  | 0.00    | -89.26    | -89.26  |
| 8G          | 40G        | 1M      | AV   | 39.733G  | -78.44    | -41.20     | -37.24     | 10.70  | 0.00    | -89.14    | -89.14  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.441G  | -72.17    | -21.20     | -50.97     | 10.70  | 0.00    | -82.87    | -82.87  |
| 8G          | 40G        | 1M      | PK   | 17.17G   | -69.87    | -27.00     | -42.87     | 10.70  | 0.00    | -80.57    | -80.57  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.441G  | -79.96    | -41.20     | -38.76     | 10.70  | 0.00    | -90.66    | -90.66  |
| 8G          | 40G        | 1M      | AV   | 38.897G  | -78.56    | -41.20     | -37.36     | 10.70  | 0.00    | -89.26    | -89.26  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [PK]

5510MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.006G  | -76.65    | -21.20     | -55.45     | 10.70  | 0.00    | -87.35    | -87.35  |
| 8G          | 40G        | 1M      | PK   | 38.021G  | -69.56    | -27.00     | -42.56     | 10.70  | 0.00    | -80.26    | -80.26  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [AV]

5510MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.011G  | -84.72    | -41.20     | -43.52     | 10.70  | 0.00    | -95.42    | -95.42  |
| 8G          | 40G        | 1M      | AV   | 38.897G  | -78.40    | -41.20     | -37.20     | 10.70  | 0.00    | -89.10    | -89.10  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [PK]

5550MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.107G  | -73.65    | -21.20     | -52.45     | 10.70  | 0.00    | -84.35    | -84.35  |
| 8G          | 40G        | 1M      | PK   | 16.659G  | -63.05    | -27.00     | -36.05     | 10.70  | 0.00    | -73.75    | -73.75  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [AV]

5550MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.094G  | -83.06    | -41.20     | -41.86     | 10.70  | 0.00    | -93.76    | -93.76  |
| 8G          | 40G        | 1M      | AV   | 38.891G  | -78.12    | -41.20     | -36.92     | 10.70  | 0.00    | -88.82    | -88.82  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [PK]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.356G  | -66.45    | -21.20     | -45.25     | 10.70  | 0.00    | -77.15    | -77.15  |
| 8G          | 40G        | 1M      | PK   | 38.169G  | -69.60    | -27.00     | -42.60     | 10.70  | 0.00    | -80.30    | -80.30  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [AV]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.351G  | -73.84    | -41.20     | -32.64     | 10.70  | 0.00    | -84.54    | -84.54  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [PK]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.41G   | -67.77    | -21.20     | -46.57     | 10.70  | 0.00    | -78.47    | -78.47  |
| 8G          | 40G        | 1M      | PK   | 17.144G  | -57.73    | -27.00     | -30.73     | 10.70  | 0.00    | -68.43    | -68.43  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

CSE [AV]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.41G   | -75.66    | -41.20     | -34.46     | 10.70  | 0.00    | -86.36    | -86.36  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [PK]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 10.991G  | -74.79    | -21.20     | -53.59     | 10.70  | 0.00    | -85.49    | -85.49  |
| 8G          | 40G        | 1M      | PK   | 32.895G  | -70.29    | -27.00     | -43.29     | 10.70  | 0.00    | -80.99    | -80.99  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [AV]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.123G  | -85.03    | -41.20     | -43.83     | 10.70  | 0.00    | -95.73    | -95.73  |
| 8G          | 40G        | 1M      | AV   | 38.89G   | -78.87    | -41.20     | -37.67     | 10.70  | 0.00    | -89.57    | -89.57  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [PK]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.237G  | -75.62    | -21.20     | -54.42     | 10.70  | 0.00    | -86.32    | -86.32  |
| 8G          | 40G        | 1M      | PK   | 32.877G  | -69.80    | -27.00     | -42.80     | 10.70  | 0.00    | -80.50    | -80.50  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [AV]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.242G  | -83.91    | -41.20     | -42.71     | 10.70  | 0.00    | -94.61    | -94.61  |
| 8G          | 40G        | 1M      | AV   | 38.918G  | -78.79    | -41.20     | -37.59     | 10.70  | 0.00    | -89.49    | -89.49  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.358G  | -69.79    | -21.20     | -48.59     | 10.70  | 0.00    | -80.49    | -80.49  |
| 8G          | 40G        | 1M      | PK   | 37.582G  | -69.83    | -27.00     | -42.83     | 10.70  | 0.00    | -80.53    | -80.53  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.377G  | -77.91    | -41.20     | -36.71     | 10.70  | 0.00    | -88.61    | -88.61  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

CSE [PK]

5570MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.241G  | -75.74    | -21.20     | -54.54     | 10.70  | 0.00    | -86.44    | -86.44  |
| 8G          | 40G        | 1M      | PK   | 38.068G  | -70.26    | -27.00     | -43.26     | 10.70  | 0.00    | -80.96    | -80.96  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

CSE [AV]

5570MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.233G  | -84.91    | -41.20     | -43.71     | 10.70  | 0.00    | -95.61    | -95.61  |
| 8G          | 40G        | 1M      | AV   | 38.952G  | -78.64    | -41.20     | -37.44     | 10.70  | 0.00    | -89.34    | -89.34  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [PK]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.006G  | -74.58    | -21.20     | -53.38     | 10.70  | 0.00    | -85.28    | -88.46  | -88.13  |
| 8G          | 40G        | 1M      | PK   | 38.944G  | -68.29    | -27.00     | -41.29     | 10.70  | 0.00    | -78.99    | -83.86  | -80.70  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [AV]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.001G  | -81.78    | -41.20     | -40.58     | 10.70  | 0.00    | -92.48    | -94.80  | -96.32  |
| 8G          | 40G        | 1M      | AV   | 38.944G  | -76.03    | -41.20     | -34.83     | 10.70  | 0.00    | -86.73    | -89.07  | -90.53  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [PK]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.16G   | -72.17    | -21.20     | -50.97     | 10.70  | 0.00    | -82.87    | -87.19  | -84.87  |
| 8G          | 40G        | 1M      | PK   | 37.355G  | -68.07    | -27.00     | -41.07     | 10.70  | 0.00    | -78.77    | -79.46  | -87.11  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [AV]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.164G  | -81.17    | -41.20     | -39.97     | 10.70  | 0.00    | -91.87    | -94.51  | -95.29  |
| 8G          | 40G        | 1M      | AV   | 38.9G    | -75.84    | -41.20     | -34.64     | 10.70  | 0.00    | -86.54    | -90.08  | -89.08  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [PK]

5700MHz

20/12/2024




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [AV]

5700MHz

20/12/2024




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.443G  | -72.88    | -21.20     | -51.68     | 10.70  | 0.00    | -83.58    | -85.48  | -88.09  |
| 8G          | 40G        | 1M      | PK   | 38.149G  | -67.78    | -27.00     | -40.78     | 10.70  | 0.00    | -78.48    | -80.64  | -82.56  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.441G  | -80.12    | -41.20     | -38.92     | 10.70  | 0.00    | -90.82    | -91.92  | -97.34  |
| 8G          | 40G        | 1M      | AV   | 38.928G  | -76.17    | -41.20     | -34.97     | 10.70  | 0.00    | -86.87    | -89.23  | -90.65  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [PK]

5500MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [AV]

5500MHz

20/12/2024





5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [PK]

5580MHz

20/12/2024





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.174G  | -73.98    | -21.20     | -52.78     | 10.70  | 0.00    | -84.68    | -87.85  | -87.54  |
| 8G          | 40G        | 1M      | PK   | 38.192G  | -67.52    | -27.00     | -40.52     | 10.70  | 0.00    | -78.22    | -81.53  | -80.95  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [AV]

5580MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.165G  | -81.55    | -41.20     | -40.35     | 10.70  | 0.00    | -92.25    | -94.62  | -96.01  |
| 8G          | 40G        | 1M      | AV   | 38.957G  | -76.04    | -41.20     | -34.84     | 10.70  | 0.00    | -86.74    | -88.80  | -90.98  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [PK]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.396G  | -71.48    | -21.20     | -50.28     | 10.70  | 0.00     | -82.18    | -83.08  | -89.47  |
| 8G          | 40G        | 1M      | PK   | 38.501G  | -68.09    | -27.00     | -41.09     | 10.70  | 0.00     | -78.79    | -80.23  | -84.30  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [AV]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.39G   | -79.25    | -41.20     | -38.05     | 10.70  | 0.00     | -89.95    | -91.15  | -96.12  |
| 8G          | 40G        | 1M      | AV   | 38.893G  | -76.02    | -41.20     | -34.82     | 10.70  | 0.00     | -86.72    | -89.43  | -90.05  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.443G  | -72.08    | -21.20     | -50.88     | 10.70  | 0.00    | -82.78    | -84.11  | -88.57  |
| 8G          | 40G        | 1M      | PK   | 37.993G  | -67.61    | -27.00     | -40.61     | 10.70  | 0.00    | -78.31    | -82.56  | -80.36  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.441G  | -80.39    | -41.20     | -39.19     | 10.70  | 0.00    | -91.09    | -92.50  | -96.67  |
| 8G          | 40G        | 1M      | AV   | 38.929G  | -76.15    | -41.20     | -34.95     | 10.70  | 0.00    | -86.85    | -89.38  | -90.41  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [PK]

5510MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.032G  | -74.29    | -21.20     | -53.09     | 10.70  | 0.00    | -84.99    | -88.77  | -87.35  |
| 8G          | 40G        | 1M      | PK   | 38.194G  | -68.12    | -27.00     | -41.12     | 10.70  | 0.00    | -78.82    | -80.64  | -83.49  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [AV]

5510MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.043G  | -82.37    | -41.20     | -41.17     | 10.70  | 0.00    | -93.07    | -96.26  | -95.90  |
| 8G          | 40G        | 1M      | AV   | 38.899G  | -75.99    | -41.20     | -34.79     | 10.70  | 0.00    | -86.69    | -89.56  | -89.85  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [PK]

5550MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.095G  | -73.83    | -21.20     | -52.63     | 10.70  | 0.00    | -84.53    | -91.14  | -85.60  |
| 8G          | 40G        | 1M      | PK   | 38.2G    | -67.37    | -27.00     | -40.37     | 10.70  | 0.00    | -78.07    | -81.33  | -80.85  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [AV]

5550MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.096G  | -82.44    | -41.20     | -41.24     | 10.70  | 0.00    | -93.14    | -95.95  | -96.35  |
| 8G          | 40G        | 1M      | AV   | 38.907G  | -76.14    | -41.20     | -34.94     | 10.70  | 0.00    | -86.84    | -89.66  | -90.05  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [PK]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.347G  | -71.25    | -21.20     | -50.06     | 10.70  | 0.00    | -81.96    | -83.67  | -86.82  |
| 8G          | 40G        | 1M      | PK   | 38.164G  | -68.41    | -27.00     | -41.41     | 10.70  | 0.00    | -79.11    | -83.55  | -81.05  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [AV]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.353G  | -78.94    | -41.20     | -37.74     | 10.70  | 0.00    | -89.64    | -90.60  | -96.69  |
| 8G          | 40G        | 1M      | AV   | 38.93G   | -76.19    | -41.20     | -34.99     | 10.70  | 0.00    | -86.89    | -89.98  | -89.83  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [PK]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.409G  | -72.97    | -21.20     | -51.77     | 10.70  | 0.00    | -83.67    | -84.66  | -90.58  |
| 8G          | 40G        | 1M      | PK   | 32.756G  | -68.05    | -27.00     | -41.05     | 10.70  | 0.00    | -78.75    | -83.07  | -80.75  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

CSE [AV]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.411G  | -80.85    | -41.20     | -39.65     | 10.70  | 0.00    | -91.55    | -93.33  | -96.29  |
| 8G          | 40G        | 1M      | AV   | 38.915G  | -76.00    | -41.20     | -34.80     | 10.70  | 0.00    | -86.70    | -89.51  | -89.92  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [PK]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.114G  | -73.84    | -21.20     | -52.64     | 10.70  | 0.00    | -84.54    | -87.18  | -87.95  |
| 8G          | 40G        | 1M      | PK   | 38.188G  | -68.24    | -27.00     | -41.24     | 10.70  | 0.00    | -78.94    | -80.09  | -85.29  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [AV]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.046G  | -82.33    | -41.20     | -41.13     | 10.70  | 0.00    | -93.03    | -96.00  | -96.08  |
| 8G          | 40G        | 1M      | AV   | 38.943G  | -76.07    | -41.20     | -34.87     | 10.70  | 0.00    | -86.77    | -89.72  | -89.84  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [PK]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.258G  | -74.55    | -21.20     | -53.35     | 10.70  | 0.00    | -85.25    | -86.95  | -90.14  |
| 8G          | 40G        | 1M      | PK   | 37.621G  | -68.27    | -27.00     | -41.27     | 10.70  | 0.00    | -78.97    | -85.10  | -90.18  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [AV]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.225G  | -82.31    | -41.20     | -41.11     | 10.70  | 0.00    | -93.01    | -95.44  | -96.70  |
| 8G          | 40G        | 1M      | AV   | 38.913G  | -76.01    | -41.20     | -34.81     | 10.70  | 0.00    | -86.71    | -89.32  | -90.17  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.362G  | -72.27    | -21.20     | -51.07     | 10.70  | 0.00    | -82.97    | -84.02  | -89.64  |
| 8G          | 40G        | 1M      | PK   | 37.611G  | -68.12    | -27.00     | -41.12     | 10.70  | 0.00    | -78.82    | -79.95  | -85.20  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.369G  | -79.61    | -41.20     | -38.41     | 10.70  | 0.00    | -90.31    | -91.35  | -97.05  |
| 8G          | 40G        | 1M      | AV   | 38.881G  | -75.91    | -41.20     | -34.71     | 10.70  | 0.00    | -86.61    | -89.16  | -90.13  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

CSE [PK]

5570MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.079G  | -73.80    | -21.20     | -52.60     | 10.70  | 0.00    | -84.50    | -87.79  | -87.25  |
| 8G          | 40G        | 1M      | PK   | 37.862G  | -67.91    | -27.00     | -40.91     | 10.70  | 0.00    | -78.61    | -85.70  | -79.56  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

CSE [AV]

5570MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.127G  | -82.40    | -41.20     | -41.20     | 10.70  | 0.00    | -93.10    | -96.22  | -96.01  |
| 8G          | 40G        | 1M      | AV   | 38.931G  | -76.02    | -41.20     | -34.82     | 10.70  | 0.00    | -86.72    | -90.34  | -89.19  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [PK]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 10.995G  | -71.33    | -21.20     | -50.13     | 10.70  | 0.00    | -82.03    | -89.10  | -88.59  | -85.68  | -90.21  |
| 8G          | 40G        | 1M      | PK   | 32.81G   | -65.31    | -27.00     | -38.31     | 10.70  | 0.00    | -76.01    | -81.55  | -84.28  | -79.92  | -83.82  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [AV]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.001G  | -79.56    | -41.20     | -38.36     | 10.70  | 0.00    | -90.26    | -97.34  | -95.86  | -95.47  | -96.68  |
| 8G          | 40G        | 1M      | AV   | 38.933G  | -73.35    | -41.20     | -32.15     | 10.70  | 0.00    | -84.05    | -89.88  | -90.09  | -90.54  | -89.82  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [PK]

5580MHz

20/12/2024




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [AV]

5580MHz

20/12/2024




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [PK]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.4G    | -71.30    | -21.20     | -50.10     | 10.70  | 0.00    | -82.00    | -90.83  | -91.17  | -88.26  | -84.92  |
| 8G          | 40G        | 1M      | PK   | 38.172G  | -65.89    | -27.00     | -38.89     | 10.70  | 0.00    | -76.59    | -84.39  | -81.50  | -84.02  | -81.39  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [AV]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.399G  | -78.20    | -41.20     | -37.00     | 10.70  | 0.00    | -88.90    | -96.11  | -94.64  | -96.78  | -93.11  |
| 8G          | 40G        | 1M      | AV   | 38.887G  | -73.22    | -41.20     | -32.02     | 10.70  | 0.00    | -83.92    | -89.98  | -90.32  | -89.62  | -89.86  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.435G  | -71.34    | -21.20     | -50.14     | 10.70  | 0.00     | -82.04    | -87.54  | -88.24  | -88.68  | -87.88  |
| 8G          | 40G        | 1M      | PK   | 38.181G  | -65.68    | -27.00     | -38.68     | 10.70  | 0.00     | -76.38    | -85.50  | -84.33  | -79.66  | -82.43  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.44G   | -79.23    | -41.20     | -38.03     | 10.70  | 0.00     | -89.93    | -96.96  | -95.06  | -95.85  | -96.13  |
| 8G          | 40G        | 1M      | AV   | 38.933G  | -73.04    | -41.20     | -31.84     | 10.70  | 0.00     | -83.74    | -90.19  | -90.06  | -90.02  | -88.91  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [PK]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.007G  | -71.79    | -21.20     | -50.59     | 10.70  | 0.00    | -82.49    | -86.37  | -88.72  | -89.88  | -90.18  |
| 8G          | 40G        | 1M      | PK   | 38.196G  | -65.85    | -27.00     | -38.85     | 10.70  | 0.00    | -76.55    | -84.02  | -82.70  | -81.21  | -82.80  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [AV]

5500MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 10.988G  | -79.98    | -41.20     | -38.78     | 10.70  | 0.00    | -90.68    | -96.48  | -96.27  | -97.02  | -97.10  |
| 8G          | 40G        | 1M      | AV   | 38.901G  | -73.12    | -41.20     | -31.92     | 10.70  | 0.00    | -83.82    | -89.39  | -89.88  | -90.02  | -90.11  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [PK]

5580MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [AV]

5580MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [PK]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.388G  | -71.37    | -21.20     | -50.17     | 10.70  | 0.00    | -82.07    | -87.81  | -91.10  | -86.60  | -87.97  |
| 8G          | 40G        | 1M      | PK   | 38.191G  | -65.29    | -27.00     | -38.29     | 10.70  | 0.00    | -75.99    | -81.01  | -83.36  | -80.97  | -83.34  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [AV]

5700MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.399G  | -77.59    | -41.20     | -36.39     | 10.70  | 0.00    | -88.29    | -95.92  | -94.24  | -96.26  | -92.13  |
| 8G          | 40G        | 1M      | AV   | 38.936G  | -73.01    | -41.20     | -31.81     | 10.70  | 0.00    | -83.71    | -89.93  | -89.63  | -89.26  | -90.17  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [PK]

5510MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [AV]

5510MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [PK]

5550MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [AV]

5550MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [PK]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.349G  | -71.46    | -21.20     | -50.26     | 10.70  | 0.00     | -82.16    | -85.68  | -91.36  | -89.58  | -88.12  |
| 8G          | 40G        | 1M      | PK   | 37.6G    | -65.82    | -27.00     | -38.82     | 10.70  | 0.00     | -76.52    | -83.67  | -83.06  | -81.47  | -82.28  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [AV]

5670MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.34G   | -78.47    | -41.20     | -37.27     | 10.70  | 0.00     | -89.17    | -94.03  | -96.65  | -95.87  | -94.67  |
| 8G          | 40G        | 1M      | AV   | 38.899G  | -72.72    | -41.20     | -31.52     | 10.70  | 0.00     | -83.42    | -89.12  | -89.91  | -89.22  | -89.54  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [PK]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

CSE [AV]

5710MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [PK]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.091G  | -72.00    | -21.20     | -50.80     | 10.70  | 0.00     | -82.70    | -90.95  | -89.43  | -90.41  | -85.99  |
| 8G          | 40G        | 1M      | PK   | 38.179G  | -65.58    | -27.00     | -38.58     | 10.70  | 0.00     | -76.28    | -85.50  | -79.81  | -83.49  | -82.35  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [AV]

5530MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.091G  | -79.58    | -41.20     | -38.38     | 10.70  | 0.00     | -90.28    | -96.95  | -96.03  | -96.53  | -95.78  |
| 8G          | 40G        | 1M      | AV   | 38.944G  | -72.91    | -41.20     | -31.71     | 10.70  | 0.00     | -83.61    | -89.44  | -89.35  | -89.30  | -90.57  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [PK]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.199G  | -71.57    | -21.20     | -50.37     | 10.70  | 0.00     | -82.27    | -88.70  | -87.36  | -88.61  | -88.64  |
| 8G          | 40G        | 1M      | PK   | 38.191G  | -65.17    | -27.00     | -38.17     | 10.70  | 0.00     | -75.87    | -82.25  | -82.37  | -81.49  | -81.53  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [AV]

5610MHz

20/12/2024




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.233G  | -79.61    | -41.20     | -38.41     | 10.70  | 0.00     | -90.31    | -96.30  | -97.23  | -95.27  | -96.77  |
| 8G          | 40G        | 1M      | AV   | 38.903G  | -72.89    | -41.20     | -31.69     | 10.70  | 0.00     | -83.59    | -89.77  | -89.88  | -89.13  | -89.69  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

20/12/2024




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

CSE [PK]

5570MHz

20/12/2024




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

CSE [AV]

5570MHz

20/12/2024





Summary

| Mode                            | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | DG<br>(dBi) | EIRP<br>(dBm) | Psum<br>(dBm) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------|--------|-----------------|----------------|------|-------------|---------------|---------------|-------------|-------------|-------------|-------------|----------------|----------------|
| 5.47-5.725GHz                   | -      | -               | -              | -    | -           | -             | -             | -           | -           | -           | -           | -              | -              |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -69.13        | -79.83        | -79.83      |             |             |             | -41.20         | -27.93         |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -66.27        | -76.97        | -79.98      | -79.98      |             |             | -41.20         | -25.07         |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 8G              | 40G            | AV   | 10.70       | -63.42        | -74.12        | -79.40      | -80.28      | -80.68      | -80.32      | -41.20         | -22.22         |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | 8G              | 40G            | AV   | 10.70       | -69.17        | -79.87        | -79.87      |             |             |             | -41.20         | -27.97         |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | 8G              | 40G            | AV   | 10.70       | -66.47        | -77.17        | -80.32      | -80.05      |             |             | -41.20         | -25.27         |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 8G              | 40G            | AV   | 10.70       | -63.45        | -74.15        | -80.78      | -80.62      | -80.22      | -79.24      | -41.20         | -22.25         |
| 5.725-5.85GHz                   | -      | -               | -              | -    | -           | -             | -             | -           | -           | -           | -           | -              | -              |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | 8G              | 40G            | AV   | 10.40       | -69.48        | -79.88        | -79.88      |             |             |             | -41.20         | -28.28         |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | 8G              | 40G            | AV   | 10.40       | -66.67        | -77.07        | -80.79      | -79.47      |             |             | -41.20         | -25.47         |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 8G              | 40G            | AV   | 10.40       | -63.89        | -74.29        | -80.78      | -80.45      | -79.91      | -80.14      | -41.20         | -22.69         |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

## Result

| Mode                                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 11.034G      | 10.70       | -85.47      |             |             |             | -85.47        | -74.77        | -41.20         | -33.57         |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 22.077G      | 10.70       | -80.14      |             |             |             | -80.14        | -69.44        | -41.20         | -28.24         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 10.994G      | 10.70       | -76.99      |             |             |             | -76.99        | -66.29        | -21.20         | -45.09         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 21.907G      | 10.70       | -71.47      |             |             |             | -71.47        | -60.77        | -27.00         | -33.77         |
| 802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 11.072G      | 10.70       | -85.56      |             |             |             | -85.56        | -74.86        | -41.20         | -33.66         |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 22.087G      | 10.70       | -80.09      |             |             |             | -80.09        | -69.39        | -41.20         | -28.19         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 11.102G      | 10.70       | -77.62      |             |             |             | -77.62        | -66.92        | -21.20         | -45.72         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 23.154G      | 10.70       | -72.07      |             |             |             | -72.07        | -61.37        | -27.00         | -34.37         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 11.19G       | 10.70       | -85.82      |             |             |             | -85.82        | -75.12        | -41.20         | -33.92         |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 22.053G      | 10.70       | -80.21      |             |             |             | -80.21        | -69.51        | -41.20         | -28.31         |
| 5610MHz                                            | Pass   | 8G              | 40G            | PK   | 11.202G      | 10.70       | -76.89      |             |             |             | -76.89        | -66.19        | -21.20         | -44.99         |
| 5610MHz                                            | Pass   | 8G              | 40G            | PK   | 38.043G      | 10.70       | -72.08      |             |             |             | -72.08        | -61.38        | -27.00         | -34.38         |
| 802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 11.164G      | 10.70       | -85.81      |             |             |             | -85.81        | -75.11        | -41.20         | -33.91         |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 22.101G      | 10.70       | -79.90      |             |             |             | -79.90        | -69.20        | -41.20         | -28.00         |
| 5610MHz                                            | Pass   | 8G              | 40G            | PK   | 11.158G      | 10.70       | -78.13      |             |             |             | -78.13        | -67.43        | -21.20         | -46.23         |
| 5610MHz                                            | Pass   | 8G              | 40G            | PK   | 21.596G      | 10.70       | -71.63      |             |             |             | -71.63        | -60.93        | -27.00         | -33.93         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | AV   | 11.412G      | 10.70       | -86.11      |             |             |             | -86.11        | -75.41        | -41.20         | -34.21         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | AV   | 22.055G      | 10.70       | -79.83      |             |             |             | -79.83        | -69.13        | -41.20         | -27.93         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | PK   | 11.447G      | 10.70       | -78.68      |             |             |             | -78.68        | -67.98        | -21.20         | -46.78         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | PK   | 21.642G      | 10.70       | -71.77      |             |             |             | -71.77        | -61.07        | -27.00         | -34.07         |
| 802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | AV   | 11.383G      | 10.70       | -85.75      |             |             |             | -85.75        | -75.05        | -41.20         | -33.85         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | AV   | 22.145G      | 10.70       | -80.04      |             |             |             | -80.04        | -69.34        | -41.20         | -28.14         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | PK   | 11.408G      | 10.70       | -77.50      |             |             |             | -77.50        | -66.80        | -21.20         | -45.60         |
| 5690MHz Straddle 5.47-5.725GHz                     | Pass   | 8G              | 40G            | PK   | 23.351G      | 10.70       | -71.75      |             |             |             | -71.75        | -61.05        | -27.00         | -34.05         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                            | Pass   | 8G              | 40G            | AV   | 11.524G      | 10.40       | -86.33      |             |             |             | -86.33        | -75.93        | -41.20         | -34.73         |
| 5775MHz                                            | Pass   | 8G              | 40G            | AV   | 22.034G      | 10.40       | -79.88      |             |             |             | -79.88        | -69.48        | -41.20         | -28.28         |
| 5775MHz                                            | Pass   | 8G              | 40G            | PK   | 11.563G      | 10.40       | -78.68      |             |             |             | -78.68        | -68.28        | -21.20         | -47.08         |
| 5775MHz                                            | Pass   | 8G              | 40G            | PK   | 21.552G      | 10.40       | -71.15      |             |             |             | -71.15        | -60.75        | -27.00         | -33.75         |
| 802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                            | Pass   | 8G              | 40G            | AV   | 11.494G      | 10.40       | -86.22      |             |             |             | -86.22        | -75.82        | -41.20         | -34.62         |
| 5775MHz                                            | Pass   | 8G              | 40G            | AV   | 22.054G      | 10.40       | -80.02      |             |             |             | -80.02        | -69.62        | -41.20         | -28.42         |
| 5775MHz                                            | Pass   | 8G              | 40G            | PK   | 11.595G      | 10.40       | -77.81      |             |             |             | -77.81        | -67.41        | -21.20         | -46.21         |
| 5775MHz                                            | Pass   | 8G              | 40G            | PK   | 37.747G      | 10.40       | -72.13      |             |             |             | -72.13        | -61.73        | -27.00         | -34.73         |
| 802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_1TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 11.1G        | 10.70       | -85.26      |             |             |             | -85.26        | -74.56        | -41.20         | -33.36         |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 22.031G      | 10.70       | -79.89      |             |             |             | -79.89        | -69.19        | -41.20         | -27.99         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 11.187G      | 10.70       | -77.52      |             |             |             | -77.52        | -66.82        | -21.20         | -45.62         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 21.91G       | 10.70       | -71.75      |             |             |             | -71.75        | -61.05        | -27.00         | -34.05         |
| 802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_1TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 11.019G      | 10.70       | -84.89      |             |             |             | -84.89        | -74.19        | -41.20         | -32.99         |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 22.076G      | 10.70       | -80.18      |             |             |             | -80.18        | -69.48        | -41.20         | -28.28         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 11.11G       | 10.70       | -77.28      |             |             |             | -77.28        | -66.58        | -21.20         | -45.38         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 33.287G      | 10.70       | -71.51      |             |             |             | -71.51        | -60.81        | -27.00         | -33.81         |
| 802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_1TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 11.044G      | 10.70       | -85.24      |             |             |             | -85.24        | -74.54        | -41.20         | -33.34         |
| 5570MHz                                            | Pass   | 8G              | 40G            | AV   | 22.103G      | 10.70       | -79.87      |             |             |             | -79.87        | -69.17        | -41.20         | -27.97         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 11.277G      | 10.70       | -77.50      |             |             |             | -77.50        | -66.80        | -21.20         | -45.60         |
| 5570MHz                                            | Pass   | 8G              | 40G            | PK   | 33.149G      | 10.70       | -72.39      |             |             |             | -72.39        | -61.69        | -27.00         | -34.69         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 11.044G      | 10.70       | -85.08      | -85.28      |             |             | -82.17        | -71.47        | -41.20         | -30.27         |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 22.098G      | 10.70       | -80.01      | -80.59      |             |             | -77.28        | -66.58        | -41.20         | -25.38         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 11.037G      | 10.70       | -78.63      | -78.29      |             |             | -75.45        | -64.75        | -21.20         | -43.55         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 23.342G      | 10.70       | -72.26      | -73.72      |             |             | -69.92        | -59.22        | -27.00         | -32.22         |
| 802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 11.022G      | 10.70       | -84.86      | -85.96      |             |             | -82.36        | -71.66        | -41.20         | -30.46         |
| 5530MHz                                            | Pass   | 8G              | 40G            | AV   | 22.118G      | 10.70       | -79.86      | -80.75      |             |             | -77.27        | -66.57        | -41.20         | -25.37         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 11.08G       | 10.70       | -80.05      | -77.45      |             |             | -75.55        | -64.85        | -21.20         | -43.65         |
| 5530MHz                                            | Pass   | 8G              | 40G            | PK   | 23.29G       | 10.70       | -71.14      | -75.37      |             |             | -69.75        | -59.05        | -27.00         | -32.05         |
| 802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 11.192G      | 10.70       | -86.25      | -86.54      |             |             | -83.38        | -72.68        | -41.20         | -31.48         |
| 5610MHz                                            | Pass   | 8G              | 40G            | AV   | 22.101G      | 10.70       | -80.13      | -80.44      |             |             | -77.27        | -66.57        | -41.20         | -25.37         |
| 5610MHz                                            | Pass   | 8G              | 40G            | PK   | 11.154G      | 10.70       | -77.86      | -81.12      |             |             | -76.18        | -65.48        | -21.20         | -44.28         |

| Mode                                                | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 37.713G      | 10.70       | -72.88      | -72.64      |             |             | -69.75        | -59.05        | -27.00         | -32.05         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 11.153G      | 10.70       | -86.85      | -86.26      |             |             | -83.53        | -72.83        | -41.20         | -31.63         |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 22.101G      | 10.70       | -79.90      | -80.24      |             |             | -77.06        | -66.36        | -41.20         | -25.16         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 11.283G      | 10.70       | -77.13      | -79.59      |             |             | -75.18        | -64.48        | -21.20         | -43.28         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 23.284G      | 10.70       | -71.11      | -75.21      |             |             | -69.68        | -58.98        | -27.00         | -31.98         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 11.452G      | 10.70       | -86.73      | -85.93      |             |             | -83.30        | -72.60        | -41.20         | -31.40         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 22.015G      | 10.70       | -79.98      | -79.98      |             |             | -76.97        | -66.27        | -41.20         | -25.07         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 11.414G      | 10.70       | -77.99      | -81.77      |             |             | -76.47        | -65.77        | -21.20         | -44.57         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 21.62G       | 10.70       | -71.88      | -73.53      |             |             | -69.62        | -58.92        | -27.00         | -31.92         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 11.38G       | 10.70       | -86.36      | -86.62      |             |             | -83.48        | -72.78        | -41.20         | -31.58         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 22.117G      | 10.70       | -80.15      | -80.50      |             |             | -77.31        | -66.61        | -41.20         | -25.41         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 11.376G      | 10.70       | -79.98      | -78.23      |             |             | -76.01        | -65.31        | -21.20         | -44.11         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 23.301G      | 10.70       | -72.97      | -72.17      |             |             | -69.54        | -58.84        | -27.00         | -31.84         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 11.532G      | 10.40       | -85.68      | -86.60      |             |             | -83.11        | -72.71        | -41.20         | -31.51         |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 22.21G       | 10.40       | -80.35      | -80.42      |             |             | -77.37        | -66.97        | -41.20         | -25.77         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 11.497G      | 10.40       | -78.45      | -77.83      |             |             | -75.12        | -64.72        | -21.20         | -43.52         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 23.337G      | 10.40       | -74.45      | -72.03      |             |             | -70.06        | -59.66        | -27.00         | -32.66         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 11.577G      | 10.40       | -86.01      | -86.77      |             |             | -83.36        | -72.96        | -41.20         | -31.76         |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 22.13G       | 10.40       | -80.79      | -79.47      |             |             | -77.07        | -66.67        | -41.20         | -25.47         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 11.534G      | 10.40       | -79.93      | -78.25      |             |             | -76.00        | -65.60        | -21.20         | -44.40         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 23.275G      | 10.40       | -72.64      | -72.53      |             |             | -69.57        | -59.17        | -27.00         | -32.17         |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.009G      | 10.70       | -84.91      | -85.99      |             |             | -82.41        | -71.71        | -41.20         | -30.51         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.092G      | 10.70       | -80.32      | -80.05      |             |             | -77.17        | -66.47        | -41.20         | -25.27         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 11.091G      | 10.70       | -77.92      | -77.53      |             |             | -74.71        | -64.01        | -21.20         | -42.81         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 21.599G      | 10.70       | -73.67      | -73.06      |             |             | -70.34        | -59.64        | -27.00         | -32.64         |
| 802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.045G      | 10.70       | -85.69      | -85.21      |             |             | -82.43        | -71.73        | -41.20         | -30.53         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.039G      | 10.70       | -79.96      | -80.86      |             |             | -77.38        | -66.68        | -41.20         | -25.48         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 10.996G      | 10.70       | -77.18      | -78.93      |             |             | -74.96        | -64.26        | -21.20         | -43.06         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 21.453G      | 10.70       | -75.77      | -71.29      |             |             | -69.97        | -59.27        | -27.00         | -32.27         |
| 802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.013G      | 10.70       | -85.88      | -85.25      |             |             | -82.54        | -71.84        | -41.20         | -30.64         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.101G      | 10.70       | -80.68      | -79.82      |             |             | -77.22        | -66.52        | -41.20         | -25.32         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 11.077G      | 10.70       | -76.44      | -79.59      |             |             | -74.73        | -64.03        | -21.20         | -42.83         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 23.246G      | 10.70       | -74.84      | -71.53      |             |             | -69.87        | -59.17        | -27.00         | -32.17         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                             | Pass   | 8G              | 40G            | AV   | 11.029G      | 10.70       | -85.26      | -85.75      | -85.90      | -85.23      | -79.50        | -68.80        | -41.20         | -27.60         |
| 5530MHz                                             | Pass   | 8G              | 40G            | AV   | 22.082G      | 10.70       | -80.29      | -80.10      | -80.61      | -81.11      | -74.49        | -63.79        | -41.20         | -22.59         |
| 5530MHz                                             | Pass   | 8G              | 40G            | PK   | 11.076G      | 10.70       | -76.99      | -80.18      | -81.37      | -79.33      | -73.14        | -62.44        | -21.20         | -41.24         |
| 5530MHz                                             | Pass   | 8G              | 40G            | PK   | 23.187G      | 10.70       | -72.96      | -71.33      | -75.95      | -75.19      | -67.45        | -56.75        | -27.00         | -29.75         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5530MHz                                             | Pass   | 8G              | 40G            | AV   | 11.002G      | 10.70       | -85.38      | -85.38      | -85.52      | -85.91      | -79.52        | -68.82        | -41.20         | -27.62         |
| 5530MHz                                             | Pass   | 8G              | 40G            | AV   | 22.066G      | 10.70       | -80.79      | -80.23      | -80.55      | -80.39      | -74.46        | -63.76        | -41.20         | -22.56         |
| 5530MHz                                             | Pass   | 8G              | 40G            | PK   | 11.074G      | 10.70       | -79.46      | -80.16      | -78.94      | -77.10      | -72.74        | -62.04        | -21.20         | -40.84         |
| 5530MHz                                             | Pass   | 8G              | 40G            | PK   | 32.736G      | 10.70       | -75.55      | -78.18      | -73.58      | -70.72      | -67.65        | -56.95        | -27.00         | -29.95         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 11.172G      | 10.70       | -85.92      | -86.65      | -86.76      | -86.41      | -80.40        | -69.70        | -41.20         | -28.50         |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 22.044G      | 10.70       | -80.63      | -80.32      | -80.51      | -79.79      | -74.28        | -63.58        | -41.20         | -22.38         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 11.278G      | 10.70       | -80.83      | -81.17      | -78.28      | -79.88      | -73.87        | -63.17        | -21.20         | -41.97         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 23.306G      | 10.70       | -73.04      | -73.03      | -75.15      | -73.30      | -67.53        | -56.83        | -27.00         | -29.83         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 11.187G      | 10.70       | -86.12      | -86.85      | -86.72      | -85.71      | -80.30        | -69.60        | -41.20         | -28.40         |
| 5610MHz                                             | Pass   | 8G              | 40G            | AV   | 22.048G      | 10.70       | -80.53      | -79.99      | -80.69      | -80.86      | -74.48        | -63.78        | -41.20         | -22.58         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 11.175G      | 10.70       | -80.08      | -80.79      | -79.58      | -78.95      | -73.78        | -63.08        | -21.20         | -41.88         |
| 5610MHz                                             | Pass   | 8G              | 40G            | PK   | 23.248G      | 10.70       | -73.03      | -74.66      | -75.31      | -73.37      | -67.97        | -57.27        | -27.00         | -30.27         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 11.417G      | 10.70       | -85.97      | -86.26      | -86.90      | -86.32      | -80.33        | -69.63        | -41.20         | -28.43         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 22.097G      | 10.70       | -79.97      | -80.43      | -80.55      | -80.39      | -74.31        | -63.61        | -41.20         | -22.41         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 11.414G      | 10.70       | -78.76      | -79.05      | -78.51      | -80.77      | -73.17        | -62.47        | -21.20         | -41.27         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 21.613G      | 10.70       | -73.01      | -73.12      | -76.78      | -73.14      | -67.74        | -57.04        | -27.00         | -30.04         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 11.388G      | 10.70       | -86.87      | -86.17      | -85.59      | -87.18      | -80.39        | -69.69        | -41.20         | -28.49         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | AV   | 22.09G       | 10.70       | -79.40      | -80.28      | -80.68      | -80.32      | -74.12        | -63.42        | -41.20         | -22.22         |
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 11.389G      | 10.70       | -80.84      | -80.67      | -78.61      | -79.64      | -73.82        | -63.12        | -21.20         | -41.92         |

| Mode                                                | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5690MHz Straddle 5.47-5.725GHz                      | Pass   | 8G              | 40G            | PK   | 21.594G      | 10.70       | -74.69      | -75.12      | -71.12      | -74.24      | -67.46        | -56.76        | -27.00         | -29.76         |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 11.485G      | 10.40       | -85.79      | -86.20      | -86.77      | -87.09      | -80.41        | -70.01        | -41.20         | -28.81         |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 22.079G      | 10.40       | -80.78      | -80.45      | -79.91      | -80.14      | -74.29        | -63.89        | -41.20         | -22.69         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 11.571G      | 10.40       | -76.83      | -80.24      | -83.87      | -82.33      | -73.96        | -63.56        | -21.20         | -42.36         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 23.225G      | 10.40       | -72.56      | -74.63      | -75.26      | -72.52      | -67.55        | -57.15        | -27.00         | -30.15         |
| 802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX    | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 11.515G      | 10.40       | -86.48      | -86.68      | -86.44      | -86.78      | -80.57        | -70.17        | -41.20         | -28.97         |
| 5775MHz                                             | Pass   | 8G              | 40G            | AV   | 22.041G      | 10.40       | -80.10      | -80.77      | -79.92      | -80.81      | -74.36        | -63.96        | -41.20         | -22.76         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 11.479G      | 10.40       | -81.02      | -79.53      | -80.81      | -78.40      | -73.79        | -63.39        | -21.20         | -42.19         |
| 5775MHz                                             | Pass   | 8G              | 40G            | PK   | 21.571G      | 10.40       | -77.71      | -76.42      | -71.86      | -72.01      | -67.75        | -57.35        | -27.00         | -30.35         |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.073G      | 10.70       | -85.17      | -85.67      | -85.74      | -86.03      | -79.62        | -68.92        | -41.20         | -27.72         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.059G      | 10.70       | -80.63      | -79.39      | -81.26      | -80.84      | -74.45        | -63.75        | -41.20         | -22.55         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 10.999G      | 10.70       | -77.66      | -78.29      | -80.36      | -78.54      | -72.58        | -61.88        | -21.20         | -40.68         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 23.186G      | 10.70       | -75.46      | -74.43      | -71.48      | -75.50      | -67.86        | -57.16        | -27.00         | -30.16         |
| 802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.001G      | 10.70       | -85.76      | -85.73      | -84.81      | -86.02      | -79.53        | -68.83        | -41.20         | -27.63         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.088G      | 10.70       | -79.98      | -80.56      | -80.52      | -80.60      | -74.39        | -63.69        | -41.20         | -22.49         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 11.093G      | 10.70       | -78.97      | -79.24      | -78.69      | -80.52      | -73.28        | -62.58        | -21.20         | -41.38         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 23.232G      | 10.70       | -74.83      | -73.78      | -73.02      | -73.76      | -67.78        | -57.08        | -27.00         | -30.08         |
| 802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 11.07G       | 10.70       | -85.37      | -85.75      | -86.60      | -84.88      | -79.58        | -68.88        | -41.20         | -27.68         |
| 5570MHz                                             | Pass   | 8G              | 40G            | AV   | 22.072G      | 10.70       | -80.78      | -80.62      | -80.22      | -79.24      | -74.15        | -63.45        | -41.20         | -22.25         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 11.062G      | 10.70       | -81.04      | -78.54      | -80.64      | -77.27      | -73.08        | -62.38        | -21.20         | -41.18         |
| 5570MHz                                             | Pass   | 8G              | 40G            | PK   | 21.987G      | 10.70       | -75.62      | -71.58      | -74.89      | -74.79      | -67.89        | -57.19        | -27.00         | -30.19         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [PK]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 10.994G  | -66.29    | -21.20     | -45.09     | 10.70  | 0.00    | -76.99    | -76.99  |
| 8G          | 40G        | 1M      | PK   | 21.907G  | -60.77    | -27.00     | -33.77     | 10.70  | 0.00    | -71.47    | -71.47  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [AV]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.034G  | -74.77    | -41.20     | -33.57     | 10.70  | 0.00    | -85.47    | -85.47  |
| 8G          | 40G        | 1M      | AV   | 22.077G  | -69.44    | -41.20     | -28.24     | 10.70  | 0.00    | -80.14    | -80.14  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [PK]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.102G  | -66.92    | -21.20     | -45.72     | 10.70  | 0.00    | -77.62    | -77.62  |
| 8G          | 40G        | 1M      | PK   | 23.154G  | -61.37    | -27.00     | -34.37     | 10.70  | 0.00    | -72.07    | -72.07  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [AV]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.072G  | -74.86    | -41.20     | -33.66     | 10.70  | 0.00    | -85.56    | -85.56  |
| 8G          | 40G        | 1M      | AV   | 22.087G  | -69.39    | -41.20     | -28.19     | 10.70  | 0.00    | -80.09    | -80.09  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [PK]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.202G  | -66.19    | -21.20     | -44.99     | 10.70  | 0.00    | -76.89    | -76.89  |
| 8G          | 40G        | 1M      | PK   | 38.043G  | -61.38    | -27.00     | -34.38     | 10.70  | 0.00    | -72.08    | -72.08  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [AV]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.19G   | -75.12    | -41.20     | -33.92     | 10.70  | 0.00    | -85.82    | -85.82  |
| 8G          | 40G        | 1M      | AV   | 22.053G  | -69.51    | -41.20     | -28.31     | 10.70  | 0.00    | -80.21    | -80.21  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [PK]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.158G  | -67.43    | -21.20     | -46.23     | 10.70  | 0.00    | -78.13    | -78.13  |
| 8G          | 40G        | 1M      | PK   | 21.596G  | -60.93    | -27.00     | -33.93     | 10.70  | 0.00    | -71.63    | -71.63  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [AV]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.164G  | -75.11    | -41.20     | -33.91     | 10.70  | 0.00    | -85.81    | -85.81  |
| 8G          | 40G        | 1M      | AV   | 22.101G  | -69.20    | -41.20     | -28.00     | 10.70  | 0.00    | -79.90    | -79.90  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.447G  | -67.98    | -21.20     | -46.78     | 10.70  | 0.00    | -78.68    | -78.68  |
| 8G          | 40G        | 1M      | PK   | 21.642G  | -61.07    | -27.00     | -34.07     | 10.70  | 0.00    | -71.77    | -71.77  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.412G  | -75.41    | -41.20     | -34.21     | 10.70  | 0.00    | -86.11    | -86.11  |
| 8G          | 40G        | 1M      | AV   | 22.055G  | -69.13    | -41.20     | -27.93     | 10.70  | 0.00    | -79.83    | -79.83  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.408G  | -66.80    | -21.20     | -45.60     | 10.70  | 0.00    | -77.50    | -77.50  |
| 8G          | 40G        | 1M      | PK   | 23.351G  | -61.05    | -27.00     | -34.05     | 10.70  | 0.00    | -71.75    | -71.75  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.383G  | -75.05    | -41.20     | -33.85     | 10.70  | 0.00    | -85.75    | -85.75  |
| 8G          | 40G        | 1M      | AV   | 22.145G  | -69.34    | -41.20     | -28.14     | 10.70  | 0.00    | -80.04    | -80.04  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [PK]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.563G  | -68.28    | -21.20     | -47.08     | 10.40  | 0.00    | -78.68    | -78.68  |
| 8G          | 40G        | 1M      | PK   | 21.552G  | -60.75    | -27.00     | -33.75     | 10.40  | 0.00    | -71.15    | -71.15  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

CSE [AV]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.524G  | -75.93    | -41.20     | -34.73     | 10.40  | 0.00    | -86.33    | -86.33  |
| 8G          | 40G        | 1M      | AV   | 22.034G  | -69.48    | -41.20     | -28.28     | 10.40  | 0.00    | -79.88    | -79.88  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [PK]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.595G  | -67.41    | -21.20     | -46.21     | 10.40  | 0.00    | -77.81    | -77.81  |
| 8G          | 40G        | 1M      | PK   | 37.747G  | -61.73    | -27.00     | -34.73     | 10.40  | 0.00    | -72.13    | -72.13  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

CSE [AV]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.494G  | -75.82    | -41.20     | -34.62     | 10.40  | 0.00    | -86.22    | -86.22  |
| 8G          | 40G        | 1M      | AV   | 22.054G  | -69.62    | -41.20     | -28.42     | 10.40  | 0.00    | -80.02    | -80.02  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

CSE [PK]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.187G  | -66.82    | -21.20     | -45.62     | 10.70  | 0.00    | -77.52    | -77.52  |
| 8G          | 40G        | 1M      | PK   | 21.91G   | -61.05    | -27.00     | -34.05     | 10.70  | 0.00    | -71.75    | -71.75  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

CSE [AV]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.1G    | -74.56    | -41.20     | -33.36     | 10.70  | 0.00    | -85.26    | -85.26  |
| 8G          | 40G        | 1M      | AV   | 22.031G  | -69.19    | -41.20     | -27.99     | 10.70  | 0.00    | -79.89    | -79.89  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

CSE [PK]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.11G   | -66.58    | -21.20     | -45.38     | 10.70  | 0.00    | -77.28    | -77.28  |
| 8G          | 40G        | 1M      | PK   | 33.287G  | -60.81    | -27.00     | -33.81     | 10.70  | 0.00    | -71.51    | -71.51  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

CSE [AV]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.019G  | -74.19    | -41.20     | -32.99     | 10.70  | 0.00    | -84.89    | -84.89  |
| 8G          | 40G        | 1M      | AV   | 22.076G  | -69.48    | -41.20     | -28.28     | 10.70  | 0.00    | -80.18    | -80.18  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

CSE [PK]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | PK   | 11.277G  | -66.80    | -21.20     | -45.60     | 10.70  | 0.00    | -77.50    | -77.50  |
| 8G          | 40G        | 1M      | PK   | 33.149G  | -61.69    | -27.00     | -34.69     | 10.70  | 0.00    | -72.39    | -72.39  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

CSE [AV]

5570MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 40G        | 1M      | AV   | 11.044G  | -74.54    | -41.20     | -33.34     | 10.70  | 0.00    | -85.24    | -85.24  |
| 8G          | 40G        | 1M      | AV   | 22.103G  | -69.17    | -41.20     | -27.97     | 10.70  | 0.00    | -79.87    | -79.87  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [PK]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.037G  | -64.75    | -21.20     | -43.55     | 10.70  | 0.00    | -75.45    | -78.63  | -78.29  |
| 8G          | 40G        | 1M      | PK   | 23.342G  | -59.22    | -27.00     | -32.22     | 10.70  | 0.00    | -69.92    | -72.26  | -73.72  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [AV]

5530MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.044G  | -71.47    | -41.20     | -30.27     | 10.70  | 0.00    | -82.17    | -85.08  | -85.28  |
| 8G          | 40G        | 1M      | AV   | 22.098G  | -66.58    | -41.20     | -25.38     | 10.70  | 0.00    | -77.28    | -80.01  | -80.59  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [PK]

5530MHz

07/02/2025




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [AV]

5530MHz

07/02/2025




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [PK]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.154G  | -65.48    | -21.20     | -44.28     | 10.70  | 0.00    | -76.18    | -77.86  | -81.12  |
| 8G          | 40G        | 1M      | PK   | 37.713G  | -59.05    | -27.00     | -32.05     | 10.70  | 0.00    | -69.75    | -72.88  | -72.64  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [AV]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.192G  | -72.68    | -41.20     | -31.48     | 10.70  | 0.00    | -83.38    | -86.25  | -86.54  |
| 8G          | 40G        | 1M      | AV   | 22.101G  | -66.57    | -41.20     | -25.37     | 10.70  | 0.00    | -77.27    | -80.13  | -80.44  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [PK]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.283G  | -64.48    | -21.20     | -43.28     | 10.70  | 0.00    | -75.18    | -77.13  | -79.59  |
| 8G          | 40G        | 1M      | PK   | 23.284G  | -58.98    | -27.00     | -31.98     | 10.70  | 0.00    | -69.68    | -71.11  | -75.21  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [AV]

5610MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.153G  | -72.83    | -41.20     | -31.63     | 10.70  | 0.00    | -83.53    | -86.85  | -86.26  |
| 8G          | 40G        | 1M      | AV   | 22.101G  | -66.36    | -41.20     | -25.16     | 10.70  | 0.00    | -77.06    | -79.90  | -80.24  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.414G  | -65.77    | -21.20     | -44.57     | 10.70  | 0.00    | -76.47    | -77.99  | -81.77  |
| 8G          | 40G        | 1M      | PK   | 21.62G   | -58.92    | -27.00     | -31.92     | 10.70  | 0.00    | -69.62    | -71.88  | -73.53  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.452G  | -72.60    | -41.20     | -31.40     | 10.70  | 0.00    | -83.30    | -86.73  | -85.93  |
| 8G          | 40G        | 1M      | AV   | 22.015G  | -66.27    | -41.20     | -25.07     | 10.70  | 0.00    | -76.97    | -79.98  | -79.98  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.376G  | -65.31    | -21.20     | -44.11     | 10.70  | 0.00    | -76.01    | -79.98  | -78.23  |
| 8G          | 40G        | 1M      | PK   | 23.301G  | -58.84    | -27.00     | -31.84     | 10.70  | 0.00    | -69.54    | -72.97  | -72.17  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.38G   | -72.78    | -41.20     | -31.58     | 10.70  | 0.00    | -83.48    | -86.36  | -86.62  |
| 8G          | 40G        | 1M      | AV   | 22.117G  | -66.61    | -41.20     | -25.41     | 10.70  | 0.00    | -77.31    | -80.15  | -80.50  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [PK]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.497G  | -64.72    | -21.20     | -43.52     | 10.40  | 0.00    | -75.12    | -78.45  | -77.83  |
| 8G          | 40G        | 1M      | PK   | 23.337G  | -59.66    | -27.00     | -32.66     | 10.40  | 0.00    | -70.06    | -74.45  | -72.03  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

CSE [AV]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.532G  | -72.71    | -41.20     | -31.51     | 10.40  | 0.00    | -83.11    | -85.68  | -86.60  |
| 8G          | 40G        | 1M      | AV   | 22.21G   | -66.97    | -41.20     | -25.77     | 10.40  | 0.00    | -77.37    | -80.35  | -80.42  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [PK]

5775MHz

07/02/2025




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | PK   | 11.534G  | -65.60    | -21.20     | -44.40     | 10.40  | 0.00    | -76.00    | -79.93  | -78.25  |
| 8G          | 40G        | 1M      | PK   | 23.275G  | -59.17    | -27.00     | -32.17     | 10.40  | 0.00    | -69.57    | -72.64  | -72.53  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

CSE [AV]

5775MHz

07/02/2025



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 40G        | 1M      | AV   | 11.577G  | -72.96    | -41.20     | -31.76     | 10.40  | 0.00    | -83.36    | -86.01  | -86.77  |
| 8G          | 40G        | 1M      | AV   | 22.13G   | -66.67    | -41.20     | -25.47     | 10.40  | 0.00    | -77.07    | -80.79  | -79.47  |