


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00553G	51.28	88.20	-36.92	61.37	3	Horizontal	164	1.51	-	40.91	13.45	64.45			
RMS	14.01118G	38.74	68.20	-29.46	48.81	3	Horizontal	164	1.51	-	40.92	13.45	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01782G	50.27	83.54	-33.27	44.97	1	Vertical	9	2.89	-	38.00	16.00	48.70			
AV	21.01456G	37.72	63.54	-25.82	32.42	1	Vertical	9	2.89	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01136G	49.72	83.54	-33.82	44.43	1	Horizontal	168	1.60	-	38.00	15.99	48.70			
AV	21.01494G	37.72	63.54	-25.82	32.42	1	Horizontal	168	1.60	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0925G	109.89	Inf	-Inf	97.86	3	Vertical	6	1.80	8.5	36.79	7.95	32.71			
RMS	7.0931G	97.86	Inf	-Inf	85.83	3	Vertical	6	1.80	8.5	36.79	7.95	32.71			
PK	7.2239G	65.29	88.20	-22.91	52.75	3	Vertical	6	1.80	8.5	37.25	7.95	32.66			
RMS	7.2272G	51.99	68.20	-16.21	39.45	3	Vertical	6	1.80	8.5	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1015G	109.71	Inf	-Inf	97.67	3	Horizontal	360	1.80	8.5	36.80	7.95	32.71			
RMS	7.0832G	97.32	Inf	-Inf	85.32	3	Horizontal	360	1.80	8.5	36.77	7.95	32.72			
PK	7.1342G	65.07	88.20	-23.13	52.95	3	Horizontal	360	1.80	8.5	36.87	7.95	32.70			
RMS	7.2338G	52.03	68.20	-16.17	39.47	3	Horizontal	360	1.80	8.5	37.27	7.95	32.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16936G	50.42	88.20	-37.78	60.14	3	Vertical	65	1.56	-	40.90	13.47	64.09			
RMS	14.16807G	38.81	68.20	-29.39	48.53	3	Vertical	65	1.56	-	40.90	13.47	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16655G	51.96	88.20	-36.24	61.69	3	Horizontal	316	1.76	-	40.90	13.47	64.10			
RMS	14.16533G	39.17	68.20	-29.03	48.90	3	Horizontal	316	1.76	-	40.90	13.47	64.10			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25598G	49.30	83.54	-34.24	43.75	1	Vertical	265	1.48	-	38.01	16.19	48.65			
AV	21.2577G	36.93	63.54	-26.61	31.36	1	Vertical	265	1.48	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25876G	48.91	83.54	-34.63	43.34	1	Horizontal	325	1.80	-	38.02	16.20	48.65			
AV	21.25802G	36.93	63.54	-26.61	31.36	1	Horizontal	325	1.80	-	38.02	16.20	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	61.18	88.20	-27.02	53.75	3	Vertical	358	1.56	10.5	34.54	8.09	35.20			
RMS	5.919G	49.73	68.20	-18.47	42.31	3	Vertical	358	1.56	10.5	34.54	8.08	35.20			
PK	6.018G	111.08	Inf	-Inf	103.47	3	Vertical	358	1.56	10.5	34.60	8.20	35.19			
RMS	5.9985G	99.15	Inf	-Inf	91.57	3	Vertical	358	1.56	10.5	34.60	8.17	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.806G	61.39	88.20	-26.81	54.42	3	Horizontal	358	1.61	10.5	34.21	7.97	35.21			
RMS	5.925G	49.75	68.20	-18.45	42.31	3	Horizontal	358	1.61	10.5	34.55	8.09	35.20			
PK	5.9685G	110.83	Inf	-Inf	103.28	3	Horizontal	358	1.61	10.5	34.60	8.14	35.19			
RMS	6.008G	98.34	Inf	-Inf	90.75	3	Horizontal	358	1.61	10.5	34.60	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97076G	49.83	74.00	-24.17	64.56	3	Vertical	100	1.26	-	38.70	12.33	65.76				
AV	11.9692G	37.09	54.00	-16.91	51.82	3	Vertical	100	1.26	-	38.70	12.33	65.76				
PK	17.95511G	56.46	74.00	-17.54	63.20	3	Vertical	93	1.16	-	41.41	14.22	62.37				
AV	17.95501G	43.57	54.00	-10.43	50.31	3	Vertical	93	1.16	-	41.41	14.22	62.37				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96975G	50.52	74.00	-23.48	65.25	3	Horizontal	201	1.06	-	38.70	12.33	65.76			
AV	11.96906G	37.06	54.00	-16.94	51.79	3	Horizontal	201	1.06	-	38.70	12.33	65.76			
PK	17.9555G	55.61	74.00	-18.39	62.35	3	Horizontal	51	1.19	-	41.41	14.22	62.37			
AV	17.95511G	43.59	54.00	-10.41	50.33	3	Horizontal	51	1.19	-	41.41	14.22	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94174G	50.71	83.54	-32.83	42.02	1	Vertical	233	1.69	-	39.00	17.31	47.62			
AV	23.94264G	38.48	63.54	-25.06	29.79	1	Vertical	233	1.69	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9445G	50.63	83.54	-32.91	41.93	1	Horizontal	121	1.51	-	39.00	17.32	47.62			
AV	23.9447G	38.56	63.54	-24.98	29.86	1	Horizontal	121	1.51	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45085G	50.34	74.00	-23.66	64.36	3	Vertical	312	2.74	-	38.70	12.61	65.33			
AV	12.45079G	37.70	54.00	-16.30	51.72	3	Vertical	312	2.74	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44964G	49.98	74.00	-24.02	64.01	3	Horizontal	73	1.45	-	38.70	12.61	65.34			
AV	12.45082G	37.69	54.00	-16.31	51.71	3	Horizontal	73	1.45	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67164G	50.79	83.54	-32.75	46.11	1	Vertical	268	2.54	-	37.90	15.25	48.47			
AV	18.67856G	38.29	63.54	-25.25	33.62	1	Vertical	268	2.54	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67178G	49.77	83.54	-33.77	45.09	1	Horizontal	328	2.46	-	37.90	15.25	48.47			
AV	18.67816G	37.29	63.54	-26.25	32.62	1	Horizontal	328	2.46	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77048G	50.50	88.20	-37.70	63.84	3	Vertical	20	1.34	-	39.14	12.78	65.26			
RMS	12.77098G	37.19	68.20	-31.01	50.53	3	Vertical	20	1.34	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77098G	49.70	88.20	-38.50	63.04	3	Horizontal	56	2.96	-	39.14	12.78	65.26			
RMS	12.7704G	37.20	68.20	-31.00	50.54	3	Horizontal	56	2.96	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.15698G	47.94	83.54	-35.60	43.55	1	Vertical	57	1.16	-	37.97	15.22	48.80				
AV	19.15004G	35.97	63.54	-27.57	31.55	1	Vertical	57	1.16	-	38.00	15.22	48.80				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15994G	48.52	83.54	-35.02	44.14	1	Horizontal	45	1.05	-	37.96	15.22	48.80			
AV	19.1501G	35.97	63.54	-27.57	31.55	1	Horizontal	45	1.05	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92953G	48.90	88.20	-39.30	61.81	3	Vertical	319	1.68	-	39.46	12.87	65.24			
RMS	12.93052G	36.79	68.20	-31.41	49.70	3	Vertical	319	1.68	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93048G	49.94	88.20	-38.26	62.85	3	Horizontal	322	2.17	-	39.46	12.87	65.24			
RMS	12.93066G	36.80	68.20	-31.40	49.71	3	Horizontal	322	2.17	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.3913G	48.51	83.54	-35.03	44.22	1	Vertical	201	1.49	-	37.88	15.21	48.80				
AV	19.3992G	36.78	63.54	-26.76	32.47	1	Vertical	201	1.49	-	37.90	15.21	48.80				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.39878G	48.50	83.54	-35.04	44.19	1	Horizontal	189	1.16	-	37.90	15.21	48.80				
AV	19.39512G	35.77	63.54	-27.77	31.47	1	Horizontal	189	1.16	-	37.89	15.21	48.80				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09042G	50.19	88.20	-38.01	62.61	3	Vertical	282	2.99	-	39.68	12.95	65.05			
RMS	13.08908G	37.65	68.20	-30.55	50.08	3	Vertical	282	2.99	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09057G	50.40	88.20	-37.80	62.82	3	Horizontal	138	2.49	-	39.68	12.95	65.05			
RMS	13.08903G	37.61	68.20	-30.59	50.04	3	Horizontal	138	2.49	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6371G	48.10	83.54	-35.44	44.01	1	Vertical	194	2.40	-	37.70	15.19	48.80			
AV	19.63262G	36.36	63.54	-27.18	32.27	1	Vertical	194	2.40	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63056G	48.09	83.54	-35.45	44.00	1	Horizontal	246	1.20	-	37.70	15.19	48.80			
AV	19.6301G	35.32	63.54	-28.22	31.23	1	Horizontal	246	1.20	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24966G	50.94	88.20	-37.26	62.65	3	Vertical	164	2.43	-	40.00	13.04	64.75			
RMS	13.24901G	38.73	68.20	-29.47	50.44	3	Vertical	164	2.43	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24958G	50.70	88.20	-37.50	62.41	3	Horizontal	360	1.80	-	40.00	13.04	64.75			
RMS	13.24904G	38.75	68.20	-29.45	50.46	3	Horizontal	360	1.80	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87544G	49.03	83.54	-34.51	44.95	1	Vertical	51	2.61	-	37.70	15.18	48.80			
AV	19.87368G	36.37	63.54	-27.17	32.29	1	Vertical	51	2.61	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87496G	49.02	83.54	-34.52	44.94	1	Horizontal	125	2.72	-	37.70	15.18	48.80			
AV	19.87376G	35.37	63.54	-28.17	31.29	1	Horizontal	125	2.72	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41006G	52.48	88.20	-35.72	63.58	3	Vertical	195	2.12	-	40.20	13.13	64.43			
RMS	13.4096G	39.75	68.20	-28.45	50.86	3	Vertical	195	2.12	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40925G	52.55	88.20	-35.65	63.66	3	Horizontal	116	1.70	-	40.20	13.13	64.44			
RMS	13.40962G	39.74	68.20	-28.46	50.85	3	Horizontal	116	1.70	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.11672G	48.74	83.54	-34.80	44.45	1	Vertical	225	2.24	-	37.80	15.27	48.78				
AV	20.11016G	36.75	63.54	-26.79	32.47	1	Vertical	225	2.24	-	37.80	15.26	48.78				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1146G	48.07	83.54	-35.47	43.79	1	Horizontal	73	2.50	-	37.80	15.26	48.78			
AV	20.11G	35.75	63.54	-27.79	31.47	1	Horizontal	73	2.50	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 11.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57078G	53.00	88.20	-35.20	63.71	3	Vertical	320	2.54	-	40.36	13.22	64.29			
RMS	13.56913G	39.88	68.20	-28.32	50.59	3	Vertical	320	2.54	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57031G	53.09	88.20	-35.11	63.80	3	Horizontal	289	2.84	-	40.36	13.22	64.29			
RMS	13.56907G	39.88	68.20	-28.32	50.59	3	Horizontal	289	2.84	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.35186G	50.53	83.54	-33.01	45.90	1	Vertical	72	1.75	-	37.90	15.46	48.73				
AV	20.35372G	38.54	63.54	-25.00	33.92	1	Vertical	72	1.75	-	37.89	15.46	48.73				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35064G	49.17	83.54	-34.37	44.54	1	Horizontal	97	1.83	-	37.90	15.46	48.73			
AV	20.35372G	37.51	63.54	-26.03	32.89	1	Horizontal	97	1.83	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73015G	51.85	88.20	-36.35	62.44	3	Vertical	351	2.72	-	40.46	13.30	64.35			
RMS	13.72912G	39.78	68.20	-28.42	50.37	3	Vertical	351	2.72	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72981G	52.01	88.20	-36.19	62.60	3	Horizontal	335	1.33	-	40.46	13.30	64.35			
RMS	13.7293G	39.80	68.20	-28.40	50.39	3	Horizontal	335	1.33	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_V_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.59344G	50.00	83.54	-33.54	45.15	1	Vertical	303	1.27	-	37.90	15.65	48.70				
AV	20.5983G	37.79	63.54	-25.75	32.93	1	Vertical	303	1.27	-	37.90	15.66	48.70				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_V_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5996G	50.61	83.54	-32.93	45.75	1	Horizontal	58	1.22	-	37.90	15.66	48.70			
AV	20.5939G	38.76	63.54	-24.78	33.91	1	Horizontal	58	1.22	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
SET 10.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89006G	52.24	88.20	-35.96	62.39	3	Vertical	16	1.66	-	40.88	13.39	64.42			
RMS	13.88948G	39.61	88.20	-48.59	49.76	3	Vertical	16	1.66	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
SET 10.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88996G	52.15	88.20	-36.05	62.30	3	Horizontal	347	1.01	-	40.88	13.39	64.42			
RMS	13.88933G	39.61	68.20	-28.59	49.76	3	Horizontal	347	1.01	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
SET 10.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83044G	51.17	83.54	-32.37	46.12	1	Vertical	155	1.52	-	37.90	15.85	48.70			
AV	20.83G	38.82	63.54	-24.72	33.77	1	Vertical	155	1.52	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
SET 10.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83992G	50.03	83.54	-33.51	44.98	1	Horizontal	131	2.15	-	37.90	15.85	48.70			
AV	20.83012G	37.67	63.54	-25.87	32.62	1	Horizontal	131	2.15	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 11.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05036G	53.76	88.20	-34.44	63.65	3	Vertical	254	2.99	-	41.00	13.46	64.35			
RMS	14.04901G	40.95	68.20	-27.25	50.85	3	Vertical	254	2.99	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 11.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05052G	53.71	88.20	-34.49	63.60	3	Horizontal	81	1.93	-	41.00	13.46	64.35			
RMS	14.0495G	40.94	68.20	-27.26	50.84	3	Horizontal	81	1.93	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 11.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07452G	50.04	83.54	-33.50	44.68	1	Vertical	276	1.15	-	38.00	16.05	48.69			
AV	21.0769G	37.38	63.54	-26.16	32.01	1	Vertical	276	1.15	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 11.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07178G	50.37	83.54	-33.17	45.02	1	Horizontal	134	2.02	-	38.00	16.04	48.69			
AV	21.07698G	38.38	63.54	-25.16	33.01	1	Horizontal	134	2.02	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	61.97	88.20	-26.23	54.55	3	Vertical	358	1.44	13	34.54	8.08	35.20			
RMS	5.9185G	50.12	68.20	-18.08	42.70	3	Vertical	358	1.44	13	34.54	8.08	35.20			
PK	6.0975G	110.47	Inf	-Inf	102.47	3	Vertical	358	1.44	13	34.88	8.32	35.20			
RMS	6.098G	98.92	Inf	-Inf	90.91	3	Vertical	358	1.44	13	34.89	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8765G	61.34	88.20	-26.86	54.09	3	Horizontal	3	1.56	13	34.41	8.04	35.20			
RMS	5.925G	50.20	68.20	-18.00	42.76	3	Horizontal	3	1.56	13	34.55	8.09	35.20			
PK	6.088G	110.81	Inf	-Inf	102.88	3	Horizontal	3	1.56	13	34.83	8.30	35.20			
RMS	6.0885G	99.18	Inf	-Inf	91.25	3	Horizontal	3	1.56	13	34.83	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05001G	49.04	74.00	-24.96	63.74	3	Vertical	305	2.81	-	38.60	12.39	65.69			
AV	12.04947G	35.65	54.00	-18.35	50.36	3	Vertical	305	2.81	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04992G	48.55	74.00	-25.45	63.26	3	Horizontal	196	1.33	-	38.60	12.39	65.70			
AV	12.04939G	35.68	54.00	-18.32	50.39	3	Horizontal	196	1.33	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07904G	48.44	83.54	-35.10	43.80	1	Vertical	142	2.12	-	37.57	15.29	48.22			
AV	18.07708G	36.41	63.54	-27.13	31.78	1	Vertical	142	2.12	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07812G	49.96	83.54	-33.58	45.32	1	Horizontal	179	2.52	-	37.57	15.29	48.22			
AV	18.07086G	37.42	63.54	-26.12	32.81	1	Horizontal	179	2.52	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36961G	49.99	74.00	-24.01	64.30	3	Vertical	267	1.61	-	38.54	12.56	65.41			
AV	12.36904G	36.61	54.00	-17.39	50.92	3	Vertical	267	1.61	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3707G	49.99	74.00	-24.01	64.30	3	Horizontal	216	2.67	-	38.54	12.56	65.41			
AV	12.36903G	36.61	54.00	-17.39	50.92	3	Horizontal	216	2.67	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55442G	50.58	83.54	-32.96	45.87	1	Vertical	341	1.18	-	37.80	15.26	48.35			
AV	18.5508G	37.61	63.54	-25.93	32.90	1	Vertical	341	1.18	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55532G	49.23	83.54	-34.31	44.53	1	Horizontal	196	1.19	-	37.80	15.26	48.36			
AV	18.55636G	36.65	63.54	-26.89	31.95	1	Horizontal	196	1.19	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68965G	49.09	74.00	-24.91	62.54	3	Vertical	267	2.93	-	39.08	12.74	65.27			
AV	12.68905G	36.71	54.00	-17.29	50.16	3	Vertical	267	2.93	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68907G	49.42	74.00	-24.58	62.87	3	Horizontal	254	2.32	-	39.08	12.74	65.27			
AV	12.68924G	36.68	54.00	-17.32	50.13	3	Horizontal	254	2.32	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03434G	48.69	83.54	-34.85	44.33	1	Vertical	322	2.91	-	37.93	15.23	48.80			
AV	19.03118G	36.46	63.54	-27.08	32.09	1	Vertical	322	2.91	-	37.94	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03548G	49.45	83.54	-34.09	45.09	1	Horizontal	62	2.52	-	37.93	15.23	48.80			
AV	19.0313G	37.46	63.54	-26.08	33.09	1	Horizontal	62	2.52	-	37.94	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00936G	50.03	88.20	-38.17	62.73	3	Vertical	343	2.60	-	39.60	12.91	65.21			
RMS	13.00904G	37.47	68.20	-30.73	50.17	3	Vertical	343	2.60	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00927G	50.21	88.20	-37.99	62.91	3	Horizontal	192	1.26	-	39.60	12.91	65.21			
RMS	13.00912G	37.54	68.20	-30.66	50.24	3	Horizontal	192	1.26	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51098G	49.62	83.54	-33.92	45.44	1	Vertical	310	2.60	-	37.78	15.20	48.80			
AV	19.5114G	37.34	63.54	-26.20	33.16	1	Vertical	310	2.60	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51684G	50.28	83.54	-33.26	46.11	1	Horizontal	155	2.60	-	37.77	15.20	48.80			
AV	19.5113G	38.34	63.54	-25.20	34.16	1	Horizontal	155	2.60	-	37.78	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33075G	52.35	74.00	-21.65	63.69	3	Vertical	221	2.89	-	40.16	13.09	64.59			
AV	13.33082G	39.25	54.00	-14.75	50.59	3	Vertical	221	2.89	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33059G	51.77	74.00	-22.23	63.11	3	Horizontal	77	2.70	-	40.16	13.09	64.59			
AV	13.33074G	39.22	54.00	-14.78	50.56	3	Horizontal	77	2.70	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99018G	50.22	83.54	-33.32	46.13	1	Vertical	34	2.72	-	37.72	15.17	48.80			
AV	19.99066G	37.62	63.54	-25.92	33.53	1	Vertical	34	2.72	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.99884G	48.55	83.54	-34.99	44.48	1	Horizontal	79	2.02	-	37.70	15.17	48.80				
AV	19.99594G	36.57	63.54	-26.97	32.49	1	Horizontal	79	2.02	-	37.71	15.17	48.80				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6491G	51.97	88.20	-36.23	62.73	3	Vertical	208	1.66	-	40.30	13.26	64.32			
RMS	13.64903G	39.39	68.20	-28.81	50.15	3	Vertical	208	1.66	-	40.30	13.26	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6495G	52.04	88.20	-36.16	62.80	3	Horizontal	243	1.75	-	40.30	13.26	64.32			
RMS	13.64945G	39.39	68.20	-28.81	50.15	3	Horizontal	243	1.75	-	40.30	13.26	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47894G	49.56	83.54	-33.98	44.80	1	Vertical	32	2.15	-	37.90	15.56	48.70			
AV	20.47066G	37.36	63.54	-26.18	32.62	1	Vertical	32	2.15	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.47934G	48.01	83.54	-35.53	43.25	1	Horizontal	117	2.08	-	37.90	15.56	48.70				
AV	20.47296G	36.30	63.54	-27.24	31.55	1	Horizontal	117	2.08	-	37.90	15.56	48.71				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.912G	110.49	Inf	-Inf	98.68	3	Vertical	1	1.80	12.5	36.52	7.97	32.68			
RMS	6.933G	97.84	Inf	-Inf	86.00	3	Vertical	1	1.80	12.5	36.57	7.97	32.70			
PK	7.157G	64.96	88.20	-23.24	52.77	3	Vertical	1	1.80	12.5	36.94	7.94	32.69			
RMS	7.132G	52.30	68.20	-15.90	40.19	3	Vertical	1	1.80	12.5	36.86	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.923G	109.84	Inf	-Inf	98.01	3	Horizontal	357	1.80	12.5	36.55	7.97	32.69			
RMS	6.9225G	97.61	Inf	-Inf	85.78	3	Horizontal	357	1.80	12.5	36.55	7.97	32.69			
PK	7.199G	65.14	88.20	-23.06	52.68	3	Horizontal	357	1.80	12.5	37.19	7.94	32.67			
RMS	7.2255G	52.23	68.20	-15.97	39.69	3	Horizontal	357	1.80	12.5	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97061G	52.28	88.20	-35.92	62.40	3	Vertical	345	2.35	-	40.90	13.43	64.45			
RMS	13.96981G	39.98	68.20	-28.22	50.10	3	Vertical	345	2.35	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9691G	53.09	88.20	-35.11	63.21	3	Horizontal	115	1.06	-	40.90	13.43	64.45			
RMS	13.96915G	39.99	68.20	-28.21	50.11	3	Horizontal	115	1.06	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95886G	49.86	83.54	-33.68	44.69	1	Vertical	234	1.10	-	37.92	15.95	48.70			
AV	20.95892G	37.64	63.54	-25.90	32.47	1	Vertical	234	1.10	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95246G	50.25	83.54	-33.29	45.10	1	Horizontal	342	2.40	-	37.90	15.95	48.70			
AV	20.95892G	38.64	63.54	-24.90	33.47	1	Horizontal	342	2.40	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	62.34	88.20	-25.86	54.91	3	Vertical	2	1.53	15.5	34.54	8.09	35.20			
RMS	5.92G	50.21	68.20	-17.99	42.78	3	Vertical	2	1.53	15.5	34.54	8.09	35.20			
PK	6.197G	111.04	Inf	-Inf	102.78	3	Vertical	2	1.53	15.5	34.99	8.47	35.20			
RMS	6.198G	98.71	Inf	-Inf	90.44	3	Vertical	2	1.53	15.5	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	69.54	88.20	-18.66	62.11	3	Horizontal	2	1.63	15.5	34.54	8.09	35.20			
RMS	5.925G	50.92	68.20	-17.28	43.48	3	Horizontal	2	1.63	15.5	34.55	8.09	35.20			
PK	6.168G	110.96	Inf	-Inf	102.80	3	Horizontal	2	1.63	15.5	34.94	8.42	35.20			
RMS	6.227G	99.11	Inf	-Inf	90.85	3	Horizontal	2	1.63	15.5	34.95	8.51	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2103G	48.83	74.00	-25.17	63.43	3	Vertical	6	1.47	-	38.48	12.47	65.55			
AV	12.20902G	35.98	54.00	-18.02	50.58	3	Vertical	6	1.47	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21081G	48.32	74.00	-25.68	62.92	3	Horizontal	234	1.38	-	38.48	12.47	65.55			
AV	12.20906G	36.00	54.00	-18.00	50.60	3	Horizontal	234	1.38	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_V_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3121G	49.35	83.54	-34.19	44.72	1	Vertical	106	1.59	-	37.62	15.27	48.26			
AV	18.31752G	37.44	63.54	-26.10	32.79	1	Vertical	106	1.59	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3108G	48.04	83.54	-35.50	43.41	1	Horizontal	340	2.70	-	37.62	15.27	48.26			
AV	18.3175G	36.39	63.54	-27.15	31.74	1	Horizontal	340	2.70	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52906G	49.78	74.00	-24.22	63.68	3	Vertical	251	1.80	-	38.74	12.65	65.29			
AV	12.5297G	36.96	54.00	-17.04	50.86	3	Vertical	251	1.80	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52985G	49.76	74.00	-24.24	63.66	3	Horizontal	114	1.64	-	38.74	12.65	65.29			
AV	12.52945G	36.97	54.00	-17.03	50.87	3	Horizontal	114	1.64	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79586G	48.93	83.54	-34.61	44.39	1	Vertical	74	1.51	-	37.90	15.24	48.60			
AV	18.79928G	36.48	63.54	-27.06	31.94	1	Vertical	74	1.51	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79854G	49.15	83.54	-34.39	44.61	1	Horizontal	333	1.99	-	37.90	15.24	48.60			
AV	18.79938G	37.32	63.54	-26.22	32.78	1	Horizontal	333	1.99	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85035G	49.82	88.20	-38.38	62.85	3	Vertical	2	1.81	-	39.40	12.82	65.25			
RMS	12.849G	37.17	68.20	-31.03	50.20	3	Vertical	2	1.81	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85067G	50.14	88.20	-38.06	63.17	3	Horizontal	103	1.41	-	39.40	12.82	65.25			
RMS	12.8491G	37.21	68.20	-30.99	50.24	3	Horizontal	103	1.41	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.278G	49.98	83.54	-33.56	45.68	1	Vertical	359	2.71	-	37.89	15.21	48.80			
AV	19.27638G	38.20	63.54	-25.34	33.90	1	Vertical	359	2.71	-	37.89	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27622G	49.35	83.54	-34.19	45.04	1	Horizontal	240	2.29	-	37.90	15.21	48.80			
AV	19.2761G	37.21	63.54	-26.33	32.90	1	Horizontal	240	2.29	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17032G	50.88	88.20	-37.32	62.94	3	Vertical	170	2.49	-	39.84	13.00	64.90			
RMS	13.16905G	38.49	68.20	-29.71	50.55	3	Vertical	170	2.49	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1706G	50.59	88.20	-37.61	62.65	3	Horizontal	216	2.86	-	39.84	13.00	64.90			
RMS	13.169G	38.53	68.20	-29.67	50.59	3	Horizontal	216	2.86	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75806G	48.79	83.54	-34.75	44.71	1	Vertical	336	1.41	-	37.70	15.18	48.80			
AV	19.7505G	36.41	63.54	-27.13	32.33	1	Vertical	336	1.41	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_V_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75726G	47.94	83.54	-35.60	43.86	1	Horizontal	336	2.77	-	37.70	15.18	48.80			
AV	19.7575G	35.44	63.54	-28.10	31.36	1	Horizontal	336	2.77	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48909G	52.14	88.20	-36.06	63.05	3	Vertical	34	2.86	-	40.20	13.17	64.28			
RMS	13.49096G	39.54	68.20	-28.66	50.45	3	Vertical	34	2.86	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48964G	52.40	88.20	-35.80	63.31	3	Horizontal	320	1.88	-	40.20	13.17	64.28			
RMS	13.49074G	39.53	68.20	-28.67	50.44	3	Horizontal	320	1.88	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23092G	49.96	83.54	-33.58	45.55	1	Vertical	240	2.93	-	37.80	15.36	48.75			
AV	20.23084G	38.10	63.54	-25.44	33.69	1	Vertical	240	2.93	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_V_2TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23162G	51.61	83.54	-31.93	47.20	1	Horizontal	261	2.99	-	37.80	15.36	48.75			
AV	20.239G	39.29	63.54	-24.25	34.88	1	Horizontal	261	2.99	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8126G	107.19	Inf	-Inf	97.77	3	Vertical	358	1.64	-	35.60	8.98	35.16			
RMS	6.7538G	98.14	Inf	-Inf	88.90	3	Vertical	358	1.64	-	35.42	8.99	35.17			
PK	7.1714G	63.00	88.20	-25.20	53.59	3	Vertical	358	1.64	-	36.03	8.52	35.14			
RMS	7.133G	52.72	68.20	-15.48	43.55	3	Vertical	358	1.64	-	35.83	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7652G	107.94	Inf	-Inf	98.65	3	Horizontal	358	1.59	-	35.46	9.00	35.17			
RMS	6.764G	99.28	Inf	-Inf	89.99	3	Horizontal	358	1.59	-	35.46	9.00	35.17			
PK	7.1264G	62.83	88.20	-25.37	53.68	3	Horizontal	358	1.59	-	35.81	8.48	35.14			
RMS	7.145G	53.02	68.20	-15.18	43.79	3	Horizontal	358	1.59	-	35.88	8.49	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80911G	52.16	88.20	-36.04	62.47	3	Vertical	352	1.40	-	40.72	13.35	64.38			
RMS	13.80937G	39.59	68.20	-28.61	49.90	3	Vertical	352	1.40	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81045G	52.80	88.20	-35.40	63.11	3	Horizontal	254	2.37	-	40.72	13.35	64.38			
RMS	13.80978G	39.60	68.20	-28.60	49.91	3	Horizontal	254	2.37	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71382G	50.61	83.54	-32.93	45.66	1	Vertical	13	2.91	-	37.90	15.75	48.70			
AV	20.7195G	38.71	63.54	-24.83	33.75	1	Vertical	13	2.91	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71028G	49.44	83.54	-34.10	44.49	1	Horizontal	127	2.02	-	37.90	15.75	48.70			
AV	20.7194G	37.18	63.54	-26.36	32.22	1	Horizontal	127	2.02	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9163G	63.30	88.20	-24.90	53.40	3	Vertical	354	1.80	3.5	34.90	7.44	32.44				
RMS	5.9094G	51.76	68.20	-16.44	41.91	3	Vertical	354	1.80	3.5	34.86	7.43	32.44				
PK	5.9541G	109.57	Inf	-Inf	99.42	3	Vertical	354	1.80	3.5	35.12	7.47	32.44				
RMS	5.9535G	99.12	Inf	-Inf	88.98	3	Vertical	354	1.80	3.5	35.11	7.47	32.44				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9163G	63.86	88.20	-24.34	53.96	3	Horizontal	358	1.80	3	34.90	7.44	32.44			
RMS	5.9076G	51.76	68.20	-16.44	41.92	3	Horizontal	358	1.80	3	34.85	7.43	32.44			
PK	5.9643G	108.86	Inf	-Inf	98.67	3	Horizontal	358	1.80	3	35.16	7.47	32.44			
RMS	5.9631G	99.23	Inf	-Inf	89.05	3	Horizontal	358	1.80	3	35.15	7.47	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90945G	49.51	74.00	-24.49	64.26	3	Vertical	164	2.91	-	38.78	12.27	65.80			
AV	11.91092G	36.58	54.00	-17.42	51.33	3	Vertical	164	2.91	-	38.78	12.27	65.80			
PK	17.86423G	54.84	74.00	-19.16	62.04	3	Vertical	125	2.00	-	41.16	14.19	62.55			
AV	17.86524G	42.65	54.00	-11.35	49.84	3	Vertical	125	2.00	-	41.16	14.19	62.54			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91012G	49.40	74.00	-24.60	64.15	3	Horizontal	350	1.41	-	38.78	12.27	65.80			
AV	11.91002G	36.59	54.00	-17.41	51.34	3	Horizontal	350	1.41	-	38.78	12.27	65.80			
PK	17.86585G	55.30	74.00	-18.70	62.49	3	Horizontal	314	2.00	-	41.16	14.19	62.54			
AV	17.86423G	42.64	54.00	-11.36	49.84	3	Horizontal	314	2.00	-	41.16	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8241G	52.04	83.54	-31.50	43.33	1	Vertical	278	1.55	-	39.10	17.28	47.67			
AV	23.82064G	39.72	63.54	-23.82	31.01	1	Vertical	278	1.55	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81596G	52.47	83.54	-31.07	43.76	1	Horizontal	253	1.82	-	39.10	17.28	47.67			
AV	23.82014G	39.72	63.54	-23.82	31.01	1	Horizontal	253	1.82	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38992G	50.00	74.00	-24.00	64.24	3	Vertical	40	1.24	-	38.58	12.57	65.39			
AV	12.39087G	37.07	54.00	-16.93	51.31	3	Vertical	40	1.24	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38956G	50.06	74.00	-23.94	64.30	3	Horizontal	253	1.71	-	38.58	12.57	65.39			
AV	12.38978G	37.04	54.00	-16.96	51.28	3	Horizontal	253	1.71	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58778G	47.66	83.54	-35.88	43.00	1	Vertical	312	1.17	-	37.80	15.25	48.39			
AV	18.58002G	35.46	63.54	-28.08	30.78	1	Vertical	312	1.17	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 2
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5837G	48.53	83.54	-35.01	43.86	1	Horizontal	283	2.57	-	37.80	15.25	48.38			
AV	18.58048G	35.64	63.54	-27.90	30.96	1	Horizontal	283	2.57	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82924G	50.62	88.20	-37.58	63.74	3	Vertical	69	1.90	-	39.32	12.81	65.25			
RMS	12.82923G	37.15	68.20	-31.05	50.27	3	Vertical	69	1.90	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82956G	50.24	88.20	-37.96	63.36	3	Horizontal	198	2.10	-	39.32	12.81	65.25			
RMS	12.82907G	37.72	68.20	-31.03	50.29	3	Horizontal	198	2.10	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24386G	47.94	83.54	-35.60	43.54	1	Vertical	244	2.76	-	37.98	15.22	48.80			
AV	19.24G	35.27	63.54	-28.27	30.89	1	Vertical	244	2.76	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2403G	47.88	83.54	-35.66	43.50	1	Horizontal	276	2.03	-	37.96	15.22	48.80			
AV	19.24G	35.73	63.54	-27.81	31.35	1	Horizontal	276	2.03	-	37.96	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86999G	49.91	88.20	-38.29	62.93	3	Vertical	131	1.19	-	39.40	12.83	65.25			
RMS	12.86912G	37.27	68.20	-30.93	50.29	3	Vertical	131	1.19	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87064G	49.57	88.20	-38.63	62.59	3	Horizontal	153	2.16	-	39.40	12.83	65.25			
RMS	12.86919G	37.25	68.20	-30.95	50.27	3	Horizontal	153	2.16	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30112G	48.85	83.54	-34.69	44.64	1	Vertical	169	1.45	-	37.80	15.21	48.80			
AV	19.3083G	35.19	63.54	-28.35	30.98	1	Vertical	169	1.45	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30328G	47.51	83.54	-36.03	43.30	1	Horizontal	274	2.89	-	37.80	15.21	48.80			
AV	19.30828G	35.91	63.54	-27.63	31.70	1	Horizontal	274	2.89	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 0.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94925G	48.73	88.20	-39.47	61.59	3	Vertical	301	1.46	-	39.50	12.88	65.24			
RMS	12.95099G	36.52	68.20	-31.68	49.38	3	Vertical	301	1.46	-	39.50	12.88	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 0.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95075G	48.66	88.20	-39.54	61.52	3	Horizontal	222	1.94	-	39.50	12.88	65.24			
RMS	12.95068G	36.53	68.20	-31.67	49.39	3	Horizontal	222	1.94	-	39.50	12.88	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 0.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4274G	47.91	83.54	-35.63	43.72	1	Vertical	111	1.48	-	37.79	15.20	48.80			
AV	19.42824G	36.34	63.54	-27.20	32.15	1	Vertical	111	1.48	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 0.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4242G	47.92	83.54	-35.62	43.72	1	Horizontal	34	1.76	-	37.80	15.20	48.80			
AV	19.42824G	35.95	63.54	-27.59	31.76	1	Horizontal	34	1.76	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03059G	50.47	88.20	-37.73	63.12	3	Vertical	24	2.24	-	39.60	12.92	65.17			
RMS	13.02912G	37.92	68.20	-30.28	50.57	3	Vertical	24	2.24	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02965G	50.08	88.20	-38.12	62.73	3	Horizontal	200	1.82	-	39.60	12.92	65.17			
RMS	13.02915G	37.91	68.20	-30.29	50.56	3	Horizontal	200	1.82	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5488G	48.70	83.54	-34.84	44.60	1	Vertical	306	1.60	-	37.70	15.20	48.80			
AV	19.54136G	35.90	63.54	-27.64	31.78	1	Vertical	306	1.60	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5467G	48.23	83.54	-35.31	44.12	1	Horizontal	286	1.42	-	37.71	15.20	48.80			
AV	19.54128G	35.83	63.54	-27.71	31.71	1	Horizontal	286	1.42	-	37.72	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0705G	49.56	88.20	-38.64	62.07	3	Vertical	13	2.96	-	39.64	12.94	65.09			
RMS	13.06918G	37.50	68.20	-30.70	50.02	3	Vertical	13	2.96	-	39.64	12.94	65.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07093G	50.46	88.20	-37.74	62.97	3	Horizontal	156	1.52	-	39.64	12.94	65.09			
RMS	13.069G	37.48	68.20	-30.72	50.00	3	Horizontal	156	1.52	-	39.64	12.94	65.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60216G	47.39	83.54	-36.15	43.30	1	Vertical	205	2.37	-	37.70	15.19	48.80			
AV	19.6G	35.39	63.54	-28.15	31.30	1	Vertical	205	2.37	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60584G	47.78	83.54	-35.76	43.69	1	Horizontal	282	1.77	-	37.70	15.19	48.80			
AV	19.60606G	36.31	63.54	-27.23	32.22	1	Horizontal	282	1.77	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39063G	52.64	74.00	-21.36	63.79	3	Vertical	22	1.29	-	40.20	13.12	64.47			
AV	13.389G	39.81	54.00	-14.19	50.97	3	Vertical	22	1.29	-	40.20	13.12	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38975G	52.06	74.00	-21.94	63.21	3	Horizontal	222	1.20	-	40.20	13.12	64.47			
AV	13.38901G	39.82	54.00	-14.18	50.98	3	Horizontal	222	1.20	-	40.20	13.12	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08062G	48.11	83.54	-35.43	43.85	1	Vertical	231	1.10	-	37.80	15.24	48.78			
AV	20.08218G	36.51	63.54	-27.03	32.25	1	Vertical	231	1.10	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.08056G	48.64	83.54	-34.90	44.38	1	Horizontal	272	1.67	-	37.80	15.24	48.78				
AV	20.08632G	35.64	63.54	-27.90	31.38	1	Horizontal	272	1.67	-	37.80	15.24	48.78				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74986G	52.39	88.20	-35.81	62.94	3	Vertical	18	2.84	-	40.50	13.31	64.36			
RMS	13.74937G	39.58	68.20	-28.62	50.13	3	Vertical	18	2.84	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74958G	52.46	88.20	-35.74	63.01	3	Horizontal	285	1.15	-	40.50	13.31	64.36			
RMS	13.74942G	39.58	68.20	-28.62	50.13	3	Horizontal	285	1.15	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62766G	48.94	83.54	-34.60	44.06	1	Vertical	95	2.27	-	37.90	15.68	48.70			
AV	20.6206G	36.87	63.54	-26.67	31.99	1	Vertical	95	2.27	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 1
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62612G	49.52	83.54	-34.02	44.64	1	Horizontal	199	2.82	-	37.90	15.68	48.70			
AV	20.62072G	36.66	63.54	-26.88	31.78	1	Horizontal	199	2.82	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 0.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79045G	52.69	88.20	-35.51	63.07	3	Vertical	283	1.56	-	40.66	13.34	64.38			
RMS	13.79028G	39.70	68.20	-28.50	50.08	3	Vertical	283	1.56	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 0.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79091G	52.25	88.20	-35.95	62.63	3	Horizontal	151	1.57	-	40.66	13.34	64.38			
RMS	13.79063G	39.69	68.20	-28.51	50.07	3	Horizontal	151	1.57	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_2TX
Setting 0.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68246G	48.61	83.54	-34.93	43.68	1	Vertical	41	2.41	-	37.90	15.73	48.70			
AV	20.68292G	36.68	63.54	-26.86	31.75	1	Vertical	41	2.41	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 0.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6884G	48.17	83.54	-35.37	43.24	1	Horizontal	223	1.20	-	37.90	15.73	48.70			
AV	20.68234G	36.33	63.54	-27.21	31.40	1	Horizontal	223	1.20	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 1
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99054G	53.11	88.20	-35.09	63.23	3	Vertical	342	1.34	-	40.90	13.44	64.46			
RMS	13.99053G	40.18	68.20	-28.02	50.30	3	Vertical	342	1.34	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 1
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99063G	52.61	88.20	-35.59	62.73	3	Horizontal	253	2.90	-	40.90	13.44	64.46			
RMS	13.9907G	40.18	68.20	-28.02	50.30	3	Horizontal	253	2.90	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 1
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98366G	49.21	83.54	-34.33	43.97	1	Vertical	93	2.18	-	37.97	15.97	48.70			
AV	20.98946G	37.19	63.54	-26.35	31.93	1	Vertical	93	2.18	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 1
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98044G	51.25	83.54	-32.29	46.02	1	Horizontal	315	2.82	-	37.96	15.97	48.70			
AV	20.98944G	37.26	63.54	-26.28	32.00	1	Horizontal	315	2.82	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 0

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0857G	107.75	Inf	-Inf	95.75	3	Vertical	0	1.80	0	36.77	7.95	32.72			
RMS	7.086G	97.32	Inf	-Inf	85.32	3	Vertical	0	1.80	0	36.77	7.95	32.72			
PK	7.2435G	64.71	88.20	-23.49	52.13	3	Vertical	0	1.80	0	37.29	7.95	32.66			
RMS	7.2414G	51.98	68.20	-16.22	39.41	3	Vertical	0	1.80	0	37.28	7.95	32.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 0

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0962G	107.78	Inf	-Inf	95.75	3	Horizontal	356	1.80	0	36.79	7.95	32.71			
RMS	7.0959G	96.11	Inf	-Inf	84.08	3	Horizontal	356	1.80	0	36.79	7.95	32.71			
PK	7.2402G	64.58	88.20	-23.62	52.01	3	Horizontal	356	1.80	0	37.28	7.95	32.66			
RMS	7.2414G	52.04	68.20	-16.16	39.47	3	Horizontal	356	1.80	0	37.28	7.95	32.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 0
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1899G	53.63	88.20	-34.57	63.31	3	Vertical	118	1.04	-	40.90	13.47	64.05			
RMS	14.18919G	41.14	68.20	-27.06	50.82	3	Vertical	118	1.04	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 0
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18965G	53.58	88.20	-34.62	63.26	3	Horizontal	257	1.24	-	40.90	13.47	64.05			
RMS	14.1892G	41.13	68.20	-27.07	50.81	3	Horizontal	257	1.24	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 0
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28374G	50.53	83.54	-33.01	44.88	1	Vertical	76	1.67	-	38.07	16.22	48.64			
AV	21.28776G	37.89	63.54	-25.65	32.23	1	Vertical	76	1.67	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 0
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28396G	49.42	83.54	-34.12	43.77	1	Horizontal	195	2.81	-	38.07	16.22	48.64			
AV	21.2879G	37.55	63.54	-25.99	31.89	1	Horizontal	195	2.81	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -8
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1065G	99.92	Inf	-Inf	87.87	3	Vertical	0	1.80	0_BP 1MH	36.81	7.95	32.71			
RMS	7.1065G	93.80	Inf	-Inf	81.75	3	Vertical	0	1.80	0_BP 1MH	36.81	7.95	32.71			
PK	7.1255G	78.02	88.20	-10.18	65.92	3	Vertical	0	1.80	0_BP 1MH	36.85	7.95	32.70			
RMS	7.1255G	68.04	68.20	-0.16	55.94	3	Vertical	0	1.80	0_BP 1MH	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -8
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1175G	98.57	Inf	-Inf	86.49	3	Horizontal	357	1.80	0_BP 1MH	36.84	7.95	32.71			
RMS	7.1175G	91.95	Inf	-Inf	79.87	3	Horizontal	357	1.80	0_BP 1MH	36.84	7.95	32.71			
PK	7.1255G	69.34	88.20	-18.86	57.24	3	Horizontal	357	1.80	0_BP 1MH	36.85	7.95	32.70			
RMS	7.1255G	60.53	68.20	-7.67	48.43	3	Horizontal	357	1.80	0_BP 1MH	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -8
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22952G	53.51	88.20	-34.69	63.22	3	Vertical	111	2.97	-	40.78	13.47	63.96			
RMS	14.23G	41.09	68.20	-27.11	50.80	3	Vertical	111	2.97	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -8
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23062G	54.00	88.20	-34.20	63.71	3	Horizontal	162	2.24	-	40.78	13.47	63.96			
RMS	14.22914G	41.08	68.20	-27.12	50.79	3	Horizontal	162	2.24	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -8
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3447G	49.66	83.54	-33.88	43.92	1	Vertical	61	2.63	-	38.10	16.27	48.63			
AV	21.34786G	37.70	63.54	-25.84	31.96	1	Vertical	61	2.63	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -8
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34038G	50.67	83.54	-32.87	44.94	1	Horizontal	7	1.39	-	38.10	16.26	48.63			
AV	21.34826G	37.99	63.54	-25.55	32.25	1	Horizontal	7	1.39	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
SET 4.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	63.62	88.20	-24.58	53.68	3	Vertical	354	1.80	5.5	34.94	7.44	32.44			
RMS	5.9248G	51.94	68.20	-16.26	41.99	3	Vertical	354	1.80	5.5	34.95	7.44	32.44			
PK	5.9839G	108.67	Inf	-Inf	98.38	3	Vertical	354	1.80	5.5	35.24	7.49	32.44			
RMS	5.9833G	98.84	Inf	-Inf	88.56	3	Vertical	354	1.80	5.5	35.23	7.49	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
SET 4.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.872G	63.24	88.20	-24.96	53.66	3	Horizontal	360	1.80	5.5	34.63	7.40	32.45			
RMS	5.9026G	51.76	68.20	-16.44	41.95	3	Horizontal	360	1.80	5.5	34.82	7.43	32.44			
PK	5.9749G	108.42	Inf	-Inf	98.18	3	Horizontal	360	1.80	5.5	35.20	7.48	32.44			
RMS	5.9749G	98.21	Inf	-Inf	87.97	3	Horizontal	360	1.80	5.5	35.20	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
SET 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92951G	49.11	74.00	-24.89	63.87	3	Vertical	17	2.43	-	38.74	12.29	65.79				
AV	11.92918G	36.64	54.00	-17.36	51.40	3	Vertical	17	2.43	-	38.74	12.29	65.79				
PK	17.89527G	55.02	74.00	-18.98	62.03	3	Vertical	290	1.15	-	41.28	14.20	62.49				
AV	17.89425G	42.76	54.00	-11.24	49.77	3	Vertical	290	1.15	-	41.28	14.20	62.49				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
SET 4.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92931G	49.02	74.00	-24.98	63.78	3	Horizontal	207	1.75	-	38.74	12.29	65.79			
AV	11.92911G	36.64	54.00	-17.36	51.40	3	Horizontal	207	1.75	-	38.74	12.29	65.79			
PK	17.89594G	54.94	74.00	-19.06	61.94	3	Horizontal	25	1.81	-	41.28	14.20	62.48			
AV	17.89432G	42.76	54.00	-11.24	49.77	3	Horizontal	25	1.81	-	41.28	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85842G	51.33	83.54	-32.21	42.62	1	Vertical	95	1.51	-	39.08	17.29	47.66			
AV	23.86382G	38.91	63.54	-24.63	30.20	1	Vertical	95	1.51	-	39.07	17.29	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85872G	51.87	83.54	-31.67	43.16	1	Horizontal	9	1.84	-	39.08	17.29	47.66			
AV	23.86214G	38.84	63.54	-24.70	30.13	1	Horizontal	9	1.84	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40912G	49.48	74.00	-24.52	63.65	3	Vertical	186	2.11	-	38.62	12.58	65.37			
AV	12.41033G	37.24	54.00	-16.76	51.41	3	Vertical	186	2.11	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40987G	49.63	74.00	-24.37	63.80	3	Horizontal	273	1.17	-	38.62	12.58	65.37			
AV	12.41002G	37.24	54.00	-16.76	51.41	3	Horizontal	273	1.17	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61734G	47.93	83.54	-35.61	43.27	1	Vertical	80	1.59	-	37.83	15.25	48.42			
AV	18.6175G	35.34	63.54	-28.20	30.67	1	Vertical	80	1.59	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61028G	48.03	83.54	-35.51	43.37	1	Horizontal	265	1.76	-	37.82	15.25	48.41			
AV	18.61822G	36.75	63.54	-26.79	32.08	1	Horizontal	265	1.76	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80943G	50.11	88.20	-38.09	63.32	3	Vertical	104	1.66	-	39.24	12.80	65.25			
RMS	12.809G	37.27	68.20	-30.93	50.48	3	Vertical	104	1.66	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81076G	49.73	88.20	-38.47	62.94	3	Horizontal	301	2.16	-	39.24	12.80	65.25			
RMS	12.80922G	37.27	68.20	-30.93	50.48	3	Horizontal	301	2.16	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21662G	49.24	83.54	-34.30	44.95	1	Vertical	250	2.01	-	37.87	15.22	48.80			
AV	19.21G	37.11	63.54	-26.43	32.85	1	Vertical	250	2.01	-	37.84	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2118G	48.11	83.54	-35.43	43.84	1	Horizontal	302	1.00	-	37.85	15.22	48.80			
AV	19.21108G	35.47	63.54	-28.07	31.21	1	Horizontal	302	1.00	-	37.84	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89063G	50.31	88.20	-37.89	63.30	3	Vertical	300	2.46	-	39.40	12.85	65.24			
RMS	12.88907G	37.24	68.20	-30.96	50.24	3	Vertical	300	2.46	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.89031G	49.68	88.20	-38.52	62.67	3	Horizontal	309	2.26	-	39.40	12.85	65.24			
RMS	12.88905G	37.22	68.20	-30.98	50.22	3	Horizontal	309	2.26	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3347G	47.38	83.54	-36.16	43.17	1	Vertical	37	2.38	-	37.80	15.21	48.80			
AV	19.33578G	35.39	63.54	-28.15	31.18	1	Vertical	37	2.38	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33906G	47.85	83.54	-35.69	43.64	1	Horizontal	34	2.44	-	37.80	15.21	48.80			
AV	19.3341G	37.28	63.54	-26.26	33.07	1	Horizontal	34	2.44	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97061G	50.58	88.20	-37.62	63.38	3	Vertical	263	1.08	-	39.54	12.89	65.23			
RMS	12.97073G	36.72	68.20	-31.48	49.52	3	Vertical	263	1.08	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97037G	49.08	88.20	-39.12	61.88	3	Horizontal	87	1.50	-	39.54	12.89	65.23			
RMS	12.97049G	36.72	68.20	-31.48	49.52	3	Horizontal	87	1.50	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45746G	48.87	83.54	-34.67	44.76	1	Vertical	80	2.96	-	37.71	15.20	48.80			
AV	19.45812G	36.89	63.54	-26.65	32.77	1	Vertical	80	2.96	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.4541G	49.18	83.54	-34.36	45.07	1	Horizontal	270	1.13	-	37.71	15.20	48.80				
AV	19.45812G	36.18	63.54	-27.36	32.06	1	Horizontal	270	1.13	-	37.72	15.20	48.80				

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04915G	50.25	88.20	-37.95	62.85	3	Vertical	118	2.32	-	39.60	12.93	65.13			
RMS	13.05052G	37.91	68.20	-30.29	50.51	3	Vertical	118	2.32	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05075G	50.82	88.20	-37.38	63.42	3	Horizontal	286	1.67	-	39.60	12.93	65.13			
RMS	13.0508G	37.90	68.20	-30.30	50.50	3	Horizontal	286	1.67	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57768G	47.82	83.54	-35.72	43.72	1	Vertical	264	2.15	-	37.70	15.20	48.80			
AV	19.57132G	35.59	63.54	-27.95	31.49	1	Vertical	264	2.15	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.57258G	47.79	83.54	-35.75	43.69	1	Horizontal	176	2.89	-	37.70	15.20	48.80				
AV	19.57156G	36.79	63.54	-26.75	32.69	1	Horizontal	176	2.89	-	37.70	15.20	48.80				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12916G	50.58	88.20	-37.62	62.82	3	Vertical	253	2.22	-	39.76	12.98	64.98			
RMS	13.13079G	38.19	68.20	-30.01	50.43	3	Vertical	253	2.22	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13009G	50.68	88.20	-37.52	62.92	3	Horizontal	203	1.12	-	39.76	12.98	64.98			
RMS	13.13091G	38.22	68.20	-29.98	50.46	3	Horizontal	203	1.12	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.695G	47.81	83.54	-35.73	43.72	1	Vertical	212	2.04	-	37.70	15.19	48.80			
AV	19.69024G	35.42	63.54	-28.12	31.33	1	Vertical	212	2.04	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69368G	47.51	83.54	-36.03	43.42	1	Horizontal	146	2.62	-	37.70	15.19	48.80			
AV	19.69028G	36.51	63.54	-27.03	32.42	1	Horizontal	146	2.62	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3702G	52.64	74.00	-21.36	63.84	3	Vertical	183	1.51	-	40.20	13.11	64.51			
AV	13.3693G	40.02	54.00	-13.98	51.22	3	Vertical	183	1.51	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36992G	52.87	74.00	-21.13	64.07	3	Horizontal	174	1.50	-	40.20	13.11	64.51			
AV	13.36949G	40.01	54.00	-13.99	51.21	3	Horizontal	174	1.50	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05654G	48.30	83.54	-35.24	44.07	1	Vertical	207	1.28	-	37.80	15.22	48.79			
AV	20.05732G	37.66	63.54	-25.88	33.43	1	Vertical	207	1.28	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 3
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05676G	47.65	83.54	-35.89	43.42	1	Horizontal	207	2.70	-	37.80	15.22	48.79			
AV	20.05614G	35.49	63.54	-28.05	31.26	1	Horizontal	207	2.70	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77005G	52.61	88.20	-35.59	63.08	3	Vertical	19	1.52	-	40.58	13.32	64.37			
RMS	13.76908G	39.67	68.20	-28.53	50.14	3	Vertical	19	1.52	-	40.58	13.32	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7696G	52.63	88.20	-35.57	63.10	3	Horizontal	227	2.69	-	40.58	13.32	64.37			
RMS	13.77081G	39.67	68.20	-28.53	50.13	3	Horizontal	227	2.69	-	40.58	13.33	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65024G	49.48	83.54	-34.06	44.58	1	Vertical	119	2.32	-	37.90	15.70	48.70			
AV	20.65004G	36.60	63.54	-26.94	31.70	1	Vertical	119	2.32	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65338G	48.76	83.54	-34.78	43.86	1	Horizontal	79	2.25	-	37.90	15.70	48.70			
AV	20.65006G	36.87	63.54	-26.67	31.97	1	Horizontal	79	2.25	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84954G	52.80	88.20	-35.40	63.03	3	Vertical	350	2.01	-	40.80	13.37	64.40			
RMS	13.85068G	39.59	68.20	-28.61	49.82	3	Vertical	350	2.01	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84992G	52.57	88.20	-35.63	62.80	3	Horizontal	314	1.13	-	40.80	13.37	64.40			
RMS	13.85094G	39.61	68.20	-28.59	49.84	3	Horizontal	314	1.13	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77524G	49.65	83.54	-33.89	44.65	1	Vertical	55	1.68	-	37.90	15.80	48.70			
AV	20.77918G	36.61	63.54	-26.93	31.60	1	Vertical	55	1.68	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77956G	50.12	83.54	-33.42	45.11	1	Horizontal	49	1.77	-	37.90	15.81	48.70			
AV	20.77478G	37.58	63.54	-25.96	32.58	1	Horizontal	49	1.77	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01095G	53.19	88.20	-35.01	63.26	3	Vertical	281	1.94	-	40.92	13.45	64.44			
RMS	14.00928G	40.44	68.20	-27.76	50.51	3	Vertical	281	1.94	-	40.92	13.45	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01075G	53.04	88.20	-35.16	63.11	3	Horizontal	130	2.95	-	40.92	13.45	64.44			
RMS	14.00914G	40.45	68.20	-27.75	50.52	3	Horizontal	130	2.95	-	40.92	13.45	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 3.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01626G	49.49	83.54	-34.05	44.19	1	Vertical	319	1.09	-	38.00	16.00	48.70			
AV	21.01412G	37.66	63.54	-25.88	32.36	1	Vertical	319	1.09	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 3.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01496G	49.47	83.54	-34.07	44.17	1	Horizontal	20	2.47	-	38.00	16.00	48.70			
AV	21.01486G	37.81	63.54	-25.73	32.51	1	Horizontal	20	2.47	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET 4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0964G	108.94	Inf	-Inf	96.91	3	Vertical	360	1.80	4	36.79	7.95	32.71			
RMS	7.0955G	97.90	Inf	-Inf	85.87	3	Vertical	360	1.80	4	36.79	7.95	32.71			
PK	7.1984G	64.83	88.20	-23.37	52.37	3	Vertical	360	1.80	4	37.19	7.94	32.67			
RMS	7.2248G	52.01	68.20	-16.19	39.47	3	Vertical	360	1.80	4	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET 4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0817G	107.48	Inf	-Inf	95.49	3	Horizontal	0	1.80	4	36.76	7.95	32.72			
RMS	7.0817G	96.17	Inf	-Inf	84.18	3	Horizontal	0	1.80	4	36.76	7.95	32.72			
PK	7.1966G	64.73	88.20	-23.47	52.29	3	Horizontal	0	1.80	4	37.18	7.94	32.68			
RMS	7.2245G	51.91	68.20	-16.29	39.37	3	Horizontal	0	1.80	4	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16985G	53.28	88.20	-34.92	63.00	3	Vertical	345	2.99	-	40.90	13.47	64.09			
RMS	14.17018G	41.12	68.20	-27.08	50.84	3	Vertical	345	2.99	-	40.90	13.47	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1707G	53.93	88.20	-34.27	63.65	3	Horizontal	176	1.44	-	40.90	13.47	64.09			
RMS	14.1693G	41.10	68.20	-27.10	50.82	3	Horizontal	176	1.44	-	40.90	13.47	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2509G	50.18	83.54	-33.36	44.64	1	Vertical	90	1.90	-	38.00	16.19	48.65			
AV	21.25776G	37.68	63.54	-25.86	32.11	1	Vertical	90	1.90	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25062G	48.89	83.54	-34.65	43.35	1	Horizontal	10	1.73	-	38.00	16.19	48.65			
AV	21.25768G	36.85	63.54	-26.69	31.28	1	Horizontal	10	1.73	-	38.02	16.20	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.867G	63.44	88.20	-24.76	53.89	3	Vertical	358	1.80	9	34.60	7.40	32.45				
RMS	5.9195G	52.17	68.20	-16.03	42.25	3	Vertical	358	1.80	9	34.92	7.44	32.44				
PK	6.0145G	108.55	Inf	-Inf	98.15	3	Vertical	358	1.80	9	35.33	7.51	32.44				
RMS	6.014G	99.36	Inf	-Inf	88.96	3	Vertical	358	1.80	9	35.33	7.51	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.895G	62.92	88.20	-25.28	53.17	3	Horizontal	358	1.80	9	34.77	7.42	32.44			
RMS	5.925G	52.15	68.20	-16.05	42.20	3	Horizontal	358	1.80	9	34.95	7.44	32.44			
PK	6.0145G	109.92	Inf	-Inf	99.52	3	Horizontal	358	1.80	9	35.33	7.51	32.44			
RMS	5.9935G	98.89	Inf	-Inf	88.56	3	Horizontal	358	1.80	9	35.27	7.50	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET8
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96938G	49.35	74.00	-24.65	64.08	3	Vertical	1	2.24	-	38.70	12.33	65.76			
AV	11.96907G	36.82	54.00	-17.18	51.55	3	Vertical	1	2.24	-	38.70	12.33	65.76			
PK	17.95512G	56.15	74.00	-17.85	62.89	3	Vertical	228	1.98	-	41.41	14.22	62.37			
AV	17.95574G	43.58	54.00	-10.42	50.32	3	Vertical	228	1.98	-	41.41	14.22	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET8
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97083G	49.51	74.00	-24.49	64.24	3	Horizontal	102	2.79	-	38.70	12.33	65.76			
AV	11.969G	36.83	54.00	-17.17	51.56	3	Horizontal	102	2.79	-	38.70	12.33	65.76			
PK	17.95562G	56.10	74.00	-17.90	62.84	3	Horizontal	18	2.23	-	41.41	14.22	62.37			
AV	17.954G	43.56	54.00	-10.44	50.30	3	Horizontal	18	2.23	-	41.41	14.22	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
SET 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94162G	50.80	83.54	-32.74	42.11	1	Vertical	207	1.78	-	39.00	17.31	47.62			
AV	23.94358G	38.48	63.54	-25.06	29.78	1	Vertical	207	1.78	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
SET8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94186G	51.37	83.54	-32.17	42.68	1	Horizontal	44	1.53	-	39.00	17.31	47.62			
AV	23.9435G	38.48	63.54	-25.06	29.78	1	Horizontal	44	1.53	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44995G	49.96	74.00	-24.04	63.99	3	Vertical	177	1.19	-	38.70	12.61	65.34			
AV	12.45056G	37.68	54.00	-16.32	51.70	3	Vertical	177	1.19	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44952G	50.62	74.00	-23.38	64.66	3	Horizontal	136	2.47	-	38.70	12.60	65.34			
AV	12.45054G	37.65	54.00	-16.35	51.67	3	Horizontal	136	2.47	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67808G	47.49	83.54	-36.05	42.82	1	Vertical	199	1.09	-	37.90	15.25	48.48			
AV	18.6739G	35.28	63.54	-28.26	30.60	1	Vertical	199	1.09	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6786G	48.73	83.54	-34.81	44.06	1	Horizontal	202	2.18	-	37.90	15.25	48.48			
AV	18.67416G	36.78	63.54	-26.76	32.10	1	Horizontal	202	2.18	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 7
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76989G	49.80	88.20	-38.40	63.14	3	Vertical	360	2.92	-	39.14	12.78	65.26			
RMS	12.7702G	37.15	68.20	-31.05	50.49	3	Vertical	360	2.92	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77093G	50.29	88.20	-37.91	63.63	3	Horizontal	160	2.75	-	39.14	12.78	65.26			
RMS	12.77097G	37.14	68.20	-31.06	50.48	3	Horizontal	160	2.75	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 7
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15074G	48.61	83.54	-34.93	44.19	1	Vertical	23	1.00	-	38.00	15.22	48.80			
AV	19.15014G	36.37	63.54	-27.17	31.95	1	Vertical	23	1.00	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15792G	47.78	83.54	-35.76	43.39	1	Horizontal	333	1.59	-	37.97	15.22	48.80			
AV	19.15058G	35.96	63.54	-27.58	31.54	1	Horizontal	333	1.59	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 6
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92927G	49.19	88.20	-39.01	62.10	3	Vertical	286	2.57	-	39.46	12.87	65.24			
RMS	12.93064G	36.87	68.20	-31.33	49.78	3	Vertical	286	2.57	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 6
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93085G	50.02	88.20	-38.18	62.93	3	Horizontal	286	2.45	-	39.46	12.87	65.24			
RMS	12.93069G	36.86	68.20	-31.34	49.77	3	Horizontal	286	2.45	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 6
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3946G	48.11	83.54	-35.43	43.81	1	Vertical	265	1.64	-	37.89	15.21	48.80			
AV	19.39986G	35.72	63.54	-27.82	31.41	1	Vertical	265	1.64	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 6
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39804G	48.73	83.54	-34.81	44.42	1	Horizontal	185	1.21	-	37.90	15.21	48.80			
AV	19.39878G	36.57	63.54	-26.97	32.26	1	Horizontal	185	1.21	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08992G	50.46	88.20	-37.74	62.89	3	Vertical	150	1.55	-	39.68	12.95	65.06			
RMS	13.08901G	37.69	68.20	-30.51	50.12	3	Vertical	150	1.55	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08908G	50.43	88.20	-37.77	62.86	3	Horizontal	231	1.14	-	39.68	12.95	65.06			
RMS	13.08906G	37.67	68.20	-30.53	50.10	3	Horizontal	231	1.14	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63816G	49.36	83.54	-34.18	45.27	1	Vertical	153	1.17	-	37.70	15.19	48.80			
AV	19.63626G	37.15	63.54	-26.39	33.06	1	Vertical	153	1.17	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63422G	48.64	83.54	-34.90	44.55	1	Horizontal	129	2.41	-	37.70	15.19	48.80			
AV	19.63624G	35.33	63.54	-28.21	31.24	1	Horizontal	129	2.41	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24948G	51.35	88.20	-36.85	63.06	3	Vertical	47	2.73	-	40.00	13.04	64.75			
RMS	13.24912G	38.76	68.20	-29.44	50.47	3	Vertical	47	2.73	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24903G	51.96	88.20	-36.24	63.67	3	Horizontal	213	2.30	-	40.00	13.04	64.75			
RMS	13.24902G	38.75	68.20	-29.45	50.46	3	Horizontal	213	2.30	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87228G	48.02	83.54	-35.52	43.94	1	Vertical	348	1.97	-	37.70	15.18	48.80			
AV	19.87436G	35.37	63.54	-28.17	31.29	1	Vertical	348	1.97	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87942G	48.59	83.54	-34.95	44.51	1	Horizontal	106	2.99	-	37.70	15.18	48.80			
AV	19.87004G	36.44	63.54	-27.10	32.36	1	Horizontal	106	2.99	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41064G	52.35	88.20	-35.85	63.45	3	Vertical	62	1.41	-	40.20	13.13	64.43			
RMS	13.40994G	39.64	68.20	-28.56	50.74	3	Vertical	62	1.41	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4098G	52.85	88.20	-35.35	63.95	3	Horizontal	286	1.68	-	40.20	13.13	64.43			
RMS	13.41032G	39.64	68.20	-28.56	50.74	3	Horizontal	286	1.68	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11874G	47.76	83.54	-35.78	43.47	1	Vertical	32	1.50	-	37.80	15.27	48.78			
AV	20.11772G	35.72	63.54	-27.82	31.43	1	Vertical	32	1.50	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 6.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11552G	48.02	83.54	-35.52	43.74	1	Horizontal	133	2.95	-	37.80	15.26	48.78			
AV	20.11G	36.57	63.54	-26.97	32.29	1	Horizontal	133	2.95	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 5.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57008G	52.28	88.20	-35.92	62.99	3	Vertical	313	1.31	-	40.36	13.22	64.29			
RMS	13.56929G	39.79	68.20	-28.41	50.50	3	Vertical	313	1.31	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 5.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56917G	52.95	88.20	-35.25	63.66	3	Horizontal	297	1.11	-	40.36	13.22	64.29			
RMS	13.56961G	39.79	68.20	-28.41	50.50	3	Horizontal	297	1.11	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 5.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35306G	48.67	83.54	-34.87	44.05	1	Vertical	104	2.78	-	37.89	15.46	48.73			
AV	20.3539G	36.54	63.54	-27.00	31.92	1	Vertical	104	2.78	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 5.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.354G	49.37	83.54	-34.17	44.75	1	Horizontal	14	2.34	-	37.89	15.46	48.73			
AV	20.35004G	36.87	63.54	-26.67	32.24	1	Horizontal	14	2.34	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72995G	52.32	88.20	-35.88	62.91	3	Vertical	39	1.34	-	40.46	13.30	64.35			
RMS	13.72904G	39.79	68.20	-28.41	50.38	3	Vertical	39	1.34	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72922G	52.49	88.20	-35.71	63.08	3	Horizontal	46	1.94	-	40.46	13.30	64.35			
RMS	13.72901G	39.78	68.20	-28.42	50.37	3	Horizontal	46	1.94	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 7.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59116G	48.93	83.54	-34.61	44.08	1	Vertical	9	1.85	-	37.90	15.65	48.70			
AV	20.59956G	36.73	63.54	-26.81	31.87	1	Vertical	9	1.85	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 7.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59986G	49.22	83.54	-34.32	44.36	1	Horizontal	302	1.18	-	37.90	15.66	48.70			
AV	20.59894G	37.18	63.54	-26.36	32.32	1	Horizontal	302	1.18	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89021G	53.01	88.20	-35.19	63.16	3	Vertical	67	1.54	-	40.88	13.39	64.42			
RMS	13.88969G	39.70	68.20	-28.50	49.85	3	Vertical	67	1.54	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 5.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89051G	52.08	88.20	-36.12	62.23	3	Horizontal	312	2.72	-	40.88	13.39	64.42			
RMS	13.88927G	39.71	68.20	-28.49	49.86	3	Horizontal	312	2.72	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83532G	48.94	83.54	-34.60	43.89	1	Vertical	225	2.00	-	37.90	15.85	48.70			
AV	20.8301G	36.82	63.54	-26.72	31.77	1	Vertical	225	2.00	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.83446G	47.54	83.54	-36.00	42.49	1	Horizontal	81	2.06	-	37.90	15.85	48.70				
AV	20.83G	37.63	63.54	-25.91	32.58	1	Horizontal	81	2.06	-	37.90	15.85	48.70				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 6
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.015G	111.23	Inf	-Inf	99.24	3	Vertical	1	1.80	-	36.77	7.96	32.74			
RMS	6.9954G	100.86	Inf	-Inf	88.87	3	Vertical	1	1.80	-	36.78	7.96	32.75			
PK	7.2082G	64.12	88.20	-24.08	51.63	3	Vertical	1	1.80	-	37.22	7.94	32.67			
RMS	7.211G	54.21	68.20	-13.99	41.72	3	Vertical	1	1.80	-	37.22	7.94	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 6
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0046G	109.51	Inf	-Inf	97.51	3	Horizontal	356	1.80	-	36.79	7.96	32.75			
RMS	7.0038G	99.78	Inf	-Inf	87.78	3	Horizontal	356	1.80	-	36.79	7.96	32.75			
PK	7.1826G	64.25	88.20	-23.95	51.89	3	Horizontal	356	1.80	-	37.10	7.94	32.68			
RMS	7.2238G	54.08	68.20	-14.12	41.54	3	Horizontal	356	1.80	-	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 6
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04988G	54.12	88.20	-34.08	64.02	3	Vertical	360	2.36	-	41.00	13.45	64.35			
RMS	14.04984G	41.42	68.20	-26.78	51.32	3	Vertical	360	2.36	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 6
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04975G	53.86	88.20	-34.34	63.76	3	Horizontal	353	2.49	-	41.00	13.45	64.35			
RMS	14.04985G	41.39	68.20	-26.81	51.29	3	Horizontal	353	2.49	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 6
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07176G	48.31	83.54	-35.23	42.96	1	Vertical	31	2.56	-	38.00	16.04	48.69			
AV	21.07692G	36.38	63.54	-27.16	31.01	1	Vertical	31	2.56	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 6
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07884G	49.65	83.54	-33.89	44.28	1	Horizontal	8	1.57	-	38.00	16.05	48.68			
AV	21.07694G	37.61	63.54	-25.93	32.24	1	Horizontal	8	1.57	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	62.95	88.20	-25.25	53.09	3	Vertical	356	1.80	11	34.87	7.43	32.44			
RMS	5.9245G	52.37	68.20	-15.83	42.42	3	Vertical	356	1.80	11	34.95	7.44	32.44			
PK	6.0935G	110.12	Inf	-Inf	99.61	3	Vertical	356	1.80	11	35.40	7.54	32.43			
RMS	6.093G	99.20	Inf	-Inf	88.69	3	Vertical	356	1.80	11	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	63.40	88.20	-24.80	53.47	3	Horizontal	0	1.80	11	34.93	7.44	32.44				
RMS	5.9135G	52.19	68.20	-16.01	42.31	3	Horizontal	0	1.80	11	34.88	7.44	32.44				
PK	6.102G	108.75	Inf	-Inf	98.23	3	Horizontal	0	1.80	11	35.40	7.55	32.43				
RMS	6.1025G	98.16	Inf	-Inf	87.65	3	Horizontal	0	1.80	11	35.39	7.55	32.43				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05072G	48.59	74.00	-25.41	63.29	3	Vertical	212	1.07	-	38.60	12.39	65.69			
AV	12.049G	36.12	54.00	-17.88	50.83	3	Vertical	212	1.07	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04915G	48.89	74.00	-25.11	63.60	3	Horizontal	45	2.20	-	38.60	12.39	65.70			
AV	12.04923G	36.11	54.00	-17.89	50.82	3	Horizontal	45	2.20	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0788G	47.68	83.54	-35.86	43.04	1	Vertical	334	1.01	-	37.57	15.29	48.22			
AV	18.07068G	35.41	63.54	-28.13	30.81	1	Vertical	334	1.01	-	37.52	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07012G	48.57	83.54	-34.97	43.97	1	Horizontal	152	2.03	-	37.52	15.29	48.21			
AV	18.07718G	36.65	63.54	-26.89	32.02	1	Horizontal	152	2.03	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37025G	49.32	74.00	-24.68	63.63	3	Vertical	91	1.85	-	38.54	12.56	65.41			
AV	12.369G	37.09	54.00	-16.91	51.40	3	Vertical	91	1.85	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36909G	50.81	74.00	-23.19	65.12	3	Horizontal	259	2.17	-	38.54	12.56	65.41			
AV	12.36902G	37.09	54.00	-16.91	51.40	3	Horizontal	259	2.17	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55874G	48.33	83.54	-35.21	43.63	1	Vertical	314	2.04	-	37.80	15.26	48.36			
AV	18.55088G	36.34	63.54	-27.20	31.63	1	Vertical	314	2.04	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.55148G	47.51	83.54	-36.03	42.80	1	Horizontal	247	1.62	-	37.80	15.26	48.35				
AV	18.55134G	35.61	63.54	-27.93	30.90	1	Horizontal	247	1.62	-	37.80	15.26	48.35				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68909G	50.00	74.00	-24.00	63.45	3	Vertical	84	2.69	-	39.08	12.74	65.27			
AV	12.68903G	37.20	54.00	-16.80	50.65	3	Vertical	84	2.69	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69092G	50.66	74.00	-23.34	64.11	3	Horizontal	211	2.61	-	39.08	12.74	65.27			
AV	12.68912G	37.17	54.00	-16.83	50.62	3	Horizontal	211	2.61	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0314G	48.79	83.54	-34.75	44.42	1	Vertical	199	1.47	-	37.94	15.23	48.80			
AV	19.03136G	37.04	63.54	-26.50	32.67	1	Vertical	199	1.47	-	37.94	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 10
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0313G	47.37	83.54	-36.17	43.00	1	Horizontal	242	2.68	-	37.94	15.23	48.80			
AV	19.03124G	35.46	63.54	-28.08	31.09	1	Horizontal	242	2.68	-	37.94	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00969G	50.77	88.20	-37.43	63.47	3	Vertical	39	1.71	-	39.60	12.91	65.21			
RMS	13.00918G	38.02	68.20	-30.18	50.72	3	Vertical	39	1.71	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01056G	51.04	88.20	-37.16	63.74	3	Horizontal	14	1.50	-	39.60	12.91	65.21			
RMS	13.00916G	38.03	68.20	-30.17	50.73	3	Horizontal	14	1.50	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51826G	48.47	83.54	-35.07	44.31	1	Vertical	328	2.70	-	37.76	15.20	48.80			
AV	19.5113G	36.34	63.54	-27.20	32.16	1	Vertical	328	2.70	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51342G	48.83	83.54	-34.71	44.66	1	Horizontal	252	2.77	-	37.77	15.20	48.80			
AV	19.5113G	36.98	63.54	-26.56	32.80	1	Horizontal	252	2.77	-	37.78	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33059G	52.36	74.00	-21.64	63.70	3	Vertical	280	1.17	-	40.16	13.09	64.59			
AV	13.33093G	39.51	54.00	-14.49	50.85	3	Vertical	280	1.17	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33057G	52.10	74.00	-21.90	63.44	3	Horizontal	294	1.63	-	40.16	13.09	64.59			
AV	13.33084G	39.50	54.00	-14.50	50.84	3	Horizontal	294	1.63	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99684G	48.20	83.54	-35.34	44.12	1	Vertical	210	1.20	-	37.71	15.17	48.80			
AV	19.99592G	35.57	63.54	-27.97	31.49	1	Vertical	210	1.20	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99884G	48.54	83.54	-35.00	44.47	1	Horizontal	21	2.81	-	37.70	15.17	48.80			
AV	19.99588G	36.72	63.54	-26.82	32.64	1	Horizontal	21	2.81	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65089G	52.64	88.20	-35.56	63.40	3	Vertical	336	1.27	-	40.30	13.26	64.32			
RMS	13.64907G	39.79	68.20	-28.41	50.55	3	Vertical	336	1.27	-	40.30	13.26	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX



EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64909G	52.38	88.20	-35.82	63.14	3	Horizontal	283	2.46	-	40.30	13.26	64.32			
RMS	13.64979G	39.79	68.20	-28.41	50.55	3	Horizontal	283	2.46	-	40.30	13.26	64.32			