


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78722G	47.66	88.20	-40.54	59.45	3	Horizontal	85	2.51	-	40.55	12.03	64.37			
RMS	13.79466G	35.06	68.20	-33.14	46.83	3	Horizontal	85	2.51	-	40.58	12.03	64.38			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68154G	47.61	83.54	-35.93	42.68	1	Vertical	91	1.40	-	37.90	15.73	48.70			
AV	20.68004G	35.22	63.54	-28.32	30.30	1	Vertical	91	1.40	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6867G	47.10	83.54	-36.44	42.17	1	Horizontal	242	1.19	-	37.90	15.73	48.70			
AV	20.68482G	35.32	63.54	-28.22	30.39	1	Horizontal	242	1.19	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98508G	48.03	88.20	-40.17	59.52	3	Vertical	205	2.70	-	40.94	12.02	64.45			
RMS	13.9861G	35.77	68.20	-32.43	47.26	3	Vertical	205	2.70	-	40.94	12.02	64.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98562G	48.00	88.20	-40.20	59.49	3	Horizontal	4	2.42	-	40.94	12.02	64.45			
RMS	13.98582G	35.75	68.20	-32.45	47.24	3	Horizontal	4	2.42	-	40.94	12.02	64.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9855G	48.24	83.54	-35.30	43.00	1	Vertical	335	2.22	-	37.97	15.97	48.70			
AV	20.98048G	36.61	63.54	-26.93	31.38	1	Vertical	335	2.22	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98272G	48.22	83.54	-35.32	42.98	1	Horizontal	338	1.76	-	37.97	15.97	48.70			
AV	20.98748G	36.77	63.54	-26.77	31.53	1	Horizontal	338	1.76	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 6
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1026G	103.50	Inf	-Inf	93.29	3	Vertical	360	1.42	-	36.01	8.38	34.18			
RMS	7.0924G	86.38	Inf	-Inf	76.25	3	Vertical	360	1.42	-	35.94	8.37	34.18			
PK	7.1282G	61.50	88.20	-26.70	51.21	3	Vertical	360	1.42	-	36.06	8.41	34.18			
RMS	7.1942G	51.03	68.20	-17.17	40.55	3	Vertical	360	1.42	-	36.19	8.47	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 6
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0902G	109.98	Inf	-Inf	99.87	3	Horizontal	356	1.54	-	35.92	8.37	34.18			
RMS	7.0986G	99.66	Inf	-Inf	89.47	3	Horizontal	356	1.54	-	35.99	8.38	34.18			
PK	7.1926G	62.14	88.20	-26.06	51.66	3	Horizontal	356	1.54	-	36.19	8.47	34.18			
RMS	7.1848G	50.99	68.20	-17.21	40.54	3	Horizontal	356	1.54	-	36.17	8.46	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19342G	47.43	88.20	-40.77	58.01	3	Vertical	9	2.79	-	41.30	12.16	64.04			
RMS	14.192G	34.03	68.20	-34.17	44.62	3	Vertical	9	2.79	-	41.30	12.15	64.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18604G	47.24	88.20	-40.96	57.84	3	Horizontal	62	2.20	-	41.30	12.15	64.05			
RMS	14.1931G	33.93	68.20	-34.27	44.51	3	Horizontal	62	2.20	-	41.30	12.16	64.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28198G	48.11	83.54	-35.43	42.48	1	Vertical	19	1.87	-	38.06	16.21	48.64			
AV	21.28G	36.11	63.54	-27.43	30.48	1	Vertical	19	1.87	-	38.06	16.21	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28374G	48.00	83.54	-35.54	42.35	1	Horizontal	53	2.93	-	38.07	16.22	48.64			
AV	21.28386G	36.12	63.54	-27.42	30.47	1	Horizontal	53	2.93	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 1
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1195G	94.66	Inf	-Inf	84.40	3	Vertical	-0	1.64	BP 1MHz	36.04	8.40	34.18			
RMS	7.1095G	82.99	Inf	-Inf	72.76	3	Vertical	-0	1.64	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	68.54	88.20	-19.66	58.26	3	Vertical	-0	1.64	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	54.78	68.20	-13.42	44.50	3	Vertical	-0	1.64	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 1
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1235G	101.74	Inf	-Inf	91.47	3	Horizontal	360	1.46	BP 1MHz	36.05	8.40	34.18			
RMS	7.1065G	95.93	Inf	-Inf	85.71	3	Horizontal	360	1.46	BP 1MHz	36.01	8.39	34.18			
PK	7.1255G	78.47	88.20	-9.73	68.19	3	Horizontal	360	1.46	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.19	68.20	-0.01	57.91	3	Horizontal	360	1.46	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 1
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23094G	45.30	88.20	-42.90	55.84	3	Vertical	285	2.93	-	41.24	12.18	63.96			
RMS	14.2313G	34.32	68.20	-33.88	44.86	3	Vertical	285	2.93	-	41.24	12.18	63.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 1
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23298G	45.57	88.20	-42.63	56.11	3	Horizontal	81	1.34	-	41.23	12.18	63.95			
RMS	14.22594G	34.14	68.20	-34.06	44.68	3	Horizontal	81	1.34	-	41.25	12.18	63.97			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 1
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34202G	47.58	83.54	-35.96	41.85	1	Vertical	140	2.32	-	38.10	16.26	48.63			
AV	21.34838G	36.15	63.54	-27.39	30.41	1	Vertical	140	2.32	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 1
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34692G	48.38	83.54	-35.16	42.64	1	Horizontal	219	2.42	-	38.10	16.27	48.63			
AV	21.3451G	36.25	63.54	-27.29	30.51	1	Horizontal	219	2.42	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	63.07	88.20	-25.13	58.00	3	Vertical	360.1	1.63	-	32.40	7.27	34.60			
RMS	5.9208G	49.29	68.20	-18.91	44.23	3	Vertical	360.1	1.63	-	32.40	7.26	34.60			
PK	5.9494G	104.25	Inf	-Inf	99.20	3	Vertical	360.1	1.63	-	32.40	7.28	34.63			
RMS	5.9736G	89.89	Inf	-Inf	84.79	3	Vertical	360.1	1.63	-	32.45	7.30	34.65			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	72.45	88.20	-15.75	67.38	3	Horizontal	360	1.35	-	32.40	7.27	34.60			
RMS	5.9242G	50.25	68.20	-17.95	45.18	3	Horizontal	360	1.35	-	32.40	7.27	34.60			
PK	5.9798G	110.49	Inf	-Inf	105.38	3	Horizontal	360	1.35	-	32.46	7.31	34.66			
RMS	5.9828G	99.83	Inf	-Inf	94.71	3	Horizontal	360	1.35	-	32.47	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92624G	45.71	74.00	-28.29	60.62	3	Vertical	325	1.43	-	38.85	12.03	65.79			
AV	11.93248G	33.32	54.00	-20.68	48.20	3	Vertical	325	1.43	-	38.86	12.04	65.78			
PK	17.89602G	57.10	74.00	-16.90	56.66	3	Vertical	189	1.62	-	48.86	14.06	62.48			
AV	17.90538G	45.30	54.00	-8.70	44.51	3	Vertical	189	1.62	-	49.19	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93082G	46.09	74.00	-27.91	60.98	3	Horizontal	139	1.47	-	38.86	12.04	65.79			
AV	11.93258G	33.35	54.00	-20.65	48.22	3	Horizontal	139	1.47	-	38.87	12.04	65.78			
PK	17.89632G	57.59	74.00	-16.41	57.14	3	Horizontal	114	1.01	-	48.87	14.06	62.48			
AV	17.90988G	45.25	54.00	-8.75	44.28	3	Horizontal	114	1.01	-	49.36	14.07	62.46			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87062G	50.10	83.54	-33.44	41.39	1	Vertical	342	1.08	-	39.06	17.30	47.65			
AV	23.85964G	38.90	63.54	-24.64	30.19	1	Vertical	342	1.08	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86786G	49.34	83.54	-34.20	40.64	1	Horizontal	149	1.15	-	39.06	17.29	47.65			
AV	23.85982G	39.00	63.54	-24.54	30.29	1	Horizontal	149	1.15	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40626G	45.12	74.00	-28.88	59.63	3	Vertical	315	2.13	-	38.79	12.07	65.37			
AV	12.41352G	32.75	54.00	-21.25	47.28	3	Vertical	315	2.13	-	38.77	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41216G	45.05	74.00	-28.95	59.57	3	Horizontal	266	1.74	-	38.78	12.07	65.37			
AV	12.41038G	32.69	54.00	-21.31	47.21	3	Horizontal	266	1.74	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61524G	48.71	83.54	-34.83	44.05	1	Vertical	165	1.88	-	37.83	15.25	48.42			
AV	18.6131G	36.32	63.54	-27.22	31.65	1	Vertical	165	1.88	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6118G	48.18	83.54	-35.36	43.52	1	Horizontal	106	2.85	-	37.82	15.25	48.41			
AV	18.61358G	36.33	63.54	-27.21	31.66	1	Horizontal	106	2.85	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81494G	46.26	88.20	-41.94	60.25	3	Vertical	89	2.07	-	39.20	12.06	65.25			
RMS	12.80752G	33.49	68.20	-34.71	47.48	3	Vertical	89	2.07	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80854G	46.20	88.20	-42.00	60.19	3	Horizontal	39	2.76	-	39.20	12.06	65.25			
RMS	12.80968G	33.33	68.20	-34.87	47.32	3	Horizontal	39	2.76	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2184G	48.43	83.54	-35.11	44.14	1	Vertical	44	1.51	-	37.87	15.22	48.80			
AV	19.21272G	35.92	63.54	-27.62	31.65	1	Vertical	44	1.51	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21366G	47.88	83.54	-35.66	43.61	1	Horizontal	165	2.31	-	37.85	15.22	48.80			
AV	19.2118G	36.00	63.54	-27.54	31.73	1	Horizontal	165	2.31	-	37.85	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88766G	45.33	88.20	-42.87	59.24	3	Vertical	8	1.62	-	39.28	12.05	65.24			
RMS	12.89006G	32.97	68.20	-35.23	46.88	3	Vertical	8	1.62	-	39.28	12.05	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8855G	45.14	88.20	-43.06	59.06	3	Horizontal	80	2.04	-	39.27	12.05	65.24			
RMS	12.89388G	33.04	68.20	-35.16	46.94	3	Horizontal	80	2.04	-	39.29	12.05	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33154G	47.75	83.54	-35.79	43.54	1	Vertical	225	2.03	-	37.80	15.21	48.80			
AV	19.3392G	35.86	63.54	-27.68	31.65	1	Vertical	225	2.03	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33498G	47.96	83.54	-35.58	43.75	1	Horizontal	344	2.73	-	37.80	15.21	48.80			
AV	19.33648G	35.92	63.54	-27.62	31.71	1	Horizontal	344	2.73	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9679G	45.30	88.20	-42.90	59.02	3	Vertical	64	1.79	-	39.46	12.05	65.23			
RMS	12.97056G	33.02	68.20	-35.18	46.74	3	Vertical	64	1.79	-	39.46	12.05	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96516G	45.29	88.20	-42.91	59.00	3	Horizontal	205	2.63	-	39.47	12.05	65.23			
RMS	12.9674G	33.01	68.20	-35.19	46.72	3	Horizontal	205	2.63	-	39.47	12.05	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45878G	49.10	83.54	-34.44	44.98	1	Vertical	81	1.50	-	37.72	15.20	48.80			
AV	19.45808G	36.18	63.54	-27.36	32.06	1	Vertical	81	1.50	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.452G	48.20	83.54	-35.34	44.10	1	Horizontal	217	1.61	-	37.70	15.20	48.80			
AV	19.45344G	36.10	63.54	-27.44	31.99	1	Horizontal	217	1.61	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04584G	45.43	88.20	-42.77	59.30	3	Vertical	339	2.73	-	39.22	12.05	65.14			
RMS	13.0457G	33.56	68.20	-34.64	47.43	3	Vertical	339	2.73	-	39.22	12.05	65.14			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04588G	46.25	88.20	-41.95	60.12	3	Horizontal	266	1.07	-	39.22	12.05	65.14			
RMS	13.0461G	33.37	68.20	-34.83	47.24	3	Horizontal	266	1.07	-	39.22	12.05	65.14			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57956G	47.83	83.54	-35.71	43.73	1	Vertical	64	1.68	-	37.70	15.20	48.80			
AV	19.5718G	36.01	63.54	-27.53	31.91	1	Vertical	64	1.68	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57876G	48.20	83.54	-35.34	44.10	1	Horizontal	234	1.07	-	37.70	15.20	48.80			
AV	19.5799G	36.07	63.54	-27.47	31.97	1	Horizontal	234	1.07	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13456G	46.83	88.20	-41.37	60.27	3	Vertical	155	2.29	-	39.48	12.05	64.97			
RMS	13.13324G	34.38	68.20	-33.82	47.83	3	Vertical	155	2.29	-	39.47	12.05	64.97			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1264G	46.59	88.20	-41.61	60.11	3	Horizontal	81	2.31	-	39.41	12.05	64.98			
RMS	13.13494G	34.38	68.20	-33.82	47.82	3	Horizontal	81	2.31	-	39.48	12.05	64.97			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69812G	47.23	83.54	-36.31	43.14	1	Vertical	140	1.29	-	37.70	15.19	48.80			
AV	19.6978G	35.91	63.54	-27.63	31.82	1	Vertical	140	1.29	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69404G	47.95	83.54	-35.59	43.86	1	Horizontal	345	2.82	-	37.70	15.19	48.80			
AV	19.69996G	35.93	63.54	-27.61	31.84	1	Horizontal	345	2.82	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3654G	47.34	74.00	-26.66	59.82	3	Vertical	323	1.59	-	40.00	12.04	64.52			
AV	13.3662G	34.83	54.00	-19.17	47.31	3	Vertical	323	1.59	-	40.00	12.04	64.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3748G	47.16	74.00	-26.84	59.62	3	Horizontal	40	2.87	-	40.00	12.04	64.50			
AV	13.36674G	34.85	54.00	-19.15	47.33	3	Horizontal	40	2.87	-	40.00	12.04	64.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05054G	48.51	83.54	-35.03	44.29	1	Vertical	15	1.04	-	37.80	15.21	48.79			
AV	20.05082G	36.07	63.54	-27.47	31.85	1	Vertical	15	1.04	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05992G	48.22	83.54	-35.32	43.99	1	Horizontal	252	1.29	-	37.80	15.22	48.79			
AV	20.05108G	36.07	63.54	-27.47	31.85	1	Horizontal	252	1.29	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76752G	47.73	88.20	-40.47	59.60	3	Vertical	165	2.02	-	40.47	12.03	64.37			
RMS	13.772G	35.07	68.20	-33.13	46.92	3	Vertical	165	2.02	-	40.49	12.03	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7729G	47.47	88.20	-40.73	59.32	3	Horizontal	289	1.97	-	40.49	12.03	64.37			
RMS	13.77052G	35.07	68.20	-33.13	46.93	3	Horizontal	289	1.97	-	40.48	12.03	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65652G	48.04	83.54	-35.50	43.13	1	Vertical	3	1.36	-	37.90	15.71	48.70			
AV	20.6507G	35.42	63.54	-28.12	30.52	1	Vertical	3	1.36	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65966G	47.30	83.54	-36.24	42.39	1	Horizontal	18	2.87	-	37.90	15.71	48.70			
AV	20.6589G	35.50	63.54	-28.04	30.59	1	Horizontal	18	2.87	-	37.90	15.71	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84572G	47.52	88.20	-40.68	59.39	3	Vertical	360	2.06	-	40.51	12.02	64.40			
RMS	13.85196G	34.98	68.20	-33.22	46.85	3	Vertical	360	2.06	-	40.51	12.02	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84788G	47.04	88.20	-41.16	58.92	3	Horizontal	326	1.19	-	40.50	12.02	64.40			
RMS	13.84966G	35.01	68.20	-33.19	46.89	3	Horizontal	326	1.19	-	40.50	12.02	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77928G	48.45	83.54	-35.09	43.44	1	Vertical	259	1.20	-	37.90	15.81	48.70			
AV	20.77404G	35.43	63.54	-28.11	30.43	1	Vertical	259	1.20	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 6
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77732G	47.75	83.54	-35.79	42.75	1	Horizontal	106	1.76	-	37.90	15.80	48.70			
AV	20.77326G	35.33	63.54	-28.21	30.33	1	Horizontal	106	1.76	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01272G	48.11	88.20	-40.09	59.48	3	Vertical	323	1.33	-	41.03	12.03	64.43			
RMS	14.01244G	35.70	68.20	-32.50	47.08	3	Vertical	323	1.33	-	41.02	12.03	64.43			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00558G	48.28	88.20	-39.92	59.70	3	Horizontal	199	2.70	-	41.01	12.02	64.45			
RMS	14.01068G	35.67	68.20	-32.53	47.06	3	Horizontal	199	2.70	-	41.02	12.03	64.44			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01724G	49.14	74.00	-24.86	43.84	1	Vertical	283	2.55	-	38.00	16.00	48.70			
AV	21.01612G	36.62	54.00	-17.38	31.32	1	Vertical	283	2.55	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01496G	48.96	74.00	-25.04	43.66	1	Horizontal	156	1.64	-	38.00	16.00	48.70			
AV	21.01698G	36.72	54.00	-17.28	31.42	1	Horizontal	156	1.64	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0934G	101.69	Inf	-Inf	91.55	3	Vertical	360	1.69	-	35.95	8.37	34.18			
RMS	7.0674G	86.07	Inf	-Inf	76.16	3	Vertical	360	1.69	-	35.74	8.35	34.18			
PK	7.1266G	62.29	88.20	-25.91	52.01	3	Vertical	360	1.69	-	36.05	8.41	34.18			
RMS	7.1756G	51.08	68.20	-17.12	40.65	3	Vertical	360	1.69	-	36.15	8.46	34.18			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0842G	109.04	Inf	-Inf	98.99	3	Horizontal	352	1.47	-	35.87	8.36	34.18			
RMS	7.0788G	99.00	Inf	-Inf	88.99	3	Horizontal	352	1.47	-	35.83	8.36	34.18			
PK	7.1266G	67.87	88.20	-20.33	57.59	3	Horizontal	352	1.47	-	36.05	8.41	34.18			
RMS	7.126G	51.23	68.20	-16.97	40.95	3	Horizontal	352	1.47	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17222G	47.87	88.20	-40.33	58.51	3	Vertical	50	1.06	-	41.30	12.14	64.08			
RMS	14.1692G	35.53	68.20	-32.67	46.18	3	Vertical	50	1.06	-	41.30	12.14	64.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1692G	47.95	88.20	-40.25	58.60	3	Horizontal	162	1.31	-	41.30	12.14	64.09			
RMS	14.1672G	35.61	68.20	-32.59	46.27	3	Horizontal	162	1.31	-	41.30	12.14	64.10			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25306G	47.83	83.54	-35.71	42.28	1	Vertical	245	2.53	-	38.01	16.19	48.65			
AV	21.25724G	36.10	63.54	-27.44	30.55	1	Vertical	245	2.53	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25278G	48.22	83.54	-35.32	42.67	1	Horizontal	118	1.89	-	38.01	16.19	48.65			
AV	21.25776G	36.02	63.54	-27.52	30.45	1	Horizontal	118	1.89	-	38.02	16.20	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.901G	60.29	88.20	-27.91	55.22	3	Vertical	360	1.61	-	32.40	7.25	34.58			
RMS	5.9246G	49.20	68.20	-19.00	44.13	3	Vertical	360	1.61	-	32.40	7.27	34.60			
PK	6.0162G	104.46	Inf	-Inf	99.29	3	Vertical	360	1.61	-	32.50	7.33	34.66			
RMS	6.0226G	92.08	Inf	-Inf	86.91	3	Vertical	360	1.61	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	61.47	88.20	-26.73	56.40	3	Horizontal	353	1.31	-	32.40	7.27	34.60			
RMS	5.925G	50.26	68.20	-17.94	45.19	3	Horizontal	353	1.31	-	32.40	7.27	34.60			
PK	5.973G	110.55	Inf	-Inf	105.45	3	Horizontal	353	1.31	-	32.45	7.30	34.65			
RMS	5.9898G	99.70	Inf	-Inf	94.58	3	Horizontal	353	1.31	-	32.48	7.31	34.67			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97286G	46.05	74.00	-27.95	60.80	3	Vertical	294	2.57	-	38.95	12.06	65.76			
AV	11.97216G	34.00	54.00	-20.00	48.76	3	Vertical	294	2.57	-	38.94	12.06	65.76			
PK	17.96742G	60.25	74.00	-13.75	56.86	3	Vertical	70	1.32	-	51.64	14.09	62.34			
AV	17.96994G	48.30	54.00	-5.70	44.79	3	Vertical	70	1.32	-	51.76	14.09	62.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96924G	46.53	74.00	-27.47	61.29	3	Horizontal	147	1.66	-	38.94	12.06	65.76			
AV	11.97246G	34.01	54.00	-19.99	48.77	3	Horizontal	147	1.66	-	38.94	12.06	65.76			
PK	17.96382G	60.63	74.00	-13.37	57.43	3	Horizontal	312	2.94	-	51.46	14.09	62.35			
AV	17.97G	48.37	54.00	-5.63	44.86	3	Horizontal	312	2.94	-	51.76	14.09	62.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93184G	45.13	83.54	-38.41	36.45	1	Vertical	163	1.43	-	39.00	17.31	47.63			
AV	23.93502G	33.10	63.54	-30.44	24.42	1	Vertical	163	1.43	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93316G	45.41	83.54	-38.13	36.73	1	Horizontal	225	1.28	-	39.00	17.31	47.63			
AV	23.92542G	33.07	63.54	-30.47	24.39	1	Horizontal	225	1.28	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45358G	45.30	74.00	-28.70	59.87	3	Vertical	41	2.28	-	38.69	12.07	65.33			
AV	12.44844G	33.04	54.00	-20.96	47.61	3	Vertical	41	2.28	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44932G	45.33	74.00	-28.67	59.90	3	Horizontal	105	2.30	-	38.70	12.07	65.34			
AV	12.44626G	33.03	54.00	-20.97	47.59	3	Horizontal	105	2.30	-	38.71	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67698G	48.42	83.54	-35.12	43.75	1	Vertical	73	1.83	-	37.90	15.25	48.48			
AV	18.67508G	35.90	63.54	-27.64	31.23	1	Vertical	73	1.83	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67386G	48.24	83.54	-35.30	43.56	1	Horizontal	198	2.40	-	37.90	15.25	48.47			
AV	18.67268G	35.92	63.54	-27.62	31.24	1	Horizontal	198	2.40	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76872G	46.04	88.20	-42.16	60.23	3	Vertical	21	2.91	-	39.01	12.06	65.26			
RMS	12.76808G	33.68	68.20	-34.52	47.87	3	Vertical	21	2.91	-	39.01	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7698G	46.22	88.20	-41.98	60.40	3	Horizontal	358	2.50	-	39.02	12.06	65.26			
RMS	12.76862G	33.64	68.20	-34.56	47.83	3	Horizontal	358	2.50	-	39.01	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15754G	49.19	83.54	-34.35	44.80	1	Vertical	327	1.50	-	37.97	15.22	48.80			
AV	19.15906G	36.81	63.54	-26.73	32.43	1	Vertical	327	1.50	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1531G	48.63	83.54	-34.91	44.22	1	Horizontal	204	1.15	-	37.99	15.22	48.80			
AV	19.1568G	36.74	63.54	-26.80	32.35	1	Horizontal	204	1.15	-	37.97	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93038G	45.40	88.20	-42.80	59.17	3	Vertical	230	2.30	-	39.42	12.05	65.24			
RMS	12.92752G	33.18	68.20	-35.02	46.96	3	Vertical	230	2.30	-	39.41	12.05	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9274G	46.10	88.20	-42.10	59.88	3	Horizontal	115	1.69	-	39.41	12.05	65.24			
RMS	12.93386G	33.09	68.20	-35.11	46.84	3	Horizontal	115	1.69	-	39.44	12.05	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39328G	48.94	83.54	-34.60	44.64	1	Vertical	158	1.15	-	37.89	15.21	48.80			
AV	19.39454G	36.53	63.54	-27.01	32.23	1	Vertical	158	1.15	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3915G	48.43	83.54	-35.11	44.14	1	Horizontal	89	1.83	-	37.88	15.21	48.80			
AV	19.39414G	36.63	63.54	-26.91	32.33	1	Horizontal	89	1.83	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0925G	45.13	88.20	-43.07	58.93	3	Vertical	252	2.18	-	39.20	12.05	65.05			
RMS	13.09296G	33.11	68.20	-35.09	46.91	3	Vertical	252	2.18	-	39.20	12.05	65.05			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09028G	45.36	88.20	-42.84	59.16	3	Horizontal	90	1.64	-	39.20	12.05	65.05			
RMS	13.0934G	33.16	68.20	-35.04	46.96	3	Horizontal	90	1.64	-	39.20	12.05	65.05			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63152G	48.39	83.54	-35.15	44.30	1	Vertical	123	1.34	-	37.70	15.19	48.80			
AV	19.63684G	36.12	63.54	-27.42	32.03	1	Vertical	123	1.34	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63004G	48.06	83.54	-35.48	43.97	1	Horizontal	305	2.69	-	37.70	15.19	48.80			
AV	19.63486G	36.09	63.54	-27.45	32.00	1	Horizontal	305	2.69	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25328G	46.29	74.00	-27.71	59.38	3	Vertical	232	2.24	-	39.61	12.04	64.74			
AV	13.2534G	34.46	54.00	-19.54	47.55	3	Vertical	232	2.24	-	39.61	12.04	64.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25244G	46.77	74.00	-27.23	59.87	3	Horizontal	150	2.85	-	39.60	12.04	64.74			
AV	13.25236G	34.52	54.00	-19.48	47.62	3	Horizontal	150	2.85	-	39.60	12.04	64.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87116G	47.47	83.54	-36.07	43.39	1	Vertical	1	2.32	-	37.70	15.18	48.80			
AV	19.87314G	35.70	63.54	-27.84	31.62	1	Vertical	1	2.32	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87292G	47.75	83.54	-35.79	43.67	1	Horizontal	29	2.83	-	37.70	15.18	48.80			
AV	19.87288G	35.70	63.54	-27.84	31.62	1	Horizontal	29	2.83	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40634G	46.92	88.20	-41.28	59.29	3	Vertical	353	1.25	-	40.03	12.04	64.44			
RMS	13.41324G	34.46	68.20	-33.74	46.80	3	Vertical	353	1.25	-	40.05	12.04	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41456G	47.56	88.20	-40.64	59.89	3	Horizontal	32	2.23	-	40.06	12.04	64.43			
RMS	13.41384G	34.41	68.20	-33.79	46.74	3	Horizontal	32	2.23	-	40.06	12.04	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11978G	48.65	83.54	-34.89	44.36	1	Vertical	302	2.40	-	37.80	15.27	48.78			
AV	20.11632G	35.91	63.54	-27.63	31.63	1	Vertical	302	2.40	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11596G	47.85	83.54	-35.69	43.57	1	Horizontal	165	1.33	-	37.80	15.26	48.78			
AV	20.11502G	35.83	63.54	-27.71	31.55	1	Horizontal	165	1.33	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56512G	47.85	88.20	-40.35	59.50	3	Vertical	170	2.18	-	40.61	12.03	64.29			
RMS	13.56606G	35.88	68.20	-32.32	47.54	3	Vertical	170	2.18	-	40.60	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56546G	48.06	88.20	-40.14	59.71	3	Horizontal	178	1.64	-	40.61	12.03	64.29			
RMS	13.56608G	35.83	68.20	-32.37	47.49	3	Horizontal	178	1.64	-	40.60	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35526G	48.26	83.54	-35.28	43.64	1	Vertical	29	1.63	-	37.89	15.46	48.73			
AV	20.35014G	36.41	63.54	-27.13	31.78	1	Vertical	29	1.63	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3504G	48.34	83.54	-35.20	43.71	1	Horizontal	146	1.57	-	37.90	15.46	48.73			
AV	20.35088G	36.31	63.54	-27.23	31.68	1	Horizontal	146	1.57	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73458G	47.08	88.20	-41.12	59.03	3	Vertical	109	1.57	-	40.37	12.03	64.35			
RMS	13.73432G	34.59	68.20	-33.61	46.54	3	Vertical	109	1.57	-	40.37	12.03	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73014G	47.09	88.20	-41.11	59.05	3	Horizontal	82	1.88	-	40.36	12.03	64.35			
RMS	13.73408G	34.58	68.20	-33.62	46.53	3	Horizontal	82	1.88	-	40.37	12.03	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59596G	47.99	83.54	-35.55	43.13	1	Vertical	263	2.94	-	37.90	15.66	48.70			
AV	20.59896G	36.03	63.54	-27.51	31.17	1	Vertical	263	2.94	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59056G	48.58	83.54	-34.96	43.73	1	Horizontal	9	1.92	-	37.90	15.65	48.70			
AV	20.59018G	36.03	63.54	-27.51	31.18	1	Horizontal	9	1.92	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89436G	47.76	88.20	-40.44	59.48	3	Vertical	291	2.79	-	40.68	12.02	64.42			
RMS	13.88934G	35.39	68.20	-32.81	47.13	3	Vertical	291	2.79	-	40.66	12.02	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88928G	47.42	88.20	-40.78	59.16	3	Horizontal	69	1.69	-	40.66	12.02	64.42			
RMS	13.89254G	35.46	68.20	-32.74	47.19	3	Horizontal	69	1.69	-	40.67	12.02	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83596G	48.11	83.54	-35.43	43.06	1	Vertical	307	1.31	-	37.90	15.85	48.70			
AV	20.838G	35.65	63.54	-27.89	30.60	1	Vertical	307	1.31	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83154G	47.95	83.54	-35.59	42.90	1	Horizontal	230	2.95	-	37.90	15.85	48.70			
AV	20.83716G	35.56	63.54	-27.98	30.51	1	Horizontal	230	2.95	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9962G	99.53	Inf	-Inf	90.06	3	Vertical	330	1.61	-	35.38	8.27	34.18			
RMS	7.0198G	87.57	Inf	-Inf	77.97	3	Vertical	330	1.61	-	35.48	8.30	34.18			
PK	7.1506G	62.24	88.20	-25.96	51.89	3	Vertical	330	1.61	-	36.10	8.43	34.18			
RMS	7.2202G	51.06	68.20	-17.14	40.46	3	Vertical	330	1.61	-	36.28	8.50	34.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9954G	108.33	Inf	-Inf	98.86	3	Horizontal	355	1.48	-	35.38	8.27	34.18			
RMS	6.9894G	99.10	Inf	-Inf	89.66	3	Horizontal	355	1.48	-	35.36	8.26	34.18			
PK	7.1834G	61.02	88.20	-27.18	50.57	3	Horizontal	355	1.48	-	36.17	8.46	34.18			
RMS	7.2186G	51.17	68.20	-17.03	40.58	3	Horizontal	355	1.48	-	36.27	8.50	34.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04802G	48.53	88.20	-39.67	59.74	3	Vertical	120	2.52	-	41.10	12.05	64.36			
RMS	14.04818G	36.04	68.20	-32.16	47.24	3	Vertical	120	2.52	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05486G	48.21	88.20	-39.99	59.37	3	Horizontal	332	2.49	-	41.12	12.06	64.34			
RMS	14.04788G	36.00	68.20	-32.20	47.21	3	Horizontal	332	2.49	-	41.10	12.05	64.36			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07584G	48.42	83.54	-35.12	43.05	1	Vertical	67	2.59	-	38.00	16.05	48.68			
AV	21.07022G	36.48	63.54	-27.06	31.13	1	Vertical	67	2.59	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0724G	49.23	83.54	-34.31	43.88	1	Horizontal	16	1.61	-	38.00	16.04	48.69			
AV	21.07862G	36.39	63.54	-27.15	31.02	1	Horizontal	16	1.61	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8798G	59.77	88.20	-28.43	54.76	3	Vertical	360	1.80	-	32.32	7.24	34.55			
RMS	5.9218G	49.42	68.20	-18.78	44.35	3	Vertical	360	1.80	-	32.40	7.27	34.60			
PK	6.0514G	101.58	Inf	-Inf	96.36	3	Vertical	360	1.80	-	32.50	7.35	34.63			
RMS	6.0298G	88.68	Inf	-Inf	83.49	3	Vertical	360	1.80	-	32.50	7.34	34.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	61.64	88.20	-26.56	56.57	3	Horizontal	349	1.36	-	32.40	7.27	34.60			
RMS	5.9236G	50.99	68.20	-17.21	45.92	3	Horizontal	349	1.36	-	32.40	7.27	34.60			
PK	5.9926G	109.71	Inf	-Inf	104.58	3	Horizontal	349	1.36	-	32.49	7.31	34.67			
RMS	6.0532G	99.01	Inf	-Inf	93.79	3	Horizontal	349	1.36	-	32.50	7.35	34.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04878G	47.04	74.00	-26.96	61.46	3	Vertical	121	2.45	-	39.20	12.08	65.70			
AV	12.05222G	34.58	54.00	-19.42	48.98	3	Vertical	121	2.45	-	39.21	12.08	65.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0467G	47.29	74.00	-26.71	61.72	3	Horizontal	27	2.24	-	39.19	12.08	65.70			
AV	12.04596G	34.64	54.00	-19.36	49.08	3	Horizontal	27	2.24	-	39.18	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07186G	48.46	83.54	-35.08	43.85	1	Vertical	268	1.02	-	37.53	15.29	48.21			
AV	18.07708G	36.32	63.54	-27.22	31.69	1	Vertical	268	1.02	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07984G	48.18	83.54	-35.36	43.53	1	Horizontal	334	1.11	-	37.58	15.29	48.22			
AV	18.07692G	36.41	63.54	-27.13	31.78	1	Horizontal	334	1.11	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37426G	45.29	74.00	-28.71	59.82	3	Vertical	195	1.54	-	38.80	12.07	65.40			
AV	12.37012G	33.27	54.00	-20.73	47.81	3	Vertical	195	1.54	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37226G	45.77	74.00	-28.23	60.30	3	Horizontal	269	1.11	-	38.80	12.07	65.40			
AV	12.36966G	33.28	54.00	-20.72	47.82	3	Horizontal	269	1.11	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55232G	47.53	83.54	-36.01	42.82	1	Vertical	219	2.10	-	37.80	15.26	48.35			
AV	18.55794G	35.46	63.54	-28.08	30.76	1	Vertical	219	2.10	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55206G	48.25	83.54	-35.29	43.54	1	Horizontal	248	1.69	-	37.80	15.26	48.35			
AV	18.5583G	35.47	63.54	-28.07	30.77	1	Horizontal	248	1.69	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68758G	46.46	74.00	-27.54	60.69	3	Vertical	69	1.19	-	38.98	12.06	65.27			
AV	12.69364G	33.81	54.00	-20.19	48.03	3	Vertical	69	1.19	-	38.99	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68576G	46.81	74.00	-27.19	61.05	3	Horizontal	99	1.56	-	38.97	12.06	65.27			
AV	12.68528G	33.77	54.00	-20.23	48.01	3	Horizontal	99	1.56	-	38.97	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03728G	49.88	83.54	-33.66	45.52	1	Vertical	218	1.55	-	37.93	15.23	48.80			
AV	19.03754G	37.50	63.54	-26.04	33.15	1	Vertical	218	1.55	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03176G	49.53	83.54	-34.01	45.16	1	Horizontal	63	2.09	-	37.94	15.23	48.80			
AV	19.03358G	37.46	63.54	-26.08	33.10	1	Horizontal	63	2.09	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01462G	45.33	88.20	-42.87	59.14	3	Vertical	282	2.40	-	39.34	12.05	65.20			
RMS	13.00768G	33.21	68.20	-34.99	47.01	3	Vertical	282	2.40	-	39.37	12.05	65.22			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0051G	45.33	88.20	-42.87	59.12	3	Horizontal	95	1.00	-	39.38	12.05	65.22			
RMS	13.00768G	33.21	68.20	-34.99	47.01	3	Horizontal	95	1.00	-	39.37	12.05	65.22			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5134G	48.02	83.54	-35.52	43.85	1	Vertical	352	1.61	-	37.77	15.20	48.80			
AV	19.5143G	36.48	63.54	-27.06	32.31	1	Vertical	352	1.61	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51048G	48.62	83.54	-34.92	44.44	1	Horizontal	247	2.17	-	37.78	15.20	48.80			
AV	19.51372G	36.63	63.54	-26.91	32.46	1	Horizontal	247	2.17	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32638G	47.18	74.00	-26.82	59.88	3	Vertical	113	2.52	-	39.86	12.04	64.60			
AV	13.33152G	35.00	54.00	-19.00	47.66	3	Vertical	113	2.52	-	39.89	12.04	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33462G	47.08	74.00	-26.92	59.71	3	Horizontal	230	1.93	-	39.91	12.04	64.58			
AV	13.33474G	34.85	54.00	-19.15	47.48	3	Horizontal	230	1.93	-	39.91	12.04	64.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99058G	48.13	83.54	-35.41	44.04	1	Vertical	251	1.32	-	37.72	15.17	48.80			
AV	19.99992G	35.70	63.54	-27.84	31.63	1	Vertical	251	1.32	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99734G	48.24	83.54	-35.30	44.16	1	Horizontal	305	2.66	-	37.71	15.17	48.80			
AV	19.9995G	35.79	63.54	-27.75	31.72	1	Horizontal	305	2.66	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64782G	47.22	88.20	-40.98	59.21	3	Vertical	184	2.72	-	40.30	12.03	64.32			
RMS	13.65168G	34.62	68.20	-33.58	46.61	3	Vertical	184	2.72	-	40.30	12.03	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6508G	46.69	88.20	-41.51	58.68	3	Horizontal	351	2.38	-	40.30	12.03	64.32			
RMS	13.6515G	34.58	68.20	-33.62	46.57	3	Horizontal	351	2.38	-	40.30	12.03	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47376G	47.96	83.54	-35.58	43.21	1	Vertical	146	2.36	-	37.90	15.56	48.71			
AV	20.47638G	36.05	63.54	-27.49	31.29	1	Vertical	146	2.36	-	37.90	15.56	48.70			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47954G	48.45	83.54	-35.09	43.69	1	Horizontal	3	1.83	-	37.90	15.56	48.70			
AV	20.4791G	36.04	63.54	-27.50	31.28	1	Horizontal	3	1.83	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 13
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.949G	106.43	Inf	-Inf	97.22	3	Vertical	350	1.75	-	35.19	8.20	34.18			
RMS	6.9375G	87.28	Inf	-Inf	78.16	3	Vertical	350	1.75	-	35.12	8.18	34.18			
PK	7.131G	61.83	88.20	-26.37	51.54	3	Vertical	350	1.75	-	36.06	8.41	34.18			
RMS	7.226G	51.23	68.20	-16.97	40.61	3	Vertical	350	1.75	-	36.30	8.50	34.18			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 13
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.935G	111.05	Inf	-Inf	101.95	3	Horizontal	357	1.42	-	35.11	8.17	34.18			
RMS	6.9335G	101.14	Inf	-Inf	92.05	3	Horizontal	357	1.42	-	35.10	8.17	34.18			
PK	7.133G	63.20	88.20	-25.00	52.90	3	Horizontal	357	1.42	-	36.07	8.41	34.18			
RMS	7.13G	51.48	68.20	-16.72	41.19	3	Horizontal	357	1.42	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9687G	48.25	88.20	-39.95	59.81	3	Vertical	294	1.61	-	40.87	12.02	64.45			
RMS	13.97172G	35.85	68.20	-32.35	47.39	3	Vertical	294	1.61	-	40.89	12.02	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96528G	47.84	88.20	-40.36	59.41	3	Horizontal	180	1.37	-	40.86	12.02	64.45			
RMS	13.9741G	35.82	68.20	-32.38	47.35	3	Horizontal	180	1.37	-	40.90	12.02	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9501G	48.16	83.54	-35.38	43.02	1	Vertical	212	1.07	-	37.90	15.94	48.70			
AV	20.95472G	36.18	63.54	-27.36	31.02	1	Vertical	212	1.07	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95392G	49.07	83.54	-34.47	43.91	1	Horizontal	150	1.40	-	37.91	15.95	48.70			
AV	20.9577G	36.21	63.54	-27.33	31.04	1	Horizontal	150	1.40	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7674G	59.70	88.20	-28.50	54.89	3	Vertical	346	1.60	-	32.10	7.14	34.43			
RMS	5.925G	49.56	68.20	-18.64	44.49	3	Vertical	346	1.60	-	32.40	7.27	34.60			
PK	6.1706G	103.23	Inf	-Inf	97.59	3	Vertical	346	1.60	-	32.74	7.41	34.51			
RMS	6.2506G	91.73	Inf	-Inf	85.50	3	Vertical	346	1.60	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	64.56	88.20	-23.64	59.49	3	Horizontal	355.1	1.44	-	32.40	7.26	34.59			
RMS	5.925G	52.89	68.20	-15.31	47.82	3	Horizontal	355.1	1.44	-	32.40	7.27	34.60			
PK	6.1482G	111.08	Inf	-Inf	105.52	3	Horizontal	355.1	1.44	-	32.69	7.40	34.53			
RMS	6.1546G	99.73	Inf	-Inf	94.14	3	Horizontal	355.1	1.44	-	32.71	7.41	34.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 17
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20526G	46.77	74.00	-27.23	61.18	3	Vertical	41	1.10	-	39.08	12.07	65.56			
AV	12.20924G	34.48	54.00	-19.52	48.90	3	Vertical	41	1.10	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 17
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21148G	46.66	74.00	-27.34	61.09	3	Horizontal	64	2.18	-	39.05	12.07	65.55			
AV	12.20838G	34.39	54.00	-19.61	48.80	3	Horizontal	64	2.18	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 17
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31702G	48.44	83.54	-35.10	43.80	1	Vertical	12	1.60	-	37.63	15.27	48.26			
AV	18.3153G	36.21	63.54	-27.33	31.57	1	Vertical	12	1.60	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 17
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31172G	48.60	83.54	-34.94	43.97	1	Horizontal	254	2.96	-	37.62	15.27	48.26			
AV	18.31256G	36.31	63.54	-27.23	31.67	1	Horizontal	254	2.96	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5323G	45.09	74.00	-28.91	59.78	3	Vertical	139	1.11	-	38.54	12.06	65.29			
AV	12.52892G	32.74	54.00	-21.26	47.43	3	Vertical	139	1.11	-	38.54	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52566G	45.34	74.00	-28.66	60.02	3	Horizontal	126	1.75	-	38.55	12.06	65.29			
AV	12.52906G	32.75	54.00	-21.25	47.44	3	Horizontal	126	1.75	-	38.54	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7979G	49.43	83.54	-34.11	44.89	1	Vertical	251	1.17	-	37.90	15.24	48.60			
AV	18.79736G	37.15	63.54	-26.39	32.61	1	Vertical	251	1.17	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79528G	49.41	83.54	-34.13	44.87	1	Horizontal	151	2.71	-	37.90	15.24	48.60			
AV	18.7991G	37.23	63.54	-26.31	32.69	1	Horizontal	151	2.71	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8455G	45.87	88.20	-42.33	59.87	3	Vertical	43	2.30	-	39.20	12.05	65.25			
RMS	12.85176G	33.59	68.20	-34.61	47.59	3	Vertical	43	2.30	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8504G	45.79	88.20	-42.41	59.79	3	Horizontal	159	1.42	-	39.20	12.05	65.25			
RMS	12.84716G	33.55	68.20	-34.65	47.55	3	Horizontal	159	1.42	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27836G	48.92	83.54	-34.62	44.62	1	Vertical	118	2.85	-	37.89	15.21	48.80			
AV	19.27202G	37.04	63.54	-26.50	32.72	1	Vertical	118	2.85	-	37.91	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27078G	49.46	83.54	-34.08	45.13	1	Horizontal	290	1.60	-	37.92	15.21	48.80			
AV	19.27824G	37.11	63.54	-26.43	32.81	1	Horizontal	290	1.60	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16952G	46.62	88.20	-41.58	59.92	3	Vertical	247	1.52	-	39.56	12.04	64.90			
RMS	13.16594G	34.19	68.20	-34.01	47.48	3	Vertical	247	1.52	-	39.57	12.05	64.91			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16776G	46.05	88.20	-42.15	59.35	3	Horizontal	345	1.94	-	39.56	12.04	64.90			
RMS	13.16504G	34.24	68.20	-33.96	47.53	3	Horizontal	345	1.94	-	39.57	12.05	64.91			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75428G	49.30	83.54	-34.24	45.22	1	Vertical	235	1.78	-	37.70	15.18	48.80			
AV	19.75626G	36.85	63.54	-26.69	32.77	1	Vertical	235	1.78	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75428G	48.90	83.54	-34.64	44.82	1	Horizontal	239	2.56	-	37.70	15.18	48.80			
AV	19.7507G	36.80	63.54	-26.74	32.72	1	Horizontal	239	2.56	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49034G	47.21	88.20	-40.99	59.17	3	Vertical	67	1.42	-	40.28	12.04	64.28			
RMS	13.49166G	35.04	68.20	-33.16	47.00	3	Vertical	67	1.42	-	40.28	12.04	64.28			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49368G	47.03	88.20	-41.17	58.97	3	Horizontal	165	1.03	-	40.29	12.04	64.27			
RMS	13.48856G	35.05	68.20	-33.15	47.01	3	Horizontal	165	1.03	-	40.28	12.04	64.28			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23094G	48.48	83.54	-35.06	44.07	1	Vertical	320	1.25	-	37.80	15.36	48.75			
AV	20.23986G	36.70	63.54	-26.84	32.28	1	Vertical	320	1.25	-	37.80	15.37	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23562G	48.86	83.54	-34.68	44.45	1	Horizontal	96	2.14	-	37.80	15.36	48.75			
AV	20.2356G	36.74	63.54	-26.80	32.33	1	Horizontal	96	2.14	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 15
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8978G	104.34	Inf	-Inf	95.52	3	Vertical	352	1.38	-	34.89	8.11	34.18			
RMS	6.896G	89.60	Inf	-Inf	80.79	3	Vertical	352	1.38	-	34.88	8.11	34.18			
PK	7.193G	62.25	88.20	-25.95	51.77	3	Vertical	352	1.38	-	36.19	8.47	34.18			
RMS	7.2044G	51.19	68.20	-17.01	40.67	3	Vertical	352	1.38	-	36.22	8.48	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 15
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8474G	110.51	Inf	-Inf	102.07	3	Horizontal	360	1.33	-	34.59	8.03	34.18			
RMS	6.8516G	99.45	Inf	-Inf	90.98	3	Horizontal	360	1.33	-	34.61	8.04	34.18			
PK	7.1342G	61.92	88.20	-26.28	51.62	3	Horizontal	360	1.33	-	36.07	8.41	34.18			
RMS	7.1834G	51.17	68.20	-17.03	40.72	3	Horizontal	360	1.33	-	36.17	8.46	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80838G	47.17	88.20	-41.03	58.94	3	Vertical	152	1.50	-	40.58	12.03	64.38			
RMS	13.8111G	34.94	68.20	-33.26	46.71	3	Vertical	152	1.50	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81216G	47.53	88.20	-40.67	59.30	3	Horizontal	68	2.55	-	40.58	12.03	64.38			
RMS	13.81108G	34.96	68.20	-33.24	46.73	3	Horizontal	68	2.55	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71972G	50.60	83.54	-32.94	45.64	1	Vertical	181	2.54	-	37.90	15.76	48.70			
AV	20.7198G	40.92	63.54	-22.62	35.96	1	Vertical	181	2.54	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 15
06-R-J-8


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7197G	50.28	83.54	-33.26	45.32	1	Horizontal	127	1.58	-	37.90	15.76	48.70			
AV	20.71986G	40.86	63.54	-22.68	35.90	1	Horizontal	127	1.58	-	37.90	15.76	48.70			

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	AV	17.96997G	49.54	54.00	-4.46	3	Vertical	3	2.00	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUTY_1TX
Setting 14.75/7
01-C-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.861G	62.17	88.20	-26.03	52.65	3	Vertical	0	1.80	-	34.57	7.40	32.45			
RMS	5.9235G	51.25	68.20	-16.95	41.31	3	Vertical	0	1.80	-	34.94	7.44	32.44			
PK	6.0155G	109.18	Inf	-Inf	98.78	3	Vertical	0	1.80	-	35.33	7.51	32.44			
RMS	6.0225G	97.97	Inf	-Inf	87.56	3	Vertical	0	1.80	-	35.34	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 14.75/7
01-C-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.899G	62.45	88.20	-25.75	52.68	3	Horizontal	360	1.80	-	34.79	7.42	32.44			
RMS	5.923G	50.53	68.20	-17.67	40.59	3	Horizontal	360	1.80	-	34.94	7.44	32.44			
PK	6.011G	108.22	Inf	-Inf	97.84	3	Horizontal	360	1.80	-	35.32	7.50	32.44			
RMS	6.0225G	96.38	Inf	-Inf	85.97	3	Horizontal	360	1.80	-	35.34	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 14.75/7
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97015G	46.17	74.00	-27.83	60.93	3	Vertical	356	1.56	-	38.94	12.06	65.76			
AV	11.96991G	33.20	54.00	-20.80	47.96	3	Vertical	356	1.56	-	38.94	12.06	65.76			
PK	17.96616G	62.26	74.00	-11.74	58.94	3	Vertical	3	2.00	-	51.58	14.09	62.35			
AV	17.96997G	49.54	54.00	-4.46	46.03	3	Vertical	3	2.00	-	51.76	14.09	62.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT Y_1TX
Setting 14.75/7
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97238G	45.28	74.00	-28.72	60.04	3	Horizontal	349	2.84	-	38.94	12.06	65.76			
AV	11.96986G	33.26	54.00	-20.74	48.02	3	Horizontal	349	2.84	-	38.94	12.06	65.76			
PK	17.95844G	61.93	74.00	-12.07	58.99	3	Horizontal	250	1.63	-	51.21	14.09	62.36			
AV	17.96484G	49.17	54.00	-4.83	45.92	3	Horizontal	250	1.63	-	51.51	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 14.75/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94226G	51.20	83.54	-32.34	42.51	1	Vertical	335	1.60	-	39.00	17.31	47.62			
AV	23.93832G	37.71	63.54	-25.83	29.02	1	Vertical	335	1.60	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 14.75/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94232G	50.53	83.54	-33.01	41.84	1	Horizontal	293	1.88	-	39.00	17.31	47.62			
AV	23.93994G	37.68	63.54	-25.86	28.99	1	Horizontal	293	1.88	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 10.75/9
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8878G	62.26	88.20	-25.94	52.55	3	Vertical	355	1.80	-	34.73	7.42	32.44			
RMS	5.909G	51.64	68.20	-16.56	41.80	3	Vertical	355	1.80	-	34.85	7.43	32.44			
PK	6.009G	110.43	Inf	-Inf	100.05	3	Vertical	355	1.80	-	35.32	7.50	32.44			
RMS	6.015G	100.13	Inf	-Inf	89.73	3	Vertical	355	1.80	-	35.33	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUTY_1TX
Setting 10.75/9
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	61.31	88.20	-26.89	51.48	3	Horizontal	358	1.80	-	34.84	7.43	32.44
RMS	5.9002G	51.51	68.20	-16.69	41.72	3	Horizontal	358	1.80	-	34.80	7.43	32.44
PK	6.0158G	108.06	Inf	-Inf	97.66	3	Horizontal	358	1.80	-	35.33	7.51	32.44
RMS	6.0226G	98.27	Inf	-Inf	87.85	3	Horizontal	358	1.80	-	35.35	7.51	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 10.75/9
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96424G	45.39	74.00	-28.61	60.16	3	Vertical	248	1.69	-	38.93	12.06	65.76			
AV	11.96988G	33.76	54.00	-20.24	48.52	3	Vertical	248	1.69	-	38.94	12.06	65.76			
PK	17.94692G	61.66	74.00	-12.34	59.27	3	Vertical	353	1.05	-	50.69	14.08	62.38			
AV	17.9649G	49.16	54.00	-4.84	45.90	3	Vertical	353	1.05	-	51.52	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5985MHz_TX

EUT Y_1TX
Setting 10.75/9
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96344G	45.23	74.00	-28.77	60.00	3	Horizontal	344	2.82	-	38.93	12.06	65.76			
AV	11.96992G	33.10	54.00	-20.90	47.86	3	Horizontal	344	2.82	-	38.94	12.06	65.76			
PK	17.95858G	61.67	74.00	-12.33	58.73	3	Horizontal	156	2.05	-	51.21	14.09	62.36			
AV	17.96046G	49.08	54.00	-4.92	46.05	3	Horizontal	156	2.05	-	51.30	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
Setting 10.75/9
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94164G	50.51	83.54	-33.03	41.82	1	Vertical	198	1.88	-	39.00	17.31	47.62			
AV	23.93962G	37.84	63.54	-25.70	29.15	1	Vertical	198	1.88	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
Setting 10.75/9
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94358G	50.47	83.54	-33.07	41.77	1	Horizontal	205	1.75	-	39.00	17.32	47.62			
AV	23.93984G	37.91	63.54	-25.63	29.22	1	Horizontal	205	1.75	-	39.00	17.31	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUTY_1TX
Setting 14.25/7.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0578G	109.30	Inf	-Inf	97.36	3	Vertical	2	1.80	-	36.72	7.95	32.73			
RMS	7.0002G	99.98	Inf	-Inf	87.97	3	Vertical	2	1.80	-	36.80	7.96	32.75			
PK	7.2014G	65.40	88.20	-22.80	52.93	3	Vertical	2	1.80	-	37.20	7.94	32.67			
RMS	7.2166G	55.22	68.20	-12.98	42.72	3	Vertical	2	1.80	-	37.23	7.94	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUTY_1TX
Setting 14.25/7.5
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9914G	107.28	Inf	-Inf	95.29	3	Horizontal	2	1.80	-	36.77	7.96	32.74			
RMS	7.0078G	98.32	Inf	-Inf	86.33	3	Horizontal	2	1.80	-	36.78	7.96	32.75			
PK	7.207G	64.29	88.20	-23.91	51.81	3	Horizontal	2	1.80	-	37.21	7.94	32.67			
RMS	7.215G	55.18	68.20	-13.02	42.68	3	Horizontal	2	1.80	-	37.23	7.94	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 14.25/7.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04522G	46.78	88.20	-41.42	58.00	3	Vertical	278	2.30	-	41.09	12.05	64.36			
RMS	14.04692G	34.71	68.20	-33.49	45.93	3	Vertical	278	2.30	-	41.09	12.05	64.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 14.25/7.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04286G	47.30	88.20	-40.90	58.53	3	Horizontal	114	1.96	-	41.09	12.05	64.37			
RMS	14.05422G	34.76	68.20	-33.44	45.92	3	Horizontal	114	1.96	-	41.12	12.06	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 14.25/7.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08472G	48.46	83.54	-35.08	43.09	1	Vertical	226	1.39	-	38.00	16.05	48.68			
AV	21.08826G	35.87	63.54	-27.67	30.49	1	Vertical	226	1.39	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 14.25/7.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0732G	48.29	83.54	-35.25	42.94	1	Horizontal	292	2.94	-	38.00	16.04	48.69			
AV	21.0894G	35.80	63.54	-27.74	30.42	1	Horizontal	292	2.94	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUTY_1TX
Setting 10.75/9
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0514G	109.08	Inf	-Inf	97.16	3	Vertical	0	1.80	-	36.70	7.95	32.73			
RMS	7.0014G	99.88	Inf	-Inf	87.87	3	Vertical	0	1.80	-	36.80	7.96	32.75			
PK	7.1254G	64.76	88.20	-23.44	52.66	3	Vertical	0	1.80	-	36.85	7.95	32.70			
RMS	7.2082G	54.51	68.20	-13.69	42.02	3	Vertical	0	1.80	-	37.22	7.94	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUTY_1TX
Setting 10.75/9
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9874G	108.19	Inf	-Inf	96.22	3	Horizontal	359	1.80	-	36.75	7.96	32.74			
RMS	7.0018G	98.26	Inf	-Inf	86.25	3	Horizontal	359	1.80	-	36.80	7.96	32.75			
PK	7.1294G	64.42	88.20	-23.78	52.31	3	Horizontal	359	1.80	-	36.86	7.95	32.70			
RMS	7.2202G	54.49	68.20	-13.71	41.97	3	Horizontal	359	1.80	-	37.24	7.95	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT V_1TX
Setting 10.75/9
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0471G	47.46	88.20	-40.74	58.68	3	Vertical	176	1.19	-	41.09	12.05	64.36			
RMS	14.05516G	34.78	68.20	-33.42	45.94	3	Vertical	176	1.19	-	41.12	12.06	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 10.75/9
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05072G	47.94	88.20	-40.26	59.13	3	Horizontal	153	1.28	-	41.10	12.06	64.35			
RMS	14.05344G	34.98	68.20	-33.22	46.15	3	Horizontal	153	1.28	-	41.11	12.06	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 10.75/9
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08874G	48.60	83.54	-34.94	43.22	1	Vertical	18	2.83	-	38.00	16.06	48.68			
AV	21.08658G	35.74	63.54	-27.80	30.36	1	Vertical	18	2.83	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 10.75/9
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08646G	48.66	83.54	-34.88	43.28	1	Horizontal	313	1.33	-	38.00	16.06	48.68			
AV	21.0804G	35.72	63.54	-27.82	30.35	1	Horizontal	313	1.33	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 16/9.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9025G	66.66	88.20	-21.54	56.86	3	Vertical	359	1.80	-	34.81	7.43	32.44			
RMS	5.9225G	54.43	68.20	-13.77	44.50	3	Vertical	359	1.80	-	34.93	7.44	32.44			
PK	6.082G	109.44	Inf	-Inf	98.93	3	Vertical	359	1.80	-	35.40	7.54	32.43			
RMS	6.0705G	99.83	Inf	-Inf	89.33	3	Vertical	359	1.80	-	35.40	7.53	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 16/9.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	64.25	88.20	-23.95	54.31	3	Horizontal	1	1.80	-	34.94	7.44	32.44			
RMS	5.925G	53.31	68.20	-14.89	43.36	3	Horizontal	1	1.80	-	34.95	7.44	32.44			
PK	6.0855G	107.35	Inf	-Inf	96.84	3	Horizontal	1	1.80	-	35.40	7.54	32.43			
RMS	6.094G	97.85	Inf	-Inf	87.34	3	Horizontal	1	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/9.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04984G	47.22	74.00	-26.78	61.64	3	Vertical	346	1.80	-	39.20	12.08	65.70			
AV	12.04993G	36.23	54.00	-17.77	50.65	3	Vertical	346	1.80	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/9.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05006G	46.44	74.00	-27.56	60.85	3	Horizontal	178	1.68	-	39.20	12.08	65.69			
AV	12.04978G	34.39	54.00	-19.61	48.81	3	Horizontal	178	1.68	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/9.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0882G	47.87	83.54	-35.67	43.18	1	Vertical	202	2.45	-	37.63	15.28	48.22			
AV	18.06768G	35.15	63.54	-28.39	30.56	1	Vertical	202	2.45	-	37.51	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6025MHz_TX

EUT_V_1TX
Setting 16/9.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07218G	47.42	83.54	-36.12	42.81	1	Horizontal	250	1.89	-	37.53	15.29	48.21			
AV	18.07818G	35.23	63.54	-28.31	30.59	1	Horizontal	250	1.89	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 13.5/11
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	64.45	88.20	-23.75	54.52	3	Vertical	360	1.80	-	34.93	7.44	32.44			
RMS	5.925G	53.98	68.20	-14.22	44.03	3	Vertical	360	1.80	-	34.95	7.44	32.44			
PK	6.0955G	109.30	Inf	-Inf	98.79	3	Vertical	360	1.80	-	35.40	7.54	32.43			
RMS	6.0955G	100.22	Inf	-Inf	89.71	3	Vertical	360	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 13.5/11
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	63.66	88.20	-24.54	53.74	3	Horizontal	5	1.80	-	34.92	7.44	32.44			
RMS	5.925G	52.81	68.20	-15.39	42.86	3	Horizontal	5	1.80	-	34.95	7.44	32.44			
PK	6.0985G	108.35	Inf	-Inf	97.84	3	Horizontal	5	1.80	-	35.40	7.54	32.43			
RMS	6.099G	97.99	Inf	-Inf	87.48	3	Horizontal	5	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 13.5/11
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04864G	47.35	74.00	-26.65	61.78	3	Vertical	266	1.97	-	39.19	12.08	65.70			
AV	12.04997G	36.16	54.00	-17.84	50.58	3	Vertical	266	1.97	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 13.5/11
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05031G	46.37	74.00	-27.63	60.78	3	Horizontal	121	1.98	-	39.20	12.08	65.69			
AV	12.04981G	34.45	54.00	-19.55	48.87	3	Horizontal	121	1.98	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 13.5/11
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.072G	48.38	83.54	-35.16	43.77	1	Vertical	174	2.84	-	37.53	15.29	48.21			
AV	18.06468G	35.38	63.54	-28.16	30.81	1	Vertical	174	2.84	-	37.49	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX


6025MHz_TX

EUT_Y_1TX
Setting 13.5/11
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.078G	47.87	83.54	-35.67	43.23	1	Horizontal	319	2.50	-	37.57	15.29	48.22			
AV	18.0849G	35.38	63.54	-28.16	30.71	1	Horizontal	319	2.50	-	37.61	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 11.5/12
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9135G	61.20	88.20	-27.00	51.32	3	Vertical	0	1.80	-	34.88	7.44	32.44			
RMS	5.9245G	52.42	68.20	-15.78	42.47	3	Vertical	0	1.80	-	34.95	7.44	32.44			
PK	6.0825G	108.97	Inf	-Inf	98.46	3	Vertical	0	1.80	-	35.40	7.54	32.43			
RMS	6.096G	99.86	Inf	-Inf	89.35	3	Vertical	0	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 11.5/12
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8975G	62.18	88.20	-26.02	52.42	3	Horizontal	7	1.80	-	34.78	7.42	32.44			
RMS	5.922G	52.24	68.20	-15.96	42.31	3	Horizontal	7	1.80	-	34.93	7.44	32.44			
PK	6.0915G	106.64	Inf	-Inf	96.13	3	Horizontal	7	1.80	-	35.40	7.54	32.43			
RMS	6.0755G	97.50	Inf	-Inf	87.00	3	Horizontal	7	1.80	-	35.40	7.53	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 11.5/12
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05001G	47.36	74.00	-26.64	61.77	3	Vertical	223	1.19	-	39.20	12.08	65.69			
AV	12.04986G	36.08	54.00	-17.92	50.50	3	Vertical	223	1.19	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 11.5/12
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0499G	46.11	74.00	-27.89	60.53	3	Horizontal	251	1.38	-	39.20	12.08	65.70			
AV	12.04987G	34.59	54.00	-19.41	49.01	3	Horizontal	251	1.38	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 11.5/12
01-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08022G	47.63	83.54	-35.91	42.98	1	Vertical	112	2.95	-	37.58	15.29	48.22			
AV	18.06036G	35.22	63.54	-28.32	30.68	1	Vertical	112	2.95	-	37.46	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 11.5/12
01-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06732G	47.92	83.54	-35.62	43.34	1	Horizontal	272	1.36	-	37.50	15.29	48.21			
AV	18.06036G	35.24	63.54	-28.30	30.70	1	Horizontal	272	1.36	-	37.46	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 16.5/9
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9125G	109.28	Inf	-Inf	97.48	3	Vertical	0	1.80	-	36.52	7.97	32.69			
RMS	6.9215G	100.08	Inf	-Inf	88.26	3	Vertical	0	1.80	-	36.54	7.97	32.69			
PK	7.15G	67.49	88.20	-20.71	55.33	3	Vertical	0	1.80	-	36.90	7.95	32.69			
RMS	7.221G	55.50	68.20	-12.70	42.98	3	Vertical	0	1.80	-	37.24	7.95	32.67			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 16.5/9
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.941G	108.07	Inf	-Inf	96.23	3	Horizontal	358	1.48	-	36.58	7.97	32.71			
RMS	6.92G	99.31	Inf	-Inf	87.49	3	Horizontal	358	1.48	-	36.54	7.97	32.69			
PK	7.1515G	66.50	88.20	-21.70	54.34	3	Horizontal	358	1.48	-	36.91	7.94	32.69			
RMS	7.2315G	55.58	68.20	-12.62	43.03	3	Horizontal	358	1.48	-	37.26	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5/9
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96896G	47.16	88.20	-41.04	58.71	3	Vertical	112	1.96	-	40.88	12.02	64.45			
RMS	13.96515G	34.27	68.20	-33.93	45.84	3	Vertical	112	1.96	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5/9
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96755G	46.52	88.20	-41.68	58.08	3	Horizontal	5	1.12	-	40.87	12.02	64.45			
RMS	13.96505G	34.12	68.20	-34.08	45.69	3	Horizontal	5	1.12	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6985MHz_TX

EUT_V_1TX
Setting 16.5/9
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94816G	46.50	83.54	-37.04	41.36	1	Vertical	347	2.21	-	37.90	15.94	48.70			
AV	20.95512G	34.20	63.54	-29.34	29.04	1	Vertical	347	2.21	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5/9
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96082G	47.16	83.54	-36.38	41.99	1	Horizontal	279	2.12	-	37.92	15.95	48.70			
AV	20.95176G	34.35	63.54	-29.19	29.20	1	Horizontal	279	2.12	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUTY_1TX
Setting 14/10.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.912G	109.47	Inf	-Inf	97.66	3	Vertical	3	1.80	-	36.52	7.97	32.68			
RMS	6.907G	100.05	Inf	-Inf	88.25	3	Vertical	3	1.80	-	36.51	7.97	32.68			
PK	7.135G	64.78	88.20	-23.42	52.66	3	Vertical	3	1.80	-	36.87	7.95	32.70			
RMS	7.235G	54.98	68.20	-13.22	42.42	3	Vertical	3	1.80	-	37.27	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUTY_1TX
Setting 14/10.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9115G	108.28	Inf	-Inf	96.47	3	Horizontal	356	1.80	-	36.52	7.97	32.68			
RMS	6.909G	98.76	Inf	-Inf	86.95	3	Horizontal	356	1.80	-	36.52	7.97	32.68			
PK	7.23G	64.39	88.20	-23.81	51.84	3	Horizontal	356	1.80	-	37.26	7.95	32.66			
RMS	7.2265G	54.92	68.20	-13.28	42.38	3	Horizontal	356	1.80	-	37.25	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 14/10.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96737G	47.20	88.20	-41.00	58.76	3	Vertical	70	1.33	-	40.87	12.02	64.45			
RMS	13.96517G	34.70	68.20	-33.50	46.27	3	Vertical	70	1.33	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 14/10.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96686G	47.45	88.20	-40.75	59.01	3	Horizontal	254	2.01	-	40.87	12.02	64.45			
RMS	13.97063G	34.61	68.20	-33.59	46.16	3	Horizontal	254	2.01	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 14/10.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9658G	47.42	83.54	-36.12	42.23	1	Vertical	358	1.96	-	37.93	15.96	48.70			
AV	20.94936G	34.60	63.54	-28.94	29.46	1	Vertical	358	1.96	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 14/10.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95944G	47.35	83.54	-36.19	42.18	1	Horizontal	349	2.66	-	37.92	15.95	48.70			
AV	20.9478G	34.51	63.54	-29.03	29.37	1	Horizontal	349	2.66	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUTY_1TX
Setting 12/11.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9395G	109.59	Inf	-Inf	97.75	3	Vertical	0	1.80	-	36.58	7.97	32.71			
RMS	6.9075G	99.95	Inf	-Inf	88.14	3	Vertical	0	1.80	-	36.52	7.97	32.68			
PK	7.128G	64.80	88.20	-23.40	52.69	3	Vertical	0	1.80	-	36.86	7.95	32.70			
RMS	7.2315G	55.33	68.20	-12.87	42.78	3	Vertical	0	1.80	-	37.26	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 12/11.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9215G	108.98	Inf	-Inf	97.16	3	Horizontal	359	1.47	-	36.54	7.97	32.69			
RMS	6.9385G	99.24	Inf	-Inf	87.39	3	Horizontal	359	1.47	-	36.58	7.97	32.70			
PK	7.2195G	65.17	88.20	-23.03	52.65	3	Horizontal	359	1.47	-	37.24	7.95	32.67			
RMS	7.233G	55.36	68.20	-12.84	42.80	3	Horizontal	359	1.47	-	37.27	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 12/11.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96717G	47.02	88.20	-41.18	58.58	3	Vertical	218	1.69	-	40.87	12.02	64.45			
RMS	13.96508G	34.71	68.20	-33.49	46.28	3	Vertical	218	1.69	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 12/11.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96562G	47.21	88.20	-40.99	58.78	3	Horizontal	166	2.98	-	40.86	12.02	64.45			
RMS	13.96514G	34.58	68.20	-33.62	46.15	3	Horizontal	166	2.98	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 12/11.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9539G	46.88	83.54	-36.66	41.72	1	Vertical	325	1.89	-	37.91	15.95	48.70			
AV	20.95386G	34.18	63.54	-29.36	29.02	1	Vertical	325	1.89	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 12/11.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95898G	47.85	83.54	-35.69	42.68	1	Horizontal	303	1.39	-	37.92	15.95	48.70			
AV	20.95836G	34.18	63.54	-29.36	29.01	1	Horizontal	303	1.39	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 19.25/8.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	73.51	88.20	-14.69	63.66	3	Vertical	0	1.80	-	34.86	7.43	32.44			
RMS	5.925G	59.18	68.20	-9.02	49.23	3	Vertical	0	1.80	-	34.95	7.44	32.44			
PK	6.1082G	109.08	Inf	-Inf	98.58	3	Vertical	0	1.80	-	35.38	7.55	32.43			
RMS	6.1002G	99.72	Inf	-Inf	89.20	3	Vertical	0	1.80	-	35.40	7.55	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 19.25/8.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	72.88	88.20	-15.32	62.94	3	Horizontal	4	1.80	-	34.94	7.44	32.44			
RMS	5.925G	58.01	68.20	-10.19	48.06	3	Horizontal	4	1.80	-	34.95	7.44	32.44			
PK	6.1338G	108.69	Inf	-Inf	98.22	3	Horizontal	4	1.80	-	35.33	7.56	32.42			
RMS	6.101G	98.51	Inf	-Inf	87.99	3	Horizontal	4	1.80	-	35.40	7.55	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/8.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20985G	46.77	74.00	-27.23	61.19	3	Vertical	11	2.66	-	39.06	12.07	65.55			
AV	12.20988G	36.08	54.00	-17.92	50.50	3	Vertical	11	2.66	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/8.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20985G	46.55	74.00	-27.45	60.97	3	Horizontal	276	2.23	-	39.06	12.07	65.55			
AV	12.20989G	35.06	54.00	-18.94	49.48	3	Horizontal	276	2.23	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/8.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3145G	47.01	83.54	-36.53	42.37	1	Vertical	123	1.43	-	37.63	15.27	48.26			
AV	18.31852G	34.55	63.54	-28.99	29.90	1	Vertical	123	1.43	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/8.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31252G	47.30	83.54	-36.24	42.66	1	Horizontal	197	2.06	-	37.63	15.27	48.26			
AV	18.31414G	34.52	63.54	-29.02	29.88	1	Horizontal	197	2.06	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
Setting 18.25/8.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	66.89	88.20	-21.31	56.98	3	Vertical	360	1.80	-	34.91	7.44	32.44			
RMS	5.9242G	56.86	68.20	-11.34	46.91	3	Vertical	360	1.80	-	34.95	7.44	32.44			
PK	6.1018G	108.91	Inf	-Inf	98.39	3	Vertical	360	1.80	-	35.40	7.55	32.43			
RMS	6.0954G	99.70	Inf	-Inf	89.19	3	Vertical	360	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
Setting 18.25/8.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.913G	64.93	88.20	-23.27	55.06	3	Horizontal	3	1.80	-	34.88	7.43	32.44
RMS	5.925G	54.97	68.20	-13.23	45.02	3	Horizontal	3	1.80	-	34.95	7.44	32.44
PK	6.1538G	105.87	Inf	-Inf	95.42	3	Horizontal	3	1.80	-	35.30	7.57	32.42
RMS	6.1002G	97.35	Inf	-Inf	86.83	3	Horizontal	3	1.80	-	35.40	7.55	32.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/8.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2098G	46.65	74.00	-27.35	61.07	3	Vertical	103	1.49	-	39.06	12.07	65.55			
AV	12.20998G	36.36	54.00	-17.64	50.78	3	Vertical	103	1.49	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/8.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21021G	46.14	74.00	-27.86	60.56	3	Horizontal	21	2.44	-	39.06	12.07	65.55			
AV	12.20988G	34.92	54.00	-19.08	49.34	3	Horizontal	21	2.44	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/8.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31376G	48.21	83.54	-35.33	43.57	1	Vertical	50	2.09	-	37.63	15.27	48.26			
AV	18.3164G	34.51	63.54	-29.03	29.87	1	Vertical	50	2.09	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/8.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31724G	47.84	83.54	-35.70	43.20	1	Horizontal	237	2.06	-	37.63	15.27	48.26			
AV	18.31596G	34.54	63.54	-29.00	29.90	1	Horizontal	237	2.06	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
Setting 18.25/7.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	62.61	88.20	-25.59	52.67	3	Vertical	0	1.80	-	34.94	7.44	32.44			
RMS	5.925G	53.92	68.20	-14.28	43.97	3	Vertical	0	1.80	-	34.95	7.44	32.44			
PK	6.201G	109.68	Inf	-Inf	99.21	3	Vertical	0	1.80	-	35.30	7.59	32.42			
RMS	6.1882G	99.65	Inf	-Inf	89.19	3	Vertical	0	1.80	-	35.30	7.58	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
Setting 18.25/7.5
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	64.67	88.20	-23.53	54.72	3	Horizontal	4	1.80	-	34.95	7.44	32.44			
RMS	5.9234G	53.08	68.20	-15.12	43.14	3	Horizontal	4	1.80	-	34.94	7.44	32.44			
PK	6.2338G	108.75	Inf	-Inf	98.23	3	Horizontal	4	1.80	-	35.30	7.63	32.41			
RMS	6.1906G	98.13	Inf	-Inf	87.66	3	Horizontal	4	1.80	-	35.30	7.59	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/7.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20996G	47.17	74.00	-26.83	61.59	3	Vertical	163	1.32	-	39.06	12.07	65.55			
AV	12.20989G	35.87	54.00	-18.13	50.29	3	Vertical	163	1.32	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/7.5
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21025G	46.64	74.00	-27.36	61.06	3	Horizontal	169	1.50	-	39.06	12.07	65.55			
AV	12.20984G	34.13	54.00	-19.87	48.55	3	Horizontal	169	1.50	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/7.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3164G	47.18	83.54	-36.36	42.54	1	Vertical	271	1.56	-	37.63	15.27	48.26			
AV	18.3162G	34.04	63.54	-29.50	29.40	1	Vertical	271	1.56	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 18.25/7.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31874G	47.69	83.54	-35.85	43.04	1	Horizontal	258	2.09	-	37.64	15.27	48.26			
AV	18.313G	34.04	63.54	-29.50	29.40	1	Horizontal	258	2.09	-	37.63	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Y_1TX
Setting 20.75/6
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.836G	111.16	Inf	-Inf	102.79	3	Vertical	14	1.80	-	34.54	8.01	34.18			
RMS	6.86G	99.47	Inf	-Inf	90.94	3	Vertical	14	1.80	-	34.66	8.05	34.18			
PK	7.1318G	79.35	88.20	-8.85	69.06	3	Vertical	14	1.80	-	36.06	8.41	34.18			
RMS	7.1264G	61.40	68.20	-6.80	51.12	3	Vertical	14	1.80	-	36.05	8.41	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT Y_1TX
Setting 20.75/6
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8474G	110.56	Inf	-Inf	102.12	3	Horizontal	7	1.70	-	34.59	8.03	34.18
RMS	6.8486G	98.48	Inf	-Inf	90.04	3	Horizontal	7	1.70	-	34.59	8.03	34.18
PK	7.133G	80.94	88.20	-7.26	70.64	3	Horizontal	7	1.70	-	36.07	8.41	34.18
RMS	7.1276G	62.06	68.20	-6.14	51.77	3	Horizontal	7	1.70	-	36.06	8.41	34.18

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.75/6
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80897G	46.30	88.20	-41.90	58.07	3	Vertical	12	1.58	-	40.58	12.03	64.38			
RMS	13.80515G	32.82	68.20	-35.38	44.58	3	Vertical	12	1.58	-	40.59	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.75/6
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80964G	45.97	88.20	-42.23	57.74	3	Horizontal	226	1.32	-	40.58	12.03	64.38			
RMS	13.8065G	32.92	68.20	-35.28	44.68	3	Horizontal	226	1.32	-	40.59	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7197G	48.66	83.54	-34.88	43.70	1	Vertical	86	1.48	-	37.90	15.76	48.70			
AV	20.71986G	37.18	63.54	-26.36	32.22	1	Vertical	86	1.48	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71956G	48.83	83.54	-34.71	43.87	1	Horizontal	165	2.01	-	37.90	15.76	48.70			
AV	20.71972G	37.23	63.54	-26.31	32.27	1	Horizontal	165	2.01	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT Y_1TX
Setting 18.75/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.788G	109.28	Inf	-Inf	101.11	3	Vertical	12	1.60	-	34.40	7.95	34.18			
RMS	6.7538G	100.05	Inf	-Inf	91.87	3	Vertical	12	1.60	-	34.40	7.96	34.18			
PK	7.1456G	62.59	88.20	-25.61	52.25	3	Vertical	12	1.60	-	36.09	8.43	34.18			
RMS	7.1252G	52.95	68.20	-15.25	42.67	3	Vertical	12	1.60	-	36.05	8.41	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_Y_1TX
Setting 18.75/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7874G	109.20	Inf	-Inf	101.03	3	Horizontal	8	1.77	-	34.40	7.95	34.18			
RMS	6.7544G	98.75	Inf	-Inf	90.57	3	Horizontal	8	1.77	-	34.40	7.96	34.18			
PK	7.1462G	62.92	88.20	-25.28	52.58	3	Horizontal	8	1.77	-	36.09	8.43	34.18			
RMS	7.1294G	52.79	68.20	-15.41	42.50	3	Horizontal	8	1.77	-	36.06	8.41	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.75/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80666G	46.72	88.20	-41.48	58.48	3	Vertical	108	2.80	-	40.59	12.03	64.38			
RMS	13.81266G	32.39	68.20	-35.81	44.18	3	Vertical	108	2.80	-	40.57	12.03	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.75/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80978G	46.93	88.20	-41.27	58.70	3	Horizontal	81	1.13	-	40.58	12.03	64.38			
RMS	13.80997G	32.40	68.20	-35.80	44.17	3	Horizontal	81	1.13	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.75/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7197G	49.31	83.54	-34.23	44.35	1	Vertical	254	1.74	-	37.90	15.76	48.70			
AV	20.71978G	36.87	63.54	-26.67	31.91	1	Vertical	254	1.74	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.75/7
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71242G	49.17	83.54	-34.37	44.22	1	Horizontal	136	1.39	-	37.90	15.75	48.70			
AV	20.7198G	37.04	63.54	-26.50	32.08	1	Horizontal	136	1.39	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	63.90	88.20	-24.30	58.83	3	Vertical	0	1.77	-	32.40	7.26	34.59			
RMS	5.9205G	49.78	68.20	-18.42	44.72	3	Vertical	0	1.77	-	32.40	7.26	34.60			
PK	5.9795G	108.26	Inf	-Inf	103.15	3	Vertical	0	1.77	-	32.46	7.31	34.66			
RMS	6.0185G	99.48	Inf	-Inf	94.31	3	Vertical	0	1.77	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9135G	61.26	88.20	-26.94	56.19	3	Horizontal	11	1.70	-	32.40	7.26	34.59			
RMS	5.912G	48.69	68.20	-19.51	43.62	3	Horizontal	11	1.70	-	32.40	7.26	34.59			
PK	6.0095G	107.71	Inf	-Inf	102.55	3	Horizontal	11	1.70	-	32.50	7.33	34.67			
RMS	6.0085G	98.82	Inf	-Inf	93.67	3	Horizontal	11	1.70	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT Y_2TX
Setting 13.75/5
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96987G	46.44	74.00	-27.56	61.20	3	Vertical	358	1.76	-	38.94	12.06	65.76			
AV	11.96996G	33.75	54.00	-20.25	48.51	3	Vertical	358	1.76	-	38.94	12.06	65.76			
PK	17.95708G	63.29	74.00	-10.71	60.42	3	Vertical	285	1.50	-	51.14	14.09	62.36			
AV	17.95901G	48.65	54.00	-5.35	45.69	3	Vertical	285	1.50	-	51.23	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97339G	46.30	74.00	-27.70	61.05	3	Horizontal	192	1.79	-	38.95	12.06	65.76			
AV	11.96982G	31.70	54.00	-22.30	46.46	3	Horizontal	192	1.79	-	38.94	12.06	65.76			
PK	17.95733G	62.40	74.00	-11.60	59.52	3	Horizontal	251	1.99	-	51.15	14.09	62.36			
AV	17.9591G	48.63	54.00	-5.37	45.66	3	Horizontal	251	1.99	-	51.24	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9649G	51.76	83.54	-31.78	43.02	1	Vertical	6	1.60	-	39.03	17.32	47.61			
AV	23.9399G	37.39	63.54	-26.15	28.70	1	Vertical	6	1.60	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9436G	51.20	83.54	-32.34	42.50	1	Horizontal	61	1.50	-	39.00	17.32	47.62			
AV	23.9398G	37.58	63.54	-25.96	28.89	1	Horizontal	61	1.50	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT Y_2TX
Setting 10.75/6
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9045G	56.87	88.20	-31.33	51.80	3	Vertical	0	1.80	-	32.40	7.25	34.58			
RMS	5.904G	47.25	68.20	-20.95	42.18	3	Vertical	0	1.80	-	32.40	7.25	34.58			
PK	5.9595G	109.76	Inf	-Inf	104.69	3	Vertical	0	1.80	-	32.42	7.29	34.64			
RMS	6.018G	100.20	Inf	-Inf	95.03	3	Vertical	0	1.80	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.75/6
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7845G	56.60	88.20	-31.60	51.79	3	Horizontal	9	1.67	-	32.10	7.16	34.45			
RMS	5.9115G	47.16	68.20	-21.04	42.09	3	Horizontal	9	1.67	-	32.40	7.26	34.59			
PK	6.01G	108.46	Inf	-Inf	103.30	3	Horizontal	9	1.67	-	32.50	7.33	34.67			
RMS	6.009G	100.11	Inf	-Inf	94.96	3	Horizontal	9	1.67	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT Y_2TX
Setting 10.75/6
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97358G	45.09	74.00	-28.91	59.84	3	Vertical	120	2.48	-	38.95	12.06	65.76			
AV	11.96752G	32.02	54.00	-21.98	46.78	3	Vertical	120	2.48	-	38.94	12.06	65.76			
PK	17.95933G	61.78	74.00	-12.22	58.80	3	Vertical	131	1.80	-	51.25	14.09	62.36			
AV	17.95796G	48.99	54.00	-5.01	46.08	3	Vertical	131	1.80	-	51.18	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5985MHz_TX

EUT Y_2TX
Setting 10.75/6
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97206G	44.95	74.00	-29.05	59.71	3	Horizontal	184	2.35	-	38.94	12.06	65.76			
AV	11.97007G	32.08	54.00	-21.92	46.84	3	Horizontal	184	2.35	-	38.94	12.06	65.76			
PK	17.95637G	61.54	74.00	-12.46	58.71	3	Horizontal	308	2.84	-	51.11	14.09	62.37			
AV	17.95912G	49.03	54.00	-4.97	46.06	3	Horizontal	308	2.84	-	51.24	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9494G	50.71	83.54	-32.83	42.01	1	Vertical	228	1.14	-	39.00	17.32	47.62			
AV	23.9322G	37.84	63.54	-25.70	29.16	1	Vertical	228	1.14	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 10.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9196G	49.82	83.54	-33.72	41.14	1	Horizontal	350	1.18	-	39.00	17.31	47.63			
AV	23.9457G	37.81	63.54	-25.73	29.11	1	Horizontal	350	1.18	-	39.00	17.32	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9886G	109.61	Inf	-Inf	100.18	3	Vertical	11	1.68	-	35.35	8.26	34.18
RMS	7.0102G	100.23	Inf	-Inf	90.68	3	Vertical	11	1.68	-	35.44	8.29	34.18
PK	7.1522G	62.66	88.20	-25.54	52.31	3	Vertical	11	1.68	-	36.10	8.43	34.18
RMS	7.1422G	51.82	68.20	-16.38	41.50	3	Vertical	11	1.68	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0614G	110.26	Inf	-Inf	100.41	3	Horizontal	3	1.82	-	35.69	8.34	34.18
RMS	7.0002G	100.61	Inf	-Inf	91.11	3	Horizontal	3	1.82	-	35.40	8.28	34.18
PK	7.1682G	62.87	88.20	-25.33	52.46	3	Horizontal	3	1.82	-	36.14	8.45	34.18
RMS	7.1422G	51.75	68.20	-16.45	41.43	3	Horizontal	3	1.82	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


7025MHz_TX

EUT_Y_2TX
Setting 13.75/5
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05031G	48.44	88.20	-39.76	59.63	3	Vertical	216	2.13	-	41.10	12.06	64.35			
RMS	14.05057G	34.65	68.20	-33.55	45.84	3	Vertical	216	2.13	-	41.10	12.06	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04504G	48.39	88.20	-39.81	59.61	3	Horizontal	191	2.69	-	41.09	12.05	64.36			
RMS	14.05063G	34.52	68.20	-33.68	45.71	3	Horizontal	191	2.69	-	41.10	12.06	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.095G	49.41	83.54	-34.13	44.03	1	Vertical	123	1.60	-	38.00	16.06	48.68			
AV	21.0994G	35.75	63.54	-27.79	30.36	1	Vertical	123	1.60	-	38.00	16.07	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0555G	48.96	83.54	-34.58	43.62	1	Horizontal	207	2.44	-	38.00	16.03	48.69			
AV	21.0989G	35.62	63.54	-27.92	30.23	1	Horizontal	207	2.44	-	38.00	16.07	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.051G	109.76	Inf	-Inf	100.00	3	Vertical	9	1.85	-	35.61	8.33	34.18			
RMS	7.0502G	100.54	Inf	-Inf	90.79	3	Vertical	9	1.85	-	35.60	8.33	34.18			
PK	7.2174G	62.20	88.20	-26.00	51.62	3	Vertical	9	1.85	-	36.27	8.49	34.18			
RMS	7.125G	52.22	68.20	-15.98	41.95	3	Vertical	9	1.85	-	36.05	8.40	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.999G	110.11	Inf	-Inf	100.61	3	Horizontal	4	1.64	-	35.40	8.28	34.18			
RMS	7.0594G	100.33	Inf	-Inf	90.49	3	Horizontal	4	1.64	-	35.68	8.34	34.18			
PK	7.221G	61.94	88.20	-26.26	51.34	3	Horizontal	4	1.64	-	36.28	8.50	34.18			
RMS	7.1298G	51.95	68.20	-16.25	41.66	3	Horizontal	4	1.64	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04761G	49.06	88.20	-39.14	60.27	3	Vertical	112	2.15	-	41.10	12.05	64.36			
RMS	14.04521G	35.13	68.20	-33.07	46.35	3	Vertical	112	2.15	-	41.09	12.05	64.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04658G	48.97	88.20	-39.23	60.19	3	Horizontal	9	2.40	-	41.09	12.05	64.36			
RMS	14.05022G	35.10	68.20	-33.10	46.29	3	Horizontal	9	2.40	-	41.10	12.06	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07778G	48.83	83.54	-34.71	43.46	1	Vertical	43	1.37	-	38.00	16.05	48.68			
AV	21.0791G	35.73	63.54	-27.81	30.36	1	Vertical	43	1.37	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.75/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07502G	49.16	83.54	-34.38	43.79	1	Horizontal	94	1.96	-	38.00	16.05	48.68			
AV	21.07626G	35.93	63.54	-27.61	30.56	1	Horizontal	94	1.96	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



EUT_Y_2TX
Setting 18/4.5
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.32	88.20	-23.88	59.25	3	Vertical	6	1.73	-	32.40	7.27	34.60
RMS	5.923G	51.01	68.20	-17.19	45.94	3	Vertical	6	1.73	-	32.40	7.27	34.60
PK	6.04G	110.33	Inf	-Inf	105.13	3	Vertical	6	1.73	-	32.50	7.34	34.64
RMS	6.0975G	100.39	Inf	-Inf	95.10	3	Vertical	6	1.73	-	32.50	7.37	34.58