


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18/4.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9155G	65.86	88.20	-22.34	60.79	3	Horizontal	2	1.67	-	32.40	7.26	34.59
RMS	5.912G	49.85	68.20	-18.35	44.78	3	Horizontal	2	1.67	-	32.40	7.26	34.59
PK	6.0905G	109.03	Inf	-Inf	103.75	3	Horizontal	2	1.67	-	32.50	7.37	34.59
RMS	6.0875G	100.47	Inf	-Inf	95.19	3	Horizontal	2	1.67	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05041G	47.43	74.00	-26.57	61.84	3	Vertical	241	1.18	-	39.20	12.08	65.69			
AV	12.05037G	33.25	54.00	-20.75	47.66	3	Vertical	241	1.18	-	39.20	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6025MHz_TX

EUT_Y_2TX
Setting 18/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04908G	47.90	74.00	-26.10	62.32	3	Horizontal	356	2.21	-	39.20	12.08	65.70			
AV	12.05435G	33.41	54.00	-20.59	47.80	3	Horizontal	356	2.21	-	39.22	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0712G	49.19	83.54	-34.35	44.58	1	Vertical	136	1.65	-	37.53	15.29	48.21			
AV	18.0738G	35.12	63.54	-28.42	30.50	1	Vertical	136	1.65	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07158G	48.89	83.54	-34.65	44.28	1	Horizontal	80	1.80	-	37.53	15.29	48.21			
AV	18.0785G	35.21	63.54	-28.33	30.57	1	Horizontal	80	1.80	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	61.28	88.20	-26.92	56.21	3	Vertical	8	1.72	-	32.40	7.26	34.59			
RMS	5.921G	50.30	68.20	-17.90	45.24	3	Vertical	8	1.72	-	32.40	7.26	34.60			
PK	6.0955G	110.75	Inf	-Inf	105.47	3	Vertical	8	1.72	-	32.50	7.37	34.59			
RMS	6.098G	100.54	Inf	-Inf	95.25	3	Vertical	8	1.72	-	32.50	7.37	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	62.04	88.20	-26.16	56.97	3	Horizontal	4	1.80	-	32.40	7.26	34.59			
RMS	5.925G	49.27	68.20	-18.93	44.20	3	Horizontal	4	1.80	-	32.40	7.27	34.60			
PK	5.9895G	110.02	Inf	-Inf	104.90	3	Horizontal	4	1.80	-	32.48	7.31	34.67			
RMS	6.088G	100.27	Inf	-Inf	94.99	3	Horizontal	4	1.80	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04833G	46.25	74.00	-27.75	60.68	3	Vertical	229	2.31	-	39.19	12.08	65.70			
AV	12.05215G	33.39	54.00	-20.61	47.79	3	Vertical	229	2.31	-	39.21	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0527G	46.15	74.00	-27.85	60.55	3	Horizontal	296	2.20	-	39.21	12.08	65.69			
AV	12.05103G	33.49	54.00	-20.51	47.90	3	Horizontal	296	2.20	-	39.20	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07844G	48.87	83.54	-34.67	44.23	1	Vertical	99	1.50	-	37.57	15.29	48.22			
AV	18.07442G	35.22	63.54	-28.32	30.59	1	Vertical	99	1.50	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07708G	48.97	83.54	-34.57	44.34	1	Horizontal	59	1.80	-	37.56	15.29	48.22			
AV	18.07362G	35.27	63.54	-28.27	30.65	1	Horizontal	59	1.80	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	61.57	88.20	-26.63	56.50	3	Vertical	8	1.57	-	32.40	7.26	34.59			
RMS	5.9215G	48.72	68.20	-19.48	43.65	3	Vertical	8	1.57	-	32.40	7.27	34.60			
PK	6.0775G	109.14	Inf	-Inf	103.88	3	Vertical	8	1.57	-	32.50	7.36	34.60			
RMS	6.0985G	100.69	Inf	-Inf	95.40	3	Vertical	8	1.57	-	32.50	7.37	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	59.16	88.20	-29.04	54.08	3	Horizontal	12	1.77	-	32.40	7.26	34.58
RMS	5.925G	48.42	68.20	-19.78	43.35	3	Horizontal	12	1.77	-	32.40	7.27	34.60
PK	6.0895G	109.41	Inf	-Inf	104.13	3	Horizontal	12	1.77	-	32.50	7.37	34.59
RMS	6.0875G	100.18	Inf	-Inf	94.90	3	Horizontal	12	1.77	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04548G	46.70	74.00	-27.30	61.14	3	Vertical	149	1.51	-	39.18	12.08	65.70			
AV	12.04575G	33.31	54.00	-20.69	47.75	3	Vertical	149	1.51	-	39.18	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_V_2TX
Setting 13.5/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04643G	47.56	74.00	-26.44	61.99	3	Horizontal	77	1.79	-	39.19	12.08	65.70			
AV	12.05426G	33.38	54.00	-20.62	47.77	3	Horizontal	77	1.79	-	39.22	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07796G	48.52	83.54	-35.02	43.88	1	Vertical	86	1.86	-	37.57	15.29	48.22			
AV	18.07182G	35.24	63.54	-28.30	30.63	1	Vertical	86	1.86	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


6025MHz_TX

EUT_Y_2TX
Setting 13.5/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07928G	49.67	83.54	-33.87	45.02	1	Horizontal	134	2.10	-	37.58	15.29	48.22			
AV	18.07134G	35.27	63.54	-28.27	30.66	1	Horizontal	134	2.10	-	37.53	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.913G	110.14	Inf	-Inf	101.20	3	Vertical	13	1.72	-	34.98	8.14	34.18			
RMS	7.0115G	100.29	Inf	-Inf	90.73	3	Vertical	13	1.72	-	35.45	8.29	34.18			
PK	7.1805G	61.98	88.20	-26.22	51.54	3	Vertical	13	1.72	-	36.16	8.46	34.18			
RMS	7.1285G	53.03	68.20	-15.17	42.74	3	Vertical	13	1.72	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.021G	110.24	Inf	-Inf	100.64	3	Horizontal	1	1.62	-	35.48	8.30	34.18
RMS	7.0005G	100.53	Inf	-Inf	91.03	3	Horizontal	1	1.62	-	35.40	8.28	34.18
PK	7.1435G	65.51	88.20	-22.69	55.18	3	Horizontal	1	1.62	-	36.09	8.42	34.18
RMS	7.139G	52.72	68.20	-15.48	42.40	3	Horizontal	1	1.62	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96567G	47.23	88.20	-40.97	58.80	3	Vertical	250	2.06	-	40.86	12.02	64.45			
RMS	13.97347G	34.40	68.20	-33.80	45.94	3	Vertical	250	2.06	-	40.89	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.97088G	47.89	88.20	-40.31	59.44	3	Horizontal	303	2.50	-	40.88	12.02	64.45				
RMS	13.96524G	34.42	68.20	-33.78	45.99	3	Horizontal	303	2.50	-	40.86	12.02	64.45				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95972G	46.93	83.54	-36.61	41.76	1	Vertical	185	1.54	-	37.92	15.95	48.70			
AV	20.95116G	34.19	63.54	-29.35	29.04	1	Vertical	185	1.54	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 17/5.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95232G	47.84	83.54	-35.70	42.69	1	Horizontal	155	2.05	-	37.90	15.95	48.70			
AV	20.95452G	34.22	63.54	-29.32	29.06	1	Horizontal	155	2.05	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/6.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.953G	111.17	Inf	-Inf	101.94	3	Vertical	6	1.80	-	35.21	8.20	34.18
RMS	6.951G	100.51	Inf	-Inf	91.29	3	Vertical	6	1.80	-	35.20	8.20	34.18
PK	7.1555G	65.43	88.20	-22.77	55.06	3	Vertical	6	1.80	-	36.11	8.44	34.18
RMS	7.1265G	52.95	68.20	-15.25	42.67	3	Vertical	6	1.80	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/6.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.941G	111.41	Inf	-Inf	102.26	3	Horizontal	0	1.54	-	35.15	8.18	34.18			
RMS	6.921G	100.66	Inf	-Inf	91.66	3	Horizontal	0	1.54	-	35.03	8.15	34.18			
PK	7.1305G	63.50	88.20	-24.70	53.21	3	Horizontal	0	1.54	-	36.06	8.41	34.18			
RMS	7.138G	52.52	68.20	-15.68	42.20	3	Horizontal	0	1.54	-	36.08	8.42	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/6.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96762G	47.57	88.20	-40.63	59.13	3	Vertical	121	1.61	-	40.87	12.02	64.45			
RMS	13.96526G	34.47	68.20	-33.73	46.04	3	Vertical	121	1.61	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/6.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96557G	48.09	88.20	-40.11	59.66	3	Horizontal	291	2.43	-	40.86	12.02	64.45			
RMS	13.96518G	34.51	68.20	-33.69	46.08	3	Horizontal	291	2.43	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/6.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95162G	47.03	83.54	-36.51	41.88	1	Vertical	345	1.56	-	37.90	15.95	48.70			
AV	20.95426G	34.24	63.54	-29.30	29.08	1	Vertical	345	1.56	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_V_2TX
Setting 15/6.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95046G	47.57	83.54	-35.97	42.43	1	Horizontal	256	2.01	-	37.90	15.94	48.70			
AV	20.95182G	34.23	63.54	-29.31	29.08	1	Horizontal	256	2.01	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.93G	109.39	Inf	-Inf	100.33	3	Vertical	0	1.80	-	35.08	8.16	34.18			
RMS	6.9115G	100.80	Inf	-Inf	91.88	3	Vertical	0	1.80	-	34.97	8.13	34.18			
PK	7.1485G	67.65	88.20	-20.55	57.30	3	Vertical	0	1.80	-	36.10	8.43	34.18			
RMS	7.15G	53.47	68.20	-14.73	43.12	3	Vertical	0	1.80	-	36.10	8.43	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.94G	110.76	Inf	-Inf	101.62	3	Horizontal	360	1.80	-	35.14	8.18	34.18
RMS	6.921G	101.16	Inf	-Inf	92.16	3	Horizontal	360	1.80	-	35.03	8.15	34.18
PK	7.161G	70.55	88.20	-17.65	60.17	3	Horizontal	360	1.80	-	36.12	8.44	34.18
RMS	7.1565G	53.66	68.20	-14.54	43.29	3	Horizontal	360	1.80	-	36.11	8.44	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96696G	47.56	88.20	-40.64	59.12	3	Vertical	158	1.62	-	40.87	12.02	64.45			
RMS	13.96524G	34.62	68.20	-33.58	46.19	3	Vertical	158	1.62	-	40.86	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96598G	47.46	88.20	-40.74	59.03	3	Horizontal	143	1.36	-	40.86	12.02	64.45			
RMS	13.97078G	34.68	68.20	-33.52	46.23	3	Horizontal	143	1.36	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/7
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95116G	47.08	83.54	-36.46	41.93	1	Vertical	182	1.87	-	37.90	15.95	48.70			
AV	20.95458G	34.25	63.54	-29.29	29.09	1	Vertical	182	1.87	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


6985MHz_TX

EUT_Y_2TX
Setting 13.5/7
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95906G	46.97	83.54	-36.57	41.80	1	Horizontal	321	1.66	-	37.92	15.95	48.70			
AV	20.95176G	34.23	63.54	-29.31	29.08	1	Horizontal	321	1.66	-	37.90	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.75/3
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	70.58	88.20	-17.62	65.50	3	Vertical	6	1.62	-	32.40	7.26	34.58
RMS	5.9194G	57.83	68.20	-10.37	52.76	3	Vertical	6	1.62	-	32.40	7.26	34.59
PK	6.1194G	109.44	Inf	-Inf	104.03	3	Vertical	6	1.62	-	32.58	7.39	34.56
RMS	6.1178G	100.59	Inf	-Inf	95.20	3	Vertical	6	1.62	-	32.57	7.38	34.56

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.75/3
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	70.12	88.20	-18.08	65.05	3	Horizontal	8	1.70	-	32.40	7.27	34.60			
RMS	5.925G	55.00	68.20	-13.20	49.93	3	Horizontal	8	1.70	-	32.40	7.27	34.60			
PK	6.0866G	111.20	Inf	-Inf	105.93	3	Horizontal	8	1.70	-	32.50	7.37	34.60			
RMS	6.1274G	100.53	Inf	-Inf	95.09	3	Horizontal	8	1.70	-	32.61	7.39	34.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.75/3
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21377G	46.01	74.00	-27.99	60.45	3	Vertical	247	1.08	-	39.04	12.07	65.55			
AV	12.20958G	32.84	54.00	-21.16	47.26	3	Vertical	247	1.08	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.75/3
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2094G	45.81	74.00	-28.19	60.23	3	Horizontal	192	1.91	-	39.06	12.07	65.55			
AV	12.20789G	32.85	54.00	-21.15	47.26	3	Horizontal	192	1.91	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT_Y_2TX
Setting 21.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31428G	47.52	83.54	-36.02	42.88	1	Vertical	277	2.01	-	37.63	15.27	48.26			
AV	18.31188G	34.85	63.54	-28.69	30.22	1	Vertical	277	2.01	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31106G	47.10	83.54	-36.44	42.47	1	Horizontal	319	1.35	-	37.62	15.27	48.26			
AV	18.3174G	34.78	63.54	-28.76	30.14	1	Horizontal	319	1.35	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	60.53	88.20	-27.67	55.46	3	Vertical	9	1.77	-	32.40	7.27	34.60			
RMS	5.9218G	51.22	68.20	-16.98	46.15	3	Vertical	9	1.77	-	32.40	7.27	34.60			
PK	6.1586G	110.19	Inf	-Inf	104.58	3	Vertical	9	1.77	-	32.72	7.41	34.52			
RMS	6.1578G	100.01	Inf	-Inf	94.41	3	Vertical	9	1.77	-	32.72	7.41	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	70.70	88.20	-17.50	65.63	3	Horizontal	4	1.67	-	32.40	7.26	34.59			
RMS	5.925G	50.47	68.20	-17.73	45.40	3	Horizontal	4	1.67	-	32.40	7.27	34.60			
PK	6.1466G	111.15	Inf	-Inf	105.60	3	Horizontal	4	1.67	-	32.69	7.40	34.54			
RMS	6.1666G	100.08	Inf	-Inf	94.46	3	Horizontal	4	1.67	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21371G	45.76	74.00	-28.24	60.19	3	Vertical	144	1.32	-	39.05	12.07	65.55			
AV	12.20699G	32.91	54.00	-21.09	47.32	3	Vertical	144	1.32	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21335G	45.66	74.00	-28.34	60.09	3	Horizontal	25	2.58	-	39.05	12.07	65.55			
AV	12.2089G	32.96	54.00	-21.04	47.38	3	Horizontal	25	2.58	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3122G	47.62	83.54	-35.92	42.99	1	Vertical	138	1.41	-	37.62	15.27	48.26			
AV	18.31852G	34.74	63.54	-28.80	30.09	1	Vertical	138	1.41	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3109G	47.63	83.54	-35.91	43.00	1	Horizontal	60	1.92	-	37.62	15.27	48.26			
AV	18.31734G	34.65	63.54	-28.89	30.01	1	Horizontal	60	1.92	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	58.08	88.20	-30.12	53.01	3	Vertical	4	1.74	-	32.40	7.26	34.59			
RMS	5.9226G	48.82	68.20	-19.38	43.75	3	Vertical	4	1.74	-	32.40	7.27	34.60			
PK	6.2386G	109.57	Inf	-Inf	103.46	3	Vertical	4	1.74	-	33.11	7.45	34.45			
RMS	6.2354G	100.32	Inf	-Inf	94.24	3	Vertical	4	1.74	-	33.08	7.45	34.45			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	58.83	88.20	-29.37	53.76	3	Horizontal	0	1.76	-	32.40	7.27	34.60			
RMS	5.925G	48.45	68.20	-19.75	43.38	3	Horizontal	0	1.76	-	32.40	7.27	34.60			
PK	6.229G	109.24	Inf	-Inf	103.22	3	Horizontal	0	1.76	-	33.03	7.45	34.46			
RMS	6.2466G	99.49	Inf	-Inf	93.30	3	Horizontal	0	1.76	-	33.17	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20968G	46.16	74.00	-27.84	60.58	3	Vertical	120	2.68	-	39.06	12.07	65.55			
AV	12.21347G	32.52	54.00	-21.48	46.95	3	Vertical	120	2.68	-	39.05	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20715G	46.52	74.00	-27.48	60.93	3	Horizontal	51	2.76	-	39.07	12.07	65.55			
AV	12.21238G	32.49	54.00	-21.51	46.92	3	Horizontal	51	2.76	-	39.05	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31644G	47.55	83.54	-35.99	42.91	1	Vertical	24	1.73	-	37.63	15.27	48.26			
AV	18.31908G	34.20	63.54	-29.34	29.55	1	Vertical	24	1.73	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.31218G	47.68	83.54	-35.86	43.05	1	Horizontal	205	1.56	-	37.62	15.27	48.26				
AV	18.31932G	34.26	63.54	-29.28	29.61	1	Horizontal	205	1.56	-	37.64	15.27	48.26				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8318G	110.00	Inf	-Inf	101.65	3	Vertical	4	1.68	-	34.53	8.00	34.18			
RMS	6.8528G	100.47	Inf	-Inf	91.99	3	Vertical	4	1.68	-	34.62	8.04	34.18			
PK	7.169G	65.07	88.20	-23.13	54.66	3	Vertical	4	1.68	-	36.14	8.45	34.18			
RMS	7.1306G	54.15	68.20	-14.05	43.86	3	Vertical	4	1.68	-	36.06	8.41	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX


6905MHz_TX

EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9626G	110.09	Inf	-Inf	100.80	3	Horizontal	6	1.72	-	35.25	8.22	34.18			
RMS	6.941G	100.67	Inf	-Inf	91.52	3	Horizontal	6	1.72	-	35.15	8.18	34.18			
PK	7.145G	66.26	88.20	-21.94	55.92	3	Horizontal	6	1.72	-	36.09	8.43	34.18			
RMS	7.139G	54.32	68.20	-13.88	44.00	3	Horizontal	6	1.72	-	36.08	8.42	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80636G	45.58	88.20	-42.62	57.34	3	Vertical	201	2.26	-	40.59	12.03	64.38			
RMS	13.80708G	32.79	68.20	-35.41	44.55	3	Vertical	201	2.26	-	40.59	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80692G	46.02	88.20	-42.18	57.78	3	Horizontal	4	2.91	-	40.59	12.03	64.38			
RMS	13.80703G	32.76	68.20	-35.44	44.52	3	Horizontal	4	2.91	-	40.59	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71966G	49.44	83.54	-34.10	44.48	1	Vertical	42	1.51	-	37.90	15.76	48.70			
AV	20.71986G	39.48	63.54	-24.06	34.52	1	Vertical	42	1.51	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71986G	48.73	83.54	-34.81	43.77	1	Horizontal	190	1.73	-	37.90	15.76	48.70			
AV	20.71986G	39.38	63.54	-24.16	34.42	1	Horizontal	190	1.73	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8114G	110.08	Inf	-Inf	101.84	3	Vertical	0	1.78	-	34.45	7.97	34.18			
RMS	6.7538G	99.95	Inf	-Inf	91.77	3	Vertical	0	1.78	-	34.40	7.96	34.18			
PK	7.1522G	63.34	88.20	-24.86	52.99	3	Vertical	0	1.78	-	36.10	8.43	34.18			
RMS	7.1726G	52.98	68.20	-15.22	42.56	3	Vertical	0	1.78	-	36.15	8.45	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8024G	109.38	Inf	-Inf	101.20	3	Horizontal	6	1.80	-	34.41	7.95	34.18			
RMS	6.7628G	99.98	Inf	-Inf	91.80	3	Horizontal	6	1.80	-	34.40	7.96	34.18			
PK	7.1456G	62.81	88.20	-25.39	52.47	3	Horizontal	6	1.80	-	36.09	8.43	34.18			
RMS	7.1426G	53.11	68.20	-15.09	42.78	3	Horizontal	6	1.80	-	36.09	8.42	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80673G	46.21	88.20	-41.99	57.97	3	Vertical	162	1.58	-	40.59	12.03	64.38			
RMS	13.81495G	32.42	68.20	-35.78	44.21	3	Vertical	162	1.58	-	40.57	12.03	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT Y_2TX
Setting 16.25/6.5
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80784G	46.04	88.20	-42.16	57.81	3	Horizontal	131	1.73	-	40.58	12.03	64.38			
RMS	13.80972G	32.42	68.20	-35.78	44.19	3	Horizontal	131	1.73	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71754G	49.00	83.54	-34.54	44.05	1	Vertical	129	2.04	-	37.90	15.75	48.70			
AV	20.71118G	35.25	63.54	-28.29	30.30	1	Vertical	129	2.04	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71874G	48.40	83.54	-35.14	43.44	1	Horizontal	211	1.58	-	37.90	15.76	48.70			
AV	20.71136G	35.26	63.54	-28.28	30.31	1	Horizontal	211	1.58	-	37.90	15.75	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9158G	58.53	88.20	-29.67	53.46	3	Vertical	359	1.80	-	32.40	7.26	34.59			
RMS	5.9218G	48.27	68.20	-19.93	43.20	3	Vertical	359	1.80	-	32.40	7.27	34.60			
PK	6.0158G	108.95	Inf	-Inf	103.78	3	Vertical	359	1.80	-	32.50	7.33	34.66			
RMS	6.0166G	100.20	Inf	-Inf	95.03	3	Vertical	359	1.80	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	60.55	88.20	-27.65	55.48	3	Horizontal	0	1.59	-	32.40	7.27	34.60			
RMS	5.9214G	49.16	68.20	-19.04	44.10	3	Horizontal	0	1.59	-	32.40	7.26	34.60			
PK	6.0238G	108.78	Inf	-Inf	103.61	3	Horizontal	0	1.59	-	32.50	7.33	34.66			
RMS	6.023G	100.22	Inf	-Inf	95.05	3	Horizontal	0	1.59	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97513G	45.73	74.00	-28.27	60.48	3	Vertical	354	1.61	-	38.95	12.06	65.76			
AV	11.96994G	33.82	54.00	-20.18	48.58	3	Vertical	354	1.61	-	38.94	12.06	65.76			
PK	17.97905G	60.23	74.00	-13.77	56.27	3	Vertical	307	1.12	-	52.19	14.09	62.32			
AV	17.9785G	48.87	54.00	-5.13	44.93	3	Vertical	307	1.12	-	52.17	14.09	62.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96588G	45.42	74.00	-28.58	60.19	3	Horizontal	347	1.80	-	38.93	12.06	65.76			
AV	11.96988G	32.24	54.00	-21.76	47.00	3	Horizontal	347	1.80	-	38.94	12.06	65.76			
PK	17.96445G	60.64	74.00	-13.36	57.41	3	Horizontal	82	1.10	-	51.49	14.09	62.35			
AV	17.97845G	48.79	54.00	-5.21	44.85	3	Horizontal	82	1.10	-	52.17	14.09	62.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.942G	51.89	83.54	-31.65	43.20	1	Vertical	269	1.83	-	39.00	17.31	47.62			
AV	23.9326G	38.03	63.54	-25.51	29.35	1	Vertical	269	1.83	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9582G	50.80	83.54	-32.74	42.08	1	Horizontal	276	1.98	-	39.02	17.32	47.62			
AV	23.9625G	38.02	63.54	-25.52	29.30	1	Horizontal	276	1.98	-	39.02	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.25/2.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8974G	58.85	88.20	-29.35	53.78	3	Vertical	358	1.80	-	32.39	7.25	34.57			
RMS	5.9218G	47.67	68.20	-20.53	42.60	3	Vertical	358	1.80	-	32.40	7.27	34.60			
PK	6.0158G	109.78	Inf	-Inf	104.61	3	Vertical	358	1.80	-	32.50	7.33	34.66			
RMS	6.0158G	100.23	Inf	-Inf	95.06	3	Vertical	358	1.80	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.25/2.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	57.83	88.20	-30.37	52.76	3	Horizontal	0	1.80	-	32.40	7.27	34.60			
RMS	5.9154G	47.68	68.20	-20.52	42.61	3	Horizontal	0	1.80	-	32.40	7.26	34.59			
PK	6.0226G	108.50	Inf	-Inf	103.33	3	Horizontal	0	1.80	-	32.50	7.33	34.66			
RMS	6.0226G	99.81	Inf	-Inf	94.64	3	Horizontal	0	1.80	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX

EUT Y_4TX
Setting 11.25/2.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97425G	45.30	74.00	-28.70	60.05	3	Vertical	357	1.82	-	38.95	12.06	65.76			
AV	11.96982G	33.71	54.00	-20.29	48.47	3	Vertical	357	1.82	-	38.94	12.06	65.76			
PK	17.9756G	60.67	74.00	-13.33	56.88	3	Vertical	194	1.42	-	52.03	14.09	62.33			
AV	17.9783G	48.31	54.00	-5.69	44.38	3	Vertical	194	1.42	-	52.16	14.09	62.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.25/2.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97312G	44.69	74.00	-29.31	59.44	3	Horizontal	130	1.77	-	38.95	12.06	65.76			
AV	11.96989G	32.73	54.00	-21.27	47.49	3	Horizontal	130	1.77	-	38.94	12.06	65.76			
PK	17.95995G	60.12	74.00	-13.88	57.11	3	Horizontal	156	2.69	-	51.28	14.09	62.36			
AV	17.9792G	48.30	54.00	-5.70	44.33	3	Horizontal	156	2.69	-	52.20	14.09	62.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
Setting 11.25/2.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9492G	51.28	83.54	-32.26	42.58	1	Vertical	333	2.61	-	39.00	17.32	47.62			
AV	23.928G	38.52	63.54	-25.02	29.84	1	Vertical	333	2.61	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
Setting 11.25/2.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9233G	51.25	83.54	-32.29	42.57	1	Horizontal	132	2.52	-	39.00	17.31	47.63			
AV	23.9182G	38.34	63.54	-25.20	29.66	1	Horizontal	132	2.52	-	39.00	17.31	47.63			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.995G	109.80	Inf	-Inf	100.33	3	Vertical	12	1.76	-	35.38	8.27	34.18
RMS	7.0138G	100.71	Inf	-Inf	91.14	3	Vertical	12	1.76	-	35.46	8.29	34.18
PK	7.1266G	63.33	88.20	-24.87	53.05	3	Vertical	12	1.76	-	36.05	8.41	34.18
RMS	7.1282G	53.17	68.20	-15.03	42.88	3	Vertical	12	1.76	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 12.75/3
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9878G	109.61	Inf	-Inf	100.18	3	Horizontal	3	1.68	-	35.35	8.26	34.18			
RMS	7.007G	100.38	Inf	-Inf	90.84	3	Horizontal	3	1.68	-	35.43	8.29	34.18			
PK	7.153G	63.12	88.20	-25.08	52.76	3	Horizontal	3	1.68	-	36.11	8.43	34.18			
RMS	7.143G	53.12	68.20	-15.08	42.79	3	Horizontal	3	1.68	-	36.09	8.42	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04975G	49.93	88.20	-38.27	61.13	3	Vertical	327	1.62	-	41.10	12.05	64.35			
RMS	14.04989G	41.74	68.20	-26.46	52.94	3	Vertical	327	1.62	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04583G	47.62	88.20	-40.58	58.84	3	Horizontal	153	1.44	-	41.09	12.05	64.36			
RMS	14.0511G	34.17	68.20	-34.03	45.36	3	Horizontal	153	1.44	-	41.10	12.06	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07368G	49.18	83.54	-34.36	43.82	1	Vertical	59	2.05	-	38.00	16.05	48.69			
AV	21.07596G	35.52	63.54	-28.02	30.15	1	Vertical	59	2.05	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.75/3
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07784G	48.28	83.54	-35.26	42.91	1	Horizontal	100	1.41	-	38.00	16.05	48.68			
AV	21.07882G	35.52	63.54	-28.02	30.15	1	Horizontal	100	1.41	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.993G	110.09	Inf	-Inf	100.63	3	Vertical	11	1.80	-	35.37	8.27	34.18				
RMS	6.9922G	100.50	Inf	-Inf	91.04	3	Vertical	11	1.80	-	35.37	8.27	34.18				
PK	7.209G	63.38	88.20	-24.82	52.83	3	Vertical	11	1.80	-	36.24	8.49	34.18				
RMS	7.1274G	53.22	68.20	-14.98	42.94	3	Vertical	11	1.80	-	36.05	8.41	34.18				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0538G	109.48	Inf	-Inf	99.70	3	Horizontal	4	1.80	-	35.63	8.33	34.18			
RMS	7.055G	100.31	Inf	-Inf	90.52	3	Horizontal	4	1.80	-	35.64	8.33	34.18			
PK	7.2246G	63.10	88.20	-25.10	52.48	3	Horizontal	4	1.80	-	36.30	8.50	34.18			
RMS	7.1334G	53.25	68.20	-14.95	42.95	3	Horizontal	4	1.80	-	36.07	8.41	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04995G	50.65	88.20	-37.55	61.85	3	Vertical	353	1.80	-	41.10	12.05	64.35			
RMS	14.04984G	41.23	68.20	-26.97	52.43	3	Vertical	353	1.80	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 11.75/2
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04942G	50.69	88.20	-37.51	61.89	3	Horizontal	57	2.06	-	41.10	12.05	64.35			
RMS	14.04986G	38.31	68.20	-29.89	49.51	3	Horizontal	57	2.06	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07976G	48.84	83.54	-34.70	43.47	1	Vertical	144	1.95	-	38.00	16.05	48.68			
AV	21.07496G	35.88	63.54	-27.66	30.52	1	Vertical	144	1.95	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


7025MHz_TX

EUT_V_4TX
Setting 11.75/2
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07736G	49.28	83.54	-34.26	43.91	1	Horizontal	84	1.99	-	38.00	16.05	48.68			
AV	21.07958G	36.05	63.54	-27.49	30.68	1	Horizontal	84	1.99	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 15.5/4
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	61.74	88.20	-26.46	56.66	3	Vertical	9	1.67	-	32.40	7.26	34.58
RMS	5.9145G	49.36	68.20	-18.84	44.29	3	Vertical	9	1.67	-	32.40	7.26	34.59
PK	6.0775G	108.55	Inf	-Inf	103.29	3	Vertical	9	1.67	-	32.50	7.36	34.60
RMS	6.0975G	100.43	Inf	-Inf	95.14	3	Vertical	9	1.67	-	32.50	7.37	34.58

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 15.5/4
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	64.21	88.20	-23.99	59.14	3	Horizontal	3	1.80	-	32.40	7.26	34.59
RMS	5.925G	50.20	68.20	-18.00	45.13	3	Horizontal	3	1.80	-	32.40	7.27	34.60
PK	6.0865G	109.13	Inf	-Inf	103.86	3	Horizontal	3	1.80	-	32.50	7.37	34.60
RMS	6.0865G	100.02	Inf	-Inf	94.75	3	Horizontal	3	1.80	-	32.50	7.37	34.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
Setting 15.5/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05003G	46.65	74.00	-27.35	61.06	3	Vertical	346	1.80	-	39.20	12.08	65.69			
AV	12.04988G	35.18	54.00	-18.82	49.60	3	Vertical	346	1.80	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6025MHz_TX

EUT_V_4TX
Setting 15.5/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04991G	46.21	74.00	-27.79	60.63	3	Horizontal	56	1.80	-	39.20	12.08	65.70			
AV	12.04997G	34.40	54.00	-19.60	48.82	3	Horizontal	56	1.80	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
Setting 15.5/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07234G	48.17	83.54	-35.37	43.56	1	Vertical	178	1.98	-	37.53	15.29	48.21			
AV	18.0742G	35.55	63.54	-27.99	30.92	1	Vertical	178	1.98	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
Setting 15.5/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07122G	48.07	83.54	-35.47	43.46	1	Horizontal	311	1.37	-	37.53	15.29	48.21			
AV	18.07892G	35.55	63.54	-27.99	30.91	1	Horizontal	311	1.37	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 12.5/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9095G	61.89	88.20	-26.31	56.81	3	Vertical	8	1.80	-	32.40	7.26	34.58			
RMS	5.9205G	48.50	68.20	-19.70	43.44	3	Vertical	8	1.80	-	32.40	7.26	34.60			
PK	6.0965G	108.16	Inf	-Inf	102.88	3	Vertical	8	1.80	-	32.50	7.37	34.59			
RMS	6.096G	100.17	Inf	-Inf	94.89	3	Vertical	8	1.80	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 12.5/6
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	62.13	88.20	-26.07	57.06	3	Horizontal	0	1.47	-	32.40	7.26	34.59
RMS	5.9225G	48.54	68.20	-19.66	43.47	3	Horizontal	0	1.47	-	32.40	7.27	34.60
PK	6.1035G	108.11	Inf	-Inf	102.80	3	Horizontal	0	1.47	-	32.51	7.38	34.58
RMS	6.103G	100.08	Inf	-Inf	94.77	3	Horizontal	0	1.47	-	32.51	7.38	34.58

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04954G	46.01	74.00	-27.99	60.43	3	Vertical	345	1.80	-	39.20	12.08	65.70			
AV	12.04993G	33.93	54.00	-20.07	48.35	3	Vertical	345	1.80	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04934G	46.57	74.00	-27.43	60.99	3	Horizontal	307	1.45	-	39.20	12.08	65.70			
AV	12.04988G	33.85	54.00	-20.15	48.27	3	Horizontal	307	1.45	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0771G	48.71	83.54	-34.83	44.08	1	Vertical	296	1.50	-	37.56	15.29	48.22			
AV	18.07434G	35.71	63.54	-27.83	31.08	1	Vertical	296	1.50	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6025MHz_TX

EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0701G	48.29	83.54	-35.25	43.69	1	Horizontal	323	1.51	-	37.52	15.29	48.21			
AV	18.07852G	35.65	63.54	-27.89	31.01	1	Horizontal	323	1.51	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11.5/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8495G	57.24	88.20	-30.96	52.35	3	Vertical	6	1.69	-	32.20	7.21	34.52			
RMS	5.925G	48.40	68.20	-19.80	43.33	3	Vertical	6	1.69	-	32.40	7.27	34.60			
PK	6.0945G	106.37	Inf	-Inf	101.09	3	Vertical	6	1.69	-	32.50	7.37	34.59			
RMS	6.0945G	98.33	Inf	-Inf	93.05	3	Vertical	6	1.69	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11.5/6
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.816G	58.01	88.20	-30.19	53.17	3	Horizontal	2	1.80	-	32.13	7.19	34.48
RMS	5.923G	48.38	68.20	-19.82	43.31	3	Horizontal	2	1.80	-	32.40	7.27	34.60
PK	5.9835G	106.41	Inf	-Inf	101.29	3	Horizontal	2	1.80	-	32.47	7.31	34.66
RMS	6.086G	97.65	Inf	-Inf	92.38	3	Horizontal	2	1.80	-	32.50	7.37	34.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05477G	45.86	74.00	-28.14	60.25	3	Vertical	244	1.49	-	39.22	12.08	65.69			
AV	12.04991G	33.91	54.00	-20.09	48.33	3	Vertical	244	1.49	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04886G	46.71	74.00	-27.29	61.13	3	Horizontal	134	1.11	-	39.20	12.08	65.70			
AV	12.04991G	34.06	54.00	-19.94	48.48	3	Horizontal	134	1.11	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX

EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07748G	48.81	83.54	-34.73	44.18	1	Vertical	66	1.76	-	37.56	15.29	48.22			
AV	18.07286G	35.46	63.54	-28.08	30.84	1	Vertical	66	1.76	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX

EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07466G	48.27	83.54	-35.27	43.64	1	Horizontal	18	2.06	-	37.55	15.29	48.21			
AV	18.07034G	35.66	63.54	-27.88	31.06	1	Horizontal	18	2.06	-	37.52	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 15/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.918G	108.79	Inf	-Inf	99.82	3	Vertical	8	1.68	-	35.01	8.14	34.18			
RMS	6.917G	100.41	Inf	-Inf	91.45	3	Vertical	8	1.68	-	35.00	8.14	34.18			
PK	7.115G	64.74	88.20	-23.46	54.39	3	Vertical	8	1.68	-	36.10	8.43	34.18			
RMS	7.125G	54.42	68.20	-13.78	44.15	3	Vertical	8	1.68	-	36.05	8.40	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 15/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.926G	111.40	Inf	-Inf	102.36	3	Horizontal	3	1.80	-	35.06	8.16	34.18			
RMS	6.9065G	100.24	Inf	-Inf	91.35	3	Horizontal	3	1.80	-	34.94	8.13	34.18			
PK	7.1555G	67.21	88.20	-20.99	56.84	3	Horizontal	3	1.80	-	36.11	8.44	34.18			
RMS	7.1335G	54.16	68.20	-14.04	43.86	3	Horizontal	3	1.80	-	36.07	8.41	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96984G	50.69	88.20	-37.51	62.24	3	Vertical	328	1.80	-	40.88	12.02	64.45			
RMS	13.96988G	43.02	68.20	-25.18	54.57	3	Vertical	328	1.80	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97043G	48.11	88.20	-40.09	59.66	3	Horizontal	201	1.54	-	40.88	12.02	64.45			
RMS	13.96983G	35.21	68.20	-32.99	46.76	3	Horizontal	201	1.54	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95906G	47.31	83.54	-36.23	42.14	1	Vertical	99	1.78	-	37.92	15.95	48.70			
AV	20.95252G	34.41	63.54	-29.13	29.25	1	Vertical	99	1.78	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 15/4.5
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95684G	48.10	83.54	-35.44	42.94	1	Horizontal	6	1.42	-	37.91	15.95	48.70			
AV	20.9523G	34.38	63.54	-29.16	29.23	1	Horizontal	6	1.42	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 12.5/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.933G	109.06	Inf	-Inf	99.97	3	Vertical	5	1.80	-	35.10	8.17	34.18			
RMS	6.9135G	100.15	Inf	-Inf	91.21	3	Vertical	5	1.80	-	34.98	8.14	34.18			
PK	7.193G	64.14	88.20	-24.06	53.66	3	Vertical	5	1.80	-	36.19	8.47	34.18			
RMS	7.172G	53.12	68.20	-15.08	42.71	3	Vertical	5	1.80	-	36.14	8.45	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 12.5/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9075G	110.12	Inf	-Inf	101.23	3	Horizontal	5	1.80	-	34.94	8.13	34.18			
RMS	6.9075G	99.73	Inf	-Inf	90.84	3	Horizontal	5	1.80	-	34.94	8.13	34.18			
PK	7.208G	63.55	88.20	-24.65	53.01	3	Horizontal	5	1.80	-	36.23	8.49	34.18			
RMS	7.136G	53.17	68.20	-15.03	42.86	3	Horizontal	5	1.80	-	36.07	8.42	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96956G	47.91	88.20	-40.29	59.46	3	Vertical	205	1.83	-	40.88	12.02	64.45			
RMS	13.9701G	35.15	68.20	-33.05	46.70	3	Vertical	205	1.83	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96596G	47.57	88.20	-40.63	59.14	3	Horizontal	15	1.76	-	40.86	12.02	64.45			
RMS	13.97007G	35.16	68.20	-33.04	46.71	3	Horizontal	15	1.76	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6985MHz_TX

EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95744G	47.66	83.54	-35.88	42.50	1	Vertical	115	1.95	-	37.91	15.95	48.70			
AV	20.95936G	34.45	63.54	-29.09	29.28	1	Vertical	115	1.95	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 12.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.958G	47.01	83.54	-36.53	41.84	1	Horizontal	44	1.76	-	37.92	15.95	48.70			
AV	20.95042G	34.36	63.54	-29.18	29.22	1	Horizontal	44	1.76	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5/6
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9145G	108.23	Inf	-Inf	99.28	3	Vertical	6	1.80	-	34.99	8.14	34.18
RMS	6.9145G	98.94	Inf	-Inf	89.99	3	Vertical	6	1.80	-	34.99	8.14	34.18
PK	7.155G	63.30	88.20	-24.90	52.93	3	Vertical	6	1.80	-	36.11	8.44	34.18
RMS	7.1425G	53.55	68.20	-14.65	43.22	3	Vertical	6	1.80	-	36.09	8.42	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5/6
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.926G	106.68	Inf	-Inf	97.64	3	Horizontal	3	1.80	-	35.06	8.16	34.18
RMS	6.926G	98.62	Inf	-Inf	89.58	3	Horizontal	3	1.80	-	35.06	8.16	34.18
PK	7.174G	64.17	88.20	-24.03	53.75	3	Horizontal	3	1.80	-	36.15	8.45	34.18
RMS	7.173G	53.86	68.20	-14.34	43.44	3	Horizontal	3	1.80	-	36.15	8.45	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96927G	48.43	88.20	-39.77	59.98	3	Vertical	42	1.07	-	40.88	12.02	64.45			
RMS	13.96992G	35.14	68.20	-33.06	46.69	3	Vertical	42	1.07	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96773G	47.61	88.20	-40.59	59.17	3	Horizontal	264	1.51	-	40.87	12.02	64.45			
RMS	13.96983G	35.32	68.20	-32.88	46.87	3	Horizontal	264	1.51	-	40.88	12.02	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6985MHz_TX

EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95692G	47.45	83.54	-36.09	42.29	1	Vertical	206	1.40	-	37.91	15.95	48.70			
AV	20.95032G	34.29	63.54	-29.25	29.15	1	Vertical	206	1.40	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95584G	47.04	83.54	-36.50	41.88	1	Horizontal	257	1.83	-	37.91	15.95	48.70			
AV	20.95198G	34.38	63.54	-29.16	29.23	1	Horizontal	257	1.83	-	37.90	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/4
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	60.57	88.20	-27.63	55.50	3	Vertical	4	1.80	-	32.40	7.26	34.59			
RMS	5.925G	50.64	68.20	-17.56	45.57	3	Vertical	4	1.80	-	32.40	7.27	34.60			
PK	6.153G	108.23	Inf	-Inf	102.65	3	Vertical	4	1.80	-	32.71	7.40	34.53			
RMS	6.153G	100.14	Inf	-Inf	94.56	3	Vertical	4	1.80	-	32.71	7.40	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/4
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	64.76	88.20	-23.44	59.69	3	Horizontal	1	1.67	-	32.40	7.27	34.60			
RMS	5.917G	49.98	68.20	-18.22	44.91	3	Horizontal	1	1.67	-	32.40	7.26	34.59			
PK	6.1434G	108.86	Inf	-Inf	103.33	3	Horizontal	1	1.67	-	32.67	7.40	34.54			
RMS	6.1642G	100.19	Inf	-Inf	94.57	3	Horizontal	1	1.67	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20984G	46.37	74.00	-27.63	60.79	3	Vertical	8	1.64	-	39.06	12.07	65.55			
AV	12.20987G	36.09	54.00	-17.91	50.51	3	Vertical	8	1.64	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_V_4TX
Setting 17.75/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21382G	45.62	74.00	-28.38	60.06	3	Horizontal	45	1.08	-	39.04	12.07	65.55			
AV	12.2098G	32.91	54.00	-21.09	47.33	3	Horizontal	45	1.08	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 17.75/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31652G	48.03	83.54	-35.51	43.39	1	Vertical	22	1.94	-	37.63	15.27	48.26			
AV	18.31266G	34.77	63.54	-28.77	30.13	1	Vertical	22	1.94	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/4
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3153G	47.77	83.54	-35.77	43.13	1	Horizontal	255	1.59	-	37.63	15.27	48.26			
AV	18.3109G	34.94	63.54	-28.60	30.31	1	Horizontal	255	1.59	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16.25/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	59.42	88.20	-28.78	54.35	3	Vertical	5	1.80	-	32.40	7.26	34.59			
RMS	5.925G	49.60	68.20	-18.60	44.53	3	Vertical	5	1.80	-	32.40	7.27	34.60			
PK	6.1554G	108.18	Inf	-Inf	102.59	3	Vertical	5	1.80	-	32.71	7.41	34.53			
RMS	6.1546G	99.64	Inf	-Inf	94.05	3	Vertical	5	1.80	-	32.71	7.41	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16.25/4.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	59.60	88.20	-28.60	54.53	3	Horizontal	2	1.79	-	32.40	7.26	34.59			
RMS	5.9234G	49.33	68.20	-18.87	44.26	3	Horizontal	2	1.79	-	32.40	7.27	34.60			
PK	6.1666G	106.60	Inf	-Inf	100.98	3	Horizontal	2	1.79	-	32.73	7.41	34.52			
RMS	6.1666G	98.77	Inf	-Inf	93.15	3	Horizontal	2	1.79	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 16.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21026G	45.79	74.00	-28.21	60.21	3	Vertical	60	1.53	-	39.06	12.07	65.55			
AV	12.20995G	33.70	54.00	-20.30	48.12	3	Vertical	60	1.53	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 16.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21294G	45.87	74.00	-28.13	60.30	3	Horizontal	4	2.22	-	39.05	12.07	65.55			
AV	12.20859G	32.88	54.00	-21.12	47.29	3	Horizontal	4	2.22	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 16.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3185G	48.33	83.54	-35.21	43.68	1	Vertical	74	2.10	-	37.64	15.27	48.26			
AV	18.3186G	34.84	63.54	-28.70	30.19	1	Vertical	74	2.10	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16.25/4.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3192G	48.04	83.54	-35.50	43.39	1	Horizontal	117	1.88	-	37.64	15.27	48.26			
AV	18.31858G	34.79	63.54	-28.75	30.14	1	Horizontal	117	1.88	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 14.75/5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	61.69	88.20	-26.51	56.62	3	Vertical	5	1.72	-	32.40	7.26	34.59			
RMS	5.925G	48.84	68.20	-19.36	43.77	3	Vertical	5	1.72	-	32.40	7.27	34.60			
PK	6.2346G	109.62	Inf	-Inf	103.54	3	Vertical	5	1.72	-	33.08	7.45	34.45			
RMS	6.2354G	100.15	Inf	-Inf	94.07	3	Vertical	5	1.72	-	33.08	7.45	34.45			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 14.75/5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	59.47	88.20	-28.73	54.40	3	Horizontal	0	1.53	-	32.40	7.26	34.59			
RMS	5.9162G	48.15	68.20	-20.05	43.08	3	Horizontal	0	1.53	-	32.40	7.26	34.59			
PK	6.2034G	108.15	Inf	-Inf	102.37	3	Horizontal	0	1.53	-	32.83	7.43	34.48			
RMS	6.2442G	99.28	Inf	-Inf	93.11	3	Horizontal	0	1.53	-	33.15	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX

EUT_V_4TX
Setting 14.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21342G	45.05	74.00	-28.95	59.48	3	Vertical	351	1.02	-	39.05	12.07	65.55			
AV	12.20993G	32.36	54.00	-21.64	46.78	3	Vertical	351	1.02	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 14.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20992G	45.89	74.00	-28.11	60.31	3	Horizontal	297	1.52	-	39.06	12.07	65.55			
AV	12.2097G	32.38	54.00	-21.62	46.80	3	Horizontal	297	1.52	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 14.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3123G	47.47	83.54	-36.07	42.84	1	Vertical	102	1.98	-	37.62	15.27	48.26			
AV	18.31502G	34.26	63.54	-29.28	29.62	1	Vertical	102	1.98	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 14.75/5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31226G	47.42	83.54	-36.12	42.79	1	Horizontal	131	1.90	-	37.62	15.27	48.26			
AV	18.3175G	34.34	63.54	-29.20	29.69	1	Horizontal	131	1.90	-	37.64	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 17.25/3.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8354G	108.68	Inf	-Inf	100.31	3	Vertical	8	1.71	-	34.54	8.01	34.18			
RMS	6.8354G	100.30	Inf	-Inf	91.93	3	Vertical	8	1.71	-	34.54	8.01	34.18			
PK	7.1306G	65.34	88.20	-22.86	55.05	3	Vertical	8	1.71	-	36.06	8.41	34.18			
RMS	7.1252G	53.98	68.20	-14.22	43.70	3	Vertical	8	1.71	-	36.05	8.41	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 17.25/3.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8276G	108.23	Inf	-Inf	99.90	3	Horizontal	6	1.80	-	34.51	8.00	34.18			
RMS	6.8276G	99.23	Inf	-Inf	90.90	3	Horizontal	6	1.80	-	34.51	8.00	34.18			
PK	7.1756G	67.08	88.20	-21.12	56.65	3	Horizontal	6	1.80	-	36.15	8.46	34.18			
RMS	7.1372G	54.01	68.20	-14.19	43.70	3	Horizontal	6	1.80	-	36.07	8.42	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 17.25/3.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80985G	48.06	88.20	-40.14	59.83	3	Vertical	3	2.93	-	40.58	12.03	64.38			
RMS	13.80987G	39.79	68.20	-28.41	51.56	3	Vertical	3	2.93	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 17.25/3.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81058G	46.64	88.20	-41.56	58.41	3	Horizontal	286	2.48	-	40.58	12.03	64.38			
RMS	13.80986G	34.20	68.20	-34.00	45.97	3	Horizontal	286	2.48	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 17.25/3.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7143G	49.31	83.54	-34.23	44.36	1	Vertical	27	1.98	-	37.90	15.75	48.70			
AV	20.71112G	35.92	63.54	-27.62	30.97	1	Vertical	27	1.98	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 17.25/3.5
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71352G	49.42	83.54	-34.12	44.47	1	Horizontal	311	1.58	-	37.90	15.75	48.70			
AV	20.71426G	35.72	63.54	-27.82	30.77	1	Horizontal	311	1.58	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.75/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8168G	107.99	Inf	-Inf	99.72	3	Vertical	0	1.82	-	34.47	7.98	34.18			
RMS	6.755G	100.00	Inf	-Inf	91.82	3	Vertical	0	1.82	-	34.40	7.96	34.18			
PK	7.1642G	62.39	88.20	-25.81	52.00	3	Vertical	0	1.82	-	36.13	8.44	34.18			
RMS	7.145G	53.36	68.20	-14.84	43.02	3	Vertical	0	1.82	-	36.09	8.43	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.75/6
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7646G	109.47	Inf	-Inf	101.29	3	Horizontal	4	1.63	-	34.40	7.96	34.18			
RMS	6.7652G	99.96	Inf	-Inf	91.78	3	Horizontal	4	1.63	-	34.40	7.96	34.18			
PK	7.2032G	63.23	88.20	-24.97	52.72	3	Horizontal	4	1.63	-	36.21	8.48	34.18			
RMS	7.1558G	53.19	68.20	-15.01	42.82	3	Horizontal	4	1.63	-	36.11	8.44	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_V_4TX
Setting 13.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81007G	47.18	88.20	-41.02	58.95	3	Vertical	200	1.89	-	40.58	12.03	64.38			
RMS	13.80985G	38.01	68.20	-30.19	49.78	3	Vertical	200	1.89	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_V_4TX
Setting 13.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80996G	47.11	88.20	-41.09	58.88	3	Horizontal	323	1.93	-	40.58	12.03	64.38			
RMS	13.80989G	37.81	68.20	-30.39	49.58	3	Horizontal	323	1.93	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_V_4TX
Setting 13.75/6
06-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71764G	48.91	83.54	-34.63	43.96	1	Vertical	34	1.50	-	37.90	15.75	48.70			
AV	20.71148G	35.22	63.54	-28.32	30.27	1	Vertical	34	1.50	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX



EUT_V_4TX
Setting 13.75/6
06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7153G	48.84	83.54	-34.70	43.89	1	Horizontal	149	1.52	-	37.90	15.75	48.70			
AV	20.71326G	35.36	63.54	-28.18	30.41	1	Horizontal	149	1.52	-	37.90	15.75	48.70			




RSE TX above 1GHz_R4_Indoor AP_Narrow Beam_Puncturing Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1.(MCS0).3xRU996 CP 2_1TX	Pass	RMS	7.2614G	53.80	54.00	-0.20	3	Vertical	3	1.63	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	63.83	88.20	-24.37	58.77	3	Vertical	359	1.54	-	32.40	7.26	34.60			
RMS	5.9234G	52.00	68.20	-16.20	46.93	3	Vertical	359	1.54	-	32.40	7.27	34.60			
PK	6.0106G	110.03	Inf	-Inf	104.87	3	Vertical	359	1.54	-	32.50	7.33	34.67			
RMS	6.0062G	99.55	Inf	-Inf	94.40	3	Vertical	359	1.54	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	61.84	88.20	-26.36	56.77	3	Horizontal	4	1.57	-	32.40	7.27	34.60			
RMS	5.9222G	50.89	68.20	-17.31	45.82	3	Horizontal	4	1.57	-	32.40	7.27	34.60			
PK	6.0178G	109.61	Inf	-Inf	104.44	3	Horizontal	4	1.57	-	32.50	7.33	34.66			
RMS	6.021G	98.19	Inf	-Inf	93.02	3	Horizontal	4	1.57	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9763G	48.61	74.00	-25.39	42.95	3	Vertical	357	2.11	-	38.95	12.06	45.35				
AV	11.9699G	35.95	54.00	-18.05	30.30	3	Vertical	357	2.11	-	38.94	12.06	45.35				
PK	17.9687G	61.56	74.00	-12.44	40.05	3	Vertical	180	1.78	-	51.70	14.09	44.28				
AV	17.9799G	49.15	54.00	-4.85	27.10	3	Vertical	180	1.78	-	52.24	14.09	44.28				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9839G	48.40	74.00	-25.60	42.72	3	Horizontal	312	1.76	-	38.97	12.07	45.36				
AV	11.9699G	35.40	54.00	-18.60	29.75	3	Horizontal	312	1.76	-	38.94	12.06	45.35				
PK	17.9713G	61.78	74.00	-12.22	40.15	3	Horizontal	305	1.51	-	51.82	14.09	44.28				
AV	17.9793G	49.23	54.00	-4.77	27.21	3	Horizontal	305	1.51	-	52.21	14.09	44.28				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 15
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93966G	48.91	83.54	-34.63	40.22	1	Vertical	357	1.71	-	39.00	17.31	47.62			
AV	23.93976G	36.64	63.54	-26.90	27.95	1	Vertical	357	1.71	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 15
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9397G	47.31	83.54	-36.23	38.62	1	Horizontal	4	1.80	-	39.00	17.31	47.62			
AV	23.9397G	34.36	63.54	-29.18	25.67	1	Horizontal	4	1.80	-	39.00	17.31	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_Y_1TX
Setting 15.5
06-I-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9882G	109.26	Inf	-Inf	99.83	3	Vertical	9	1.44	-	35.35	8.26	34.18
RMS	6.9946G	99.90	Inf	-Inf	90.43	3	Vertical	9	1.44	-	35.38	8.27	34.18
PK	7.1258G	58.38	88.20	-29.82	48.10	3	Vertical	9	1.44	-	36.05	8.41	34.18
RMS	7.1254G	45.95	68.20	-22.25	35.67	3	Vertical	9	1.44	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_Y_1TX
Setting 15.5
06-I-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9882G	110.29	Inf	-Inf	100.86	3	Horizontal	8	1.60	-	35.35	8.26	34.18
RMS	6.9874G	98.93	Inf	-Inf	89.50	3	Horizontal	8	1.60	-	35.35	8.26	34.18
PK	7.1306G	55.49	88.20	-32.71	45.20	3	Horizontal	8	1.60	-	36.06	8.41	34.18
RMS	7.1254G	45.11	68.20	-23.09	34.83	3	Horizontal	8	1.60	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 15.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0523G	50.36	88.20	-37.84	41.57	3	Vertical	110	2.86	-	41.11	12.06	44.38			
RMS	14.04514G	37.13	68.20	-31.07	28.36	3	Vertical	110	2.86	-	41.09	12.05	44.37			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 15.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0456G	50.38	88.20	-37.82	41.61	3	Horizontal	308	2.08	-	41.09	12.05	44.37			
RMS	14.0457G	37.13	68.20	-31.07	28.36	3	Horizontal	308	2.08	-	41.09	12.05	44.37			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 15.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06552G	45.46	83.54	-38.08	40.11	1	Vertical	127	1.61	-	38.00	16.04	48.69			
AV	21.074G	32.04	63.54	-31.50	26.68	1	Vertical	127	1.61	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 15.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07G	45.27	83.54	-38.27	39.92	1	Horizontal	203	1.13	-	38.00	16.04	48.69			
AV	21.07468G	32.05	63.54	-31.49	26.69	1	Horizontal	203	1.13	-	38.00	16.05	48.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	69.84	88.20	-18.36	64.77	3	Vertical	1	1.48	-	32.40	7.26	34.59			
RMS	5.9235G	54.29	68.20	-13.91	49.22	3	Vertical	1	1.48	-	32.40	7.27	34.60			
PK	6.062G	110.67	Inf	-Inf	105.44	3	Vertical	1	1.48	-	32.50	7.35	34.62			
RMS	6.0805G	99.48	Inf	-Inf	94.22	3	Vertical	1	1.48	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	68.05	88.20	-20.15	62.98	3	Horizontal	4	1.56	-	32.40	7.26	34.59
RMS	5.9245G	53.08	68.20	-15.12	48.01	3	Horizontal	4	1.56	-	32.40	7.27	34.60
PK	6.09G	109.22	Inf	-Inf	103.94	3	Horizontal	4	1.56	-	32.50	7.37	34.59
RMS	6.092G	97.72	Inf	-Inf	92.44	3	Horizontal	4	1.56	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05292G	48.61	74.00	-25.39	42.71	3	Vertical	204	1.86	-	39.21	12.08	45.39			
AV	12.0492G	35.47	54.00	-18.53	29.58	3	Vertical	204	1.86	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05274G	48.89	74.00	-25.11	42.99	3	Horizontal	147	2.01	-	39.21	12.08	45.39			
AV	12.05224G	35.45	54.00	-18.55	29.55	3	Horizontal	147	2.01	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07342G	48.42	83.54	-37.12	41.80	1	Vertical	289	1.01	-	37.54	15.29	48.21			
AV	18.07466G	35.20	63.54	-30.34	28.57	1	Vertical	289	1.01	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0751G	48.78	83.54	-34.76	44.16	1	Horizontal	79	1.09	-	37.55	15.29	48.22			
AV	18.07856G	35.15	63.54	-28.39	30.51	1	Horizontal	79	1.09	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	75.27	88.20	-12.93	70.20	3	Vertical	1	1.51	-	32.40	7.26	34.59			
RMS	5.924G	53.54	68.20	-14.66	48.47	3	Vertical	1	1.51	-	32.40	7.27	34.60			
PK	6.079G	110.75	Inf	-Inf	105.49	3	Vertical	1	1.51	-	32.50	7.36	34.60			
RMS	6.079G	99.94	Inf	-Inf	94.68	3	Vertical	1	1.51	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	73.32	88.20	-14.88	68.25	3	Horizontal	4	1.63	-	32.40	7.26	34.59
RMS	5.923G	52.19	68.20	-16.01	47.12	3	Horizontal	4	1.63	-	32.40	7.27	34.60
PK	6.059G	109.00	Inf	-Inf	103.77	3	Horizontal	4	1.63	-	32.50	7.35	34.62
RMS	6.0915G	98.20	Inf	-Inf	92.92	3	Horizontal	4	1.63	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05358G	48.30	74.00	-25.70	42.40	3	Vertical	125	1.06	-	39.21	12.08	45.39			
AV	12.04616G	35.50	54.00	-18.50	29.62	3	Vertical	125	1.06	-	39.18	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0518G	48.40	74.00	-25.60	42.50	3	Horizontal	289	2.85	-	39.21	12.08	45.39			
AV	12.0489G	35.46	54.00	-18.54	29.57	3	Horizontal	289	2.85	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07324G	48.23	83.54	-35.31	43.61	1	Vertical	218	1.33	-	37.54	15.29	48.21			
AV	18.0746G	35.20	63.54	-28.34	30.57	1	Vertical	218	1.33	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07308G	47.15	83.54	-36.39	42.53	1	Horizontal	240	1.52	-	37.54	15.29	48.21			
AV	18.0746G	34.20	63.54	-29.34	29.57	1	Horizontal	240	1.52	-	37.55	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 17.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.935G	109.90	Inf	-Inf	100.80	3	Vertical	10	1.48	-	35.11	8.17	34.18
RMS	6.911G	99.63	Inf	-Inf	90.71	3	Vertical	10	1.48	-	34.97	8.13	34.18
PK	7.141G	75.89	88.20	-12.31	65.57	3	Vertical	10	1.48	-	36.08	8.42	34.18
RMS	7.126G	52.69	68.20	-15.51	42.41	3	Vertical	10	1.48	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 17.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.912G	108.16	Inf	-Inf	99.24	3	Horizontal	7	1.55	-	34.97	8.13	34.18
RMS	6.909G	98.67	Inf	-Inf	89.77	3	Horizontal	7	1.55	-	34.95	8.13	34.18
PK	7.135G	72.84	88.20	-15.36	62.54	3	Horizontal	7	1.55	-	36.07	8.41	34.18
RMS	7.139G	51.43	68.20	-16.77	41.11	3	Horizontal	7	1.55	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97062G	50.17	88.20	-38.03	41.60	3	Vertical	139	1.81	-	40.88	12.02	44.33			
RMS	13.97382G	37.21	68.20	-30.99	28.62	3	Vertical	139	1.81	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97372G	49.90	88.20	-38.30	41.32	3	Horizontal	287	1.70	-	40.89	12.02	44.33			
RMS	13.97402G	37.21	68.20	-30.99	28.62	3	Horizontal	287	1.70	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96004G	44.06	83.54	-39.48	38.89	1	Vertical	220	1.31	-	37.92	15.95	48.70			
AV	20.9454G	31.70	63.54	-31.84	26.56	1	Vertical	220	1.31	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95924G	44.06	83.54	-39.48	38.89	1	Horizontal	110	2.61	-	37.92	15.95	48.70			
AV	20.95892G	31.69	63.54	-31.85	26.52	1	Horizontal	110	2.61	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 16.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.914G	109.90	Inf	-Inf	100.96	3	Vertical	11	1.61	-	34.98	8.14	34.18
RMS	6.9105G	99.40	Inf	-Inf	90.49	3	Vertical	11	1.61	-	34.96	8.13	34.18
PK	7.134G	70.01	88.20	-18.19	59.71	3	Vertical	11	1.61	-	36.07	8.41	34.18
RMS	7.126G	49.12	68.20	-19.08	38.84	3	Vertical	11	1.61	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 16.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.938G	109.34	Inf	-Inf	100.21	3	Horizontal	7	1.56	-	35.13	8.18	34.18
RMS	6.908G	98.38	Inf	-Inf	89.48	3	Horizontal	7	1.56	-	34.95	8.13	34.18
PK	7.135G	68.21	88.20	-19.99	57.91	3	Horizontal	7	1.56	-	36.07	8.41	34.18
RMS	7.1295G	48.54	68.20	-19.66	38.25	3	Horizontal	7	1.56	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97052G	50.03	88.20	-38.17	41.46	3	Vertical	324	1.61	-	40.88	12.02	44.33			
RMS	13.97434G	37.21	68.20	-30.99	28.62	3	Vertical	324	1.61	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96854G	50.66	88.20	-37.54	42.10	3	Horizontal	251	2.06	-	40.87	12.02	44.33			
RMS	13.97398G	37.21	68.20	-30.99	28.62	3	Horizontal	251	2.06	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9648G	44.49	83.54	-39.05	39.30	1	Vertical	20	1.84	-	37.93	15.96	48.70			
AV	20.95284G	31.76	63.54	-31.78	26.60	1	Vertical	20	1.84	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 16.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94832G	44.34	83.54	-39.20	39.20	1	Horizontal	64	2.88	-	37.90	15.94	48.70			
AV	20.95188G	31.74	63.54	-31.80	26.59	1	Horizontal	64	2.88	-	37.90	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 20.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.26	88.20	-11.94	71.19	3	Vertical	5	1.56	-	32.40	7.27	34.60			
RMS	5.924G	61.94	68.20	-6.26	56.87	3	Vertical	5	1.56	-	32.40	7.27	34.60			
PK	6.213G	110.40	Inf	-Inf	104.53	3	Vertical	5	1.56	-	32.90	7.44	34.47			
RMS	6.245G	99.24	Inf	-Inf	93.06	3	Vertical	5	1.56	-	33.16	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUTY_1TX
Setting 20.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	76.68	88.20	-11.52	71.61	3	Horizontal	5	1.64	-	32.40	7.27	34.60			
RMS	5.924G	60.38	68.20	-7.82	55.31	3	Horizontal	5	1.64	-	32.40	7.27	34.60			
PK	6.143G	108.56	Inf	-Inf	103.03	3	Horizontal	5	1.64	-	32.67	7.40	34.54			
RMS	6.255G	97.57	Inf	-Inf	91.34	3	Horizontal	5	1.64	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2315G	48.78	74.00	-25.22	43.23	3	Vertical	24	1.64	-	38.97	12.07	45.49			
AV	12.2098G	36.31	54.00	-17.69	30.65	3	Vertical	24	1.64	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1876G	47.89	74.00	-26.11	42.13	3	Horizontal	302	2.96	-	39.15	12.07	45.46			
AV	12.186G	35.37	54.00	-18.63	29.60	3	Horizontal	302	2.96	-	39.16	12.07	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32904G	44.97	83.54	-38.57	40.31	1	Vertical	265	2.85	-	37.66	15.27	48.27			
AV	18.30282G	32.04	63.54	-31.50	27.42	1	Vertical	265	2.85	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32952G	44.78	83.54	-38.76	40.12	1	Horizontal	206	2.35	-	37.66	15.27	48.27			
AV	18.31272G	32.25	63.54	-31.29	27.61	1	Horizontal	206	2.35	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 20
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	73.04	88.20	-15.16	67.97	3	Vertical	5	1.58	-	32.40	7.27	34.60
RMS	5.924G	58.91	68.20	-9.29	53.84	3	Vertical	5	1.58	-	32.40	7.27	34.60
PK	6.243G	110.29	Inf	-Inf	104.13	3	Vertical	5	1.58	-	33.14	7.46	34.44
RMS	6.229G	99.32	Inf	-Inf	93.30	3	Vertical	5	1.58	-	33.03	7.45	34.46

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 20
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	70.22	88.20	-17.98	65.15	3	Horizontal	3	1.55	-	32.40	7.27	34.60			
RMS	5.925G	57.15	68.20	-11.05	52.08	3	Horizontal	3	1.55	-	32.40	7.27	34.60			
PK	6.191G	108.73	Inf	-Inf	103.01	3	Horizontal	3	1.55	-	32.78	7.43	34.49			
RMS	6.229G	98.05	Inf	-Inf	92.03	3	Horizontal	3	1.55	-	33.03	7.45	34.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20548G	48.31	74.00	-25.69	42.63	3	Vertical	86	2.51	-	39.08	12.07	45.47			
AV	12.20986G	35.34	54.00	-18.66	29.68	3	Vertical	86	2.51	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21062G	48.36	74.00	-25.64	42.70	3	Horizontal	190	2.79	-	39.06	12.07	45.47			
AV	12.20978G	35.34	54.00	-18.66	29.68	3	Horizontal	190	2.79	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32472G	44.69	83.54	-38.85	40.03	1	Vertical	231	1.71	-	37.65	15.27	48.26			
AV	18.32368G	31.94	63.54	-31.60	27.28	1	Vertical	231	1.71	-	37.65	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31308G	44.61	83.54	-38.93	39.97	1	Horizontal	35	1.43	-	37.63	15.27	48.26			
AV	18.32352G	31.83	63.54	-31.71	27.17	1	Horizontal	35	1.43	-	37.65	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUTY_1TX
Setting 19.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	78.31	88.20	-9.89	73.24	3	Vertical	3	1.59	-	32.40	7.26	34.59			
RMS	5.925G	58.11	68.20	-10.09	53.04	3	Vertical	3	1.59	-	32.40	7.27	34.60			
PK	6.127G	110.37	Inf	-Inf	104.93	3	Vertical	3	1.59	-	32.61	7.39	34.56			
RMS	6.171G	99.53	Inf	-Inf	93.89	3	Vertical	3	1.59	-	32.74	7.41	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 19.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	74.43	88.20	-13.77	69.37	3	Horizontal	11	1.70	-	32.40	7.26	34.60			
RMS	5.925G	56.55	68.20	-11.65	51.48	3	Horizontal	11	1.70	-	32.40	7.27	34.60			
PK	6.149G	108.53	Inf	-Inf	102.96	3	Horizontal	11	1.70	-	32.70	7.40	34.53			
RMS	6.155G	97.80	Inf	-Inf	92.21	3	Horizontal	11	1.70	-	32.71	7.41	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21088G	48.07	74.00	-25.93	42.41	3	Vertical	157	1.71	-	39.06	12.07	45.47			
AV	12.20984G	35.34	54.00	-18.66	29.68	3	Vertical	157	1.71	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2147G	48.32	74.00	-25.68	42.69	3	Horizontal	30	1.80	-	39.04	12.07	45.48			
AV	12.2099G	35.34	54.00	-18.66	29.68	3	Horizontal	30	1.80	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31596G	44.76	83.54	-38.78	40.12	1	Vertical	254	1.35	-	37.63	15.27	48.26			
AV	18.31396G	32.41	63.54	-31.13	27.77	1	Vertical	254	1.35	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31948G	45.02	83.54	-38.52	40.37	1	Horizontal	221	1.35	-	37.64	15.27	48.26			
AV	18.31808G	32.84	63.54	-30.70	28.19	1	Horizontal	221	1.35	-	37.64	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8402G	108.66	Inf	-Inf	100.26	3	Vertical	1	1.60	-	34.56	8.02	34.18			
RMS	6.7502G	98.38	Inf	-Inf	90.20	3	Vertical	1	1.60	-	34.40	7.96	34.18			
PK	7.1882G	78.59	88.20	-9.61	68.12	3	Vertical	1	1.60	-	36.18	8.47	34.18			
RMS	7.2518G	53.04	54.00	-0.96	42.30	3	Vertical	1	1.60	-	36.41	8.52	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9026G	108.68	Inf	-Inf	99.82	3	Horizontal	8	1.57	-	34.92	8.12	34.18
RMS	6.7502G	97.59	Inf	-Inf	89.41	3	Horizontal	8	1.57	-	34.40	7.96	34.18
PK	7.2962G	66.69	74.00	-7.31	55.74	3	Horizontal	8	1.57	-	36.58	8.56	34.19
RMS	7.25G	51.68	54.00	-2.32	40.95	3	Horizontal	8	1.57	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81432G	50.76	88.20	-37.44	42.60	3	Vertical	358	2.52	-	40.57	12.03	44.44			
RMS	13.8129G	37.07	68.20	-31.13	28.91	3	Vertical	358	2.52	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8137G	50.18	88.20	-38.02	42.02	3	Horizontal	70	1.73	-	40.57	12.03	44.44			
RMS	13.81276G	37.07	68.20	-31.13	28.91	3	Horizontal	70	1.73	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71972G	45.13	83.54	-38.41	40.17	1	Vertical	259	1.63	-	37.90	15.76	48.70			
AV	20.71984G	34.01	63.54	-29.53	29.05	1	Vertical	259	1.63	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7198G	45.42	83.54	-38.12	40.46	1	Horizontal	243	2.97	-	37.90	15.76	48.70			
AV	20.71976G	34.01	63.54	-29.53	29.05	1	Horizontal	243	2.97	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7754G	110.42	Inf	-Inf	102.25	3	Vertical	3	1.63	-	34.40	7.95	34.18				
RMS	6.7478G	99.21	Inf	-Inf	91.04	3	Vertical	3	1.63	-	34.40	7.96	34.19				
PK	7.301G	69.14	74.00	-4.86	58.16	3	Vertical	3	1.63	-	36.60	8.57	34.19				
RMS	7.2614G	53.80	54.00	-0.20	43.01	3	Vertical	3	1.63	-	36.45	8.53	34.19				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT Y_1TX
Setting 21
06-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7682G	108.68	Inf	-Inf	100.50	3	Horizontal	8	1.52	-	34.40	7.96	34.18
RMS	6.7502G	98.36	Inf	-Inf	90.18	3	Horizontal	8	1.52	-	34.40	7.96	34.18
PK	7.289G	67.57	74.00	-6.43	56.64	3	Horizontal	8	1.52	-	36.56	8.56	34.19
RMS	7.2566G	52.69	54.00	-1.31	41.92	3	Horizontal	8	1.52	-	36.43	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80608G	50.20	88.20	-38.00	42.03	3	Vertical	126	1.34	-	40.59	12.03	44.45			
RMS	13.81014G	37.07	68.20	-31.13	28.90	3	Vertical	126	1.34	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8135G	49.95	88.20	-38.25	41.79	3	Horizontal	244	1.30	-	40.57	12.03	44.44			
RMS	13.8097G	37.07	68.20	-31.13	28.90	3	Horizontal	244	1.30	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70732G	44.11	83.54	-39.43	39.16	1	Vertical	214	1.72	-	37.90	15.75	48.70			
AV	20.71976G	32.02	63.54	-31.52	27.06	1	Vertical	214	1.72	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_V_1TX
Setting 21
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72004G	45.53	83.54	-38.01	40.57	1	Horizontal	186	2.84	-	37.90	15.76	48.70			
AV	20.7198G	33.91	63.54	-29.63	28.95	1	Horizontal	186	2.84	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 20.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.8714G	110.53	Inf	-Inf	101.91	3	Vertical	3	1.60	-	34.73	8.07	34.18				
RMS	6.9218G	99.73	Inf	-Inf	90.73	3	Vertical	3	1.60	-	35.03	8.15	34.18				
PK	7.2578G	61.88	74.00	-12.12	51.11	3	Vertical	3	1.60	-	36.43	8.53	34.19				
RMS	7.25G	49.10	54.00	-4.90	38.37	3	Vertical	3	1.60	-	36.40	8.52	34.19				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 20.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9218G	109.63	Inf	-Inf	100.63	3	Horizontal	13	1.52	-	35.03	8.15	34.18			
RMS	6.8474G	98.38	Inf	-Inf	89.94	3	Horizontal	13	1.52	-	34.59	8.03	34.18			
PK	7.2146G	74.65	88.20	-13.55	64.08	3	Horizontal	13	1.52	-	36.26	8.49	34.18			
RMS	7.25G	47.67	54.00	-6.33	36.94	3	Horizontal	13	1.52	-	36.40	8.52	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80718G	49.91	88.20	-38.29	41.73	3	Vertical	134	1.25	-	40.59	12.03	44.44			
RMS	13.8129G	37.07	68.20	-31.13	28.91	3	Vertical	134	1.25	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8141G	49.68	88.20	-38.52	41.52	3	Horizontal	274	1.37	-	40.57	12.03	44.44			
RMS	13.81348G	37.07	68.20	-31.13	28.91	3	Horizontal	274	1.37	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7156G	44.65	83.54	-38.89	39.70	1	Vertical	273	2.71	-	37.90	15.75	48.70			
AV	20.71972G	32.02	63.54	-31.52	27.06	1	Vertical	273	2.71	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_V_1TX
Setting 20.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70844G	44.47	83.54	-39.07	39.52	1	Horizontal	155	1.77	-	37.90	15.75	48.70			
AV	20.71236G	31.65	63.54	-31.89	26.70	1	Horizontal	155	1.77	-	37.90	15.75	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	60.24	88.20	-27.96	55.17	3	Vertical	359	1.71	-	32.40	7.26	34.59
RMS	5.9186G	49.63	68.20	-18.57	44.56	3	Vertical	359	1.71	-	32.40	7.26	34.59
PK	5.9794G	110.06	Inf	-Inf	104.95	3	Vertical	359	1.71	-	32.46	7.31	34.66
RMS	5.9802G	99.91	Inf	-Inf	94.80	3	Vertical	359	1.71	-	32.46	7.31	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9082G	59.84	88.20	-28.36	54.76	3	Horizontal	359	1.63	-	32.40	7.26	34.58			
RMS	5.925G	49.42	68.20	-18.78	44.35	3	Horizontal	359	1.63	-	32.40	7.27	34.60			
PK	5.9706G	108.89	Inf	-Inf	103.80	3	Horizontal	359	1.63	-	32.44	7.30	34.65			
RMS	6.0098G	99.30	Inf	-Inf	94.14	3	Horizontal	359	1.63	-	32.50	7.33	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9569G	47.59	74.00	-26.41	41.98	3	Vertical	295	2.10	-	38.91	12.05	45.35				
AV	11.9464G	34.85	54.00	-19.15	29.26	3	Vertical	295	2.10	-	38.89	12.05	45.35				
PK	17.9524G	61.57	74.00	-12.43	40.86	3	Vertical	134	1.46	-	50.92	14.08	44.29				
AV	17.9774G	48.94	54.00	-5.06	27.01	3	Vertical	134	1.46	-	52.12	14.09	44.28				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9722G	48.17	74.00	-25.83	42.52	3	Horizontal	140	1.08	-	38.94	12.06	45.35			
AV	11.9926G	34.84	54.00	-19.16	29.13	3	Horizontal	140	1.08	-	38.99	12.08	45.36			
PK	17.9764G	61.62	74.00	-12.38	39.74	3	Horizontal	30	1.05	-	52.07	14.09	44.28			
AV	17.9793G	49.01	54.00	-4.99	26.99	3	Horizontal	30	1.05	-	52.21	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_V_2TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94004G	46.89	83.54	-36.65	38.20	1	Vertical	360	1.80	-	39.00	17.31	47.62			
AV	23.9398G	34.49	63.54	-29.05	25.80	1	Vertical	360	1.80	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_V_2TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93982G	47.64	83.54	-35.90	38.95	1	Horizontal	56	1.64	-	39.00	17.31	47.62			
AV	23.93978G	36.54	63.54	-27.00	27.85	1	Horizontal	56	1.64	-	39.00	17.31	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9906G	109.38	Inf	-Inf	99.94	3	Vertical	9	1.58	-	35.36	8.26	34.18			
RMS	6.9946G	99.82	Inf	-Inf	90.35	3	Vertical	9	1.58	-	35.38	8.27	34.18			
PK	7.133G	56.19	88.20	-32.01	45.89	3	Vertical	9	1.58	-	36.07	8.41	34.18			
RMS	7.131G	43.16	68.20	-25.04	32.87	3	Vertical	9	1.58	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.001G	108.58	Inf	-Inf	99.08	3	Horizontal	7	1.63	-	35.40	8.28	34.18			
RMS	7.0026G	99.13	Inf	-Inf	89.62	3	Horizontal	7	1.63	-	35.41	8.28	34.18			
PK	7.141G	56.78	88.20	-31.42	46.46	3	Horizontal	7	1.63	-	36.08	8.42	34.18			
RMS	7.125G	44.19	68.20	-24.01	33.92	3	Horizontal	7	1.63	-	36.05	8.40	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04718G	49.74	88.20	-38.46	40.97	3	Vertical	174	1.76	-	41.09	12.05	44.37			
RMS	14.05126G	36.92	68.20	-31.28	28.13	3	Vertical	174	1.76	-	41.11	12.06	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04946G	49.56	88.20	-38.64	40.79	3	Horizontal	127	2.68	-	41.10	12.05	44.38			
RMS	14.05134G	36.92	68.20	-31.28	28.13	3	Horizontal	127	2.68	-	41.11	12.06	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06528G	45.06	83.54	-38.48	39.71	1	Vertical	71	2.88	-	38.00	16.04	48.69			
AV	21.0736G	31.90	63.54	-31.64	26.55	1	Vertical	71	2.88	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0798G	46.04	83.54	-37.50	40.67	1	Horizontal	250	2.42	-	38.00	16.05	48.68			
AV	21.06712G	32.23	63.54	-31.31	26.88	1	Horizontal	250	2.42	-	38.00	16.04	48.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	61.60	88.20	-26.60	56.54	3	Vertical	2	1.64	-	32.40	7.26	34.60
RMS	5.9195G	50.15	68.20	-18.05	45.08	3	Vertical	2	1.64	-	32.40	7.26	34.59
PK	6.061G	109.77	Inf	-Inf	104.54	3	Vertical	2	1.64	-	32.50	7.35	34.62
RMS	6.079G	99.61	Inf	-Inf	94.35	3	Vertical	2	1.64	-	32.50	7.36	34.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	63.37	88.20	-24.83	58.31	3	Horizontal	5	1.60	-	32.40	7.26	34.60			
RMS	5.925G	49.72	68.20	-18.48	44.65	3	Horizontal	5	1.60	-	32.40	7.27	34.60			
PK	6.089G	110.12	Inf	-Inf	104.84	3	Horizontal	5	1.60	-	32.50	7.37	34.59			
RMS	6.07G	99.61	Inf	-Inf	94.36	3	Horizontal	5	1.60	-	32.50	7.36	34.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05294G	48.23	74.00	-25.77	42.33	3	Vertical	127	2.87	-	39.21	12.08	45.39			
AV	12.04618G	35.50	54.00	-18.50	29.62	3	Vertical	127	2.87	-	39.18	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05258G	48.32	74.00	-25.68	42.42	3	Horizontal	90	2.21	-	39.21	12.08	45.39			
AV	12.05206G	35.51	54.00	-18.49	29.61	3	Horizontal	90	2.21	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07978G	46.92	83.54	-36.62	42.27	1	Vertical	2	1.50	-	37.58	15.29	48.22			
AV	18.07844G	34.15	63.54	-29.39	29.51	1	Vertical	2	1.50	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07636G	46.63	83.54	-36.91	42.00	1	Horizontal	332	1.15	-	37.56	15.29	48.22			
AV	18.07462G	33.20	63.54	-30.34	28.57	1	Horizontal	332	1.15	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	61.67	88.20	-26.53	56.60	3	Vertical	2	1.45	-	32.40	7.26	34.59
RMS	5.9195G	50.34	68.20	-17.86	45.27	3	Vertical	2	1.45	-	32.40	7.26	34.59
PK	6.059G	110.12	Inf	-Inf	104.89	3	Vertical	2	1.45	-	32.50	7.35	34.62
RMS	6.06G	99.91	Inf	-Inf	94.68	3	Vertical	2	1.45	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.89	88.20	-23.31	59.82	3	Horizontal	9	1.48	-	32.40	7.27	34.60
RMS	5.925G	50.15	68.20	-18.05	45.08	3	Horizontal	9	1.48	-	32.40	7.27	34.60
PK	6.05G	109.38	Inf	-Inf	104.16	3	Horizontal	9	1.48	-	32.50	7.35	34.63
RMS	6.0495G	99.63	Inf	-Inf	94.41	3	Horizontal	9	1.48	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_V_2TX
Setting 18
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05296G	48.73	74.00	-25.27	42.83	3	Vertical	237	2.26	-	39.21	12.08	45.39			
AV	12.05226G	35.51	54.00	-18.49	29.61	3	Vertical	237	2.26	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_V_2TX
Setting 18
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0545G	48.75	74.00	-25.25	42.84	3	Horizontal	83	1.72	-	39.22	12.08	45.39			
AV	12.05238G	35.52	54.00	-18.48	29.62	3	Horizontal	83	1.72	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07986G	46.49	83.54	-37.05	41.84	1	Vertical	334	1.61	-	37.58	15.29	48.22			
AV	18.07972G	33.27	63.54	-30.27	28.62	1	Vertical	334	1.61	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07434G	44.86	83.54	-38.68	40.23	1	Horizontal	341	1.80	-	37.55	15.29	48.21			
AV	18.07458G	32.00	63.54	-31.54	27.37	1	Horizontal	341	1.80	-	37.55	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.934G	110.73	Inf	-Inf	101.64	3	Vertical	10	1.56	-	35.10	8.17	34.18
RMS	6.9335G	99.83	Inf	-Inf	90.74	3	Vertical	10	1.56	-	35.10	8.17	34.18
PK	7.143G	66.40	88.20	-21.80	56.07	3	Vertical	10	1.56	-	36.09	8.42	34.18
RMS	7.134G	49.58	68.20	-18.62	39.28	3	Vertical	10	1.56	-	36.07	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.982G	110.55	Inf	-Inf	101.15	3	Horizontal	4	1.57	-	35.33	8.25	34.18
RMS	6.9235G	99.84	Inf	-Inf	90.83	3	Horizontal	4	1.57	-	35.04	8.15	34.18
PK	7.162G	61.81	88.20	-26.39	51.43	3	Horizontal	4	1.57	-	36.12	8.44	34.18
RMS	7.125G	48.33	68.20	-19.87	38.06	3	Horizontal	4	1.57	-	36.05	8.40	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9694G	49.96	88.20	-38.24	41.39	3	Vertical	250	2.08	-	40.88	12.02	44.33			
RMS	13.97424G	37.21	68.20	-30.99	28.62	3	Vertical	250	2.08	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97256G	50.07	88.20	-38.13	41.49	3	Horizontal	0	1.80	-	40.89	12.02	44.33			
RMS	13.97378G	37.21	68.20	-30.99	28.62	3	Horizontal	0	1.80	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96476G	44.17	83.54	-39.37	38.98	1	Vertical	172	1.93	-	37.93	15.96	48.70			
AV	20.95152G	31.74	63.54	-31.80	26.59	1	Vertical	172	1.93	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_V_2TX
Setting 12
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9456G	44.21	83.54	-39.33	39.07	1	Horizontal	206	1.04	-	37.90	15.94	48.70			
AV	20.95596G	31.66	63.54	-31.88	26.50	1	Horizontal	206	1.04	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	109.15	Inf	-Inf	100.20	3	Vertical	0	1.50	-	34.99	8.14	34.18
RMS	6.914G	99.59	Inf	-Inf	90.65	3	Vertical	0	1.50	-	34.98	8.14	34.18
PK	7.161G	64.85	88.20	-23.35	54.47	3	Vertical	0	1.50	-	36.12	8.44	34.18
RMS	7.1325G	47.88	68.20	-20.32	37.59	3	Vertical	0	1.50	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.923G	110.75	Inf	-Inf	101.74	3	Horizontal	5	1.55	-	35.04	8.15	34.18
RMS	6.923G	100.04	Inf	-Inf	91.03	3	Horizontal	5	1.55	-	35.04	8.15	34.18
PK	7.16G	65.92	88.20	-22.28	55.54	3	Horizontal	5	1.55	-	36.12	8.44	34.18
RMS	7.125G	48.41	68.20	-19.79	38.14	3	Horizontal	5	1.55	-	36.05	8.40	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9667G	50.10	88.20	-38.10	41.54	3	Vertical	177	2.54	-	40.87	12.02	44.33			
RMS	13.97436G	37.21	68.20	-30.99	28.62	3	Vertical	177	2.54	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96782G	50.26	88.20	-37.94	41.70	3	Horizontal	158	2.42	-	40.87	12.02	44.33			
RMS	13.9701G	37.20	68.20	-31.00	28.63	3	Horizontal	158	2.42	-	40.88	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9574G	45.83	83.54	-37.71	40.67	1	Vertical	310	1.19	-	37.91	15.95	48.70			
AV	20.95268G	31.76	63.54	-31.78	26.60	1	Vertical	310	1.19	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9574G	44.66	83.54	-38.88	39.50	1	Horizontal	183	1.56	-	37.91	15.95	48.70			
AV	20.95304G	31.76	63.54	-31.78	26.60	1	Horizontal	183	1.56	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	62.25	88.20	-25.95	57.18	3	Vertical	1	1.54	-	32.40	7.27	34.60			
RMS	5.919G	50.64	68.20	-17.56	45.57	3	Vertical	1	1.54	-	32.40	7.26	34.59			
PK	6.237G	110.26	Inf	-Inf	104.16	3	Vertical	1	1.54	-	33.10	7.45	34.45			
RMS	6.219G	99.51	Inf	-Inf	93.59	3	Vertical	1	1.54	-	32.95	7.44	34.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	67.41	88.20	-20.79	62.34	3	Horizontal	1	1.56	-	32.40	7.27	34.60
RMS	5.925G	50.42	68.20	-17.78	45.35	3	Horizontal	1	1.56	-	32.40	7.27	34.60
PK	6.249G	110.69	Inf	-Inf	104.48	3	Horizontal	1	1.56	-	33.19	7.46	34.44
RMS	6.229G	99.94	Inf	-Inf	93.92	3	Horizontal	1	1.56	-	33.03	7.45	34.46

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21274G	49.15	74.00	-24.85	43.50	3	Vertical	144	1.56	-	39.05	12.07	45.47			
AV	12.20974G	35.34	54.00	-18.66	29.68	3	Vertical	144	1.56	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21276G	47.59	74.00	-26.41	41.94	3	Horizontal	79	2.20	-	39.05	12.07	45.47			
AV	12.20972G	35.34	54.00	-18.66	29.68	3	Horizontal	79	2.20	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3244G	44.72	83.54	-38.82	40.06	1	Vertical	284	2.59	-	37.65	15.27	48.26			
AV	18.31808G	31.84	63.54	-31.70	27.19	1	Vertical	284	2.59	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_V_2TX
Setting 16.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.32448G	44.20	83.54	-39.34	39.54	1	Horizontal	168	2.64	-	37.65	15.27	48.26			
AV	18.31804G	31.84	63.54	-31.70	27.19	1	Horizontal	168	2.64	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	64.77	88.20	-23.43	59.70	3	Vertical	0	1.54	-	32.40	7.27	34.60			
RMS	5.92G	50.84	68.20	-17.36	45.78	3	Vertical	0	1.54	-	32.40	7.26	34.60			
PK	6.197G	110.44	Inf	-Inf	104.71	3	Vertical	0	1.54	-	32.79	7.43	34.49			
RMS	6.239G	99.24	Inf	-Inf	93.13	3	Vertical	0	1.54	-	33.11	7.45	34.45			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.915G	63.28	88.20	-24.92	58.21	3	Horizontal	4	1.59	-	32.40	7.26	34.59			
RMS	5.925G	50.68	68.20	-17.52	45.61	3	Horizontal	4	1.59	-	32.40	7.27	34.60			
PK	6.205G	110.48	Inf	-Inf	104.69	3	Horizontal	4	1.59	-	32.84	7.43	34.48			
RMS	6.228G	99.90	Inf	-Inf	93.89	3	Horizontal	4	1.59	-	33.02	7.45	34.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21248G	48.28	74.00	-25.72	42.63	3	Vertical	183	2.84	-	39.05	12.07	45.47			
AV	12.2097G	35.34	54.00	-18.66	29.68	3	Vertical	183	2.84	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21328G	48.08	74.00	-25.92	42.44	3	Horizontal	24	2.72	-	39.05	12.07	45.48			
AV	12.20972G	35.34	54.00	-18.66	29.68	3	Horizontal	24	2.72	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31156G	44.90	83.54	-38.64	40.27	1	Vertical	354	1.34	-	37.62	15.27	48.26			
AV	18.31316G	32.42	63.54	-31.12	27.78	1	Vertical	354	1.34	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 15.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32488G	44.34	83.54	-39.20	39.68	1	Horizontal	270	2.41	-	37.65	15.27	48.26			
AV	18.3212G	32.61	63.54	-30.93	27.96	1	Horizontal	270	2.41	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 14.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	63.18	88.20	-25.02	58.11	3	Vertical	7	1.65	-	32.40	7.27	34.60			
RMS	5.922G	50.04	68.20	-18.16	44.97	3	Vertical	7	1.65	-	32.40	7.27	34.60			
PK	6.179G	109.53	Inf	-Inf	103.85	3	Vertical	7	1.65	-	32.76	7.42	34.50			
RMS	6.159G	99.79	Inf	-Inf	94.18	3	Vertical	7	1.65	-	32.72	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 14.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	65.68	88.20	-22.52	60.62	3	Horizontal	3	1.48	-	32.40	7.26	34.60			
RMS	5.925G	49.68	68.20	-18.52	44.61	3	Horizontal	3	1.48	-	32.40	7.27	34.60			
PK	6.131G	110.24	Inf	-Inf	104.78	3	Horizontal	3	1.48	-	32.62	7.39	34.55			
RMS	6.169G	99.67	Inf	-Inf	94.03	3	Horizontal	3	1.48	-	32.74	7.41	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 14.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.205G	48.38	74.00	-25.62	42.70	3	Vertical	292	1.77	-	39.08	12.07	45.47			
AV	12.2097G	35.34	54.00	-18.66	29.68	3	Vertical	292	1.77	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 14.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21196G	48.02	74.00	-25.98	42.37	3	Horizontal	228	2.24	-	39.05	12.07	45.47			
AV	12.20982G	35.34	54.00	-18.66	29.68	3	Horizontal	228	2.24	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 14.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3124G	45.05	83.54	-38.49	40.42	1	Vertical	213	2.21	-	37.62	15.27	48.26			
AV	18.31316G	32.42	63.54	-31.12	27.78	1	Vertical	213	2.21	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 14.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3184G	44.57	83.54	-38.97	39.92	1	Horizontal	294	2.19	-	37.64	15.27	48.26			
AV	18.32068G	32.93	63.54	-30.61	28.28	1	Horizontal	294	2.19	-	37.64	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7538G	109.23	Inf	-Inf	101.05	3	Vertical	7	1.66	-	34.40	7.96	34.18			
RMS	6.755G	99.49	Inf	-Inf	91.31	3	Vertical	7	1.66	-	34.40	7.96	34.18			
PK	7.2698G	63.28	74.00	-10.72	52.45	3	Vertical	7	1.66	-	36.48	8.54	34.19			
RMS	7.253G	51.42	54.00	-2.58	40.67	3	Vertical	7	1.66	-	36.41	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9026G	109.85	Inf	-Inf	100.99	3	Horizontal	8	1.50	-	34.92	8.12	34.18			
RMS	6.7646G	99.38	Inf	-Inf	91.20	3	Horizontal	8	1.50	-	34.40	7.96	34.18			
PK	7.2962G	62.79	74.00	-11.21	51.84	3	Horizontal	8	1.50	-	36.58	8.56	34.19			
RMS	7.25G	50.47	54.00	-3.53	39.74	3	Horizontal	8	1.50	-	36.40	8.52	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80856G	50.16	88.20	-38.04	41.99	3	Vertical	296	1.70	-	40.58	12.03	44.44			
RMS	13.80642G	37.06	68.20	-31.14	28.89	3	Vertical	296	1.70	-	40.59	12.03	44.45			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_V_2TX
Setting 16.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8072G	50.23	88.20	-37.97	42.05	3	Horizontal	161	1.68	-	40.59	12.03	44.44			
RMS	13.80986G	37.07	68.20	-31.13	28.90	3	Horizontal	161	1.68	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_V_2TX
Setting 16.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72008G	44.18	83.54	-39.36	39.22	1	Vertical	256	2.93	-	37.90	15.76	48.70			
AV	20.71976G	34.01	63.54	-29.53	29.05	1	Vertical	256	2.93	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71972G	44.51	83.54	-39.03	39.55	1	Horizontal	23	1.18	-	37.90	15.76	48.70			
AV	20.71976G	34.01	63.54	-29.53	29.05	1	Horizontal	23	1.18	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16
06-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.773G	109.17	Inf	-Inf	100.99	3	Vertical	9	1.55	-	34.40	7.96	34.18
RMS	6.755G	99.60	Inf	-Inf	91.42	3	Vertical	9	1.55	-	34.40	7.96	34.18
PK	7.2818G	65.46	74.00	-8.54	54.57	3	Vertical	9	1.55	-	36.53	8.55	34.19
RMS	7.253G	51.62	54.00	-2.38	40.87	3	Vertical	9	1.55	-	36.41	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9242G	109.40	Inf	-Inf	100.38	3	Horizontal	7	1.53	-	35.05	8.15	34.18			
RMS	6.7646G	99.83	Inf	-Inf	91.65	3	Horizontal	7	1.53	-	34.40	7.96	34.18			
PK	7.2818G	61.80	74.00	-12.20	50.91	3	Horizontal	7	1.53	-	36.53	8.55	34.19			
RMS	7.2614G	50.83	54.00	-3.17	40.04	3	Horizontal	7	1.53	-	36.45	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8073G	49.77	88.20	-38.43	41.59	3	Vertical	125	2.89	-	40.59	12.03	44.44			
RMS	13.81124G	37.00	68.20	-31.20	28.83	3	Vertical	125	2.89	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX



EUT_Y_2TX
Setting 16
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80842G	50.21	88.20	-37.99	42.04	3	Horizontal	220	2.63	-	40.58	12.03	44.44			
RMS	13.81004G	37.07	68.20	-31.13	28.90	3	Horizontal	220	2.63	-	40.58	12.03	44.44			