


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72164G	44.08	83.54	-39.46	39.12	1	Vertical	337	2.08	-	37.90	15.76	48.70			
AV	20.71984G	32.14	63.54	-31.40	27.18	1	Vertical	337	2.08	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_V_2TX
Setting 16
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71224G	44.03	83.54	-39.51	39.08	1	Horizontal	104	2.56	-	37.90	15.75	48.70			
AV	20.7198G	33.81	63.54	-29.73	28.85	1	Horizontal	104	2.56	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 15
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9554G	109.32	Inf	-Inf	100.07	3	Vertical	5	1.60	-	35.22	8.21	34.18				
RMS	6.9338G	99.62	Inf	-Inf	90.53	3	Vertical	5	1.60	-	35.10	8.17	34.18				
PK	7.253G	56.32	74.00	-17.68	45.57	3	Vertical	5	1.60	-	36.41	8.53	34.19				
RMS	7.253G	45.01	54.00	-8.99	34.26	3	Vertical	5	1.60	-	36.41	8.53	34.19				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 15
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9266G	109.64	Inf	-Inf	100.60	3	Horizontal	2	1.47	-	35.06	8.16	34.18			
RMS	6.9242G	99.62	Inf	-Inf	90.60	3	Horizontal	2	1.47	-	35.05	8.15	34.18			
PK	7.2554G	55.90	74.00	-18.10	45.14	3	Horizontal	2	1.47	-	36.42	8.53	34.19			
RMS	7.25G	44.70	54.00	-9.30	33.97	3	Horizontal	2	1.47	-	36.40	8.52	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 15
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8093G	49.61	88.20	-38.59	41.44	3	Vertical	278	2.04	-	40.58	12.03	44.44			
AV	13.81266G	37.07	68.20	-31.13	28.91	3	Vertical	278	2.04	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_V_2TX
Setting 15
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8067G	49.95	88.20	-38.25	41.78	3	Horizontal	317	2.57	-	40.59	12.03	44.45			
AV	13.8131G	37.07	68.20	-31.13	28.91	3	Horizontal	317	2.57	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_V_2TX
Setting 15
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72188G	43.64	83.54	-39.90	38.68	1	Vertical	280	2.35	-	37.90	15.76	48.70			
AV	20.71976G	32.02	63.54	-31.52	27.06	1	Vertical	280	2.35	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_V_2TX
Setting 15
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71032G	43.50	83.54	-40.04	38.55	1	Horizontal	89	2.22	-	37.90	15.75	48.70			
AV	20.71972G	32.02	63.54	-31.52	27.06	1	Horizontal	89	2.22	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.40	88.20	-26.80	56.34	3	Vertical	4	1.62	-	32.40	7.26	34.60
RMS	5.9214G	49.07	68.20	-19.13	44.01	3	Vertical	4	1.62	-	32.40	7.26	34.60
PK	6.0154G	108.69	Inf	-Inf	103.52	3	Vertical	4	1.62	-	32.50	7.33	34.66
RMS	6.0154G	99.87	Inf	-Inf	94.70	3	Vertical	4	1.62	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	61.23	88.20	-26.97	56.16	3	Horizontal	0	1.52	-	32.40	7.26	34.59			
RMS	5.925G	49.20	68.20	-19.00	44.13	3	Horizontal	0	1.52	-	32.40	7.27	34.60			
PK	5.9658G	109.48	Inf	-Inf	104.39	3	Horizontal	0	1.52	-	32.43	7.30	34.64			
RMS	6.0062G	99.03	Inf	-Inf	93.88	3	Horizontal	0	1.52	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9498G	47.48	74.00	-26.52	41.88	3	Vertical	65	1.25	-	38.90	12.05	45.35			
AV	11.9497G	34.85	54.00	-19.15	29.25	3	Vertical	65	1.25	-	38.90	12.05	45.35			
PK	17.9777G	61.74	74.00	-12.26	39.80	3	Vertical	290	2.28	-	52.13	14.09	44.28			
AV	17.9776G	49.05	54.00	-4.95	27.12	3	Vertical	290	2.28	-	52.12	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9629G	47.86	74.00	-26.14	42.22	3	Horizontal	220	1.23	-	38.93	12.06	45.35				
AV	11.9496G	34.85	54.00	-19.15	29.25	3	Horizontal	220	1.23	-	38.90	12.05	45.35				
PK	17.9723G	62.34	74.00	-11.66	40.66	3	Horizontal	330	1.20	-	51.87	14.09	44.28				
AV	17.9776G	49.05	54.00	-4.95	27.12	3	Horizontal	330	1.20	-	52.12	14.09	44.28				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93954G	46.30	83.54	-37.24	37.61	1	Vertical	19	1.27	-	39.00	17.31	47.62			
AV	23.94232G	35.25	63.54	-28.29	26.56	1	Vertical	19	1.27	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93828G	45.28	83.54	-38.26	36.59	1	Horizontal	86	1.10	-	39.00	17.31	47.62			
AV	23.93744G	34.28	63.54	-29.26	25.60	1	Horizontal	86	1.10	-	39.00	17.31	47.63			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.037G	108.88	Inf	-Inf	99.19	3	Vertical	6	1.56	-	35.55	8.32	34.18
RMS	6.9966G	99.81	Inf	-Inf	90.33	3	Vertical	6	1.56	-	35.39	8.27	34.18
PK	7.1602G	54.43	88.20	-33.77	44.05	3	Vertical	6	1.56	-	36.12	8.44	34.18
RMS	7.1558G	43.46	68.20	-24.74	33.09	3	Vertical	6	1.56	-	36.11	8.44	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9866G	109.46	Inf	-Inf	100.03	3	Horizontal	10	1.80	-	35.35	8.26	34.18			
RMS	6.9866G	98.98	Inf	-Inf	89.55	3	Horizontal	10	1.80	-	35.35	8.26	34.18			
PK	7.173G	54.44	88.20	-33.76	44.02	3	Horizontal	10	1.80	-	36.15	8.45	34.18			
RMS	7.1426G	43.39	68.20	-24.81	33.06	3	Horizontal	10	1.80	-	36.09	8.42	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_V_4TX
Setting 5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04782G	49.97	88.20	-38.23	41.20	3	Vertical	261	1.31	-	41.10	12.05	44.38			
RMS	14.05134G	36.92	68.20	-31.28	28.13	3	Vertical	261	1.31	-	41.11	12.06	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_V_4TX
Setting 5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04544G	49.87	88.20	-38.33	41.10	3	Horizontal	295	2.40	-	41.09	12.05	44.37			
RMS	14.05104G	36.91	68.20	-31.29	28.13	3	Horizontal	295	2.40	-	41.10	12.06	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_V_4TX
Setting 5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07932G	44.93	83.54	-38.61	39.56	1	Vertical	0	2.65	-	38.00	16.05	48.68			
AV	21.07372G	32.04	63.54	-31.50	26.68	1	Vertical	0	2.65	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_V_4TX
Setting 5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06772G	44.79	83.54	-38.75	39.44	1	Horizontal	51	2.93	-	38.00	16.04	48.69			
AV	21.06752G	32.11	63.54	-31.43	26.76	1	Horizontal	51	2.93	-	38.00	16.04	48.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 9.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	62.83	88.20	-25.37	57.76	3	Vertical	5	1.56	-	32.40	7.26	34.59			
RMS	5.9145G	49.51	68.20	-18.69	44.44	3	Vertical	5	1.56	-	32.40	7.26	34.59			
PK	6.096G	109.95	Inf	-Inf	104.67	3	Vertical	5	1.56	-	32.50	7.37	34.59			
RMS	6.0965G	99.70	Inf	-Inf	94.42	3	Vertical	5	1.56	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 9.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	67.19	88.20	-21.01	62.12	3	Horizontal	1	1.55	-	32.40	7.26	34.59			
RMS	5.9245G	50.18	68.20	-18.02	45.11	3	Horizontal	1	1.55	-	32.40	7.27	34.60			
PK	6.087G	109.34	Inf	-Inf	104.06	3	Horizontal	1	1.55	-	32.50	7.37	34.59			
RMS	6.0865G	99.34	Inf	-Inf	94.07	3	Horizontal	1	1.55	-	32.50	7.37	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05402G	48.31	74.00	-25.69	42.40	3	Vertical	270	1.30	-	39.22	12.08	45.39			
AV	12.05248G	35.52	54.00	-18.48	29.62	3	Vertical	270	1.30	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0479G	48.23	74.00	-25.77	42.35	3	Horizontal	12	1.94	-	39.19	12.08	45.39			
AV	12.04886G	35.53	54.00	-18.47	29.64	3	Horizontal	12	1.94	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.077G	46.57	83.54	-36.97	41.94	1	Vertical	242	1.20	-	37.56	15.29	48.22			
AV	18.0746G	34.20	63.54	-29.34	29.57	1	Vertical	242	1.20	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0789G	45.82	83.54	-37.72	41.18	1	Horizontal	344	1.84	-	37.57	15.29	48.22			
AV	18.07136G	33.24	63.54	-30.30	28.63	1	Horizontal	344	1.84	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 10
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	62.65	88.20	-25.55	57.58	3	Vertical	6	1.56	-	32.40	7.26	34.59
RMS	5.9155G	49.89	68.20	-18.31	44.82	3	Vertical	6	1.56	-	32.40	7.26	34.59
PK	6.057G	109.32	Inf	-Inf	104.09	3	Vertical	6	1.56	-	32.50	7.35	34.62
RMS	6.057G	99.91	Inf	-Inf	94.68	3	Vertical	6	1.56	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 10
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	68.52	88.20	-19.68	63.45	3	Horizontal	2	1.57	-	32.40	7.27	34.60
RMS	5.9245G	50.59	68.20	-17.61	45.52	3	Horizontal	2	1.57	-	32.40	7.27	34.60
PK	6.008G	109.10	Inf	-Inf	103.95	3	Horizontal	2	1.57	-	32.50	7.32	34.67
RMS	6.048G	99.03	Inf	-Inf	93.81	3	Horizontal	2	1.57	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 10
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05036G	48.20	74.00	-25.80	42.31	3	Vertical	55	2.23	-	39.20	12.08	45.39			
AV	12.04872G	35.52	54.00	-18.48	29.64	3	Vertical	55	2.23	-	39.19	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 10
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04758G	48.39	74.00	-25.61	42.51	3	Horizontal	215	1.58	-	39.19	12.08	45.39			
AV	12.04882G	35.53	54.00	-18.47	29.64	3	Horizontal	215	1.58	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 10
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0702G	44.87	83.54	-38.67	40.27	1	Vertical	326	1.80	-	37.52	15.29	48.21			
AV	18.08G	32.38	63.54	-31.16	27.73	1	Vertical	326	1.80	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 10
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07166G	45.45	83.54	-38.09	40.84	1	Horizontal	338	1.88	-	37.53	15.29	48.21			
AV	18.07124G	33.14	63.54	-30.40	28.53	1	Horizontal	338	1.88	-	37.53	15.29	48.21			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 7
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.916G	108.74	Inf	-Inf	99.78	3	Vertical	1	1.50	-	35.00	8.14	34.18
RMS	6.9165G	99.72	Inf	-Inf	90.76	3	Vertical	1	1.50	-	35.00	8.14	34.18
PK	7.141G	60.14	88.20	-28.06	49.82	3	Vertical	1	1.50	-	36.08	8.42	34.18
RMS	7.1325G	45.54	68.20	-22.66	35.25	3	Vertical	1	1.50	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 7
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.947G	107.90	Inf	-Inf	98.71	3	Horizontal	5	1.52	-	35.18	8.19	34.18
RMS	6.9265G	99.84	Inf	-Inf	90.80	3	Horizontal	5	1.52	-	35.06	8.16	34.18
PK	7.143G	65.39	88.20	-22.81	55.06	3	Horizontal	5	1.52	-	36.09	8.42	34.18
RMS	7.13G	45.77	68.20	-22.43	35.48	3	Horizontal	5	1.52	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_V_4TX
Setting 7
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97274G	49.77	88.20	-38.43	41.19	3	Vertical	83	1.03	-	40.89	12.02	44.33			
RMS	13.97378G	37.21	68.20	-30.99	28.62	3	Vertical	83	1.03	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_V_4TX
Setting 7
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97184G	49.81	88.20	-38.39	41.23	3	Horizontal	275	2.47	-	40.89	12.02	44.33			
RMS	13.97444G	37.21	68.20	-30.99	28.62	3	Horizontal	275	2.47	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_V_4TX
Setting 7
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96164G	43.86	83.54	-39.68	38.69	1	Vertical	322	1.21	-	37.92	15.95	48.70			
AV	20.95916G	31.69	63.54	-31.85	26.52	1	Vertical	322	1.21	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_V_4TX
Setting 7
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94556G	44.16	83.54	-39.38	39.02	1	Horizontal	16	1.03	-	37.90	15.94	48.70			
AV	20.94712G	31.71	63.54	-31.83	26.57	1	Horizontal	16	1.03	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	110.25	Inf	-Inf	101.30	3	Vertical	10	1.45	-	34.99	8.14	34.18
RMS	6.9165G	99.82	Inf	-Inf	90.86	3	Vertical	10	1.45	-	35.00	8.14	34.18
PK	7.162G	68.42	88.20	-19.78	58.04	3	Vertical	10	1.45	-	36.12	8.44	34.18
RMS	7.1405G	46.11	68.20	-22.09	35.79	3	Vertical	10	1.45	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 6.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.906G	110.62	Inf	-Inf	101.74	3	Horizontal	6	1.51	-	34.94	8.12	34.18
RMS	6.9275G	99.80	Inf	-Inf	90.75	3	Horizontal	6	1.51	-	35.07	8.16	34.18
PK	7.136G	68.09	88.20	-20.11	57.78	3	Horizontal	6	1.51	-	36.07	8.42	34.18
RMS	7.1315G	46.50	68.20	-21.70	36.21	3	Horizontal	6	1.51	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96564G	50.04	88.20	-38.16	41.49	3	Vertical	23	1.48	-	40.86	12.02	44.33			
RMS	13.97474G	37.21	68.20	-30.99	28.62	3	Vertical	23	1.48	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9699G	49.88	88.20	-38.32	41.31	3	Horizontal	57	2.78	-	40.88	12.02	44.33			
RMS	13.97376G	37.21	68.20	-30.99	28.62	3	Horizontal	57	2.78	-	40.90	12.02	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9606G	43.92	83.54	-39.62	38.75	1	Vertical	325	2.91	-	37.92	15.95	48.70			
AV	20.95268G	31.76	63.54	-31.78	26.60	1	Vertical	325	2.91	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 6.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94936G	44.05	83.54	-39.49	38.91	1	Horizontal	189	1.33	-	37.90	15.94	48.70			
AV	20.94548G	31.71	63.54	-31.83	26.57	1	Horizontal	189	1.33	-	37.90	15.94	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	61.25	88.20	-26.95	56.18	3	Vertical	2	1.49	-	32.40	7.26	34.59			
RMS	5.924G	49.95	68.20	-18.25	44.88	3	Vertical	2	1.49	-	32.40	7.27	34.60			
PK	6.235G	109.67	Inf	-Inf	103.59	3	Vertical	2	1.49	-	33.08	7.45	34.45			
RMS	6.255G	99.98	Inf	-Inf	93.75	3	Vertical	2	1.49	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	60.23	88.20	-27.97	55.16	3	Horizontal	8	1.50	-	32.40	7.27	34.60			
RMS	5.915G	49.40	68.20	-18.80	44.33	3	Horizontal	8	1.50	-	32.40	7.26	34.59			
PK	6.225G	109.03	Inf	-Inf	103.05	3	Horizontal	8	1.50	-	33.00	7.44	34.46			
RMS	6.246G	100.08	Inf	-Inf	93.89	3	Horizontal	8	1.50	-	33.17	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 11.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20554G	48.34	74.00	-25.66	42.66	3	Vertical	105	1.53	-	39.08	12.07	45.47			
AV	12.20966G	35.34	54.00	-18.66	29.68	3	Vertical	105	1.53	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 11.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20726G	48.48	74.00	-25.52	42.81	3	Horizontal	132	1.34	-	39.07	12.07	45.47			
AV	12.20962G	35.34	54.00	-18.66	29.68	3	Horizontal	132	1.34	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 11.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32096G	44.88	83.54	-38.66	40.23	1	Vertical	170	1.94	-	37.64	15.27	48.26			
AV	18.32088G	31.95	63.54	-31.59	27.30	1	Vertical	170	1.94	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_4_TX

6105MHz_TX




EUT_V_4TX
Setting 11.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32116G	43.98	83.54	-39.56	39.33	1	Horizontal	16	1.60	-	37.64	15.27	48.26			
AV	18.32392G	31.94	63.54	-31.60	27.28	1	Horizontal	16	1.60	-	37.65	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.925G	60.28	88.20	-27.92	55.21	3	Vertical	5	1.61	-	32.40	7.27	34.60					
RMS	5.925G	49.55	68.20	-18.65	44.48	3	Vertical	5	1.61	-	32.40	7.27	34.60					
PK	6.237G	110.12	Inf	-Inf	104.02	3	Vertical	5	1.61	-	33.10	7.45	34.45					
RMS	6.257G	99.57	Inf	-Inf	93.34	3	Vertical	5	1.61	-	33.20	7.46	34.43					

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.47	88.20	-26.73	56.40	3	Horizontal	0	1.48	-	32.40	7.26	34.59
RMS	5.916G	49.30	68.20	-18.90	44.23	3	Horizontal	0	1.48	-	32.40	7.26	34.59
PK	6.205G	109.73	Inf	-Inf	103.94	3	Horizontal	0	1.48	-	32.84	7.43	34.48
RMS	6.246G	100.07	Inf	-Inf	93.88	3	Horizontal	0	1.48	-	33.17	7.46	34.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2117G	47.74	74.00	-26.26	42.09	3	Vertical	356	1.97	-	39.05	12.07	45.47			
AV	12.20984G	35.34	54.00	-18.66	29.68	3	Vertical	356	1.97	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21456G	47.82	74.00	-26.18	42.19	3	Horizontal	262	2.81	-	39.04	12.07	45.48			
AV	12.20978G	35.34	54.00	-18.66	29.68	3	Horizontal	262	2.81	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31532G	44.84	83.54	-38.70	40.20	1	Vertical	269	2.98	-	37.63	15.27	48.26			
AV	18.31336G	32.30	63.54	-31.24	27.66	1	Vertical	269	2.98	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32052G	45.56	83.54	-37.98	40.91	1	Horizontal	34	1.72	-	37.64	15.27	48.26			
AV	18.32032G	32.83	63.54	-30.71	28.18	1	Horizontal	34	1.72	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	64.03	88.20	-24.17	58.97	3	Vertical	6	1.80	-	32.40	7.26	34.60			
RMS	5.925G	49.45	68.20	-18.75	44.38	3	Vertical	6	1.80	-	32.40	7.27	34.60			
PK	6.135G	109.08	Inf	-Inf	103.60	3	Vertical	6	1.80	-	32.64	7.39	34.55			
RMS	6.176G	99.59	Inf	-Inf	93.93	3	Vertical	6	1.80	-	32.75	7.42	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.36	88.20	-18.84	64.29	3	Horizontal	0	1.60	-	32.40	7.27	34.60			
RMS	5.916G	49.36	68.20	-18.84	44.29	3	Horizontal	0	1.60	-	32.40	7.26	34.59			
PK	6.145G	109.23	Inf	-Inf	103.69	3	Horizontal	0	1.60	-	32.68	7.40	34.54			
RMS	6.165G	100.09	Inf	-Inf	94.47	3	Horizontal	0	1.60	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT V_4TX
Setting 11
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21496G	48.19	74.00	-25.81	42.56	3	Vertical	198	2.16	-	39.04	12.07	45.48			
AV	12.20966G	35.34	54.00	-18.66	29.68	3	Vertical	198	2.16	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21474G	48.32	74.00	-25.68	42.69	3	Horizontal	106	2.72	-	39.04	12.07	45.48			
AV	12.20986G	35.41	54.00	-18.59	29.75	3	Horizontal	106	2.72	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32404G	45.14	83.54	-38.40	40.48	1	Vertical	221	2.01	-	37.65	15.27	48.26			
AV	18.31804G	33.04	63.54	-30.50	28.39	1	Vertical	221	2.01	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 11
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.32264G	45.09	83.54	-38.45	40.43	1	Horizontal	85	2.40	-	37.65	15.27	48.26			
AV	18.32052G	33.03	63.54	-30.51	28.38	1	Horizontal	85	2.40	-	37.64	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 10.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.797G	109.67	Inf	-Inf	101.50	3	Vertical	0	1.55	-	34.40	7.95	34.18			
RMS	6.7562G	100.05	Inf	-Inf	91.87	3	Vertical	0	1.55	-	34.40	7.96	34.18			
PK	7.25G	56.35	74.00	-17.65	45.62	3	Vertical	0	1.55	-	36.40	8.52	34.19			
RMS	7.2614G	45.71	54.00	-8.29	34.92	3	Vertical	0	1.55	-	36.45	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 10.5
06-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.809G	109.63	Inf	-Inf	101.41	3	Horizontal	6	1.57	-	34.44	7.96	34.18			
RMS	6.7478G	99.73	Inf	-Inf	91.56	3	Horizontal	6	1.57	-	34.40	7.96	34.19			
PK	7.2626G	57.72	74.00	-16.28	46.93	3	Horizontal	6	1.57	-	36.45	8.53	34.19			
RMS	7.2542G	46.09	54.00	-7.91	35.33	3	Horizontal	6	1.57	-	36.42	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 10.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81344G	50.77	88.20	-37.43	42.61	3	Vertical	111	2.22	-	40.57	12.03	44.44			
RMS	13.8099G	37.07	68.20	-31.13	28.90	3	Vertical	111	2.22	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 10.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81316G	50.34	88.20	-37.86	42.18	3	Horizontal	72	2.62	-	40.57	12.03	44.44			
RMS	13.81296G	37.07	68.20	-31.13	28.91	3	Horizontal	72	2.62	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 10.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71736G	45.55	83.54	-37.99	40.60	1	Vertical	269	2.44	-	37.90	15.75	48.70			
AV	20.71976G	34.01	63.54	-29.53	29.05	1	Vertical	269	2.44	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 10.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71984G	45.07	83.54	-38.47	40.11	1	Horizontal	60	1.65	-	37.90	15.76	48.70			
AV	20.7198G	34.10	63.54	-29.44	29.14	1	Horizontal	60	1.65	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 10
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.7754G	108.95	Inf	-Inf	100.78	3	Vertical	0	1.50	-	34.40	7.95	34.18
RMS	6.7562G	99.58	Inf	-Inf	91.40	3	Vertical	0	1.50	-	34.40	7.96	34.18
PK	7.2626G	54.94	74.00	-19.06	44.15	3	Vertical	0	1.50	-	36.45	8.53	34.19
RMS	7.2626G	45.06	54.00	-8.94	34.27	3	Vertical	0	1.50	-	36.45	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 10
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7466G	107.21	Inf	-Inf	99.04	3	Horizontal	358	1.80	-	34.40	7.96	34.19			
RMS	6.7478G	98.49	Inf	-Inf	90.32	3	Horizontal	358	1.80	-	34.40	7.96	34.19			
PK	7.2746G	55.89	74.00	-18.11	45.04	3	Horizontal	358	1.80	-	36.50	8.54	34.19			
RMS	7.2626G	43.96	54.00	-10.04	33.17	3	Horizontal	358	1.80	-	36.45	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_V_4TX
Setting 10
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80648G	50.18	88.20	-38.02	42.01	3	Vertical	164	2.82	-	40.59	12.03	44.45			
RMS	13.81274G	37.07	68.20	-31.13	28.91	3	Vertical	164	2.82	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_V_4TX
Setting 10
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81472G	50.10	88.20	-38.10	41.94	3	Horizontal	121	2.80	-	40.57	12.03	44.44			
RMS	13.80956G	37.07	68.20	-31.13	28.90	3	Horizontal	121	2.80	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_V_4TX
Setting 10
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71996G	44.93	83.54	-38.61	39.97	1	Vertical	154	2.85	-	37.90	15.76	48.70			
AV	20.71984G	34.10	63.54	-29.44	29.14	1	Vertical	154	2.85	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_V_4TX
Setting 10
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72G	44.88	83.54	-38.66	39.92	1	Horizontal	297	1.50	-	37.90	15.76	48.70			
AV	20.71976G	34.01	63.54	-29.53	29.05	1	Horizontal	297	1.50	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 9.5
06-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8354G	108.80	Inf	-Inf	100.43	3	Vertical	0	1.62	-	34.54	8.01	34.18			
RMS	6.8378G	99.44	Inf	-Inf	91.06	3	Vertical	0	1.62	-	34.55	8.01	34.18			
PK	7.3202G	53.80	74.00	-20.20	42.81	3	Vertical	0	1.62	-	36.60	8.58	34.19			
RMS	7.2614G	42.81	54.00	-11.19	32.02	3	Vertical	0	1.62	-	36.45	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 9.5
06-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8258G	107.67	Inf	-Inf	99.36	3	Horizontal	5	1.62	-	34.50	7.99	34.18
RMS	6.827G	99.56	Inf	-Inf	91.24	3	Horizontal	5	1.62	-	34.51	7.99	34.18
PK	7.2962G	52.97	74.00	-21.03	42.02	3	Horizontal	5	1.62	-	36.58	8.56	34.19
RMS	7.265G	42.75	54.00	-11.25	31.94	3	Horizontal	5	1.62	-	36.46	8.54	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80572G	50.06	88.20	-38.14	41.89	3	Vertical	225	2.68	-	40.59	12.03	44.45			
RMS	13.80962G	37.07	68.20	-31.13	28.90	3	Vertical	225	2.68	-	40.58	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81178G	49.84	88.20	-38.36	41.67	3	Horizontal	100	2.61	-	40.58	12.03	44.44			
RMS	13.81288G	37.07	68.20	-31.13	28.91	3	Horizontal	100	2.61	-	40.57	12.03	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 9.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71724G	44.71	83.54	-38.83	39.76	1	Vertical	211	2.03	-	37.90	15.75	48.70			
AV	20.71972G	32.02	63.54	-31.52	27.06	1	Vertical	211	2.03	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX



EUT_V_4TX
Setting 9.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71816G	44.51	83.54	-39.03	39.55	1	Horizontal	259	1.79	-	37.90	15.76	48.70			
AV	20.71968G	32.02	63.54	-31.52	27.06	1	Horizontal	259	1.79	-	37.90	15.76	48.70			



**RSE TX above 1GHz_R4_Indoor AP_Wide Beam_Full RU_
Non-BF mode**


Appendix E.13

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.16	68.20	-0.04	3	Vertical	349.9	1.80	BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8614G	62.05	88.20	-26.15	54.88	3	Vertical	343	1.80	13.5	34.35	8.02	35.20			
RMS	5.8944G	50.52	68.20	-17.68	43.18	3	Vertical	343	1.80	13.5	34.48	8.06	35.20			
PK	5.9601G	109.85	Inf	-Inf	102.31	3	Vertical	343	1.80	13.5	34.60	8.13	35.19			
RMS	5.9634G	98.92	Inf	-Inf	91.38	3	Vertical	343	1.80	13.5	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8386G	62.38	88.20	-25.82	55.31	3	Horizontal	16	1.60	13.5	34.28	8.00	35.21			
RMS	5.9004G	50.53	68.20	-17.67	43.16	3	Horizontal	16	1.60	13.5	34.50	8.07	35.20			
PK	5.961G	108.24	Inf	-Inf	100.70	3	Horizontal	16	1.60	13.5	34.60	8.13	35.19			
RMS	5.9634G	97.29	Inf	-Inf	89.75	3	Horizontal	16	1.60	13.5	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89709G	51.37	74.00	-22.63	43.33	3	Vertical	30	1.19	13.5	39.20	11.79	42.95			
AV	11.90077G	36.39	54.00	-17.61	28.35	3	Vertical	30	1.19	13.5	39.20	11.79	42.95			
PK	17.86639G	55.62	74.00	-18.38	38.20	3	Vertical	318	1.66	-	44.87	14.18	41.63			
AV	17.869G	43.46	54.00	-10.54	26.04	3	Vertical	318	1.66	-	44.86	14.19	41.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90093G	50.39	74.00	-23.61	42.35	3	Horizontal	222	1.80	13.5	39.20	11.79	42.95				
AV	11.89522G	36.38	54.00	-17.62	28.34	3	Horizontal	222	1.80	13.5	39.20	11.79	42.95				
PK	17.86353G	56.50	74.00	-17.50	39.09	3	Horizontal	312	1.72	-	44.87	14.18	41.64				
AV	17.86847G	43.46	54.00	-10.54	26.04	3	Horizontal	312	1.72	-	44.86	14.19	41.63				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 13.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82504G	45.73	83.54	-37.81	37.02	1	Vertical	127	1.20	-	39.10	17.28	47.67			
AV	23.82632G	33.11	63.54	-30.43	24.40	1	Vertical	127	1.20	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
 Setting 13.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83248G	46.95	83.54	-36.59	38.23	1	Horizontal	211	1.02	-	39.10	17.29	47.67			
AV	23.81004G	32.82	63.54	-30.72	24.12	1	Horizontal	211	1.02	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.38692G	49.35	74.00	-24.65	41.95	3	Vertical	360	1.08	13.5	38.63	11.80	43.03				
AV	12.38984G	34.67	54.00	-19.33	27.28	3	Vertical	360	1.08	13.5	38.62	11.80	43.03				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39176G	49.07	74.00	-24.93	41.68	3	Horizontal	310	1.55	13.5	38.62	11.80	43.03			
AV	12.38988G	36.76	54.00	-17.24	29.37	3	Horizontal	310	1.55	13.5	38.62	11.80	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 13.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58401G	45.11	83.54	-38.43	40.44	1	Vertical	83	1.55	-	37.80	15.25	48.38			
AV	18.58402G	32.15	63.54	-31.39	27.48	1	Vertical	83	1.55	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 13.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58502G	44.67	83.54	-38.87	40.01	1	Horizontal	247	1.50	-	37.80	15.25	48.39			
AV	18.584G	32.16	63.54	-31.38	27.49	1	Horizontal	247	1.50	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81466G	50.37	88.20	-37.83	42.21	3	Vertical	312	1.76	10	39.06	11.77	42.67			
RMS	12.82165G	35.79	68.20	-32.41	27.59	3	Vertical	312	1.76	10	39.09	11.77	42.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81857G	50.26	88.20	-37.94	42.09	3	Horizontal	355	2.34	10	39.07	11.77	42.67			
RMS	12.82213G	35.84	68.20	-32.36	27.64	3	Horizontal	355	2.34	10	39.09	11.77	42.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 11.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24442G	43.51	83.54	-40.03	39.11	1	Vertical	145	1.55	-	37.98	15.22	48.80			
AV	19.244G	31.07	63.54	-32.47	26.67	1	Vertical	145	1.55	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 11.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2442G	43.69	83.54	-39.85	39.29	1	Horizontal	306	1.50	-	37.98	15.22	48.80			
AV	19.244G	31.07	63.54	-32.47	26.67	1	Horizontal	306	1.50	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT Y_1TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86977G	52.16	88.20	-36.04	46.42	3	Vertical	155	1.66	-	39.20	11.76	45.22			
RMS	12.86965G	40.57	68.20	-27.63	34.83	3	Vertical	155	1.66	-	39.20	11.76	45.22			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Y_1TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87051G	51.96	88.20	-36.24	46.22	3	Horizontal	311	2.55	-	39.20	11.76	45.22			
RMS	12.86965G	39.76	68.20	-28.44	34.02	3	Horizontal	311	2.55	-	39.20	11.76	45.22			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
 Setting 11.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30494G	43.01	83.54	-40.53	38.80	1	Vertical	352	2.80	-	37.80	15.21	48.80			
AV	19.29534G	31.80	63.54	-31.74	27.57	1	Vertical	352	2.80	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
 Setting 11.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2936G	43.38	83.54	-40.16	39.14	1	Horizontal	102	1.41	-	37.83	15.21	48.80			
AV	19.29534G	31.80	63.54	-31.74	27.57	1	Horizontal	102	1.41	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Y_1TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94718G	51.55	88.20	-36.65	45.63	3	Vertical	233	1.95	-	39.29	11.76	45.13			
RMS	12.9452G	39.84	68.20	-28.36	33.92	3	Vertical	233	1.95	-	39.29	11.76	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT Y_1TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95056G	51.44	88.20	-36.76	45.51	3	Horizontal	286	1.46	-	39.30	11.76	45.13			
RMS	12.94533G	40.28	68.20	-27.92	34.36	3	Horizontal	286	1.46	-	39.29	11.76	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43568G	43.54	83.54	-40.00	39.38	1	Vertical	315	2.91	-	37.76	15.20	48.80			
AV	19.41552G	31.85	63.54	-31.69	27.60	1	Vertical	315	2.91	-	37.84	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 11.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4292G	44.10	83.54	-39.44	39.92	1	Horizontal	22	2.91	-	37.78	15.20	48.80			
AV	19.41006G	31.85	63.54	-31.69	27.58	1	Horizontal	22	2.91	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Y_1TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03017G	50.83	88.20	-37.37	44.77	3	Vertical	281	1.39	-	39.36	11.75	45.05			
RMS	13.025G	40.00	68.20	-28.20	33.95	3	Vertical	281	1.39	-	39.35	11.75	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Y_1TX
SET 12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0277G	50.03	88.20	-38.17	43.97	3	Horizontal	133	1.80	-	39.36	11.75	45.05			
RMS	13.02503G	40.23	88.20	-47.97	34.18	3	Horizontal	133	1.80	-	39.35	11.75	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 12
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54884G	43.72	83.54	-39.82	39.62	1	Vertical	36	1.05	-	37.70	15.20	48.80			
AV	19.53894G	31.53	63.54	-32.01	27.41	1	Vertical	36	1.05	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 12
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53174G	43.76	74.00	-30.24	39.62	1	Horizontal	176	2.84	-	37.74	15.20	48.80			
AV	19.54776G	31.51	54.00	-22.49	27.41	1	Horizontal	176	2.84	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07056G	52.83	88.20	-35.37	46.61	3	Vertical	65	1.26	-	39.48	11.75	45.01			
RMS	13.07097G	41.24	68.20	-26.96	35.02	3	Vertical	65	1.26	-	39.48	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06959G	52.69	88.20	-35.51	46.47	3	Horizontal	346	1.45	-	39.48	11.75	45.01			
RMS	13.0709G	41.03	68.20	-27.17	34.81	3	Horizontal	346	1.45	-	39.48	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT V_1TX
Setting 12.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60242G	43.19	83.54	-40.35	39.10	1	Vertical	285	1.48	-	37.70	15.19	48.80			
AV	19.59456G	31.80	63.54	-31.74	27.71	1	Vertical	285	1.48	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 12.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59042G	43.32	83.54	-40.22	39.23	1	Horizontal	171	1.71	-	37.70	15.19	48.80			
AV	19.5936G	31.81	63.54	-31.73	27.72	1	Horizontal	171	1.71	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38918G	53.04	74.00	-20.96	45.98	3	Vertical	291	2.47	-	40.08	11.73	44.75			
AV	13.38982G	40.21	54.00	-13.79	33.15	3	Vertical	291	2.47	-	40.08	11.73	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39037G	52.82	74.00	-21.18	45.76	3	Horizontal	263	2.65	-	40.08	11.73	44.75			
AV	13.38909G	41.33	54.00	-12.67	34.27	3	Horizontal	263	2.65	-	40.08	11.73	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 12.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09232G	43.86	83.54	-39.68	39.59	1	Vertical	96	2.40	-	37.80	15.25	48.78			
AV	20.07006G	31.10	63.54	-32.44	26.86	1	Vertical	96	2.40	-	37.80	15.23	48.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 12.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08002G	44.53	83.54	-39.01	40.27	1	Horizontal	73	1.12	-	37.80	15.24	48.78			
AV	20.07102G	31.09	63.54	-32.45	26.85	1	Horizontal	73	1.12	-	37.80	15.23	48.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Y_1TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75092G	54.28	88.20	-33.92	46.46	3	Vertical	331	2.85	-	40.60	11.70	44.48			
RMS	13.74907G	42.33	68.20	-25.87	34.52	3	Vertical	331	2.85	-	40.60	11.70	44.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Y_1TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75001G	54.02	88.20	-34.18	46.20	3	Horizontal	253	2.90	-	40.60	11.70	44.48			
RMS	13.749G	41.85	68.20	-26.35	34.04	3	Horizontal	253	2.90	-	40.60	11.70	44.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 12.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62956G	43.74	83.54	-39.80	38.86	1	Vertical	134	2.92	-	37.90	15.68	48.70			
AV	20.63268G	31.66	63.54	-31.88	26.77	1	Vertical	134	2.92	-	37.90	15.69	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 12.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.63694G	43.88	83.54	-39.66	38.99	1	Horizontal	359	2.83	-	37.90	15.69	48.70				
AV	20.63256G	31.66	63.54	-31.88	26.77	1	Horizontal	359	2.83	-	37.90	15.69	48.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Y_1TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78906G	54.50	88.20	-33.70	46.58	3	Vertical	324	1.32	-	40.68	11.70	44.46			
RMS	13.78949G	42.23	68.20	-25.97	34.31	3	Vertical	324	1.32	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Y_1TX
SET 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78932G	53.55	88.20	-34.65	45.63	3	Horizontal	217	2.38	-	40.68	11.70	44.46			
RMS	13.79G	41.42	68.20	-26.78	33.50	3	Horizontal	217	2.38	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
Setting 13
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67684G	44.56	83.54	-38.98	39.64	1	Vertical	283	1.74	-	37.90	15.72	48.70			
AV	20.67282G	31.56	63.54	-31.98	26.64	1	Vertical	283	1.74	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67072G	43.61	83.54	-39.93	38.69	1	Horizontal	147	1.51	-	37.90	15.72	48.70			
AV	20.67084G	31.56	63.54	-31.98	26.64	1	Horizontal	147	1.51	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99036G	54.40	88.20	-33.80	45.88	3	Vertical	296	1.52	-	41.16	11.68	44.32			
RMS	13.9901G	42.00	68.20	-26.20	33.48	3	Vertical	296	1.52	-	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9908G	53.99	88.20	-34.21	45.47	3	Horizontal	134	1.87	-	41.16	11.68	44.32			
RMS	13.99095G	41.63	68.20	-26.57	33.11	3	Horizontal	134	1.87	-	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98422G	43.81	83.54	-39.73	38.57	1	Vertical	298	1.08	-	37.97	15.97	48.70			
AV	20.98038G	32.16	63.54	-31.38	26.93	1	Vertical	298	1.08	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98758G	43.92	83.54	-39.62	38.67	1	Horizontal	301	2.68	-	37.98	15.97	48.70			
AV	20.98932G	32.19	63.54	-31.35	26.93	1	Horizontal	301	2.68	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0863G	110.46	Inf	-Inf	101.49	3	Vertical	14	1.56	13.5	35.67	8.44	35.14				
RMS	7.0869G	98.60	Inf	-Inf	89.63	3	Vertical	14	1.56	13.5	35.67	8.44	35.14				
PK	7.2342G	60.97	88.20	-27.23	51.15	3	Vertical	14	1.56	13.5	36.41	8.56	35.15				
RMS	7.2381G	49.98	68.20	-18.22	40.14	3	Vertical	14	1.56	13.5	36.43	8.56	35.15				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1025G	105.67	Inf	-Inf	96.64	3	Horizontal	21	1.56	13.5	35.71	8.46	35.14			
RMS	7.0869G	95.54	Inf	-Inf	86.57	3	Horizontal	21	1.56	13.5	35.67	8.44	35.14			
PK	7.2261G	60.64	88.20	-27.56	50.87	3	Horizontal	21	1.56	13.5	36.36	8.56	35.15			
RMS	7.2411G	50.02	68.20	-18.18	40.15	3	Horizontal	21	1.56	13.5	36.45	8.57	35.15			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19003G	54.59	88.20	-33.61	45.67	3	Vertical	80	2.12	-	41.66	11.83	44.57			
RMS	14.18937G	42.81	68.20	-25.39	33.89	3	Vertical	80	2.12	-	41.66	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18971G	53.38	88.20	-34.82	44.46	3	Horizontal	287	1.04	-	41.66	11.83	44.57			
RMS	14.18906G	41.79	68.20	-26.41	32.87	3	Horizontal	287	1.04	-	41.66	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
 Setting 13.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28572G	43.99	83.54	-39.55	38.34	1	Vertical	55	2.35	-	38.07	16.22	48.64			
AV	21.27648G	32.43	63.54	-31.11	26.81	1	Vertical	55	2.35	-	38.05	16.21	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29886G	44.00	83.54	-39.54	38.31	1	Horizontal	303	1.25	-	38.10	16.23	48.64			
AV	21.28368G	32.35	63.54	-31.19	26.70	1	Horizontal	303	1.25	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 2.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1075G	99.79	Inf	-Inf	89.56	3	Vertical	-0.1	1.55	BP 1MHz	36.02	8.39	34.18			
RMS	7.1075G	93.13	Inf	-Inf	82.90	3	Vertical	-0.1	1.55	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	78.14	88.20	-10.06	67.86	3	Vertical	-0.1	1.55	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.00	68.20	-0.20	57.72	3	Vertical	-0.1	1.55	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT Y_1TX
Setting 2.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1225G	96.78	Inf	-Inf	86.51	3	Horizontal	15	1.77	BP 1MHz	36.05	8.40	34.18			
RMS	7.1075G	90.18	Inf	-Inf	79.95	3	Horizontal	15	1.77	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	75.52	88.20	-12.68	65.24	3	Horizontal	15	1.77	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	65.85	68.20	-2.35	55.57	3	Horizontal	15	1.77	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 2.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.21064G	47.75	88.20	-40.45	58.30	3	Vertical	105	2.00	-	41.28	12.17	64.00			
RMS	14.21136G	34.54	68.20	-33.66	45.09	3	Vertical	105	2.00	-	41.28	12.17	64.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 2.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.21472G	49.73	88.20	-38.47	60.28	3	Horizontal	153	2.74	-	41.27	12.17	63.99			
RMS	14.21148G	35.68	68.20	-32.52	46.23	3	Horizontal	153	2.74	-	41.28	12.17	64.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 2.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33306G	43.78	83.54	-39.76	38.05	1	Vertical	126	1.89	-	38.10	16.26	48.63			
AV	21.33126G	32.30	63.54	-31.24	26.58	1	Vertical	126	1.89	-	38.10	16.25	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
 Setting 2.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34404G	44.64	83.54	-38.90	38.90	1	Horizontal	40	1.12	-	38.10	16.27	48.63			
AV	21.33042G	32.29	63.54	-31.25	26.57	1	Horizontal	40	1.12	-	38.10	16.25	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9233G	62.35	88.20	-25.85	54.91	3	Vertical	343	1.50	15.5	34.55	8.09	35.20			
RMS	5.9248G	51.97	68.20	-16.23	44.53	3	Vertical	343	1.50	15.5	34.55	8.09	35.20			
PK	5.9743G	110.42	Inf	-Inf	102.87	3	Vertical	343	1.50	15.5	34.60	8.14	35.19			
RMS	5.9815G	99.21	Inf	-Inf	91.65	3	Vertical	343	1.50	15.5	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	63.38	88.20	-24.82	55.94	3	Horizontal	12	1.50	15.5	34.55	8.09	35.20			
RMS	5.9239G	51.23	68.20	-16.97	43.79	3	Horizontal	12	1.50	15.5	34.55	8.09	35.20			
PK	5.9704G	107.30	Inf	-Inf	99.75	3	Horizontal	12	1.50	15.5	34.60	8.14	35.19			
RMS	5.9827G	96.61	Inf	-Inf	89.05	3	Horizontal	12	1.50	15.5	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92909G	54.28	74.00	-19.72	48.62	3	Vertical	278	2.20	-	39.20	11.80	45.34			
AV	11.92969G	41.55	54.00	-12.45	35.89	3	Vertical	278	2.20	-	39.20	11.80	45.34			
PK	17.89684G	54.32	74.00	-19.68	39.62	3	Vertical	44	1.67	-	44.81	14.20	44.31			
AV	17.8924G	43.54	54.00	-10.46	28.83	3	Vertical	44	1.67	-	44.82	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93062G	53.31	74.00	-20.69	47.65	3	Horizontal	55	1.71	-	39.20	11.80	45.34			
AV	11.92933G	41.56	54.00	-12.44	35.90	3	Horizontal	55	1.71	-	39.20	11.80	45.34			
PK	17.89034G	54.08	74.00	-19.92	39.37	3	Horizontal	104	1.98	-	44.82	14.20	44.31			
AV	17.89295G	43.11	54.00	-10.89	28.41	3	Horizontal	104	1.98	-	44.81	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86468G	45.58	83.54	-37.96	36.87	1	Vertical	96	1.71	-	39.07	17.29	47.65			
AV	23.8717G	33.34	63.54	-30.20	24.63	1	Vertical	96	1.71	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
 Setting 15.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85652G	45.64	83.54	-37.90	36.92	1	Horizontal	200	2.42	-	39.09	17.29	47.66			
AV	23.875G	33.32	63.54	-30.22	24.62	1	Horizontal	200	2.42	-	39.05	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40954G	52.09	74.00	-21.91	47.27	3	Vertical	141	1.59	-	38.60	11.80	45.58			
AV	12.40905G	39.33	54.00	-14.67	34.51	3	Vertical	141	1.59	-	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40984G	51.65	74.00	-22.35	46.83	3	Horizontal	128	2.83	-	38.60	11.80	45.58			
AV	12.40902G	39.89	54.00	-14.11	35.07	3	Horizontal	128	2.83	-	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60036G	43.64	83.54	-39.90	38.99	1	Vertical	239	2.81	-	37.80	15.25	48.40			
AV	18.60342G	32.29	63.54	-31.25	27.63	1	Vertical	239	2.81	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 17
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60426G	43.32	83.54	-40.22	38.66	1	Horizontal	296	1.03	-	37.81	15.25	48.40			
AV	18.60246G	32.36	63.54	-31.18	27.71	1	Horizontal	296	1.03	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80938G	52.46	88.20	-35.74	46.93	3	Vertical	161	2.78	-	39.04	11.77	45.28			
RMS	12.80904G	40.90	68.20	-27.30	35.37	3	Vertical	161	2.78	-	39.04	11.77	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8095G	53.22	88.20	-34.98	47.69	3	Horizontal	344	1.43	-	39.04	11.77	45.28			
RMS	12.80944G	40.89	68.20	-27.31	35.36	3	Horizontal	344	1.43	-	39.04	11.77	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21596G	43.50	83.54	-40.04	39.22	1	Vertical	264	2.97	-	37.86	15.22	48.80			
AV	19.20006G	31.50	63.54	-32.04	27.28	1	Vertical	264	2.97	-	37.80	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22124G	43.58	83.54	-39.96	39.28	1	Horizontal	113	2.42	-	37.88	15.22	48.80			
AV	19.20018G	31.58	63.54	-31.96	27.36	1	Horizontal	113	2.42	-	37.80	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88994G	52.08	88.20	-36.12	46.31	3	Vertical	176	1.53	-	39.20	11.76	45.19			
RMS	12.88909G	40.38	68.20	-27.82	34.61	3	Vertical	176	1.53	-	39.20	11.76	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89002G	52.15	88.20	-36.05	46.38	3	Horizontal	353	1.32	-	39.20	11.76	45.19			
RMS	12.89024G	40.07	68.20	-28.13	34.30	3	Horizontal	353	1.32	-	39.20	11.76	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32342G	43.99	83.54	-39.55	39.78	1	Vertical	148	3.00	-	37.80	15.21	48.80			
AV	19.33542G	31.58	63.54	-31.96	27.37	1	Vertical	148	3.00	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3323G	43.64	83.54	-39.90	39.43	1	Horizontal	273	1.88	-	37.80	15.21	48.80			
AV	19.33206G	31.55	63.54	-31.99	27.34	1	Horizontal	273	1.88	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT Y_1TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96911G	51.88	88.20	-36.32	45.92	3	Vertical	66	2.80	-	39.30	11.76	45.10			
RMS	12.97044G	40.36	68.20	-27.84	34.40	3	Vertical	66	2.80	-	39.30	11.76	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT Y_1TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97089G	52.69	88.20	-35.51	46.73	3	Horizontal	244	2.26	-	39.30	11.76	45.10			
RMS	12.97043G	40.37	68.20	-27.83	34.41	3	Horizontal	244	2.26	-	39.30	11.76	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46574G	44.66	83.54	-38.88	40.53	1	Vertical	9	1.26	-	37.73	15.20	48.80			
AV	19.4571G	31.48	63.54	-32.06	27.37	1	Vertical	9	1.26	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45134G	43.92	83.54	-39.62	39.82	1	Horizontal	122	1.62	-	37.70	15.20	48.80			
AV	19.46028G	31.50	63.54	-32.04	27.38	1	Horizontal	122	1.62	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Y_1TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05098G	52.78	88.20	-35.42	46.66	3	Vertical	21	1.48	-	39.40	11.75	45.03			
RMS	13.04927G	40.62	68.20	-27.58	34.50	3	Vertical	21	1.48	-	39.40	11.75	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Y_1TX
SET 15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.051G	53.25	88.20	-34.95	47.13	3	Horizontal	345	1.63	-	39.40	11.75	45.03			
RMS	13.04921G	40.60	68.20	-27.60	34.48	3	Horizontal	345	1.63	-	39.40	11.75	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5897G	43.37	83.54	-40.17	39.28	1	Vertical	31	1.19	-	37.70	15.19	48.80			
AV	19.58826G	31.77	63.54	-31.77	27.68	1	Vertical	31	1.19	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5669G	43.29	83.54	-40.25	39.19	1	Horizontal	16	2.02	-	37.70	15.20	48.80			
AV	19.58802G	31.77	63.54	-31.77	27.68	1	Horizontal	16	2.02	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12972G	53.70	88.20	-34.50	47.31	3	Vertical	323	2.14	-	39.60	11.75	44.96			
RMS	13.12906G	41.25	68.20	-26.95	34.86	3	Vertical	323	2.14	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1309G	52.73	88.20	-35.47	46.34	3	Horizontal	357	2.49	-	39.60	11.75	44.96			
RMS	13.12902G	41.25	68.20	-26.95	34.86	3	Horizontal	357	2.49	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68354G	43.31	83.54	-40.23	39.22	1	Vertical	8	1.15	-	37.70	15.19	48.80			
AV	19.68G	31.43	63.54	-32.11	27.34	1	Vertical	8	1.15	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69548G	43.13	83.54	-40.41	39.04	1	Horizontal	262	2.40	-	37.70	15.19	48.80			
AV	19.6878G	31.44	63.54	-32.10	27.35	1	Horizontal	262	2.40	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37043G	53.87	74.00	-20.13	46.87	3	Vertical	160	2.65	-	40.04	11.73	44.77			
AV	13.36935G	41.93	54.00	-12.07	34.93	3	Vertical	160	2.65	-	40.04	11.73	44.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37089G	53.28	74.00	-20.72	46.28	3	Horizontal	72	2.64	-	40.04	11.73	44.77			
AV	13.3692G	41.53	54.00	-12.47	34.53	3	Horizontal	72	2.64	-	40.04	11.73	44.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 16
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0682G	43.69	83.54	-39.85	39.45	1	Vertical	21	2.01	-	37.80	15.23	48.79			
AV	20.04378G	31.27	63.54	-32.27	27.06	1	Vertical	21	2.01	-	37.79	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 16
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.0514G	43.70	83.54	-39.84	39.48	1	Horizontal	25	2.34	-	37.80	15.21	48.79				
AV	20.04108G	31.33	63.54	-32.21	27.14	1	Horizontal	25	2.34	-	37.78	15.20	48.79				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7691G	54.25	88.20	-33.95	46.38	3	Vertical	62	1.58	-	40.64	11.70	44.47			
RMS	13.76904G	42.15	68.20	-26.05	34.28	3	Vertical	62	1.58	-	40.64	11.70	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7703G	54.01	88.20	-34.19	46.14	3	Horizontal	46	1.14	-	40.64	11.70	44.47			
RMS	13.76902G	41.64	68.20	-26.56	33.77	3	Horizontal	46	1.14	-	40.64	11.70	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_V_1TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66736G	44.07	83.54	-39.47	39.16	1	Vertical	160	1.75	-	37.90	15.71	48.70			
AV	20.64024G	31.65	63.54	-31.89	26.76	1	Vertical	160	1.75	-	37.90	15.69	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_V_1TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64564G	43.63	83.54	-39.91	38.73	1	Horizontal	103	2.29	-	37.90	15.70	48.70			
AV	20.64G	31.56	63.54	-31.98	26.67	1	Horizontal	103	2.29	-	37.90	15.69	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT Y_1TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85066G	53.82	88.20	-34.38	45.74	3	Vertical	190	1.04	-	40.80	11.69	44.41			
RMS	13.84912G	42.11	68.20	-26.09	34.04	3	Vertical	190	1.04	-	40.80	11.69	44.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Y_1TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84965G	54.02	88.20	-34.18	45.95	3	Horizontal	295	2.25	-	40.80	11.69	44.42			
RMS	13.84909G	42.12	68.20	-26.08	34.05	3	Horizontal	295	2.25	-	40.80	11.69	44.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_V_1TX
Setting 16
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78862G	43.47	83.54	-40.07	38.46	1	Vertical	14	2.90	-	37.90	15.81	48.70			
AV	20.76864G	31.93	63.54	-31.61	26.93	1	Vertical	14	2.90	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_V_1TX
Setting 16
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77122G	43.73	83.54	-39.81	38.73	1	Horizontal	213	2.10	-	37.90	15.80	48.70			
AV	20.77254G	31.85	63.54	-31.69	26.85	1	Horizontal	213	2.10	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT Y_1TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01089G	55.76	88.20	-32.44	47.19	3	Vertical	222	1.53	-	41.20	11.69	44.32			
RMS	14.00904G	43.37	68.20	-24.83	34.80	3	Vertical	222	1.53	-	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT Y_1TX
SET 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01082G	53.79	88.20	-34.41	45.22	3	Horizontal	239	2.82	-	41.20	11.69	44.32			
RMS	14.00927G	42.13	68.20	-26.07	33.56	3	Horizontal	239	2.82	-	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_V_1TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01332G	44.69	83.54	-38.85	39.39	1	Vertical	138	2.84	-	38.00	16.00	48.70			
AV	21.02034G	32.13	63.54	-31.41	26.83	1	Vertical	138	2.84	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_V_1TX
Setting 16.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00648G	44.61	83.54	-38.93	39.32	1	Horizontal	208	1.70	-	38.00	15.99	48.70			
AV	21.02562G	32.05	63.54	-31.49	26.73	1	Horizontal	208	1.70	-	38.00	16.01	48.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0805G	109.12	Inf	-Inf	100.16	3	Vertical	19	1.64	17	35.66	8.44	35.14				
RMS	7.0667G	98.87	Inf	-Inf	89.95	3	Vertical	19	1.64	17	35.63	8.43	35.14				
PK	7.2305G	61.40	88.20	-26.80	51.61	3	Vertical	19	1.64	17	36.38	8.56	35.15				
RMS	7.2293G	50.06	68.20	-18.14	40.27	3	Vertical	19	1.64	17	36.38	8.56	35.15				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0946G	106.95	Inf	-Inf	97.95	3	Horizontal	16	1.54	17	35.69	8.45	35.14				
RMS	7.0688G	96.69	Inf	-Inf	87.76	3	Horizontal	16	1.54	17	35.64	8.43	35.14				
PK	7.2239G	61.22	88.20	-26.98	51.47	3	Horizontal	16	1.54	17	36.34	8.56	35.15				
RMS	7.2344G	49.95	68.20	-18.25	40.13	3	Horizontal	16	1.54	17	36.41	8.56	35.15				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16993G	54.22	88.20	-33.98	45.37	3	Vertical	85	2.06	-	41.58	11.81	44.54			
RMS	14.16999G	41.88	68.20	-26.32	33.02	3	Vertical	85	2.06	-	41.58	11.82	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17082G	52.46	88.20	-35.74	43.60	3	Horizontal	102	1.27	-	41.58	11.82	44.54			
RMS	14.17011G	41.53	68.20	-26.67	32.67	3	Horizontal	102	1.27	-	41.58	11.82	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_V_1TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26856G	44.00	83.54	-39.54	38.41	1	Vertical	169	2.48	-	38.04	16.20	48.65			
AV	21.26952G	32.23	63.54	-31.31	26.64	1	Vertical	169	2.48	-	38.04	16.20	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_V_1TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26454G	44.65	83.54	-38.89	39.07	1	Horizontal	329	1.23	-	38.03	16.20	48.65			
AV	21.24072G	32.22	63.54	-31.32	26.67	1	Horizontal	329	1.23	-	38.02	16.18	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.739G	64.87	88.20	-23.33	58.06	3	Vertical	344	1.58	18.5	34.18	7.85	35.22			
RMS	5.9205G	53.94	68.20	-14.26	46.51	3	Vertical	344	1.58	18.5	34.54	8.09	35.20			
PK	6.0035G	111.01	Inf	-Inf	103.42	3	Vertical	344	1.58	18.5	34.60	8.18	35.19			
RMS	6.0055G	98.68	Inf	-Inf	91.09	3	Vertical	344	1.58	18.5	34.60	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	63.24	88.20	-24.96	55.83	3	Horizontal	7	1.51	18.5	34.53	8.08	35.20			
RMS	5.9195G	52.19	68.20	-16.01	44.76	3	Horizontal	7	1.51	18.5	34.54	8.09	35.20			
PK	5.965G	106.49	Inf	-Inf	98.95	3	Horizontal	7	1.51	18.5	34.60	8.13	35.19			
RMS	6.021G	95.49	Inf	-Inf	87.88	3	Horizontal	7	1.51	18.5	34.60	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96926G	48.58	74.00	-25.42	42.95	3	Vertical	213	1.48	-	39.16	11.82	45.35			
AV	11.97088G	35.63	54.00	-18.37	30.00	3	Vertical	213	1.48	-	39.16	11.82	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9686G	48.32	74.00	-25.68	42.69	3	Horizontal	12	1.02	-	39.16	11.82	45.35			
AV	11.97223G	35.75	54.00	-18.25	30.12	3	Horizontal	12	1.02	-	39.16	11.82	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92992G	45.74	83.54	-37.80	37.06	1	Vertical	254	1.65	-	39.00	17.31	47.63			
AV	23.9517G	33.50	63.54	-30.04	24.80	1	Vertical	254	1.65	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93202G	45.42	83.54	-38.12	36.74	1	Horizontal	65	2.08	-	39.00	17.31	47.63			
AV	23.95392G	33.51	63.54	-30.03	24.80	1	Horizontal	65	2.08	-	39.01	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45015G	46.10	74.00	-27.90	41.30	3	Vertical	16	2.33	-	38.60	11.80	45.60			
AV	12.45038G	33.03	54.00	-20.97	28.23	3	Vertical	16	2.33	-	38.60	11.80	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45069G	45.88	74.00	-28.12	41.08	3	Horizontal	330	1.76	-	38.60	11.80	45.60			
AV	12.45104G	33.10	54.00	-20.90	28.30	3	Horizontal	330	1.76	-	38.60	11.80	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.687G	45.17	83.54	-38.37	40.51	1	Vertical	315	2.47	-	37.90	15.25	48.49			
AV	18.68916G	31.98	63.54	-31.56	27.32	1	Vertical	315	2.47	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67704G	44.69	83.54	-38.85	40.02	1	Horizontal	302	2.04	-	37.90	15.25	48.48			
AV	18.66816G	31.99	63.54	-31.55	27.31	1	Horizontal	302	2.04	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77035G	46.97	88.20	-41.23	41.65	3	Vertical	100	1.62	-	38.88	11.77	45.33			
RMS	12.769G	34.10	68.20	-34.10	28.78	3	Vertical	100	1.62	-	38.88	11.77	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77073G	46.82	88.20	-41.38	41.50	3	Horizontal	47	1.83	-	38.88	11.77	45.33			
RMS	12.77238G	34.17	68.20	-34.03	28.83	3	Horizontal	47	1.83	-	38.89	11.77	45.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 18
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1622G	44.67	83.54	-38.87	40.30	1	Vertical	68	1.79	-	37.95	15.22	48.80			
AV	19.1403G	31.94	63.54	-31.60	27.52	1	Vertical	68	1.79	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 18
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1538G	43.75	83.54	-39.79	39.35	1	Horizontal	220	1.43	-	37.98	15.22	48.80			
AV	19.14408G	31.94	63.54	-31.60	27.52	1	Horizontal	220	1.43	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92921G	47.04	88.20	-41.16	41.17	3	Vertical	226	2.87	-	39.26	11.76	45.15			
RMS	12.93043G	34.18	68.20	-34.02	28.31	3	Vertical	226	2.87	-	39.26	11.76	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93151G	47.00	88.20	-41.20	41.13	3	Horizontal	99	1.30	-	39.26	11.76	45.15			
RMS	12.93085G	34.28	68.20	-33.92	28.41	3	Horizontal	99	1.30	-	39.26	11.76	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 18
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3845G	43.55	83.54	-39.99	39.27	1	Vertical	85	2.83	-	37.87	15.21	48.80			
AV	19.38108G	31.95	63.54	-31.59	27.68	1	Vertical	85	2.83	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 18
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39074G	44.33	83.54	-39.21	40.04	1	Horizontal	5	2.54	-	37.88	15.21	48.80			
AV	19.3827G	31.97	63.54	-31.57	27.69	1	Horizontal	5	2.54	-	37.87	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09073G	46.91	88.20	-41.29	40.60	3	Vertical	299	2.96	-	39.56	11.75	45.00			
RMS	13.08969G	34.54	68.20	-33.66	28.23	3	Vertical	299	2.96	-	39.56	11.75	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09024G	47.97	88.20	-40.23	41.66	3	Horizontal	255	2.62	-	39.56	11.75	45.00			
RMS	13.08899G	34.62	68.20	-33.58	28.31	3	Horizontal	255	2.62	-	39.56	11.75	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.64994G	43.41	83.54	-40.13	39.32	1	Vertical	106	2.63	-	37.70	15.19	48.80			
AV	19.6398G	31.48	63.54	-32.06	27.39	1	Vertical	106	2.63	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.64826G	43.55	83.54	-39.99	39.46	1	Horizontal	292	2.05	-	37.70	15.19	48.80			
AV	19.63722G	31.51	63.54	-32.03	27.42	1	Horizontal	292	2.05	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25075G	47.81	74.00	-26.19	41.03	3	Vertical	117	1.96	-	39.90	11.74	44.86			
AV	13.25048G	35.10	54.00	-18.90	28.32	3	Vertical	117	1.96	-	39.90	11.74	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24832G	48.31	88.20	-39.89	41.55	3	Horizontal	274	1.68	-	39.89	11.74	44.87			
AV	13.25003G	35.12	54.00	-18.88	28.34	3	Horizontal	274	1.68	-	39.90	11.74	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88472G	44.25	83.54	-39.29	40.17	1	Vertical	154	1.38	-	37.70	15.18	48.80			
AV	19.86312G	31.34	63.54	-32.20	27.26	1	Vertical	154	1.38	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88742G	43.89	83.54	-39.65	39.81	1	Horizontal	270	1.67	-	37.70	15.18	48.80			
AV	19.8618G	31.32	63.54	-32.22	27.24	1	Horizontal	270	1.67	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4108G	48.95	88.20	-39.25	41.84	3	Vertical	11	2.81	-	40.12	11.72	44.73			
RMS	13.40922G	35.81	68.20	-32.39	28.70	3	Vertical	11	2.81	-	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41033G	48.67	88.20	-39.53	41.56	3	Horizontal	53	2.57	-	40.12	11.72	44.73			
RMS	13.40974G	35.93	68.20	-32.27	28.82	3	Horizontal	53	2.57	-	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1111G	43.63	83.54	-39.91	39.35	1	Vertical	239	2.76	-	37.80	15.26	48.78			
AV	20.11356G	31.20	63.54	-32.34	26.92	1	Vertical	239	2.76	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12244G	43.94	83.54	-39.60	39.65	1	Horizontal	21	2.04	-	37.80	15.27	48.78			
AV	20.11332G	31.20	63.54	-32.34	26.92	1	Horizontal	21	2.04	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57096G	48.44	88.20	-39.76	40.94	3	Vertical	310	2.15	-	40.40	11.71	44.61			
RMS	13.57062G	35.68	68.20	-32.52	28.18	3	Vertical	310	2.15	-	40.40	11.71	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57146G	48.23	88.20	-39.97	40.73	3	Horizontal	41	1.21	-	40.40	11.71	44.61			
RMS	13.5675G	35.72	68.20	-32.48	28.22	3	Horizontal	41	1.21	-	40.40	11.71	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36802G	43.83	83.54	-39.71	39.23	1	Vertical	248	2.36	-	37.86	15.47	48.73			
AV	20.36244G	31.62	63.54	-31.92	27.00	1	Vertical	248	2.36	-	37.88	15.47	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3403G	43.64	83.54	-39.90	39.04	1	Horizontal	8	1.85	-	37.88	15.45	48.73			
AV	20.36322G	31.62	63.54	-31.92	27.01	1	Horizontal	8	1.85	-	37.87	15.47	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_V_1TX
Setting 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7292G	48.21	88.20	-39.99	40.49	3	Vertical	196	2.32	-	40.52	11.70	44.50			
RMS	13.72907G	35.20	68.20	-33.00	27.48	3	Vertical	196	2.32	-	40.52	11.70	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_V_1TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73186G	48.15	88.20	-40.05	40.42	3	Horizontal	104	1.68	-	40.53	11.70	44.50			
RMS	13.73232G	35.32	68.20	-32.88	27.59	3	Horizontal	104	1.68	-	40.53	11.70	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58258G	43.51	83.54	-40.03	38.67	1	Vertical	263	1.02	-	37.90	15.64	48.70			
AV	20.59326G	31.83	63.54	-31.71	26.98	1	Vertical	263	1.02	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58246G	43.30	83.54	-40.24	38.46	1	Horizontal	128	1.88	-	37.90	15.64	48.70			
AV	20.59626G	31.75	63.54	-31.79	26.89	1	Horizontal	128	1.88	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_V_1TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88922G	49.15	88.20	-39.05	40.97	3	Vertical	293	1.99	-	40.88	11.69	44.39			
RMS	13.89072G	36.50	68.20	-31.70	28.32	3	Vertical	293	1.99	-	40.88	11.69	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_V_1TX
Setting 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88955G	49.60	88.20	-38.60	41.42	3	Horizontal	225	1.28	-	40.88	11.69	44.39			
RMS	13.89241G	36.90	68.20	-31.30	28.72	3	Horizontal	225	1.28	-	40.88	11.69	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8437G	44.40	83.54	-39.14	39.34	1	Vertical	313	1.26	-	37.90	15.86	48.70			
AV	20.84124G	31.89	63.54	-31.65	26.83	1	Vertical	313	1.26	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_V_1TX
Setting 19
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84142G	44.76	83.54	-38.78	39.70	1	Horizontal	47	1.94	-	37.90	15.86	48.70			
AV	20.8458G	32.07	63.54	-31.47	27.01	1	Horizontal	47	1.94	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT Y_1TX
Setting 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0314G	107.69	Inf	-Inf	98.82	3	Vertical	8	1.54	-	35.60	8.40	35.13			
RMS	6.9902G	98.32	Inf	-Inf	89.45	3	Vertical	8	1.54	-	35.60	8.40	35.13			
PK	7.2094G	60.49	88.20	-27.71	50.83	3	Vertical	8	1.54	-	36.26	8.55	35.15			
RMS	7.2226G	50.46	68.20	-17.74	40.72	3	Vertical	8	1.54	-	36.34	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT Y_1TX
Setting 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0234G	106.25	Inf	-Inf	97.39	3	Horizontal	20	1.60	-	35.60	8.39	35.13			
RMS	6.989G	97.20	Inf	-Inf	88.32	3	Horizontal	20	1.60	-	35.60	8.41	35.13			
PK	7.1678G	60.14	88.20	-28.06	50.76	3	Horizontal	20	1.60	-	36.01	8.51	35.14			
RMS	7.1254G	50.39	68.20	-17.81	41.25	3	Horizontal	20	1.60	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04913G	49.19	88.20	-39.01	40.65	3	Vertical	2	1.04	-	41.20	11.72	44.38			
RMS	14.049G	36.54	68.20	-31.66	28.00	3	Vertical	2	1.04	-	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05156G	49.44	88.20	-38.76	40.90	3	Horizontal	355	2.30	-	41.20	11.72	44.38			
RMS	14.05234G	36.62	68.20	-31.58	28.08	3	Horizontal	355	2.30	-	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0861G	44.55	83.54	-38.99	39.17	1	Vertical	154	1.28	-	38.00	16.06	48.68			
AV	21.06198G	31.94	63.54	-31.60	26.59	1	Vertical	154	1.28	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
 Setting 18.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08982G	44.49	83.54	-39.05	39.11	1	Horizontal	50	2.00	-	38.00	16.06	48.68			
AV	21.07506G	31.92	63.54	-31.62	26.55	1	Horizontal	50	2.00	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	70.18	88.20	-18.02	62.74	3	Vertical	360	1.50	21	34.55	8.09	35.20			
RMS	5.925G	59.41	68.20	-8.79	51.97	3	Vertical	360	1.50	21	34.55	8.09	35.20			
PK	6.0765G	110.18	Inf	-Inf	102.33	3	Vertical	360	1.50	21	34.76	8.28	35.19			
RMS	6.081G	98.84	Inf	-Inf	90.95	3	Vertical	360	1.50	21	34.79	8.29	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9185G	66.97	88.20	-21.23	59.55	3	Horizontal	14	1.64	21	34.54	8.08	35.20			
RMS	5.925G	56.52	68.20	-11.68	49.08	3	Horizontal	14	1.64	21	34.55	8.09	35.20			
PK	6.0915G	107.17	Inf	-Inf	99.21	3	Horizontal	14	1.64	21	34.85	8.31	35.20			
RMS	6.0865G	96.77	Inf	-Inf	88.85	3	Horizontal	14	1.64	21	34.82	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05097G	48.10	74.00	-25.90	42.66	3	Vertical	165	1.93	-	39.00	11.83	45.39			
RMS	12.05057G	34.82	54.00	-19.18	29.38	3	Vertical	165	1.93	-	39.00	11.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0511G	47.77	74.00	-26.23	42.33	3	Horizontal	135	2.92	-	39.00	11.83	45.39			
RMS	12.048G	34.92	54.00	-19.08	29.48	3	Horizontal	135	2.92	-	39.00	11.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08808G	44.25	83.54	-39.29	39.56	1	Vertical	353	1.74	-	37.63	15.28	48.22			
AV	18.08934G	32.13	63.54	-31.41	27.43	1	Vertical	353	1.74	-	37.64	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07476G	44.41	83.54	-39.13	39.78	1	Horizontal	17	1.56	-	37.55	15.29	48.21			
AV	18.08958G	32.13	63.54	-31.41	27.43	1	Horizontal	17	1.56	-	37.64	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36915G	46.01	74.00	-27.99	41.11	3	Vertical	28	1.33	-	38.66	11.80	45.56			
AV	12.36941G	33.14	54.00	-20.86	28.24	3	Vertical	28	1.33	-	38.66	11.80	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36953G	46.29	74.00	-27.71	41.39	3	Horizontal	335	2.96	-	38.66	11.80	45.56			
AV	12.37005G	33.26	54.00	-20.74	28.36	3	Horizontal	335	2.96	-	38.66	11.80	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5694G	44.11	83.54	-39.43	39.42	1	Vertical	70	2.36	-	37.80	15.26	48.37			
AV	18.56544G	32.45	63.54	-31.09	27.76	1	Vertical	70	2.36	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55722G	43.78	83.54	-39.76	39.08	1	Horizontal	359	1.17	-	37.80	15.26	48.36			
AV	18.56424G	32.37	63.54	-31.17	27.67	1	Horizontal	359	1.17	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6907G	47.18	74.00	-26.82	41.94	3	Vertical	138	1.19	-	38.88	11.78	45.42			
AV	12.68979G	34.36	54.00	-19.64	29.12	3	Vertical	138	1.19	-	38.88	11.78	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68765G	47.10	74.00	-26.90	41.86	3	Horizontal	177	1.10	-	38.88	11.78	45.42			
AV	12.68975G	34.40	54.00	-19.60	29.16	3	Horizontal	177	1.10	-	38.88	11.78	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03014G	43.71	83.54	-39.83	39.34	1	Vertical	43	1.99	-	37.94	15.23	48.80			
AV	19.04982G	31.85	63.54	-31.69	27.52	1	Vertical	43	1.99	-	37.90	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03182G	44.58	83.54	-38.96	40.21	1	Horizontal	112	2.36	-	37.94	15.23	48.80			
AV	19.04982G	31.85	63.54	-31.69	27.52	1	Horizontal	112	2.36	-	37.90	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01018G	46.85	88.20	-41.35	40.84	3	Vertical	191	1.11	-	39.32	11.75	45.06			
RMS	13.01019G	34.17	68.20	-34.03	28.16	3	Vertical	191	1.11	-	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01194G	46.78	88.20	-41.42	40.77	3	Horizontal	306	2.06	-	39.32	11.75	45.06			
RMS	13.01199G	34.23	68.20	-33.97	28.22	3	Horizontal	306	2.06	-	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51554G	43.82	83.54	-39.72	39.65	1	Vertical	38	1.62	-	37.77	15.20	48.80			
AV	19.51404G	31.50	63.54	-32.04	27.33	1	Vertical	38	1.62	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.50138G	44.14	83.54	-39.40	39.94	1	Horizontal	250	2.69	-	37.80	15.20	48.80			
AV	19.51056G	31.51	63.54	-32.03	27.33	1	Horizontal	250	2.69	-	37.78	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32947G	48.83	74.00	-25.17	41.90	3	Vertical	179	2.47	-	40.00	11.73	44.80			
AV	13.33085G	35.52	54.00	-18.48	28.59	3	Vertical	179	2.47	-	40.00	11.73	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32966G	47.89	74.00	-26.11	40.96	3	Horizontal	110	2.49	-	40.00	11.73	44.80			
AV	13.32918G	35.77	54.00	-18.23	28.84	3	Horizontal	110	2.49	-	40.00	11.73	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 21.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98642G	43.70	83.54	-39.84	39.60	1	Vertical	296	1.98	-	37.73	15.17	48.80			
AV	19.98024G	31.73	63.54	-31.81	27.62	1	Vertical	296	1.98	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 21.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99128G	44.22	83.54	-39.32	40.13	1	Horizontal	352	2.17	-	37.72	15.17	48.80			
AV	19.98096G	31.73	63.54	-31.81	27.62	1	Horizontal	352	2.17	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65049G	48.51	88.20	-39.69	40.95	3	Vertical	45	2.69	-	40.40	11.71	44.55			
RMS	13.64915G	35.08	68.20	-33.12	27.53	3	Vertical	45	2.69	-	40.40	11.71	44.56			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65105G	47.38	88.20	-40.82	39.82	3	Horizontal	44	2.43	-	40.40	11.71	44.55			
RMS	13.64937G	35.17	68.20	-33.03	27.62	3	Horizontal	44	2.43	-	40.40	11.71	44.56			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4837G	43.50	74.00	-30.50	38.74	1	Vertical	63	2.68	-	37.90	15.56	48.70			
AV	20.46084G	31.01	54.00	-22.99	26.27	1	Vertical	63	2.68	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.46978G	42.95	83.54	-40.59	38.21	1	Horizontal	196	1.54	-	37.90	15.55	48.71			
AV	20.46042G	31.01	63.54	-32.53	26.27	1	Horizontal	196	1.54	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9355G	108.97	Inf	-Inf	99.93	3	Vertical	337	1.60	21	35.60	8.58	35.14			
RMS	6.9065G	98.72	Inf	-Inf	89.60	3	Vertical	337	1.60	21	35.60	8.67	35.15			
PK	7.165G	65.22	88.20	-22.98	55.86	3	Vertical	337	1.60	21	35.99	8.51	35.14			
RMS	7.125G	53.88	68.20	-14.32	44.74	3	Vertical	337	1.60	21	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9115G	108.40	Inf	-Inf	99.29	3	Horizontal	18	1.54	21	35.60	8.66	35.15			
RMS	6.907G	97.64	Inf	-Inf	88.52	3	Horizontal	18	1.54	21	35.60	8.67	35.15			
PK	7.129G	64.50	88.20	-23.70	55.34	3	Horizontal	18	1.54	21	35.82	8.48	35.14			
RMS	7.125G	53.33	68.20	-14.87	44.19	3	Horizontal	18	1.54	21	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96901G	49.24	88.20	-38.96	40.81	3	Vertical	55	2.20	-	41.08	11.68	44.33			
RMS	13.97019G	36.87	68.20	-31.33	28.44	3	Vertical	55	2.20	-	41.08	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_V_1TX
Setting 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96752G	49.62	88.20	-38.58	41.20	3	Horizontal	87	1.00	-	41.07	11.68	44.33			
RMS	13.96827G	36.99	68.20	-31.21	28.57	3	Horizontal	87	1.00	-	41.07	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96184G	44.20	83.54	-39.34	39.03	1	Vertical	79	2.15	-	37.92	15.95	48.70			
AV	20.94612G	32.07	63.54	-31.47	26.93	1	Vertical	79	2.15	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_V_1TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95212G	44.69	83.54	-38.85	39.54	1	Horizontal	187	2.10	-	37.90	15.95	48.70			
AV	20.95074G	32.08	63.54	-31.46	26.94	1	Horizontal	187	2.10	-	37.90	15.94	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	72.07	88.20	-16.13	64.63	3	Vertical	357	1.61	22	34.55	8.09	35.20			
RMS	5.925G	62.09	68.20	-6.11	54.65	3	Vertical	357	1.61	22	34.55	8.09	35.20			
PK	6.236G	108.31	Inf	-Inf	100.06	3	Vertical	357	1.61	22	34.93	8.52	35.20			
RMS	6.261G	96.70	Inf	-Inf	88.47	3	Vertical	357	1.61	22	34.88	8.56	35.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	71.64	88.20	-16.56	64.21	3	Horizontal	338	1.55	22	34.54	8.09	35.20			
RMS	5.925G	60.42	68.20	-7.78	52.98	3	Horizontal	338	1.55	22	34.55	8.09	35.20			
PK	6.179G	105.80	Inf	-Inf	97.60	3	Horizontal	338	1.55	22	34.96	8.44	35.20			
RMS	6.2G	94.75	Inf	-Inf	86.48	3	Horizontal	338	1.55	22	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21058G	46.72	74.00	-27.28	41.66	3	Vertical	155	2.54	-	38.72	11.81	45.47			
AV	12.20901G	34.24	54.00	-19.76	29.18	3	Vertical	155	2.54	-	38.72	11.81	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21239G	47.58	74.00	-26.42	42.52	3	Horizontal	38	2.35	-	38.72	11.81	45.47			
AV	12.20753G	34.29	54.00	-19.71	29.23	3	Horizontal	38	2.35	-	38.72	11.81	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32418G	44.82	83.54	-38.72	40.16	1	Vertical	277	1.46	-	37.65	15.27	48.26			
AV	18.32004G	32.15	63.54	-31.39	27.50	1	Vertical	277	1.46	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32628G	44.12	83.54	-39.42	39.47	1	Horizontal	304	1.99	-	37.65	15.27	48.27			
AV	18.32976G	32.05	63.54	-31.49	27.39	1	Horizontal	304	1.99	-	37.66	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52994G	46.07	74.00	-27.93	41.18	3	Vertical	260	2.79	-	38.70	11.79	45.60			
AV	12.53088G	33.64	54.00	-20.36	28.75	3	Vertical	260	2.79	-	38.70	11.79	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52877G	46.33	74.00	-27.67	41.44	3	Horizontal	247	1.84	-	38.70	11.79	45.60			
AV	12.52917G	33.88	54.00	-20.12	28.99	3	Horizontal	247	1.84	-	38.70	11.79	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78486G	44.52	83.54	-39.02	39.96	1	Vertical	61	2.73	-	37.90	15.24	48.58			
AV	18.80778G	32.02	63.54	-31.52	27.47	1	Vertical	61	2.73	-	37.92	15.24	48.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.7899G	44.10	83.54	-39.44	39.55	1	Horizontal	222	1.93	-	37.90	15.24	48.59				
AV	18.80472G	32.06	63.54	-31.48	27.51	1	Horizontal	222	1.93	-	37.91	15.24	48.60				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85062G	47.56	88.20	-40.64	41.83	3	Vertical	49	2.49	-	39.20	11.77	45.24			
RMS	12.85G	34.19	68.20	-34.01	28.46	3	Vertical	49	2.49	-	39.20	11.77	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85201G	46.79	88.20	-41.41	41.06	3	Horizontal	265	2.17	-	39.20	11.77	45.24			
RMS	12.85177G	34.35	68.20	-33.85	28.62	3	Horizontal	265	2.17	-	39.20	11.77	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.28814G	44.06	83.54	-39.48	39.80	1	Vertical	352	2.93	-	37.85	15.21	48.80			
AV	19.28508G	31.75	63.54	-31.79	27.48	1	Vertical	352	2.93	-	37.86	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX



EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27914G	43.59	83.54	-39.95	39.30	1	Horizontal	333	1.96	-	37.88	15.21	48.80			
AV	19.28394G	31.67	63.54	-31.87	27.40	1	Horizontal	333	1.96	-	37.86	15.21	48.80			