


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17026G	47.20	88.20	-41.00	40.75	3	Vertical	132	1.47	-	39.64	11.74	44.93			
RMS	13.16992G	34.60	68.20	-33.60	28.15	3	Vertical	132	1.47	-	39.64	11.74	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16984G	47.22	88.20	-40.98	40.77	3	Horizontal	130	2.96	-	39.64	11.74	44.93			
RMS	13.16751G	34.69	68.20	-33.51	28.24	3	Horizontal	130	2.96	-	39.64	11.74	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.75266G	43.66	83.54	-39.88	39.58	1	Vertical	53	1.83	-	37.70	15.18	48.80				
AV	19.76814G	31.32	63.54	-32.22	27.24	1	Vertical	53	1.83	-	37.70	15.18	48.80				

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.76034G	43.33	83.54	-40.21	39.25	1	Horizontal	271	1.12	-	37.70	15.18	48.80			
AV	19.7652G	31.35	63.54	-32.19	27.27	1	Horizontal	271	1.12	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49075G	49.01	88.20	-39.19	41.68	3	Vertical	97	2.10	-	40.28	11.72	44.67			
RMS	13.49067G	35.91	68.20	-32.29	28.58	3	Vertical	97	2.10	-	40.28	11.72	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49178G	48.74	88.20	-39.46	41.41	3	Horizontal	213	1.79	-	40.28	11.72	44.67			
RMS	13.48846G	36.08	68.20	-32.12	28.75	3	Horizontal	213	1.79	-	40.28	11.72	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24916G	44.14	83.54	-39.40	39.72	1	Vertical	80	1.28	-	37.80	15.37	48.75			
AV	20.22972G	31.64	63.54	-31.90	27.23	1	Vertical	80	1.28	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.24922G	43.70	83.54	-39.84	39.28	1	Horizontal	271	1.74	-	37.80	15.37	48.75			
AV	20.2281G	31.57	63.54	-31.97	27.16	1	Horizontal	271	1.74	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9212G	106.57	Inf	-Inf	97.48	3	Vertical	340	1.80	-	35.60	8.63	35.14			
RMS	6.7574G	96.67	Inf	-Inf	87.41	3	Vertical	340	1.80	-	35.43	9.00	35.17			
PK	7.1384G	72.07	88.20	-16.13	62.87	3	Vertical	340	1.80	-	35.85	8.49	35.14			
RMS	7.1276G	61.82	68.20	-6.38	52.67	3	Vertical	340	1.80	-	35.81	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8042G	108.19	Inf	-Inf	98.75	3	Horizontal	18	1.66	-	35.60	9.01	35.17			
RMS	6.863G	97.59	Inf	-Inf	88.32	3	Horizontal	18	1.66	-	35.60	8.82	35.15			
PK	7.1882G	73.62	88.20	-14.58	64.11	3	Horizontal	18	1.66	-	36.13	8.53	35.15			
RMS	7.1252G	61.94	68.20	-6.26	52.80	3	Horizontal	18	1.66	-	35.80	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81063G	48.50	88.20	-39.70	40.53	3	Vertical	290	2.06	-	40.72	11.69	44.44			
RMS	13.81081G	35.31	68.20	-32.89	27.34	3	Vertical	290	2.06	-	40.72	11.69	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80805G	48.48	88.20	-39.72	40.51	3	Horizontal	79	1.87	-	40.72	11.69	44.44			
RMS	13.81062G	35.38	68.20	-32.82	27.41	3	Horizontal	79	1.87	-	40.72	11.69	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71878G	43.57	83.54	-39.97	38.61	1	Vertical	317	1.25	-	37.90	15.76	48.70			
AV	20.71932G	32.43	63.54	-31.11	27.47	1	Vertical	317	1.25	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72718G	43.37	83.54	-40.17	38.41	1	Horizontal	222	2.87	-	37.90	15.76	48.70			
AV	20.71932G	32.52	63.54	-31.02	27.56	1	Horizontal	222	2.87	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8137G	62.63	88.20	-25.57	55.64	3	Vertical	348	1.75	8.5	34.23	7.97	35.21			
RMS	5.9001G	50.53	68.20	-17.67	43.16	3	Vertical	348	1.75	8.5	34.50	8.07	35.20			
PK	5.9487G	110.71	Inf	-Inf	103.19	3	Vertical	348	1.75	8.5	34.60	8.12	35.20			
RMS	5.9487G	98.60	Inf	-Inf	91.08	3	Vertical	348	1.75	8.5	34.60	8.12	35.20			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8125G	62.31	88.20	-25.89	55.32	3	Horizontal	14	1.51	8.5	34.23	7.97	35.21			
RMS	5.8944G	50.52	68.20	-17.68	43.18	3	Horizontal	14	1.51	8.5	34.48	8.06	35.20			
PK	5.9586G	111.40	Inf	-Inf	103.86	3	Horizontal	14	1.51	8.5	34.60	8.13	35.19			
RMS	5.9592G	99.01	Inf	-Inf	91.47	3	Horizontal	14	1.51	8.5	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91635G	50.37	74.00	-23.63	42.31	3	Vertical	63	1.80	8.5	39.20	11.80	42.94			
AV	11.8953G	36.40	54.00	-17.60	28.36	3	Vertical	63	1.80	8.5	39.20	11.79	42.95			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92247G	50.45	74.00	-23.55	42.39	3	Horizontal	143	2.09	8.5	39.20	11.80	42.94			
AV	11.89522G	36.49	54.00	-17.51	28.45	3	Horizontal	143	2.09	8.5	39.20	11.79	42.95			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 8.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.86746G	44.25	83.54	-39.29	39.48	1	Vertical	221	2.43	-	37.42	15.20	47.85			
AV	17.8785G	32.14	63.54	-31.40	27.35	1	Vertical	221	2.43	-	37.45	15.21	47.87			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
 Setting 8.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.87592G	43.97	83.54	-39.57	39.19	1	Horizontal	121	2.23	-	37.44	15.21	47.87			
AV	17.87838G	32.14	63.54	-31.40	27.35	1	Horizontal	121	2.23	-	37.45	15.21	47.87			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38972G	48.61	74.00	-25.39	41.22	3	Vertical	31	1.37	10	38.62	11.80	43.03			
AV	12.3898G	34.57	54.00	-19.43	27.18	3	Vertical	31	1.37	10	38.62	11.80	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40347G	48.61	74.00	-25.39	41.25	3	Horizontal	55	1.80	10	38.60	11.80	43.04			
AV	12.38992G	35.26	54.00	-18.74	27.87	3	Horizontal	55	1.80	10	38.62	11.80	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 8
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57936G	44.68	83.54	-38.86	40.00	1	Vertical	285	1.89	-	37.80	15.26	48.38			
AV	18.57318G	32.58	63.54	-30.96	27.89	1	Vertical	285	1.89	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 8
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57174G	44.76	83.54	-38.78	40.07	1	Horizontal	137	1.29	-	37.80	15.26	48.37			
AV	18.576G	32.56	63.54	-30.98	27.88	1	Horizontal	137	1.29	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84499G	49.89	88.20	-38.31	41.58	3	Vertical	279	2.95	10	39.18	11.77	42.64			
RMS	12.8137G	35.72	68.20	-32.48	27.57	3	Vertical	279	2.95	10	39.05	11.77	42.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84515G	50.02	88.20	-38.18	41.71	3	Horizontal	86	2.62	10	39.18	11.77	42.64			
RMS	12.82169G	35.79	68.20	-32.41	27.59	3	Horizontal	86	2.62	10	39.09	11.77	42.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25604G	43.77	83.54	-39.77	39.38	1	Vertical	343	1.50	-	37.98	15.21	48.80			
AV	19.24218G	31.37	63.54	-32.17	26.98	1	Vertical	343	1.50	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23384G	43.88	83.54	-39.66	39.52	1	Horizontal	64	1.62	-	37.94	15.22	48.80			
AV	19.24116G	31.29	63.54	-32.25	26.91	1	Horizontal	64	1.62	-	37.96	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86963G	47.10	88.20	-41.10	41.36	3	Vertical	278	2.12	-	39.20	11.76	45.22			
RMS	12.87095G	34.27	68.20	-33.93	28.52	3	Vertical	278	2.12	-	39.20	11.76	45.21			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86822G	46.97	88.20	-41.23	41.23	3	Horizontal	231	1.22	-	39.20	11.76	45.22			
RMS	12.87153G	34.36	68.20	-33.84	28.61	3	Horizontal	231	1.22	-	39.20	11.76	45.21			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
 Setting 7.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30674G	44.13	83.54	-39.41	39.92	1	Vertical	125	2.81	-	37.80	15.21	48.80			
AV	19.29528G	31.95	63.54	-31.59	27.72	1	Vertical	125	2.81	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 7.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2918G	43.27	83.54	-40.27	39.03	1	Horizontal	257	1.88	-	37.83	15.21	48.80			
AV	19.29516G	31.80	63.54	-31.74	27.57	1	Horizontal	257	1.88	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94927G	46.66	88.20	-41.54	40.73	3	Vertical	85	2.27	-	39.30	11.76	45.13			
RMS	12.95068G	33.93	68.20	-34.27	28.00	3	Vertical	85	2.27	-	39.30	11.76	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95021G	46.01	88.20	-42.19	40.08	3	Horizontal	140	2.37	-	39.30	11.76	45.13			
RMS	12.95093G	33.97	68.20	-34.23	28.03	3	Horizontal	140	2.37	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4265G	43.76	83.54	-39.78	39.57	1	Vertical	300	2.62	-	37.79	15.20	48.80			
AV	19.41114G	31.94	63.54	-31.60	27.67	1	Vertical	300	2.62	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
 Setting 7.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43406G	43.53	83.54	-40.01	39.37	1	Horizontal	302	2.68	-	37.76	15.20	48.80			
AV	19.41036G	31.86	63.54	-31.68	27.59	1	Horizontal	302	2.68	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02992G	46.35	88.20	-41.85	40.29	3	Vertical	88	2.02	-	39.36	11.75	45.05			
RMS	13.0298G	34.03	68.20	-34.17	27.97	3	Vertical	88	2.02	-	39.36	11.75	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02839G	46.90	88.20	-41.30	40.84	3	Horizontal	339	1.34	-	39.36	11.75	45.05			
RMS	13.02834G	34.11	68.20	-34.09	28.05	3	Horizontal	339	1.34	-	39.36	11.75	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
 Setting 7
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5519G	43.63	83.54	-39.91	39.53	1	Vertical	201	2.61	-	37.70	15.20	48.80			
AV	19.55142G	31.59	63.54	-31.95	27.49	1	Vertical	201	2.61	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
 Setting 7
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54674G	43.43	83.54	-40.11	39.32	1	Horizontal	114	2.84	-	37.71	15.20	48.80			
AV	19.54554G	31.52	63.54	-32.02	27.41	1	Horizontal	114	2.84	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06952G	47.06	88.20	-41.14	40.84	3	Vertical	347	1.22	-	39.48	11.75	45.01			
RMS	13.07077G	34.22	68.20	-33.98	28.00	3	Vertical	347	1.22	-	39.48	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07018G	46.48	88.20	-41.72	40.26	3	Horizontal	85	1.90	-	39.48	11.75	45.01			
RMS	13.07126G	34.25	68.20	-33.95	28.02	3	Horizontal	85	1.90	-	39.49	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59402G	44.22	83.54	-39.32	40.13	1	Vertical	257	1.23	-	37.70	15.19	48.80			
AV	19.59402G	31.72	63.54	-31.82	27.63	1	Vertical	257	1.23	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61076G	43.66	83.54	-39.88	39.57	1	Horizontal	278	2.46	-	37.70	15.19	48.80			
AV	19.59432G	31.72	63.54	-31.82	27.63	1	Horizontal	278	2.46	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38906G	48.89	74.00	-25.11	41.83	3	Vertical	28	2.02	-	40.08	11.73	44.75			
AV	13.39015G	35.57	54.00	-18.43	28.51	3	Vertical	28	2.02	-	40.08	11.73	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38905G	48.29	74.00	-25.71	41.23	3	Horizontal	34	1.17	-	40.08	11.73	44.75			
AV	13.39014G	35.62	54.00	-18.38	28.56	3	Horizontal	34	1.17	-	40.08	11.73	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.08764G	43.91	83.54	-39.63	39.65	1	Vertical	303	1.16	-	37.80	15.24	48.78				
AV	20.07042G	31.19	63.54	-32.35	26.95	1	Vertical	303	1.16	-	37.80	15.23	48.79				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09358G	43.77	83.54	-39.77	39.50	1	Horizontal	134	1.87	-	37.80	15.25	48.78			
AV	20.07126G	31.19	63.54	-32.35	26.95	1	Horizontal	134	1.87	-	37.80	15.23	48.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75072G	47.82	88.20	-40.38	40.00	3	Vertical	16	2.06	-	40.60	11.70	44.48			
RMS	13.75G	35.20	68.20	-33.00	27.38	3	Vertical	16	2.06	-	40.60	11.70	44.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74773G	47.84	88.20	-40.36	40.04	3	Horizontal	214	2.84	-	40.59	11.70	44.49			
RMS	13.75074G	35.24	68.20	-32.96	27.42	3	Horizontal	214	2.84	-	40.60	11.70	44.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.63658G	44.02	83.54	-39.52	39.13	1	Vertical	95	2.77	-	37.90	15.69	48.70				
AV	20.63274G	31.75	63.54	-31.79	26.86	1	Vertical	95	2.77	-	37.90	15.69	48.70				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 7
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.61372G	43.82	83.54	-39.72	38.95	1	Horizontal	286	1.78	-	37.90	15.67	48.70				
AV	20.6322G	31.66	63.54	-31.88	26.77	1	Horizontal	286	1.78	-	37.90	15.69	48.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78909G	48.32	88.20	-39.88	40.40	3	Vertical	251	1.01	-	40.68	11.70	44.46			
RMS	13.7906G	35.08	68.20	-33.12	27.16	3	Vertical	251	1.01	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79079G	48.51	88.20	-39.69	40.59	3	Horizontal	183	2.08	-	40.68	11.70	44.46			
RMS	13.79175G	35.17	68.20	-33.03	27.25	3	Horizontal	183	2.08	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 7.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67966G	43.71	83.54	-39.83	38.79	1	Vertical	4	2.77	-	37.90	15.72	48.70			
AV	20.67012G	31.65	63.54	-31.89	26.73	1	Vertical	4	2.77	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 7.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68446G	44.03	83.54	-39.51	39.10	1	Horizontal	356	2.33	-	37.90	15.73	48.70			
AV	20.67018G	31.65	63.54	-31.89	26.73	1	Horizontal	356	2.33	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99006G	49.58	88.20	-38.62	41.06	3	Vertical	94	1.78	-	41.16	11.68	44.32			
RMS	13.98909G	36.59	68.20	-31.61	28.07	3	Vertical	94	1.78	-	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_V_2TX
Setting 8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98767G	49.20	88.20	-39.00	40.69	3	Horizontal	242	2.82	-	41.15	11.68	44.32			
RMS	13.98958G	36.67	68.20	-31.53	28.15	3	Horizontal	242	2.82	-	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 8.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98338G	44.22	83.54	-39.32	38.98	1	Vertical	313	2.42	-	37.97	15.97	48.70			
AV	20.97954G	32.25	63.54	-31.29	27.02	1	Vertical	313	2.42	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_V_2TX
Setting 8.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97426G	44.26	83.54	-39.28	39.05	1	Horizontal	209	1.53	-	37.95	15.96	48.70			
AV	20.98584G	32.26	63.54	-31.28	27.02	1	Horizontal	209	1.53	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET9.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.1013G	99.07	Inf	-Inf	100.56	3	Vertical	6	1.46	9.5	35.70	8.46	35.14				
RMS	7.1013G	99.07	Inf	-Inf	90.04	3	Vertical	6	1.46	9.5	35.71	8.46	35.14				
PK	7.1799G	61.83	88.20	-26.37	52.37	3	Vertical	6	1.46	9.5	36.08	8.52	35.14				
RMS	7.2429G	50.03	68.20	-18.17	40.15	3	Vertical	6	1.46	9.5	36.46	8.57	35.15				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET9.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0929G	107.89	Inf	-Inf	98.89	3	Horizontal	16	1.63	9.5	35.69	8.45	35.14			
RMS	7.0914G	97.96	Inf	-Inf	88.97	3	Horizontal	16	1.63	9.5	35.68	8.45	35.14			
PK	7.1298G	61.63	88.20	-26.57	52.47	3	Horizontal	16	1.63	9.5	35.82	8.48	35.14			
RMS	7.2411G	50.02	68.20	-18.18	40.15	3	Horizontal	16	1.63	9.5	36.45	8.57	35.15			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 9.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19015G	48.75	88.20	-39.45	39.83	3	Vertical	10	2.51	-	41.66	11.83	44.57			
RMS	14.18994G	35.98	68.20	-32.22	27.06	3	Vertical	10	2.51	-	41.66	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 9.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18872G	48.82	88.20	-39.38	39.91	3	Horizontal	271	1.40	-	41.65	11.83	44.57			
RMS	14.18931G	36.03	68.20	-32.17	27.11	3	Horizontal	271	1.40	-	41.66	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 9.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27012G	43.96	83.54	-39.58	38.36	1	Vertical	75	1.49	-	38.04	16.21	48.65			
AV	21.28092G	32.43	63.54	-31.11	26.80	1	Vertical	75	1.49	-	38.06	16.21	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 9.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28218G	44.94	83.54	-38.60	39.31	1	Horizontal	229	1.44	-	38.06	16.21	48.64			
AV	21.28464G	32.35	63.54	-31.19	26.70	1	Horizontal	229	1.44	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 0.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1205G	100.65	Inf	-Inf	90.39	3	Vertical	11	1.80	BP 1MHz	36.04	8.40	34.18			
RMS	7.1205G	94.33	Inf	-Inf	84.07	3	Vertical	11	1.80	BP 1MHz	36.04	8.40	34.18			
PK	7.1255G	79.07	88.20	-9.13	68.79	3	Vertical	11	1.80	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.15	68.20	-0.05	57.87	3	Vertical	11	1.80	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 0.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1125G	99.91	Inf	-Inf	89.68	3	Horizontal	15	2.11	BP 1MHz	36.02	8.39	34.18			
RMS	7.1115G	93.35	Inf	-Inf	83.12	3	Horizontal	15	2.11	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	73.82	88.20	-14.38	63.54	3	Horizontal	15	2.11	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	63.49	68.20	-4.71	53.21	3	Horizontal	15	2.11	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 0.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.21792G	49.04	88.20	-39.16	59.59	3	Vertical	356	2.00	-	41.26	12.17	63.98			
RMS	14.21136G	34.46	68.20	-33.74	45.01	3	Vertical	356	2.00	-	41.28	12.17	64.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 0.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.211G	51.34	88.20	-36.86	61.89	3	Horizontal	186	1.96	-	41.28	12.17	64.00			
RMS	14.21112G	39.65	68.20	-28.55	50.20	3	Horizontal	186	1.96	-	41.28	12.17	64.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 0.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33096G	43.78	83.54	-39.76	38.06	1	Vertical	168	2.28	-	38.10	16.25	48.63			
AV	21.33312G	32.32	63.54	-31.22	26.59	1	Vertical	168	2.28	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
 Setting 0.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35868G	43.64	83.54	-39.90	37.89	1	Horizontal	66	1.27	-	38.10	16.28	48.63			
AV	21.33066G	32.39	63.54	-31.15	26.67	1	Horizontal	66	1.27	-	38.10	16.25	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9068G	62.43	88.20	-25.77	55.05	3	Vertical	29	1.60	10.5	34.51	8.07	35.20			
RMS	5.9179G	50.64	68.20	-17.56	43.22	3	Vertical	29	1.60	10.5	34.54	8.08	35.20			
PK	5.9596G	109.21	Inf	-Inf	101.67	3	Vertical	29	1.60	10.5	34.60	8.13	35.19			
RMS	5.98G	98.83	Inf	-Inf	91.27	3	Vertical	29	1.60	10.5	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8864G	62.39	88.20	-25.81	55.09	3	Horizontal	16	1.74	10.5	34.45	8.05	35.20			
RMS	5.9248G	50.60	68.20	-17.60	43.16	3	Horizontal	16	1.74	10.5	34.55	8.09	35.20			
PK	5.9722G	110.31	Inf	-Inf	102.76	3	Horizontal	16	1.74	10.5	34.60	8.14	35.19			
RMS	5.9704G	97.88	Inf	-Inf	90.33	3	Horizontal	16	1.74	10.5	34.60	8.14	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93047G	47.66	74.00	-26.34	42.00	3	Vertical	178	2.30	-	39.20	11.80	45.34			
AV	11.92982G	35.11	54.00	-18.89	29.45	3	Vertical	178	2.30	-	39.20	11.80	45.34			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93171G	48.20	74.00	-25.80	42.54	3	Horizontal	258	1.55	-	39.20	11.80	45.34			
AV	11.9323G	35.26	54.00	-18.74	29.60	3	Horizontal	258	1.55	-	39.20	11.80	45.34			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.88066G	43.62	83.54	-39.92	38.84	1	Vertical	146	2.25	-	37.45	15.21	47.88			
AV	17.88234G	32.21	63.54	-31.33	27.43	1	Vertical	146	2.25	-	37.45	15.21	47.88			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.90454G	43.91	83.54	-39.63	39.12	1	Horizontal	131	2.51	-	37.50	15.23	47.94			
AV	17.88078G	32.21	63.54	-31.33	27.43	1	Horizontal	131	2.51	-	37.45	15.21	47.88			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41042G	45.48	74.00	-28.52	40.66	3	Vertical	54	2.25	-	38.60	11.80	45.58			
AV	12.41084G	32.94	54.00	-21.06	28.12	3	Vertical	54	2.25	-	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41237G	45.39	74.00	-28.61	40.57	3	Horizontal	359	1.81	-	38.60	11.80	45.58			
AV	12.41102G	33.00	54.00	-21.00	28.18	3	Horizontal	359	1.81	-	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61338G	43.24	83.54	-40.30	38.57	1	Vertical	324	2.72	-	37.83	15.25	48.41			
AV	18.60294G	32.37	63.54	-31.17	27.71	1	Vertical	324	2.72	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60648G	43.60	83.54	-39.94	38.95	1	Horizontal	324	1.90	-	37.81	15.25	48.41			
AV	18.60828G	32.37	63.54	-31.17	27.71	1	Horizontal	324	1.90	-	37.82	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81094G	47.00	88.20	-41.20	41.47	3	Vertical	267	2.32	-	39.04	11.77	45.28			
RMS	12.81027G	33.92	68.20	-34.28	28.39	3	Vertical	267	2.32	-	39.04	11.77	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8125G	46.59	88.20	-41.61	41.05	3	Horizontal	149	2.44	-	39.05	11.77	45.28			
RMS	12.80852G	34.06	68.20	-34.14	28.54	3	Horizontal	149	2.44	-	39.03	11.77	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20132G	43.65	83.54	-39.89	39.42	1	Vertical	124	1.84	-	37.81	15.22	48.80			
AV	19.20006G	31.58	63.54	-31.96	27.36	1	Vertical	124	1.84	-	37.80	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.2111G	43.90	83.54	-39.64	39.64	1	Horizontal	66	1.99	-	37.84	15.22	48.80				
AV	19.20018G	31.58	63.54	-31.96	27.36	1	Horizontal	66	1.99	-	37.80	15.22	48.80				

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_V_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88983G	46.81	88.20	-41.39	41.04	3	Vertical	215	1.87	-	39.20	11.76	45.19			
RMS	12.89093G	34.28	68.20	-33.92	28.51	3	Vertical	215	1.87	-	39.20	11.76	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88809G	46.99	88.20	-41.21	41.23	3	Horizontal	162	1.53	-	39.20	11.76	45.20			
RMS	12.89071G	34.30	68.20	-33.90	28.53	3	Horizontal	162	1.53	-	39.20	11.76	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3203G	43.67	83.54	-39.87	39.46	1	Vertical	111	2.21	-	37.80	15.21	48.80			
AV	19.33554G	31.58	63.54	-31.96	27.37	1	Vertical	111	2.21	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
 Setting 10.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33638G	43.95	83.54	-39.59	39.74	1	Horizontal	320	1.77	-	37.80	15.21	48.80			
AV	19.33044G	31.62	63.54	-31.92	27.41	1	Horizontal	320	1.77	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96999G	46.50	88.20	-41.70	40.54	3	Vertical	312	2.19	-	39.30	11.76	45.10			
RMS	12.9706G	33.81	68.20	-34.39	27.85	3	Vertical	312	2.19	-	39.30	11.76	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96971G	46.99	88.20	-41.21	41.03	3	Horizontal	218	2.33	-	39.30	11.76	45.10			
RMS	12.96935G	33.85	68.20	-34.35	27.89	3	Horizontal	218	2.33	-	39.30	11.76	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45422G	44.23	83.54	-39.31	40.12	1	Vertical	310	1.01	-	37.71	15.20	48.80			
AV	19.4598G	31.41	63.54	-32.13	27.29	1	Vertical	310	1.01	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46328G	43.77	83.54	-39.77	39.64	1	Horizontal	176	1.45	-	37.73	15.20	48.80			
AV	19.45656G	31.39	63.54	-32.15	27.28	1	Horizontal	176	1.45	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0506G	46.11	88.20	-42.09	39.99	3	Vertical	105	2.15	-	39.40	11.75	45.03			
RMS	13.05009G	33.89	68.20	-34.31	27.77	3	Vertical	105	2.15	-	39.40	11.75	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04982G	47.34	88.20	-40.86	41.22	3	Horizontal	170	2.30	-	39.40	11.75	45.03			
RMS	13.04757G	33.98	68.20	-34.22	27.86	3	Horizontal	170	2.30	-	39.40	11.75	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.587G	43.42	83.54	-40.12	39.33	1	Vertical	320	2.11	-	37.70	15.19	48.80			
AV	19.58832G	31.77	63.54	-31.77	27.68	1	Vertical	320	2.11	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58922G	43.08	83.54	-40.46	38.99	1	Horizontal	99	1.34	-	37.70	15.19	48.80			
AV	19.58748G	31.78	63.54	-31.76	27.69	1	Horizontal	99	1.34	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13017G	47.73	88.20	-40.47	41.34	3	Vertical	215	1.39	-	39.60	11.75	44.96			
RMS	13.1294G	34.68	68.20	-33.52	28.29	3	Vertical	215	1.39	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13193G	47.45	88.20	-40.75	41.06	3	Horizontal	150	2.40	-	39.60	11.75	44.96			
RMS	13.12946G	34.75	68.20	-33.45	28.36	3	Horizontal	150	2.40	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69068G	43.52	83.54	-40.02	39.43	1	Vertical	258	2.27	-	37.70	15.19	48.80			
AV	19.68522G	31.36	63.54	-32.18	27.27	1	Vertical	258	2.27	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69224G	43.60	83.54	-39.94	39.51	1	Horizontal	26	1.24	-	37.70	15.19	48.80			
AV	19.68486G	31.36	63.54	-32.18	27.27	1	Horizontal	26	1.24	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36907G	48.22	74.00	-25.78	41.22	3	Vertical	326	1.78	-	40.04	11.73	44.77			
AV	13.37062G	35.35	54.00	-18.65	28.35	3	Vertical	326	1.78	-	40.04	11.73	44.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37181G	48.13	74.00	-25.87	41.13	3	Horizontal	160	1.73	-	40.04	11.73	44.77			
AV	13.37031G	35.39	54.00	-18.61	28.39	3	Horizontal	160	1.73	-	40.04	11.73	44.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.04372G	43.69	83.54	-39.85	39.48	1	Vertical	104	2.59	-	37.79	15.21	48.79				
AV	20.0514G	31.32	63.54	-32.22	27.10	1	Vertical	104	2.59	-	37.80	15.21	48.79				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.06076G	43.71	83.54	-39.83	39.48	1	Horizontal	141	2.12	-	37.80	15.22	48.79				
AV	20.05734G	31.31	63.54	-32.23	27.08	1	Horizontal	141	2.12	-	37.80	15.22	48.79				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT Y_2TX
Setting 11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77041G	47.82	88.20	-40.38	39.95	3	Vertical	71	1.09	-	40.64	11.70	44.47			
RMS	13.76955G	35.20	68.20	-33.00	27.33	3	Vertical	71	1.09	-	40.64	11.70	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76814G	48.23	88.20	-39.97	40.36	3	Horizontal	337	2.13	-	40.64	11.70	44.47			
RMS	13.76958G	35.23	68.20	-32.97	27.36	3	Horizontal	337	2.13	-	40.64	11.70	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 11
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64594G	43.68	83.54	-39.86	38.78	1	Vertical	30	1.77	-	37.90	15.70	48.70			
AV	20.64204G	31.74	63.54	-31.80	26.85	1	Vertical	30	1.77	-	37.90	15.69	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_V_2TX
Setting 11
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66484G	43.88	83.54	-39.66	38.97	1	Horizontal	104	1.55	-	37.90	15.71	48.70			
AV	20.64036G	31.74	63.54	-31.80	26.85	1	Horizontal	104	1.55	-	37.90	15.69	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84903G	49.88	88.20	-38.32	41.81	3	Vertical	124	1.46	-	40.80	11.69	44.42			
RMS	13.85014G	36.10	68.20	-32.10	28.02	3	Vertical	124	1.46	-	40.80	11.69	44.41			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_V_2TX
Setting 10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85174G	49.20	88.20	-39.00	41.12	3	Horizontal	162	1.92	-	40.80	11.69	44.41			
RMS	13.8502G	36.10	68.20	-32.10	28.02	3	Horizontal	162	1.92	-	40.80	11.69	44.41			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78628G	43.66	83.54	-39.88	38.65	1	Vertical	101	1.20	-	37.90	15.81	48.70			
AV	20.7678G	31.92	63.54	-31.62	26.92	1	Vertical	101	1.20	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78046G	43.58	83.54	-39.96	38.57	1	Horizontal	248	2.11	-	37.90	15.81	48.70			
AV	20.76888G	31.93	63.54	-31.61	26.93	1	Horizontal	248	2.11	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01011G	49.22	88.20	-38.98	40.65	3	Vertical	274	1.25	-	41.20	11.69	44.32			
RMS	14.00904G	36.46	68.20	-31.74	27.89	3	Vertical	274	1.25	-	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 10.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01229G	48.91	88.20	-39.29	40.35	3	Horizontal	137	1.45	-	41.20	11.69	44.33			
RMS	14.00751G	36.49	68.20	-31.71	27.92	3	Horizontal	137	1.45	-	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0246G	44.14	83.54	-39.40	38.83	1	Vertical	225	2.97	-	38.00	16.01	48.70			
AV	21.01638G	32.13	63.54	-31.41	26.83	1	Vertical	225	2.97	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01368G	44.71	83.54	-38.83	39.41	1	Horizontal	77	1.59	-	38.00	16.00	48.70			
AV	21.01356G	32.13	63.54	-31.41	26.83	1	Horizontal	77	1.59	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0703G	109.13	Inf	-Inf	100.20	3	Vertical	18	1.60	11.5	35.64	8.43	35.14				
RMS	7.0709G	98.48	Inf	-Inf	89.55	3	Vertical	18	1.60	11.5	35.64	8.43	35.14				
PK	7.1729G	61.36	88.20	-26.84	51.94	3	Vertical	18	1.60	11.5	36.04	8.52	35.14				
RMS	7.2326G	49.94	68.20	-18.26	40.13	3	Vertical	18	1.60	11.5	36.40	8.56	35.15				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0817G	108.93	Inf	-Inf	99.97	3	Horizontal	20	1.49	11.5	35.66	8.44	35.14			
RMS	7.0829G	97.45	Inf	-Inf	88.48	3	Horizontal	20	1.49	11.5	35.67	8.44	35.14			
PK	7.1258G	61.42	88.20	-26.78	52.28	3	Horizontal	20	1.49	11.5	35.80	8.48	35.14			
RMS	7.2317G	50.08	68.20	-18.12	40.28	3	Horizontal	20	1.49	11.5	36.39	8.56	35.15			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17076G	48.43	88.20	-39.77	39.57	3	Vertical	144	2.22	-	41.58	11.82	44.54			
RMS	14.17039G	35.93	68.20	-32.27	27.07	3	Vertical	144	2.22	-	41.58	11.82	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16991G	48.47	88.20	-39.73	39.61	3	Horizontal	135	2.84	-	41.58	11.82	44.54			
RMS	14.16844G	35.96	68.20	-32.24	27.12	3	Horizontal	135	2.84	-	41.57	11.81	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 11.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26898G	43.90	83.54	-39.64	38.31	1	Vertical	272	1.88	-	38.04	16.20	48.65			
AV	21.24048G	32.31	63.54	-31.23	26.76	1	Vertical	272	1.88	-	38.02	16.18	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24558G	43.70	83.54	-39.84	38.15	1	Horizontal	234	2.50	-	38.01	16.19	48.65			
AV	21.24018G	32.31	63.54	-31.23	26.76	1	Horizontal	234	2.50	-	38.02	16.18	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8525G	62.58	88.20	-25.62	55.45	3	Vertical	29	1.58	14	34.31	8.02	35.20			
RMS	5.918G	51.05	68.20	-17.15	43.63	3	Vertical	29	1.58	14	34.54	8.08	35.20			
PK	6G	109.27	Inf	-Inf	101.69	3	Vertical	29	1.58	14	34.60	8.17	35.19			
RMS	6.0185G	98.93	Inf	-Inf	91.32	3	Vertical	29	1.58	14	34.60	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	62.71	88.20	-25.49	55.27	3	Horizontal	20	1.58	14	34.55	8.09	35.20			
RMS	5.9245G	50.82	68.20	-17.38	43.38	3	Horizontal	20	1.58	14	34.55	8.09	35.20			
PK	6.0075G	109.07	Inf	-Inf	101.48	3	Horizontal	20	1.58	14	34.60	8.18	35.19			
RMS	6.0085G	98.04	Inf	-Inf	90.45	3	Horizontal	20	1.58	14	34.60	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96959G	48.39	74.00	-25.61	42.76	3	Vertical	300	2.70	-	39.16	11.82	45.35			
AV	11.97074G	35.27	54.00	-18.73	29.64	3	Vertical	300	2.70	-	39.16	11.82	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97192G	48.30	74.00	-25.70	42.67	3	Horizontal	325	2.97	-	39.16	11.82	45.35			
AV	11.97227G	35.44	54.00	-18.56	29.81	3	Horizontal	325	2.97	-	39.16	11.82	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.96238G	44.27	83.54	-39.27	39.48	1	Vertical	220	1.60	-	37.62	15.27	48.10			
AV	17.96952G	32.36	63.54	-31.18	27.57	1	Vertical	220	1.60	-	37.64	15.27	48.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94342G	44.26	83.54	-39.28	39.48	1	Horizontal	47	1.88	-	37.58	15.25	48.05			
AV	17.96958G	32.28	63.54	-31.26	27.49	1	Horizontal	47	1.88	-	37.64	15.27	48.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45022G	45.73	74.00	-28.27	40.93	3	Vertical	256	1.10	-	38.60	11.80	45.60			
AV	12.45014G	32.84	54.00	-21.16	28.04	3	Vertical	256	1.10	-	38.60	11.80	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45087G	45.68	74.00	-28.32	40.88	3	Horizontal	182	2.00	-	38.60	11.80	45.60			
AV	12.45066G	32.95	54.00	-21.05	28.15	3	Horizontal	182	2.00	-	38.60	11.80	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68082G	44.22	83.54	-39.32	39.55	1	Vertical	122	2.83	-	37.90	15.25	48.48			
AV	18.68874G	31.97	63.54	-31.57	27.31	1	Vertical	122	2.83	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66438G	44.33	83.54	-39.21	39.64	1	Horizontal	287	1.04	-	37.90	15.25	48.46			
AV	18.68952G	31.89	63.54	-31.65	27.23	1	Horizontal	287	1.04	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76927G	46.96	88.20	-41.24	41.64	3	Vertical	291	2.93	-	38.88	11.77	45.33			
RMS	12.76902G	33.91	68.20	-34.29	28.59	3	Vertical	291	2.93	-	38.88	11.77	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77175G	46.77	88.20	-41.43	41.44	3	Horizontal	153	2.14	-	38.89	11.77	45.33			
RMS	12.77018G	34.02	68.20	-34.18	28.70	3	Horizontal	153	2.14	-	38.88	11.77	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14132G	44.23	83.54	-39.31	39.81	1	Vertical	182	1.65	-	38.00	15.22	48.80			
AV	19.15098G	32.01	63.54	-31.53	27.59	1	Vertical	182	1.65	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1487G	43.87	83.54	-39.67	39.45	1	Horizontal	172	2.51	-	38.00	15.22	48.80			
AV	19.14024G	32.03	63.54	-31.51	27.61	1	Horizontal	172	2.51	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92921G	47.07	88.20	-41.13	41.20	3	Vertical	127	1.56	-	39.26	11.76	45.15			
RMS	12.9303G	34.05	68.20	-34.15	28.18	3	Vertical	127	1.56	-	39.26	11.76	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_V_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92782G	46.62	88.20	-41.58	40.75	3	Horizontal	34	2.11	-	39.26	11.76	45.15			
RMS	12.93047G	34.07	68.20	-34.13	28.20	3	Horizontal	34	2.11	-	39.26	11.76	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_V_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3869G	43.15	83.54	-40.39	38.87	1	Vertical	21	2.43	-	37.87	15.21	48.80			
AV	19.38024G	32.02	63.54	-31.52	27.75	1	Vertical	21	2.43	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.39896G	43.41	83.54	-40.13	39.10	1	Horizontal	348	1.75	-	37.90	15.21	48.80				
AV	19.38066G	32.02	63.54	-31.52	27.75	1	Horizontal	348	1.75	-	37.86	15.21	48.80				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09093G	47.78	88.20	-40.42	41.47	3	Vertical	248	1.53	-	39.56	11.75	45.00			
RMS	13.09035G	34.42	68.20	-33.78	28.11	3	Vertical	248	1.53	-	39.56	11.75	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_V_2TX
Setting 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09153G	46.53	88.20	-41.67	40.20	3	Horizontal	209	1.35	-	39.57	11.75	44.99			
RMS	13.08986G	34.44	68.20	-33.76	28.13	3	Horizontal	209	1.35	-	39.56	11.75	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63914G	43.19	83.54	-40.35	39.10	1	Vertical	310	1.49	-	37.70	15.19	48.80			
AV	19.63686G	31.51	63.54	-32.03	27.42	1	Vertical	310	1.49	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_V_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63896G	42.98	83.54	-40.56	38.89	1	Horizontal	221	2.87	-	37.70	15.19	48.80			
AV	19.63992G	31.48	63.54	-32.06	27.39	1	Horizontal	221	2.87	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25092G	47.59	74.00	-26.41	40.81	3	Vertical	42	1.91	-	39.90	11.74	44.86			
AV	13.25G	34.96	54.00	-19.04	28.18	3	Vertical	42	1.91	-	39.90	11.74	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25121G	48.13	74.00	-25.87	41.35	3	Horizontal	63	2.06	-	39.90	11.74	44.86			
AV	13.25027G	35.05	54.00	-18.95	28.27	3	Horizontal	63	2.06	-	39.90	11.74	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87374G	43.75	83.54	-39.79	39.67	1	Vertical	90	2.37	-	37.70	15.18	48.80			
AV	19.86534G	31.36	63.54	-32.18	27.28	1	Vertical	90	2.37	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88592G	43.33	83.54	-40.21	39.25	1	Horizontal	356	2.62	-	37.70	15.18	48.80			
AV	19.887G	31.42	63.54	-32.12	27.34	1	Horizontal	356	2.62	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41032G	48.03	88.20	-40.17	40.92	3	Vertical	82	1.73	-	40.12	11.72	44.73			
RMS	13.40952G	35.74	68.20	-32.46	28.63	3	Vertical	82	1.73	-	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41183G	48.50	88.20	-39.70	41.39	3	Horizontal	299	2.99	-	40.12	11.72	44.73			
RMS	13.41235G	35.82	68.20	-32.38	28.71	3	Horizontal	299	2.99	-	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 14
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10816G	44.19	83.54	-39.35	39.91	1	Vertical	131	2.64	-	37.80	15.26	48.78			
AV	20.1267G	31.36	63.54	-32.18	27.06	1	Vertical	131	2.64	-	37.80	15.27	48.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11782G	43.32	83.54	-40.22	39.03	1	Horizontal	190	2.78	-	37.80	15.27	48.78			
AV	20.1177G	31.20	63.54	-32.34	26.91	1	Horizontal	190	2.78	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57083G	48.54	88.20	-39.66	41.04	3	Vertical	94	2.69	-	40.40	11.71	44.61			
RMS	13.57014G	35.54	68.20	-32.66	28.04	3	Vertical	94	2.69	-	40.40	11.71	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57168G	48.10	88.20	-40.10	40.60	3	Horizontal	103	1.05	-	40.40	11.71	44.61			
RMS	13.56764G	35.65	68.20	-32.55	28.15	3	Horizontal	103	1.05	-	40.40	11.71	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35296G	43.04	83.54	-40.50	38.42	1	Vertical	23	2.75	-	37.89	15.46	48.73			
AV	20.36634G	31.57	63.54	-31.97	26.96	1	Vertical	23	2.75	-	37.87	15.47	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36856G	43.36	83.54	-40.18	38.76	1	Horizontal	279	1.00	-	37.86	15.47	48.73			
AV	20.36634G	31.57	63.54	-31.97	26.96	1	Horizontal	279	1.00	-	37.87	15.47	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72933G	47.85	88.20	-40.35	40.13	3	Vertical	338	1.70	-	40.52	11.70	44.50			
RMS	13.73041G	35.14	68.20	-33.06	27.42	3	Vertical	338	1.70	-	40.52	11.70	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_V_2TX
Setting 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7296G	48.77	88.20	-39.43	41.05	3	Horizontal	103	1.36	-	40.52	11.70	44.50			
RMS	13.73126G	35.19	68.20	-33.01	27.46	3	Horizontal	103	1.36	-	40.53	11.70	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.5896G	43.63	83.54	-39.91	38.78	1	Vertical	295	1.56	-	37.90	15.65	48.70				
AV	20.5845G	31.84	63.54	-31.70	26.99	1	Vertical	295	1.56	-	37.90	15.65	48.70				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.58822G	43.73	83.54	-39.81	38.88	1	Horizontal	307	1.62	-	37.90	15.65	48.70				
AV	20.59686G	31.84	63.54	-31.70	26.98	1	Horizontal	307	1.62	-	37.90	15.66	48.70				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8905G	49.41	88.20	-38.79	41.23	3	Vertical	39	2.75	-	40.88	11.69	44.39			
RMS	13.89093G	36.50	68.20	-31.70	28.32	3	Vertical	39	2.75	-	40.88	11.69	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89236G	50.01	88.20	-38.19	41.83	3	Horizontal	26	1.05	-	40.88	11.69	44.39			
RMS	13.8893G	36.84	68.20	-31.36	28.66	3	Horizontal	26	1.05	-	40.88	11.69	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8479G	44.03	83.54	-39.51	38.97	1	Vertical	342	1.59	-	37.90	15.86	48.70			
AV	20.8446G	32.07	63.54	-31.47	27.01	1	Vertical	342	1.59	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83578G	43.89	83.54	-39.65	38.84	1	Horizontal	318	2.15	-	37.90	15.85	48.70			
AV	20.84532G	32.07	63.54	-31.47	27.01	1	Horizontal	318	2.15	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9906G	108.11	Inf	-Inf	99.24	3	Vertical	5	1.64	-	35.60	8.40	35.13			
RMS	6.9922G	98.77	Inf	-Inf	89.90	3	Vertical	5	1.64	-	35.60	8.40	35.13			
PK	7.189G	60.44	88.20	-27.76	50.93	3	Vertical	5	1.64	-	36.13	8.53	35.15			
RMS	7.2246G	50.41	68.20	-17.79	40.65	3	Vertical	5	1.64	-	36.35	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0066G	106.25	Inf	-Inf	97.40	3	Horizontal	20	1.56	-	35.60	8.38	35.13			
RMS	7.003G	97.01	Inf	-Inf	88.17	3	Horizontal	20	1.56	-	35.60	8.37	35.13			
PK	7.183G	60.43	88.20	-27.77	50.94	3	Horizontal	20	1.56	-	36.10	8.53	35.14			
RMS	7.2246G	50.43	68.20	-17.77	40.67	3	Horizontal	20	1.56	-	36.35	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04992G	48.70	88.20	-39.50	40.16	3	Vertical	187	2.26	-	41.20	11.72	44.38			
RMS	14.04908G	36.40	68.20	-31.80	27.86	3	Vertical	187	2.26	-	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04873G	49.46	88.20	-38.74	40.92	3	Horizontal	203	1.52	-	41.20	11.72	44.38			
RMS	14.04789G	36.51	68.20	-31.69	27.97	3	Horizontal	203	1.52	-	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07884G	44.61	83.54	-38.93	39.24	1	Vertical	262	1.04	-	38.00	16.05	48.68			
AV	21.07176G	32.00	63.54	-31.54	26.65	1	Vertical	262	1.04	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06258G	44.04	83.54	-39.50	38.69	1	Horizontal	175	2.21	-	38.00	16.04	48.69			
AV	21.06216G	31.94	63.54	-31.60	26.59	1	Horizontal	175	2.21	-	38.00	16.04	48.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9165G	62.75	88.20	-25.45	55.34	3	Vertical	27	1.80	16.5	34.53	8.08	35.20				
RMS	5.92G	51.63	68.20	-16.57	44.20	3	Vertical	27	1.80	16.5	34.54	8.09	35.20				
PK	6.0975G	109.88	Inf	-Inf	101.88	3	Vertical	27	1.80	16.5	34.88	8.32	35.20				
RMS	6.098G	98.87	Inf	-Inf	90.86	3	Vertical	27	1.80	16.5	34.89	8.32	35.20				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	62.82	88.20	-25.38	55.38	3	Horizontal	18	1.56	16	34.55	8.09	35.20			
RMS	5.9245G	51.60	68.20	-16.60	44.16	3	Horizontal	18	1.56	16	34.55	8.09	35.20			
PK	6.09G	109.37	Inf	-Inf	101.43	3	Horizontal	18	1.56	16	34.84	8.30	35.20			
RMS	6.0875G	98.78	Inf	-Inf	90.85	3	Horizontal	18	1.56	16	34.83	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04949G	47.52	74.00	-26.48	42.08	3	Vertical	191	1.20	-	39.00	11.83	45.39			
AV	12.05045G	34.70	54.00	-19.30	29.26	3	Vertical	191	1.20	-	39.00	11.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05228G	47.42	74.00	-26.58	41.98	3	Horizontal	110	1.21	-	39.00	11.83	45.39			
AV	12.04768G	34.80	54.00	-19.20	29.36	3	Horizontal	110	1.21	-	39.00	11.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08418G	44.31	83.54	-39.23	39.64	1	Vertical	23	1.70	-	37.61	15.28	48.22			
AV	18.08628G	32.09	63.54	-31.45	27.41	1	Vertical	23	1.70	-	37.62	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08208G	45.46	83.54	-38.08	40.80	1	Horizontal	150	2.88	-	37.59	15.29	48.22			
AV	18.08934G	32.13	63.54	-31.41	27.43	1	Horizontal	150	2.88	-	37.64	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36909G	45.29	74.00	-28.71	40.39	3	Vertical	172	2.51	-	38.66	11.80	45.56			
AV	12.36973G	33.08	54.00	-20.92	28.18	3	Vertical	172	2.51	-	38.66	11.80	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37159G	46.26	74.00	-27.74	41.36	3	Horizontal	306	1.31	-	38.66	11.80	45.56			
AV	12.3698G	33.13	54.00	-20.87	28.23	3	Horizontal	306	1.31	-	38.66	11.80	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5559G	44.37	83.54	-39.17	39.67	1	Vertical	271	1.87	-	37.80	15.26	48.36			
AV	18.5676G	32.44	63.54	-31.10	27.75	1	Vertical	271	1.87	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5571G	44.19	83.54	-39.35	39.49	1	Horizontal	150	2.74	-	37.80	15.26	48.36			
AV	18.57G	32.51	63.54	-31.03	27.82	1	Horizontal	150	2.74	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69021G	47.53	74.00	-26.47	42.29	3	Vertical	247	2.02	-	38.88	11.78	45.42			
AV	12.68902G	34.24	54.00	-19.76	29.00	3	Vertical	247	2.02	-	38.88	11.78	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69214G	47.01	74.00	-26.99	41.76	3	Horizontal	10	1.22	-	38.88	11.78	45.41			
AV	12.69006G	34.33	54.00	-19.67	29.09	3	Horizontal	10	1.22	-	38.88	11.78	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.04952G	44.98	83.54	-38.56	40.65	1	Vertical	168	1.70	-	37.90	15.23	48.80				
AV	19.04556G	32.01	63.54	-31.53	27.67	1	Vertical	168	1.70	-	37.91	15.23	48.80				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04982G	45.04	83.54	-38.50	40.71	1	Horizontal	85	2.78	-	37.90	15.23	48.80			
AV	19.0491G	31.93	63.54	-31.61	27.60	1	Horizontal	85	2.78	-	37.90	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_V_2TX
Setting 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01087G	46.58	88.20	-41.62	40.57	3	Vertical	266	1.14	-	39.32	11.75	45.06			
RMS	13.00914G	34.06	68.20	-34.14	28.05	3	Vertical	266	1.14	-	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00956G	46.65	88.20	-41.55	40.64	3	Horizontal	168	1.96	-	39.32	11.75	45.06			
RMS	13.00897G	34.13	68.20	-34.07	28.12	3	Horizontal	168	1.96	-	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 16
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.509G	43.78	83.54	-39.76	39.60	1	Vertical	348	2.01	-	37.78	15.20	48.80			
AV	19.51134G	31.51	63.54	-32.03	27.33	1	Vertical	348	2.01	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_V_2TX
 Setting 16
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51806G	44.47	83.54	-39.07	40.31	1	Horizontal	219	1.07	-	37.76	15.20	48.80			
AV	19.52232G	31.58	63.54	-31.96	27.42	1	Horizontal	219	1.07	-	37.76	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33083G	47.83	74.00	-26.17	40.90	3	Vertical	232	2.05	-	40.00	11.73	44.80			
AV	13.33069G	35.45	54.00	-18.55	28.52	3	Vertical	232	2.05	-	40.00	11.73	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 16.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32942G	48.05	74.00	-25.95	41.12	3	Horizontal	19	2.69	-	40.00	11.73	44.80			
AV	13.32901G	35.71	54.00	-18.29	28.78	3	Horizontal	19	2.69	-	40.00	11.73	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 16.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00406G	44.75	83.54	-38.79	40.67	1	Vertical	205	2.45	-	37.71	15.17	48.80			
AV	19.9803G	31.73	63.54	-31.81	27.62	1	Vertical	205	2.45	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 16.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9809G	43.74	83.54	-39.80	39.63	1	Horizontal	148	2.38	-	37.74	15.17	48.80			
AV	19.98114G	31.82	63.54	-31.72	27.71	1	Horizontal	148	2.38	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_V_2TX
Setting 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64929G	48.89	88.20	-39.31	41.34	3	Vertical	85	1.61	-	40.40	11.71	44.56			
RMS	13.65001G	35.01	68.20	-33.19	27.45	3	Vertical	85	1.61	-	40.40	11.71	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_V_2TX
Setting 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65036G	48.29	88.20	-39.91	40.73	3	Horizontal	113	1.50	-	40.40	11.71	44.55			
RMS	13.65084G	35.10	68.20	-33.10	27.54	3	Horizontal	113	1.50	-	40.40	11.71	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.48532G	43.41	83.54	-40.13	38.64	1	Vertical	188	1.97	-	37.90	15.57	48.70			
AV	20.4603G	31.11	63.54	-32.43	26.37	1	Vertical	188	1.97	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_V_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4747G	43.21	83.54	-40.33	38.46	1	Horizontal	36	2.41	-	37.90	15.56	48.71			
AV	20.46108G	31.11	63.54	-32.43	26.37	1	Horizontal	36	2.41	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9305G	108.62	Inf	-Inf	99.56	3	Vertical	8	1.42	15.5	35.60	8.60	35.14			
RMS	6.9125G	98.68	Inf	-Inf	89.58	3	Vertical	8	1.42	15.5	35.60	8.65	35.15			
PK	7.2305G	60.98	88.20	-27.22	51.19	3	Vertical	8	1.42	15.5	36.38	8.56	35.15			
RMS	7.233G	49.94	68.20	-18.26	40.13	3	Vertical	8	1.42	15.5	36.40	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.943G	110.21	Inf	-Inf	101.19	3	Horizontal	21	1.67	15.5	35.60	8.56	35.14			
RMS	6.923G	98.04	Inf	-Inf	88.96	3	Horizontal	21	1.67	15.5	35.60	8.62	35.14			
PK	7.1715G	61.03	88.20	-27.17	51.62	3	Horizontal	21	1.67	15.5	36.03	8.52	35.14			
RMS	7.235G	49.95	68.20	-18.25	40.13	3	Horizontal	21	1.67	15.5	36.41	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97027G	48.91	88.20	-39.29	40.48	3	Vertical	192	1.71	-	41.08	11.68	44.33			
RMS	13.96971G	36.81	68.20	-31.39	28.38	3	Vertical	192	1.71	-	41.08	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96831G	49.84	88.20	-38.36	41.42	3	Horizontal	0	2.81	-	41.07	11.68	44.33			
RMS	13.96829G	36.91	68.20	-31.29	28.49	3	Horizontal	0	2.81	-	41.07	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94528G	44.00	83.54	-39.54	38.86	1	Vertical	222	3.00	-	37.90	15.94	48.70			
AV	20.9451G	32.16	63.54	-31.38	27.02	1	Vertical	222	3.00	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EEUTV_2TX
Setting 15.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95308G	43.89	83.54	-39.65	38.73	1	Horizontal	36	2.74	-	37.91	15.95	48.70			
AV	20.9421G	32.15	63.54	-31.39	27.01	1	Horizontal	36	2.74	-	37.90	15.94	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	62.67	88.20	-25.53	55.23	3	Vertical	27	1.57	19	34.55	8.09	35.20			
RMS	5.923G	52.16	68.20	-16.04	44.72	3	Vertical	27	1.57	19	34.55	8.09	35.20			
PK	6.198G	110.39	Inf	-Inf	102.12	3	Vertical	27	1.57	19	35.00	8.47	35.20			
RMS	6.198G	98.73	Inf	-Inf	90.46	3	Vertical	27	1.57	19	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	68.29	88.20	-19.91	60.86	3	Horizontal	344	1.53	19	34.54	8.09	35.20			
RMS	5.925G	52.83	68.20	-15.37	45.39	3	Horizontal	344	1.53	19	34.55	8.09	35.20			
PK	6.227G	109.77	Inf	-Inf	101.51	3	Horizontal	344	1.53	19	34.95	8.51	35.20			
RMS	6.207G	98.84	Inf	-Inf	90.57	3	Horizontal	344	1.53	19	34.99	8.48	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21049G	47.31	74.00	-26.69	42.25	3	Vertical	286	2.17	-	38.72	11.81	45.47			
AV	12.209G	34.18	54.00	-19.82	29.12	3	Vertical	286	2.17	-	38.72	11.81	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_V_2TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20905G	47.17	74.00	-26.83	42.11	3	Horizontal	297	2.54	-	38.72	11.81	45.47			
AV	12.20803G	34.23	54.00	-19.77	29.17	3	Horizontal	297	2.54	-	38.72	11.81	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32928G	44.03	83.54	-39.51	39.37	1	Vertical	153	2.47	-	37.66	15.27	48.27			
AV	18.3294G	32.13	63.54	-31.41	27.47	1	Vertical	153	2.47	-	37.66	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30612G	43.90	83.54	-39.64	39.28	1	Horizontal	322	1.45	-	37.61	15.27	48.26			
AV	18.32952G	32.29	63.54	-31.25	27.63	1	Horizontal	322	1.45	-	37.66	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52917G	46.25	74.00	-27.75	41.36	3	Vertical	61	2.25	-	38.70	11.79	45.60			
AV	12.53074G	33.57	54.00	-20.43	28.68	3	Vertical	61	2.25	-	38.70	11.79	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52994G	46.26	74.00	-27.74	41.37	3	Horizontal	322	1.94	-	38.70	11.79	45.60			
AV	12.53247G	33.82	54.00	-20.18	28.92	3	Horizontal	322	1.94	-	38.70	11.79	45.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79554G	44.18	83.54	-39.36	39.64	1	Vertical	116	1.31	-	37.90	15.24	48.60			
AV	18.80922G	32.09	63.54	-31.45	27.54	1	Vertical	116	1.31	-	37.92	15.24	48.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.80526G	44.62	83.54	-38.92	40.08	1	Horizontal	252	2.28	-	37.91	15.24	48.61				
AV	18.80088G	32.10	63.54	-31.44	27.56	1	Horizontal	252	2.28	-	37.90	15.24	48.60				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85055G	46.59	88.20	-41.61	40.86	3	Vertical	21	1.38	-	39.20	11.77	45.24			
RMS	12.85065G	34.19	68.20	-34.01	28.46	3	Vertical	21	1.38	-	39.20	11.77	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_V_2TX
Setting 19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84826G	46.54	88.20	-41.66	40.82	3	Horizontal	302	2.44	-	39.19	11.77	45.24			
RMS	12.85101G	34.28	68.20	-33.92	28.55	3	Horizontal	302	2.44	-	39.20	11.77	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26954G	43.78	83.54	-39.76	39.45	1	Vertical	53	1.63	-	37.92	15.21	48.80			
AV	19.2843G	31.75	63.54	-31.79	27.48	1	Vertical	53	1.63	-	37.86	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28916G	44.47	83.54	-39.07	40.22	1	Horizontal	135	2.76	-	37.84	15.21	48.80			
AV	19.28286G	31.76	63.54	-31.78	27.48	1	Horizontal	135	2.76	-	37.87	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_V_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16907G	47.49	88.20	-40.71	41.04	3	Vertical	124	2.37	-	39.64	11.74	44.93			
RMS	13.16916G	34.59	68.20	-33.61	28.14	3	Vertical	124	2.37	-	39.64	11.74	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_V_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17188G	46.82	88.20	-41.38	40.37	3	Horizontal	104	2.99	-	39.64	11.74	44.93			
RMS	13.16778G	34.63	68.20	-33.57	28.18	3	Horizontal	104	2.99	-	39.64	11.74	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7601G	43.68	83.54	-39.86	39.60	1	Vertical	2	2.02	-	37.70	15.18	48.80			
AV	19.74618G	31.39	63.54	-32.15	27.30	1	Vertical	2	2.02	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.74378G	43.96	83.54	-39.58	39.87	1	Horizontal	139	1.31	-	37.70	15.19	48.80			
AV	19.76448G	31.44	63.54	-32.10	27.36	1	Horizontal	139	1.31	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48922G	48.21	88.20	-39.99	40.88	3	Vertical	143	1.20	-	40.28	11.72	44.67			
RMS	13.49092G	35.91	68.20	-32.29	28.58	3	Vertical	143	1.20	-	40.28	11.72	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_V_2TX
Setting 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49077G	48.90	88.20	-39.30	41.57	3	Horizontal	354	2.97	-	40.28	11.72	44.67			
RMS	13.48822G	36.01	68.20	-32.19	28.68	3	Horizontal	354	2.97	-	40.28	11.72	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_V_2TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23278G	43.60	83.54	-39.94	39.19	1	Vertical	149	1.22	-	37.80	15.36	48.75			
AV	20.23896G	31.66	63.54	-31.88	27.25	1	Vertical	149	1.22	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 19.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23878G	43.68	83.54	-39.86	39.27	1	Horizontal	345	1.41	-	37.80	15.36	48.75			
AV	20.23506G	31.69	63.54	-31.85	27.28	1	Horizontal	345	1.41	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
SET 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8756G	108.76	Inf	-Inf	99.54	3	Vertical	7	1.65	-	35.60	8.77	35.15			
RMS	6.8924G	99.18	Inf	-Inf	90.01	3	Vertical	7	1.65	-	35.60	8.72	35.15			
PK	7.1288G	61.66	88.20	-26.54	52.50	3	Vertical	7	1.65	-	35.82	8.48	35.14			
RMS	7.1294G	52.64	68.20	-15.56	43.48	3	Vertical	7	1.65	-	35.82	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7658G	109.72	Inf	-Inf	100.43	3	Horizontal	22	1.56	-	35.46	9.00	35.17			
RMS	6.764G	99.38	Inf	-Inf	90.09	3	Horizontal	22	1.56	-	35.46	9.00	35.17			
PK	7.145G	61.55	88.20	-26.65	52.32	3	Horizontal	22	1.56	-	35.88	8.49	35.14			
RMS	7.1624G	52.29	68.20	-15.91	42.95	3	Horizontal	22	1.56	-	35.97	8.51	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80962G	48.12	88.20	-40.08	40.15	3	Vertical	0	2.43	-	40.72	11.69	44.44			
RMS	13.81093G	35.24	68.20	-32.96	27.27	3	Vertical	0	2.43	-	40.72	11.69	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81113G	48.10	88.20	-40.10	40.13	3	Horizontal	342	2.33	-	40.72	11.69	44.44			
RMS	13.81095G	35.31	68.20	-32.89	27.34	3	Horizontal	342	2.33	-	40.72	11.69	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72358G	43.59	83.54	-39.95	38.63	1	Vertical	88	1.16	-	37.90	15.76	48.70			
AV	20.71938G	32.60	63.54	-30.94	27.64	1	Vertical	88	1.16	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71596G	44.31	83.54	-39.23	39.36	1	Horizontal	-0	1.50	-	37.90	15.75	48.70			
AV	20.71914G	32.43	63.54	-31.11	27.47	1	Horizontal	-0	1.50	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8653G	62.34	88.20	-25.86	55.15	3	Vertical	16	1.80	6.5	34.36	8.03	35.20			
RMS	5.8974G	50.52	68.20	-17.68	43.17	3	Vertical	16	1.80	6.5	34.49	8.06	35.20			
PK	5.9532G	108.83	Inf	-Inf	101.30	3	Vertical	16	1.80	6.5	34.60	8.12	35.19			
RMS	5.9517G	98.84	Inf	-Inf	91.31	3	Vertical	16	1.80	6.5	34.60	8.12	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8947G	62.57	88.20	-25.63	55.23	3	Horizontal	25	1.80	6.5	34.48	8.06	35.20			
RMS	5.9025G	50.52	68.20	-17.68	43.14	3	Horizontal	25	1.80	6.5	34.51	8.07	35.20			
PK	5.9637G	109.50	Inf	-Inf	101.96	3	Horizontal	25	1.80	6.5	34.60	8.13	35.19			
RMS	5.9637G	98.91	Inf	-Inf	91.37	3	Horizontal	25	1.80	6.5	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9154G	51.47	74.00	-22.53	45.81	3	Vertical	28	1.80	6.5	39.20	11.80	45.34			
AV	11.90992G	39.39	54.00	-14.61	33.74	3	Vertical	28	1.80	6.5	39.20	11.79	45.34			
PK	17.86975G	55.52	74.00	-18.48	40.79	3	Vertical	224	1.62	-	44.86	14.19	44.32			
AV	17.86894G	43.28	54.00	-10.72	28.55	3	Vertical	224	1.62	-	44.86	14.19	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 5.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90992G	50.72	74.00	-23.28	45.07	3	Horizontal	24	1.83	6.5	39.20	11.79	45.34				
AV	11.90976G	39.74	54.00	-14.26	34.09	3	Horizontal	24	1.83	6.5	39.20	11.79	45.34				
PK	17.86837G	53.93	74.00	-20.07	39.20	3	Horizontal	353	1.99	-	44.86	14.19	44.32				
AV	17.8683G	43.13	54.00	-10.87	28.40	3	Horizontal	353	1.99	-	44.86	14.19	44.32				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 5.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80596G	45.05	83.54	-38.49	36.35	1	Vertical	358	2.63	-	39.10	17.28	47.68			
AV	23.80914G	33.09	63.54	-30.45	24.39	1	Vertical	358	2.63	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 5.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81406G	44.87	83.54	-38.67	36.16	1	Horizontal	199	2.70	-	39.10	17.28	47.67			
AV	23.83266G	33.18	63.54	-30.36	24.46	1	Horizontal	199	2.70	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET4.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40586G	48.71	74.00	-25.29	43.89	3	Vertical	20	1.99	10	38.60	11.80	45.58			
AV	12.38992G	37.22	54.00	-16.78	32.37	3	Vertical	20	1.99	10	38.62	11.80	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET4.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37026G	49.23	74.00	-24.77	44.33	3	Horizontal	332	1.39	10	38.66	11.80	45.56			
AV	12.38988G	37.59	54.00	-16.41	32.74	3	Horizontal	332	1.39	10	38.62	11.80	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 4.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57522G	44.88	83.54	-38.66	40.20	1	Vertical	257	1.93	-	37.80	15.26	48.38			
AV	18.57546G	32.65	63.54	-30.89	27.97	1	Vertical	257	1.93	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 4.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58044G	44.78	83.54	-38.76	40.10	1	Horizontal	42	1.69	-	37.80	15.26	48.38			
AV	18.57102G	32.59	63.54	-30.95	27.90	1	Horizontal	42	1.69	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET4.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81122G	50.34	88.20	-37.86	44.81	3	Vertical	252	1.80	10	39.04	11.77	45.28			
RMS	12.83983G	37.30	68.20	-30.90	31.62	3	Vertical	252	1.80	10	39.16	11.77	45.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET4.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81685G	50.21	88.20	-37.99	44.65	3	Horizontal	322	1.80	10	39.07	11.77	45.28			
RMS	12.83603G	38.16	68.20	-30.04	32.50	3	Horizontal	322	1.80	10	39.14	11.77	45.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 4.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23594G	43.65	83.54	-39.89	39.29	1	Vertical	181	1.38	-	37.94	15.22	48.80			
AV	19.2387G	31.31	63.54	-32.23	26.94	1	Vertical	181	1.38	-	37.95	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 4.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23456G	44.65	83.54	-38.89	40.29	1	Horizontal	84	1.96	-	37.94	15.22	48.80			
AV	19.24146G	31.30	63.54	-32.24	26.91	1	Horizontal	84	1.96	-	37.97	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85198G	49.56	88.20	-38.64	43.83	3	Vertical	148	2.62	3	39.20	11.77	45.24			
RMS	12.88203G	37.41	68.20	-30.79	31.65	3	Vertical	148	2.62	3	39.20	11.76	45.20			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87068G	50.27	88.20	-37.93	44.52	3	Horizontal	360	1.80	3	39.20	11.76	45.21			
RMS	12.88866G	37.46	68.20	-30.74	31.69	3	Horizontal	360	1.80	3	39.20	11.76	45.19			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29192G	43.77	83.54	-39.77	39.53	1	Vertical	22	2.18	-	37.83	15.21	48.80			
AV	19.2954G	31.88	63.54	-31.66	27.65	1	Vertical	22	2.18	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2951G	43.78	83.54	-39.76	39.55	1	Horizontal	332	2.50	-	37.82	15.21	48.80			
AV	19.29528G	31.95	63.54	-31.59	27.72	1	Horizontal	332	2.50	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93893G	50.59	88.20	-37.61	44.69	3	Vertical	64	2.94	3	39.28	11.76	45.14			
RMS	12.93142G	37.15	68.20	-31.05	31.28	3	Vertical	64	2.94	3	39.26	11.76	45.15			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95635G	49.65	88.20	-38.55	43.71	3	Horizontal	349	1.61	3	39.30	11.76	45.12			
RMS	12.94984G	37.72	68.20	-30.48	31.79	3	Horizontal	349	1.61	3	39.30	11.76	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.41504G	44.03	83.54	-39.51	39.78	1	Vertical	171	2.46	-	37.84	15.21	48.80			
AV	19.4103G	31.86	63.54	-31.68	27.59	1	Vertical	171	2.46	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41408G	43.63	83.54	-39.91	39.38	1	Horizontal	173	2.69	-	37.84	15.21	48.80			
AV	19.41084G	31.94	63.54	-31.60	27.67	1	Horizontal	173	2.69	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01897G	50.00	88.20	-38.20	43.96	3	Vertical	260	2.94	3	39.34	11.75	45.05			
RMS	13.01022G	37.18	68.20	-31.02	31.17	3	Vertical	260	2.94	3	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01242G	49.80	88.20	-38.40	43.79	3	Horizontal	115	1.80	3	39.32	11.75	45.06			
RMS	13.0123G	37.22	68.20	-30.98	31.21	3	Horizontal	115	1.80	3	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.539G	44.15	83.54	-39.39	40.03	1	Vertical	38	2.40	-	37.72	15.20	48.80				
AV	19.54818G	31.60	63.54	-31.94	27.50	1	Vertical	38	2.40	-	37.70	15.20	48.80				

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.5567G	43.90	83.54	-39.64	39.80	1	Horizontal	51	2.68	-	37.70	15.20	48.80				
AV	19.53906G	31.62	63.54	-31.92	27.50	1	Horizontal	51	2.68	-	37.72	15.20	48.80				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08598G	49.95	88.20	-38.25	43.66	3	Vertical	16	1.80	3	39.54	11.75	45.00			
RMS	13.08822G	37.55	68.20	-30.65	31.25	3	Vertical	16	1.80	3	39.55	11.75	45.00			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.06964G	49.91	88.20	-38.29	43.69	3	Horizontal	347	1.78	3	39.48	11.75	45.01				
RMS	13.08726G	37.49	68.20	-30.71	31.19	3	Horizontal	347	1.78	3	39.55	11.75	45.00				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5942G	44.63	83.54	-38.91	40.54	1	Vertical	17	1.21	-	37.70	15.19	48.80			
AV	19.59288G	31.90	63.54	-31.64	27.81	1	Vertical	17	1.21	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 3
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59936G	43.95	83.54	-39.59	39.86	1	Horizontal	256	1.03	-	37.70	15.19	48.80			
AV	19.59606G	31.95	63.54	-31.59	27.86	1	Horizontal	256	1.03	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.40846G	51.48	88.20	-36.72	44.38	3	Vertical	360	1.76	3.5	40.12	11.72	44.74				
RMS	13.40988G	40.31	68.20	-27.89	33.20	3	Vertical	360	1.76	3.5	40.12	11.72	44.73				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40099G	60.49	88.20	-27.71	53.41	3	Horizontal	210	2.95	3.5	40.10	11.72	44.74			
RMS	13.40998G	48.19	68.20	-20.01	41.08	3	Horizontal	210	2.95	3.5	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08422G	43.46	83.54	-40.08	39.20	1	Vertical	32	2.91	-	37.80	15.24	48.78			
AV	20.07018G	31.19	63.54	-32.35	26.95	1	Vertical	32	2.91	-	37.80	15.23	48.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07084G	43.91	83.54	-39.63	39.67	1	Horizontal	246	1.35	-	37.80	15.23	48.79			
AV	20.08188G	31.18	63.54	-32.36	26.92	1	Horizontal	246	1.35	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74956G	50.61	88.20	-37.59	42.80	3	Vertical	331	1.52	3.5	40.60	11.70	44.49			
RMS	13.74984G	39.05	68.20	-29.15	31.24	3	Vertical	331	1.52	3.5	40.60	11.70	44.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74996G	49.90	88.20	-38.30	42.09	3	Horizontal	356	1.80	3.5	40.60	11.70	44.49			
RMS	13.74988G	38.71	68.20	-29.49	30.90	3	Horizontal	356	1.80	3.5	40.60	11.70	44.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.63676G	44.37	83.54	-39.17	39.48	1	Vertical	262	1.22	-	37.90	15.69	48.70				
AV	20.63268G	31.75	63.54	-31.79	26.86	1	Vertical	262	1.22	-	37.90	15.69	48.70				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.63022G	44.06	83.54	-39.48	39.18	1	Horizontal	327	1.94	-	37.90	15.68	48.70			
AV	20.6193G	31.74	63.54	-31.80	26.87	1	Horizontal	327	1.94	-	37.90	15.67	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
SET 3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79735G	49.81	88.20	-38.39	41.87	3	Vertical	328	1.80	3	40.69	11.70	44.45			
RMS	13.79004G	37.68	68.20	-30.52	29.76	3	Vertical	328	1.80	3	40.68	11.70	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
SET 3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80922G	49.81	88.20	-38.39	41.84	3	Horizontal	201	1.80	3	40.72	11.69	44.44			
RMS	13.7727G	37.49	68.20	-30.71	29.61	3	Horizontal	201	1.80	3	40.65	11.70	44.47			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 3
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67672G	45.29	83.54	-38.25	40.37	1	Vertical	245	1.17	-	37.90	15.72	48.70			
AV	20.6733G	31.57	63.54	-31.97	26.65	1	Vertical	245	1.17	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 3
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67114G	43.98	83.54	-39.56	39.06	1	Horizontal	336	1.00	-	37.90	15.72	48.70			
AV	20.67618G	31.58	63.54	-31.96	26.66	1	Horizontal	336	1.00	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9896G	52.18	88.20	-36.02	43.66	3	Vertical	16	1.47	3.5	41.16	11.68	44.32			
RMS	13.9898G	42.92	68.20	-25.28	34.40	3	Vertical	16	1.47	3.5	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
SET3.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97286G	51.94	88.20	-36.26	43.50	3	Horizontal	30	1.80	3.5	41.09	11.68	44.33			
RMS	13.98988G	41.27	68.20	-26.93	32.75	3	Horizontal	30	1.80	3.5	41.16	11.68	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.982G	44.91	83.54	-38.63	39.68	1	Vertical	316	2.55	-	37.96	15.97	48.70			
AV	20.98362G	32.17	63.54	-31.37	26.93	1	Vertical	316	2.55	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.991G	45.06	83.54	-38.48	39.80	1	Horizontal	92	1.45	-	37.98	15.98	48.70			
AV	20.98068G	32.25	63.54	-31.29	27.02	1	Horizontal	92	1.45	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.086G	109.45	Inf	-Inf	100.48	3	Vertical	355	1.49	6	35.67	8.44	35.14				
RMS	7.0869G	98.80	Inf	-Inf	89.83	3	Vertical	355	1.49	6	35.67	8.44	35.14				
PK	7.1823G	61.99	88.20	-26.21	52.52	3	Vertical	355	1.49	6	36.09	8.52	35.14				
RMS	7.2405G	50.01	68.20	-18.19	40.15	3	Vertical	355	1.49	6	36.44	8.57	35.15				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0926G	107.56	Inf	-Inf	98.56	3	Horizontal	21	1.51	6	35.69	8.45	35.14			
RMS	7.0941G	98.44	Inf	-Inf	89.44	3	Horizontal	21	1.51	6	35.69	8.45	35.14			
PK	7.2324G	61.62	88.20	-26.58	51.82	3	Horizontal	21	1.51	6	36.39	8.56	35.15			
RMS	7.2423G	50.02	68.20	-18.18	40.15	3	Horizontal	21	1.51	6	36.45	8.57	35.15			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17605G	51.28	88.20	-36.92	42.41	3	Vertical	28	1.80	6	41.60	11.82	44.55			
RMS	14.18988G	38.66	68.20	-29.54	29.74	3	Vertical	28	1.80	6	41.66	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19004G	51.71	88.20	-36.49	42.79	3	Horizontal	292	1.84	6	41.66	11.83	44.57			
RMS	14.19236G	41.88	68.20	-26.32	32.95	3	Horizontal	292	1.84	6	41.67	11.83	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 6
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27408G	45.09	83.54	-38.45	39.48	1	Vertical	31	2.03	-	38.05	16.21	48.65			
AV	21.27756G	32.25	63.54	-31.29	26.62	1	Vertical	31	2.03	-	38.06	16.21	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
 Setting 6
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28482G	44.78	83.54	-38.76	39.13	1	Horizontal	234	1.40	-	38.07	16.22	48.64			
AV	21.27816G	32.34	63.54	-31.20	26.71	1	Horizontal	234	1.40	-	38.06	16.21	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -1.5
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1075G	102.82	Inf	-Inf	92.59	3	Vertical	349.9	1.80	BP 1MHz	36.02	8.39	34.18			
RMS	7.1065G	96.27	Inf	-Inf	86.05	3	Vertical	349.9	1.80	BP 1MHz	36.01	8.39	34.18			
PK	7.1255G	78.43	88.20	-9.77	68.15	3	Vertical	349.9	1.80	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.16	68.20	-0.04	57.88	3	Vertical	349.9	1.80	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -1.5
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1165G	102.86	Inf	-Inf	92.61	3	Horizontal	25.9	1.58	BP 1MHz	36.03	8.40	34.18			
RMS	7.1165G	96.21	Inf	-Inf	85.96	3	Horizontal	25.9	1.58	BP 1MHz	36.03	8.40	34.18			
PK	7.1255G	73.54	88.20	-14.66	63.26	3	Horizontal	25.9	1.58	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	63.49	68.20	-4.71	53.21	3	Horizontal	25.9	1.58	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -1.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22996G	52.73	88.20	-35.47	43.73	3	Vertical	24	1.05	10	41.76	11.86	44.62			
RMS	14.22992G	45.29	68.20	-22.91	36.29	3	Vertical	24	1.05	10	41.76	11.86	44.62			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting -1.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22972G	53.66	88.20	-34.54	44.66	3	Horizontal	3	1.75	10	41.76	11.86	44.62			
RMS	14.22988G	43.25	68.20	-24.95	34.25	3	Horizontal	3	1.75	10	41.76	11.86	44.62			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -1.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35976G	43.99	83.54	-39.55	38.24	1	Vertical	88	2.25	-	38.10	16.28	48.63			
AV	21.33288G	32.32	63.54	-31.22	26.59	1	Vertical	88	2.25	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting -1.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3525G	43.77	83.54	-39.77	38.03	1	Horizontal	203	1.44	-	38.10	16.27	48.63			
AV	21.33012G	32.38	63.54	-31.16	26.66	1	Horizontal	203	1.44	-	38.10	16.25	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX



EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.8321G	61.83	88.20	-26.37	54.79	3	Vertical	4	1.65	8	34.26	7.99	35.21				
RMS	5.925G	50.60	68.20	-17.60	43.16	3	Vertical	4	1.65	8	34.55	8.09	35.20				
PK	5.9536G	108.82	Inf	-Inf	101.29	3	Vertical	4	1.65	8	34.60	8.12	35.19				
RMS	5.9737G	98.88	Inf	-Inf	91.33	3	Vertical	4	1.65	8	34.60	8.14	35.19				