


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8606G	62.43	88.20	-25.77	55.27	3	Horizontal	338	1.80	8	34.34	8.02	35.20			
RMS	5.9227G	50.62	68.20	-17.58	43.18	3	Horizontal	338	1.80	8	34.55	8.09	35.20			
PK	5.9836G	108.23	Inf	-Inf	100.67	3	Horizontal	338	1.80	8	34.60	8.15	35.19			
RMS	5.9821G	97.64	Inf	-Inf	90.08	3	Horizontal	338	1.80	8	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94918G	51.20	74.00	-22.80	45.54	3	Vertical	358	1.80	8	39.20	11.81	45.35			
AV	11.9296G	38.54	54.00	-15.46	32.88	3	Vertical	358	1.80	8	39.20	11.80	45.34			
PK	17.89961G	55.23	74.00	-18.77	40.54	3	Vertical	43	1.55	-	44.80	14.20	44.31			
AV	17.89301G	44.96	54.00	-9.04	30.26	3	Vertical	43	1.55	-	44.81	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96509G	51.23	74.00	-22.77	45.59	3	Horizontal	289	1.29	8	39.17	11.82	45.35			
AV	11.95629G	38.44	54.00	-15.56	32.79	3	Horizontal	289	1.29	8	39.19	11.81	45.35			
PK	17.89334G	54.46	74.00	-19.54	39.76	3	Horizontal	0	1.81	-	44.81	14.20	44.31			
AV	17.89243G	43.94	54.00	-10.06	29.23	3	Horizontal	0	1.81	-	44.82	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 8
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89086G	44.72	83.54	-38.82	39.94	1	Vertical	314	1.41	-	37.47	15.22	47.91			
AV	17.88306G	32.14	63.54	-31.40	27.36	1	Vertical	314	1.41	-	37.46	15.21	47.89			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 8
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.8848G	44.60	83.54	-38.94	39.82	1	Horizontal	356	1.57	-	37.46	15.21	47.89			
AV	17.88012G	32.28	63.54	-31.26	27.50	1	Horizontal	356	1.57	-	37.45	15.21	47.88			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
SET 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4462G	49.10	74.00	-24.90	44.30	3	Vertical	30	1.80	10	38.60	11.80	45.60			
AV	12.41G	36.74	54.00	-17.26	31.92	3	Vertical	30	1.80	10	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
SET 7.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42958G	48.62	74.00	-25.38	43.81	3	Horizontal	338	1.80	10	38.60	11.80	45.59			
AV	12.40992G	37.24	54.00	-16.76	32.42	3	Horizontal	338	1.80	10	38.60	11.80	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 7.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60426G	44.97	83.54	-38.57	40.31	1	Vertical	305	2.52	-	37.81	15.25	48.40			
AV	18.60264G	32.20	63.54	-31.34	27.54	1	Vertical	305	2.52	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 7.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60378G	44.83	83.54	-38.71	40.17	1	Horizontal	220	1.87	-	37.81	15.25	48.40			
AV	18.60426G	32.37	63.54	-31.17	27.71	1	Horizontal	220	1.87	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84868G	49.88	88.20	-38.32	44.16	3	Vertical	47	1.80	10	39.19	11.77	45.24			
RMS	12.77476G	37.18	68.20	-31.02	31.83	3	Vertical	47	1.80	10	38.90	11.77	45.32			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
SET 6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8287G	50.41	88.20	-37.79	44.79	3	Horizontal	310	1.80	10	39.11	11.77	45.26			
RMS	12.81008G	37.98	68.20	-30.22	32.45	3	Horizontal	310	1.80	10	39.04	11.77	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 6
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.20648G	44.39	83.54	-39.15	40.14	1	Vertical	223	2.79	-	37.83	15.22	48.80				
AV	19.20006G	31.58	63.54	-31.96	27.36	1	Vertical	223	2.79	-	37.80	15.22	48.80				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 6
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2042G	44.23	83.54	-39.31	39.99	1	Horizontal	9	2.89	-	37.82	15.22	48.80			
AV	19.20012G	31.58	63.54	-31.96	27.36	1	Horizontal	9	2.89	-	37.80	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87697G	49.63	88.20	-38.57	43.88	3	Vertical	282	2.89	6.5	39.20	11.76	45.21			
RMS	12.88537G	37.41	68.20	-30.79	31.65	3	Vertical	282	2.89	6.5	39.20	11.76	45.20			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.91366G	49.84	88.20	-38.36	44.02	3	Horizontal	24	1.80	6.5	39.23	11.76	45.17			
RMS	12.88201G	37.48	68.20	-30.72	31.72	3	Horizontal	24	1.80	6.5	39.20	11.76	45.20			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.33218G	44.43	83.54	-39.11	40.22	1	Vertical	195	1.00	-	37.80	15.21	48.80				
AV	19.33842G	31.68	63.54	-31.86	27.47	1	Vertical	195	1.00	-	37.80	15.21	48.80				

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
 Setting 6.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33326G	43.73	83.54	-39.81	39.52	1	Horizontal	317	1.77	-	37.80	15.21	48.80			
AV	19.32162G	31.63	63.54	-31.91	27.42	1	Horizontal	317	1.77	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9477G	49.91	88.20	-38.29	43.98	3	Vertical	229	1.05	6	39.30	11.76	45.13			
RMS	12.99829G	37.24	68.20	-30.96	31.25	3	Vertical	229	1.05	6	39.30	11.76	45.07			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
SET 6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9863G	49.36	88.20	-38.84	43.39	3	Horizontal	6	1.80	6	39.30	11.76	45.09			
RMS	12.96992G	37.36	68.20	-30.84	31.40	3	Horizontal	6	1.80	6	39.30	11.76	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 6
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4544G	43.48	83.54	-40.06	39.37	1	Vertical	292	1.53	-	37.71	15.20	48.80			
AV	19.45668G	31.39	63.54	-32.15	27.28	1	Vertical	292	1.53	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 6
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46412G	43.51	83.54	-40.03	39.38	1	Horizontal	87	1.36	-	37.73	15.20	48.80			
AV	19.461G	31.41	63.54	-32.13	27.29	1	Horizontal	87	1.36	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.02682G	49.54	88.20	-38.66	43.49	3	Vertical	261	1.80	6.5	39.35	11.75	45.05				
RMS	13.08964G	37.39	68.20	-30.81	31.08	3	Vertical	261	1.80	6.5	39.56	11.75	45.00				

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08333G	50.24	88.20	-37.96	43.96	3	Horizontal	202	1.80	6.5	39.53	11.75	45.00			
RMS	13.01084G	37.29	68.20	-30.91	31.28	3	Horizontal	202	1.80	6.5	39.32	11.75	45.06			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57398G	43.94	83.54	-39.60	39.84	1	Vertical	163	2.71	-	37.70	15.20	48.80			
AV	19.58928G	31.76	63.54	-31.78	27.67	1	Vertical	163	2.71	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58994G	44.34	83.54	-39.20	40.25	1	Horizontal	2	1.34	-	37.70	15.19	48.80			
AV	19.58988G	31.84	63.54	-31.70	27.75	1	Horizontal	2	1.34	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
SET 6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1141G	51.14	88.20	-37.06	44.77	3	Vertical	138	1.80	6	39.60	11.75	44.98			
RMS	13.13024G	37.80	68.20	-30.40	31.41	3	Vertical	138	1.80	6	39.60	11.75	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
SET 6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.15542G	50.48	88.20	-37.72	44.07	3	Horizontal	354	2.73	6	39.61	11.74	44.94			
RMS	13.12001G	37.90	68.20	-30.30	31.52	3	Horizontal	354	2.73	6	39.60	11.75	44.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 6
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68036G	43.82	83.54	-39.72	39.73	1	Vertical	348	2.59	-	37.70	15.19	48.80			
AV	19.68642G	31.36	63.54	-32.18	27.27	1	Vertical	348	2.59	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 6
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69014G	43.66	83.54	-39.88	39.57	1	Horizontal	246	2.92	-	37.70	15.19	48.80			
AV	19.68156G	31.43	63.54	-32.11	27.34	1	Horizontal	246	2.92	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.36992G	51.24	74.00	-22.76	44.24	3	Vertical	360	1.80	6.5	40.04	11.73	44.77				
AV	13.36984G	39.78	54.00	-14.22	32.78	3	Vertical	360	1.80	6.5	40.04	11.73	44.77				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37959G	51.24	74.00	-22.76	44.21	3	Horizontal	1	1.80	6.5	40.06	11.73	44.76			
AV	13.3935G	38.73	54.00	-15.27	31.66	3	Horizontal	1	1.80	6.5	40.09	11.73	44.75			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05686G	43.55	83.54	-39.99	39.32	1	Vertical	95	1.66	-	37.80	15.22	48.79			
AV	20.04408G	31.27	63.54	-32.27	27.06	1	Vertical	95	1.66	-	37.79	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06226G	43.52	83.54	-40.02	39.29	1	Horizontal	213	2.72	-	37.80	15.22	48.79			
AV	20.05434G	31.31	63.54	-32.23	27.09	1	Horizontal	213	2.72	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79837G	50.23	88.20	-37.97	42.28	3	Vertical	195	1.80	6.5	40.70	11.70	44.45			
RMS	13.74227G	37.57	68.20	-30.63	29.79	3	Vertical	195	1.80	6.5	40.57	11.70	44.49			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75929G	50.15	88.20	-38.05	42.31	3	Horizontal	313	2.04	6.5	40.62	11.70	44.48			
RMS	13.76984G	38.84	68.20	-29.36	30.97	3	Horizontal	313	2.04	6.5	40.64	11.70	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66622G	43.90	83.54	-39.64	38.99	1	Vertical	271	2.41	-	37.90	15.71	48.70			
AV	20.64042G	31.65	63.54	-31.89	26.76	1	Vertical	271	2.41	-	37.90	15.69	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66976G	43.81	83.54	-39.73	38.89	1	Horizontal	225	1.21	-	37.90	15.72	48.70			
AV	20.64006G	31.74	63.54	-31.80	26.85	1	Horizontal	225	1.21	-	37.90	15.69	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.87254G	50.75	88.20	-37.45	42.61	3	Vertical	338	1.80	6.5	40.85	11.69	44.40				
RMS	13.84992G	39.97	68.20	-28.23	31.90	3	Vertical	338	1.80	6.5	40.80	11.69	44.42				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88612G	50.82	88.20	-37.38	42.65	3	Horizontal	357	1.79	6.5	40.87	11.69	44.39			
RMS	13.84992G	40.09	68.20	-28.11	32.02	3	Horizontal	357	1.79	6.5	40.80	11.69	44.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.77674G	43.87	83.54	-39.67	38.87	1	Vertical	244	1.03	-	37.90	15.80	48.70				
AV	20.76708G	31.92	63.54	-31.62	26.92	1	Vertical	244	1.03	-	37.90	15.80	48.70				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.76186G	44.92	83.54	-38.62	39.93	1	Horizontal	296	1.92	-	37.90	15.79	48.70			
AV	20.772G	31.85	63.54	-31.69	26.85	1	Horizontal	296	1.92	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01G	51.49	88.20	-36.71	42.92	3	Vertical	17	1.78	6.5	41.20	11.69	44.32			
RMS	14.00976G	43.07	68.20	-25.13	34.50	3	Vertical	17	1.78	6.5	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
SET 6.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98115G	51.17	88.20	-37.03	42.69	3	Horizontal	30	1.78	6.5	41.12	11.68	44.32			
RMS	14.00976G	40.73	68.20	-27.47	32.16	3	Horizontal	30	1.78	6.5	41.20	11.69	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0033G	44.77	83.54	-38.77	39.48	1	Vertical	63	1.10	-	38.00	15.99	48.70			
AV	21.02898G	32.15	63.54	-31.39	26.83	1	Vertical	63	1.10	-	38.00	16.01	48.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 6.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03G	44.41	83.54	-39.13	39.09	1	Horizontal	358	1.04	-	38.00	16.01	48.69			
AV	21.01902G	32.13	63.54	-31.41	26.83	1	Horizontal	358	1.04	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET 8.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0955G	109.22	Inf	-Inf	100.22	3	Vertical	2	1.47	8.5	35.69	8.45	35.14			
RMS	7.0754G	98.58	Inf	-Inf	89.64	3	Vertical	2	1.47	8.5	35.65	8.43	35.14			
PK	7.2266G	61.77	88.20	-26.43	52.00	3	Vertical	2	1.47	8.5	36.36	8.56	35.15			
RMS	7.2329G	50.09	68.20	-18.11	40.28	3	Vertical	2	1.47	8.5	36.40	8.56	35.15			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0673G	108.64	Inf	-Inf	99.72	3	Horizontal	24	1.56	8.5	35.63	8.43	35.14					
RMS	7.0673G	98.89	Inf	-Inf	89.97	3	Horizontal	24	1.56	8.5	35.63	8.43	35.14					
PK	7.1783G	61.28	88.20	-26.92	51.83	3	Horizontal	24	1.56	8.5	36.07	8.52	35.14					
RMS	7.2257G	50.02	68.20	-18.18	40.26	3	Horizontal	24	1.56	8.5	36.35	8.56	35.15					

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17008G	51.69	88.20	-36.51	42.83	3	Vertical	27	1.98	8.5	41.58	11.82	44.54			
RMS	14.16984G	42.43	68.20	-25.77	33.57	3	Vertical	27	1.98	8.5	41.58	11.82	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17G	52.49	88.20	-35.71	43.63	3	Horizontal	19	1.45	8.5	41.58	11.82	44.54			
RMS	14.16992G	45.48	68.20	-22.72	36.62	3	Horizontal	19	1.45	8.5	41.58	11.82	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24216G	44.74	83.54	-38.80	39.19	1	Vertical	351	2.08	-	38.02	16.18	48.65			
AV	21.25818G	32.24	63.54	-31.30	26.67	1	Vertical	351	2.08	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25254G	44.78	83.54	-38.76	39.23	1	Horizontal	101	2.26	-	38.01	16.19	48.65			
AV	21.258G	32.24	63.54	-31.30	26.67	1	Horizontal	101	2.26	-	38.02	16.20	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8825G	63.17	88.20	-25.03	55.89	3	Vertical	345	1.68	11	34.43	8.05	35.20			
RMS	5.9135G	50.67	68.20	-17.53	43.26	3	Vertical	345	1.68	11	34.53	8.08	35.20			
PK	5.974G	109.24	Inf	-Inf	101.69	3	Vertical	345	1.68	11	34.60	8.14	35.19			
RMS	6.0145G	98.80	Inf	-Inf	91.20	3	Vertical	345	1.68	11	34.60	8.19	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8655G	63.23	88.20	-24.97	56.04	3	Horizontal	339	1.69	11	34.36	8.03	35.20			
RMS	5.9235G	51.03	68.20	-17.17	43.59	3	Horizontal	339	1.69	11	34.55	8.09	35.20			
PK	5.9635G	109.19	Inf	-Inf	101.65	3	Horizontal	339	1.69	11	34.60	8.13	35.19			
RMS	6.004G	98.64	Inf	-Inf	91.05	3	Horizontal	339	1.69	11	34.60	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.00277G	51.21	74.00	-22.79	45.65	3	Vertical	360	1.80	11	39.09	11.83	45.36			
AV	11.99941G	38.48	54.00	-15.52	32.91	3	Vertical	360	1.80	11	39.10	11.83	45.36			
PK	17.95591G	54.96	74.00	-19.04	40.28	3	Vertical	36	1.71	-	44.74	14.23	44.29			
AV	17.95626G	43.66	54.00	-10.34	28.98	3	Vertical	36	1.71	-	44.74	14.23	44.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97911G	50.96	74.00	-23.04	45.35	3	Horizontal	297	1.80	11	39.14	11.82	45.35			
AV	11.9927G	38.62	54.00	-15.38	33.04	3	Horizontal	297	1.80	11	39.11	11.83	45.36			
PK	17.95882G	54.77	74.00	-19.23	40.08	3	Horizontal	157	1.63	-	44.75	14.23	44.29			
AV	17.95634G	43.53	54.00	-10.47	28.85	3	Horizontal	157	1.63	-	44.74	14.23	44.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
 Setting 11
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95314G	46.06	83.54	-37.48	37.35	1	Vertical	351	2.02	-	39.01	17.32	47.62			
AV	23.95308G	33.51	63.54	-30.03	24.80	1	Vertical	351	2.02	-	39.01	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 11
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95446G	45.28	83.54	-38.26	36.57	1	Horizontal	218	1.86	-	39.01	17.32	47.62			
AV	23.93034G	33.59	63.54	-29.95	24.91	1	Horizontal	218	1.86	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
SET9.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.52209G	48.59	74.00	-25.41	43.71	3	Vertical	318	1.39	9.5	38.70	11.79	45.61				
AV	12.5296G	36.64	54.00	-17.36	31.75	3	Vertical	318	1.39	9.5	38.70	11.79	45.60				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
SET9.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52433G	49.05	74.00	-24.95	44.16	3	Horizontal	8	2.75	9.5	38.70	11.79	45.60			
AV	12.45G	37.21	54.00	-16.79	32.41	3	Horizontal	8	2.75	9.5	38.60	11.80	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 9.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68226G	44.16	83.54	-39.38	39.49	1	Vertical	242	2.98	-	37.90	15.25	48.48			
AV	18.6885G	31.97	63.54	-31.57	27.31	1	Vertical	242	2.98	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 9.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68544G	44.07	83.54	-39.47	39.41	1	Horizontal	191	2.54	-	37.90	15.25	48.49			
AV	18.68928G	31.89	63.54	-31.65	27.23	1	Horizontal	191	2.54	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
SET 8.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69647G	49.98	74.00	-24.02	44.72	3	Vertical	84	1.06	8.5	38.89	11.78	45.41			
AV	12.6912G	37.36	54.00	-16.64	32.12	3	Vertical	84	1.06	8.5	38.88	11.78	45.42			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
SET 8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.69887G	50.23	74.00	-23.77	44.96	3	Horizontal	353	1.80	8.5	38.90	11.78	45.41				
AV	12.69551G	37.33	54.00	-16.67	32.07	3	Horizontal	353	1.80	8.5	38.89	11.78	45.41				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 8.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14336G	44.44	83.54	-39.10	40.02	1	Vertical	248	1.46	-	38.00	15.22	48.80			
AV	19.14402G	32.03	63.54	-31.51	27.61	1	Vertical	248	1.46	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 8.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15848G	44.36	83.54	-39.18	39.97	1	Horizontal	23	1.35	-	37.97	15.22	48.80			
AV	19.14798G	32.02	63.54	-31.52	27.60	1	Horizontal	23	1.35	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87901G	50.17	88.20	-38.03	44.42	3	Vertical	248	2.13	8.5	39.20	11.76	45.21			
RMS	12.90443G	37.33	68.20	-30.87	31.54	3	Vertical	248	2.13	8.5	39.21	11.76	45.18			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
SET8.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89803G	49.78	88.20	-38.42	44.00	3	Horizontal	296	1.18	8.5	39.20	11.76	45.18			
RMS	12.8683G	37.31	68.20	-30.89	31.57	3	Horizontal	296	1.18	8.5	39.20	11.76	45.22			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
 Setting 8.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.383G	44.43	83.54	-39.11	40.15	1	Vertical	118	2.68	-	37.87	15.21	48.80			
AV	19.38414G	31.99	63.54	-31.55	27.71	1	Vertical	118	2.68	-	37.87	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
 Setting 8.5
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.39098G	44.94	83.54	-38.60	40.65	1	Horizontal	209	2.00	-	37.88	15.21	48.80				
AV	19.38444G	31.99	63.54	-31.55	27.71	1	Horizontal	209	2.00	-	37.87	15.21	48.80				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12325G	50.06	88.20	-38.14	43.68	3	Vertical	59	1.18	9	39.60	11.75	44.97			
RMS	13.13316G	37.84	68.20	-30.36	31.45	3	Vertical	59	1.18	9	39.60	11.75	44.96			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11462G	50.58	88.20	-37.62	44.21	3	Horizontal	127	1.80	9	39.60	11.75	44.98			
RMS	13.13619G	37.57	68.20	-30.63	31.19	3	Horizontal	127	1.80	9	39.60	11.74	44.96			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
 Setting 9
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.62192G	44.14	83.54	-39.40	40.05	1	Vertical	15	1.17	-	37.70	15.19	48.80				
AV	19.63458G	31.45	63.54	-32.09	27.36	1	Vertical	15	1.17	-	37.70	15.19	48.80				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
 Setting 9
 03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.64052G	43.60	83.54	-39.94	39.51	1	Horizontal	354	1.71	-	37.70	15.19	48.80			
AV	19.63992G	31.48	63.54	-32.06	27.39	1	Horizontal	354	1.71	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31885G	50.81	74.00	-23.19	43.89	3	Vertical	112	1.80	9	40.00	11.73	44.81			
AV	13.31058G	38.32	54.00	-15.68	31.41	3	Vertical	112	1.80	9	40.00	11.73	44.82			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
SET 9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.31985G	50.83	74.00	-23.17	43.91	3	Horizontal	9	2.90	9	40.00	11.73	44.81				
AV	13.31553G	38.34	54.00	-15.66	31.42	3	Horizontal	9	2.90	9	40.00	11.73	44.81				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88658G	44.93	83.54	-38.61	40.85	1	Vertical	303	1.94	-	37.70	15.18	48.80			
AV	19.87158G	31.34	63.54	-32.20	27.26	1	Vertical	303	1.94	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88034G	43.80	83.54	-39.74	39.72	1	Horizontal	46	1.10	-	37.70	15.18	48.80			
AV	19.87104G	31.42	63.54	-32.12	27.34	1	Horizontal	46	1.10	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
SET9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48608G	51.66	88.20	-36.54	44.34	3	Vertical	360	1.80	9	40.27	11.72	44.67			
RMS	13.41G	39.66	68.20	-28.54	32.55	3	Vertical	360	1.80	9	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
SET 9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41719G	50.68	88.20	-37.52	43.56	3	Horizontal	12	1.80	9	40.13	11.72	44.73			
RMS	13.40984G	39.01	68.20	-29.19	31.90	3	Horizontal	12	1.80	9	40.12	11.72	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12178G	44.03	83.54	-39.51	39.74	1	Vertical	80	1.30	-	37.80	15.27	48.78			
AV	20.1225G	31.28	63.54	-32.26	26.99	1	Vertical	80	1.30	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10348G	43.81	83.54	-39.73	39.54	1	Horizontal	105	1.02	-	37.80	15.25	48.78			
AV	20.11008G	31.21	63.54	-32.33	26.93	1	Horizontal	105	1.02	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
SET 9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.54187G	51.03	88.20	-37.17	43.57	3	Vertical	140	1.80	9	40.38	11.71	44.63			
RMS	13.52109G	39.03	68.20	-29.17	31.62	3	Vertical	140	1.80	9	40.34	11.72	44.65			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.51581G	51.28	88.20	-36.92	43.88	3	Horizontal	102	1.80	9	40.33	11.72	44.65			
RMS	13.52477G	39.12	68.20	-29.08	31.69	3	Horizontal	102	1.80	9	40.35	11.72	44.64			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3571G	44.18	83.54	-39.36	39.56	1	Vertical	81	2.51	-	37.89	15.46	48.73			
AV	20.36076G	31.67	63.54	-31.87	27.06	1	Vertical	81	2.51	-	37.88	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 9
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36424G	44.03	83.54	-39.51	39.42	1	Horizontal	105	2.74	-	37.87	15.47	48.73			
AV	20.36766G	31.66	63.54	-31.88	27.06	1	Horizontal	105	2.74	-	37.86	15.47	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75589G	50.59	88.20	-37.61	42.76	3	Vertical	68	1.80	9	40.61	11.70	44.48			
RMS	13.76117G	37.70	68.20	-30.50	29.86	3	Vertical	68	1.80	9	40.62	11.70	44.48			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.75382G	49.71	88.20	-38.49	41.88	3	Horizontal	347	1.80	9	40.61	11.70	44.48				
RMS	13.74295G	37.69	68.20	-30.51	29.91	3	Horizontal	347	1.80	9	40.57	11.70	44.49				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59254G	44.15	83.54	-39.39	39.30	1	Vertical	353	2.58	-	37.90	15.65	48.70			
AV	20.58756G	31.84	63.54	-31.70	26.99	1	Vertical	353	2.58	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59008G	44.30	83.54	-39.24	39.45	1	Horizontal	174	1.20	-	37.90	15.65	48.70			
AV	20.58378G	31.84	63.54	-31.70	26.99	1	Horizontal	174	1.20	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88984G	52.52	88.20	-35.68	44.34	3	Vertical	17	1.53	9	40.88	11.69	44.39			
RMS	13.88984G	42.85	68.20	-25.35	34.67	3	Vertical	17	1.53	9	40.88	11.69	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.93172G	52.09	88.20	-36.11	43.80	3	Horizontal	155	1.80	9	40.96	11.69	44.36			
RMS	13.93204G	38.98	68.20	-29.22	30.69	3	Horizontal	155	1.80	9	40.96	11.69	44.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83914G	44.51	83.54	-39.03	39.46	1	Vertical	228	1.21	-	37.90	15.85	48.70			
AV	20.8491G	32.07	63.54	-31.47	27.01	1	Vertical	228	1.21	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84868G	44.44	83.54	-39.10	39.38	1	Horizontal	150	1.85	-	37.90	15.86	48.70			
AV	20.84796G	32.07	63.54	-31.47	27.01	1	Horizontal	150	1.85	-	37.90	15.86	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9946G	108.31	Inf	-Inf	99.45	3	Vertical	26	1.54	-	35.60	8.39	35.13			
RMS	6.995G	98.66	Inf	-Inf	89.80	3	Vertical	26	1.54	-	35.60	8.39	35.13			
PK	7.2054G	61.87	88.20	-26.33	52.25	3	Vertical	26	1.54	-	36.23	8.54	35.15			
RMS	7.2238G	50.52	68.20	-17.68	40.77	3	Vertical	26	1.54	-	36.34	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0062G	108.45	Inf	-Inf	99.60	3	Horizontal	22	1.60	-	35.60	8.38	35.13			
RMS	6.9866G	99.76	Inf	-Inf	90.88	3	Horizontal	22	1.60	-	35.60	8.41	35.13			
PK	7.1798G	60.87	88.20	-27.33	51.41	3	Horizontal	22	1.60	-	36.08	8.52	35.14			
RMS	7.215G	50.45	68.20	-17.75	40.76	3	Horizontal	22	1.60	-	36.29	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
SET 9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04952G	51.35	88.20	-36.85	42.81	3	Vertical	18	1.80	6.5	41.20	11.72	44.38			
RMS	14.04984G	41.68	68.20	-26.52	33.14	3	Vertical	18	1.80	6.5	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
SET9

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00556G	51.49	88.20	-36.71	42.93	3	Horizontal	28	1.79	6.5	41.20	11.68	44.32			
RMS	14.04984G	41.81	68.20	-26.39	33.27	3	Horizontal	28	1.79	6.5	41.20	11.72	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	21.08124G	45.04	83.54	-38.50	39.67	1	Vertical	200	2.56	-	38.00	16.05	48.68				
AV	21.06156G	31.94	63.54	-31.60	26.59	1	Vertical	200	2.56	-	38.00	16.04	48.69				
PK	21.06159G	31.94	83.54	-51.60	26.59	1	Vertical	-0	1.50	-	38.00	16.04	48.69				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 9
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	21.06942G	44.95	83.54	-38.59	39.60	1	Horizontal	280	2.60	-	38.00	16.04	48.69				
AV	21.06162G	31.94	63.54	-31.60	26.59	1	Horizontal	280	2.60	-	38.00	16.04	48.69				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9135G	62.83	88.20	-25.37	55.42	3	Vertical	352	1.80	13.5	34.53	8.08	35.20			
RMS	5.9245G	51.22	68.20	-16.98	43.78	3	Vertical	352	1.80	13.5	34.55	8.09	35.20			
PK	6.094G	108.21	Inf	-Inf	100.24	3	Vertical	352	1.80	13.5	34.86	8.31	35.20			
RMS	6.093G	98.82	Inf	-Inf	90.85	3	Vertical	352	1.80	13.5	34.86	8.31	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	61.95	88.20	-26.25	54.51	3	Horizontal	340	1.49	12.5	34.55	8.09	35.20			
RMS	5.9235G	51.42	68.20	-16.78	43.98	3	Horizontal	340	1.49	12.5	34.55	8.09	35.20			
PK	6.0855G	108.70	Inf	-Inf	100.79	3	Horizontal	340	1.49	12.5	34.81	8.30	35.20			
RMS	6.085G	98.98	Inf	-Inf	91.07	3	Horizontal	340	1.49	12.5	34.81	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91318G	50.98	74.00	-23.02	45.33	3	Vertical	152	1.06	12.5	39.20	11.79	45.34			
AV	12.00461G	38.59	54.00	-15.41	33.03	3	Vertical	152	1.06	12.5	39.09	11.83	45.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 13.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.99565G	50.52	74.00	-23.48	44.94	3	Horizontal	294	1.76	12.5	39.11	11.83	45.36			
AV	12.00588G	38.58	54.00	-15.42	33.02	3	Horizontal	294	1.76	12.5	39.09	11.83	45.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07794G	44.09	83.54	-39.45	39.45	1	Vertical	171	1.22	-	37.57	15.29	48.22			
AV	18.08946G	32.13	63.54	-31.41	27.43	1	Vertical	171	1.22	-	37.64	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 13.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08598G	44.42	83.54	-39.12	39.74	1	Horizontal	88	1.68	-	37.62	15.28	48.22			
AV	18.08946G	32.13	63.54	-31.41	27.43	1	Horizontal	88	1.68	-	37.64	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
SET 13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.2108G	49.24	74.00	-24.76	44.18	3	Vertical	252	2.45	10	38.72	11.81	45.47				
AV	12.21368G	37.20	54.00	-16.80	32.14	3	Vertical	252	2.45	10	38.73	11.81	45.48				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.23286G	49.75	74.00	-24.25	44.66	3	Horizontal	107	1.12	10	38.77	11.81	45.49			
AV	12.21464G	37.20	54.00	-16.80	32.14	3	Horizontal	107	1.12	10	38.73	11.81	45.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55086G	44.44	83.54	-39.10	39.73	1	Vertical	35	2.26	-	37.80	15.26	48.35			
AV	18.5658G	32.44	63.54	-31.10	27.75	1	Vertical	35	2.26	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 13
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5649G	45.12	83.54	-38.42	40.42	1	Horizontal	63	2.93	-	37.80	15.26	48.36			
AV	18.5658G	32.53	63.54	-31.01	27.84	1	Horizontal	63	2.93	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6916G	50.48	74.00	-23.52	45.24	3	Vertical	89	1.80	10	38.88	11.78	45.42			
AV	12.64045G	37.60	54.00	-16.40	32.53	3	Vertical	89	1.80	10	38.76	11.78	45.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.58834G	49.54	74.00	-24.46	44.66	3	Horizontal	264	1.80	10	38.62	11.79	45.53			
AV	12.65068G	37.75	54.00	-16.25	32.63	3	Horizontal	264	1.80	10	38.80	11.78	45.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 12
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0203G	44.12	83.54	-39.42	39.73	1	Vertical	302	2.29	-	37.96	15.23	48.80			
AV	19.04538G	31.92	63.54	-31.62	27.58	1	Vertical	302	2.29	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 12
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04844G	44.23	83.54	-39.31	39.90	1	Horizontal	321	1.97	-	37.90	15.23	48.80			
AV	19.0488G	31.93	63.54	-31.61	27.60	1	Horizontal	321	1.97	-	37.90	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97931G	49.86	88.20	-38.34	43.89	3	Vertical	302	1.80	11.5	39.30	11.76	45.09			
RMS	13.12764G	37.77	68.20	-30.43	31.39	3	Vertical	302	1.80	11.5	39.60	11.75	44.97			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	13.12029G	50.25	88.20	-37.95	43.87	3	Horizontal	92	1.80	11.5	39.60	11.75	44.97				
RMS	13.1318G	37.82	68.20	-30.38	31.43	3	Horizontal	92	1.80	11.5	39.60	11.75	44.96				

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5039G	43.84	83.54	-39.70	39.65	1	Vertical	35	2.72	-	37.79	15.20	48.80			
AV	19.50348G	31.52	63.54	-32.02	27.33	1	Vertical	35	2.72	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.50546G	44.53	83.54	-39.01	40.34	1	Horizontal	340	2.75	-	37.79	15.20	48.80				
AV	19.51224G	31.60	63.54	-31.94	27.42	1	Horizontal	340	2.75	-	37.78	15.20	48.80				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19989G	50.40	88.20	-37.80	43.87	3	Vertical	265	1.28	11.5	39.70	11.74	44.91			
RMS	13.42079G	38.43	68.20	-29.77	31.29	3	Vertical	265	1.28	11.5	40.14	11.72	44.72			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41489G	51.03	88.20	-37.17	43.91	3	Horizontal	220	1.59	11.5	40.13	11.72	44.73			
RMS	13.4128G	38.15	68.20	-30.05	31.03	3	Horizontal	220	1.59	11.5	40.13	11.72	44.73			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99584G	44.22	83.54	-39.32	40.14	1	Vertical	166	2.30	-	37.71	15.17	48.80			
AV	19.98018G	31.81	63.54	-31.73	27.70	1	Vertical	166	2.30	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98042G	44.55	83.54	-38.99	40.44	1	Horizontal	182	2.24	-	37.74	15.17	48.80			
AV	19.98006G	31.73	63.54	-31.81	27.62	1	Horizontal	182	2.24	-	37.74	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.49496G	51.12	88.20	-37.08	43.77	3	Vertical	65	2.95	11.5	40.29	11.72	44.66				
RMS	13.52437G	38.85	68.20	-29.35	31.42	3	Vertical	65	2.95	11.5	40.35	11.72	44.64				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49623G	50.69	88.20	-37.51	43.34	3	Horizontal	360	1.80	11.5	40.29	11.72	44.66			
RMS	13.52149G	38.90	68.20	-29.30	31.48	3	Horizontal	360	1.80	11.5	40.34	11.72	44.64			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.46156G	43.58	83.54	-39.96	38.84	1	Vertical	29	1.22	-	37.90	15.55	48.71			
AV	20.46036G	31.01	63.54	-32.53	26.27	1	Vertical	29	1.22	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 11.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47806G	43.28	83.54	-40.26	38.52	1	Horizontal	52	1.03	-	37.90	15.56	48.70			
AV	20.46042G	31.01	63.54	-32.53	26.27	1	Horizontal	52	1.03	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.976G	109.17	Inf	-Inf	100.25	3	Vertical	330	1.60	12	35.60	8.45	35.13			
RMS	6.916G	98.93	Inf	-Inf	89.84	3	Vertical	330	1.60	12	35.60	8.64	35.15			
PK	7.209G	61.04	88.20	-27.16	51.39	3	Vertical	330	1.60	12	36.25	8.55	35.15			
RMS	7.233G	49.94	68.20	-18.26	40.13	3	Vertical	330	1.60	12	36.40	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9075G	109.25	Inf	-Inf	100.13	3	Horizontal	18	1.46	12	35.60	8.67	35.15			
RMS	6.9075G	98.98	Inf	-Inf	89.86	3	Horizontal	18	1.46	12	35.60	8.67	35.15			
PK	7.229G	60.52	88.20	-27.68	50.74	3	Horizontal	18	1.46	12	36.37	8.56	35.15			
RMS	7.2315G	49.92	68.20	-18.28	40.12	3	Horizontal	18	1.46	12	36.39	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	51.63	88.20	-36.57	43.20	3	Vertical	17	1.51	12	41.08	11.68	44.33			
RMS	13.97G	43.32	68.20	-24.88	34.89	3	Vertical	17	1.51	12	41.08	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98854G	51.04	88.20	-37.16	42.53	3	Horizontal	16	1.80	12	41.15	11.68	44.32			
RMS	13.97G	40.86	68.20	-27.34	32.43	3	Horizontal	16	1.80	12	41.08	11.68	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 12
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95932G	44.39	83.54	-39.15	39.22	1	Vertical	210	1.69	-	37.92	15.95	48.70			
AV	20.94222G	32.15	63.54	-31.39	27.01	1	Vertical	210	1.69	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 12
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94702G	44.75	83.54	-38.79	39.61	1	Horizontal	322	2.29	-	37.90	15.94	48.70			
AV	20.94144G	32.14	63.54	-31.40	27.00	1	Horizontal	322	2.29	-	37.90	15.94	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.916G	63.26	88.20	-24.94	55.85	3	Vertical	360	1.42	15.5	34.53	8.08	35.20				
RMS	5.924G	51.61	68.20	-16.59	44.17	3	Vertical	360	1.42	15.5	34.55	8.09	35.20				
PK	6.234G	109.76	Inf	-Inf	101.51	3	Vertical	360	1.42	15.5	34.93	8.52	35.20				
RMS	6.253G	99.17	Inf	-Inf	90.94	3	Vertical	360	1.42	15.5	34.89	8.55	35.21				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	62.18	88.20	-26.02	54.74	3	Horizontal	350	1.80	15.5	34.55	8.09	35.20			
RMS	5.924G	51.42	68.20	-16.78	43.98	3	Horizontal	350	1.80	15.5	34.55	8.09	35.20			
PK	6.246G	109.30	Inf	-Inf	101.05	3	Horizontal	350	1.80	15.5	34.91	8.54	35.20			
RMS	6.246G	98.74	Inf	-Inf	90.49	3	Horizontal	350	1.80	15.5	34.91	8.54	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91781G	50.75	74.00	-23.25	45.09	3	Vertical	49	1.43	15.5	39.20	11.80	45.34			
AV	11.99198G	38.51	54.00	-15.49	32.92	3	Vertical	49	1.43	15.5	39.12	11.83	45.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 15.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96257G	50.13	74.00	-23.87	44.50	3	Horizontal	232	1.80	15.5	39.17	11.81	45.35			
AV	12.0054G	38.46	54.00	-15.54	32.90	3	Horizontal	232	1.80	15.5	39.09	11.83	45.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31086G	44.22	83.54	-39.32	39.59	1	Vertical	21	2.23	-	37.62	15.27	48.26			
AV	18.3297G	32.13	63.54	-31.41	27.47	1	Vertical	21	2.23	-	37.66	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32886G	44.47	83.54	-39.07	39.81	1	Horizontal	-0	1.50	-	37.66	15.27	48.27			
AV	18.32934G	32.13	63.54	-31.41	27.47	1	Horizontal	-0	1.50	-	37.66	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.63102G	50.00	74.00	-24.00	44.98	3	Vertical	106	2.95	10	38.72	11.78	45.48			
AV	12.64828G	37.68	54.00	-16.32	32.57	3	Vertical	106	2.95	10	38.79	11.78	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.65723G	49.82	74.00	-24.18	44.68	3	Horizontal	12	1.80	10	38.81	11.78	45.45			
AV	12.64508G	37.71	54.00	-16.29	32.62	3	Horizontal	12	1.80	10	38.78	11.78	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80196G	44.15	83.54	-39.39	39.61	1	Vertical	181	1.20	-	37.90	15.24	48.60			
AV	18.80076G	32.02	63.54	-31.52	27.48	1	Vertical	181	1.20	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.78312G	44.79	83.54	-38.75	40.23	1	Horizontal	30	2.93	-	37.90	15.24	48.58				
AV	18.80454G	32.06	63.54	-31.48	27.51	1	Horizontal	30	2.93	-	37.91	15.24	48.60				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82379G	49.59	88.20	-38.61	43.99	3	Vertical	229	1.80	10	39.10	11.77	45.27			
AV	12.64988G	37.69	54.00	-16.31	32.57	3	Vertical	229	1.80	10	38.80	11.78	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.64924G	50.34	74.00	-23.66	45.22	3	Horizontal	140	1.06	10	38.80	11.78	45.46				
AV	12.6518G	37.67	54.00	-16.33	32.55	3	Horizontal	140	1.06	10	38.80	11.78	45.46				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26036G	44.58	83.54	-38.96	40.21	1	Vertical	82	2.23	-	37.96	15.21	48.80			
AV	19.28286G	31.60	63.54	-31.94	27.32	1	Vertical	82	2.23	-	37.87	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2783G	43.84	83.54	-39.70	39.54	1	Horizontal	320	1.79	-	37.89	15.21	48.80			
AV	19.28154G	31.76	63.54	-31.78	27.48	1	Horizontal	320	1.79	-	37.87	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2934G	50.05	74.00	-23.95	43.16	3	Vertical	347	1.80	14	39.99	11.73	44.83			
AV	13.31961G	38.76	54.00	-15.24	31.84	3	Vertical	347	1.80	14	40.00	11.73	44.81			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.30516G	50.23	74.00	-23.77	43.32	3	Horizontal	360	1.80	14	40.00	11.73	44.82			
AV	13.30682G	38.82	54.00	-15.18	31.91	3	Horizontal	360	1.80	14	40.00	11.73	44.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.76616G	43.73	83.54	-39.81	39.65	1	Vertical	56	1.67	-	37.70	15.18	48.80			
AV	19.76352G	31.36	63.54	-32.18	27.28	1	Vertical	56	1.67	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
 Setting 14
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7499G	44.07	83.54	-39.47	39.98	1	Horizontal	173	2.59	-	37.70	15.19	48.80			
AV	19.76766G	31.41	63.54	-32.13	27.33	1	Horizontal	173	2.59	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.19845G	51.43	88.20	-36.77	44.90	3	Vertical	319	1.80	14.5	39.70	11.74	44.91			
RMS	13.50854G	39.07	68.20	-29.13	31.68	3	Vertical	319	1.80	14.5	40.32	11.72	44.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4689G	50.78	88.20	-37.42	43.51	3	Horizontal	53	2.21	14.5	40.24	11.72	44.69			
RMS	13.52772G	39.06	68.20	-29.14	31.62	3	Horizontal	53	2.21	14.5	40.36	11.72	44.64			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.22798G	44.18	83.54	-39.36	39.77	1	Vertical	32	2.26	-	37.80	15.36	48.75			
AV	20.22864G	31.65	63.54	-31.89	27.24	1	Vertical	32	2.26	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 14.5
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.22264G	44.00	83.54	-39.54	39.61	1	Horizontal	228	1.09	-	37.80	15.35	48.76			
AV	20.24064G	31.65	63.54	-31.89	27.23	1	Horizontal	228	1.09	-	37.80	15.37	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7784G	109.56	Inf	-Inf	100.21	3	Vertical	23	1.60	-	35.51	9.01	35.17			
RMS	6.7568G	99.43	Inf	-Inf	90.17	3	Vertical	23	1.60	-	35.43	9.00	35.17			
PK	7.1936G	61.60	88.20	-26.60	52.06	3	Vertical	23	1.60	-	36.16	8.53	35.15			
RMS	7.1738G	50.06	68.20	-18.14	40.64	3	Vertical	23	1.60	-	36.04	8.52	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7472G	110.00	Inf	-Inf	100.80	3	Horizontal	18	1.57	-	35.39	8.99	35.18			
RMS	6.7466G	99.92	Inf	-Inf	90.72	3	Horizontal	18	1.57	-	35.39	8.99	35.18			
PK	7.1432G	62.21	88.20	-25.99	52.99	3	Horizontal	18	1.57	-	35.87	8.49	35.14			
RMS	7.1252G	49.98	68.20	-18.22	40.84	3	Horizontal	18	1.57	-	35.80	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49671G	51.12	88.20	-37.08	43.77	3	Vertical	354	2.17	13.5	40.29	11.72	44.66			
RMS	13.90718G	39.15	68.20	-29.05	30.92	3	Vertical	354	2.17	13.5	40.91	11.69	44.37			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
SET 14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97687G	50.77	88.20	-37.43	42.31	3	Horizontal	26	1.80	13.5	41.11	11.68	44.33			
RMS	13.90463G	39.20	68.20	-29.00	30.98	3	Horizontal	26	1.80	13.5	40.91	11.69	44.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7192G	43.92	83.54	-39.62	38.96	1	Vertical	152	2.45	-	37.90	15.76	48.70			
AV	20.71932G	32.43	63.54	-31.11	27.47	1	Vertical	152	2.45	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 14
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.72916G	43.97	83.54	-39.57	39.01	1	Horizontal	176	2.73	-	37.90	15.76	48.70				
AV	20.7192G	32.43	63.54	-31.11	27.47	1	Horizontal	176	2.73	-	37.90	15.76	48.70				



**RSE TX above 1GHz_R4_Indoor AP_Wide Beam_Full RU_
BF mode**


Appendix E.14

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.06	68.20	-0.14	3	Horizontal	183	1.40	BP 1MHz

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
02-V-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9156G	62.66	88.20	-25.54	51.21	3	Vertical	21	1.37	-	34.20	7.88	30.63			
RMS	5.9183G	51.68	68.20	-16.52	40.23	3	Vertical	21	1.37	-	34.20	7.88	30.63			
PK	5.9638G	109.73	Inf	-Inf	98.21	3	Vertical	21	1.37	-	34.23	7.91	30.62			
RMS	5.9639G	98.58	Inf	-Inf	87.06	3	Vertical	21	1.37	-	34.23	7.91	30.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
02-V-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9103G	62.93	88.20	-25.27	51.49	3	Horizontal	35	1.69	-	34.20	7.87	30.63			
RMS	5.9242G	51.74	68.20	-16.46	40.29	3	Horizontal	35	1.69	-	34.20	7.88	30.63			
PK	5.9638G	110.08	Inf	-Inf	98.56	3	Horizontal	35	1.69	-	34.23	7.91	30.62			
RMS	5.9641G	99.53	Inf	-Inf	88.01	3	Horizontal	35	1.69	-	34.23	7.91	30.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91224G	51.61	74.00	-22.39	34.28	3	Vertical	159	2.17	-	38.62	12.08	33.37			
AV	11.91299G	38.61	54.00	-15.39	21.27	3	Vertical	159	2.17	-	38.63	12.08	33.37			
PK	17.86316G	58.25	74.00	-15.75	34.84	3	Vertical	327	2.84	-	41.71	15.23	33.53			
AV	17.86535G	46.39	54.00	-7.61	22.97	3	Vertical	327	2.84	-	41.72	15.23	33.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90951G	50.96	74.00	-23.04	33.63	3	Horizontal	257	2.80	-	38.62	12.08	33.37				
AV	11.90363G	38.39	54.00	-15.61	21.07	3	Horizontal	257	2.80	-	38.61	12.08	33.37				
PK	17.86968G	57.83	74.00	-16.17	34.37	3	Horizontal	358	1.88	-	41.76	15.23	33.53				
AV	17.86052G	46.41	54.00	-7.59	23.03	3	Horizontal	358	1.88	-	41.68	15.23	33.53				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81931G	48.03	83.54	-35.51	39.32	1	Vertical	320	1.80	-	39.10	17.28	47.67			
AV	23.81973G	39.92	63.54	-23.62	31.21	1	Vertical	320	1.80	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82012G	48.35	83.54	-35.19	39.64	1	Horizontal	8	1.80	-	39.10	17.28	47.67			
AV	23.81976G	40.29	63.54	-23.25	31.58	1	Horizontal	8	1.80	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39173G	52.90	74.00	-21.10	33.19	3	Vertical	72	1.32	-	38.80	12.02	31.11			
AV	12.38812G	41.25	54.00	-12.75	21.54	3	Vertical	72	1.32	-	38.80	12.02	31.11			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39499G	53.45	74.00	-20.55	33.74	3	Horizontal	132	2.94	-	38.80	12.02	31.11			
AV	12.38709G	41.26	54.00	-12.74	21.55	3	Horizontal	132	2.94	-	38.80	12.02	31.11			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58357G	43.32	83.54	-40.22	38.65	1	Vertical	24	1.28	-	37.80	15.25	48.38			
AV	18.5835G	31.83	63.54	-31.71	27.16	1	Vertical	24	1.28	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5863G	43.57	83.54	-39.97	38.91	1	Horizontal	28	1.12	-	37.80	15.25	48.39			
AV	18.58401G	31.96	63.54	-31.58	27.29	1	Horizontal	28	1.12	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82616G	52.73	88.20	-35.47	33.30	3	Vertical	150	1.84	-	39.80	12.99	33.36			
RMS	12.83207G	40.88	68.20	-27.32	21.45	3	Vertical	150	1.84	-	39.80	13.00	33.37			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83363G	52.53	88.20	-35.67	33.10	3	Horizontal	337	1.41	-	39.80	13.00	33.37			
RMS	12.83434G	40.89	68.20	-27.31	21.46	3	Horizontal	337	1.41	-	39.80	13.00	33.37			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24516G	43.78	83.54	-39.76	39.38	1	Vertical	58	1.56	-	37.98	15.22	48.80			
AV	19.2439G	32.22	63.54	-31.32	27.82	1	Vertical	58	1.56	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24436G	44.39	83.54	-39.15	39.99	1	Horizontal	278	1.23	-	37.98	15.22	48.80			
AV	19.24524G	32.08	63.54	-31.46	27.68	1	Horizontal	278	1.23	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87112G	53.09	88.20	-35.11	33.63	3	Vertical	22	2.15	-	39.84	13.04	33.42			
RMS	12.87442G	41.11	68.20	-27.09	21.65	3	Vertical	22	2.15	-	39.85	13.04	33.43			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87438G	54.05	88.20	-34.15	34.59	3	Horizontal	132	2.74	-	39.85	13.04	33.43			
RMS	12.87305G	41.10	68.20	-27.10	21.64	3	Horizontal	132	2.74	-	39.85	13.04	33.43			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30597G	43.83	83.54	-39.71	39.62	1	Vertical	60	2.55	-	37.80	15.21	48.80			
AV	19.30475G	32.23	63.54	-31.31	28.02	1	Vertical	60	2.55	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30453G	43.92	83.54	-39.62	39.71	1	Horizontal	20	1.09	-	37.80	15.21	48.80			
AV	19.30536G	32.12	63.54	-31.42	27.91	1	Horizontal	20	1.09	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95009G	52.05	88.20	-36.15	32.46	3	Vertical	72	2.94	-	40.00	13.12	33.53			
RMS	12.95283G	40.41	68.20	-27.79	20.83	3	Vertical	72	2.94	-	40.00	13.12	33.54			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9477G	52.91	88.20	-35.29	33.32	3	Horizontal	87	2.40	-	40.00	13.12	33.53			
RMS	12.95098G	42.71	68.20	-25.49	23.12	3	Horizontal	87	2.40	-	40.00	13.12	33.53			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4255G	45.15	83.54	-38.39	40.95	1	Vertical	57	2.49	-	37.80	15.20	48.80			
AV	19.42465G	33.19	63.54	-30.35	28.99	1	Vertical	57	2.49	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42487G	44.80	83.54	-38.74	40.60	1	Horizontal	326	2.88	-	37.80	15.20	48.80			
AV	19.42353G	33.11	63.54	-30.43	28.90	1	Horizontal	326	2.88	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02752G	52.86	88.20	-35.34	33.36	3	Vertical	161	2.56	-	39.89	13.20	33.59			
RMS	13.02966G	42.91	68.20	-25.29	23.42	3	Vertical	161	2.56	-	39.88	13.20	33.59			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02732G	52.53	88.20	-35.67	33.03	3	Horizontal	230	2.87	-	39.89	13.20	33.59			
RMS	13.02839G	40.48	68.20	-27.72	20.98	3	Horizontal	230	2.87	-	39.89	13.20	33.59			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54533G	44.38	83.54	-39.16	40.27	1	Vertical	132	2.41	-	37.71	15.20	48.80			
AV	19.54454G	32.46	63.54	-31.08	28.35	1	Vertical	132	2.41	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54703G	45.26	83.54	-38.28	41.15	1	Horizontal	316	1.44	-	37.71	15.20	48.80			
AV	19.5428G	32.55	63.54	-30.99	28.44	1	Horizontal	316	1.44	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07448G	53.37	88.20	-34.83	33.84	3	Vertical	259	1.50	-	39.85	13.25	33.57			
RMS	13.0657G	39.77	68.20	-28.43	20.27	3	Vertical	259	1.50	-	39.83	13.24	33.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07416G	52.64	88.20	-35.56	33.11	3	Horizontal	167	1.71	-	39.85	13.25	33.57			
RMS	13.06542G	40.41	68.20	-27.79	20.91	3	Horizontal	167	1.71	-	39.83	13.24	33.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60632G	45.67	83.54	-37.87	41.58	1	Vertical	44	1.01	-	37.70	15.19	48.80			
AV	19.6059G	32.36	63.54	-31.18	28.27	1	Vertical	44	1.01	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60466G	44.38	83.54	-39.16	40.29	1	Horizontal	290	1.95	-	37.70	15.19	48.80			
AV	19.60502G	32.37	63.54	-31.17	28.28	1	Horizontal	290	1.95	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38897G	53.84	74.00	-20.16	33.39	3	Vertical	336	2.75	-	40.32	13.57	33.44			
AV	13.39109G	42.14	54.00	-11.86	21.68	3	Vertical	336	2.75	-	40.32	13.58	33.44			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39158G	54.74	74.00	-19.26	34.28	3	Horizontal	50	2.55	-	40.32	13.58	33.44			
AV	13.39486G	43.06	54.00	-10.94	22.60	3	Horizontal	50	2.55	-	40.31	13.58	33.43			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08502G	44.92	83.54	-38.62	40.66	1	Vertical	168	2.54	-	37.80	15.24	48.78			
AV	20.08408G	33.28	63.54	-30.26	29.02	1	Vertical	168	2.54	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08398G	44.63	83.54	-38.91	40.37	1	Horizontal	259	1.33	-	37.80	15.24	48.78			
AV	20.08665G	32.95	63.54	-30.59	28.69	1	Horizontal	259	1.33	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74755G	54.46	88.20	-33.74	33.48	3	Vertical	81	1.65	-	40.50	13.95	33.47			
RMS	13.74695G	42.82	68.20	-25.38	21.84	3	Vertical	81	1.65	-	40.50	13.95	33.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74801G	54.46	88.20	-33.74	33.48	3	Horizontal	350	1.96	-	40.50	13.95	33.47			
RMS	13.74538G	42.62	68.20	-25.58	21.64	3	Horizontal	350	1.96	-	40.50	13.95	33.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62494G	43.87	83.54	-39.67	38.99	1	Vertical	270	2.63	-	37.90	15.68	48.70			
AV	20.62406G	32.32	63.54	-31.22	27.44	1	Vertical	270	2.63	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62635G	43.63	83.54	-39.91	38.75	1	Horizontal	13	1.12	-	37.90	15.68	48.70			
AV	20.62272G	32.33	63.54	-31.21	27.45	1	Horizontal	13	1.12	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78606G	54.78	88.20	-33.42	33.91	3	Vertical	351	1.26	-	40.36	13.99	33.48			
RMS	13.78501G	42.48	68.20	-25.72	21.61	3	Vertical	351	1.26	-	40.36	13.99	33.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78957G	55.23	88.20	-32.97	34.38	3	Horizontal	129	2.86	-	40.34	13.99	33.48			
RMS	13.78597G	42.97	68.20	-25.23	22.10	3	Horizontal	129	2.86	-	40.36	13.99	33.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68695G	44.13	83.54	-39.41	39.20	1	Vertical	99	2.69	-	37.90	15.73	48.70			
AV	20.68271G	32.09	63.54	-31.45	27.16	1	Vertical	99	2.69	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.68412G	43.77	83.54	-39.77	38.84	1	Horizontal	316	2.69	-	37.90	15.73	48.70				
AV	20.68536G	32.22	63.54	-31.32	27.29	1	Horizontal	316	2.69	-	37.90	15.73	48.70				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99032G	55.37	88.20	-32.83	34.22	3	Vertical	127	1.85	-	40.50	14.20	33.55			
RMS	13.98973G	42.93	68.20	-25.27	21.78	3	Vertical	127	1.85	-	40.50	14.20	33.55			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98582G	55.74	88.20	-32.46	34.59	3	Horizontal	115	1.45	-	40.50	14.20	33.55			
RMS	13.98985G	43.53	68.20	-24.67	22.38	3	Horizontal	115	1.45	-	40.50	14.20	33.55			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98463G	45.66	83.54	-37.88	40.42	1	Vertical	150	2.08	-	37.97	15.97	48.70			
AV	20.98484G	32.70	63.54	-30.84	27.46	1	Vertical	150	2.08	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 10
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98399G	44.26	83.54	-39.28	39.02	1	Horizontal	67	2.50	-	37.97	15.97	48.70			
AV	20.98275G	32.74	63.54	-30.80	27.50	1	Horizontal	67	2.50	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0998G	105.21	Inf	-Inf	94.50	3	Vertical	331.1	1.78	-	36.60	9.27	35.16			
RMS	7.087G	92.24	Inf	-Inf	81.60	3	Vertical	331.1	1.78	-	36.55	9.27	35.18			
PK	7.131G	64.60	88.20	-23.60	53.63	3	Vertical	331.1	1.78	-	36.79	9.28	35.10			
RMS	7.1894G	53.36	68.20	-14.84	42.00	3	Vertical	331.1	1.78	-	37.06	9.30	35.00			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.101G	110.63	Inf	-Inf	99.90	3	Horizontal	23.3	1.56	-	36.61	9.28	35.16			
RMS	7.1024G	100.48	Inf	-Inf	89.74	3	Horizontal	23.3	1.56	-	36.61	9.28	35.15			
PK	7.1286G	64.54	88.20	-23.66	53.60	3	Horizontal	23.3	1.56	-	36.77	9.28	35.11			
RMS	7.183G	53.47	68.20	-14.73	42.15	3	Horizontal	23.3	1.56	-	37.03	9.30	35.01			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19042G	55.17	88.20	-33.03	34.05	3	Vertical	317	2.89	-	40.50	14.21	33.59			
RMS	14.1861G	42.76	68.20	-25.44	21.64	3	Vertical	317	2.89	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18743G	55.04	88.20	-33.16	33.92	3	Horizontal	354	1.35	-	40.50	14.21	33.59			
RMS	14.19394G	42.69	68.20	-25.51	21.57	3	Horizontal	354	1.35	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28495G	45.63	83.54	-37.91	39.98	1	Vertical	317	2.31	-	38.07	16.22	48.64			
AV	21.28453G	33.24	63.54	-30.30	27.59	1	Vertical	317	2.31	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28417G	45.26	83.54	-38.28	39.61	1	Horizontal	138	1.38	-	38.07	16.22	48.64			
AV	21.28475G	33.29	63.54	-30.25	27.64	1	Horizontal	138	1.38	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1115G	96.75	Inf	-Inf	85.94	3	Vertical	328.8	1.59	BP 1MHz	36.67	9.28	35.14			
RMS	7.1065G	87.79	Inf	-Inf	77.02	3	Vertical	328.8	1.59	BP 1MHz	36.64	9.28	35.15			
PK	7.1255G	69.75	88.20	-18.45	58.83	3	Vertical	328.8	1.59	BP 1MHz	36.75	9.28	35.11			
RMS	7.1255G	59.69	68.20	-8.51	48.77	3	Vertical	328.8	1.59	BP 1MHz	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1075G	100.95	Inf	-Inf	90.17	3	Horizontal	14.9	1.80	BP 1MHz	36.64	9.28	35.14			
RMS	7.1075G	95.13	Inf	-Inf	84.35	3	Horizontal	14.9	1.80	BP 1MHz	36.64	9.28	35.14			
PK	7.1255G	77.89	88.20	-10.31	66.97	3	Horizontal	14.9	1.80	BP 1MHz	36.75	9.28	35.11			
RMS	7.1255G	67.51	68.20	-0.69	56.59	3	Horizontal	14.9	1.80	BP 1MHz	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23448G	56.08	88.20	-32.12	35.04	3	Vertical	237	1.21	-	40.43	14.21	33.60			
RMS	14.23076G	42.87	68.20	-25.33	21.82	3	Vertical	237	1.21	-	40.44	14.21	33.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22814G	54.71	88.20	-33.49	33.66	3	Horizontal	136	2.91	-	40.44	14.21	33.60			
RMS	14.22562G	42.67	68.20	-25.53	21.61	3	Horizontal	136	2.91	-	40.45	14.21	33.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34591G	44.91	83.54	-38.63	39.17	1	Vertical	33	2.10	-	38.10	16.27	48.63			
AV	21.34499G	32.91	63.54	-30.63	27.17	1	Vertical	33	2.10	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34457G	45.15	83.54	-38.39	39.41	1	Horizontal	124	1.52	-	38.10	16.27	48.63			
AV	21.34517G	33.02	63.54	-30.52	27.28	1	Horizontal	124	1.52	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9192G	62.65	88.20	-25.55	55.43	3	Vertical	342	1.80	-	34.30	8.50	35.58			
RMS	5.9242G	50.90	68.20	-17.30	43.67	3	Vertical	342	1.80	-	34.30	8.51	35.58			
PK	5.9826G	108.41	Inf	-Inf	101.25	3	Vertical	342	1.80	-	34.23	8.53	35.60			
RMS	5.983G	97.74	Inf	-Inf	90.58	3	Vertical	342	1.80	-	34.23	8.53	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	62.23	88.20	-25.97	55.01	3	Horizontal	9.5	1.80	-	34.30	8.50	35.58			
RMS	5.9244G	51.44	68.20	-16.76	44.21	3	Horizontal	9.5	1.80	-	34.30	8.51	35.58			
PK	5.9786G	111.44	Inf	-Inf	104.27	3	Horizontal	9.5	1.80	-	34.24	8.53	35.60			
RMS	5.95G	100.36	Inf	-Inf	93.13	3	Horizontal	9.5	1.80	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93482G	50.64	74.00	-23.36	33.26	3	Vertical	353	1.08	-	38.67	12.10	33.39			
AV	11.93409G	38.21	54.00	-15.79	20.83	3	Vertical	353	1.08	-	38.67	12.10	33.39			
PK	17.89354G	58.18	74.00	-15.82	34.54	3	Vertical	306	2.65	-	41.95	15.24	33.55			
AV	17.89356G	46.06	54.00	-7.94	22.42	3	Vertical	306	2.65	-	41.95	15.24	33.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92904G	50.31	74.00	-23.69	32.95	3	Horizontal	129	1.81	-	38.66	12.09	33.39			
AV	11.92743G	38.41	54.00	-15.59	21.06	3	Horizontal	129	1.81	-	38.65	12.09	33.39			
PK	17.89992G	57.88	74.00	-16.12	34.19	3	Horizontal	17	1.87	-	42.00	15.25	33.56			
AV	17.89589G	47.13	54.00	-6.87	23.46	3	Horizontal	17	1.87	-	41.97	15.25	33.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85807G	46.89	83.54	-36.65	38.18	1	Vertical	314	2.01	-	39.08	17.29	47.66			
AV	23.85751G	34.73	63.54	-28.81	26.02	1	Vertical	314	2.01	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86003G	46.55	83.54	-36.99	37.84	1	Horizontal	125	2.71	-	39.08	17.29	47.66			
AV	23.85954G	34.60	63.54	-28.94	25.89	1	Horizontal	125	2.71	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 13
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40578G	51.98	74.00	-22.02	33.54	3	Vertical	286	1.73	-	38.91	12.55	33.02			
AV	12.41414G	39.71	54.00	-14.29	21.23	3	Vertical	286	1.73	-	38.93	12.56	33.01			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 13
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40812G	51.76	74.00	-22.24	33.31	3	Horizontal	182	2.49	-	38.92	12.55	33.02			
AV	12.4128G	39.94	54.00	-14.06	21.46	3	Horizontal	182	2.49	-	38.93	12.56	33.01			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61706G	43.70	83.54	-39.84	39.04	1	Vertical	202	2.76	-	37.83	15.25	48.42			
AV	18.613G	31.79	63.54	-31.75	27.12	1	Vertical	202	2.76	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61533G	43.83	83.54	-39.71	39.17	1	Horizontal	3	1.93	-	37.83	15.25	48.42			
AV	18.61452G	31.64	63.54	-31.90	26.97	1	Horizontal	3	1.93	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81055G	52.72	88.20	-35.48	33.29	3	Vertical	184	1.81	-	39.80	12.97	33.34			
RMS	12.81466G	40.56	68.20	-27.64	21.13	3	Vertical	184	1.81	-	39.80	12.98	33.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80508G	52.88	88.20	-35.32	33.44	3	Horizontal	29	1.24	-	39.80	12.97	33.33			
RMS	12.81257G	40.78	68.20	-27.42	21.35	3	Horizontal	29	1.24	-	39.80	12.98	33.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21443G	44.19	83.54	-39.35	39.91	1	Vertical	109	2.11	-	37.86	15.22	48.80			
AV	19.21397G	31.94	63.54	-31.60	27.66	1	Vertical	109	2.11	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21484G	43.69	83.54	-39.85	39.41	1	Horizontal	7	1.71	-	37.86	15.22	48.80			
AV	19.21466G	31.91	63.54	-31.63	27.63	1	Horizontal	7	1.71	-	37.86	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88908G	53.08	88.20	-35.12	33.60	3	Vertical	108	2.26	-	39.88	13.05	33.45			
RMS	12.89219G	40.98	68.20	-27.22	21.49	3	Vertical	108	2.26	-	39.88	13.06	33.45			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88599G	53.36	88.20	-34.84	33.88	3	Horizontal	175	1.65	-	39.87	13.05	33.44			
RMS	12.89027G	40.97	68.20	-27.23	21.48	3	Horizontal	175	1.65	-	39.88	13.06	33.45			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33596G	43.55	83.54	-39.99	39.34	1	Vertical	65	1.83	-	37.80	15.21	48.80			
AV	19.33646G	31.94	63.54	-31.60	27.73	1	Vertical	65	1.83	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33511G	43.63	83.54	-39.91	39.42	1	Horizontal	82	2.57	-	37.80	15.21	48.80			
AV	19.33459G	31.93	63.54	-31.61	27.72	1	Horizontal	82	2.57	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97046G	52.48	88.20	-35.72	32.90	3	Vertical	83	1.83	-	40.00	13.14	33.56			
RMS	12.97394G	40.17	68.20	-28.03	20.59	3	Vertical	83	1.83	-	40.00	13.14	33.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97236G	52.32	88.20	-35.88	32.74	3	Horizontal	139	1.46	-	40.00	13.14	33.56			
RMS	12.974G	40.33	68.20	-27.87	20.75	3	Horizontal	139	1.46	-	40.00	13.14	33.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45502G	44.00	83.54	-39.54	39.89	1	Vertical	102	1.71	-	37.71	15.20	48.80			
AV	19.45506G	32.53	63.54	-31.01	28.42	1	Vertical	102	1.71	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4574G	44.65	83.54	-38.89	40.54	1	Horizontal	247	1.73	-	37.71	15.20	48.80			
AV	19.45359G	32.54	63.54	-31.00	28.43	1	Horizontal	247	1.73	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05436G	53.43	88.20	-34.77	33.97	3	Vertical	330	1.27	-	39.81	13.23	33.58			
RMS	13.04699G	40.27	68.20	-27.93	20.82	3	Vertical	330	1.27	-	39.81	13.22	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04737G	52.27	88.20	-35.93	32.82	3	Horizontal	255	2.55	-	39.81	13.22	33.58			
RMS	13.04698G	39.07	68.20	-29.13	19.62	3	Horizontal	255	2.55	-	39.81	13.22	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57398G	43.75	83.54	-39.79	39.65	1	Vertical	345	2.35	-	37.70	15.20	48.80			
AV	19.57342G	32.31	63.54	-31.23	28.21	1	Vertical	345	2.35	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57502G	44.35	83.54	-39.19	40.25	1	Horizontal	256	2.73	-	37.70	15.20	48.80			
AV	19.57459G	32.19	63.54	-31.35	28.09	1	Horizontal	256	2.73	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13133G	52.36	88.20	-35.84	32.56	3	Vertical	106	2.19	-	40.03	13.31	33.54			
RMS	13.12626G	40.14	68.20	-28.06	20.38	3	Vertical	106	2.19	-	40.01	13.30	33.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13436G	52.76	88.20	-35.44	32.95	3	Horizontal	181	2.00	-	40.04	13.31	33.54			
RMS	13.12663G	40.57	68.20	-27.63	20.81	3	Horizontal	181	2.00	-	40.01	13.30	33.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69465G	45.51	83.54	-38.03	41.42	1	Vertical	357	1.71	-	37.70	15.19	48.80			
AV	19.6946G	32.92	63.54	-30.62	28.83	1	Vertical	357	1.71	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69553G	46.04	83.54	-37.50	41.95	1	Horizontal	118	1.59	-	37.70	15.19	48.80			
AV	19.69749G	33.03	63.54	-30.51	28.94	1	Horizontal	118	1.59	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37031G	54.27	74.00	-19.73	33.79	3	Vertical	236	1.36	-	40.36	13.56	33.44			
AV	13.37176G	41.83	54.00	-12.17	21.35	3	Vertical	236	1.36	-	40.36	13.56	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37339G	54.38	74.00	-19.62	33.91	3	Horizontal	227	2.73	-	40.35	13.56	33.44			
AV	13.37076G	42.02	54.00	-11.98	21.54	3	Horizontal	227	2.73	-	40.36	13.56	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05713G	44.69	83.54	-38.85	40.46	1	Vertical	189	2.82	-	37.80	15.22	48.79			
AV	20.0525G	32.84	63.54	-30.70	28.62	1	Vertical	189	2.82	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05527G	45.72	83.54	-37.82	41.49	1	Horizontal	323	1.54	-	37.80	15.22	48.79			
AV	20.05528G	32.77	63.54	-30.77	28.54	1	Horizontal	323	1.54	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77418G	54.99	88.20	-33.21	34.09	3	Vertical	155	2.59	-	40.40	13.98	33.48			
RMS	13.76512G	42.47	68.20	-25.73	21.53	3	Vertical	155	2.59	-	40.44	13.97	33.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77278G	54.54	88.20	-33.66	33.64	3	Horizontal	345	2.87	-	40.41	13.97	33.48			
RMS	13.7658G	42.01	68.20	-26.19	21.08	3	Horizontal	345	2.87	-	40.44	13.97	33.48			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65462G	43.89	83.54	-39.65	38.99	1	Vertical	82	2.20	-	37.90	15.70	48.70			
AV	20.65364G	32.09	63.54	-31.45	27.19	1	Vertical	82	2.20	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_V_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6552G	43.81	83.54	-39.73	38.91	1	Horizontal	203	1.09	-	37.90	15.70	48.70			
AV	20.65455G	32.05	63.54	-31.49	27.15	1	Horizontal	203	1.09	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84725G	54.43	88.20	-33.77	33.58	3	Vertical	22	2.98	-	40.30	14.05	33.50			
RMS	13.8543G	42.53	68.20	-25.67	21.65	3	Vertical	22	2.98	-	40.32	14.06	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84541G	56.73	88.20	-31.47	35.88	3	Horizontal	340	2.63	-	40.30	14.05	33.50			
RMS	13.85248G	43.62	68.20	-24.58	22.75	3	Horizontal	340	2.63	-	40.31	14.06	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77631G	44.54	83.54	-39.00	39.54	1	Vertical	237	1.80	-	37.90	15.80	48.70			
AV	20.7738G	32.68	63.54	-30.86	27.68	1	Vertical	237	1.80	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77469G	44.63	83.54	-38.91	39.63	1	Horizontal	298	2.58	-	37.90	15.80	48.70			
AV	20.77467G	32.52	63.54	-31.02	27.52	1	Horizontal	298	2.58	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00687G	55.05	88.20	-33.15	33.90	3	Vertical	24	1.00	-	40.49	14.21	33.55			
RMS	14.00393G	42.83	68.20	-25.37	21.68	3	Vertical	24	1.00	-	40.49	14.21	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01452G	55.68	88.20	-32.52	34.55	3	Horizontal	343	1.68	-	40.47	14.21	33.55			
RMS	14.01531G	42.67	68.20	-25.53	21.54	3	Horizontal	343	1.68	-	40.47	14.21	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01306G	43.99	83.54	-39.55	38.69	1	Vertical	352	1.37	-	38.00	16.00	48.70			
AV	21.01344G	32.58	63.54	-30.96	27.28	1	Vertical	352	1.37	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01455G	43.97	83.54	-39.57	38.67	1	Horizontal	268	2.38	-	38.00	16.00	48.70			
AV	21.01482G	32.54	63.54	-31.00	27.24	1	Horizontal	268	2.38	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0978G	107.79	Inf	-Inf	97.09	3	Vertical	14.2	1.51	-	36.59	9.27	35.16			
RMS	7.0962G	98.05	Inf	-Inf	87.36	3	Vertical	14.2	1.51	-	36.58	9.27	35.16			
PK	7.1792G	64.51	88.20	-23.69	53.21	3	Vertical	14.2	1.51	-	37.02	9.29	35.01			
RMS	7.1252G	53.75	68.20	-14.45	42.83	3	Vertical	14.2	1.51	-	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0708G	110.40	Inf	-Inf	99.86	3	Horizontal	332.3	1.80	-	36.48	9.27	35.21			
RMS	7.071G	99.89	Inf	-Inf	89.35	3	Horizontal	332.3	1.80	-	36.48	9.27	35.21			
PK	7.1394G	65.55	88.20	-22.65	54.52	3	Horizontal	332.3	1.80	-	36.84	9.28	35.09			
RMS	7.1254G	53.67	68.20	-14.53	42.75	3	Horizontal	332.3	1.80	-	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17257G	54.17	88.20	-34.03	33.05	3	Vertical	119	1.75	-	40.50	14.21	33.59			
RMS	14.17374G	42.35	68.20	-25.85	21.23	3	Vertical	119	1.75	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16777G	54.37	88.20	-33.83	33.25	3	Horizontal	173	2.02	-	40.50	14.21	33.59			
RMS	14.17366G	42.65	68.20	-25.55	21.53	3	Horizontal	173	2.02	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25453G	45.14	83.54	-38.40	39.59	1	Vertical	211	2.93	-	38.01	16.19	48.65			
AV	21.25456G	32.96	63.54	-30.58	27.41	1	Vertical	211	2.93	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 14
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25486G	45.36	83.54	-38.18	39.81	1	Horizontal	344	1.63	-	38.01	16.19	48.65			
AV	21.2575G	32.88	63.54	-30.66	27.32	1	Horizontal	344	1.63	-	38.02	16.19	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9078G	61.31	88.20	-26.89	54.08	3	Vertical	22.2	1.80	-	34.30	8.50	35.57			
RMS	5.9178G	51.00	68.20	-17.20	43.78	3	Vertical	22.2	1.80	-	34.30	8.50	35.58			
PK	6.0146G	106.48	Inf	-Inf	99.28	3	Vertical	22.2	1.80	-	34.23	8.55	35.58			
RMS	6.0146G	95.90	Inf	-Inf	88.70	3	Vertical	22.2	1.80	-	34.23	8.55	35.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9198G	62.57	88.20	-25.63	55.35	3	Horizontal	3.9	1.80	-	34.30	8.50	35.58				
RMS	5.9234G	52.25	68.20	-15.95	45.02	3	Horizontal	3.9	1.80	-	34.30	8.51	35.58				
PK	5.9798G	110.34	Inf	-Inf	103.17	3	Horizontal	3.9	1.80	-	34.24	8.53	35.60				
RMS	5.9554G	99.42	Inf	-Inf	92.20	3	Horizontal	3.9	1.80	-	34.29	8.52	35.59				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96669G	50.94	74.00	-23.06	33.52	3	Vertical	103	1.41	-	38.73	12.11	33.42			
AV	11.96751G	38.23	54.00	-15.77	20.80	3	Vertical	103	1.41	-	38.74	12.11	33.42			
PK	17.9539G	57.51	74.00	-16.49	33.61	3	Vertical	232	1.97	-	42.22	15.28	33.60			
AV	17.95291G	45.89	54.00	-8.11	21.99	3	Vertical	232	1.97	-	42.22	15.28	33.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96578G	50.65	74.00	-23.35	33.23	3	Horizontal	164	2.86	-	38.73	12.11	33.42			
AV	11.97242G	38.46	54.00	-15.54	21.03	3	Horizontal	164	2.86	-	38.74	12.12	33.43			
PK	17.95688G	57.48	74.00	-16.52	33.56	3	Horizontal	206	1.36	-	42.24	15.28	33.60			
AV	17.95925G	45.91	54.00	-8.09	21.97	3	Horizontal	206	1.36	-	42.26	15.28	33.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94003G	46.48	83.54	-37.06	37.79	1	Vertical	64	1.37	-	39.00	17.31	47.62			
AV	23.93955G	34.40	63.54	-29.14	25.71	1	Vertical	64	1.37	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9407G	46.41	83.54	-37.13	37.72	1	Horizontal	121	1.13	-	39.00	17.31	47.62			
AV	23.93863G	34.49	63.54	-29.05	25.80	1	Horizontal	121	1.13	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45402G	51.97	74.00	-22.03	33.33	3	Vertical	70	2.86	-	39.01	12.60	32.97			
AV	12.44775G	40.00	54.00	-14.00	21.38	3	Vertical	70	2.86	-	39.00	12.60	32.98			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45191G	51.73	74.00	-22.27	33.10	3	Horizontal	161	2.30	-	39.00	12.60	32.97			
AV	12.45412G	39.80	54.00	-14.20	21.16	3	Horizontal	161	2.30	-	39.01	12.60	32.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67325G	43.31	83.54	-40.23	38.63	1	Vertical	207	1.94	-	37.90	15.25	48.47			
AV	18.67392G	31.82	63.54	-31.72	27.14	1	Vertical	207	1.94	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67538G	45.02	83.54	-38.52	40.35	1	Horizontal	220	2.24	-	37.90	15.25	48.48			
AV	18.67471G	31.79	63.54	-31.75	27.11	1	Horizontal	220	2.24	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76877G	52.40	88.20	-35.80	33.15	3	Vertical	265	2.02	-	39.61	12.93	33.29			
RMS	12.77471G	40.23	68.20	-27.97	20.93	3	Vertical	265	2.02	-	39.65	12.94	33.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77202G	52.61	88.20	-35.59	33.34	3	Horizontal	193	2.48	-	39.63	12.93	33.29			
RMS	12.77358G	40.21	68.20	-27.99	20.93	3	Horizontal	193	2.48	-	39.64	12.93	33.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15496G	44.98	83.54	-38.56	40.58	1	Vertical	187	2.83	-	37.98	15.22	48.80			
AV	19.15481G	32.50	63.54	-31.04	28.10	1	Vertical	187	2.83	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15499G	44.10	83.54	-39.44	39.70	1	Horizontal	291	2.29	-	37.98	15.22	48.80			
AV	19.15521G	32.49	63.54	-31.05	28.09	1	Horizontal	291	2.29	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92623G	52.99	88.20	-35.21	33.45	3	Vertical	29	1.59	-	39.95	13.09	33.50			
RMS	12.92316G	40.46	68.20	-27.74	20.92	3	Vertical	29	1.59	-	39.95	13.09	33.50			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92595G	53.38	88.20	-34.82	33.84	3	Horizontal	198	2.97	-	39.95	13.09	33.50			
RMS	12.92461G	40.52	68.20	-27.68	20.98	3	Horizontal	198	2.97	-	39.95	13.09	33.50			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39664G	45.23	83.54	-38.31	40.93	1	Vertical	35	2.35	-	37.89	15.21	48.80			
AV	19.39732G	33.12	63.54	-30.42	28.82	1	Vertical	35	2.35	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39527G	45.17	83.54	-38.37	40.87	1	Horizontal	125	1.86	-	37.89	15.21	48.80			
AV	19.3953G	33.13	63.54	-30.41	28.83	1	Horizontal	125	1.86	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08502G	53.62	88.20	-34.58	34.05	3	Vertical	353	2.54	-	39.87	13.26	33.56			
RMS	13.08519G	45.39	68.20	-22.81	25.82	3	Vertical	353	2.54	-	39.87	13.26	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09039G	52.87	88.20	-35.33	33.29	3	Horizontal	73	2.00	-	39.88	13.26	33.56			
RMS	13.085G	40.08	68.20	-28.12	20.51	3	Horizontal	73	2.00	-	39.87	13.26	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63549G	45.28	83.54	-38.26	41.19	1	Vertical	310	2.78	-	37.70	15.19	48.80			
AV	19.63463G	32.25	63.54	-31.29	28.16	1	Vertical	310	2.78	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63528G	43.90	83.54	-39.64	39.81	1	Horizontal	308	2.49	-	37.70	15.19	48.80			
AV	19.63658G	32.26	63.54	-31.28	28.17	1	Horizontal	308	2.49	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25287G	54.10	74.00	-19.90	34.15	3	Vertical	28	1.05	-	40.01	13.43	33.49			
AV	13.25481G	41.98	54.00	-12.02	22.01	3	Vertical	28	1.05	-	40.02	13.44	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25073G	53.45	74.00	-20.55	33.51	3	Horizontal	224	2.53	-	40.00	13.43	33.49			
AV	13.25485G	41.23	54.00	-12.77	21.26	3	Horizontal	224	2.53	-	40.02	13.44	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87509G	44.74	83.54	-38.80	40.66	1	Vertical	217	1.39	-	37.70	15.18	48.80			
AV	19.87543G	33.21	63.54	-30.33	29.13	1	Vertical	217	1.39	-	37.70	15.18	48.80			