


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16
05-L-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7904G	104.47	Inf	-Inf	94.43	3	Vertical	178.5	1.63	-	36.12	8.96	35.04			
RMS	6.9422G	93.53	Inf	-Inf	83.54	3	Vertical	178.5	1.63	-	36.08	9.17	35.26			
PK	7.1822G	63.34	88.20	-24.86	52.02	3	Vertical	178.5	1.63	-	37.03	9.30	35.01			
RMS	7.1822G	53.82	68.20	-14.38	42.50	3	Vertical	178.5	1.63	-	37.03	9.30	35.01			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8714G	109.93	Inf	-Inf	100.03	3	Horizontal	185.2	1.43	-	36.00	9.06	35.16			
RMS	6.9788G	99.84	Inf	-Inf	89.77	3	Horizontal	185.2	1.43	-	36.16	9.22	35.31			
PK	7.1396G	65.17	88.20	-23.03	54.14	3	Horizontal	185.2	1.43	-	36.84	9.28	35.09			
RMS	7.1504G	54.32	68.20	-13.88	43.20	3	Horizontal	185.2	1.43	-	36.90	9.29	35.07			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81107G	54.35	88.20	-33.85	33.53	3	Vertical	136	2.16	-	40.30	14.01	33.49			
RMS	13.81262G	43.83	68.20	-24.37	23.00	3	Vertical	136	2.16	-	40.30	14.02	33.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80977G	54.55	88.20	-33.65	33.73	3	Horizontal	190	2.51	-	40.30	14.01	33.49			
RMS	13.81364G	42.21	68.20	-25.99	21.38	3	Horizontal	190	2.51	-	40.30	14.02	33.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71455G	45.68	83.54	-37.86	40.73	1	Vertical	59	2.47	-	37.90	15.75	48.70			
AV	20.71478G	32.69	63.54	-30.85	27.74	1	Vertical	59	2.47	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_Y_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71504G	46.19	83.54	-37.35	41.24	1	Horizontal	210	1.84	-	37.90	15.75	48.70			
AV	20.71457G	32.15	63.54	-31.39	27.20	1	Horizontal	210	1.84	-	37.90	15.75	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1.(MCS0)_1TX	Pass	AV	7.405G	52.69	54.00	-1.31	3	Vertical	153	1.73	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 16.25/5.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9118G	64.66	88.20	-23.54	57.23	3	Vertical	204	1.76	-	34.55	8.08	35.20			
RMS	5.925G	53.34	68.20	-14.86	45.85	3	Vertical	204	1.76	-	34.60	8.09	35.20			
PK	6.021G	110.00	Inf	-Inf	102.25	3	Vertical	204	1.76	-	34.74	8.20	35.19			
RMS	6.0228G	99.36	Inf	-Inf	91.60	3	Vertical	204	1.76	-	34.75	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 16.25/5.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9196G	62.44	88.20	-25.76	54.97	3	Horizontal	193	1.73	-	34.58	8.09	35.20			
RMS	5.919G	52.39	68.20	-15.81	44.93	3	Horizontal	193	1.73	-	34.58	8.08	35.20			
PK	5.9772G	106.29	Inf	-Inf	98.63	3	Horizontal	193	1.73	-	34.70	8.15	35.19			
RMS	6.018G	95.97	Inf	-Inf	88.22	3	Horizontal	193	1.73	-	34.74	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 16.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96971G	49.87	74.00	-24.13	64.61	3	Vertical	163	2.39	-	39.20	11.82	65.76				
AV	11.9698G	40.01	54.00	-13.99	54.75	3	Vertical	163	2.39	-	39.20	11.82	65.76				
PK	17.95271G	56.87	74.00	-17.13	60.30	3	Vertical	161	1.80	-	44.71	14.23	62.37				
AV	17.95012G	44.52	54.00	-9.48	47.97	3	Vertical	161	1.80	-	44.70	14.23	62.38				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 16.25/5.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96947G	48.92	74.00	-25.08	63.66	3	Horizontal	191	3.00	-	39.20	11.82	65.76			
AV	11.96993G	38.19	54.00	-15.81	52.93	3	Horizontal	191	3.00	-	39.20	11.82	65.76			
PK	17.95949G	57.85	74.00	-16.15	61.26	3	Horizontal	103	1.75	-	44.72	14.23	62.36			
AV	17.95422G	44.57	54.00	-9.43	48.00	3	Horizontal	103	1.75	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 16.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94429G	47.64	83.54	-35.90	38.94	1	Vertical	117	1.50	-	39.00	17.32	47.62			
RMS	23.93781G	35.63	63.54	-27.91	26.94	1	Vertical	117	1.50	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 16.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94104G	47.64	83.54	-35.90	38.95	1	Horizontal	233	1.50	-	39.00	17.31	47.62			
RMS	23.94198G	35.76	63.54	-27.78	27.07	1	Horizontal	233	1.50	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 11.75/8
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9166G	62.98	88.20	-25.22	55.53	3	Vertical	204	1.68	-	34.57	8.08	35.20			
RMS	5.9028G	51.82	68.20	-16.38	44.44	3	Vertical	204	1.68	-	34.51	8.07	35.20			
PK	6.021G	110.05	Inf	-Inf	102.30	3	Vertical	204	1.68	-	34.74	8.20	35.19			
RMS	6.0138G	99.16	Inf	-Inf	91.43	3	Vertical	204	1.68	-	34.73	8.19	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUTY_1TX
Setting 11.75/8
03-P-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8944G	61.65	88.20	-26.55	54.31	3	Horizontal	184	1.64	-	34.48	8.06	35.20			
RMS	5.9076G	51.65	68.20	-16.55	44.25	3	Horizontal	184	1.64	-	34.53	8.07	35.20			
PK	6.0222G	106.40	Inf	-Inf	98.65	3	Horizontal	184	1.64	-	34.74	8.20	35.19			
RMS	6.0228G	96.47	Inf	-Inf	88.71	3	Horizontal	184	1.64	-	34.75	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 11.75/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97141G	49.29	74.00	-24.71	64.03	3	Vertical	70	2.11	-	39.20	11.82	65.76				
AV	11.97274G	37.25	54.00	-16.75	51.99	3	Vertical	70	2.11	-	39.20	11.82	65.76				
PK	17.95654G	57.03	74.00	-16.97	60.46	3	Vertical	166	2.02	-	44.71	14.23	62.37				
AV	17.95727G	44.59	54.00	-9.41	48.01	3	Vertical	166	2.02	-	44.71	14.23	62.36				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5985MHz_TX

EUT Y_1TX
Setting 11.75/8
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97248G	49.21	74.00	-24.79	63.95	3	Horizontal	295	2.54	-	39.20	11.82	65.76			
AV	11.97304G	37.19	54.00	-16.81	51.93	3	Horizontal	295	2.54	-	39.20	11.82	65.76			
PK	17.9578G	56.79	74.00	-17.21	60.20	3	Horizontal	95	2.12	-	44.72	14.23	62.36			
AV	17.95438G	44.56	54.00	-9.44	47.99	3	Horizontal	95	2.12	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
Setting 11.75/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93833G	47.93	83.54	-35.61	39.24	1	Vertical	322	1.85	-	39.00	17.31	47.62			
RMS	23.9352G	35.63	63.54	-27.91	26.95	1	Vertical	322	1.85	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
Setting 11.75/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94249G	47.35	83.54	-36.19	38.66	1	Horizontal	211	1.63	-	39.00	17.31	47.62			
RMS	23.93829G	35.63	63.54	-27.91	26.94	1	Horizontal	211	1.63	-	39.00	17.31	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT Y_1TX
Setting 17.75/4
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0626G	109.85	Inf	-Inf	100.87	3	Vertical	151	1.80	-	35.70	8.42	35.14				
RMS	6.9974G	99.67	Inf	-Inf	90.73	3	Vertical	151	1.80	-	35.69	8.38	35.13				
PK	7.129G	63.96	88.20	-24.24	54.75	3	Vertical	151	1.80	-	35.87	8.48	35.14				
RMS	7.1254G	52.96	68.20	-15.24	43.77	3	Vertical	151	1.80	-	35.85	8.48	35.14				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT Y_1TX
Setting 17.75/4
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0014G	109.70	Inf	-Inf	100.76	3	Horizontal	194	2.04	-	35.70	8.37	35.13			
RMS	6.989G	98.93	Inf	-Inf	89.97	3	Horizontal	194	2.04	-	35.68	8.41	35.13			
PK	7.125G	66.58	88.20	-21.62	57.39	3	Horizontal	194	2.04	-	35.85	8.48	35.14			
RMS	7.1254G	52.49	68.20	-15.71	43.30	3	Horizontal	194	2.04	-	35.85	8.48	35.14			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05156G	50.40	88.20	-37.80	61.83	3	Vertical	198	1.02	-	41.20	11.72	64.35			
RMS	14.04591G	38.43	88.20	-49.77	49.88	3	Vertical	198	1.02	-	41.19	11.72	64.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0497G	50.72	88.20	-37.48	62.15	3	Horizontal	83	1.27	-	41.20	11.72	64.35			
RMS	14.05065G	38.41	88.20	-49.79	49.84	3	Horizontal	83	1.27	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07188G	45.62	83.54	-37.92	40.27	1	Vertical	278	1.27	-	38.00	16.04	48.69			
RMS	21.07808G	33.83	63.54	-29.71	28.46	1	Vertical	278	1.27	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07405G	45.87	83.54	-37.67	40.51	1	Horizontal	211	1.11	-	38.00	16.05	48.69			
RMS	21.07411G	33.78	63.54	-29.76	28.42	1	Horizontal	211	1.11	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUTY_1TX
Setting 12.75/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9902G	109.25	Inf	-Inf	100.30	3	Vertical	152	1.72	-	35.68	8.40	35.13			
RMS	6.9906G	99.65	Inf	-Inf	90.70	3	Vertical	152	1.72	-	35.68	8.40	35.13			
PK	7.2218G	61.43	88.20	-26.77	51.60	3	Vertical	152	1.72	-	36.43	8.55	35.15			
RMS	7.223G	51.98	68.20	-16.22	42.14	3	Vertical	152	1.72	-	36.44	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_Y_1TX
Setting 12.75/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9894G	108.42	Inf	-Inf	99.47	3	Horizontal	193	1.94	-	35.68	8.40	35.13			
RMS	6.9882G	98.70	Inf	-Inf	89.74	3	Horizontal	193	1.94	-	35.68	8.41	35.13			
PK	7.1266G	61.70	88.20	-26.50	52.50	3	Horizontal	193	1.94	-	35.86	8.48	35.14			
RMS	7.2238G	51.99	68.20	-16.21	42.14	3	Horizontal	193	1.94	-	36.44	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 12.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05145G	50.61	88.20	-37.59	62.04	3	Vertical	23	2.68	-	41.20	11.72	64.35			
RMS	14.04959G	38.35	88.20	-49.85	49.78	3	Vertical	23	2.68	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 12.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05085G	50.45	88.20	-37.75	61.88	3	Horizontal	207	2.68	-	41.20	11.72	64.35			
RMS	14.04867G	38.40	88.20	-49.80	49.83	3	Horizontal	207	2.68	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 12.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07626G	45.90	83.54	-37.64	40.53	1	Vertical	35	2.29	-	38.00	16.05	48.68			
RMS	21.07823G	33.83	63.54	-29.71	28.46	1	Vertical	35	2.29	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 12.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0734G	46.50	83.54	-37.04	41.15	1	Horizontal	85	2.60	-	38.00	16.04	48.69			
RMS	21.07464G	33.91	63.54	-29.63	28.55	1	Horizontal	85	2.60	-	38.00	16.05	48.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUTY_1TX
Setting 18.5/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	70.60	88.20	-17.60	63.13	3	Vertical	204	1.60	-	34.58	8.09	35.20			
RMS	5.9234G	56.55	68.20	-11.65	49.07	3	Vertical	204	1.60	-	34.59	8.09	35.20			
PK	6.0754G	109.13	Inf	-Inf	101.14	3	Vertical	204	1.60	-	34.90	8.28	35.19			
RMS	6.0586G	99.25	Inf	-Inf	91.35	3	Vertical	204	1.60	-	34.83	8.26	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUTY_1TX
Setting 18.5/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	66.35	88.20	-21.85	58.95	3	Horizontal	192	1.80	-	34.53	8.07	35.20			
RMS	5.925G	54.74	68.20	-13.46	47.25	3	Horizontal	192	1.80	-	34.60	8.09	35.20			
PK	6.0506G	106.87	Inf	-Inf	99.01	3	Horizontal	192	1.80	-	34.80	8.25	35.19			
RMS	6.0602G	96.42	Inf	-Inf	88.51	3	Horizontal	192	1.80	-	34.84	8.26	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6025MHz_TX

EUT_V_1TX
Setting 18.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04541G	48.35	74.00	-25.65	63.11	3	Vertical	154	2.45	-	39.11	11.83	65.70			
AV	12.05051G	36.92	54.00	-17.08	51.68	3	Vertical	154	2.45	-	39.10	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04999G	48.80	74.00	-25.20	63.57	3	Horizontal	359	2.59	-	39.10	11.83	65.70			
AV	12.04594G	36.98	54.00	-17.02	51.74	3	Horizontal	359	2.59	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07877G	46.79	83.54	-36.75	42.15	1	Vertical	105	1.90	-	37.57	15.29	48.22			
RMS	18.07875G	34.51	63.54	-29.03	29.87	1	Vertical	105	1.90	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07683G	46.48	83.54	-37.06	41.85	1	Horizontal	61	1.68	-	37.56	15.29	48.22			
RMS	18.07898G	34.51	63.54	-29.03	29.87	1	Horizontal	61	1.68	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 16/8.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	67.64	88.20	-20.56	60.15	3	Vertical	203	1.80	-	34.60	8.09	35.20			
RMS	5.925G	54.77	68.20	-13.43	47.28	3	Vertical	203	1.80	-	34.60	8.09	35.20			
PK	6.0426G	109.45	Inf	-Inf	101.62	3	Vertical	203	1.80	-	34.79	8.23	35.19			
RMS	6.0866G	99.40	Inf	-Inf	91.35	3	Vertical	203	1.80	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 16/8.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	65.88	88.20	-22.32	58.43	3	Horizontal	188	1.63	-	34.57	8.08	35.20			
RMS	5.925G	54.25	68.20	-13.95	46.76	3	Horizontal	188	1.63	-	34.60	8.09	35.20			
PK	6.1018G	107.41	Inf	-Inf	99.29	3	Horizontal	188	1.63	-	35.00	8.32	35.20			
RMS	6.0946G	97.21	Inf	-Inf	89.12	3	Horizontal	188	1.63	-	34.98	8.31	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX


6025MHz_TX

EUT_Y_1TX
Setting 16/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0502G	48.72	74.00	-25.28	63.48	3	Vertical	30	2.61	-	39.10	11.83	65.69			
AV	12.05441G	36.64	54.00	-17.36	51.42	3	Vertical	30	2.61	-	39.08	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04944G	48.85	74.00	-25.15	63.62	3	Horizontal	157	2.59	-	39.10	11.83	65.70			
AV	12.04796G	36.67	54.00	-17.33	51.44	3	Horizontal	157	2.59	-	39.10	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07896G	46.28	83.54	-37.26	41.64	1	Vertical	193	1.13	-	37.57	15.29	48.22			
RMS	18.07851G	34.30	63.54	-29.24	29.66	1	Vertical	193	1.13	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 16/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07622G	46.55	83.54	-36.99	41.92	1	Horizontal	90	2.90	-	37.56	15.29	48.22			
RMS	18.07617G	34.25	63.54	-29.29	29.62	1	Horizontal	90	2.90	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 14/9.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.773G	61.89	88.20	-26.31	54.99	3	Vertical	202	1.64	-	34.20	7.91	35.21			
RMS	5.925G	52.43	68.20	-15.77	44.94	3	Vertical	202	1.64	-	34.60	8.09	35.20			
PK	6.0994G	108.96	Inf	-Inf	100.84	3	Vertical	202	1.64	-	35.00	8.32	35.20			
RMS	6.0738G	99.72	Inf	-Inf	91.73	3	Vertical	202	1.64	-	34.90	8.28	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 14/9.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8786G	62.05	88.20	-26.15	54.80	3	Horizontal	187	1.80	-	34.41	8.04	35.20			
RMS	5.925G	52.21	68.20	-15.99	44.72	3	Horizontal	187	1.80	-	34.60	8.09	35.20			
PK	6.101G	106.91	Inf	-Inf	98.79	3	Horizontal	187	1.80	-	35.00	8.32	35.20			
RMS	6.0714G	96.69	Inf	-Inf	88.71	3	Horizontal	187	1.80	-	34.89	8.28	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 14/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04719G	48.59	74.00	-25.41	63.35	3	Vertical	275	1.86	-	39.11	11.83	65.70			
AV	12.05088G	36.93	54.00	-17.07	51.69	3	Vertical	275	1.86	-	39.10	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 14/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05086G	48.58	74.00	-25.42	63.34	3	Horizontal	10	1.99	-	39.10	11.83	65.69			
AV	12.04501G	36.91	54.00	-17.09	51.67	3	Horizontal	10	1.99	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 14/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07725G	46.39	83.54	-37.15	41.76	1	Vertical	171	2.29	-	37.56	15.29	48.22			
RMS	18.07245G	34.48	63.54	-29.06	29.87	1	Vertical	171	2.29	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 14/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07354G	46.42	83.54	-37.12	41.80	1	Horizontal	255	1.89	-	37.54	15.29	48.21			
RMS	18.07606G	34.46	63.54	-29.08	29.83	1	Horizontal	255	1.89	-	37.56	15.29	48.22			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 19/6.5
03-P-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.909G	108.59	Inf	-Inf	99.39	3	Vertical	183	1.57	-	35.68	8.67	35.15
RMS	6.909G	99.07	Inf	-Inf	89.87	3	Vertical	183	1.57	-	35.68	8.67	35.15
PK	7.129G	72.89	88.20	-15.31	63.68	3	Vertical	183	1.57	-	35.87	8.48	35.14
RMS	7.1274G	56.45	68.20	-11.75	47.25	3	Vertical	183	1.57	-	35.86	8.48	35.14
PK	7.3322G	62.75	74.00	-11.25	52.42	3	Vertical	183	1.57	-	36.86	8.63	35.16
AV	7.3498G	52.92	54.00	-1.08	42.54	3	Vertical	183	1.57	-	36.90	8.64	35.16

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 19/6.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9058G	107.62	Inf	-Inf	98.40	3	Horizontal	193	1.63	-	35.69	8.68	35.15			
RMS	6.909G	98.06	Inf	-Inf	88.86	3	Horizontal	193	1.63	-	35.68	8.67	35.15			
PK	7.1426G	72.76	88.20	-15.44	63.45	3	Horizontal	193	1.63	-	35.96	8.49	35.14			
RMS	7.1314G	56.25	68.20	-11.95	47.02	3	Horizontal	193	1.63	-	35.89	8.48	35.14			
PK	7.2602G	61.90	74.00	-12.10	51.83	3	Horizontal	193	1.63	-	36.64	8.58	35.15			
AV	7.3194G	52.95	54.00	-1.05	42.65	3	Horizontal	193	1.63	-	36.84	8.62	35.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 19/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97126G	50.24	88.20	-37.96	62.02	3	Vertical	84	2.58	-	40.99	11.68	64.45			
RMS	13.97001G	38.30	88.20	-49.90	50.09	3	Vertical	84	2.58	-	40.98	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 19/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.969G	50.05	88.20	-38.15	61.84	3	Horizontal	218	1.33	-	40.98	11.68	64.45			
RMS	13.97488G	38.27	88.20	-49.93	50.04	3	Horizontal	218	1.33	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 19/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95781G	46.22	83.54	-37.32	41.05	1	Vertical	343	1.35	-	37.92	15.95	48.70			
RMS	20.95063G	34.20	63.54	-29.34	29.06	1	Vertical	343	1.35	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6985MHz_TX

EUT_V_1TX
Setting 19/6.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95285G	45.82	83.54	-37.72	40.66	1	Horizontal	87	2.43	-	37.91	15.95	48.70			
RMS	20.95568G	34.07	63.54	-29.47	28.91	1	Horizontal	87	2.43	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 17.5/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9194G	108.67	Inf	-Inf	99.52	3	Vertical	151	1.80	-	35.66	8.63	35.14			
RMS	6.9106G	99.39	Inf	-Inf	90.20	3	Vertical	151	1.80	-	35.68	8.66	35.15			
PK	7.129G	68.95	88.20	-19.25	59.74	3	Vertical	151	1.80	-	35.87	8.48	35.14			
RMS	7.125G	53.93	68.20	-14.27	44.74	3	Vertical	151	1.80	-	35.85	8.48	35.14			
PK	7.2778G	63.30	74.00	-10.70	53.15	3	Vertical	151	1.80	-	36.71	8.59	35.15			
AV	7.3282G	52.48	54.00	-1.52	42.16	3	Vertical	151	1.80	-	36.86	8.62	35.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 17.5/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9202G	108.38	Inf	-Inf	99.23	3	Horizontal	196	1.80	-	35.66	8.63	35.14			
RMS	6.9082G	98.07	Inf	-Inf	88.87	3	Horizontal	196	1.80	-	35.68	8.67	35.15			
PK	7.1258G	65.05	88.20	-23.15	55.86	3	Horizontal	196	1.80	-	35.85	8.48	35.14			
RMS	7.1266G	53.11	68.20	-15.09	43.91	3	Horizontal	196	1.80	-	35.86	8.48	35.14			
PK	7.301G	61.93	74.00	-12.07	51.67	3	Horizontal	196	1.80	-	36.80	8.61	35.15			
AV	7.3234G	52.40	54.00	-1.60	42.09	3	Horizontal	196	1.80	-	36.85	8.62	35.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9677G	50.09	88.20	-38.11	61.89	3	Vertical	337	2.10	-	40.97	11.68	64.45			
RMS	13.97442G	38.11	68.20	-30.09	49.88	3	Vertical	337	2.10	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 17.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97487G	50.42	88.20	-37.78	62.19	3	Horizontal	37	1.60	-	41.00	11.68	64.45			
RMS	13.97491G	38.11	68.20	-30.09	49.88	3	Horizontal	37	1.60	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95122G	46.27	83.54	-37.27	41.12	1	Vertical	65	1.05	-	37.90	15.95	48.70			
RMS	20.95832G	33.94	63.54	-29.60	28.77	1	Vertical	65	1.05	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 17.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95551G	46.28	83.54	-37.26	41.12	1	Horizontal	293	1.52	-	37.91	15.95	48.70			
RMS	20.95032G	33.83	63.54	-29.71	28.69	1	Horizontal	293	1.52	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


6985MHz_TX


EUT_Y_1TX
Setting 15/8.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9074G	109.69	Inf	-Inf	100.48	3	Vertical	183	1.57	-	35.69	8.67	35.15			
RMS	6.9098G	99.29	Inf	-Inf	90.10	3	Vertical	183	1.57	-	35.68	8.66	35.15			
PK	7.145G	68.30	88.20	-19.90	58.98	3	Vertical	183	1.57	-	35.97	8.49	35.14			
RMS	7.1634G	53.00	68.20	-15.20	43.55	3	Vertical	183	1.57	-	36.08	8.51	35.14			
PK	7.261G	62.44	74.00	-11.56	52.37	3	Vertical	183	1.57	-	36.64	8.58	35.15			
AV	7.3194G	52.71	54.00	-1.29	42.41	3	Vertical	183	1.57	-	36.84	8.62	35.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 15/8.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9162G	108.23	Inf	-Inf	99.07	3	Horizontal	195	1.80	-	35.67	8.64	35.15
RMS	6.9138G	98.21	Inf	-Inf	89.04	3	Horizontal	195	1.80	-	35.67	8.65	35.15
PK	7.165G	68.14	88.20	-20.06	58.68	3	Horizontal	195	1.80	-	36.09	8.51	35.14
RMS	7.1722G	52.55	68.20	-15.65	43.04	3	Horizontal	195	1.80	-	36.13	8.52	35.14
PK	7.2746G	62.17	74.00	-11.83	52.03	3	Horizontal	195	1.80	-	36.70	8.59	35.15
AV	7.3274G	52.74	54.00	-1.26	42.43	3	Horizontal	195	1.80	-	36.85	8.62	35.16

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 15/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9719G	50.41	88.20	-37.79	62.19	3	Vertical	194	1.25	-	40.99	11.68	64.45			
RMS	13.97446G	38.35	68.20	-29.85	50.12	3	Vertical	194	1.25	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 15/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97417G	50.31	88.20	-37.89	62.08	3	Horizontal	119	1.66	-	41.00	11.68	64.45			
RMS	13.97411G	38.25	68.20	-29.95	50.02	3	Horizontal	119	1.66	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 15/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9576G	46.92	83.54	-36.62	41.75	1	Vertical	232	1.12	-	37.92	15.95	48.70			
RMS	20.95104G	33.96	63.54	-29.58	28.81	1	Vertical	232	1.12	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 15/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95447G	45.91	83.54	-37.63	40.75	1	Horizontal	195	1.84	-	37.91	15.95	48.70			
RMS	20.95991G	34.05	63.54	-29.49	28.88	1	Horizontal	195	1.84	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 19.75/8
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	76.13	88.20	-12.07	68.65	3	Vertical	203	1.63	-	34.59	8.09	35.20			
RMS	5.925G	59.29	68.20	-8.91	51.80	3	Vertical	203	1.63	-	34.60	8.09	35.20			
PK	6.132G	107.79	Inf	-Inf	99.62	3	Vertical	203	1.63	-	35.00	8.37	35.20			
RMS	6.069G	97.05	Inf	-Inf	89.09	3	Vertical	203	1.63	-	34.88	8.27	35.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX


6105MHz_TX

EUT_Y_1TX
Setting 19.75/8
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	73.31	88.20	-14.89	65.86	3	Horizontal	189	1.80	-	34.57	8.08	35.20			
RMS	5.925G	57.10	68.20	-11.10	49.61	3	Horizontal	189	1.80	-	34.60	8.09	35.20			
PK	6.159G	104.70	Inf	-Inf	96.49	3	Horizontal	189	1.80	-	35.00	8.41	35.20			
RMS	6.134G	94.85	Inf	-Inf	86.68	3	Horizontal	189	1.80	-	35.00	8.37	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2058G	48.74	74.00	-25.26	63.59	3	Vertical	162	2.69	-	38.89	11.81	65.55			
AV	12.20515G	37.21	54.00	-16.79	52.07	3	Vertical	162	2.69	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/8
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20563G	49.32	74.00	-24.68	64.17	3	Horizontal	249	1.32	-	38.89	11.81	65.55			
AV	12.20865G	37.18	54.00	-16.82	52.04	3	Horizontal	249	1.32	-	38.88	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3191G	47.17	83.54	-36.37	42.52	1	Vertical	148	1.47	-	37.64	15.27	48.26			
RMS	18.31065G	34.86	63.54	-28.68	30.23	1	Vertical	148	1.47	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX


6105MHz_TX

EUT_V_1TX
Setting 19.75/8
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31026G	46.87	83.54	-36.67	42.24	1	Horizontal	122	2.20	-	37.62	15.27	48.26			
RMS	18.31366G	34.85	63.54	-28.69	30.21	1	Horizontal	122	2.20	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
Setting 19.75/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	74.08	88.20	-14.12	66.61	3	Vertical	204	1.59	-	34.58	8.09	35.20			
RMS	5.925G	59.23	68.20	-8.97	51.74	3	Vertical	204	1.59	-	34.60	8.09	35.20			
PK	6.17G	108.37	Inf	-Inf	100.14	3	Vertical	204	1.59	-	35.00	8.43	35.20			
RMS	6.043G	96.95	Inf	-Inf	89.12	3	Vertical	204	1.59	-	34.79	8.23	35.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUTY_1TX
Setting 19.75/7
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	72.48	88.20	-15.72	64.99	3	Horizontal	190	1.80	-	34.60	8.09	35.20			
RMS	5.925G	56.59	68.20	-11.61	49.10	3	Horizontal	190	1.80	-	34.60	8.09	35.20			
PK	6.066G	105.48	Inf	-Inf	97.54	3	Horizontal	190	1.80	-	34.86	8.27	35.19			
RMS	6.093G	94.34	Inf	-Inf	86.26	3	Horizontal	190	1.80	-	34.97	8.31	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21142G	48.96	74.00	-25.04	63.82	3	Vertical	3	2.58	-	38.88	11.81	65.55			
AV	12.20541G	36.73	54.00	-17.27	51.59	3	Vertical	3	2.58	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21219G	49.42	74.00	-24.58	64.28	3	Horizontal	360	2.60	-	38.88	11.81	65.55			
AV	12.20833G	36.72	54.00	-17.28	51.58	3	Horizontal	360	2.60	-	38.88	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31991G	47.12	83.54	-36.42	42.47	1	Vertical	85	2.54	-	37.64	15.27	48.26			
RMS	18.31254G	34.35	63.54	-29.19	29.71	1	Vertical	85	2.54	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.75/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31467G	47.11	83.54	-36.43	42.47	1	Horizontal	124	2.02	-	37.63	15.27	48.26			
RMS	18.31614G	34.43	63.54	-29.11	29.79	1	Horizontal	124	2.02	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUTY_1TX
Setting 19.25/6.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	67.67	88.20	-20.53	60.19	3	Vertical	190	1.80	-	34.59	8.09	35.20			
RMS	5.925G	54.67	68.20	-13.53	47.18	3	Vertical	190	1.80	-	34.60	8.09	35.20			
PK	6.2478G	108.27	Inf	-Inf	100.03	3	Vertical	190	1.80	-	34.90	8.54	35.20			
RMS	6.249G	97.46	Inf	-Inf	89.22	3	Vertical	190	1.80	-	34.90	8.54	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUTY_1TX
Setting 19.25/6.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	64.84	88.20	-23.36	57.36	3	Horizontal	193	1.61	-	34.59	8.09	35.20			
RMS	5.925G	53.70	68.20	-14.50	46.21	3	Horizontal	193	1.61	-	34.60	8.09	35.20			
PK	6.2418G	107.09	Inf	-Inf	98.84	3	Horizontal	193	1.61	-	34.92	8.53	35.20			
RMS	6.2478G	96.60	Inf	-Inf	88.36	3	Horizontal	193	1.61	-	34.90	8.54	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20573G	49.82	74.00	-24.18	64.67	3	Vertical	91	1.00	-	38.89	11.81	65.55			
AV	12.20724G	36.75	54.00	-17.25	51.60	3	Vertical	91	1.00	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20594G	49.86	74.00	-24.14	64.71	3	Horizontal	59	1.49	-	38.89	11.81	65.55			
AV	12.20574G	36.72	54.00	-17.28	51.57	3	Horizontal	59	1.49	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31378G	46.74	83.54	-36.80	42.10	1	Vertical	265	1.34	-	37.63	15.27	48.26			
RMS	18.31253G	34.35	63.54	-29.19	29.71	1	Vertical	265	1.34	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 19.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31888G	46.60	83.54	-36.94	41.95	1	Horizontal	281	2.96	-	37.64	15.27	48.26			
RMS	18.31251G	34.35	63.54	-29.19	29.71	1	Horizontal	281	2.96	-	37.63	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUTY_1TX
Setting 19.25/7.5
03-P-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.855G	107.88	Inf	-Inf	98.50	3	Vertical	153	1.73	-	35.70	8.84	35.16
AV	6.862G	96.82	Inf	-Inf	87.45	3	Vertical	153	1.73	-	35.70	8.82	35.15
PK	7.336G	61.75	74.00	-12.25	51.41	3	Vertical	153	1.73	-	36.87	8.63	35.16
AV	7.405G	52.69	54.00	-1.31	42.17	3	Vertical	153	1.73	-	37.00	8.68	35.16

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Y_1TX
Setting 19.25/7.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.838G	105.44	Inf	-Inf	96.00	3	Horizontal	195	1.66	-	35.70	8.90	35.16			
AV	6.862G	95.98	Inf	-Inf	86.61	3	Horizontal	195	1.66	-	35.70	8.82	35.15			
PK	7.328G	62.49	74.00	-11.51	52.17	3	Horizontal	195	1.66	-	36.86	8.62	35.16			
AV	7.326G	52.67	54.00	-1.33	42.36	3	Horizontal	195	1.66	-	36.85	8.62	35.16			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 19.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81178G	50.06	88.20	-38.14	62.03	3	Vertical	126	1.66	-	40.72	11.69	64.38			
RMS	13.80843G	37.87	68.20	-30.33	49.84	3	Vertical	126	1.66	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 19.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81458G	49.71	88.20	-38.49	61.68	3	Horizontal	111	1.59	-	40.73	11.69	64.39			
RMS	13.81221G	37.98	68.20	-30.22	49.95	3	Horizontal	111	1.59	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_V_1TX
Setting 19.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71643G	46.43	83.54	-37.11	41.48	1	Vertical	210	1.54	-	37.90	15.75	48.70			
RMS	20.718G	34.45	63.54	-29.09	29.49	1	Vertical	210	1.54	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX


6905MHz_TX

EUT_V_1TX
Setting 19.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71902G	45.98	83.54	-37.56	41.02	1	Horizontal	136	2.63	-	37.90	15.76	48.70			
RMS	20.71073G	34.62	63.54	-28.92	29.67	1	Horizontal	136	2.63	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_Y_1TX
Setting 18.25/7.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.749G	107.04	Inf	-Inf	97.73	3	Vertical	186	1.56	-	35.50	8.99	35.18			
AV	6.748G	97.20	Inf	-Inf	87.90	3	Vertical	186	1.56	-	35.49	8.99	35.18			
PK	7.279G	62.66	74.00	-11.34	52.50	3	Vertical	186	1.56	-	36.72	8.59	35.15			
AV	7.402G	52.02	54.00	-1.98	41.51	3	Vertical	186	1.56	-	37.00	8.67	35.16			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_Y_1TX
Setting 18.25/7.5
03-P-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.804G	105.31	Inf	-Inf	95.77	3	Horizontal	197	1.68	-	35.70	9.01	35.17
AV	6.817G	95.76	Inf	-Inf	86.26	3	Horizontal	197	1.68	-	35.70	8.96	35.16
PK	7.334G	63.85	74.00	-10.15	53.51	3	Horizontal	197	1.68	-	36.87	8.63	35.16
AV	7.405G	51.97	54.00	-2.03	41.45	3	Horizontal	197	1.68	-	37.00	8.68	35.16

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80737G	50.16	88.20	-38.04	62.14	3	Vertical	139	1.92	-	40.71	11.69	64.38			
RMS	13.81441G	37.49	68.20	-30.71	49.46	3	Vertical	139	1.92	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81039G	49.68	88.20	-38.52	61.65	3	Horizontal	334	1.85	-	40.72	11.69	64.38			
RMS	13.81303G	37.47	68.20	-30.73	49.44	3	Horizontal	334	1.85	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71772G	46.78	83.54	-36.76	41.83	1	Vertical	101	2.63	-	37.90	15.75	48.70			
RMS	20.71896G	34.03	63.54	-29.51	29.07	1	Vertical	101	2.63	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz_TX




EUT_V_1TX
Setting 18.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71407G	46.47	83.54	-37.07	41.52	1	Horizontal	279	1.64	-	37.90	15.75	48.70			
RMS	20.71896G	34.03	63.54	-29.51	29.07	1	Horizontal	279	1.64	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	61.81	88.20	-26.39	54.33	3	Vertical	204	1.80	-	34.59	8.09	35.20			
RMS	5.9208G	51.89	68.20	-16.31	44.42	3	Vertical	204	1.80	-	34.58	8.09	35.20			
PK	6.021G	110.63	Inf	-Inf	102.88	3	Vertical	204	1.80	-	34.74	8.20	35.19			
RMS	6.0186G	99.60	Inf	-Inf	91.85	3	Vertical	204	1.80	-	34.74	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9148G	61.84	88.20	-26.36	54.40	3	Horizontal	191	1.73	-	34.56	8.08	35.20			
RMS	5.9136G	51.53	68.20	-16.67	44.10	3	Horizontal	191	1.73	-	34.55	8.08	35.20			
PK	6.0078G	110.01	Inf	-Inf	102.30	3	Horizontal	191	1.73	-	34.72	8.18	35.19			
RMS	6.0096G	99.10	Inf	-Inf	91.39	3	Horizontal	191	1.73	-	34.72	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97419G	49.54	74.00	-24.46	64.28	3	Vertical	260	1.92	-	39.20	11.82	65.76			
AV	11.97296G	37.14	54.00	-16.86	51.88	3	Vertical	260	1.92	-	39.20	11.82	65.76			
PK	17.95431G	57.44	74.00	-16.56	60.87	3	Vertical	322	2.22	-	44.71	14.23	62.37			
AV	17.953G	44.52	54.00	-9.48	47.95	3	Vertical	322	2.22	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97217G	49.11	74.00	-24.89	63.85	3	Horizontal	43	1.10	-	39.20	11.82	65.76			
AV	11.97279G	37.17	54.00	-16.83	51.91	3	Horizontal	43	1.10	-	39.20	11.82	65.76			
PK	17.95551G	57.03	74.00	-16.97	60.46	3	Horizontal	107	1.95	-	44.71	14.23	62.37			
AV	17.95378G	44.54	54.00	-9.46	47.97	3	Horizontal	107	1.95	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93991G	49.96	83.54	-33.58	41.27	1	Vertical	222	1.63	-	39.00	17.31	47.62			
RMS	23.93514G	37.73	63.54	-25.81	29.05	1	Vertical	222	1.63	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94279G	49.81	83.54	-33.73	41.12	1	Horizontal	102	1.50	-	39.00	17.31	47.62			
RMS	23.93565G	37.73	63.54	-25.81	29.05	1	Horizontal	102	1.50	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 11.25/5.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.868G	62.18	88.20	-26.02	54.98	3	Vertical	203	1.80	-	34.37	8.03	35.20			
RMS	5.9034G	51.36	68.20	-16.84	43.98	3	Vertical	203	1.80	-	34.51	8.07	35.20			
PK	6.0192G	109.04	Inf	-Inf	101.29	3	Vertical	203	1.80	-	34.74	8.20	35.19			
RMS	6.0186G	99.67	Inf	-Inf	91.92	3	Vertical	203	1.80	-	34.74	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 11.25/5.5
03-P-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	63.74	88.20	-24.46	56.32	3	Horizontal	190	1.66	-	34.54	8.08	35.20			
RMS	5.9082G	51.30	68.20	-16.90	43.90	3	Horizontal	190	1.66	-	34.53	8.07	35.20			
PK	6.009G	109.52	Inf	-Inf	101.81	3	Horizontal	190	1.66	-	34.72	8.18	35.19			
RMS	6.0084G	99.34	Inf	-Inf	91.63	3	Horizontal	190	1.66	-	34.72	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT Y_2TX
Setting 11.25/5.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96865G	49.21	74.00	-24.79	63.95	3	Vertical	73	2.36	-	39.20	11.82	65.76			
AV	11.97323G	37.12	54.00	-16.88	51.86	3	Vertical	73	2.36	-	39.20	11.82	65.76			
PK	17.95682G	56.70	74.00	-17.30	60.12	3	Vertical	127	1.80	-	44.71	14.23	62.36			
AV	17.95307G	44.52	54.00	-9.48	47.95	3	Vertical	127	1.80	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5985MHz_TX

EUT_Y_2TX
Setting 11.25/5.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97344G	49.38	74.00	-24.62	64.12	3	Horizontal	104	2.89	-	39.20	11.82	65.76			
AV	11.97297G	37.11	54.00	-16.89	51.85	3	Horizontal	104	2.89	-	39.20	11.82	65.76			
PK	17.95418G	56.77	74.00	-17.23	60.20	3	Horizontal	312	1.66	-	44.71	14.23	62.37			
AV	17.95357G	44.55	54.00	-9.45	47.98	3	Horizontal	312	1.66	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 11.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94228G	50.33	83.54	-33.21	41.64	1	Vertical	223	1.75	-	39.00	17.31	47.62			
RMS	23.93552G	37.73	63.54	-25.81	29.05	1	Vertical	223	1.75	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 11.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93633G	50.15	83.54	-33.39	41.47	1	Horizontal	96	1.48	-	39.00	17.31	47.63			
RMS	23.93505G	37.73	63.54	-25.81	29.05	1	Horizontal	96	1.48	-	39.00	17.31	47.63			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9922G	109.54	Inf	-Inf	100.59	3	Vertical	193	1.72	-	35.68	8.40	35.13			
RMS	6.9914G	99.74	Inf	-Inf	90.79	3	Vertical	193	1.72	-	35.68	8.40	35.13			
PK	7.2158G	61.18	88.20	-27.02	51.39	3	Vertical	193	1.72	-	36.39	8.55	35.15			
RMS	7.2202G	51.37	68.20	-16.83	41.55	3	Vertical	193	1.72	-	36.42	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9994G	109.86	Inf	-Inf	100.92	3	Horizontal	196	2.00	-	35.70	8.37	35.13			
RMS	6.9998G	99.47	Inf	-Inf	90.53	3	Horizontal	196	2.00	-	35.70	8.37	35.13			
PK	7.2062G	62.02	88.20	-26.18	52.29	3	Horizontal	196	2.00	-	36.34	8.54	35.15			
RMS	7.2166G	51.32	68.20	-16.88	41.52	3	Horizontal	196	2.00	-	36.40	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.054G	50.35	88.20	-37.85	61.77	3	Vertical	156	2.30	-	41.20	11.72	64.34			
RMS	14.04987G	38.31	68.20	-29.89	49.74	3	Vertical	156	2.30	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04979G	50.17	88.20	-38.03	61.60	3	Horizontal	211	1.49	-	41.20	11.72	64.35			
RMS	14.04995G	38.24	68.20	-29.96	49.67	3	Horizontal	211	1.49	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07776G	46.32	83.54	-37.22	40.95	1	Vertical	220	1.68	-	38.00	16.05	48.68			
RMS	21.08G	34.50	63.54	-29.04	29.13	1	Vertical	220	1.68	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07525G	47.02	83.54	-36.52	41.65	1	Horizontal	2	2.10	-	38.00	16.05	48.68			
RMS	21.07905G	34.49	63.54	-29.05	29.12	1	Horizontal	2	2.10	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0514G	109.51	Inf	-Inf	100.53	3	Vertical	190	1.97	-	35.70	8.41	35.13			
RMS	7.0502G	99.28	Inf	-Inf	90.30	3	Vertical	190	1.97	-	35.70	8.41	35.13			
PK	7.213G	66.50	88.20	-21.70	56.72	3	Vertical	190	1.97	-	36.38	8.55	35.15			
RMS	7.2222G	54.97	68.20	-13.23	45.14	3	Vertical	190	1.97	-	36.43	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.001G	108.41	Inf	-Inf	99.47	3	Horizontal	196	1.80	-	35.70	8.37	35.13			
RMS	7.0018G	99.72	Inf	-Inf	90.78	3	Horizontal	196	1.80	-	35.70	8.37	35.13			
PK	7.205G	65.11	88.20	-23.09	55.39	3	Horizontal	196	1.80	-	36.33	8.54	35.15			
RMS	7.2246G	55.03	68.20	-13.17	45.17	3	Horizontal	196	1.80	-	36.45	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0506G	50.61	88.20	-37.59	62.04	3	Vertical	213	2.29	-	41.20	11.72	64.35			
RMS	14.05471G	38.32	68.20	-29.88	49.74	3	Vertical	213	2.29	-	41.20	11.72	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05226G	50.56	88.20	-37.64	61.99	3	Horizontal	66	2.24	-	41.20	11.72	64.35			
RMS	14.05399G	38.24	68.20	-29.96	49.66	3	Horizontal	66	2.24	-	41.20	11.72	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07459G	47.00	83.54	-36.54	41.64	1	Vertical	110	1.05	-	38.00	16.05	48.69			
RMS	21.07902G	34.49	63.54	-29.05	29.12	1	Vertical	110	1.05	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting 9.25/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07692G	46.94	83.54	-36.60	41.57	1	Horizontal	13	2.51	-	38.00	16.05	48.68			
RMS	21.07897G	34.49	63.54	-29.05	29.12	1	Horizontal	13	2.51	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/7
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	65.91	88.20	-22.29	58.45	3	Vertical	202	1.80	-	34.58	8.08	35.20			
RMS	5.923G	53.67	68.20	-14.53	46.19	3	Vertical	202	1.80	-	34.59	8.09	35.20			
PK	6.04G	110.21	Inf	-Inf	102.39	3	Vertical	202	1.80	-	34.78	8.23	35.19			
RMS	6.098G	99.44	Inf	-Inf	91.33	3	Vertical	202	1.80	-	34.99	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/7
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	65.71	88.20	-22.49	58.24	3	Horizontal	199	1.67	-	34.58	8.09	35.20			
RMS	5.9125G	53.56	68.20	-14.64	46.13	3	Horizontal	199	1.67	-	34.55	8.08	35.20			
PK	6.085G	109.39	Inf	-Inf	101.35	3	Horizontal	199	1.67	-	34.94	8.30	35.20			
RMS	6.0875G	99.06	Inf	-Inf	91.01	3	Horizontal	199	1.67	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 15.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0521G	49.03	74.00	-24.97	63.80	3	Vertical	274	1.90	-	39.09	11.83	65.69			
AV	12.05123G	37.02	54.00	-16.98	51.78	3	Vertical	274	1.90	-	39.10	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 15.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04742G	49.03	74.00	-24.97	63.79	3	Horizontal	24	2.61	-	39.11	11.83	65.70			
AV	12.04571G	37.00	54.00	-17.00	51.76	3	Horizontal	24	2.61	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 15.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07481G	45.88	83.54	-37.66	41.25	1	Vertical	13	2.83	-	37.55	15.29	48.21			
RMS	18.07637G	34.21	63.54	-29.33	29.58	1	Vertical	13	2.83	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6025MHz_TX

EUT_Y_2TX
Setting 15.5/7
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07197G	45.77	83.54	-37.77	41.16	1	Horizontal	343	2.11	-	37.53	15.29	48.21			
RMS	18.07972G	34.28	63.54	-29.26	29.63	1	Horizontal	343	2.11	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13/8.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9215G	65.87	88.20	-22.33	58.39	3	Vertical	201	1.80	-	34.59	8.09	35.20			
RMS	5.9195G	53.23	68.20	-14.97	45.76	3	Vertical	201	1.80	-	34.58	8.09	35.20			
PK	6.0965G	108.51	Inf	-Inf	100.41	3	Vertical	201	1.80	-	34.99	8.31	35.20			
RMS	6.098G	99.19	Inf	-Inf	91.08	3	Vertical	201	1.80	-	34.99	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13/8.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9125G	63.68	88.20	-24.52	56.25	3	Horizontal	191	1.65	-	34.55	8.08	35.20			
RMS	5.925G	53.08	68.20	-15.12	45.59	3	Horizontal	191	1.65	-	34.60	8.09	35.20			
PK	6.0875G	109.29	Inf	-Inf	101.24	3	Horizontal	191	1.65	-	34.95	8.30	35.20			
RMS	6.088G	99.31	Inf	-Inf	91.26	3	Horizontal	191	1.65	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


6025MHz_TX

EUT_Y_2TX
Setting 13/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04987G	49.07	74.00	-24.93	63.84	3	Vertical	316	2.02	-	39.10	11.83	65.70			
AV	12.0463G	36.76	54.00	-17.24	51.52	3	Vertical	316	2.02	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


6025MHz_TX

EUT_Y_2TX
Setting 13/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04637G	49.09	74.00	-24.91	63.85	3	Horizontal	309	2.41	-	39.11	11.83	65.70			
AV	12.0451G	36.66	54.00	-17.34	51.42	3	Horizontal	309	2.41	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


6025MHz_TX

EUT_Y_2TX
Setting 13/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0725G	46.64	83.54	-36.90	42.02	1	Vertical	246	2.62	-	37.54	15.29	48.21			
RMS	18.07867G	34.07	63.54	-29.47	29.43	1	Vertical	246	2.62	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 13/8.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07347G	46.86	83.54	-36.68	42.24	1	Horizontal	265	2.09	-	37.54	15.29	48.21			
RMS	18.07827G	34.07	63.54	-29.47	29.43	1	Horizontal	265	2.09	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	63.62	88.20	-24.58	56.14	3	Vertical	202	1.75	-	34.59	8.09	35.20			
RMS	5.925G	53.27	68.20	-14.93	45.78	3	Vertical	202	1.75	-	34.60	8.09	35.20			
PK	6.099G	109.33	Inf	-Inf	101.21	3	Vertical	202	1.75	-	35.00	8.32	35.20			
RMS	6.0975G	99.49	Inf	-Inf	91.38	3	Vertical	202	1.75	-	34.99	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	63.45	88.20	-24.75	56.00	3	Horizontal	192	1.67	-	34.57	8.08	35.20			
RMS	5.9235G	53.24	68.20	-14.96	45.76	3	Horizontal	192	1.67	-	34.59	8.09	35.20			
PK	6.0885G	108.83	Inf	-Inf	100.78	3	Horizontal	192	1.67	-	34.95	8.30	35.20			
RMS	6.0875G	98.91	Inf	-Inf	90.86	3	Horizontal	192	1.67	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05147G	49.04	74.00	-24.96	63.81	3	Vertical	152	1.46	-	39.09	11.83	65.69			
AV	12.04896G	37.05	54.00	-16.95	51.82	3	Vertical	152	1.46	-	39.10	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05171G	48.77	74.00	-25.23	63.54	3	Horizontal	159	2.09	-	39.09	11.83	65.69			
AV	12.04556G	36.99	54.00	-17.01	51.75	3	Horizontal	159	2.09	-	39.11	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07645G	45.63	83.54	-37.91	41.00	1	Vertical	196	1.67	-	37.56	15.29	48.22			
RMS	18.0792G	34.28	63.54	-29.26	29.63	1	Vertical	196	1.67	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07473G	46.47	83.54	-37.07	41.84	1	Horizontal	5	2.70	-	37.55	15.29	48.21			
RMS	18.07789G	34.25	63.54	-29.29	29.61	1	Horizontal	5	2.70	-	37.57	15.29	48.22			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/7.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9115G	109.45	Inf	-Inf	100.26	3	Vertical	183	1.56	-	35.68	8.66	35.15			
RMS	6.9115G	99.09	Inf	-Inf	89.90	3	Vertical	183	1.56	-	35.68	8.66	35.15			
PK	7.151G	65.90	88.20	-22.30	56.53	3	Vertical	183	1.56	-	36.01	8.50	35.14			
RMS	7.2285G	55.53	68.20	-12.67	45.65	3	Vertical	183	1.56	-	36.47	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/7.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.004G	108.06	Inf	-Inf	99.12	3	Horizontal	194	1.67	-	35.70	8.37	35.13			
RMS	6.922G	99.40	Inf	-Inf	90.26	3	Horizontal	194	1.67	-	35.66	8.62	35.14			
PK	7.139G	65.96	88.20	-22.24	56.68	3	Horizontal	194	1.67	-	35.93	8.49	35.14			
RMS	7.2245G	55.63	68.20	-12.57	45.77	3	Horizontal	194	1.67	-	36.45	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96582G	50.19	88.20	-38.01	62.00	3	Vertical	160	2.50	-	40.96	11.68	64.45			
RMS	13.9731G	38.39	68.20	-29.81	50.17	3	Vertical	160	2.50	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9745G	50.21	88.20	-37.99	61.98	3	Horizontal	107	2.33	-	41.00	11.68	64.45			
RMS	13.97126G	38.35	68.20	-29.85	50.13	3	Horizontal	107	2.33	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_V_2TX
Setting 15/7.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95628G	45.93	83.54	-37.61	40.77	1	Vertical	45	2.35	-	37.91	15.95	48.70			
RMS	20.95204G	34.72	63.54	-28.82	29.57	1	Vertical	45	2.35	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15/7.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95797G	46.75	83.54	-36.79	41.58	1	Horizontal	133	2.65	-	37.92	15.95	48.70			
RMS	20.95781G	34.71	63.54	-28.83	29.54	1	Horizontal	133	2.65	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9115G	109.31	Inf	-Inf	100.12	3	Vertical	182	1.55	-	35.68	8.66	35.15			
RMS	6.912G	99.61	Inf	-Inf	90.42	3	Vertical	182	1.55	-	35.68	8.66	35.15			
PK	7.2125G	66.09	88.20	-22.11	56.32	3	Vertical	182	1.55	-	36.37	8.55	35.15			
RMS	7.225G	55.08	68.20	-13.12	45.22	3	Vertical	182	1.55	-	36.45	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	109.71	Inf	-Inf	100.56	3	Horizontal	196	1.67	-	35.66	8.63	35.14			
RMS	6.9225G	99.74	Inf	-Inf	90.60	3	Horizontal	196	1.67	-	35.66	8.62	35.14			
PK	7.2115G	65.56	88.20	-22.64	55.79	3	Horizontal	196	1.67	-	36.37	8.55	35.15			
RMS	7.2335G	55.10	68.20	-13.10	45.19	3	Horizontal	196	1.67	-	36.50	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97257G	50.17	88.20	-38.03	61.95	3	Vertical	334	1.88	-	40.99	11.68	64.45			
RMS	13.97137G	38.04	68.20	-30.16	49.82	3	Vertical	334	1.88	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96798G	50.07	88.20	-38.13	61.87	3	Horizontal	332	2.87	-	40.97	11.68	64.45			
RMS	13.96956G	38.06	68.20	-30.14	49.85	3	Horizontal	332	2.87	-	40.98	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95585G	46.60	83.54	-36.94	41.44	1	Vertical	276	2.10	-	37.91	15.95	48.70			
RMS	20.95376G	34.52	63.54	-29.02	29.36	1	Vertical	276	2.10	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 13.5/8
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9562G	46.60	83.54	-36.94	41.44	1	Horizontal	18	2.25	-	37.91	15.95	48.70			
RMS	20.95329G	34.52	63.54	-29.02	29.36	1	Horizontal	18	2.25	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9115G	109.15	Inf	-Inf	99.96	3	Vertical	183	1.56	-	35.68	8.66	35.15			
RMS	6.9115G	99.36	Inf	-Inf	90.17	3	Vertical	183	1.56	-	35.68	8.66	35.15			
PK	7.1465G	70.77	88.20	-17.43	61.44	3	Vertical	183	1.56	-	35.98	8.49	35.14			
RMS	7.217G	55.53	68.20	-12.67	45.73	3	Vertical	183	1.56	-	36.40	8.55	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.943G	110.28	Inf	-Inf	101.25	3	Horizontal	195	1.64	-	35.61	8.56	35.14			
RMS	6.9235G	99.35	Inf	-Inf	90.22	3	Horizontal	195	1.64	-	35.65	8.62	35.14			
PK	7.154G	65.64	88.20	-22.56	56.26	3	Horizontal	195	1.64	-	36.02	8.50	35.14			
RMS	7.223G	55.62	68.20	-12.58	45.78	3	Horizontal	195	1.64	-	36.44	8.55	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.971G	49.79	88.20	-38.41	61.58	3	Vertical	323	2.61	-	40.98	11.68	64.45			
RMS	13.97412G	38.37	68.20	-29.83	50.14	3	Vertical	323	2.61	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96561G	49.91	88.20	-38.29	61.72	3	Horizontal	31	2.12	-	40.96	11.68	64.45			
RMS	13.97373G	38.51	68.20	-29.69	50.29	3	Horizontal	31	2.12	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95577G	46.75	83.54	-36.79	41.59	1	Vertical	12	1.91	-	37.91	15.95	48.70			
RMS	20.95982G	34.70	63.54	-28.84	29.53	1	Vertical	12	1.91	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 11/9.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95853G	46.69	83.54	-36.85	41.52	1	Horizontal	86	2.18	-	37.92	15.95	48.70			
RMS	20.95352G	34.72	63.54	-28.82	29.56	1	Horizontal	86	2.18	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	64.74	88.20	-23.46	57.26	3	Vertical	201	1.56	-	34.59	8.09	35.20			
RMS	5.921G	54.27	68.20	-13.93	46.80	3	Vertical	201	1.56	-	34.58	8.09	35.20			
PK	6.1394G	110.79	Inf	-Inf	102.61	3	Vertical	201	1.56	-	35.00	8.38	35.20			
RMS	6.1762G	100.01	Inf	-Inf	91.78	3	Vertical	201	1.56	-	35.00	8.43	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	69.69	88.20	-18.51	62.22	3	Horizontal	197	1.60	-	34.58	8.09	35.20			
RMS	5.925G	53.86	68.20	-14.34	46.37	3	Horizontal	197	1.60	-	34.60	8.09	35.20			
PK	6.0498G	108.98	Inf	-Inf	101.13	3	Horizontal	197	1.60	-	34.80	8.24	35.19			
RMS	6.0874G	99.71	Inf	-Inf	91.66	3	Horizontal	197	1.60	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21417G	49.06	74.00	-24.94	63.93	3	Vertical	134	1.06	-	38.87	11.81	65.55			
AV	12.21196G	37.14	54.00	-16.86	52.00	3	Vertical	134	1.06	-	38.88	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21117G	48.84	74.00	-25.16	63.70	3	Horizontal	138	2.73	-	38.88	11.81	65.55			
AV	12.20686G	37.12	54.00	-16.88	51.97	3	Horizontal	138	2.73	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31277G	46.60	83.54	-36.94	41.96	1	Vertical	21	2.24	-	37.63	15.27	48.26			
RMS	18.31299G	34.94	63.54	-28.60	30.30	1	Vertical	21	2.24	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31068G	46.90	83.54	-36.64	42.27	1	Horizontal	109	2.81	-	37.62	15.27	48.26			
RMS	18.31166G	34.94	63.54	-28.60	30.31	1	Horizontal	109	2.81	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	67.36	88.20	-20.84	59.89	3	Vertical	202	1.57	-	34.58	8.09	35.20			
RMS	5.921G	53.91	68.20	-14.29	46.44	3	Vertical	202	1.57	-	34.58	8.09	35.20			
PK	6.0938G	110.46	Inf	-Inf	102.37	3	Vertical	202	1.57	-	34.98	8.31	35.20			
RMS	6.177G	99.80	Inf	-Inf	91.56	3	Vertical	202	1.57	-	35.00	8.44	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	71.97	88.20	-16.23	64.50	3	Horizontal	152	1.68	-	34.58	8.09	35.20			
RMS	5.925G	53.74	68.20	-14.46	46.25	3	Horizontal	152	1.68	-	34.60	8.09	35.20			
PK	6.0658G	109.34	Inf	-Inf	101.40	3	Horizontal	152	1.68	-	34.86	8.27	35.19			
RMS	6.1666G	99.74	Inf	-Inf	91.52	3	Horizontal	152	1.68	-	35.00	8.42	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21032G	48.95	74.00	-25.05	63.81	3	Vertical	111	1.07	-	38.88	11.81	65.55			
AV	12.20501G	36.96	54.00	-17.04	51.82	3	Vertical	111	1.07	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20544G	48.95	74.00	-25.05	63.81	3	Horizontal	151	2.41	-	38.89	11.81	65.56			
AV	12.20627G	36.95	54.00	-17.05	51.80	3	Horizontal	151	2.41	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31008G	46.56	83.54	-36.98	41.93	1	Vertical	97	2.09	-	37.62	15.27	48.26			
RMS	18.31012G	34.59	63.54	-28.95	29.96	1	Vertical	97	2.09	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31854G	47.13	83.54	-36.41	42.48	1	Horizontal	335	2.28	-	37.64	15.27	48.26			
RMS	18.31013G	34.59	63.54	-28.95	29.96	1	Horizontal	335	2.28	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	66.18	88.20	-22.02	58.70	3	Vertical	212	1.80	-	34.59	8.09	35.20			
RMS	5.9242G	52.81	68.20	-15.39	45.32	3	Vertical	212	1.80	-	34.60	8.09	35.20			
PK	6.2354G	109.77	Inf	-Inf	101.52	3	Vertical	212	1.80	-	34.93	8.52	35.20			
RMS	6.197G	99.34	Inf	-Inf	91.07	3	Vertical	212	1.80	-	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT Y_2TX
Setting 17.25/5.5
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	69.49	88.20	-18.71	62.00	3	Horizontal	156	1.60	-	34.60	8.09	35.20			
RMS	5.925G	52.92	68.20	-15.28	45.43	3	Horizontal	156	1.60	-	34.60	8.09	35.20			
PK	6.2074G	109.28	Inf	-Inf	101.01	3	Horizontal	156	1.60	-	34.99	8.48	35.20			
RMS	6.2066G	99.50	Inf	-Inf	91.23	3	Horizontal	156	1.60	-	34.99	8.48	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20886G	49.02	74.00	-24.98	63.88	3	Vertical	209	2.36	-	38.88	11.81	65.55			
AV	12.20575G	36.72	54.00	-17.28	51.57	3	Vertical	209	2.36	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20982G	50.02	74.00	-23.98	64.88	3	Horizontal	2	2.64	-	38.88	11.81	65.55			
AV	12.20776G	36.72	54.00	-17.28	51.58	3	Horizontal	2	2.64	-	38.88	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31686G	47.04	83.54	-36.50	42.40	1	Vertical	38	1.81	-	37.63	15.27	48.26			
RMS	18.31287G	34.41	63.54	-29.13	29.77	1	Vertical	38	1.81	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 17.25/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.31864G	46.79	83.54	-36.75	42.14	1	Horizontal	147	2.69	-	37.64	15.27	48.26				
RMS	18.31029G	34.41	63.54	-29.13	29.78	1	Horizontal	147	2.69	-	37.62	15.27	48.26				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8342G	108.77	Inf	-Inf	99.32	3	Vertical	199	1.67	-	35.70	8.91	35.16			
RMS	6.8318G	98.92	Inf	-Inf	89.46	3	Vertical	199	1.67	-	35.70	8.92	35.16			
PK	7.175G	64.64	88.20	-23.56	55.11	3	Vertical	199	1.67	-	36.15	8.52	35.14			
RMS	7.2032G	55.03	68.20	-13.17	45.32	3	Vertical	199	1.67	-	36.32	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9812G	108.07	Inf	-Inf	99.11	3	Horizontal	194	1.80	-	35.66	8.43	35.13			
RMS	6.863G	98.25	Inf	-Inf	88.88	3	Horizontal	194	1.80	-	35.70	8.82	35.15			
PK	7.1408G	66.60	88.20	-21.60	57.31	3	Horizontal	194	1.80	-	35.94	8.49	35.14			
RMS	7.2044G	55.02	68.20	-13.18	45.30	3	Horizontal	194	1.80	-	36.33	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80684G	49.70	88.20	-38.50	61.68	3	Vertical	319	2.70	-	40.71	11.69	64.38			
RMS	13.81405G	38.13	68.20	-30.07	50.10	3	Vertical	319	2.70	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81352G	50.29	88.20	-37.91	62.26	3	Horizontal	60	1.58	-	40.73	11.69	64.39			
RMS	13.81211G	38.23	68.20	-29.97	50.20	3	Horizontal	60	1.58	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71281G	46.51	83.54	-37.03	41.56	1	Vertical	220	2.04	-	37.90	15.75	48.70			
RMS	20.71808G	34.45	63.54	-29.09	29.49	1	Vertical	220	2.04	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.25/6.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71355G	46.76	83.54	-36.78	41.81	1	Horizontal	215	2.69	-	37.90	15.75	48.70			
RMS	20.71106G	34.62	63.54	-28.92	29.67	1	Horizontal	215	2.69	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7736G	109.65	Inf	-Inf	100.22	3	Vertical	200	1.62	-	35.59	9.01	35.17			
RMS	6.7724G	99.31	Inf	-Inf	89.89	3	Vertical	200	1.62	-	35.59	9.00	35.17			
PK	7.1924G	64.12	88.20	-24.08	54.49	3	Vertical	200	1.62	-	36.25	8.53	35.15			
RMS	7.2038G	54.64	68.20	-13.56	44.93	3	Vertical	200	1.62	-	36.32	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.821G	110.65	Inf	-Inf	101.16	3	Horizontal	197	1.68	-	35.70	8.95	35.16			
RMS	6.7628G	99.19	Inf	-Inf	89.81	3	Horizontal	197	1.68	-	35.55	9.00	35.17			
PK	7.1564G	64.52	88.20	-23.68	55.12	3	Horizontal	197	1.68	-	36.04	8.50	35.14			
RMS	7.2038G	54.59	68.20	-13.61	44.88	3	Horizontal	197	1.68	-	36.32	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81083G	50.87	88.20	-37.33	62.84	3	Vertical	269	1.06	-	40.72	11.69	64.38			
RMS	13.81436G	37.62	68.20	-30.58	49.59	3	Vertical	269	1.06	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81298G	50.03	88.20	-38.17	62.00	3	Horizontal	293	1.99	-	40.73	11.69	64.39			
RMS	13.81478G	37.60	68.20	-30.60	49.57	3	Horizontal	293	1.99	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71016G	47.49	83.54	-36.05	42.54	1	Vertical	66	1.71	-	37.90	15.75	48.70			
RMS	20.71899G	34.03	63.54	-29.51	29.07	1	Vertical	66	1.71	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Y_2TX
Setting 16.25/6.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71303G	47.00	83.54	-36.54	42.05	1	Horizontal	69	1.97	-	37.90	15.75	48.70			
RMS	20.71925G	34.24	63.54	-29.30	29.28	1	Horizontal	69	1.97	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.75/3
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	64.86	88.20	-23.34	57.44	3	Vertical	180	1.61	-	34.54	8.08	35.20			
RMS	5.9218G	52.85	68.20	-15.35	45.37	3	Vertical	180	1.61	-	34.59	8.09	35.20			
PK	6.0146G	109.76	Inf	-Inf	102.03	3	Vertical	180	1.61	-	34.73	8.19	35.19			
RMS	6.0146G	99.35	Inf	-Inf	91.62	3	Vertical	180	1.61	-	34.73	8.19	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.75/3
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9166G	64.80	88.20	-23.40	57.35	3	Horizontal	149	1.80	-	34.57	8.08	35.20			
RMS	5.925G	52.88	68.20	-15.32	45.39	3	Horizontal	149	1.80	-	34.60	8.09	35.20			
PK	6.0082G	107.89	Inf	-Inf	100.18	3	Horizontal	149	1.80	-	34.72	8.18	35.19			
RMS	6.007G	98.58	Inf	-Inf	90.88	3	Horizontal	149	1.80	-	34.71	8.18	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96896G	49.23	74.00	-24.77	63.97	3	Vertical	9	2.54	-	39.20	11.82	65.76				
AV	11.9697G	36.59	54.00	-17.41	51.33	3	Vertical	9	2.54	-	39.20	11.82	65.76				
PK	17.9523G	56.90	74.00	-17.10	60.34	3	Vertical	269	1.95	-	44.70	14.23	62.37				
AV	17.95473G	44.55	54.00	-9.45	47.98	3	Vertical	269	1.95	-	44.71	14.23	62.37				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.75/3
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96579G	48.32	74.00	-25.68	63.06	3	Horizontal	230	1.68	-	39.20	11.82	65.76			
AV	11.96971G	36.64	54.00	-17.36	51.38	3	Horizontal	230	1.68	-	39.20	11.82	65.76			
PK	17.95336G	56.94	74.00	-17.06	60.37	3	Horizontal	322	2.05	-	44.71	14.23	62.37			
AV	17.95388G	44.60	54.00	-9.40	48.03	3	Horizontal	322	2.05	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_V_4TX
Setting 15.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93814G	49.72	83.54	-33.82	41.03	1	Vertical	285	1.85	-	39.00	17.31	47.62			
RMS	23.93519G	37.73	63.54	-25.81	29.05	1	Vertical	285	1.85	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 15.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93861G	50.52	83.54	-33.02	41.83	1	Horizontal	155	1.73	-	39.00	17.31	47.62			
RMS	23.93943G	37.93	63.54	-25.61	29.24	1	Horizontal	155	1.73	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	63.49	88.20	-24.71	56.36	3	Vertical	173	1.80	-	34.31	8.02	35.20
RMS	5.9034G	52.61	68.20	-15.59	45.23	3	Vertical	173	1.80	-	34.51	8.07	35.20
PK	6.0158G	109.07	Inf	-Inf	101.34	3	Vertical	173	1.80	-	34.73	8.19	35.19
RMS	6.0166G	99.23	Inf	-Inf	91.50	3	Vertical	173	1.80	-	34.73	8.19	35.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8982G	63.34	88.20	-24.86	55.99	3	Horizontal	204	1.80	-	34.49	8.06	35.20			
RMS	5.9186G	52.62	68.20	-15.58	45.17	3	Horizontal	204	1.80	-	34.57	8.08	35.20			
PK	6.0238G	107.52	Inf	-Inf	99.75	3	Horizontal	204	1.80	-	34.75	8.21	35.19			
RMS	6.0234G	98.48	Inf	-Inf	90.71	3	Horizontal	204	1.80	-	34.75	8.21	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97209G	49.54	74.00	-24.46	64.28	3	Vertical	309	2.71	-	39.20	11.82	65.76				
AV	11.96977G	36.71	54.00	-17.29	51.45	3	Vertical	309	2.71	-	39.20	11.82	65.76				
PK	17.95839G	56.42	74.00	-17.58	59.83	3	Vertical	122	1.63	-	44.72	14.23	62.36				
AV	17.95443G	44.69	54.00	-9.31	48.12	3	Vertical	122	1.63	-	44.71	14.23	62.37				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96863G	49.18	74.00	-24.82	63.92	3	Horizontal	336	2.22	-	39.20	11.82	65.76			
AV	11.96985G	36.67	54.00	-17.33	51.41	3	Horizontal	336	2.22	-	39.20	11.82	65.76			
PK	17.95409G	56.42	74.00	-17.58	59.85	3	Horizontal	36	1.97	-	44.71	14.23	62.37			
AV	17.95628G	44.70	54.00	-9.30	48.13	3	Horizontal	36	1.97	-	44.71	14.23	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94444G	50.37	83.54	-33.17	41.67	1	Vertical	348	1.35	-	39.00	17.32	47.62			
RMS	23.9377G	37.93	63.54	-25.61	29.24	1	Vertical	348	1.35	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX

EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9362G	50.74	83.54	-32.80	42.06	1	Horizontal	73	2.13	-	39.00	17.31	47.63			
RMS	23.93793G	37.93	63.54	-25.61	29.24	1	Horizontal	73	2.13	-	39.00	17.31	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 12.25/3.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9934G	106.66	Inf	-Inf	97.71	3	Vertical	191	1.80	-	35.69	8.39	35.13			
RMS	6.9922G	97.62	Inf	-Inf	88.67	3	Vertical	191	1.80	-	35.68	8.40	35.13			
PK	7.2106G	65.52	88.20	-22.68	55.76	3	Vertical	191	1.80	-	36.36	8.55	35.15			
RMS	7.2178G	54.97	68.20	-13.23	45.16	3	Vertical	191	1.80	-	36.41	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 12.25/3.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0062G	108.73	Inf	-Inf	99.78	3	Horizontal	199	1.80	-	35.70	8.38	35.13			
RMS	7.0062G	99.08	Inf	-Inf	90.13	3	Horizontal	199	1.80	-	35.70	8.38	35.13			
PK	7.2238G	65.22	88.20	-22.98	55.37	3	Horizontal	199	1.80	-	36.44	8.56	35.15			
RMS	7.2246G	54.97	68.20	-13.23	45.11	3	Horizontal	199	1.80	-	36.45	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05344G	50.69	88.20	-37.51	62.11	3	Vertical	328	1.88	-	41.20	11.72	64.34			
RMS	14.0538G	38.31	68.20	-29.89	49.73	3	Vertical	328	1.88	-	41.20	11.72	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.25/3.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05169G	50.32	88.20	-37.88	61.75	3	Horizontal	312	1.70	-	41.20	11.72	64.35			
RMS	14.05444G	38.41	68.20	-29.79	49.83	3	Horizontal	312	1.70	-	41.20	11.72	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07816G	47.89	83.54	-35.65	42.52	1	Vertical	40	2.01	-	38.00	16.05	48.68			
RMS	21.07939G	34.49	63.54	-29.05	29.12	1	Vertical	40	2.01	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 12.25/3.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07689G	46.63	83.54	-36.91	41.26	1	Horizontal	107	2.38	-	38.00	16.05	48.68			
RMS	21.08G	34.50	63.54	-29.04	29.13	1	Horizontal	107	2.38	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9934G	108.45	Inf	-Inf	99.50	3	Vertical	193	1.80	-	35.69	8.39	35.13			
RMS	6.9938G	99.30	Inf	-Inf	90.35	3	Vertical	193	1.80	-	35.69	8.39	35.13			
PK	7.2154G	64.77	88.20	-23.43	54.98	3	Vertical	193	1.80	-	36.39	8.55	35.15			
RMS	7.2242G	54.87	68.20	-13.33	45.01	3	Vertical	193	1.80	-	36.45	8.56	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 11.75/2
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0026G	106.80	Inf	-Inf	97.86	3	Horizontal	196	1.80	-	35.70	8.37	35.13			
RMS	7.0022G	98.39	Inf	-Inf	89.45	3	Horizontal	196	1.80	-	35.70	8.37	35.13			
PK	7.2162G	64.66	88.20	-23.54	54.86	3	Horizontal	196	1.80	-	36.40	8.55	35.15			
RMS	7.2222G	54.85	68.20	-13.35	45.02	3	Horizontal	196	1.80	-	36.43	8.55	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05225G	50.41	88.20	-37.79	61.84	3	Vertical	54	2.53	-	41.20	11.72	64.35			
RMS	14.05293G	38.52	68.20	-29.68	49.94	3	Vertical	54	2.53	-	41.20	11.72	64.34			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05277G	50.58	88.20	-37.62	62.00	3	Horizontal	97	1.27	-	41.20	11.72	64.34			
RMS	14.05167G	38.41	68.20	-29.79	49.84	3	Horizontal	97	1.27	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07929G	46.76	83.54	-36.78	41.39	1	Vertical	3	2.11	-	38.00	16.05	48.68			
RMS	21.07848G	34.70	63.54	-28.84	29.33	1	Vertical	3	2.11	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 11.75/2
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07622G	46.52	83.54	-37.02	41.15	1	Horizontal	112	1.64	-	38.00	16.05	48.68			
RMS	21.0799G	34.71	63.54	-28.83	29.34	1	Horizontal	112	1.64	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17/2.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	63.62	88.20	-24.58	56.15	3	Vertical	149	1.80	-	34.58	8.09	35.20			
RMS	5.925G	52.74	68.20	-15.46	45.25	3	Vertical	149	1.80	-	34.60	8.09	35.20			
PK	6.0935G	110.52	Inf	-Inf	102.44	3	Vertical	149	1.80	-	34.97	8.31	35.20			
RMS	6.073G	99.84	Inf	-Inf	91.86	3	Vertical	149	1.80	-	34.89	8.28	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17/2.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	63.58	88.20	-24.62	56.09	3	Horizontal	196	1.64	-	34.60	8.09	35.20			
RMS	5.9245G	52.64	68.20	-15.56	45.15	3	Horizontal	196	1.64	-	34.60	8.09	35.20			
PK	6.0675G	111.97	Inf	-Inf	104.02	3	Horizontal	196	1.64	-	34.87	8.27	35.19			
RMS	6.087G	100.18	Inf	-Inf	92.13	3	Horizontal	196	1.64	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
Setting 17/2.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05114G	49.39	74.00	-24.61	64.15	3	Vertical	217	1.62	-	39.10	11.83	65.69			
AV	12.0491G	37.15	54.00	-16.85	51.92	3	Vertical	217	1.62	-	39.10	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
Setting 17/2.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05009G	48.78	74.00	-25.22	63.54	3	Horizontal	108	2.45	-	39.10	11.83	65.69			
AV	12.0539G	37.04	54.00	-16.96	51.82	3	Horizontal	108	2.45	-	39.08	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6025MHz_TX

EUT_V_4TX
Setting 17/2.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07645G	46.71	83.54	-36.83	42.08	1	Vertical	195	1.77	-	37.56	15.29	48.22			
RMS	18.07927G	34.28	63.54	-29.26	29.63	1	Vertical	195	1.77	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6025MHz_TX

EUT_V_4TX
Setting 17/2.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07456G	46.06	83.54	-37.48	41.43	1	Horizontal	187	1.92	-	37.55	15.29	48.21			
RMS	18.07269G	34.33	63.54	-29.21	29.71	1	Horizontal	187	1.92	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.914G	64.63	88.20	-23.57	57.19	3	Vertical	190	1.63	-	34.56	8.08	35.20			
RMS	5.9155G	52.94	68.20	-15.26	45.50	3	Vertical	190	1.63	-	34.56	8.08	35.20			
PK	6.0965G	108.99	Inf	-Inf	100.89	3	Vertical	190	1.63	-	34.99	8.31	35.20			
RMS	6.0965G	99.72	Inf	-Inf	91.62	3	Vertical	190	1.63	-	34.99	8.31	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	64.67	88.20	-23.53	57.19	3	Horizontal	206	1.69	-	34.59	8.09	35.20			
RMS	5.924G	53.11	68.20	-15.09	45.62	3	Horizontal	206	1.69	-	34.60	8.09	35.20			
PK	6.0865G	109.77	Inf	-Inf	101.72	3	Horizontal	206	1.69	-	34.95	8.30	35.20			
RMS	6.0875G	99.34	Inf	-Inf	91.29	3	Horizontal	206	1.69	-	34.95	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04671G	49.16	74.00	-24.84	63.92	3	Vertical	13	1.58	-	39.11	11.83	65.70			
AV	12.04837G	36.75	54.00	-17.25	51.52	3	Vertical	13	1.58	-	39.10	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0513G	48.86	74.00	-25.14	63.63	3	Horizontal	34	1.59	-	39.09	11.83	65.69			
AV	12.05101G	36.78	54.00	-17.22	51.54	3	Horizontal	34	1.59	-	39.10	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07016G	46.23	83.54	-37.31	41.63	1	Vertical	205	1.93	-	37.52	15.29	48.21			
RMS	18.07951G	34.09	63.54	-29.45	29.44	1	Vertical	205	1.93	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07376G	45.90	83.54	-37.64	41.28	1	Horizontal	131	2.45	-	37.54	15.29	48.21			
RMS	18.07885G	34.07	63.54	-29.47	29.43	1	Horizontal	131	2.45	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11.5/6
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.898G	62.98	88.20	-25.22	55.63	3	Vertical	188	1.63	-	34.49	8.06	35.20			
RMS	5.924G	53.12	68.20	-15.08	45.63	3	Vertical	188	1.63	-	34.60	8.09	35.20			
PK	6.0745G	106.74	Inf	-Inf	98.75	3	Vertical	188	1.63	-	34.90	8.28	35.19			
RMS	6.095G	97.32	Inf	-Inf	89.23	3	Vertical	188	1.63	-	34.98	8.31	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11.5/6
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.781G	63.05	88.20	-25.15	56.13	3	Horizontal	200	1.80	-	34.20	7.93	35.21			
RMS	5.9195G	53.07	68.20	-15.13	45.60	3	Horizontal	200	1.80	-	34.58	8.09	35.20			
PK	6.1025G	106.06	Inf	-Inf	97.94	3	Horizontal	200	1.80	-	35.00	8.32	35.20			
RMS	6.1025G	96.32	Inf	-Inf	88.20	3	Horizontal	200	1.80	-	35.00	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04763G	49.07	74.00	-24.93	63.84	3	Vertical	350	2.11	-	39.10	11.83	65.70			
AV	12.04962G	36.97	54.00	-17.03	51.74	3	Vertical	350	2.11	-	39.10	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04738G	48.86	74.00	-25.14	63.62	3	Horizontal	314	2.18	-	39.11	11.83	65.70			
AV	12.05211G	37.02	54.00	-16.98	51.79	3	Horizontal	314	2.18	-	39.09	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX

EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07028G	46.01	83.54	-37.53	41.41	1	Vertical	67	2.63	-	37.52	15.29	48.21			
RMS	18.07696G	34.22	63.54	-29.32	29.59	1	Vertical	67	2.63	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX

EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07229G	46.23	83.54	-37.31	41.62	1	Horizontal	181	1.42	-	37.53	15.29	48.21			
RMS	18.07917G	34.28	63.54	-29.26	29.63	1	Horizontal	181	1.42	-	37.58	15.29	48.22			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 15/4.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.937G	108.38	Inf	-Inf	99.32	3	Vertical	206	1.63	-	35.63	8.57	35.14			
RMS	6.9165G	99.50	Inf	-Inf	90.34	3	Vertical	206	1.63	-	35.67	8.64	35.15			
PK	7.145G	65.01	88.20	-23.19	55.69	3	Vertical	206	1.63	-	35.97	8.49	35.14			
RMS	7.217G	55.49	68.20	-12.71	45.69	3	Vertical	206	1.63	-	36.40	8.55	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 15/4.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.923G	107.63	Inf	-Inf	98.50	3	Horizontal	190	1.80	-	35.65	8.62	35.14			
RMS	6.9235G	99.34	Inf	-Inf	90.21	3	Horizontal	190	1.80	-	35.65	8.62	35.14			
PK	7.1705G	66.12	88.20	-22.08	56.63	3	Horizontal	190	1.80	-	36.12	8.51	35.14			
RMS	7.2335G	55.55	68.20	-12.65	45.64	3	Horizontal	190	1.80	-	36.50	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96625G	49.85	88.20	-38.35	61.66	3	Vertical	85	1.66	-	40.96	11.68	64.45			
RMS	13.97303G	38.33	68.20	-29.87	50.11	3	Vertical	85	1.66	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96902G	50.15	88.20	-38.05	61.94	3	Horizontal	66	2.80	-	40.98	11.68	64.45			
RMS	13.96537G	38.21	68.20	-29.99	50.02	3	Horizontal	66	2.80	-	40.96	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95305G	46.81	83.54	-36.73	41.65	1	Vertical	23	2.29	-	37.91	15.95	48.70			
RMS	20.95803G	34.71	63.54	-28.83	29.54	1	Vertical	23	2.29	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 15/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95467G	46.15	83.54	-37.39	40.99	1	Horizontal	193	1.23	-	37.91	15.95	48.70			
RMS	20.95G	34.52	63.54	-29.02	29.38	1	Horizontal	193	1.23	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 13/5.5
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.918G	109.16	Inf	-Inf	100.00	3	Vertical	206	1.80	-	35.66	8.64	35.14			
RMS	6.9165G	99.34	Inf	-Inf	90.18	3	Vertical	206	1.80	-	35.67	8.64	35.15			
PK	7.2065G	65.39	88.20	-22.81	55.66	3	Vertical	206	1.80	-	36.34	8.54	35.15			
RMS	7.231G	54.98	68.20	-13.22	45.08	3	Vertical	206	1.80	-	36.49	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 13/5.5
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.004G	110.22	Inf	-Inf	101.28	3	Horizontal	197	1.80	-	35.70	8.37	35.13			
RMS	6.9225G	99.36	Inf	-Inf	90.22	3	Horizontal	197	1.80	-	35.66	8.62	35.14			
PK	7.21G	65.07	88.20	-23.13	55.31	3	Horizontal	197	1.80	-	36.36	8.55	35.15			
RMS	7.2295G	54.98	68.20	-13.22	45.09	3	Horizontal	197	1.80	-	36.48	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6985MHz_TX

EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96922G	50.27	88.20	-37.93	62.06	3	Vertical	20	1.00	-	40.98	11.68	64.45			
RMS	13.97052G	38.06	68.20	-30.14	49.85	3	Vertical	20	1.00	-	40.98	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9703G	50.86	88.20	-37.34	62.65	3	Horizontal	329	1.96	-	40.98	11.68	64.45			
RMS	13.97453G	38.14	68.20	-30.06	49.91	3	Horizontal	329	1.96	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95317G	46.31	83.54	-37.23	41.15	1	Vertical	292	2.41	-	37.91	15.95	48.70			
RMS	20.95094G	34.52	63.54	-29.02	29.37	1	Vertical	292	2.41	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6985MHz_TX

EUT_V_4TX
Setting 13/5.5
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95602G	46.94	83.54	-36.60	41.78	1	Horizontal	349	2.44	-	37.91	15.95	48.70			
RMS	20.95018G	34.31	63.54	-29.23	29.17	1	Horizontal	349	2.44	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5/6
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9315G	105.24	Inf	-Inf	96.15	3	Vertical	152	1.80	-	35.64	8.59	35.14			
RMS	6.9125G	96.92	Inf	-Inf	87.74	3	Vertical	152	1.80	-	35.68	8.65	35.15			
PK	7.1965G	65.46	88.20	-22.74	55.79	3	Vertical	152	1.80	-	36.28	8.54	35.15			
RMS	7.214G	55.39	68.20	-12.81	45.61	3	Vertical	152	1.80	-	36.38	8.55	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5/6
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9235G	107.34	Inf	-Inf	98.21	3	Horizontal	191	1.54	-	35.65	8.62	35.14			
RMS	6.924G	97.65	Inf	-Inf	88.52	3	Horizontal	191	1.54	-	35.65	8.62	35.14			
PK	7.232G	65.87	88.20	-22.33	55.97	3	Horizontal	191	1.54	-	36.49	8.56	35.15			
RMS	7.2235G	55.36	68.20	-12.84	45.51	3	Horizontal	191	1.54	-	36.44	8.56	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97459G	50.73	88.20	-37.47	62.50	3	Vertical	279	1.61	-	41.00	11.68	64.45			
RMS	13.97462G	38.36	68.20	-29.84	50.13	3	Vertical	279	1.61	-	41.00	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97328G	50.38	88.20	-37.82	62.16	3	Horizontal	262	2.00	-	40.99	11.68	64.45			
RMS	13.97256G	38.28	68.20	-29.92	50.06	3	Horizontal	262	2.00	-	40.99	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




EUT_V_4TX
Setting 11.5/6
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95198G	46.15	83.54	-37.39	41.00	1	Vertical	119	2.10	-	37.90	15.95	48.70			
RMS	20.95345G	34.72	63.54	-28.82	29.56	1	Vertical	119	2.10	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 11.5/6
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95398G	46.61	83.54	-36.93	41.45	1	Horizontal	52	1.22	-	37.91	15.95	48.70			
RMS	20.95476G	34.72	63.54	-28.82	29.56	1	Horizontal	52	1.22	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/4
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9242G	63.35	88.20	-24.85	55.86	3	Vertical	178	1.60	-	34.60	8.09	35.20				
RMS	5.925G	53.90	68.20	-14.30	46.41	3	Vertical	178	1.60	-	34.60	8.09	35.20				
PK	6.1546G	110.02	Inf	-Inf	101.82	3	Vertical	178	1.60	-	35.00	8.40	35.20				
RMS	6.1746G	100.02	Inf	-Inf	91.79	3	Vertical	178	1.60	-	35.00	8.43	35.20				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/4
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	63.95	88.20	-24.25	56.51	3	Horizontal	204	1.67	-	34.56	8.08	35.20			
RMS	5.917G	53.58	68.20	-14.62	46.13	3	Horizontal	204	1.67	-	34.57	8.08	35.20			
PK	6.0866G	108.92	Inf	-Inf	100.87	3	Horizontal	204	1.67	-	34.95	8.30	35.20			
RMS	6.1266G	99.35	Inf	-Inf	91.19	3	Horizontal	204	1.67	-	35.00	8.36	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21053G	48.93	74.00	-25.07	63.79	3	Vertical	52	1.99	-	38.88	11.81	65.55			
AV	12.20519G	37.19	54.00	-16.81	52.05	3	Vertical	52	1.99	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20848G	49.15	74.00	-24.85	64.01	3	Horizontal	93	3.00	-	38.88	11.81	65.55			
AV	12.21086G	37.35	54.00	-16.65	52.21	3	Horizontal	93	3.00	-	38.88	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_V_4TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3107G	46.94	83.54	-36.60	42.31	1	Vertical	275	1.26	-	37.62	15.27	48.26			
RMS	18.31299G	34.77	63.54	-28.77	30.13	1	Vertical	275	1.26	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3174G	47.08	83.54	-36.46	42.44	1	Horizontal	267	1.80	-	37.63	15.27	48.26			
RMS	18.31297G	34.77	63.54	-28.77	30.13	1	Horizontal	267	1.80	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/3
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	64.56	88.20	-23.64	57.13	3	Vertical	177	1.62	-	34.55	8.08	35.20			
RMS	5.9242G	53.57	68.20	-14.63	46.08	3	Vertical	177	1.62	-	34.60	8.09	35.20			
PK	6.1754G	110.19	Inf	-Inf	101.96	3	Vertical	177	1.62	-	35.00	8.43	35.20			
RMS	6.1738G	99.84	Inf	-Inf	91.61	3	Vertical	177	1.62	-	35.00	8.43	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 17.75/3
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	69.04	88.20	-19.16	61.55	3	Horizontal	202	1.68	-	34.60	8.09	35.20			
RMS	5.9146G	53.25	68.20	-14.95	45.81	3	Horizontal	202	1.68	-	34.56	8.08	35.20			
PK	6.0858G	109.85	Inf	-Inf	101.81	3	Horizontal	202	1.68	-	34.94	8.30	35.20			
RMS	6.1642G	99.74	Inf	-Inf	91.52	3	Horizontal	202	1.68	-	35.00	8.42	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_V_4TX
Setting 17.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20801G	49.20	74.00	-24.80	64.06	3	Vertical	28	1.01	-	38.88	11.81	65.55			
AV	12.205G	36.97	54.00	-17.03	51.83	3	Vertical	28	1.01	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20762G	49.54	74.00	-24.46	64.40	3	Horizontal	276	2.16	-	38.88	11.81	65.55			
AV	12.20572G	36.94	54.00	-17.06	51.79	3	Horizontal	276	2.16	-	38.89	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31813G	47.53	83.54	-36.01	42.88	1	Vertical	2	2.24	-	37.64	15.27	48.26			
RMS	18.31025G	34.59	63.54	-28.95	29.96	1	Vertical	2	2.24	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 17.75/3
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31265G	47.23	83.54	-36.31	42.59	1	Horizontal	118	1.73	-	37.63	15.27	48.26			
RMS	18.3109G	34.59	63.54	-28.95	29.96	1	Horizontal	118	1.73	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.75/4
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	65.63	88.20	-22.57	58.18	3	Vertical	184	1.80	-	34.57	8.08	35.20			
RMS	5.9226G	52.84	68.20	-15.36	45.36	3	Vertical	184	1.80	-	34.59	8.09	35.20			
PK	6.2538G	108.17	Inf	-Inf	99.94	3	Vertical	184	1.80	-	34.89	8.55	35.21			
RMS	6.253G	98.64	Inf	-Inf	90.41	3	Vertical	184	1.80	-	34.89	8.55	35.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.75/4
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8506G	63.92	88.20	-24.28	56.81	3	Horizontal	193	1.50	-	34.30	8.01	35.20			
RMS	5.9226G	52.69	68.20	-15.51	45.21	3	Horizontal	193	1.50	-	34.59	8.09	35.20			
PK	6.2058G	109.97	Inf	-Inf	101.70	3	Horizontal	193	1.50	-	34.99	8.48	35.20			
RMS	6.2066G	99.74	Inf	-Inf	91.47	3	Horizontal	193	1.50	-	34.99	8.48	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 15.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20897G	49.29	74.00	-24.71	64.15	3	Vertical	272	1.44	-	38.88	11.81	65.55			
AV	12.205G	36.75	54.00	-17.25	51.61	3	Vertical	272	1.44	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 15.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21288G	49.24	74.00	-24.76	64.11	3	Horizontal	314	2.66	-	38.87	11.81	65.55			
AV	12.20524G	36.76	54.00	-17.24	51.62	3	Horizontal	314	2.66	-	38.89	11.81	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX

EUT_Y_4TX
Setting 15.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31885G	46.66	83.54	-36.88	42.01	1	Vertical	358	1.96	-	37.64	15.27	48.26			
RMS	18.31271G	34.41	63.54	-29.13	29.77	1	Vertical	358	1.96	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
Setting 15.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31531G	46.76	83.54	-36.78	42.12	1	Horizontal	139	2.45	-	37.63	15.27	48.26			
RMS	18.31292G	34.41	63.54	-29.13	29.77	1	Horizontal	139	2.45	-	37.63	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16.75/4
03-G-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8378G	107.48	Inf	-Inf	98.04	3	Vertical	207	1.59	-	35.70	8.90	35.16			
RMS	6.857G	99.78	Inf	-Inf	90.41	3	Vertical	207	1.59	-	35.70	8.83	35.16			
PK	7.1948G	65.22	88.20	-22.98	55.56	3	Vertical	207	1.59	-	36.27	8.54	35.15			
RMS	7.2032G	54.98	68.20	-13.22	45.27	3	Vertical	207	1.59	-	36.32	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 16.75/4
03-G-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.827G	108.29	Inf	-Inf	98.82	3	Horizontal	194	1.80	-	35.70	8.93	35.16			
RMS	6.8468G	99.28	Inf	-Inf	89.87	3	Horizontal	194	1.80	-	35.70	8.87	35.16			
PK	7.1426G	64.71	88.20	-23.49	55.40	3	Horizontal	194	1.80	-	35.96	8.49	35.14			
RMS	7.196G	55.03	68.20	-13.17	45.36	3	Horizontal	194	1.80	-	36.28	8.54	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 16.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8118G	50.19	88.20	-38.01	62.16	3	Vertical	65	2.05	-	40.72	11.69	64.38			
RMS	13.8073G	38.04	68.20	-30.16	50.02	3	Vertical	65	2.05	-	40.71	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 16.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81267G	49.86	88.20	-38.34	61.83	3	Horizontal	4	1.53	-	40.73	11.69	64.39			
RMS	13.81068G	38.03	68.20	-30.17	50.00	3	Horizontal	4	1.53	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_V_4TX
Setting 16.75/4
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71736G	46.68	83.54	-36.86	41.73	1	Vertical	2	1.97	-	37.90	15.75	48.70			
RMS	20.71835G	34.65	63.54	-28.89	29.69	1	Vertical	2	1.97	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_V_4TX
Setting 16.75/4
03-P-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7163G	46.07	83.54	-37.47	41.12	1	Horizontal	321	1.01	-	37.90	15.75	48.70			
RMS	20.71734G	34.64	63.54	-28.90	29.69	1	Horizontal	321	1.01	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 15.25/4.5
03-G-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.755G	109.51	Inf	-Inf	100.16	3	Vertical	207.4	1.80	-	35.52	9.00	35.17
RMS	6.7964G	99.44	Inf	-Inf	89.90	3	Vertical	207.4	1.80	-	35.69	9.02	35.17
PK	7.1918G	65.21	88.20	-22.99	55.58	3	Vertical	207.4	1.80	-	36.25	8.53	35.15
RMS	7.1996G	55.04	68.20	-13.16	45.35	3	Vertical	207.4	1.80	-	36.30	8.54	35.15

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 15.25/4.5
03-G-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8036G	109.88	Inf	-Inf	100.34	3	Horizontal	200	1.80	-	35.70	9.01	35.17
RMS	6.8036G	99.71	Inf	-Inf	90.17	3	Horizontal	200	1.80	-	35.70	9.01	35.17
PK	7.1804G	64.91	88.20	-23.29	55.35	3	Horizontal	200	1.80	-	36.18	8.52	35.14
RMS	7.1996G	54.98	68.20	-13.22	45.29	3	Horizontal	200	1.80	-	36.30	8.54	35.15

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_V_4TX
Setting 15.25/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80833G	50.19	88.20	-38.01	62.16	3	Vertical	119	1.17	-	40.72	11.69	64.38			
RMS	13.81193G	37.52	68.20	-30.68	49.49	3	Vertical	119	1.17	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 15.25/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81143G	49.70	88.20	-38.50	61.67	3	Horizontal	202	2.78	-	40.72	11.69	64.38			
RMS	13.81492G	37.57	68.20	-30.63	49.54	3	Horizontal	202	2.78	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 15.25/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7118G	46.76	83.54	-36.78	41.81	1	Vertical	18	2.93	-	37.90	15.75	48.70			
RMS	20.71896G	34.03	63.54	-29.51	29.07	1	Vertical	18	2.93	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX



EUT_Y_4TX
Setting 15.25/4.5
03-P-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71791G	46.64	83.54	-36.90	41.68	1	Horizontal	285	1.46	-	37.90	15.76	48.70			
RMS	20.71896G	34.03	63.54	-29.51	29.07	1	Horizontal	285	1.46	-	37.90	15.76	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1.(MCS0)_1TX	Pass	RMS	5.925G	67.87	68.20	-0.33	3	Vertical	27	1.53	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 19
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	74.95	88.20	-13.25	69.88	3	Vertical	25	1.50	-	32.40	7.27	34.60
RMS	5.925G	58.19	68.20	-10.01	53.12	3	Vertical	25	1.50	-	32.40	7.27	34.60
PK	6.009G	109.95	Inf	-Inf	104.80	3	Vertical	25	1.50	-	32.50	7.32	34.67
RMS	6.0226G	99.60	Inf	-Inf	94.43	3	Vertical	25	1.50	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 19
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	70.89	88.20	-17.31	65.82	3	Horizontal	9	1.50	-	32.40	7.27	34.60
RMS	5.9246G	56.67	68.20	-11.53	51.60	3	Horizontal	9	1.50	-	32.40	7.27	34.60
PK	6.0066G	109.29	Inf	-Inf	104.14	3	Horizontal	9	1.50	-	32.50	7.32	34.67
RMS	6.0218G	98.43	Inf	-Inf	93.26	3	Horizontal	9	1.50	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96148G	58.57	74.00	-15.43	52.95	3	Vertical	180	1.75	-	38.92	12.05	45.35			
AV	11.96184G	44.18	54.00	-9.82	38.55	3	Vertical	180	1.75	-	38.92	12.06	45.35			
PK	17.95984G	60.01	74.00	-13.99	38.94	3	Vertical	102	1.61	-	51.27	14.09	44.29			
AV	17.96304G	48.53	54.00	-5.47	27.29	3	Vertical	102	1.61	-	51.43	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97612G	58.55	74.00	-15.45	52.89	3	Horizontal	82	1.80	-	38.95	12.06	45.35			
AV	11.9626G	44.07	54.00	-9.93	38.43	3	Horizontal	82	1.80	-	38.93	12.06	45.35			
PK	17.94976G	59.27	74.00	-14.73	38.69	3	Horizontal	134	1.94	-	50.79	14.08	44.29			
AV	17.96288G	47.76	54.00	-6.24	26.53	3	Horizontal	134	1.94	-	51.42	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94616G	58.55	83.54	-24.99	49.85	1	Vertical	316	1.83	-	39.00	17.32	47.62			
AV	23.93112G	44.13	63.54	-19.41	35.45	1	Vertical	316	1.83	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93668G	58.61	83.54	-24.93	49.93	1	Horizontal	360	1.63	-	39.00	17.31	47.63			
AV	23.93128G	43.67	63.54	-19.87	34.99	1	Horizontal	360	1.63	-	39.00	17.31	47.63			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9986G	110.15	Inf	-Inf	100.66	3	Vertical	336	1.71	-	35.39	8.28	34.18
RMS	6.9958G	99.50	Inf	-Inf	90.03	3	Vertical	336	1.71	-	35.38	8.27	34.18
PK	7.1314G	59.74	88.20	-28.46	49.45	3	Vertical	336	1.71	-	36.06	8.41	34.18
RMS	7.1254G	48.05	68.20	-20.15	37.77	3	Vertical	336	1.71	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_Y_1TX
Setting 18
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9866G	110.41	Inf	-Inf	100.98	3	Horizontal	18	1.64	-	35.35	8.26	34.18
RMS	6.9878G	99.64	Inf	-Inf	90.21	3	Horizontal	18	1.64	-	35.35	8.26	34.18
PK	7.1314G	60.96	88.20	-27.24	50.67	3	Horizontal	18	1.64	-	36.06	8.41	34.18
RMS	7.125G	48.11	68.20	-20.09	37.84	3	Horizontal	18	1.64	-	36.05	8.40	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 18
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05812G	59.96	88.20	-28.24	51.16	3	Vertical	175	1.80	-	41.13	12.06	44.39			
RMS	14.05632G	45.59	68.20	-22.61	36.79	3	Vertical	175	1.80	-	41.13	12.06	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 18
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0412G	59.82	88.20	-28.38	51.06	3	Horizontal	49	2.97	-	41.08	12.05	44.37			
RMS	14.054G	45.61	68.20	-22.59	36.81	3	Horizontal	49	2.97	-	41.12	12.06	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 18
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08296G	61.12	83.54	-22.42	55.75	1	Vertical	273	1.67	-	38.00	16.05	48.68			
AV	21.08476G	46.83	63.54	-16.71	41.46	1	Vertical	273	1.67	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

7025MHz_TX




EUT_V_1TX
Setting 18
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0772G	60.74	83.54	-22.80	55.37	1	Horizontal	287	1.56	-	38.00	16.05	48.68			
AV	21.08468G	46.77	63.54	-16.77	41.40	1	Horizontal	287	1.56	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.20	88.20	-10.00	73.14	3	Vertical	26	1.58	-	32.40	7.26	34.60			
RMS	5.9245G	66.09	68.20	-2.11	61.02	3	Vertical	26	1.58	-	32.40	7.27	34.60			
PK	6.073G	110.49	Inf	-Inf	105.24	3	Vertical	26	1.58	-	32.50	7.36	34.61			
RMS	6.0595G	99.81	Inf	-Inf	94.58	3	Vertical	26	1.58	-	32.50	7.35	34.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX



EUT_Y_1TX
Setting 21.5
06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.911G	77.05	88.20	-11.15	71.98	3	Horizontal	338	1.50	-	32.40	7.26	34.59			
RMS	5.925G	64.32	68.20	-3.88	59.25	3	Horizontal	338	1.50	-	32.40	7.27	34.60			
PK	6.08G	108.45	Inf	-Inf	103.19	3	Horizontal	338	1.50	-	32.50	7.36	34.60			
RMS	6.0595G	97.19	Inf	-Inf	91.96	3	Horizontal	338	1.50	-	32.50	7.35	34.62			