


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22/8
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20662G	45.95	74.00	-28.05	60.36	3	Vertical	70	2.88	-	39.07	12.07	65.55			
AV	12.20328G	32.36	54.00	-21.64	46.76	3	Vertical	70	2.88	-	39.09	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22/8
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21678G	45.62	74.00	-28.38	60.06	3	Horizontal	290	2.18	-	39.03	12.07	65.54			
AV	12.2114G	32.43	54.00	-21.57	46.86	3	Horizontal	290	2.18	-	39.05	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22/8
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31478G	43.90	83.54	-39.64	39.26	1	Vertical	148	2.67	-	37.63	15.27	48.26			
RMS	18.31436G	31.75	63.54	-31.79	27.11	1	Vertical	148	2.67	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22/8
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31484G	43.69	83.54	-39.85	39.05	1	Horizontal	65	2.11	-	37.63	15.27	48.26			
RMS	18.31402G	31.65	63.54	-31.89	27.01	1	Horizontal	65	2.11	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 24.5/4.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.97	88.20	-9.23	73.90	3	Vertical	355	1.80	-	32.40	7.27	34.60			
RMS	5.925G	67.02	68.20	-1.18	61.95	3	Vertical	355	1.80	-	32.40	7.27	34.60			
PK	6.0134G	121.57	Inf	-Inf	116.41	3	Vertical	355	1.80	-	32.50	7.33	34.67			
RMS	6.0126G	110.90	Inf	-Inf	105.74	3	Vertical	355	1.80	-	32.50	7.33	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 24.5/4.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	81.28	88.20	-6.92	76.21	3	Horizontal	360	1.77	-	32.40	7.26	34.59			
RMS	5.9162G	67.46	68.20	-0.74	62.39	3	Horizontal	360	1.77	-	32.40	7.26	34.59			
PK	6.0222G	120.31	Inf	-Inf	115.14	3	Horizontal	360	1.77	-	32.50	7.33	34.66			
RMS	6.023G	111.42	Inf	-Inf	106.25	3	Horizontal	360	1.77	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 24.5/4.5
 06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96976G	47.54	74.00	-26.46	62.30	3	Vertical	353	1.06	-	38.94	12.06	65.76			
AV	11.96988G	34.43	54.00	-19.57	49.19	3	Vertical	353	1.06	-	38.94	12.06	65.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
 Setting 24.5/4.5
 06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9835G	50.13	74.00	-23.87	64.84	3	Horizontal	52	1.72	-	38.97	12.07	65.75			
AV	11.98494G	34.88	54.00	-19.12	49.59	3	Horizontal	52	1.72	-	38.97	12.07	65.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
 Setting 24.5/4.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93954G	45.80	83.54	-37.74	37.11	1	Vertical	345	1.80	-	39.00	17.31	47.62			
RMS	23.9373G	33.52	63.54	-30.02	24.84	1	Vertical	345	1.80	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 24.5/4.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94216G	45.78	83.54	-37.76	37.09	1	Horizontal	331	1.75	-	39.00	17.31	47.62			
RMS	23.93734G	33.52	63.54	-30.02	24.84	1	Horizontal	331	1.75	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 19.5/7.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8922G	73.06	88.20	-15.14	61.67	3	Vertical	184	1.73	-	34.17	7.86	30.64			
RMS	5.9082G	57.34	68.20	-10.86	45.90	3	Vertical	184	1.73	-	34.20	7.87	30.63			
PK	6.0146G	120.36	Inf	-Inf	108.74	3	Vertical	184	1.73	-	34.30	7.95	30.63			
RMS	6.0154G	111.48	Inf	-Inf	99.86	3	Vertical	184	1.73	-	34.30	7.95	30.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 19.5/7.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.901G	71.50	88.20	-16.70	60.06	3	Horizontal	178	1.56	-	34.20	7.87	30.63			
RMS	5.8962G	57.06	68.20	-11.14	45.65	3	Horizontal	178	1.56	-	34.18	7.86	30.63			
PK	6.0234G	120.48	Inf	-Inf	108.84	3	Horizontal	178	1.56	-	34.30	7.97	30.63			
RMS	6.0234G	111.28	Inf	-Inf	99.64	3	Horizontal	178	1.56	-	34.30	7.97	30.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 19.5/7.5
 06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96853G	51.41	74.00	-22.59	66.17	3	Vertical	352	1.80	-	38.94	12.06	65.76			
AV	11.96946G	38.76	54.00	-15.24	53.52	3	Vertical	352	1.80	-	38.94	12.06	65.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
 Setting 19.5/7.5
 06-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97363G	52.14	74.00	-21.86	66.89	3	Horizontal	51	1.80	-	38.95	12.06	65.76			
AV	11.97156G	37.79	54.00	-16.21	52.55	3	Horizontal	51	1.80	-	38.94	12.06	65.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
 Setting 19.5/7.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9406G	45.49	83.54	-38.05	36.80	1	Vertical	345	1.80	-	39.00	17.31	47.62			
RMS	23.93666G	33.63	63.54	-29.91	24.95	1	Vertical	345	1.80	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
 Setting 19.5/7.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95423G	44.10	83.54	-39.44	39.32	1	Horizontal	71	2.32	-	37.60	15.26	48.08			
RMS	17.95542G	31.89	63.54	-31.65	27.10	1	Horizontal	71	2.32	-	37.61	15.26	48.08			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 25.5/3.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	80.71	88.20	-7.49	75.65	3	Vertical	6	1.71	-	32.40	7.26	34.60			
RMS	5.925G	66.46	68.20	-1.74	61.39	3	Vertical	6	1.71	-	32.40	7.27	34.60			
PK	6.0545G	119.11	Inf	-Inf	113.89	3	Vertical	6	1.71	-	32.50	7.35	34.63			
RMS	6.095G	110.60	Inf	-Inf	105.32	3	Vertical	6	1.71	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 25.5/3.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.915G	78.86	88.20	-9.34	73.79	3	Horizontal	0	1.43	-	32.40	7.26	34.59			
RMS	5.922G	64.90	68.20	-3.30	59.83	3	Horizontal	0	1.43	-	32.40	7.27	34.60			
PK	6.0845G	119.12	Inf	-Inf	113.85	3	Horizontal	0	1.43	-	32.50	7.37	34.60			
RMS	6.103G	109.83	Inf	-Inf	104.52	3	Horizontal	0	1.43	-	32.51	7.38	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
 Setting 25.5/3.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04986G	48.81	74.00	-25.19	43.03	3	Vertical	321	2.62	-	39.10	12.07	45.39			
AV	12.04992G	38.80	54.00	-15.20	33.02	3	Vertical	321	2.62	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
 Setting 25.5/3.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04973G	49.52	74.00	-24.48	43.74	3	Horizontal	246	1.97	-	39.10	12.07	45.39			
AV	12.04992G	38.76	54.00	-15.24	32.98	3	Horizontal	246	1.97	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
 Setting 25.5/3.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07481G	43.82	83.54	-39.72	39.19	1	Vertical	31	1.64	-	37.55	15.29	48.21			
RMS	18.07485G	31.86	63.54	-31.68	27.23	1	Vertical	31	1.64	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_V_4TX
 Setting 25.5/3.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07468G	44.15	83.54	-39.39	39.52	1	Horizontal	165	1.86	-	37.55	15.29	48.21			
RMS	18.07524G	31.85	63.54	-31.69	27.23	1	Horizontal	165	1.86	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 24/4
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	80.94	88.20	-7.26	75.87	3	Vertical	6	1.80	-	32.40	7.26	34.59			
RMS	5.921G	66.75	68.20	-1.45	61.69	3	Vertical	6	1.80	-	32.40	7.26	34.60			
PK	6.096G	119.44	Inf	-Inf	114.16	3	Vertical	6	1.80	-	32.50	7.37	34.59			
RMS	6.0955G	111.22	Inf	-Inf	105.94	3	Vertical	6	1.80	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24/4
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	79.45	88.20	-8.75	74.38	3	Horizontal	0	1.47	-	32.40	7.26	34.59			
RMS	5.916G	67.04	68.20	-1.16	61.97	3	Horizontal	0	1.47	-	32.40	7.26	34.59			
PK	6.1035G	120.13	Inf	-Inf	114.82	3	Horizontal	0	1.47	-	32.51	7.38	34.58			
RMS	6.1035G	111.05	Inf	-Inf	105.74	3	Horizontal	0	1.47	-	32.51	7.38	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 24/4
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05014G	49.80	74.00	-24.20	44.02	3	Vertical	16	2.40	-	39.10	12.07	45.39			
AV	12.05001G	38.72	54.00	-15.28	32.94	3	Vertical	16	2.40	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 24/4
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04923G	49.69	74.00	-24.31	43.91	3	Horizontal	25	1.21	-	39.10	12.07	45.39			
AV	12.04993G	38.64	54.00	-15.36	32.86	3	Horizontal	25	1.21	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 24/4
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07584G	43.60	83.54	-39.94	38.97	1	Vertical	238	1.97	-	37.56	15.29	48.22			
RMS	18.07454G	31.69	63.54	-31.85	27.06	1	Vertical	238	1.97	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
 Setting 24/4
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07524G	43.30	83.54	-40.24	38.68	1	Horizontal	64	2.23	-	37.55	15.29	48.22			
RMS	18.07521G	31.68	63.54	-31.86	27.06	1	Horizontal	64	2.23	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 21.5/5.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	70.88	88.20	-17.32	59.43	3	Vertical	181	1.58	-	34.20	7.88	30.63			
RMS	5.925G	58.97	68.20	-9.23	47.52	3	Vertical	181	1.58	-	34.20	7.88	30.63			
PK	6.0938G	119.26	Inf	-Inf	107.41	3	Vertical	181	1.58	-	34.48	8.08	30.71			
RMS	6.0938G	110.79	Inf	-Inf	98.94	3	Vertical	181	1.58	-	34.48	8.08	30.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 21.5/5.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	75.99	88.20	-12.21	64.54	3	Horizontal	179	1.62	-	34.20	7.88	30.63			
RMS	5.9242G	57.48	68.20	-10.72	46.03	3	Horizontal	179	1.62	-	34.20	7.88	30.63			
PK	6.0866G	119.26	Inf	-Inf	107.45	3	Horizontal	179	1.62	-	34.45	8.06	30.70			
RMS	6.0858G	110.68	Inf	-Inf	98.88	3	Horizontal	179	1.62	-	34.44	8.06	30.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21.5/5.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04947G	50.02	74.00	-23.98	44.24	3	Vertical	120	2.85	-	39.10	12.07	45.39			
AV	12.04997G	38.80	54.00	-15.20	33.02	3	Vertical	120	2.85	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21.5/5.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04947G	48.64	74.00	-25.36	42.86	3	Horizontal	175	1.71	-	39.10	12.07	45.39			
AV	12.04985G	38.93	54.00	-15.07	33.15	3	Horizontal	175	1.71	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21.5/5.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07488G	43.56	83.54	-39.98	38.93	1	Vertical	134	2.38	-	37.55	15.29	48.21			
RMS	18.0742G	31.86	63.54	-31.68	27.23	1	Vertical	134	2.38	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21.5/5.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07496G	44.45	83.54	-39.09	39.82	1	Horizontal	84	2.69	-	37.55	15.29	48.21			
RMS	18.07427G	31.69	63.54	-31.85	27.06	1	Horizontal	84	2.69	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 26/3
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.37	88.20	-9.83	73.30	3	Vertical	5	1.73	-	32.40	7.27	34.60			
RMS	5.925G	68.13	68.20	-0.07	63.06	3	Vertical	5	1.73	-	32.40	7.27	34.60			
PK	6.1338G	117.58	Inf	-Inf	112.10	3	Vertical	5	1.73	-	32.64	7.39	34.55			
RMS	6.1346G	108.74	Inf	-Inf	103.26	3	Vertical	5	1.73	-	32.64	7.39	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 26/3
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	80.96	88.20	-7.24	75.89	3	Horizontal	0	1.68	-	32.40	7.26	34.59			
RMS	5.9154G	66.83	68.20	-1.37	61.76	3	Horizontal	0	1.68	-	32.40	7.26	34.59			
PK	6.1426G	117.64	Inf	-Inf	112.11	3	Horizontal	0	1.68	-	32.67	7.40	34.54			
RMS	6.1642G	108.36	Inf	-Inf	102.74	3	Horizontal	0	1.68	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 26/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21192G	47.67	74.00	-26.33	42.21	3	Vertical	168	1.76	-	38.88	12.05	45.47			
AV	12.20636G	35.43	54.00	-18.57	29.96	3	Vertical	168	1.76	-	38.89	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 26/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20967G	46.82	74.00	-27.18	41.36	3	Horizontal	292	2.41	-	38.88	12.05	45.47			
AV	12.20765G	35.61	54.00	-18.39	30.15	3	Horizontal	292	2.41	-	38.88	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
 Setting 26/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31554G	44.51	83.54	-39.03	39.87	1	Vertical	308	2.44	-	37.63	15.27	48.26			
RMS	18.31504G	32.44	63.54	-31.10	27.80	1	Vertical	308	2.44	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
 Setting 26/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31576G	44.78	83.54	-38.76	40.14	1	Horizontal	230	2.25	-	37.63	15.27	48.26			
RMS	18.314G	32.15	63.54	-31.39	27.51	1	Horizontal	230	2.25	-	37.63	15.27	48.26			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25.5/2.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	77.25	88.20	-10.95	72.19	3	Vertical	5	1.72	-	32.40	7.26	34.60			
RMS	5.925G	66.56	68.20	-1.64	61.49	3	Vertical	5	1.72	-	32.40	7.27	34.60			
PK	6.1754G	116.75	Inf	-Inf	111.09	3	Vertical	5	1.72	-	32.75	7.42	34.51			
RMS	6.1546G	108.59	Inf	-Inf	103.00	3	Vertical	5	1.72	-	32.71	7.41	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25.5/2.5
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	77.75	88.20	-10.45	72.68	3	Horizontal	0	1.68	-	32.40	7.26	34.59			
RMS	5.9154G	65.04	68.20	-3.16	59.97	3	Horizontal	0	1.68	-	32.40	7.26	34.59			
PK	6.1642G	116.73	Inf	-Inf	111.11	3	Horizontal	0	1.68	-	32.73	7.41	34.52			
RMS	6.1642G	108.25	Inf	-Inf	102.63	3	Horizontal	0	1.68	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 25.5/2.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21051G	47.99	74.00	-26.01	42.53	3	Vertical	100	1.63	-	38.88	12.05	45.47			
AV	12.21282G	35.49	54.00	-18.51	30.04	3	Vertical	100	1.63	-	38.87	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
 Setting 25.5/2.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20579G	48.09	74.00	-25.91	42.62	3	Horizontal	277	2.78	-	38.89	12.05	45.47			
AV	12.20858G	35.49	54.00	-18.51	30.03	3	Horizontal	277	2.78	-	38.88	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
 Setting 25.5/2.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31552G	44.32	83.54	-39.22	39.68	1	Vertical	223	2.81	-	37.63	15.27	48.26			
RMS	18.31538G	32.06	63.54	-31.48	27.42	1	Vertical	223	2.81	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 25.5/2.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31425G	44.27	83.54	-39.27	39.63	1	Horizontal	239	1.69	-	37.63	15.27	48.26			
RMS	18.31439G	32.15	63.54	-31.39	27.51	1	Horizontal	239	1.69	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 18.5/11.5
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	74.22	88.20	-13.98	62.77	3	Vertical	180	1.80	-	34.20	7.88	30.63			
RMS	5.925G	58.20	68.20	-10.00	46.75	3	Vertical	180	1.80	-	34.20	7.88	30.63			
PK	6.255G	117.65	Inf	-Inf	105.65	3	Vertical	180	1.80	-	34.59	8.29	30.88			
RMS	6.2334G	108.80	Inf	-Inf	96.79	3	Vertical	180	1.80	-	34.60	8.27	30.86			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 24/3
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	70.16	88.20	-18.04	58.71	3	Horizontal	179	1.57	-	34.20	7.88	30.63			
RMS	5.9166G	56.29	68.20	-11.91	44.84	3	Horizontal	179	1.57	-	34.20	7.88	30.63			
PK	6.2058G	118.70	Inf	-Inf	106.68	3	Horizontal	179	1.57	-	34.60	8.25	30.83			
RMS	6.2274G	108.76	Inf	-Inf	96.74	3	Horizontal	179	1.57	-	34.60	8.27	30.85			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 24/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20992G	47.07	74.00	-26.93	41.61	3	Vertical	107	2.35	-	38.88	12.05	45.47			
AV	12.2072G	34.99	54.00	-19.01	29.52	3	Vertical	107	2.35	-	38.89	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
 Setting 24/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21065G	47.62	74.00	-26.38	42.16	3	Horizontal	169	1.17	-	38.88	12.05	45.47			
AV	12.21145G	34.99	54.00	-19.01	29.53	3	Horizontal	169	1.17	-	38.88	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_V_4TX
 Setting 24/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31504G	44.55	83.54	-38.99	39.91	1	Vertical	330	2.98	-	37.63	15.27	48.26			
RMS	18.314G	31.75	63.54	-31.79	27.11	1	Vertical	330	2.98	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX



EUT_V_4TX
 Setting 24/3
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31466G	44.36	83.54	-39.18	39.72	1	Horizontal	9	2.53	-	37.63	15.27	48.26			
RMS	18.31405G	31.65	63.54	-31.89	27.01	1	Horizontal	9	2.53	-	37.63	15.27	48.26			



RSE TX above 1GHz_R4_Narrow Beam_Puncturing
(Parent Device / FCC ID: UDX-600216010)


Appendix E.9

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	Pass	RMS	5.92G	68.05	68.20	-0.15	3	Vertical	1	1.54	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20.5
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	81.28	88.20	-6.92	76.20	3	Vertical	359	1.54	-	32.40	7.26	34.58
RMS	5.923G	67.94	68.20	-0.26	62.87	3	Vertical	359	1.54	-	32.40	7.27	34.60
PK	6.0162G	116.24	Inf	-Inf	111.07	3	Vertical	359	1.54	-	32.50	7.33	34.66
RMS	6.017G	105.18	Inf	-Inf	100.01	3	Vertical	359	1.54	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20.5
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	84.03	88.20	-4.17	78.96	3	Horizontal	4	1.57	-	32.40	7.27	34.60
RMS	5.9238G	66.07	68.20	-2.13	61.00	3	Horizontal	4	1.57	-	32.40	7.27	34.60
PK	6.0154G	114.67	Inf	-Inf	109.50	3	Horizontal	4	1.57	-	32.50	7.33	34.66
RMS	6.0222G	103.59	Inf	-Inf	98.42	3	Horizontal	4	1.57	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 20.5
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98332G	47.35	74.00	-26.65	41.67	3	Vertical	357	2.11	-	38.97	12.07	45.36			
AV	11.96976G	34.81	54.00	-19.19	29.16	3	Vertical	357	2.11	-	38.94	12.06	45.35			
PK	17.96418G	61.05	74.00	-12.95	39.76	3	Vertical	124	1.14	-	51.48	14.09	44.28			
AV	17.96994G	48.77	54.00	-5.23	27.20	3	Vertical	124	1.14	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20.5
 06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9558G	47.42	74.00	-26.58	41.81	3	Horizontal	265	1.06	-	38.91	12.05	45.35			
AV	11.9928G	34.84	54.00	-19.16	29.13	3	Horizontal	265	1.06	-	38.99	12.08	45.36			
PK	17.9643G	60.68	74.00	-13.32	39.38	3	Horizontal	356	2.54	-	51.49	14.09	44.28			
AV	17.96994G	48.66	54.00	-5.34	27.09	3	Horizontal	356	2.54	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
 Setting 20.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93924G	49.04	83.54	-34.50	40.35	1	Vertical	352	1.49	-	39.00	17.31	47.62			
AV	23.93976G	37.36	63.54	-26.18	28.67	1	Vertical	352	1.49	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5985MHz_TX




EUT_V_1TX
 Setting 20.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93974G	48.13	83.54	-35.41	39.44	1	Horizontal	17	1.50	-	39.00	17.31	47.62			
AV	23.93964G	35.75	63.54	-27.79	27.06	1	Horizontal	17	1.50	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 20
 06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	76.31	88.20	-11.89	71.24	3	Vertical	0.9	1.48	-	32.40	7.27	34.60			
RMS	5.925G	62.20	68.20	-6.00	57.13	3	Vertical	0.9	1.48	-	32.40	7.27	34.60			
PK	6.081G	112.48	Inf	-Inf	107.22	3	Vertical	0.9	1.48	-	32.50	7.36	34.60			
RMS	6.0805G	101.54	Inf	-Inf	96.28	3	Vertical	0.9	1.48	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 20
 06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	74.88	88.20	-13.32	69.82	3	Horizontal	4	1.56	-	32.40	7.26	34.60			
RMS	5.923G	60.71	68.20	-7.49	55.64	3	Horizontal	4	1.56	-	32.40	7.27	34.60			
PK	6.049G	110.34	Inf	-Inf	105.12	3	Horizontal	4	1.56	-	32.50	7.35	34.63			
RMS	6.0905G	99.82	Inf	-Inf	94.54	3	Horizontal	4	1.56	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05338G	49.83	74.00	-24.17	43.93	3	Vertical	273	2.25	-	39.21	12.08	45.39			
AV	12.05254G	35.45	54.00	-18.55	29.55	3	Vertical	273	2.25	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05366G	48.27	74.00	-25.73	42.37	3	Horizontal	360	2.19	-	39.21	12.08	45.39			
AV	12.0525G	35.45	54.00	-18.55	29.55	3	Horizontal	360	2.19	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0707G	47.76	83.54	-37.78	41.16	1	Vertical	267	1.84	-	37.52	15.29	48.21			
AV	18.07444G	35.10	63.54	-30.44	28.47	1	Vertical	267	1.84	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07088G	46.80	83.54	-36.74	42.19	1	Horizontal	67	1.25	-	37.53	15.29	48.21			
AV	18.0713G	34.14	63.54	-29.40	29.53	1	Horizontal	67	1.25	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 19.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	80.25	88.20	-7.95	75.18	3	Vertical	1	1.51	-	32.40	7.26	34.59			
RMS	5.9245G	58.93	68.20	-9.27	53.86	3	Vertical	1	1.51	-	32.40	7.27	34.60			
PK	6.041G	112.38	Inf	-Inf	107.18	3	Vertical	1	1.51	-	32.50	7.34	34.64			
RMS	6.0795G	101.41	Inf	-Inf	96.15	3	Vertical	1	1.51	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 19.5
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	78.68	88.20	-9.52	73.61	3	Horizontal	4	1.63	-	32.40	7.26	34.59			
RMS	5.925G	57.21	68.20	-10.99	52.14	3	Horizontal	4	1.63	-	32.40	7.27	34.60			
PK	6.066G	110.52	Inf	-Inf	105.28	3	Horizontal	4	1.63	-	32.50	7.36	34.62			
RMS	6.0925G	99.67	Inf	-Inf	94.39	3	Horizontal	4	1.63	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 19.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04992G	48.59	74.00	-25.41	42.70	3	Vertical	176	2.89	-	39.20	12.08	45.39			
AV	12.04512G	35.49	54.00	-18.51	29.61	3	Vertical	176	2.89	-	39.18	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 19.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04528G	49.59	74.00	-24.41	43.71	3	Horizontal	314	1.44	-	39.18	12.08	45.38			
AV	12.04506G	35.49	54.00	-18.51	29.61	3	Horizontal	314	1.44	-	39.18	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07284G	46.57	83.54	-36.97	41.95	1	Vertical	31	2.68	-	37.54	15.29	48.21			
AV	18.07586G	33.21	63.54	-30.33	28.58	1	Vertical	31	2.68	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0716G	46.47	83.54	-37.07	41.86	1	Horizontal	138	1.81	-	37.53	15.29	48.21			
AV	18.07612G	33.21	63.54	-30.33	28.58	1	Horizontal	138	1.81	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21.5
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.36	88.20	-9.84	73.29	3	Vertical	5	1.56	-	32.40	7.27	34.60			
RMS	5.925G	67.18	68.20	-1.02	62.11	3	Vertical	5	1.56	-	32.40	7.27	34.60			
PK	6.247G	111.16	Inf	-Inf	104.96	3	Vertical	5	1.56	-	33.18	7.46	34.44			
RMS	6.247G	100.36	Inf	-Inf	94.16	3	Vertical	5	1.56	-	33.18	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21.5
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	79.20	88.20	-9.00	74.14	3	Horizontal	5	1.64	-	32.40	7.26	34.60
RMS	5.924G	65.48	68.20	-2.72	60.41	3	Horizontal	5	1.64	-	32.40	7.27	34.60
PK	6.247G	109.43	Inf	-Inf	103.23	3	Horizontal	5	1.64	-	33.18	7.46	34.44
RMS	6.256G	98.64	Inf	-Inf	92.41	3	Horizontal	5	1.64	-	33.20	7.46	34.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT Y_1TX
 Setting 21.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1987G	48.58	74.00	-25.42	42.87	3	Vertical	24	1.64	-	39.11	12.07	45.47			
AV	12.2099G	36.38	54.00	-17.62	30.72	3	Vertical	24	1.64	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20424G	48.14	74.00	-25.86	42.46	3	Horizontal	327	1.67	-	39.08	12.07	45.47			
AV	12.20988G	35.41	54.00	-18.59	29.75	3	Horizontal	327	1.67	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30828G	45.04	83.54	-38.50	40.41	1	Vertical	351	1.62	-	37.62	15.27	48.26			
AV	18.31578G	32.24	63.54	-31.30	27.60	1	Vertical	351	1.62	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31308G	44.56	83.54	-38.98	39.92	1	Horizontal	169	1.72	-	37.63	15.27	48.26			
AV	18.31878G	32.01	63.54	-31.53	27.36	1	Horizontal	169	1.72	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	76.53	88.20	-11.67	71.46	3	Vertical	5	1.58	-	32.40	7.26	34.59			
RMS	5.924G	63.11	68.20	-5.09	58.04	3	Vertical	5	1.58	-	32.40	7.27	34.60			
PK	6.235G	111.05	Inf	-Inf	104.97	3	Vertical	5	1.58	-	33.08	7.45	34.45			
RMS	6.227G	100.34	Inf	-Inf	94.33	3	Vertical	5	1.58	-	33.02	7.45	34.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	75.19	88.20	-13.01	70.12	3	Horizontal	3	1.55	-	32.40	7.27	34.60
RMS	5.925G	61.49	68.20	-6.71	56.42	3	Horizontal	3	1.55	-	32.40	7.27	34.60
PK	6.059G	109.83	Inf	-Inf	104.60	3	Horizontal	3	1.55	-	32.50	7.35	34.62
RMS	6.233G	99.01	Inf	-Inf	92.95	3	Horizontal	3	1.55	-	33.06	7.45	34.45

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21484G	48.22	74.00	-25.78	42.59	3	Vertical	20	1.01	-	39.04	12.07	45.48			
AV	12.2098G	35.34	54.00	-18.66	29.68	3	Vertical	20	1.01	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21
 06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20976G	47.83	74.00	-26.17	42.17	3	Horizontal	248	1.59	-	39.06	12.07	45.47			
AV	12.2097G	35.34	54.00	-18.66	29.68	3	Horizontal	248	1.59	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32476G	44.64	83.54	-38.90	39.98	1	Vertical	357	2.09	-	37.65	15.27	48.26			
AV	18.31772G	32.30	63.54	-31.24	27.65	1	Vertical	357	2.09	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.32364G	45.29	83.54	-38.25	40.63	1	Horizontal	30	1.50	-	37.65	15.27	48.26			
AV	18.31792G	32.30	63.54	-31.24	27.65	1	Horizontal	30	1.50	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 20
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	79.30	88.20	-8.90	74.23	3	Vertical	3	1.59	-	32.40	7.26	34.59			
RMS	5.925G	61.33	68.20	-6.87	56.26	3	Vertical	3	1.59	-	32.40	7.27	34.60			
PK	6.177G	111.06	Inf	-Inf	105.40	3	Vertical	3	1.59	-	32.75	7.42	34.51			
RMS	6.171G	100.22	Inf	-Inf	94.58	3	Vertical	3	1.59	-	32.74	7.41	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 20
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.89	88.20	-12.31	70.83	3	Horizontal	11	1.70	-	32.40	7.26	34.60			
RMS	5.921G	59.36	68.20	-8.84	54.30	3	Horizontal	11	1.70	-	32.40	7.26	34.60			
PK	6.159G	109.26	Inf	-Inf	103.65	3	Horizontal	11	1.70	-	32.72	7.41	34.52			
RMS	6.17G	98.57	Inf	-Inf	92.93	3	Horizontal	11	1.70	-	32.74	7.41	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2092G	48.14	74.00	-25.86	42.48	3	Vertical	318	1.87	-	39.06	12.07	45.47			
AV	12.20984G	35.34	54.00	-18.66	29.68	3	Vertical	318	1.87	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21408G	48.26	74.00	-25.74	42.63	3	Horizontal	1	2.68	-	39.04	12.07	45.48			
AV	12.20974G	35.34	54.00	-18.66	29.68	3	Horizontal	1	2.68	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30816G	45.73	83.54	-37.81	41.10	1	Vertical	78	1.72	-	37.62	15.27	48.26			
AV	18.31352G	32.63	63.54	-30.91	27.99	1	Vertical	78	1.72	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_V_1TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32404G	44.91	83.54	-38.63	40.25	1	Horizontal	13	2.77	-	37.65	15.27	48.26			
AV	18.32044G	32.83	63.54	-30.71	28.18	1	Horizontal	13	2.77	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 19
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	82.68	88.20	-5.52	77.61	3	Vertical	359	1.71	-	32.40	7.26	34.59			
RMS	5.9198G	66.60	68.20	-1.60	61.53	3	Vertical	359	1.71	-	32.40	7.26	34.59			
PK	6.0202G	119.54	Inf	-Inf	114.37	3	Vertical	359	1.71	-	32.50	7.33	34.66			
RMS	6.0198G	108.72	Inf	-Inf	103.55	3	Vertical	359	1.71	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 19
 06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	83.27	88.20	-4.93	78.20	3	Horizontal	359.1	1.63	-	32.40	7.27	34.60			
RMS	5.925G	65.74	68.20	-2.46	60.67	3	Horizontal	359.1	1.63	-	32.40	7.27	34.60			
PK	6.0098G	119.56	Inf	-Inf	114.40	3	Horizontal	359.1	1.63	-	32.50	7.33	34.67			
RMS	6.0102G	108.33	Inf	-Inf	103.17	3	Horizontal	359.1	1.63	-	32.50	7.33	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 19
06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96766G	47.51	74.00	-26.49	41.86	3	Vertical	123	2.55	-	38.94	12.06	45.35			
AV	11.9826G	34.82	54.00	-19.18	29.14	3	Vertical	123	2.55	-	38.97	12.07	45.36			
PK	17.9613G	60.06	74.00	-13.94	38.92	3	Vertical	33	2.01	-	51.34	14.09	44.29			
AV	17.96994G	48.66	54.00	-5.34	27.09	3	Vertical	33	2.01	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 19
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9829G	47.70	74.00	-26.30	42.02	3	Horizontal	90	1.68	-	38.97	12.07	45.36			
AV	11.955G	34.78	54.00	-19.22	29.17	3	Horizontal	90	1.68	-	38.91	12.05	45.35			
PK	17.9637G	61.30	74.00	-12.70	40.03	3	Horizontal	324	2.87	-	51.46	14.09	44.28			
AV	17.96994G	48.66	54.00	-5.34	27.09	3	Horizontal	324	2.87	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 19
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93972G	45.94	83.54	-37.60	37.25	1	Vertical	215	1.31	-	39.00	17.31	47.62			
AV	23.9397G	34.49	63.54	-29.05	25.80	1	Vertical	215	1.31	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 19
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94162G	44.89	83.54	-38.65	36.20	1	Horizontal	117	2.85	-	39.00	17.31	47.62			
AV	23.9395G	33.27	63.54	-30.27	24.58	1	Horizontal	117	2.85	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_4TX
 Setting 20
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.57	88.20	-8.63	74.50	3	Vertical	2	1.64	-	32.40	7.27	34.60			
RMS	5.921G	67.42	68.20	-0.78	62.36	3	Vertical	2	1.64	-	32.40	7.26	34.60			
PK	5.983G	116.74	Inf	-Inf	111.62	3	Vertical	2	1.64	-	32.47	7.31	34.66			
RMS	6.0795G	106.56	Inf	-Inf	101.30	3	Vertical	2	1.64	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_4TX
 Setting 20
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.93	88.20	-9.27	73.86	3	Horizontal	5	1.60	-	32.40	7.27	34.60
RMS	5.925G	65.26	68.20	-2.94	60.19	3	Horizontal	5	1.60	-	32.40	7.27	34.60
PK	6.07G	116.98	Inf	-Inf	111.73	3	Horizontal	5	1.60	-	32.50	7.36	34.61
RMS	6.07G	106.45	Inf	-Inf	101.20	3	Horizontal	5	1.60	-	32.50	7.36	34.61

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05494G	48.57	74.00	-25.43	42.66	3	Vertical	184	1.39	-	39.22	12.08	45.39			
AV	12.04576G	35.63	54.00	-18.37	29.75	3	Vertical	184	1.39	-	39.18	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04606G	49.26	74.00	-24.74	43.38	3	Horizontal	75	1.30	-	39.18	12.08	45.38			
AV	12.05204G	35.65	54.00	-18.35	29.75	3	Horizontal	75	1.30	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07866G	50.03	83.54	-33.51	45.39	1	Vertical	312	2.14	-	37.57	15.29	48.22			
AV	18.07464G	36.20	63.54	-27.34	31.57	1	Vertical	312	2.14	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07038G	47.12	83.54	-36.42	42.52	1	Horizontal	106	2.41	-	37.52	15.29	48.21			
AV	18.07476G	35.20	63.54	-28.34	30.57	1	Horizontal	106	2.41	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 20
 06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	80.43	88.20	-7.77	75.37	3	Vertical	2	1.45	-	32.40	7.26	34.60			
RMS	5.9205G	66.87	68.20	-1.33	61.81	3	Vertical	2	1.45	-	32.40	7.26	34.60			
PK	6.057G	117.21	Inf	-Inf	111.98	3	Vertical	2	1.45	-	32.50	7.35	34.62			
RMS	6.06G	106.75	Inf	-Inf	101.52	3	Vertical	2	1.45	-	32.50	7.35	34.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 20
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.43	88.20	-8.77	74.36	3	Horizontal	9	1.48	-	32.40	7.27	34.60
RMS	5.925G	65.46	68.20	-2.74	60.39	3	Horizontal	9	1.48	-	32.40	7.27	34.60
PK	6.028G	116.52	Inf	-Inf	111.33	3	Horizontal	9	1.48	-	32.50	7.34	34.65
RMS	6.05G	106.17	Inf	-Inf	100.95	3	Horizontal	9	1.48	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05442G	48.91	74.00	-25.09	43.00	3	Vertical	232	1.54	-	39.22	12.08	45.39			
AV	12.0526G	35.52	54.00	-18.48	29.62	3	Vertical	232	1.54	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 20
06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04658G	48.15	74.00	-25.85	42.27	3	Horizontal	299	2.60	-	39.19	12.08	45.39			
AV	12.05194G	35.51	54.00	-18.49	29.61	3	Horizontal	299	2.60	-	39.21	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0779G	46.54	83.54	-37.00	41.90	1	Vertical	332	1.63	-	37.57	15.29	48.22			
AV	18.07606G	33.58	63.54	-29.96	28.95	1	Vertical	332	1.63	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07132G	45.69	83.54	-37.85	41.08	1	Horizontal	32	1.50	-	37.53	15.29	48.21			
AV	18.07002G	32.84	63.54	-30.70	28.24	1	Horizontal	32	1.50	-	37.52	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	80.88	88.20	-7.32	75.81	3	Vertical	1	1.54	-	32.40	7.26	34.59			
RMS	5.92G	68.05	68.20	-0.15	62.99	3	Vertical	1	1.54	-	32.40	7.26	34.60			
PK	6.257G	114.70	Inf	-Inf	108.47	3	Vertical	1	1.54	-	33.20	7.46	34.43			
RMS	6.08G	104.19	Inf	-Inf	98.93	3	Vertical	1	1.54	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_2TX

6105MHz_TX




EUT_Y_1TX
 Setting 21
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	79.04	88.20	-9.16	73.97	3	Horizontal	1	1.56	-	32.40	7.26	34.59
RMS	5.911G	66.43	68.20	-1.77	61.36	3	Horizontal	1	1.56	-	32.40	7.26	34.59
PK	6.207G	114.99	Inf	-Inf	109.18	3	Horizontal	1	1.56	-	32.86	7.43	34.48
RMS	6.228G	104.61	Inf	-Inf	98.60	3	Horizontal	1	1.56	-	33.02	7.45	34.46

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_V_1TX
 Setting 21
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21164G	48.16	74.00	-25.84	42.51	3	Vertical	352	1.57	-	39.05	12.07	45.47			
AV	12.20972G	35.34	54.00	-18.66	29.68	3	Vertical	352	1.57	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_1TX
 Setting 21
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.213G	48.38	74.00	-25.62	42.74	3	Horizontal	202	1.47	-	39.05	12.07	45.48			
AV	12.20976G	35.34	54.00	-18.66	29.68	3	Horizontal	202	1.47	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_2TX

6105MHz_TX




EUT_V_1TX
 Setting 21
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32G	45.19	83.54	-38.35	40.54	1	Vertical	274	2.68	-	37.64	15.27	48.26			
AV	18.31804G	31.84	63.54	-31.70	27.19	1	Vertical	274	2.68	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_V_1TX
 Setting 21
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30884G	45.16	83.54	-38.38	40.53	1	Horizontal	288	1.65	-	37.62	15.27	48.26			
AV	18.31776G	31.84	63.54	-31.70	27.19	1	Horizontal	288	1.65	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	79.40	88.20	-8.80	74.33	3	Vertical	0	1.54	-	32.40	7.26	34.59			
RMS	5.92G	66.79	68.20	-1.41	61.73	3	Vertical	0	1.54	-	32.40	7.26	34.60			
PK	6.219G	116.14	Inf	-Inf	110.22	3	Vertical	0	1.54	-	32.95	7.44	34.47			
RMS	6.238G	104.46	Inf	-Inf	98.36	3	Vertical	0	1.54	-	33.10	7.45	34.45			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.22	88.20	-10.98	72.15	3	Horizontal	4	1.59	-	32.40	7.27	34.60			
RMS	5.91G	65.04	68.20	-3.16	59.96	3	Horizontal	4	1.59	-	32.40	7.26	34.58			
PK	6.245G	115.57	Inf	-Inf	109.39	3	Horizontal	4	1.59	-	33.16	7.46	34.44			
RMS	6.228G	105.28	Inf	-Inf	99.27	3	Horizontal	4	1.59	-	33.02	7.45	34.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21046G	48.33	74.00	-25.67	42.67	3	Vertical	221	1.89	-	39.06	12.07	45.47			
AV	12.20968G	35.34	54.00	-18.66	29.68	3	Vertical	221	1.89	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21336G	48.21	74.00	-25.79	42.57	3	Horizontal	199	1.88	-	39.05	12.07	45.48			
AV	12.20994G	35.41	54.00	-18.59	29.75	3	Horizontal	199	1.88	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32384G	45.01	83.54	-38.53	40.35	1	Vertical	49	2.31	-	37.65	15.27	48.26			
AV	18.32052G	32.72	63.54	-30.82	28.07	1	Vertical	49	2.31	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32096G	44.72	83.54	-38.82	40.07	1	Horizontal	235	1.03	-	37.64	15.27	48.26			
AV	18.32036G	32.72	63.54	-30.82	28.07	1	Horizontal	235	1.03	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	82.05	88.20	-6.15	76.98	3	Vertical	7	1.65	-	32.40	7.26	34.59			
RMS	5.92G	67.02	68.20	-1.18	61.96	3	Vertical	7	1.65	-	32.40	7.26	34.60			
PK	6.139G	115.49	Inf	-Inf	109.97	3	Vertical	7	1.65	-	32.66	7.40	34.54			
RMS	6.159G	105.53	Inf	-Inf	99.92	3	Vertical	7	1.65	-	32.72	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	82.97	88.20	-5.23	77.91	3	Horizontal	3	1.48	-	32.40	7.26	34.60
RMS	5.911G	64.41	68.20	-3.79	59.34	3	Horizontal	3	1.48	-	32.40	7.26	34.59
PK	6.107G	114.83	Inf	-Inf	109.50	3	Horizontal	3	1.48	-	32.53	7.38	34.58
RMS	6.13G	105.29	Inf	-Inf	99.83	3	Horizontal	3	1.48	-	32.62	7.39	34.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21152G	47.64	74.00	-26.36	41.99	3	Vertical	118	1.32	-	39.05	12.07	45.47			
AV	12.21G	35.41	54.00	-18.59	29.75	3	Vertical	118	1.32	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21404G	47.63	74.00	-26.37	42.00	3	Horizontal	82	1.11	-	39.04	12.07	45.48			
AV	12.2097G	35.34	54.00	-18.66	29.68	3	Horizontal	82	1.11	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31604G	44.84	83.54	-38.70	40.20	1	Vertical	84	2.66	-	37.63	15.27	48.26			
AV	18.3138G	32.63	63.54	-30.91	27.99	1	Vertical	84	2.66	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 20.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32352G	45.51	83.54	-38.03	40.85	1	Horizontal	295	1.98	-	37.65	15.27	48.26			
AV	18.32068G	32.83	63.54	-30.71	28.18	1	Horizontal	295	1.98	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 18
 06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	79.71	88.20	-8.49	74.64	3	Vertical	4	1.62	-	32.40	7.26	34.59
RMS	5.9138G	65.93	68.20	-2.27	60.86	3	Vertical	4	1.62	-	32.40	7.26	34.59
PK	6.0146G	120.75	Inf	-Inf	115.59	3	Vertical	4	1.62	-	32.50	7.33	34.67
RMS	6.0146G	110.77	Inf	-Inf	105.61	3	Vertical	4	1.62	-	32.50	7.33	34.67

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 18
 06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.21	88.20	-6.99	76.14	3	Horizontal	0	1.52	-	32.40	7.27	34.60			
RMS	5.9246G	66.83	68.20	-1.37	61.76	3	Horizontal	0	1.52	-	32.40	7.27	34.60			
PK	5.9658G	119.68	Inf	-Inf	114.59	3	Horizontal	0	1.52	-	32.43	7.30	34.64			
RMS	6.0062G	110.20	Inf	-Inf	105.05	3	Horizontal	0	1.52	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 18
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9721G	47.74	74.00	-26.26	42.09	3	Vertical	177	2.87	-	38.94	12.06	45.35			
AV	11.96858G	34.74	54.00	-19.26	29.09	3	Vertical	177	2.87	-	38.94	12.06	45.35			
PK	17.96832G	60.77	74.00	-13.23	39.28	3	Vertical	101	2.17	-	51.68	14.09	44.28			
AV	17.96994G	48.66	54.00	-5.34	27.09	3	Vertical	101	2.17	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 18
 06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9713G	47.37	74.00	-26.63	41.72	3	Horizontal	229	2.82	-	38.94	12.06	45.35			
AV	11.96898G	34.74	54.00	-19.26	29.09	3	Horizontal	229	2.82	-	38.94	12.06	45.35			
PK	17.9652G	61.04	74.00	-12.96	39.70	3	Horizontal	262	1.46	-	51.53	14.09	44.28			
AV	17.97G	48.66	54.00	-5.34	27.09	3	Horizontal	262	1.46	-	51.76	14.09	44.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_V_4TX
 Setting 18
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93814G	49.65	83.54	-33.89	40.96	1	Vertical	15	1.22	-	39.00	17.31	47.62			
AV	23.93928G	37.27	63.54	-26.27	28.58	1	Vertical	15	1.22	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_V_4TX
 Setting 18
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94236G	47.36	83.54	-36.18	38.67	1	Horizontal	225	2.41	-	39.00	17.31	47.62			
AV	23.94224G	36.25	63.54	-27.29	27.56	1	Horizontal	225	2.41	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 19
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.24	88.20	-6.96	76.17	3	Vertical	5	1.56	-	32.40	7.27	34.60			
RMS	5.925G	65.95	68.20	-2.25	60.88	3	Vertical	5	1.56	-	32.40	7.27	34.60			
PK	6.095G	119.47	Inf	-Inf	114.19	3	Vertical	5	1.56	-	32.50	7.37	34.59			
RMS	6.0955G	108.75	Inf	-Inf	103.47	3	Vertical	5	1.56	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	81.81	88.20	-6.39	76.74	3	Horizontal	1	1.55	-	32.40	7.27	34.60
RMS	5.9245G	66.04	68.20	-2.16	60.97	3	Horizontal	1	1.55	-	32.40	7.27	34.60
PK	6.046G	118.14	Inf	-Inf	112.92	3	Horizontal	1	1.55	-	32.50	7.35	34.63
RMS	6.0865G	108.47	Inf	-Inf	103.20	3	Horizontal	1	1.55	-	32.50	7.37	34.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04698G	47.93	74.00	-26.07	42.05	3	Vertical	97	1.00	-	39.19	12.08	45.39			
AV	12.04892G	35.46	54.00	-18.54	29.57	3	Vertical	97	1.00	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04536G	47.98	74.00	-26.02	42.10	3	Horizontal	242	1.15	-	39.18	12.08	45.38			
AV	12.0492G	35.47	54.00	-18.53	29.58	3	Horizontal	242	1.15	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT V_4TX
 Setting 19
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07762G	50.85	83.54	-32.69	46.21	1	Vertical	280	2.97	-	37.57	15.29	48.22			
AV	18.07136G	37.24	63.54	-26.30	32.63	1	Vertical	280	2.97	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 19
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07202G	47.41	83.54	-36.13	42.80	1	Horizontal	243	1.73	-	37.53	15.29	48.21			
AV	18.0746G	35.20	63.54	-28.34	30.57	1	Horizontal	243	1.73	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_TX

6025MHz_TX




EUT_Y_4TX
 Setting 19
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	79.03	88.20	-9.17	73.96	3	Vertical	6	1.56	-	32.40	7.26	34.59			
RMS	5.9135G	65.35	68.20	-2.85	60.28	3	Vertical	6	1.56	-	32.40	7.26	34.59			
PK	6.037G	118.21	Inf	-Inf	113.01	3	Vertical	6	1.56	-	32.50	7.34	34.64			
RMS	6.056G	108.74	Inf	-Inf	103.52	3	Vertical	6	1.56	-	32.50	7.35	34.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_TX

6025MHz_TX




EUT_Y_4TX
 Setting 19
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.75	88.20	-7.45	75.68	3	Horizontal	2	1.57	-	32.40	7.27	34.60
RMS	5.925G	67.23	68.20	-0.97	62.16	3	Horizontal	2	1.57	-	32.40	7.27	34.60
PK	6.032G	117.68	Inf	-Inf	112.49	3	Horizontal	2	1.57	-	32.50	7.34	34.65
RMS	6.0475G	107.78	Inf	-Inf	102.56	3	Horizontal	2	1.57	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05496G	48.34	74.00	-25.66	42.43	3	Vertical	29	2.03	-	39.22	12.08	45.39			
AV	12.0487G	35.52	54.00	-18.48	29.64	3	Vertical	29	2.03	-	39.19	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0511G	48.18	74.00	-25.82	42.29	3	Horizontal	141	2.23	-	39.20	12.08	45.39			
AV	12.04926G	35.53	54.00	-18.47	29.64	3	Horizontal	141	2.23	-	39.20	12.08	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08099G	46.16	83.54	-37.38	41.50	1	Vertical	124	2.18	-	37.59	15.29	48.22			
AV	18.08135G	33.75	63.54	-29.79	29.09	1	Vertical	124	2.18	-	37.59	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX

6025MHz_TX




EUT_V_4TX
 Setting 19
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07376G	45.79	83.54	-37.75	41.17	1	Horizontal	149	1.37	-	37.54	15.29	48.21			
AV	18.06796G	33.37	63.54	-30.17	28.78	1	Horizontal	149	1.37	-	37.51	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.59	88.20	-8.61	74.52	3	Vertical	2	1.49	-	32.40	7.27	34.60			
RMS	5.925G	65.62	68.20	-2.58	60.55	3	Vertical	2	1.49	-	32.40	7.27	34.60			
PK	6.255G	117.11	Inf	-Inf	110.88	3	Vertical	2	1.49	-	33.20	7.46	34.43			
RMS	6.255G	107.71	Inf	-Inf	101.48	3	Vertical	2	1.49	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	80.65	88.20	-7.55	75.58	3	Horizontal	8	1.50	-	32.40	7.26	34.59			
RMS	5.915G	64.41	68.20	-3.79	59.34	3	Horizontal	8	1.50	-	32.40	7.26	34.59			
PK	6.205G	116.82	Inf	-Inf	111.03	3	Horizontal	8	1.50	-	32.84	7.43	34.48			
RMS	6.245G	108.01	Inf	-Inf	101.83	3	Horizontal	8	1.50	-	33.16	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20616G	48.22	74.00	-25.78	42.54	3	Vertical	201	2.91	-	39.08	12.07	45.47			
AV	12.20966G	35.34	54.00	-18.66	29.68	3	Vertical	201	2.91	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21096G	47.78	74.00	-26.22	42.12	3	Horizontal	209	1.95	-	39.06	12.07	45.47			
AV	12.20984G	35.41	54.00	-18.59	29.75	3	Horizontal	209	1.95	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32004G	44.12	83.54	-39.42	39.47	1	Vertical	171	1.10	-	37.64	15.27	48.26			
AV	18.31792G	31.96	63.54	-31.58	27.31	1	Vertical	171	1.10	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32388G	44.37	83.54	-39.17	39.71	1	Horizontal	233	1.91	-	37.65	15.27	48.26			
AV	18.31752G	31.96	63.54	-31.58	27.31	1	Horizontal	233	1.91	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.97	88.20	-7.23	75.90	3	Vertical	5	1.61	-	32.40	7.27	34.60			
RMS	5.925G	67.56	68.20	-0.64	62.49	3	Vertical	5	1.61	-	32.40	7.27	34.60			
PK	6.237G	118.29	Inf	-Inf	112.19	3	Vertical	5	1.61	-	33.10	7.45	34.45			
RMS	6.256G	108.56	Inf	-Inf	102.33	3	Vertical	5	1.61	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.64	88.20	-9.56	73.58	3	Horizontal	0	1.48	-	32.40	7.26	34.60			
RMS	5.916G	66.13	68.20	-2.07	61.06	3	Horizontal	0	1.48	-	32.40	7.26	34.59			
PK	6.205G	118.32	Inf	-Inf	112.53	3	Horizontal	0	1.48	-	32.84	7.43	34.48			
RMS	6.246G	108.78	Inf	-Inf	102.59	3	Horizontal	0	1.48	-	33.17	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20964G	47.93	74.00	-26.07	42.27	3	Vertical	278	2.75	-	39.06	12.07	45.47			
AV	12.20974G	35.34	54.00	-18.66	29.68	3	Vertical	278	2.75	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 20
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21052G	47.75	74.00	-26.25	42.09	3	Horizontal	146	1.26	-	39.06	12.07	45.47			
AV	12.20972G	35.34	54.00	-18.66	29.68	3	Horizontal	146	1.26	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31368G	44.47	83.54	-39.07	39.83	1	Vertical	91	1.42	-	37.63	15.27	48.26			
AV	18.314G	32.52	63.54	-31.02	27.88	1	Vertical	91	1.42	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 20
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30968G	45.34	83.54	-38.20	40.71	1	Horizontal	210	1.82	-	37.62	15.27	48.26			
AV	18.31796G	32.62	63.54	-30.92	27.97	1	Horizontal	210	1.82	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	81.44	88.20	-6.76	76.37	3	Vertical	6	1.80	-	32.40	7.26	34.59			
RMS	5.925G	66.38	68.20	-1.82	61.31	3	Vertical	6	1.80	-	32.40	7.27	34.60			
PK	6.175G	118.96	Inf	-Inf	113.30	3	Vertical	6	1.80	-	32.75	7.42	34.51			
RMS	6.176G	107.85	Inf	-Inf	102.19	3	Vertical	6	1.80	-	32.75	7.42	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	79.26	88.20	-8.94	74.20	3	Horizontal	0	1.60	-	32.40	7.26	34.60			
RMS	5.915G	65.35	68.20	-2.85	60.28	3	Horizontal	0	1.60	-	32.40	7.26	34.59			
PK	6.123G	118.24	Inf	-Inf	112.82	3	Horizontal	0	1.60	-	32.59	7.39	34.56			
RMS	6.165G	108.46	Inf	-Inf	102.84	3	Horizontal	0	1.60	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20806G	47.64	74.00	-26.36	41.97	3	Vertical	316	1.94	-	39.07	12.07	45.47			
AV	12.20966G	35.34	54.00	-18.66	29.68	3	Vertical	316	1.94	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21052G	48.62	74.00	-25.38	42.96	3	Horizontal	103	1.06	-	39.06	12.07	45.47			
AV	12.2097G	35.34	54.00	-18.66	29.68	3	Horizontal	103	1.06	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31596G	45.54	83.54	-38.00	40.90	1	Vertical	48	2.69	-	37.63	15.27	48.26			
AV	18.31788G	32.94	63.54	-30.60	28.29	1	Vertical	48	2.69	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX



EUT_V_4TX
 Setting 19.5
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.323G	45.61	83.54	-37.93	40.95	1	Horizontal	222	1.21	-	37.65	15.27	48.26			
AV	18.3194G	32.94	63.54	-30.60	28.29	1	Horizontal	222	1.21	-	37.64	15.27	48.26			

Re



RSE TX above 1GHz_R4_Wide Beam_Full RU_Non-BF mode
(Parent Device / FCC ID: UDX-600216010)


Appendix E.10

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1.(MCS0)_2TX	Pass	RMS	5.919G	68.13	68.20	-0.07	3	Vertical	29	1.80	21.5

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	73.29	88.20	-14.91	65.86	3	Vertical	339	1.80	22	34.54	8.09	35.20			
AV	5.925G	60.53	68.20	-7.67	53.09	3	Vertical	339	1.80	22	34.55	8.09	35.20			
PK	5.946G	119.21	Inf	-Inf	111.71	3	Vertical	339	1.80	22	34.59	8.11	35.20			
AV	5.9634G	107.74	Inf	-Inf	100.20	3	Vertical	339	1.80	22	34.60	8.13	35.19			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.922G	71.61	88.20	-16.59	64.18	3	Horizontal	8	1.80	22	34.54	8.09	35.20				
AV	5.925G	57.96	68.20	-10.24	50.52	3	Horizontal	8	1.80	22	34.55	8.09	35.20				
PK	5.9517G	117.31	Inf	-Inf	109.78	3	Horizontal	8	1.80	22	34.60	8.12	35.19				
AV	5.9628G	105.29	Inf	-Inf	97.75	3	Horizontal	8	1.80	22	34.60	8.13	35.19				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9115G	52.95	74.00	-21.05	67.76	3	Vertical	212	2.42	-	39.20	11.79	65.80				
AV	11.90991G	40.92	54.00	-13.08	55.73	3	Vertical	212	2.42	-	39.20	11.79	65.80				
PK	17.86065G	57.84	74.00	-16.16	61.33	3	Vertical	169	1.62	-	44.88	14.18	62.55				
AV	17.86734G	44.55	54.00	-9.45	48.04	3	Vertical	169	1.62	-	44.87	14.18	62.54				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91402G	53.94	74.00	-20.06	68.74	3	Horizontal	239	1.66	-	39.20	11.80	65.80				
AV	11.91G	41.50	54.00	-12.50	56.31	3	Horizontal	239	1.66	-	39.20	11.79	65.80				
PK	17.86578G	57.39	74.00	-16.61	60.88	3	Horizontal	140	1.80	-	44.87	14.18	62.54				
AV	17.86749G	44.41	54.00	-9.59	47.89	3	Horizontal	140	1.80	-	44.87	14.19	62.54				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82144G	55.48	83.54	-28.06	46.77	1	Vertical	164	1.78	-	39.10	17.28	47.67			
AV	23.81928G	41.65	63.54	-21.89	32.94	1	Vertical	164	1.78	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83086G	50.40	83.54	-33.14	41.68	1	Horizontal	170	1.78	-	39.10	17.29	47.67			
AV	23.8191G	37.33	63.54	-26.21	28.62	1	Horizontal	170	1.78	-	39.10	17.28	47.67			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39852G	61.44	74.00	-12.56	76.42	3	Vertical	198	1.53	-	38.60	11.80	65.38			
AV	12.38961G	47.69	54.00	-6.31	62.66	3	Vertical	198	1.53	-	38.62	11.80	65.39			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
03-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39564G	59.72	74.00	-14.28	74.69	3	Horizontal	130	2.66	-	38.61	11.80	65.38			
AV	12.38913G	46.60	54.00	-7.40	61.57	3	Horizontal	130	2.66	-	38.62	11.80	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57966G	61.94	83.54	-21.60	57.26	1	Vertical	232	1.55	-	37.80	15.26	48.38			
AV	18.58566G	47.80	63.54	-15.74	43.14	1	Vertical	232	1.55	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59184G	58.97	83.54	-24.57	54.31	1	Horizontal	116	1.78	-	37.80	15.25	48.39			
AV	18.59174G	44.97	63.54	-18.57	40.31	1	Horizontal	116	1.78	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83138G	61.12	88.20	-27.08	75.47	3	Vertical	189	1.80	-	39.13	11.77	65.25			
RMS	12.82961G	47.96	68.20	-20.24	62.32	3	Vertical	189	1.80	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83084G	60.82	88.20	-27.38	75.18	3	Horizontal	198	1.80	-	39.12	11.77	65.25			
RMS	12.82946G	46.96	68.20	-21.24	61.32	3	Horizontal	198	1.80	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24554G	62.73	83.54	-20.81	58.33	1	Vertical	244	1.52	-	37.98	15.22	48.80			
AV	19.24401G	50.26	63.54	-13.28	45.86	1	Vertical	244	1.52	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24578G	59.69	83.54	-23.85	55.29	1	Horizontal	163	1.53	-	37.98	15.22	48.80			
AV	19.244G	47.23	63.54	-16.31	42.83	1	Horizontal	163	1.53	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06754G	57.17	88.20	-31.03	71.05	3	Vertical	211	1.80	-	39.47	11.75	65.10			
RMS	13.07006G	44.79	68.20	-23.41	58.65	3	Vertical	211	1.80	-	39.48	11.75	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07012G	60.55	88.20	-27.65	74.41	3	Horizontal	159	1.60	-	39.48	11.75	65.09			
RMS	13.07036G	47.47	68.20	-20.73	61.33	3	Horizontal	159	1.60	-	39.48	11.75	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60499G	62.39	83.54	-21.15	58.30	1	Vertical	111	1.54	-	37.70	15.19	48.80			
AV	19.60401G	49.85	63.54	-13.69	45.76	1	Vertical	111	1.54	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60517G	59.32	83.54	-24.22	55.23	1	Horizontal	317	1.54	-	37.70	15.19	48.80			
AV	19.604G	46.74	63.54	-16.80	42.65	1	Horizontal	317	1.54	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39027G	62.07	74.00	-11.93	74.73	3	Vertical	158.7	1.80	-	40.08	11.73	64.47			
AV	13.38988G	49.45	54.00	-4.55	62.11	3	Vertical	158.7	1.80	-	40.08	11.73	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39153G	63.67	74.00	-10.33	76.33	3	Horizontal	252	1.87	-	40.08	11.73	64.47			
AV	13.3891G	50.66	54.00	-3.34	63.33	3	Horizontal	252	1.87	-	40.08	11.73	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08596G	62.71	83.54	-20.83	58.45	1	Vertical	163	1.52	-	37.80	15.24	48.78			
AV	20.084G	50.09	63.54	-13.45	45.83	1	Vertical	163	1.52	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08536G	59.27	83.54	-24.27	55.01	1	Horizontal	283	1.54	-	37.80	15.24	48.78			
AV	20.084G	47.06	63.54	-16.48	42.80	1	Horizontal	283	1.54	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70628G	60.73	88.20	-27.47	72.94	3	Vertical	240	1.66	-	40.43	11.70	64.34			
RMS	13.70982G	48.33	68.20	-19.87	60.53	3	Vertical	240	1.66	-	40.44	11.70	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71084G	61.05	88.20	-27.15	73.25	3	Horizontal	211	1.80	-	40.44	11.70	64.34			
RMS	13.70991G	48.19	68.20	-20.01	60.39	3	Horizontal	211	1.80	-	40.44	11.70	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56433G	63.08	83.54	-20.46	58.25	1	Vertical	159	1.50	-	37.90	15.63	48.70			
AV	20.5643G	50.57	63.54	-12.97	45.74	1	Vertical	159	1.50	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56569G	59.38	83.54	-24.16	54.55	1	Horizontal	146	1.54	-	37.90	15.63	48.70			
AV	20.56402G	46.53	63.54	-17.01	41.70	1	Horizontal	146	1.54	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 SET 21.5
 22\20.5\21.5
 -1.07\6.56\1.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	77.91	88.20	-10.29	70.47	3	Vertical	340	1.56	21.5	34.55	8.09	35.20			
AV	5.925G	66.30	68.20	-1.90	58.86	3	Vertical	340	1.56	21.5	34.55	8.09	35.20			
PK	5.983G	117.42	Inf	-Inf	109.86	3	Vertical	340	1.56	21.5	34.60	8.15	35.19			
AV	5.9767G	105.54	Inf	-Inf	97.98	3	Vertical	340	1.56	21.5	34.60	8.15	35.19			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	73.63	88.20	-14.57	66.19	3	Horizontal	6	1.80	21.5	34.55	8.09	35.20			
AV	5.925G	62.40	68.20	-5.80	54.96	3	Horizontal	6	1.80	21.5	34.55	8.09	35.20			
PK	5.9752G	114.05	Inf	-Inf	106.50	3	Horizontal	6	1.80	21.5	34.60	8.14	35.19			
AV	5.9737G	102.19	Inf	-Inf	94.64	3	Horizontal	6	1.80	21.5	34.60	8.14	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 Setting 21.5
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93408G	53.25	74.00	-20.75	68.03	3	Vertical	231	1.52	-	39.20	11.80	65.78			
AV	11.92895G	40.13	54.00	-13.87	54.92	3	Vertical	231	1.52	-	39.20	11.80	65.79			
PK	17.89203G	54.89	74.00	-19.11	58.36	3	Vertical	153	1.87	-	44.82	14.20	62.49			
AV	17.89587G	42.26	54.00	-11.74	45.73	3	Vertical	153	1.87	-	44.81	14.20	62.48			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 Setting 21.5
 03-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93525G	52.59	74.00	-21.41	67.37	3	Horizontal	242	1.63	-	39.20	11.80	65.78			
AV	11.93084G	39.00	54.00	-15.00	53.79	3	Horizontal	242	1.63	-	39.20	11.80	65.79			
PK	17.889G	54.83	74.00	-19.17	58.31	3	Horizontal	140	1.80	-	44.82	14.20	62.50			
AV	17.89197G	42.33	54.00	-11.67	45.80	3	Horizontal	140	1.80	-	44.82	14.20	62.49			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85076G	54.43	83.54	-29.11	45.70	1	Vertical	268	1.93	-	39.10	17.29	47.66			
AV	23.8711G	42.41	63.54	-21.13	33.70	1	Vertical	268	1.93	-	39.06	17.30	47.65			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85724G	54.28	83.54	-29.26	45.56	1	Horizontal	152	2.87	-	39.09	17.29	47.66			
AV	23.87116G	42.35	63.54	-21.19	33.64	1	Horizontal	152	2.87	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41573G	58.00	74.00	-16.00	72.97	3	Vertical	199	1.52	-	38.60	11.80	65.37			
AV	12.41021G	45.03	54.00	-8.97	60.00	3	Vertical	199	1.52	-	38.60	11.80	65.37			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 22
03-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41405G	57.91	74.00	-16.09	72.88	3	Horizontal	124	1.60	-	38.60	11.80	65.37			
AV	12.40967G	45.58	54.00	-8.42	60.55	3	Horizontal	124	1.60	-	38.60	11.80	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61489G	62.27	83.54	-21.27	57.60	1	Vertical	64	1.52	-	37.83	15.25	48.41			
AV	18.614G	48.74	63.54	-14.80	44.07	1	Vertical	64	1.52	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61448G	59.14	83.54	-24.40	54.47	1	Horizontal	250	1.54	-	37.83	15.25	48.41			
AV	18.614G	46.73	63.54	-16.81	42.06	1	Horizontal	250	1.54	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80424G	57.91	88.20	-30.29	72.37	3	Vertical	191	1.86	-	39.02	11.77	65.25			
RMS	12.81063G	44.94	68.20	-23.26	59.38	3	Vertical	191	1.86	-	39.04	11.77	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 22
 03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81324G	58.17	88.20	-30.03	72.60	3	Horizontal	200	1.80	-	39.05	11.77	65.25			
RMS	12.80979G	44.54	68.20	-23.66	58.98	3	Horizontal	200	1.80	-	39.04	11.77	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21514G	62.99	83.54	-20.55	58.71	1	Vertical	89	1.50	-	37.86	15.22	48.80			
AV	19.21401G	50.37	63.54	-13.17	46.09	1	Vertical	89	1.50	-	37.86	15.22	48.80			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21554G	59.91	83.54	-23.63	55.63	1	Horizontal	242	1.51	-	37.86	15.22	48.80			
AV	19.214G	49.34	63.54	-14.20	45.06	1	Horizontal	242	1.51	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12418G	55.95	88.20	-32.25	69.59	3	Vertical	182	1.96	-	39.60	11.75	64.99			
RMS	13.12931G	43.62	68.20	-24.58	57.25	3	Vertical	182	1.96	-	39.60	11.75	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1216G	58.59	88.20	-29.61	72.23	3	Horizontal	163	1.77	-	39.60	11.75	64.99			
RMS	13.12997G	45.90	68.20	-22.30	59.53	3	Horizontal	163	1.77	-	39.60	11.75	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6943G	62.73	83.54	-20.81	58.64	1	Vertical	42	1.53	-	37.70	15.19	48.80			
AV	19.69405G	50.36	63.54	-13.18	46.27	1	Vertical	42	1.53	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69548G	59.70	83.54	-23.84	55.61	1	Horizontal	149	1.53	-	37.70	15.19	48.80			
AV	19.69401G	47.35	63.54	-16.19	43.26	1	Horizontal	149	1.53	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37G	57.84	74.00	-16.16	70.58	3	Vertical	160	1.80	-	40.04	11.73	64.51			
AV	13.3685G	45.29	54.00	-8.71	58.04	3	Vertical	160	1.80	-	40.04	11.73	64.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36565G	60.34	74.00	-13.66	73.10	3	Horizontal	250	1.80	-	40.03	11.73	64.52			
AV	13.36955G	46.96	54.00	-7.04	59.70	3	Horizontal	250	1.80	-	40.04	11.73	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05405G	62.69	83.54	-20.85	58.47	1	Vertical	104	1.52	-	37.80	15.21	48.79			
AV	20.054G	50.23	63.54	-13.31	46.01	1	Vertical	104	1.52	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05416G	59.43	83.54	-24.11	55.21	1	Horizontal	97	1.52	-	37.80	15.21	48.79			
AV	20.05427G	47.21	63.54	-16.33	42.99	1	Horizontal	97	1.52	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69423G	58.71	88.20	-29.49	70.95	3	Vertical	243	1.73	-	40.40	11.70	64.34			
RMS	13.69084G	44.89	68.20	-23.31	57.13	3	Vertical	243	1.73	-	40.40	11.70	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68025G	58.93	88.20	-29.27	71.16	3	Horizontal	211	1.80	-	40.40	11.70	64.33			
RMS	13.69012G	45.58	68.20	-22.62	57.82	3	Horizontal	211	1.80	-	40.40	11.70	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53414G	63.13	83.54	-20.41	58.32	1	Vertical	138	1.54	-	37.90	15.61	48.70			
AV	20.53521G	51.38	63.54	-12.16	46.57	1	Vertical	138	1.54	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53589G	59.40	83.54	-24.14	54.59	1	Horizontal	181	1.51	-	37.90	15.61	48.70			
AV	20.53597G	55.24	63.54	-8.30	50.43	1	Horizontal	181	1.51	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	78.58	88.20	-9.62	71.14	3	Vertical	27	1.54	22	34.55	8.09	35.20			
AV	5.925G	67.56	68.20	-0.64	60.12	3	Vertical	27	1.54	22	34.55	8.09	35.20			
PK	5.9795G	115.01	Inf	-Inf	107.45	3	Vertical	27	1.54	22	34.60	8.15	35.19			
AV	6.0235G	103.20	Inf	-Inf	95.58	3	Vertical	27	1.54	22	34.60	8.21	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.924G	76.61	88.20	-11.59	69.17	3	Horizontal	8	1.51	22	34.55	8.09	35.20			
AV	5.9245G	63.89	68.20	-4.31	56.45	3	Horizontal	8	1.51	22	34.55	8.09	35.20			
PK	6.002G	111.78	Inf	-Inf	104.20	3	Horizontal	8	1.51	22	34.60	8.17	35.19			
AV	6.018G	99.85	Inf	-Inf	92.24	3	Horizontal	8	1.51	22	34.60	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97714G	51.76	74.00	-22.24	66.55	3	Vertical	210	2.44	-	39.15	11.82	65.76				
AV	11.97954G	37.88	54.00	-16.12	52.67	3	Vertical	210	2.44	-	39.14	11.82	65.75				
PK	17.94828G	54.40	74.00	-19.60	57.86	3	Vertical	149	1.80	-	44.70	14.22	62.38				
AV	17.96748G	42.44	54.00	-11.56	45.75	3	Vertical	149	1.80	-	44.80	14.23	62.34				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 22
 03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96703G	50.94	74.00	-23.06	65.71	3	Horizontal	240	2.74	-	39.17	11.82	65.76			
AV	11.96949G	38.63	54.00	-15.37	53.41	3	Horizontal	240	2.74	-	39.16	11.82	65.76			
PK	17.94951G	55.14	74.00	-18.86	58.59	3	Horizontal	143	1.80	-	44.70	14.23	62.38			
AV	17.96859G	42.47	54.00	-11.53	45.77	3	Horizontal	143	1.80	-	44.81	14.23	62.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92614G	54.62	83.54	-28.92	45.94	1	Vertical	252	1.52	-	39.00	17.31	47.63			
AV	23.93388G	42.68	63.54	-20.86	34.00	1	Vertical	252	1.52	-	39.00	17.31	47.63			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9541G	54.78	83.54	-28.76	46.07	1	Horizontal	279	1.32	-	39.01	17.32	47.62			
AV	23.9544G	42.61	63.54	-20.93	33.90	1	Horizontal	279	1.32	-	39.01	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45462G	58.39	74.00	-15.61	73.31	3	Vertical	194	1.97	-	38.61	11.80	65.33			
AV	12.45411G	45.27	54.00	-8.73	60.19	3	Vertical	194	1.97	-	38.61	11.80	65.33			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43875G	58.05	74.00	-15.95	73.00	3	Horizontal	130	1.79	-	38.60	11.80	65.35			
AV	12.4635G	44.50	54.00	-9.50	59.39	3	Horizontal	130	1.79	-	38.63	11.80	65.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67492G	63.10	83.54	-20.44	58.42	1	Vertical	327	1.50	-	37.90	15.25	48.47			
AV	18.67404G	50.75	63.54	-12.79	46.07	1	Vertical	327	1.50	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67576G	57.15	83.54	-26.39	52.48	1	Horizontal	347	1.53	-	37.90	15.25	48.48			
AV	18.67409G	47.63	63.54	-15.91	42.95	1	Horizontal	347	1.53	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78449G	54.83	88.20	-33.37	69.38	3	Vertical	213	1.81	-	38.94	11.77	65.26			
RMS	12.78212G	41.76	68.20	-26.44	56.32	3	Vertical	213	1.81	-	38.93	11.77	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77333G	59.39	88.20	-28.81	73.99	3	Horizontal	133	1.94	-	38.89	11.77	65.26			
RMS	12.76955G	45.35	68.20	-22.85	59.96	3	Horizontal	133	1.94	-	38.88	11.77	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1554G	63.05	83.54	-20.49	58.65	1	Vertical	313	1.54	-	37.98	15.22	48.80			
AV	19.15405G	50.87	63.54	-12.67	46.47	1	Vertical	313	1.54	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15588G	59.73	83.54	-23.81	55.33	1	Horizontal	88	1.55	-	37.98	15.22	48.80			
AV	19.15411G	47.84	63.54	-15.70	43.44	1	Horizontal	88	1.55	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26248G	56.27	74.00	-17.73	69.33	3	Vertical	159	1.79	-	39.92	11.74	64.72			
AV	13.26452G	43.49	54.00	-10.51	56.54	3	Vertical	159	1.79	-	39.93	11.74	64.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25771G	58.29	74.00	-15.71	71.36	3	Horizontal	162	1.74	-	39.92	11.74	64.73			
AV	13.2503G	44.14	54.00	-9.86	57.24	3	Horizontal	162	1.74	-	39.90	11.74	64.74			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87599G	63.14	83.54	-20.40	59.06	1	Vertical	55	1.54	-	37.70	15.18	48.80			
AV	19.87451G	50.36	63.54	-13.18	46.28	1	Vertical	55	1.54	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87592G	59.81	83.54	-23.73	55.73	1	Horizontal	282	1.55	-	37.70	15.18	48.80			
AV	19.874G	47.32	63.54	-16.22	43.24	1	Horizontal	282	1.55	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4178G	55.59	88.20	-32.61	68.15	3	Vertical	158	1.80	-	40.14	11.72	64.42			
RMS	13.40964G	43.19	68.20	-25.01	55.79	3	Vertical	158	1.80	-	40.12	11.72	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41384G	57.63	88.20	-30.57	70.21	3	Horizontal	251	1.91	-	40.13	11.72	64.43			
RMS	13.40718G	44.54	68.20	-23.66	57.15	3	Horizontal	251	1.91	-	40.11	11.72	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11511G	62.52	83.54	-21.02	58.24	1	Vertical	152	1.52	-	37.80	15.26	48.78			
AV	20.114G	50.21	63.54	-13.33	45.93	1	Vertical	152	1.52	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11499G	59.54	83.54	-24.00	55.26	1	Horizontal	114	1.53	-	37.80	15.26	48.78			
AV	20.11528G	47.26	63.54	-16.28	42.98	1	Horizontal	114	1.53	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57999G	54.57	88.20	-33.63	66.75	3	Vertical	136	1.90	-	40.40	11.71	64.29			
RMS	13.57117G	41.13	68.20	-27.07	53.31	3	Vertical	136	1.90	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57177G	55.34	88.20	-32.86	67.52	3	Horizontal	150	1.40	-	40.40	11.71	64.29			
RMS	13.56964G	42.62	68.20	-25.58	54.80	3	Horizontal	150	1.40	-	40.40	11.71	64.29			



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 22
03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35595G	62.92	83.54	-20.62	58.30	1	Vertical	108	1.52	-	37.89	15.46	48.73			
AV	20.35562G	49.61	63.54	-13.93	44.99	1	Vertical	108	1.52	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35529G	59.58	83.54	-23.96	54.96	1	Horizontal	274	1.53	-	37.89	15.46	48.73			
AV	20.35563G	47.59	63.54	-15.95	42.97	1	Horizontal	274	1.53	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	73.38	88.20	-14.82	65.95	3	Vertical	26	1.58	22	34.54	8.09	35.20				
AV	5.925G	63.65	68.20	-4.55	56.21	3	Vertical	26	1.58	22	34.55	8.09	35.20				
PK	6.0915G	111.66	Inf	-Inf	103.70	3	Vertical	26	1.58	22	34.85	8.31	35.20				
AV	6.0975G	100.62	Inf	-Inf	92.62	3	Vertical	26	1.58	22	34.88	8.32	35.20				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9245G	73.43	88.20	-14.77	65.99	3	Horizontal	13	1.62	22	34.55	8.09	35.20				
AV	5.9245G	61.01	68.20	-7.19	53.57	3	Horizontal	13	1.62	22	34.55	8.09	35.20				
PK	6.061G	108.97	Inf	-Inf	101.23	3	Horizontal	13	1.62	22	34.67	8.26	35.19				
AV	6.0915G	97.29	Inf	-Inf	89.33	3	Horizontal	13	1.62	22	34.85	8.31	35.20				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06374G	50.99	74.00	-23.01	65.87	3	Vertical	210	1.80	-	38.97	11.83	65.68			
AV	12.04949G	37.75	54.00	-16.25	52.62	3	Vertical	210	1.80	-	39.00	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06377G	51.24	74.00	-22.76	66.12	3	Horizontal	118	1.75	-	38.97	11.83	65.68			
AV	12.06359G	37.25	54.00	-16.75	52.13	3	Horizontal	118	1.75	-	38.97	11.83	65.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07545G	62.48	83.54	-21.06	57.86	1	Vertical	5	1.50	-	37.55	15.29	48.22			
AV	18.07546G	49.95	63.54	-13.59	45.33	1	Vertical	5	1.50	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07456G	60.05	74.00	-30.14	39.23	1	Horizontal	324	1.52	-	37.55	15.29	48.21			
AV	18.07584G	50.97	54.00	-22.22	27.15	1	Horizontal	324	1.52	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38443G	56.33	74.00	-17.67	71.29	3	Vertical	198	1.50	-	38.63	11.80	65.39			
AV	12.36952G	42.05	54.00	-11.95	57.00	3	Vertical	198	1.50	-	38.66	11.80	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36805G	56.05	74.00	-17.95	71.00	3	Horizontal	129	2.65	-	38.66	11.80	65.41			
AV	12.37849G	41.36	54.00	-12.64	56.32	3	Horizontal	129	2.65	-	38.64	11.80	65.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5543G	62.64	83.54	-20.90	57.93	1	Vertical	26	1.54	-	37.80	15.26	48.35			
AV	18.55403G	49.89	63.54	-13.65	45.18	1	Vertical	26	1.54	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55419G	59.25	83.54	-24.29	54.54	1	Horizontal	103	1.54	-	37.80	15.26	48.35			
AV	18.55591G	45.91	63.54	-17.63	41.21	1	Horizontal	103	1.54	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68394G	56.23	74.00	-17.77	70.85	3	Vertical	238	1.71	-	38.87	11.78	65.27			
AV	12.67824G	43.03	54.00	-10.97	57.66	3	Vertical	238	1.71	-	38.86	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67791G	58.39	74.00	-15.61	73.02	3	Horizontal	130	1.77	-	38.86	11.78	65.27			
AV	12.67806G	44.60	54.00	-9.40	59.23	3	Horizontal	130	1.77	-	38.86	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03597G	62.98	83.54	-20.56	58.62	1	Vertical	247	1.50	-	37.93	15.23	48.80			
AV	19.03541G	50.79	63.54	-12.75	46.43	1	Vertical	247	1.50	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03495G	59.17	83.54	-24.37	54.81	1	Horizontal	289	1.52	-	37.93	15.23	48.80			
AV	19.03543G	46.75	63.54	-16.79	42.39	1	Horizontal	289	1.52	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34338G	54.24	74.00	-19.76	67.07	3	Vertical	157	1.78	-	40.00	11.73	64.56			
AV	13.31713G	40.80	54.00	-13.20	53.68	3	Vertical	157	1.78	-	40.00	11.73	64.61			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33777G	55.40	74.00	-18.60	68.24	3	Horizontal	144	1.80	-	40.00	11.73	64.57			
AV	13.31581G	42.62	54.00	-11.38	55.51	3	Horizontal	144	1.80	-	40.00	11.73	64.62			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99559G	62.31	83.54	-21.23	58.23	1	Vertical	231	1.50	-	37.71	15.17	48.80			
AV	19.99452G	50.53	63.54	-13.01	46.45	1	Vertical	231	1.50	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99477G	60.10	83.54	-23.44	56.02	1	Horizontal	48	1.55	-	37.71	15.17	48.80			
AV	19.994G	47.49	63.54	-16.05	43.41	1	Horizontal	48	1.55	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	73.40	88.20	-14.80	65.96	3	Vertical	29	1.64	22	34.55	8.09	35.20			
AV	5.925G	63.09	68.20	-5.11	55.65	3	Vertical	29	1.64	22	34.55	8.09	35.20			
PK	6.229G	108.37	Inf	-Inf	100.12	3	Vertical	29	1.64	22	34.94	8.51	35.20			
AV	6.251G	97.36	Inf	-Inf	89.12	3	Vertical	29	1.64	22	34.90	8.55	35.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	68.42	88.20	-19.78	60.99	3	Horizontal	18	1.52	22	34.54	8.09	35.20			
AV	5.925G	58.67	68.20	-9.53	51.23	3	Horizontal	18	1.52	22	34.55	8.09	35.20			
PK	6.247G	106.00	Inf	-Inf	97.75	3	Horizontal	18	1.52	22	34.91	8.54	35.20			
AV	6.198G	95.33	Inf	-Inf	87.06	3	Horizontal	18	1.52	22	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22353G	53.05	74.00	-20.95	68.03	3	Vertical	199	1.53	-	38.75	11.81	65.54			
AV	12.2235G	38.96	54.00	-15.04	53.94	3	Vertical	199	1.53	-	38.75	11.81	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22425G	52.61	74.00	-21.39	67.59	3	Horizontal	129	1.65	-	38.75	11.81	65.54			
AV	12.22425G	39.05	54.00	-14.95	54.03	3	Horizontal	129	1.65	-	38.75	11.81	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31417G	62.43	83.54	-21.11	57.79	1	Vertical	79	1.51	-	37.63	15.27	48.26			
AV	18.31412G	50.00	63.54	-13.54	45.36	1	Vertical	79	1.51	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31464G	60.06	83.54	-23.48	55.42	1	Horizontal	244	1.55	-	37.63	15.27	48.26			
AV	18.3141G	47.98	63.54	-15.56	43.34	1	Horizontal	244	1.55	-	37.63	15.27	48.26			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_Y_1TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.54359G	57.48	74.00	-16.52	72.27	3	Vertical	194	1.80	-	38.70	11.79	65.28			
AV	12.54335G	43.58	54.00	-10.42	58.37	3	Vertical	194	1.80	-	38.70	11.79	65.28			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5432G	57.84	74.00	-16.16	72.63	3	Horizontal	129	1.84	-	38.70	11.79	65.28			
AV	12.54419G	44.04	54.00	-9.96	58.83	3	Horizontal	129	1.84	-	38.70	11.79	65.28			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79582G	62.75	83.54	-20.79	58.21	1	Vertical	146	1.55	-	37.90	15.24	48.60			
AV	18.794G	50.07	63.54	-13.47	45.52	1	Vertical	146	1.55	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_Y_1TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79524G	59.83	83.54	-23.71	55.29	1	Horizontal	79	1.54	-	37.90	15.24	48.60			
AV	18.79541G	47.10	63.54	-16.44	42.56	1	Horizontal	79	1.54	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	76.11	88.20	-12.09	68.67	3	Vertical	28	1.80	22	34.55	8.09	35.20				
RMS	5.925G	62.78	68.20	-5.42	55.34	3	Vertical	28	1.80	22	34.55	8.09	35.20				
PK	5.9505G	123.04	Inf	-Inf	115.51	3	Vertical	28	1.80	22	34.60	8.12	35.19				
RMS	5.9493G	112.39	Inf	-Inf	104.87	3	Vertical	28	1.80	22	34.60	8.12	35.20				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9244G	76.53	88.20	-11.67	69.09	3	Horizontal	11	1.60	22	34.55	8.09	35.20				
RMS	5.9229G	62.64	68.20	-5.56	55.20	3	Horizontal	11	1.60	22	34.55	8.09	35.20				
PK	5.9574G	124.19	Inf	-Inf	116.65	3	Horizontal	11	1.60	22	34.60	8.13	35.19				
RMS	5.9595G	112.75	Inf	-Inf	105.21	3	Horizontal	11	1.60	22	34.60	8.13	35.19				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90187G	61.36	74.00	-12.64	76.34	3	Vertical	125	1.80	-	38.80	12.02	65.80				
AV	11.90676G	49.43	54.00	-4.57	64.40	3	Vertical	125	1.80	-	38.81	12.02	65.80				
PK	17.85837G	59.89	74.00	-14.11	60.90	3	Vertical	154	1.61	-	47.50	14.05	62.56				
AV	17.86209G	47.59	54.00	-6.41	48.45	3	Vertical	154	1.61	-	47.64	14.05	62.55				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90643G	58.28	74.00	-15.72	73.25	3	Horizontal	229	1.34	-	38.81	12.02	65.80			
AV	11.90721G	44.83	54.00	-9.17	59.80	3	Horizontal	229	1.34	-	38.81	12.02	65.80			
PK	17.87049G	57.12	74.00	-16.88	57.65	3	Horizontal	321	2.39	-	47.94	14.06	62.53			
AV	17.87004G	45.31	54.00	-8.69	45.86	3	Horizontal	321	2.39	-	47.92	14.06	62.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80908G	54.75	83.54	-28.79	46.05	1	Vertical	166	1.70	-	39.10	17.28	47.68			
AV	23.81016G	41.22	63.54	-22.32	32.52	1	Vertical	166	1.70	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81322G	54.44	83.54	-29.10	45.73	1	Horizontal	174	1.60	-	39.10	17.28	47.67			
AV	23.81256G	41.21	63.54	-22.33	32.50	1	Horizontal	174	1.60	-	39.10	17.28	47.67			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38721G	64.32	74.00	-9.68	78.84	3	Vertical	194	1.99	-	38.80	12.07	65.39			
AV	12.38994G	51.37	54.00	-2.63	65.89	3	Vertical	194	1.99	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37989G	56.45	74.00	-17.55	70.98	3	Horizontal	236	1.71	-	38.80	12.07	65.40			
AV	12.38064G	42.33	54.00	-11.67	56.86	3	Horizontal	236	1.71	-	38.80	12.07	65.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5772G	62.12	83.54	-21.42	57.44	1	Vertical	234	1.68	-	37.80	15.26	48.38			
AV	18.5793G	48.18	63.54	-15.36	43.50	1	Vertical	234	1.68	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58584G	59.53	83.54	-24.01	54.87	1	Horizontal	118	1.80	-	37.80	15.25	48.39			
AV	18.58686G	46.56	63.54	-16.98	41.90	1	Horizontal	118	1.80	-	37.80	15.25	48.39			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82877G	64.33	88.20	-23.87	78.69	3	Vertical	212	1.80	-	39.12	11.77	65.25			
RMS	12.82907G	51.16	68.20	-17.04	65.52	3	Vertical	212	1.80	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8312G	63.57	88.20	-24.63	77.93	3	Horizontal	266	1.37	-	39.12	11.77	65.25			
RMS	12.82871G	51.11	68.20	-17.09	65.48	3	Horizontal	266	1.37	-	39.11	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24466G	60.43	83.54	-23.11	56.03	1	Vertical	52	1.54	-	37.98	15.22	48.80			
AV	19.24408G	50.18	63.54	-13.36	45.78	1	Vertical	52	1.54	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2453G	59.21	83.54	-24.33	54.81	1	Horizontal	291	1.53	-	37.98	15.22	48.80			
AV	19.2442G	47.17	63.54	-16.37	42.77	1	Horizontal	291	1.53	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07645G	60.60	88.20	-27.60	74.42	3	Vertical	259	2.25	-	39.51	11.75	65.08			
RMS	13.07528G	48.54	68.20	-19.66	62.37	3	Vertical	259	2.25	-	39.50	11.75	65.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07492G	61.26	88.20	-26.94	75.09	3	Horizontal	50	2.28	-	39.50	11.75	65.08			
RMS	13.07531G	47.20	68.20	-21.00	61.03	3	Horizontal	50	2.28	-	39.50	11.75	65.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60459G	62.26	83.54	-21.28	58.17	1	Vertical	92	1.55	-	37.70	15.19	48.80			
AV	19.60408G	48.59	63.54	-14.95	44.50	1	Vertical	92	1.55	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60401G	59.79	83.54	-23.75	55.70	1	Horizontal	179	1.54	-	37.70	15.19	48.80			
AV	19.604G	47.58	63.54	-15.96	43.49	1	Horizontal	179	1.54	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39497G	61.77	74.00	-12.23	74.41	3	Vertical	246	2.02	-	40.09	11.73	64.46			
AV	13.38784G	50.61	54.00	-3.39	63.28	3	Vertical	246	2.02	-	40.08	11.73	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38619G	64.47	74.00	-9.53	77.15	3	Horizontal	144	1.80	-	40.07	11.73	64.48			
AV	13.38763G	51.38	54.00	-2.62	64.05	3	Horizontal	144	1.80	-	40.08	11.73	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08492G	62.44	83.54	-21.10	58.18	1	Vertical	2	1.52	-	37.80	15.24	48.78			
AV	20.084G	49.90	63.54	-13.64	45.64	1	Vertical	2	1.52	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08468G	59.52	83.54	-24.02	55.26	1	Horizontal	207	1.53	-	37.80	15.24	48.78			
AV	20.08412G	46.97	63.54	-16.57	42.71	1	Horizontal	207	1.53	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70775G	59.67	88.20	-28.53	71.88	3	Vertical	209	1.02	-	40.43	11.70	64.34			
RMS	13.707G	47.55	68.20	-20.65	59.76	3	Vertical	209	1.02	-	40.43	11.70	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70598G	59.10	88.20	-29.10	71.32	3	Horizontal	5	2.10	-	40.42	11.70	64.34			
RMS	13.70757G	47.04	68.20	-21.16	59.25	3	Horizontal	5	2.10	-	40.43	11.70	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56471G	62.57	83.54	-20.97	57.74	1	Vertical	306	1.51	-	37.90	15.63	48.70			
AV	20.56401G	50.39	63.54	-13.15	45.56	1	Vertical	306	1.51	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56496G	59.81	83.54	-23.73	54.98	1	Horizontal	187	1.55	-	37.90	15.63	48.70			
AV	20.564G	47.36	63.54	-16.18	42.53	1	Horizontal	187	1.55	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 SET 21.5
 22\19\21.5
 -2.73\11.64\1.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9188G	80.38	88.20	-7.82	72.96	3	Vertical	27	1.80	21.5	34.54	8.08	35.20				
RMS	5.9206G	66.78	68.20	-1.42	59.35	3	Vertical	27	1.80	21.5	34.54	8.09	35.20				
PK	5.9608G	120.36	Inf	-Inf	112.82	3	Vertical	27	1.80	21.5	34.60	8.13	35.19				
RMS	5.9797G	109.23	Inf	-Inf	101.67	3	Vertical	27	1.80	21.5	34.60	8.15	35.19				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 SET 21
 21.5\20\21
 -1.35\7.26\2.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	77.29	88.20	-10.91	69.85	3	Horizontal	15	1.57	21	34.55	8.09	35.20			
RMS	5.925G	65.98	68.20	-2.22	58.54	3	Horizontal	15	1.57	21	34.55	8.09	35.20			
PK	5.9695G	120.58	Inf	-Inf	113.03	3	Horizontal	15	1.57	21	34.60	8.14	35.19			
RMS	5.9683G	109.18	Inf	-Inf	101.63	3	Horizontal	15	1.57	21	34.60	8.14	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92535G	55.90	74.00	-18.10	70.69	3	Vertical	110	1.26	-	39.20	11.80	65.79				
AV	11.92667G	44.07	54.00	-9.93	58.86	3	Vertical	110	1.26	-	39.20	11.80	65.79				
PK	17.89458G	56.24	74.00	-17.76	59.72	3	Vertical	337	1.43	-	44.81	14.20	62.49				
AV	17.89329G	43.29	54.00	-10.71	46.77	3	Vertical	337	1.43	-	44.81	14.20	62.49				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 03-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9261G	55.31	74.00	-18.69	70.10	3	Horizontal	143	1.10	-	39.20	11.80	65.79			
AV	11.92661G	42.89	54.00	-11.11	57.68	3	Horizontal	143	1.10	-	39.20	11.80	65.79			
PK	17.89389G	56.37	74.00	-17.63	59.85	3	Horizontal	146	1.79	-	44.81	14.20	62.49			
AV	17.89302G	43.27	54.00	-10.73	46.75	3	Horizontal	146	1.79	-	44.81	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87044G	55.35	83.54	-28.19	46.64	1	Vertical	251	1.26	-	39.06	17.30	47.65			
AV	23.87134G	43.22	63.54	-20.32	34.51	1	Vertical	251	1.26	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87488G	56.00	83.54	-27.54	47.30	1	Horizontal	224	1.02	-	39.05	17.30	47.65			
AV	23.87236G	43.72	63.54	-19.82	35.01	1	Horizontal	224	1.02	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX



EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41027G	62.52	74.00	-11.48	77.49	3	Vertical	200	1.95	-	38.60	11.80	65.37			
AV	12.41207G	49.65	54.00	-4.35	64.62	3	Vertical	200	1.95	-	38.60	11.80	65.37			