


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-29.36	-21.20	-8.16	4.72	-34.08	-34.08
2.36G	2.5235G	1M	PK	2.48442G	-44.70	-21.20	-23.50	4.72	-49.42	-49.42

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.05	-41.20	-0.85	4.72	-46.77	-46.77
2.36G	2.5235G	1M	AV	2.48949G	-55.75	-41.20	-14.55	4.72	-60.47	-60.47

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38175G	-42.86	-21.20	-21.66	4.72	-47.58	-47.58
2.36G	2.5235G	1M	PK	2.46442G	-29.30	-21.20	-8.10	4.72	-34.02	-34.02

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

26/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38583G	-54.42	-41.20	-13.22	4.72	-59.14	-59.14
2.36G	2.5235G	1M	AV	2.48361G	-41.49	-41.20	-0.29	4.72	-46.21	-46.21



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	1G	25G	AV	19G	4.79	-87.43	-87.43	-82.64	-41.20	-41.44
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	1G	25G	AV	22.078G	4.79	-87.74	-87.74	-82.95	-41.20	-41.75
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	1G	25G	AV	18.967G	4.79	-87.83	-87.83	-83.04	-41.20	-41.84

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.79	-90.14	-90.14	-85.35	-41.20	-44.15
2412MHz	Pass	1G	25G	AV	18.955G	4.79	-87.83	-87.83	-83.04	-41.20	-41.84
2412MHz	Pass	1G	25G	PK	4.816G	4.79	-83.61	-83.61	-78.82	-21.20	-57.62
2412MHz	Pass	1G	25G	PK	23.008G	4.79	-79.06	-79.06	-74.27	-21.20	-53.07
2437MHz	Pass	1G	25G	AV	4.873G	4.79	-88.24	-88.24	-83.45	-41.20	-42.25
2437MHz	Pass	1G	25G	AV	22.03G	4.79	-87.79	-87.79	-83.00	-41.20	-41.80
2437MHz	Pass	1G	25G	PK	4.873G	4.79	-82.63	-82.63	-77.84	-21.20	-56.64
2437MHz	Pass	1G	25G	PK	22.081G	4.79	-79.31	-79.31	-74.52	-21.20	-53.32
2462MHz	Pass	1G	25G	AV	4.924G	4.79	-89.38	-89.38	-84.59	-41.20	-43.39
2462MHz	Pass	1G	25G	AV	19G	4.79	-87.43	-87.43	-82.64	-41.20	-41.44
2462MHz	Pass	1G	25G	PK	4.924G	4.79	-83.29	-83.29	-78.50	-21.20	-57.30
2462MHz	Pass	1G	25G	PK	22.126G	4.79	-78.45	-78.45	-73.66	-21.20	-52.46
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.816G	4.79	-91.46	-91.46	-86.67	-41.20	-45.47
2412MHz	Pass	1G	25G	AV	22.108G	4.79	-87.88	-87.88	-83.09	-41.20	-41.89
2412MHz	Pass	1G	25G	PK	4.816G	4.79	-84.65	-84.65	-79.86	-21.20	-58.66
2412MHz	Pass	1G	25G	PK	22.096G	4.79	-79.32	-79.32	-74.53	-21.20	-53.33
2437MHz	Pass	1G	25G	AV	4.873G	4.79	-91.55	-91.55	-86.76	-41.20	-45.56
2437MHz	Pass	1G	25G	AV	22.078G	4.79	-87.74	-87.74	-82.95	-41.20	-41.75
2437MHz	Pass	1G	25G	PK	4.876G	4.79	-83.47	-83.47	-78.68	-21.20	-57.48
2437MHz	Pass	1G	25G	PK	22.759G	4.79	-78.81	-78.81	-74.02	-21.20	-52.82
2462MHz	Pass	1G	25G	AV	4.93G	4.79	-91.14	-91.14	-86.35	-41.20	-45.15
2462MHz	Pass	1G	25G	AV	22.066G	4.79	-87.79	-87.79	-83.00	-41.20	-41.80
2462MHz	Pass	1G	25G	PK	4.912G	4.79	-82.41	-82.41	-77.62	-21.20	-56.42
2462MHz	Pass	1G	25G	PK	22.054G	4.79	-79.79	-79.79	-75.00	-21.20	-53.80
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.837G	4.79	-91.58	-91.58	-86.79	-41.20	-45.59
2412MHz	Pass	1G	25G	AV	18.967G	4.79	-87.83	-87.83	-83.04	-41.20	-41.84
2412MHz	Pass	1G	25G	PK	4.822G	4.79	-83.47	-83.47	-78.68	-21.20	-57.48
2412MHz	Pass	1G	25G	PK	22.165G	4.79	-79.00	-79.00	-74.21	-21.20	-53.01
2437MHz	Pass	1G	25G	AV	4.879G	4.79	-91.30	-91.30	-86.51	-41.20	-45.31
2437MHz	Pass	1G	25G	AV	18.931G	4.79	-87.92	-87.92	-83.13	-41.20	-41.93
2437MHz	Pass	1G	25G	PK	4.888G	4.79	-84.03	-84.03	-79.24	-21.20	-58.04
2437MHz	Pass	1G	25G	PK	22.213G	4.79	-78.94	-78.94	-74.15	-21.20	-52.95
2462MHz	Pass	1G	25G	AV	4.93G	4.79	-91.02	-91.02	-86.23	-41.20	-45.03
2462MHz	Pass	1G	25G	AV	22.051G	4.79	-87.95	-87.95	-83.16	-41.20	-41.96
2462MHz	Pass	1G	25G	PK	4.93G	4.79	-83.48	-83.48	-78.69	-21.20	-57.49
2462MHz	Pass	1G	25G	PK	22.471G	4.79	-78.90	-78.90	-74.11	-21.20	-52.91


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)

CSE [PK]

2462MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.924G	-78.50	-21.20	-57.30	4.79	-83.29	-	-83.29
1G	25G	1M	PK	22.126G	-73.66	-21.20	-52.46	4.79	-78.45	-	-78.45

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port2)

CSE [AV]

2462MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.924G	-84.59	-41.20	-43.39	4.79	-89.38	-	-89.38
1G	25G	1M	AV	19G	-82.64	-41.20	-41.44	4.79	-87.43	-	-87.43

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX(Port2)

CSE [PK]

2437MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.876G	-78.68	-21.20	-57.48	4.79	-83.47	-	-83.47
1G	25G	1M	PK	22.759G	-74.02	-21.20	-52.82	4.79	-78.81	-	-78.81

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX(Port2)

CSE [AV]

2437MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.873G	-86.76	-41.20	-45.56	4.79	-91.55	-	-91.55
1G	25G	1M	AV	22.078G	-82.95	-41.20	-41.75	4.79	-87.74	-	-87.74

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

CSE [PK]

2412MHz

25/01/2025



Limit:PK
ERP:PK
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.822G	-78.68	-21.20	-57.48	4.79	-83.47	-	-83.47
1G	25G	1M	PK	22.165G	-74.21	-21.20	-53.01	4.79	-79.00	-	-79.00

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

CSE [AV]

2412MHz

25/01/2025



Limit:AV
ERP:AV
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.837G	-86.79	-41.20	-45.59	4.79	-91.58	-	-91.58
1G	25G	1M	AV	18.967G	-83.04	-41.20	-41.84	4.79	-87.83	-	-87.83



CSE-Harmonics (Restricted Band)_Non-Beamforming Radio 1_2T1S

Appendix F.20

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	1G	25G	AV	19.042G	4.79	-78.11	-77.75	-74.92	-70.13	-41.20	-28.93
802.11g_Nss1,(6Mbps)_2TX	Pass	1G	25G	AV	18.964G	4.79	-78.46	-77.53	-74.96	-70.17	-41.20	-28.97
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	1G	25G	AV	7.384G	4.79	-84.91	-60.12	-60.11	-55.32	-41.20	-14.12

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.79	-79.42	-80.77	-77.03	-72.24	-41.20	-31.04
2412MHz	Pass	1G	25G	AV	19.015G	4.79	-78.39	-77.74	-75.04	-70.25	-41.20	-29.05
2412MHz	Pass	1G	25G	PK	4.822G	4.79	-74.73	-73.25	-70.92	-66.13	-21.20	-44.93
2412MHz	Pass	1G	25G	PK	22.201G	4.79	-69.68	-69.50	-66.58	-61.79	-21.20	-40.59
2437MHz	Pass	1G	25G	AV	4.873G	4.79	-80.90	-78.20	-76.33	-71.54	-41.20	-30.34
2437MHz	Pass	1G	25G	AV	19.042G	4.79	-78.11	-77.75	-74.92	-70.13	-41.20	-28.93
2437MHz	Pass	1G	25G	PK	4.873G	4.79	-74.14	-72.12	-70.00	-65.21	-21.20	-44.01
2437MHz	Pass	1G	25G	PK	22.669G	4.79	-69.40	-70.89	-67.07	-62.28	-21.20	-41.08
2462MHz	Pass	1G	25G	AV	4.924G	4.79	-78.64	-79.49	-76.03	-71.24	-41.20	-30.04
2462MHz	Pass	1G	25G	AV	22.033G	4.79	-77.57	-78.43	-74.97	-70.18	-41.20	-28.98
2462MHz	Pass	1G	25G	PK	4.924G	4.79	-72.40	-72.63	-69.50	-64.71	-21.20	-43.51
2462MHz	Pass	1G	25G	PK	18.973G	4.79	-69.96	-70.07	-67.00	-62.21	-21.20	-41.01
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.825G	4.79	-81.62	-82.16	-78.87	-74.08	-41.20	-32.88
2412MHz	Pass	1G	25G	AV	18.964G	4.79	-78.46	-77.53	-74.96	-70.17	-41.20	-28.97
2412MHz	Pass	1G	25G	PK	4.837G	4.79	-75.26	-74.07	-71.61	-66.82	-21.20	-45.62
2412MHz	Pass	1G	25G	PK	18.955G	4.79	-72.18	-68.48	-66.94	-62.15	-21.20	-40.95
2437MHz	Pass	1G	25G	AV	4.87G	4.79	-81.18	-81.53	-78.34	-73.55	-41.20	-32.35
2437MHz	Pass	1G	25G	AV	22.168G	4.79	-77.60	-78.55	-75.04	-70.25	-41.20	-29.05
2437MHz	Pass	1G	25G	PK	4.876G	4.79	-73.91	-75.78	-71.73	-66.94	-21.20	-45.74
2437MHz	Pass	1G	25G	PK	19.105G	4.79	-69.39	-70.62	-66.95	-62.16	-21.20	-40.96
2462MHz	Pass	1G	25G	AV	4.924G	4.79	-81.02	-81.08	-78.04	-73.25	-41.20	-32.05
2462MHz	Pass	1G	25G	AV	22.018G	4.79	-78.28	-78.03	-75.14	-70.35	-41.20	-29.15
2462MHz	Pass	1G	25G	PK	4.924G	4.79	-74.61	-73.57	-71.05	-66.26	-21.20	-45.06
2462MHz	Pass	1G	25G	PK	19.03G	4.79	-70.51	-69.53	-66.98	-62.19	-21.20	-40.99
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.843G	4.79	-81.79	-81.85	-78.81	-74.02	-41.20	-32.82
2412MHz	Pass	1G	25G	AV	22.123G	4.79	-78.35	-77.86	-75.09	-70.30	-41.20	-29.10
2412MHz	Pass	1G	25G	PK	4.825G	4.79	-74.42	-74.10	-71.25	-66.46	-21.20	-45.26
2412MHz	Pass	1G	25G	PK	19G	4.79	-71.42	-68.00	-66.37	-61.58	-21.20	-40.38
2437MHz	Pass	1G	25G	AV	4.876G	4.79	-82.05	-81.11	-78.54	-73.75	-41.20	-32.55
2437MHz	Pass	1G	25G	AV	22.15G	4.79	-77.53	-78.26	-74.87	-70.08	-41.20	-28.88
2437MHz	Pass	1G	25G	PK	4.876G	4.79	-73.45	-73.27	-70.35	-65.56	-21.20	-44.36
2437MHz	Pass	1G	25G	PK	19.018G	4.79	-70.63	-70.05	-67.32	-62.53	-21.20	-41.33
2462MHz	Pass	1G	25G	AV	4.918G	4.79	-81.36	-69.01	-68.76	-63.97	-41.20	-22.77
2462MHz	Pass	1G	25G	AV	7.384G	4.79	-84.91	-60.12	-60.11	-55.32	-41.20	-14.12
2462MHz	Pass	1G	25G	PK	4.942G	4.79	-75.46	-73.29	-71.23	-66.44	-21.20	-45.24
2462MHz	Pass	1G	25G	PK	18.958G	4.79	-70.47	-69.54	-66.97	-62.18	-21.20	-40.98


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2437MHz

19/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.873G	-65.21	-21.20	-44.01	4.79	-70.00	-74.14	-72.12
1G	25G	1M	PK	22.669G	-62.28	-21.20	-41.08	4.79	-67.07	-69.40	-70.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2437MHz

19/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.873G	-71.54	-41.20	-30.34	4.79	-76.33	-80.90	-78.20
1G	25G	1M	AV	19.042G	-70.13	-41.20	-28.93	4.79	-74.92	-78.11	-77.75

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2412MHz

19/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.837G	-66.82	-21.20	-45.62	4.79	-71.61	-75.26	-74.07
1G	25G	1M	PK	18.955G	-62.15	-21.20	-40.95	4.79	-66.94	-72.18	-68.48

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2412MHz

19/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.825G	-74.08	-41.20	-32.88	4.79	-78.87	-81.62	-82.16
1G	25G	1M	AV	18.964G	-70.17	-41.20	-28.97	4.79	-74.96	-78.46	-77.53

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2462MHz

19/03/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.942G	-66.44	-21.20	-45.24	4.79	-71.23	-75.46	-73.29
1G	25G	1M	PK	18.958G	-62.18	-21.20	-40.98	4.79	-66.97	-70.47	-69.54

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2462MHz

19/03/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.918G	-63.97	-41.20	-22.77	4.79	-68.76	-81.36	-69.01
1G	25G	1M	AV	7.384G	-55.32	-41.20	-14.12	4.79	-60.11	-84.91	-60.12



CSE-Harmonics (Restricted Band) _Non-Beamforming _Radio 3_1T1S

Appendix F.21

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port3)	Pass	1G	25G	AV	18.841G	3.83	-77.14	-77.14	-73.31	-41.20	-32.11
802.11g_Nss1,(6Mbps)_1TX(Port3)	Pass	1G	25G	AV	19.03G	3.83	-77.48	-77.48	-73.65	-41.20	-32.45
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	25G	AV	22.102G	3.83	-77.52	-77.52	-73.69	-41.20	-32.49

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	3.83	-77.56	-77.56	-73.73	-41.20	-32.53
2412MHz	Pass	1G	25G	PK	4.828G	3.83	-73.35	-73.35	-69.52	-21.20	-48.32
2412MHz	Pass	1G	25G	PK	19.075G	3.83	-68.84	-68.84	-65.01	-21.20	-43.81
2437MHz	Pass	1G	25G	AV	4.873G	3.83	-81.40	-81.40	-77.57	-41.20	-36.37
2437MHz	Pass	1G	25G	AV	22.054G	3.83	-77.80	-77.80	-73.97	-41.20	-32.77
2437MHz	Pass	1G	25G	PK	4.891G	3.83	-74.29	-74.29	-70.46	-21.20	-49.26
2437MHz	Pass	1G	25G	PK	22.216G	3.83	-69.32	-69.32	-65.49	-21.20	-44.29
2462MHz	Pass	1G	25G	AV	4.909G	3.83	-81.62	-81.62	-77.79	-41.20	-36.59
2462MHz	Pass	1G	25G	AV	18.841G	3.83	-77.14	-77.14	-73.31	-41.20	-32.11
2462MHz	Pass	1G	25G	PK	4.921G	3.83	-72.41	-72.41	-68.58	-21.20	-47.38
2462MHz	Pass	1G	25G	PK	22.105G	3.83	-69.02	-69.02	-65.19	-21.20	-43.99
802.11g_Nss1,(6Mbps)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.828G	3.83	-79.98	-79.98	-76.15	-41.20	-34.95
2412MHz	Pass	1G	25G	AV	19.03G	3.83	-77.48	-77.48	-73.65	-41.20	-32.45
2412MHz	Pass	1G	25G	PK	4.828G	3.83	-72.56	-72.56	-68.73	-21.20	-47.53
2412MHz	Pass	1G	25G	PK	22.522G	3.83	-68.88	-68.88	-65.05	-21.20	-43.85
2437MHz	Pass	1G	25G	AV	4.885G	3.83	-81.31	-81.31	-77.48	-41.20	-36.28
2437MHz	Pass	1G	25G	AV	18.997G	3.83	-77.63	-77.63	-73.80	-41.20	-32.60
2437MHz	Pass	1G	25G	PK	4.882G	3.83	-73.29	-73.29	-69.46	-21.20	-48.26
2437MHz	Pass	1G	25G	PK	19.099G	3.83	-69.20	-69.20	-65.37	-21.20	-44.17
2462MHz	Pass	1G	25G	AV	4.936G	3.83	-81.43	-81.43	-77.60	-41.20	-36.40
2462MHz	Pass	1G	25G	AV	18.877G	3.83	-77.81	-77.81	-73.98	-41.20	-32.78
2462MHz	Pass	1G	25G	PK	4.915G	3.83	-72.45	-72.45	-68.62	-21.20	-47.42
2462MHz	Pass	1G	25G	PK	19.021G	3.83	-69.20	-69.20	-65.37	-21.20	-44.17
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.828G	3.83	-80.07	-80.07	-76.24	-41.20	-35.04
2412MHz	Pass	1G	25G	AV	22.102G	3.83	-77.52	-77.52	-73.69	-41.20	-32.49
2412MHz	Pass	1G	25G	PK	4.84G	3.83	-73.61	-73.61	-69.78	-21.20	-48.58
2412MHz	Pass	1G	25G	PK	18.904G	3.83	-69.27	-69.27	-65.44	-21.20	-44.24
2437MHz	Pass	1G	25G	AV	4.891G	3.83	-81.85	-81.85	-78.02	-41.20	-36.82
2437MHz	Pass	1G	25G	AV	19.045G	3.83	-77.70	-77.70	-73.87	-41.20	-32.67
2437MHz	Pass	1G	25G	PK	4.864G	3.83	-73.68	-73.68	-69.85	-21.20	-48.65
2437MHz	Pass	1G	25G	PK	18.865G	3.83	-69.18	-69.18	-65.35	-21.20	-44.15
2462MHz	Pass	1G	25G	AV	4.942G	3.83	-81.55	-81.55	-77.72	-41.20	-36.52
2462MHz	Pass	1G	25G	AV	18.949G	3.83	-77.74	-77.74	-73.91	-41.20	-32.71
2462MHz	Pass	1G	25G	PK	4.909G	3.83	-72.41	-72.41	-68.58	-21.20	-47.38
2462MHz	Pass	1G	25G	PK	22.138G	3.83	-69.06	-69.06	-65.23	-21.20	-44.03


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port3)

CSE [PK]

2462MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	PK	4.921G	-68.58	-21.20	-47.38	3.83	-72.41	-	-	-72.41
1G	25G	1M	PK	22.105G	-65.19	-21.20	-43.99	3.83	-69.02	-	-	-69.02

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port3)

CSE [AV]

2462MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	AV	4.909G	-77.79	-41.20	-36.59	3.83	-81.62	-	-	-81.62
1G	25G	1M	AV	18.841G	-73.31	-41.20	-32.11	3.83	-77.14	-	-	-77.14

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX(Port3)

CSE [PK]

2412MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	PK	4.828G	-68.73	-21.20	-47.53	3.83	-72.56	-	-	-72.56
1G	25G	1M	PK	22.522G	-65.05	-21.20	-43.85	3.83	-68.88	-	-	-68.88

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX(Port3)

CSE [AV]

2412MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	AV	4.828G	-76.15	-41.20	-34.95	3.83	-79.98	-	-	-79.98
1G	25G	1M	AV	19.03G	-73.65	-41.20	-32.45	3.83	-77.48	-	-	-77.48

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

2412MHz

13/03/2025



Limit:PK
ERP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	PK	4.84G	-69.78	-21.20	-48.58	3.83	-73.61	-	-	-73.61
1G	25G	1M	PK	18.904G	-65.44	-21.20	-44.24	3.83	-69.27	-	-	-69.27

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

2412MHz

13/03/2025



Limit:AV
ERP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	25G	1M	AV	4.828G	-76.24	-41.20	-35.04	3.83	-80.07	-	-	-80.07
1G	25G	1M	AV	22.102G	-73.69	-41.20	-32.49	3.83	-77.52	-	-	-77.52



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX(Port3&Port4)	Pass	1G	25G	AV	22.063G	4.97	-77.87	-77.78	-74.81	-69.84	-41.20	-28.64
802.11g_Nss1,(6Mbps)_2TX(Port3&Port4)	Pass	1G	25G	AV	22.102G	4.97	-77.63	-78.14	-74.87	-69.90	-41.20	-28.70
802.11be EHT20_Nss1,(MCS0)_2TX(Port3&Port4)	Pass	1G	25G	AV	22.177G	4.97	-77.59	-78.08	-74.82	-69.85	-41.20	-28.65

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_2TX(Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.97	-76.95	-82.32	-75.84	-70.87	-41.20	-29.67
2412MHz	Pass	1G	25G	AV	22.063G	4.97	-77.87	-77.78	-74.81	-69.84	-41.20	-28.64
2412MHz	Pass	1G	25G	PK	4.84G	4.97	-75.32	-73.64	-71.39	-66.42	-21.20	-45.22
2412MHz	Pass	1G	25G	PK	19.015G	4.97	-68.41	-71.76	-66.76	-61.79	-21.20	-40.59
2437MHz	Pass	1G	25G	AV	4.873G	4.97	-81.52	-81.29	-78.39	-73.42	-41.20	-32.22
2437MHz	Pass	1G	25G	AV	18.853G	4.97	-78.09	-77.82	-74.94	-69.97	-41.20	-28.77
2437MHz	Pass	1G	25G	PK	4.879G	4.97	-74.67	-73.79	-71.20	-66.23	-21.20	-45.03
2437MHz	Pass	1G	25G	PK	22.144G	4.97	-68.54	-72.04	-66.94	-61.97	-21.20	-40.77
2462MHz	Pass	1G	25G	AV	4.939G	4.97	-81.76	-81.27	-78.50	-73.53	-41.20	-32.33
2462MHz	Pass	1G	25G	AV	22.177G	4.97	-78.42	-77.45	-74.90	-69.93	-41.20	-28.73
2462MHz	Pass	1G	25G	PK	4.915G	4.97	-73.54	-71.82	-69.59	-64.62	-21.20	-43.42
2462MHz	Pass	1G	25G	PK	22.153G	4.97	-71.62	-69.16	-67.21	-62.24	-21.20	-41.04
802.11g_Nss1,(6Mbps)_2TX(Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.828G	4.97	-80.27	-82.30	-78.16	-73.19	-41.20	-31.99
2412MHz	Pass	1G	25G	AV	18.928G	4.97	-78.05	-78.11	-75.07	-70.10	-41.20	-28.90
2412MHz	Pass	1G	25G	PK	4.831G	4.97	-73.49	-75.28	-71.28	-66.31	-21.20	-45.11
2412MHz	Pass	1G	25G	PK	22.759G	4.97	-69.72	-70.41	-67.04	-62.07	-21.20	-40.87
2437MHz	Pass	1G	25G	AV	4.888G	4.97	-82.23	-81.04	-78.58	-73.61	-41.20	-32.41
2437MHz	Pass	1G	25G	AV	22.012G	4.97	-77.86	-78.05	-74.94	-69.97	-41.20	-28.77
2437MHz	Pass	1G	25G	PK	4.855G	4.97	-75.09	-74.78	-71.92	-66.95	-21.20	-45.75
2437MHz	Pass	1G	25G	PK	18.901G	4.97	-68.89	-71.01	-66.81	-61.84	-21.20	-40.64
2462MHz	Pass	1G	25G	AV	4.933G	4.97	-81.21	-81.60	-78.39	-73.42	-41.20	-32.22
2462MHz	Pass	1G	25G	AV	22.102G	4.97	-77.63	-78.14	-74.87	-69.90	-41.20	-28.70
2462MHz	Pass	1G	25G	PK	4.933G	4.97	-75.37	-74.27	-71.77	-66.80	-21.20	-45.60
2462MHz	Pass	1G	25G	PK	22.51G	4.97	-71.06	-68.99	-66.89	-61.92	-21.20	-40.72
802.11be EHT20_Nss1,(MCS0)_2TX(Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.831G	4.97	-80.48	-82.01	-78.17	-73.20	-41.20	-32.00
2412MHz	Pass	1G	25G	AV	22.177G	4.97	-77.59	-78.08	-74.82	-69.85	-41.20	-28.65
2412MHz	Pass	1G	25G	PK	4.831G	4.97	-72.89	-75.28	-70.91	-65.94	-21.20	-44.74
2412MHz	Pass	1G	25G	PK	19.327G	4.97	-69.14	-71.39	-67.11	-62.14	-21.20	-40.94
2437MHz	Pass	1G	25G	AV	4.861G	4.97	-81.96	-81.72	-78.83	-73.86	-41.20	-32.66
2437MHz	Pass	1G	25G	AV	22.018G	4.97	-78.06	-77.97	-75.00	-70.03	-41.20	-28.83
2437MHz	Pass	1G	25G	PK	4.858G	4.97	-74.62	-73.34	-70.92	-65.95	-21.20	-44.75
2437MHz	Pass	1G	25G	PK	18.889G	4.97	-70.32	-68.77	-66.47	-61.50	-21.20	-40.30
2462MHz	Pass	1G	25G	AV	4.942G	4.97	-81.13	-81.58	-78.34	-73.37	-41.20	-32.17
2462MHz	Pass	1G	25G	AV	22.105G	4.97	-78.49	-77.70	-75.07	-70.10	-41.20	-28.90
2462MHz	Pass	1G	25G	PK	4.924G	4.97	-75.06	-74.76	-71.90	-66.93	-21.20	-45.73
2462MHz	Pass	1G	25G	PK	19.012G	4.97	-68.65	-71.51	-66.84	-61.87	-21.20	-40.67


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX(Port3&Port4)

CSE [PK]

2412MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	4.84G	-66.42	-21.20	-45.22	4.97	-71.39	-	-	-75.32	-73.64
1G	25G	1M	PK	19.015G	-61.79	-21.20	-40.59	4.97	-66.76	-	-	-68.41	-71.76

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX(Port3&Port4)

CSE [AV]

2412MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	4.822G	-70.87	-41.20	-29.67	4.97	-75.84	-	-	-76.95	-82.32
1G	25G	1M	AV	22.063G	-69.84	-41.20	-28.64	4.97	-74.81	-	-	-77.87	-77.78

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX(Port3&Port4)

CSE [PK]

2462MHz

13/03/2025



Limit.PK
EIRP.PK
Sum.PK
Port 3
Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	4.933G	-66.80	-21.20	-45.60	4.97	-71.77	-	-	-75.37	-74.27
1G	25G	1M	PK	22.51G	-61.92	-21.20	-40.72	4.97	-66.89	-	-	-71.06	-68.99

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX(Port3&Port4)

CSE [AV]

2462MHz

13/03/2025



Limit.AV
EIRP.AV
Sum.AV
Port 3
Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	4.933G	-73.42	-41.20	-32.22	4.97	-78.39	-	-	-81.21	-81.60
1G	25G	1M	AV	22.102G	-69.90	-41.20	-28.70	4.97	-74.87	-	-	-77.63	-78.14

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port3&Port4)

CSE [PK]

2412MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	4.831G	-65.94	-21.20	-44.74	4.97	-70.91	-	-	-72.89	-75.28
1G	25G	1M	PK	19.327G	-62.14	-21.20	-40.94	4.97	-67.11	-	-	-69.14	-71.39

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port3&Port4)

CSE [AV]

2412MHz

13/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	4.831G	-73.20	-41.20	-32.00	4.97	-78.17	-	-	-80.48	-82.01
1G	25G	1M	AV	22.177G	-69.85	-41.20	-28.65	4.97	-74.82	-	-	-77.59	-78.08



CSE-Harmonics (Restricted Band)_Non-Beamforming Radio 3_4T1S

Appendix F.23

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	1G	25G	AV	7.306G	6.95	-65.70	-64.89	-64.10	-63.85	-58.56	-51.61	-41.20	-10.41
802.11g_Nss1,(6Mbps)_4TX	Pass	1G	25G	AV	2.389G	6.95	-65.30	-61.19	-67.41	-66.20	-58.31	-51.36	-41.20	-10.16
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	25G	AV	2.389G	6.95	-62.51	-61.97	-64.92	-63.69	-57.11	-50.16	-41.20	-8.96

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	2.386G	6.95	-68.55	-65.47	-69.04	-68.78	-61.67	-54.72	-41.20	-13.52
2412MHz	Pass	1G	25G	AV	4.822G	6.95	-80.39	-80.62	-77.97	-77.35	-72.83	-65.88	-41.20	-24.68
2412MHz	Pass	1G	25G	PK	2.386G	6.95	-62.48	-59.93	-62.32	-62.48	-55.63	-48.68	-21.20	-27.48
2412MHz	Pass	1G	25G	PK	4.822G	6.95	-75.36	-74.94	-73.44	-71.52	-67.52	-60.57	-21.20	-39.37
2437MHz	Pass	1G	25G	AV	4.873G	6.95	-73.21	-72.55	-74.20	-73.07	-67.20	-60.25	-41.20	-19.05
2437MHz	Pass	1G	25G	AV	7.306G	6.95	-65.70	-64.89	-64.10	-63.85	-58.56	-51.61	-41.20	-10.41
2437MHz	Pass	1G	25G	PK	4.873G	6.95	-70.73	-70.27	-71.07	-71.93	-64.94	-57.99	-21.20	-36.79
2437MHz	Pass	1G	25G	PK	7.309G	6.95	-62.32	-61.62	-61.23	-61.10	-55.52	-48.57	-21.20	-27.37
2462MHz	Pass	1G	25G	AV	4.924G	6.95	-66.43	-64.21	-66.03	-66.41	-59.65	-52.70	-41.20	-11.50
2462MHz	Pass	1G	25G	PK	4.924G	6.95	-64.14	-63.19	-64.14	-64.82	-58.01	-51.06	-21.20	-29.86
2462MHz	Pass	1G	25G	PK	7.381G	6.95	-67.47	-65.84	-69.85	-60.73	-56.34	-49.39	-21.20	-28.19
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	2.389G	6.95	-63.30	-61.19	-67.41	-66.20	-58.31	-51.36	-41.20	-10.16
2412MHz	Pass	1G	25G	AV	4.828G	6.95	-81.99	-81.44	-79.20	-82.02	-74.98	-68.03	-41.20	-26.83
2412MHz	Pass	1G	25G	PK	2.389G	6.95	-57.95	-52.26	-60.15	-58.89	-50.09	-43.14	-21.20	-21.94
2412MHz	Pass	1G	25G	PK	4.834G	6.95	-74.96	-75.38	-72.92	-71.50	-67.38	-60.43	-21.20	-39.23
2417MHz	Pass	1G	25G	AV	4.828G	6.95	-81.88	-81.07	-80.26	-82.40	-75.31	-68.36	-41.20	-27.16
2417MHz	Pass	1G	25G	AV	22.132G	6.95	-77.83	-77.83	-78.07	-78.41	-72.01	-65.06	-41.20	-23.86
2417MHz	Pass	1G	25G	PK	4.846G	6.95	-74.09	-74.39	-74.84	-74.09	-68.32	-61.37	-21.20	-40.17
2417MHz	Pass	1G	25G	PK	22.126G	6.95	-70.13	-71.33	-69.48	-70.86	-64.37	-57.42	-21.20	-36.22
2437MHz	Pass	1G	25G	AV	4.876G	6.95	-80.73	-80.11	-79.65	-80.08	-74.11	-67.16	-41.20	-25.96
2437MHz	Pass	1G	25G	AV	7.306G	6.95	-68.69	-68.26	-67.31	-66.95	-61.73	-54.78	-41.20	-13.58
2437MHz	Pass	1G	25G	PK	4.876G	6.95	-73.25	-71.81	-71.95	-74.11	-66.66	-59.71	-21.20	-38.51
2437MHz	Pass	1G	25G	PK	7.3G	6.95	-64.88	-64.41	-57.31	-58.56	-54.05	-47.10	-21.20	-25.90
2457MHz	Pass	1G	25G	AV	4.909G	6.95	-80.95	-81.56	-81.99	-81.96	-75.57	-68.62	-41.20	-27.42
2457MHz	Pass	1G	25G	AV	22.09G	6.95	-77.21	-78.35	-78.06	-78.06	-71.88	-64.93	-41.20	-23.73
2457MHz	Pass	1G	25G	PK	4.897G	6.95	-73.36	-75.98	-74.13	-73.80	-68.19	-61.24	-21.20	-40.04
2457MHz	Pass	1G	25G	PK	22.168G	6.95	-70.95	-71.90	-72.30	-69.01	-64.82	-57.87	-21.20	-36.67
2462MHz	Pass	1G	25G	AV	2.494G	6.95	-68.14	-68.42	-69.49	-71.21	-63.43	-56.48	-41.20	-15.28
2462MHz	Pass	1G	25G	AV	4.924G	6.95	-75.40	-74.96	-76.15	-76.15	-69.61	-62.66	-41.20	-21.46
2462MHz	Pass	1G	25G	PK	2.494G	6.95	-60.97	-61.04	-64.17	-64.00	-56.26	-49.31	-21.20	-28.11
2462MHz	Pass	1G	25G	PK	4.927G	6.95	-67.56	-68.57	-67.64	-70.91	-62.46	-55.51	-21.20	-34.31
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	2.389G	6.95	-62.51	-61.97	-64.92	-63.69	-57.11	-50.16	-41.20	-8.96
2412MHz	Pass	1G	25G	AV	4.828G	6.95	-81.30	-81.87	-80.10	-81.46	-75.11	-68.16	-41.20	-26.96
2412MHz	Pass	1G	25G	PK	2.386G	6.95	-57.34	-53.28	-58.48	-57.71	-50.15	-43.20	-21.20	-22.00
2412MHz	Pass	1G	25G	PK	4.807G	6.95	-75.87	-74.56	-74.46	-74.22	-68.71	-61.76	-21.20	-40.56
2417MHz	Pass	1G	25G	AV	4.828G	6.95	-81.55	-81.88	-80.67	-82.37	-75.55	-68.60	-41.20	-27.40
2417MHz	Pass	1G	25G	AV	22.03G	6.95	-77.74	-78.07	-77.86	-78.23	-71.95	-65.00	-41.20	-23.80
2417MHz	Pass	1G	25G	PK	4.828G	6.95	-75.92	-77.15	-71.75	-75.30	-68.50	-61.55	-21.20	-40.35
2417MHz	Pass	1G	25G	PK	22.156G	6.95	-69.40	-70.89	-71.06	-69.65	-64.17	-57.22	-21.20	-36.02
2437MHz	Pass	1G	25G	AV	4.873G	6.95	-80.14	-79.92	-80.66	-79.82	-74.10	-67.15	-41.20	-25.95
2437MHz	Pass	1G	25G	AV	7.306G	6.95	-69.57	-69.51	-67.64	-67.17	-62.32	-55.37	-41.20	-14.17
2437MHz	Pass	1G	25G	PK	4.873G	6.95	-74.13	-73.32	-72.62	-72.23	-67.00	-60.05	-21.20	-38.85
2437MHz	Pass	1G	25G	PK	7.309G	6.95	-63.44	-61.84	-60.73	-61.66	-55.79	-48.84	-21.20	-27.64
2457MHz	Pass	1G	25G	AV	4.933G	6.95	-81.67	-81.33	-81.45	-81.88	-75.56	-68.61	-41.20	-27.41
2457MHz	Pass	1G	25G	AV	22.066G	6.95	-78.09	-78.74	-77.88	-77.44	-71.99	-65.04	-41.20	-23.84
2457MHz	Pass	1G	25G	PK	4.93G	6.95	-75.74	-75.78	-75.46	-72.13	-68.45	-61.50	-21.20	-40.30
2457MHz	Pass	1G	25G	PK	22.012G	6.95	-71.13	-69.65	-70.48	-71.49	-64.61	-57.66	-21.20	-36.46
2462MHz	Pass	1G	25G	AV	2.494G	6.95	-70.39	-70.07	-69.72	-70.94	-64.24	-57.29	-41.20	-16.09
2462MHz	Pass	1G	25G	AV	4.927G	6.95	-78.54	-78.20	-78.52	-78.52	-72.42	-65.47	-41.20	-24.27
2462MHz	Pass	1G	25G	PK	2.494G	6.95	-64.20	-63.01	-63.72	-65.15	-57.93	-50.98	-21.20	-29.78
2462MHz	Pass	1G	25G	PK	4.927G	6.95	-72.72	-67.78	-70.52	-71.88	-64.27	-57.32	-21.20	-36.12


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2437MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	4.873G	-57.99	-21.20	-36.79	6.95	-64.94	-70.73	-70.27	-71.07	-71.93
1G	25G	1M	PK	7.309G	-48.57	-21.20	-27.37	6.95	-55.52	-62.32	-61.62	-61.23	-61.10

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2437MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	4.873G	-60.25	-41.20	-19.05	6.95	-67.20	-73.21	-72.55	-74.20	-73.07
1G	25G	1M	AV	7.306G	-51.61	-41.20	-10.41	6.95	-58.56	-65.70	-64.89	-64.10	-63.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2412MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	2.389G	-43.14	-21.20	-21.94	6.95	-50.09	-57.95	-52.26	-60.15	-58.89
1G	25G	1M	PK	4.834G	-60.43	-21.20	-39.23	6.95	-67.38	-74.96	-75.38	-72.92	-71.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2412MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	2.389G	-51.36	-41.20	-10.16	6.95	-58.31	-65.30	-61.19	-67.41	-66.20
1G	25G	1M	AV	4.828G	-68.03	-41.20	-26.83	6.95	-74.98	-81.99	-81.44	-79.20	-82.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2412MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	PK	2.386G	-43.20	-21.20	-22.00	6.95	-50.15	-57.34	-53.28	-58.43	-57.71
1G	25G	1M	PK	4.807G	-61.76	-21.20	-40.56	6.95	-68.71	-75.87	-74.56	-74.46	-74.22

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2412MHz

25/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	25G	1M	AV	2.389G	-50.16	-41.20	-8.96	6.95	-57.11	-62.51	-61.97	-64.92	-63.69
1G	25G	1M	AV	4.828G	-68.16	-41.20	-26.96	6.95	-75.11	-81.30	-81.87	-80.10	-81.46



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	1G	25G	AV	4.873G	4.72	-55.05	-55.05	-50.33	-41.20	-9.13
802.11g_Nss1,(6Mbps)_1TX	Pass	1G	25G	AV	4.873G	4.72	-65.33	-65.33	-60.61	-41.20	-19.41
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	25G	AV	4.873G	4.72	-66.09	-66.09	-61.37	-41.20	-20.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.72	-57.33	-57.33	-52.61	-41.20	-11.41
2412MHz	Pass	1G	25G	PK	4.822G	4.72	-55.96	-55.96	-51.24	-21.20	-30.04
2437MHz	Pass	1G	25G	AV	4.873G	4.72	-55.05	-55.05	-50.33	-41.20	-9.13
2437MHz	Pass	1G	25G	PK	4.873G	4.72	-53.85	-53.85	-49.13	-21.20	-27.93
2462MHz	Pass	1G	25G	AV	4.924G	4.72	-56.77	-56.77	-52.05	-41.20	-10.85
2462MHz	Pass	1G	25G	PK	4.924G	4.72	-55.57	-55.57	-50.85	-21.20	-29.65
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.72	-66.90	-66.90	-62.18	-41.20	-20.98
2412MHz	Pass	1G	25G	PK	4.822G	4.72	-60.32	-60.32	-55.60	-21.20	-34.40
2437MHz	Pass	1G	25G	AV	4.873G	4.72	-65.33	-65.33	-60.61	-41.20	-19.41
2437MHz	Pass	1G	25G	PK	4.87G	4.72	-58.61	-58.61	-53.89	-21.20	-32.69
2457MHz	Pass	1G	25G	AV	4.912G	4.72	-66.56	-66.56	-61.84	-41.20	-20.64
2457MHz	Pass	1G	25G	PK	4.909G	4.72	-58.36	-58.36	-53.64	-21.20	-32.44
2462MHz	Pass	1G	25G	AV	4.924G	4.72	-70.51	-70.51	-65.79	-41.20	-24.59
2462MHz	Pass	1G	25G	PK	4.915G	4.72	-64.14	-64.14	-59.42	-21.20	-38.22
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.822G	4.72	-70.78	-70.78	-66.06	-41.20	-24.86
2412MHz	Pass	1G	25G	PK	4.813G	4.72	-61.42	-61.42	-56.70	-21.20	-35.50
2417MHz	Pass	1G	25G	AV	4.834G	4.72	-67.69	-67.69	-62.97	-41.20	-21.77
2417MHz	Pass	1G	25G	PK	4.828G	4.72	-59.30	-59.30	-54.58	-21.20	-33.38
2437MHz	Pass	1G	25G	AV	4.873G	4.72	-66.09	-66.09	-61.37	-41.20	-20.17
2437MHz	Pass	1G	25G	PK	4.873G	4.72	-58.83	-58.83	-54.11	-21.20	-32.91
2457MHz	Pass	1G	25G	AV	4.912G	4.72	-68.02	-68.02	-63.30	-41.20	-22.10
2457MHz	Pass	1G	25G	PK	4.915G	4.72	-58.49	-58.49	-53.77	-21.20	-32.57
2462MHz	Pass	1G	25G	AV	4.924G	4.72	-72.54	-72.54	-67.82	-41.20	-26.62
2462MHz	Pass	1G	25G	PK	4.924G	4.72	-63.53	-63.53	-58.81	-21.20	-37.61


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [PK]

2437MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	PK	4.873G	-49.13	-21.20	-27.93	4.72	-53.85	-53.85

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [AV]

2437MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	AV	4.873G	-50.33	-41.20	-9.13	4.72	-55.05	-55.05

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2437MHz

26/01/2025



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	PK	4.87G	-53.89	-21.20	-32.69	4.72	-58.61	-58.61

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2437MHz

26/01/2025



Limit.AV
EIRP.AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	AV	4.873G	-60.61	-19.41	-19.41	4.72	-65.33	-65.33

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz

26/01/2025



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	PK	4.873G	-54.11	-21.20	-32.91	4.72	-58.83	-58.83

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz

26/01/2025



Limit.AV
EIRP.AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	25G	1M	AV	4.873G	-61.37	-41.20	-20.17	4.72	-66.09	-66.09


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	Horizontal
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	Horizontal
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	Horizontal
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	3.03646G	30.80	68.20	-37.40	3	Vertical	44	1.81
Mode 1	Pass	AV	6.48588G	38.63	68.20	-29.57	3	Vertical	339	2.39
Mode 1	Pass	AV	8.35258G	40.76	54.00	-13.24	3	Vertical	124	1.50
Mode 1	Pass	PK	3.02062G	42.77	88.20	-45.43	3	Vertical	44	1.81
Mode 1	Pass	PK	6.49104G	56.59	88.20	-31.61	3	Vertical	339	2.39
Mode 1	Pass	PK	8.34964G	53.12	74.00	-20.88	3	Vertical	124	1.50
Mode 1	Pass	AV	3.03342G	31.21	68.20	-36.99	3	Horizontal	51	1.50
Mode 1	Pass	AV	4.85898G	34.05	54.00	-19.95	3	Horizontal	324	1.50
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	3	Horizontal	145	2.24
Mode 1	Pass	PK	3.04764G	43.01	88.20	-45.19	3	Horizontal	51	1.50
Mode 1	Pass	PK	4.87044G	45.66	74.00	-28.34	3	Horizontal	324	1.50
Mode 1	Pass	PK	9.3358G	55.15	74.00	-18.85	3	Horizontal	145	2.24
Mode 2	Pass	AV	2.10628G	27.41	68.20	-40.79	3	Vertical	66	1.50
Mode 2	Pass	AV	4.33588G	32.81	54.00	-21.19	3	Vertical	306	1.50
Mode 2	Pass	AV	7.91632G	40.70	68.20	-27.50	3	Vertical	217	1.50
Mode 2	Pass	PK	2.11672G	39.13	88.20	-49.07	3	Vertical	66	1.50
Mode 2	Pass	PK	4.33732G	45.03	74.00	-28.97	3	Vertical	306	1.50
Mode 2	Pass	PK	7.93252G	52.92	88.20	-35.28	3	Vertical	217	1.50
Mode 2	Pass	AV	3.03832G	30.60	68.20	-37.60	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	3	Horizontal	310	1.50
Mode 2	Pass	AV	8.78496G	42.03	68.20	-26.17	3	Horizontal	354	1.50
Mode 2	Pass	PK	3.03418G	42.27	88.20	-45.93	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.80348G	45.17	74.00	-28.83	3	Horizontal	310	1.50
Mode 2	Pass	PK	8.78532G	53.82	88.20	-34.38	3	Horizontal	354	1.50
Mode 3	Pass	AV	3.02454G	30.10	68.20	-38.10	3	Vertical	21	1.05
Mode 3	Pass	AV	6.45133G	39.11	68.20	-29.09	3	Vertical	113	2.14
Mode 3	Pass	AV	7.15646G	42.60	68.20	-25.60	3	Vertical	82	2.58
Mode 3	Pass	PK	3.04556G	43.83	88.20	-44.37	3	Vertical	21	1.05
Mode 3	Pass	PK	6.50148G	58.16	88.20	-30.04	3	Vertical	113	2.14
Mode 3	Pass	PK	7.15851G	51.94	88.20	-36.26	3	Vertical	82	2.58
Mode 3	Pass	AV	3.15844G	30.25	68.20	-37.95	3	Horizontal	23	2.10
Mode 3	Pass	AV	4.81545G	37.24	54.00	-16.76	3	Horizontal	185	1.55
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	3	Horizontal	56	2.19
Mode 3	Pass	PK	3.23842G	43.89	88.20	-44.31	3	Horizontal	23	2.10
Mode 3	Pass	PK	4.84851G	46.17	74.00	-27.83	3	Horizontal	185	1.55
Mode 3	Pass	PK	8.12456G	54.92	74.00	-19.08	3	Horizontal	56	2.19
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Vertical	51	2.13
Mode 4	Pass	AV	5.01515G	37.28	54.00	-16.72	3	Vertical	259	1.54
Mode 4	Pass	AV	10.5556G	45.61	68.20	-22.59	3	Vertical	232	2.38
Mode 4	Pass	PK	3.15455G	41.43	88.20	-46.77	3	Vertical	51	2.13
Mode 4	Pass	PK	5.01564G	47.92	74.00	-26.08	3	Vertical	259	1.54
Mode 4	Pass	PK	10.5541G	57.56	88.20	-30.64	3	Vertical	232	2.38
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Horizontal	215	2.18
Mode 4	Pass	AV	5.15847G	34.97	68.20	-33.23	3	Horizontal	121	1.54
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	3	Horizontal	102	1.08
Mode 4	Pass	PK	3.15193G	42.94	88.20	-45.26	3	Horizontal	215	2.18
Mode 4	Pass	PK	5.15483G	46.90	88.20	-41.30	3	Horizontal	121	1.54
Mode 4	Pass	PK	9.14359G	54.93	74.00	-19.07	3	Horizontal	102	1.08

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03646G	30.80	68.20	-37.40	-0.35	3	Vertical	44	1.81	31.15	29.67	5.20	35.22
AV	6.48588G	38.63	68.20	-29.57	7.20	3	Vertical	339	2.39	31.43	35.02	7.70	35.52
AV	8.35258G	40.76	54.00	-13.24	10.82	3	Vertical	124	1.50	29.94	37.01	8.78	34.97
PK	3.02062G	42.77	88.20	-45.43	-0.39	3	Vertical	44	1.81	43.16	29.64	5.19	35.22
PK	6.49104G	56.59	88.20	-31.61	7.22	3	Vertical	339	2.39	49.37	35.05	7.70	35.53
PK	8.34964G	53.12	74.00	-20.88	10.80	3	Vertical	124	1.50	42.32	37.00	8.78	34.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03342G	31.21	68.20	-36.99	-0.35	3	Horizontal	51	1.50	31.56	29.67	5.20	35.22
AV	4.85898G	34.05	54.00	-19.95	4.05	3	Horizontal	324	1.50	30.00	32.54	6.57	35.06
AV	9.35734G	42.96	54.00	-11.04	13.05	3	Horizontal	145	2.24	29.91	38.33	9.53	34.81
PK	3.04764G	43.01	88.20	-45.19	-0.31	3	Horizontal	51	1.50	43.32	29.70	5.21	35.22
PK	4.87044G	45.66	74.00	-28.34	4.10	3	Horizontal	324	1.50	41.56	32.58	6.58	35.06
PK	9.3358G	55.15	74.00	-18.85	12.99	3	Horizontal	145	2.24	42.16	38.30	9.49	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.10628G	27.41	68.20	-40.79	-3.34	3	Vertical	66	1.50	30.75	27.43	4.24	35.01				
AV	4.33588G	32.81	54.00	-21.19	2.63	3	Vertical	306	1.50	30.18	31.47	6.20	35.04				
AV	7.91632G	40.70	68.20	-27.50	10.35	3	Vertical	217	1.50	30.35	36.93	8.49	35.07				
PK	2.11672G	39.13	88.20	-49.07	-3.20	3	Vertical	66	1.50	42.33	27.57	4.25	35.02				
PK	4.33732G	45.03	74.00	-28.97	2.63	3	Vertical	306	1.50	42.40	31.47	6.20	35.04				
PK	7.93252G	52.92	88.20	-35.28	10.40	3	Vertical	217	1.50	42.52	36.97	8.50	35.07				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.03832G	30.60	68.20	-37.60	-0.34	3	Horizontal	112	1.50	30.94	29.68	5.20	35.22				
AV	4.79598G	33.26	54.00	-20.74	3.73	3	Horizontal	310	1.50	29.53	32.28	6.51	35.06				
AV	8.78496G	42.03	68.20	-26.17	11.97	3	Horizontal	354	1.50	30.06	37.77	9.00	34.80				
PK	3.03418G	42.27	88.20	-45.93	-0.35	3	Horizontal	112	1.50	42.62	29.67	5.20	35.22				
PK	4.80348G	45.17	74.00	-28.83	3.76	3	Horizontal	310	1.50	41.41	32.31	6.51	35.06				
PK	8.78532G	53.82	88.20	-34.38	11.97	3	Horizontal	354	1.50	41.85	37.77	9.00	34.80				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.02454G	30.10	68.20	-38.10	-0.38	3	Vertical	21	1.05	30.48	29.65	5.19	35.22
AV	6.45133G	39.11	68.20	-29.09	6.97	3	Vertical	113	2.14	32.14	34.81	7.67	35.51
AV	7.15646G	42.60	68.20	-25.60	9.34	3	Vertical	82	2.58	33.26	36.54	8.18	35.38
PK	3.04556G	43.83	88.20	-44.37	-0.32	3	Vertical	21	1.05	44.15	29.69	5.21	35.22
PK	6.50148G	58.16	88.20	-30.04	7.29	3	Vertical	113	2.14	50.87	35.11	7.71	35.53
PK	7.15851G	51.94	88.20	-36.26	9.35	3	Vertical	82	2.58	42.59	36.55	8.18	35.38

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15844G	30.25	68.20	-37.95	-0.23	3	Horizontal	23	2.10	30.48	29.70	5.30	35.23
AV	4.81545G	37.24	54.00	-16.76	3.83	3	Horizontal	185	1.55	33.41	32.36	6.53	35.06
AV	8.14552G	40.84	54.00	-13.16	10.59	3	Horizontal	56	2.19	30.25	37.00	8.63	35.04
PK	3.23842G	43.89	88.20	-44.31	-0.24	3	Horizontal	23	2.10	44.13	29.62	5.37	35.23
PK	4.84851G	46.17	74.00	-27.83	3.99	3	Horizontal	185	1.55	42.18	32.49	6.56	35.06
PK	8.12456G	54.92	74.00	-19.08	10.58	3	Horizontal	56	2.19	44.34	37.00	8.62	35.04

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Vertical	51	2.13	31.25	29.70	5.30	35.23				
AV	5.01515G	37.28	54.00	-16.72	4.80	3	Vertical	259	1.54	32.48	33.14	6.73	35.07				
AV	10.5556G	45.61	68.20	-22.59	14.57	3	Vertical	232	2.38	31.04	38.72	10.38	34.53				
PK	3.15455G	41.43	88.20	-46.77	-0.24	3	Vertical	51	2.13	41.67	29.70	5.29	35.23				
PK	5.01564G	47.92	74.00	-26.08	4.80	3	Vertical	259	1.54	43.12	33.14	6.73	35.07				
PK	10.5541G	57.56	88.20	-30.64	14.57	3	Vertical	232	2.38	42.99	38.72	10.38	34.53				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Horizontal	215	2.18	31.25	29.70	5.30	35.23				
AV	5.15847G	34.97	68.20	-33.23	4.79	3	Horizontal	121	1.54	30.18	33.08	6.78	35.07				
AV	9.14521G	43.59	54.00	-10.41	12.45	3	Horizontal	102	1.08	31.14	38.00	9.20	34.75				
PK	3.15193G	42.94	88.20	-45.26	-0.24	3	Horizontal	215	2.18	43.18	29.70	5.29	35.23				
PK	5.15483G	46.90	88.20	-41.30	4.79	3	Horizontal	121	1.54	42.11	33.09	6.77	35.07				
PK	9.14359G	54.93	74.00	-19.07	12.45	3	Horizontal	102	1.08	42.48	38.00	9.20	34.75				