


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [PK]

5210MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.41972G	-60.23	-27.00	-33.23	4.89	-65.12	-	-	-65.12
1G	40G	1M	PK	15.66034G	-42.02	-21.20	-20.82	4.89	-46.91	-	-	-46.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [AV]

5210MHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60009G	-79.57	-41.20	-38.37	4.89	-84.46	-	-	-84.46
1G	40G	1M	AV	15.65913G	-49.58	-41.20	-8.38	4.89	-54.47	-	-	-54.47



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.29

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	1G	40G	AV	4.89	-54.46	-54.34	-46.50	-51.39	-41.20	-5.30

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.29

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	10.60009G	4.89	-89.73	-89.73	-86.72	-81.83	-41.20	-40.63
5210MHz	Pass	1G	40G	AV	15.62866G	4.89	-54.46	-54.34	-51.39	-46.50	-41.20	-5.30
5210MHz	Pass	1G	40G	PK	10.42338G	4.89	-57.19	-61.42	-55.80	-50.91	-27.00	-23.91
5210MHz	Pass	1G	40G	PK	15.62134G	4.89	-50.44	-45.63	-44.39	-39.50	-21.20	-18.30


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [PK]

5210MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.42338G	-50.91	-27.00	-23.91	4.89	-55.80	-	-57.19	-61.42
1G	40G	1M	PK	15.62134G	-39.50	-21.20	-18.30	4.89	-44.39	-	-50.44	-45.63

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [AV]

5210MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60009G	-81.83	-41.20	-40.63	4.89	-86.72	-	-89.73	-89.73
1G	40G	1M	AV	15.62866G	-46.50	-41.20	-5.30	4.89	-51.39	-	-54.46	-54.34



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_4T1S

Appendix E.30

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	1G	40G	AV	5.31	-55.70	-56.48	-56.43	-58.77	-50.68	-45.37	-41.20	-4.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_4T1S

Appendix E.30

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	10.60009G	5.31	-84.77	-85.14	-85.14	-84.74	-78.80	-73.49	-41.20	-32.29
5210MHz	Pass	1G	40G	AV	15.65547G	5.31	-55.70	-56.48	-56.48	-58.77	-50.68	-45.37	-41.20	-4.17
5210MHz	Pass	1G	40G	PK	10.41972G	5.31	-60.36	-59.14	-59.14	-63.75	-55.49	-50.18	-27.00	-23.18
5210MHz	Pass	1G	40G	PK	15.66034G	5.31	-48.26	-48.95	-48.95	-53.38	-43.99	-38.68	-21.20	-17.48


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5210MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.41972G	-50.18	-27.00	-23.18	5.31	-55.49	-60.36	-59.14	-65.82	-63.75
1G	40G	1M	PK	15.66034G	-38.68	-21.20	-17.48	5.31	-43.99	-48.26	-48.95	-51.14	-53.38

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5210MHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60009G	-73.49	-41.20	-32.29	5.31	-78.80	-84.77	-85.14	-84.63	-84.74
1G	40G	1M	AV	15.65547G	-45.37	-41.20	-4.17	5.31	-50.68	-55.70	-56.48	-56.43	-58.77



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_1T1S

Appendix E.31

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	1G	40G	AV	4.89	-53.75	-53.75	-48.86	-41.20	-7.66

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_1T1S

Appendix E.31

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	10.60009G	4.89	-85.59	-85.59	-80.70	-41.20	-39.50
5210MHz	Pass	1G	40G	AV	15.62134G	4.89	-53.75	-53.75	-48.86	-41.20	-7.66
5210MHz	Pass	1G	40G	PK	10.43191G	4.89	-64.00	-64.00	-59.11	-27.00	-32.11
5210MHz	Pass	1G	40G	PK	15.61159G	4.89	-45.59	-45.59	-40.70	-21.20	-19.50


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5210MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.43191G	-59.11	-27.00	-32.11	4.89	-64.00	-	-	-64.00
1G	40G	1M	PK	15.61159G	-40.70	-21.20	-19.50	4.89	-45.59	-	-	-45.59

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5210MHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60009G	-80.70	-41.20	-39.50	4.89	-85.59	-	-	-85.59
1G	40G	1M	AV	15.62134G	-48.86	-41.20	-7.66	4.89	-53.75	-	-	-53.75



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_2T1S

Appendix E.32

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_2TX(Port2&Port3)	Pass	1G	40G	AV	4.89	-52.79	-53.39	-50.07	-45.18	-41.20	-3.98

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	10.60009G	4.89	-84.57	-85.09	-81.81	-76.92	-41.20	-35.72
5210MHz	Pass	1G	40G	AV	15.62013G	4.89	-52.79	-53.39	-50.07	-45.18	-41.20	-3.98
5210MHz	Pass	1G	40G	PK	10.41363G	4.89	-56.73	-68.34	-56.44	-51.55	-27.00	-24.55
5210MHz	Pass	1G	40G	PK	15.61525G	4.89	-48.14	-45.23	-43.44	-38.55	-21.20	-17.35


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [PK]

5210MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.41363G	-51.55	-27.00	-24.55	4.89	-56.44	-	-56.73	-68.34
1G	40G	1M	PK	15.61525G	-38.55	-21.20	-17.35	4.89	-43.44	-	-48.14	-45.23

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [AV]

5210MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60009G	-76.92	-41.20	-35.72	4.89	-81.81	-	-84.57	-85.09
1G	40G	1M	AV	15.62013G	-45.18	-41.20	-3.98	4.89	-50.07	-	-52.79	-53.39



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_4T1S

Appendix E.33

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	1G	40G	AV	5.31	-54.43	-55.28	-56.55	-55.56	-49.37	-44.06	-41.20	-2.86

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_4T1S

Appendix E.33

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	10.60009G	5.31	-84.82	-85.19	-85.19	-85.24	-79.03	-73.72	-41.20	-32.52
5210MHz	Pass	1G	40G	AV	15.61403G	5.31	-54.43	-55.28	-55.28	-55.56	-49.37	-44.06	-41.20	-2.86
5210MHz	Pass	1G	40G	PK	10.42703G	5.31	-58.54	-62.26	-62.26	-65.90	-56.15	-50.84	-27.00	-23.84
5210MHz	Pass	1G	40G	PK	15.62866G	5.31	-49.92	-48.13	-48.13	-50.70	-43.09	-37.78	-21.20	-16.58


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [PK]

5210MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.42703G	-50.84	-27.00	-23.84	5.31	-56.15	-58.54	-62.26	-67.54	-65.90
1G	40G	1M	PK	15.62866G	-37.78	-21.20	-16.58	5.31	-43.09	-49.92	-48.13	-48.24	-50.70

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [AV]

5210MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60009G	-73.72	-41.20	-32.52	5.31	-79.03	-84.82	-85.19	-84.98	-85.24
1G	40G	1M	AV	15.61403G	-44.06	-41.20	-2.86	5.31	-49.37	-54.43	-55.28	-56.55	-55.56



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	-42.52	-46.71	-46.71	-41.20	-1.32	4.19
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	-44.22	-48.41	-48.41	-41.20	-3.02	4.19

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	1G	40G	AV	10.60009G	4.19	-84.60	-84.60	-80.41	-41.20	-39.21
5180MHz	Pass	1G	40G	AV	15.54213G	4.19	-47.61	-47.61	-43.42	-41.20	-2.22
5180MHz	Pass	1G	40G	PK	10.36244G	4.19	-71.18	-71.18	-66.99	-27.00	-39.99
5180MHz	Pass	1G	40G	PK	15.53969G	4.19	-41.36	-41.36	-37.17	-21.20	-15.97
5200MHz	Pass	1G	40G	AV	10.60009G	4.19	-84.90	-84.90	-80.71	-41.20	-39.51
5200MHz	Pass	1G	40G	AV	15.59941G	4.19	-47.30	-47.30	-43.11	-41.20	-1.91
5200MHz	Pass	1G	40G	PK	10.39778G	4.19	-73.27	-73.27	-69.08	-27.00	-42.08
5200MHz	Pass	1G	40G	PK	15.60794G	4.19	-41.74	-41.74	-37.55	-21.20	-16.35
5240MHz	Pass	1G	40G	AV	10.60009G	4.19	-85.34	-85.34	-81.15	-41.20	-39.95
5240MHz	Pass	1G	40G	AV	15.7225G	4.19	-46.71	-46.71	-42.52	-41.20	-1.32
5240MHz	Pass	1G	40G	PK	10.47578G	4.19	-67.77	-67.77	-63.58	-27.00	-36.58
5240MHz	Pass	1G	40G	PK	15.72128G	4.19	-38.30	-38.30	-34.11	-21.20	-12.91
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	1G	40G	AV	10.60009G	4.19	-85.25	-85.25	-81.06	-41.20	-39.86
5180MHz	Pass	1G	40G	AV	15.54091G	4.19	-49.53	-49.53	-45.34	-41.20	-4.14
5180MHz	Pass	1G	40G	PK	10.35756G	4.19	-72.74	-72.74	-68.55	-27.00	-41.55
5180MHz	Pass	1G	40G	PK	15.54944G	4.19	-41.81	-41.81	-37.62	-21.20	-16.42
5200MHz	Pass	1G	40G	AV	10.60009G	4.19	-84.99	-84.99	-80.80	-41.20	-39.60
5200MHz	Pass	1G	40G	AV	15.59941G	4.19	-49.23	-49.23	-45.04	-41.20	-3.84
5200MHz	Pass	1G	40G	PK	10.40753G	4.19	-74.17	-74.17	-69.98	-27.00	-42.98
5200MHz	Pass	1G	40G	PK	15.59209G	4.19	-41.72	-41.72	-37.53	-21.20	-16.33
5240MHz	Pass	1G	40G	AV	10.60009G	4.19	-85.73	-85.73	-81.54	-41.20	-40.34
5240MHz	Pass	1G	40G	AV	15.71641G	4.19	-48.41	-48.41	-44.22	-41.20	-3.02
5240MHz	Pass	1G	40G	PK	10.477G	4.19	-70.85	-70.85	-66.66	-27.00	-39.66
5240MHz	Pass	1G	40G	PK	15.71519G	4.19	-41.75	-41.75	-37.56	-21.20	-16.36


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5240MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.47578G	-63.58	-27.00	-36.58	4.19	-67.77	-67.77
1G	40G	1M	PK	15.72128G	-34.11	-21.20	-12.91	4.19	-38.30	-38.30

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5240MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-81.15	-41.20	-39.95	4.19	-85.34	-85.34
1G	40G	1M	AV	15.7225G	-42.52	-41.20	-1.32	4.19	-46.71	-46.71

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5240MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.477G	-66.66	-27.00	-39.66	4.19	-70.85	-70.85
1G	40G	1M	PK	15.71519G	-37.56	-21.20	-16.36	4.19	-41.75	-41.75

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5240MHz

28/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-81.54	-41.20	-40.34	4.19	-85.73	-85.73
1G	40G	1M	AV	15.71641G	-44.22	-41.20	-3.02	4.19	-48.41	-48.41


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	Horizontal
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	Horizontal
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	Horizontal
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	3.03646G	30.80	68.20	-37.40	3	Vertical	44	1.81
Mode 1	Pass	AV	6.48588G	38.63	68.20	-29.57	3	Vertical	339	2.39
Mode 1	Pass	AV	8.35258G	40.76	54.00	-13.24	3	Vertical	124	1.50
Mode 1	Pass	PK	3.02062G	42.77	88.20	-45.43	3	Vertical	44	1.81
Mode 1	Pass	PK	6.49104G	56.59	88.20	-31.61	3	Vertical	339	2.39
Mode 1	Pass	PK	8.34964G	53.12	74.00	-20.88	3	Vertical	124	1.50
Mode 1	Pass	AV	3.03342G	31.21	68.20	-36.99	3	Horizontal	51	1.50
Mode 1	Pass	AV	4.85898G	34.05	54.00	-19.95	3	Horizontal	324	1.50
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	3	Horizontal	145	2.24
Mode 1	Pass	PK	3.04764G	43.01	88.20	-45.19	3	Horizontal	51	1.50
Mode 1	Pass	PK	4.87044G	45.66	74.00	-28.34	3	Horizontal	324	1.50
Mode 1	Pass	PK	9.3358G	55.15	74.00	-18.85	3	Horizontal	145	2.24
Mode 2	Pass	AV	2.10628G	27.41	68.20	-40.79	3	Vertical	66	1.50
Mode 2	Pass	AV	4.33588G	32.81	54.00	-21.19	3	Vertical	306	1.50
Mode 2	Pass	AV	7.91632G	40.70	68.20	-27.50	3	Vertical	217	1.50
Mode 2	Pass	PK	2.11672G	39.13	88.20	-49.07	3	Vertical	66	1.50
Mode 2	Pass	PK	4.33732G	45.03	74.00	-28.97	3	Vertical	306	1.50
Mode 2	Pass	PK	7.93252G	52.92	88.20	-35.28	3	Vertical	217	1.50
Mode 2	Pass	AV	3.03832G	30.60	68.20	-37.60	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	3	Horizontal	310	1.50
Mode 2	Pass	AV	8.78496G	42.03	68.20	-26.17	3	Horizontal	354	1.50
Mode 2	Pass	PK	3.03418G	42.27	88.20	-45.93	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.80348G	45.17	74.00	-28.83	3	Horizontal	310	1.50
Mode 2	Pass	PK	8.78532G	53.82	88.20	-34.38	3	Horizontal	354	1.50
Mode 3	Pass	AV	3.02454G	30.10	68.20	-38.10	3	Vertical	21	1.05
Mode 3	Pass	AV	6.45133G	39.11	68.20	-29.09	3	Vertical	113	2.14
Mode 3	Pass	AV	7.15646G	42.60	68.20	-25.60	3	Vertical	82	2.58
Mode 3	Pass	PK	3.04556G	43.83	88.20	-44.37	3	Vertical	21	1.05
Mode 3	Pass	PK	6.50148G	58.16	88.20	-30.04	3	Vertical	113	2.14
Mode 3	Pass	PK	7.15851G	51.94	88.20	-36.26	3	Vertical	82	2.58
Mode 3	Pass	AV	3.15844G	30.25	68.20	-37.95	3	Horizontal	23	2.10
Mode 3	Pass	AV	4.81545G	37.24	54.00	-16.76	3	Horizontal	185	1.55
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	3	Horizontal	56	2.19
Mode 3	Pass	PK	3.23842G	43.89	88.20	-44.31	3	Horizontal	23	2.10
Mode 3	Pass	PK	4.84851G	46.17	74.00	-27.83	3	Horizontal	185	1.55
Mode 3	Pass	PK	8.12456G	54.92	74.00	-19.08	3	Horizontal	56	2.19
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Vertical	51	2.13
Mode 4	Pass	AV	5.01515G	37.28	54.00	-16.72	3	Vertical	259	1.54
Mode 4	Pass	AV	10.5556G	45.61	68.20	-22.59	3	Vertical	232	2.38
Mode 4	Pass	PK	3.15455G	41.43	88.20	-46.77	3	Vertical	51	2.13
Mode 4	Pass	PK	5.01564G	47.92	74.00	-26.08	3	Vertical	259	1.54
Mode 4	Pass	PK	10.5541G	57.56	88.20	-30.64	3	Vertical	232	2.38
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Horizontal	215	2.18
Mode 4	Pass	AV	5.15847G	34.97	68.20	-33.23	3	Horizontal	121	1.54
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	3	Horizontal	102	1.08
Mode 4	Pass	PK	3.15193G	42.94	88.20	-45.26	3	Horizontal	215	2.18
Mode 4	Pass	PK	5.15483G	46.90	88.20	-41.30	3	Horizontal	121	1.54
Mode 4	Pass	PK	9.14359G	54.93	74.00	-19.07	3	Horizontal	102	1.08

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03646G	30.80	68.20	-37.40	-0.35	3	Vertical	44	1.81	31.15	29.67	5.20	35.22
AV	6.48588G	38.63	68.20	-29.57	7.20	3	Vertical	339	2.39	31.43	35.02	7.70	35.52
AV	8.35258G	40.76	54.00	-13.24	10.82	3	Vertical	124	1.50	29.94	37.01	8.78	34.97
PK	3.02062G	42.77	88.20	-45.43	-0.39	3	Vertical	44	1.81	43.16	29.64	5.19	35.22
PK	6.49104G	56.59	88.20	-31.61	7.22	3	Vertical	339	2.39	49.37	35.05	7.70	35.53
PK	8.34964G	53.12	74.00	-20.88	10.80	3	Vertical	124	1.50	42.32	37.00	8.78	34.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03342G	31.21	68.20	-36.99	-0.35	3	Horizontal	51	1.50	31.56	29.67	5.20	35.22
AV	4.85898G	34.05	54.00	-19.95	4.05	3	Horizontal	324	1.50	30.00	32.54	6.57	35.06
AV	9.35734G	42.96	54.00	-11.04	13.05	3	Horizontal	145	2.24	29.91	38.33	9.53	34.81
PK	3.04764G	43.01	88.20	-45.19	-0.31	3	Horizontal	51	1.50	43.32	29.70	5.21	35.22
PK	4.87044G	45.66	74.00	-28.34	4.10	3	Horizontal	324	1.50	41.56	32.58	6.58	35.06
PK	9.3358G	55.15	74.00	-18.85	12.99	3	Horizontal	145	2.24	42.16	38.30	9.49	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.10628G	27.41	68.20	-40.79	-3.34	3	Vertical	66	1.50	30.75	27.43	4.24	35.01
AV	4.33588G	32.81	54.00	-21.19	2.63	3	Vertical	306	1.50	30.18	31.47	6.20	35.04
AV	7.91632G	40.70	68.20	-27.50	10.35	3	Vertical	217	1.50	30.35	36.93	8.49	35.07
PK	2.11672G	39.13	88.20	-49.07	-3.20	3	Vertical	66	1.50	42.33	27.57	4.25	35.02
PK	4.33732G	45.03	74.00	-28.97	2.63	3	Vertical	306	1.50	42.40	31.47	6.20	35.04
PK	7.93252G	52.92	88.20	-35.28	10.40	3	Vertical	217	1.50	42.52	36.97	8.50	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03832G	30.60	68.20	-37.60	-0.34	3	Horizontal	112	1.50	30.94	29.68	5.20	35.22
AV	4.79598G	33.26	54.00	-20.74	3.73	3	Horizontal	310	1.50	29.53	32.28	6.51	35.06
AV	8.78496G	42.03	68.20	-26.17	11.97	3	Horizontal	354	1.50	30.06	37.77	9.00	34.80
PK	3.03418G	42.27	88.20	-45.93	-0.35	3	Horizontal	112	1.50	42.62	29.67	5.20	35.22
PK	4.80348G	45.17	74.00	-28.83	3.76	3	Horizontal	310	1.50	41.41	32.31	6.51	35.06
PK	8.78532G	53.82	88.20	-34.38	11.97	3	Horizontal	354	1.50	41.85	37.77	9.00	34.80

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.02454G	30.10	68.20	-38.10	-0.38	3	Vertical	21	1.05	30.48	29.65	5.19	35.22				
AV	6.45133G	39.11	68.20	-29.09	6.97	3	Vertical	113	2.14	32.14	34.81	7.67	35.51				
AV	7.15646G	42.60	68.20	-25.60	9.34	3	Vertical	82	2.58	33.26	36.54	8.18	35.38				
PK	3.04556G	43.83	88.20	-44.37	-0.32	3	Vertical	21	1.05	44.15	29.69	5.21	35.22				
PK	6.50148G	58.16	88.20	-30.04	7.29	3	Vertical	113	2.14	50.87	35.11	7.71	35.53				
PK	7.15851G	51.94	88.20	-36.26	9.35	3	Vertical	82	2.58	42.59	36.55	8.18	35.38				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.15844G	30.25	68.20	-37.95	-0.23	3	Horizontal	23	2.10	30.48	29.70	5.30	35.23				
AV	4.81545G	37.24	54.00	-16.76	3.83	3	Horizontal	185	1.55	33.41	32.36	6.53	35.06				
AV	8.14552G	40.84	54.00	-13.16	10.59	3	Horizontal	56	2.19	30.25	37.00	8.63	35.04				
PK	3.23842G	43.89	88.20	-44.31	-0.24	3	Horizontal	23	2.10	44.13	29.62	5.37	35.23				
PK	4.84851G	46.17	74.00	-27.83	3.99	3	Horizontal	185	1.55	42.18	32.49	6.56	35.06				
PK	8.12456G	54.92	74.00	-19.08	10.58	3	Horizontal	56	2.19	44.34	37.00	8.62	35.04				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Vertical	51	2.13	31.25	29.70	5.30	35.23
AV	5.01515G	37.28	54.00	-16.72	4.80	3	Vertical	259	1.54	32.48	33.14	6.73	35.07
AV	10.5556G	45.61	68.20	-22.59	14.57	3	Vertical	232	2.38	31.04	38.72	10.38	34.53
PK	3.15455G	41.43	88.20	-46.77	-0.24	3	Vertical	51	2.13	41.67	29.70	5.29	35.23
PK	5.01564G	47.92	74.00	-26.08	4.80	3	Vertical	259	1.54	43.12	33.14	6.73	35.07
PK	10.5541G	57.56	88.20	-30.64	14.57	3	Vertical	232	2.38	42.99	38.72	10.38	34.53

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Horizontal	215	2.18	31.25	29.70	5.30	35.23
AV	5.15847G	34.97	68.20	-33.23	4.79	3	Horizontal	121	1.54	30.18	33.08	6.78	35.07
AV	9.14521G	43.59	54.00	-10.41	12.45	3	Horizontal	102	1.08	31.14	38.00	9.20	34.75
PK	3.15193G	42.94	88.20	-45.26	-0.24	3	Horizontal	215	2.18	43.18	29.70	5.29	35.23
PK	5.15483G	46.90	88.20	-41.30	4.79	3	Horizontal	121	1.54	42.11	33.09	6.77	35.07
PK	9.14359G	54.93	74.00	-19.07	12.45	3	Horizontal	102	1.08	42.48	38.00	9.20	34.75