


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	PK	5.14626G	-32.81	-21.20	-11.61	5.10	-37.91	-	-43.86	-39.18
4.83G	5.67G	1M	PK	5.4579G	-27.16	-21.20	-5.96	5.10	-32.26	-	-41.07	-32.87
4.83G	5.67G	1M	PK	5.4474G	-30.98	-27.00	-3.98	5.10	-36.08	-	-36.61	-45.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	AV	5.14962G	-47.53	-41.20	-6.33	5.10	-52.63	-	-55.81	-55.47
4.83G	5.67G	1M	AV	5.4474G	-41.98	-41.20	-0.78	5.10	-47.08	-	-49.54	-50.71

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	4.99G	5.51G	AV	5.3501G	5.51	-56.03	-55.36	-56.21	-55.97	-49.86	-44.35	-41.20	-3.15
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	4.83G	5.67G	AV	5.40582G	5.51	-54.18	-52.76	-53.92	-53.37	-47.50	-41.99	-41.20	-0.79

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.12962G	5.51	-59.11	-59.08	-56.49	-54.57	-50.86	-45.35	-41.20	-4.15
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	5.51	-56.03	-55.36	-56.21	-55.97	-49.86	-44.35	-41.20	-3.15
5290MHz	Pass	4.99G	5.51G	PK	5.1473G	5.51	-50.20	-45.93	-49.91	-42.85	-40.12	-34.61	-21.20	-13.41
5290MHz	Pass	4.99G	5.51G	PK	5.35296G	5.51	-44.68	-38.86	-45.60	-45.36	-36.56	-31.05	-21.20	-9.85
5290MHz	Pass	4.99G	5.51G	PK	5.46554G	5.51	-49.40	-49.06	-45.59	-45.24	-40.89	-35.38	-27.00	-8.38
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14542G	5.51	-55.82	-54.50	-54.99	-54.04	-48.77	-43.26	-41.20	-2.06
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.40582G	5.51	-54.18	-52.76	-53.92	-53.37	-47.50	-41.99	-41.20	-0.79
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1324G	5.51	-43.00	-44.95	-42.70	-35.29	-33.65	-28.14	-21.20	-6.94
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.39826G	5.51	-41.64	-42.28	-39.45	-36.96	-33.54	-28.03	-21.20	-6.83
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46126G	5.51	-45.25	-45.07	-42.65	-43.45	-37.95	-32.44	-27.00	-5.44


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5290MHz

01/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [AV]

5290MHz

01/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1324G	-28.14	-21.20	-6.94	5.51	-33.65	-43.00	-44.95	-42.70	-35.29
4.83G	5.67G	1M	PK	5.39826G	-28.03	-21.20	-6.83	5.51	-33.54	-41.64	-42.28	-39.45	-36.96
4.83G	5.67G	1M	PK	5.46126G	-32.44	-27.00	-5.44	5.51	-37.95	-45.25	-45.07	-42.65	-43.45

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14542G	-43.26	-41.20	-2.06	5.51	-48.77	-55.82	-54.50	-54.99	-54.04
4.83G	5.67G	1M	AV	5.40582G	-41.99	-41.20	-0.79	5.51	-47.50	-54.18	-52.76	-53.92	-53.37



CSE Bandedge_Non-Beamforming_Radio 2 _Channel Puncturing_1T1S

Appendix E.21

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	Pass	4.99G	5.51G	AV	5.36336G	5.10	-47.35	-47.35	-42.25	-41.20	-1.05
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)	Pass	4.83G	5.67G	AV	5.40246G	5.10	-46.39	-46.39	-41.29	-41.20	-0.09

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 2 _Channel Puncturing_1T1S

Appendix E.21

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.1486G	5.10	-54.21	-54.21	-49.11	-41.20	-7.91
5290MHz	Pass	4.99G	5.51G	AV	5.36336G	5.10	-47.35	-47.35	-42.25	-41.20	-1.05
5290MHz	Pass	4.99G	5.51G	PK	5.14184G	5.10	-41.54	-41.54	-36.44	-21.20	-15.24
5290MHz	Pass	4.99G	5.51G	PK	5.35062G	5.10	-34.30	-34.30	-29.20	-21.20	-8.00
5290MHz	Pass	4.99G	5.51G	PK	5.46476G	5.10	-42.60	-42.60	-37.50	-27.00	-10.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.1219G	5.10	-51.07	-51.07	-45.97	-41.20	-4.77
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.40246G	5.10	-46.39	-46.39	-41.29	-41.20	-0.09
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.13996G	5.10	-36.23	-36.23	-31.13	-21.20	-9.93
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.40666G	5.10	-30.76	-30.76	-25.66	-21.20	-4.46
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46084G	5.10	-36.47	-36.47	-31.37	-27.00	-4.37
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.12526G	5.10	-50.26	-50.26	-45.16	-41.20	-3.96
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.41128G	5.10	-46.50	-46.50	-41.40	-41.20	-0.20
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.13618G	5.10	-35.58	-35.58	-30.48	-21.20	-9.28
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.42976G	5.10	-33.02	-33.02	-27.92	-21.20	-6.72
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46672G	5.10	-33.80	-33.80	-28.70	-27.00	-1.70


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE Bandedge [PK]

5290MHz

31/01/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE Bandedge [AV]

5290MHz

31/01/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	PK	5.13996G	-31.13	-21.20	-9.93	5.10	-36.23	-	-	-36.23
4.83G	5.67G	1M	PK	5.40666G	-25.66	-21.20	-4.46	5.10	-30.76	-	-	-30.76
4.83G	5.67G	1M	PK	5.46084G	-31.37	-27.00	-4.37	5.10	-36.47	-	-	-36.47

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	AV	5.1219G	-45.97	-41.20	-4.77	5.10	-51.07	-	-	-51.07
4.83G	5.67G	1M	AV	5.40246G	-41.29	-41.20	-0.09	5.10	-46.39	-	-	-46.39

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	PK	5.13618G	-30.48	-21.20	-9.28	5.10	-35.58	-	-	-35.58
4.83G	5.67G	1M	PK	5.42976G	-27.92	-21.20	-6.72	5.10	-33.02	-	-	-33.02
4.83G	5.67G	1M	PK	5.46672G	-28.70	-27.00	-1.70	5.10	-33.80	-	-	-33.80

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	AV	5.12526G	-45.16	-41.20	-3.96	5.10	-50.26	-	-	-50.26
4.83G	5.67G	1M	AV	5.41128G	-41.40	-41.20	-0.20	5.10	-46.50	-	-	-46.50



CSE Bandedge_Non-Beamforming_Radio 2 _Channel Puncturing_2T1S

Appendix E.22

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	P2 (dBm)	P3 (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)	Pass	4.99G	5.51G	AV	5.35998G	5.10	-48.67	-43.57	-51.15	-52.29	-41.20	-2.37
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port2&Port3)	Pass	4.83G	5.67G	PK	5.14038G	5.10	-26.45	-21.35	-26.81	-37.43	-21.20	-0.15

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 2 _Channel Puncturing_2T1S

Appendix E.22

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	P2 (dBm)	P3 (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14548G	5.10	-56.06	-50.96	-60.16	-58.20	-41.20	-9.76
5290MHz	Pass	4.99G	5.51G	AV	5.35998G	5.10	-48.67	-43.57	-51.15	-52.29	-41.20	-2.37
5290MHz	Pass	4.99G	5.51G	PK	5.13768G	5.10	-43.32	-38.22	-49.35	-44.57	-21.20	-17.02
5290MHz	Pass	4.99G	5.51G	PK	5.36544G	5.10	-34.49	-29.39	-35.48	-41.40	-21.20	-8.19
5290MHz	Pass	4.99G	5.51G	PK	5.47698G	5.10	-43.71	-38.61	-50.16	-44.82	-27.00	-11.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.11392G	5.10	-50.99	-45.89	-53.41	-54.69	-41.20	-4.69
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35416G	5.10	-48.45	-43.35	-50.62	-52.51	-41.20	-2.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.12106G	5.10	-33.97	-28.87	-35.39	-39.52	-21.20	-7.67
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.40582G	5.10	-32.25	-27.15	-34.72	-35.87	-21.20	-5.95
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46126G	5.10	-38.08	-32.98	-41.32	-40.88	-27.00	-5.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.13282G	5.10	-51.56	-46.46	-54.13	-55.07	-41.20	-5.26
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.40792G	5.10	-49.39	-44.29	-51.36	-53.76	-41.20	-3.09
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14038G	5.10	-26.45	-21.35	-26.81	-37.43	-21.20	-0.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.42472G	5.10	-28.39	-23.29	-39.49	-28.74	-21.20	-2.09
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46546G	5.10	-35.19	-30.09	-44.12	-35.79	-27.00	-3.09


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)

CSE Bandedge [PK]

5290MHz

14/03/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.99G	5.51G	1M	PK	5.13768G	-38.22	-21.20	-17.02	5.10	-43.32	-	-49.35	-44.57
4.99G	5.51G	1M	PK	5.36544G	-29.39	-21.20	-8.19	5.10	-34.49	-	-35.48	-41.40
4.99G	5.51G	1M	PK	5.47698G	-38.61	-27.00	-11.61	5.10	-43.71	-	-50.16	-44.82

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)

CSE Bandedge [AV]

5290MHz

14/03/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.99G	5.51G	1M	AV	5.14548G	-50.96	-41.20	-9.76	5.10	-56.06	-	-60.16	-58.20
4.99G	5.51G	1M	AV	5.35998G	-43.57	-41.20	-2.37	5.10	-48.67	-	-51.15	-52.29

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port2&Port3)

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	PK	5.14038G	-21.35	-21.20	-0.15	5.10	-26.45	-	-26.81	-37.43
4.83G	5.67G	1M	PK	5.42472G	-23.29	-21.20	-2.09	5.10	-28.39	-	-39.49	-28.74
4.83G	5.67G	1M	PK	5.46546G	-30.09	-27.00	-3.09	5.10	-35.19	-	-44.12	-35.79

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port2&Port3)

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
4.83G	5.67G	1M	AV	5.13282G	-46.46	-41.20	-5.26	5.10	-51.56	-	-54.13	-55.07
4.83G	5.67G	1M	AV	5.40792G	-44.29	-41.20	-3.09	5.10	-49.39	-	-51.36	-53.76



CSE Bandedge_Non-Beamforming_Radio 2 _Channel Puncturing_4T1S

Appendix E.23

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	4.99G	5.51G	AV	5.35816G	5.51	-54.32	-52.95	-54.37	-53.89	-47.82	-42.31	-41.20	-1.11
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	4.83G	5.67G	AV	5.40792G	5.51	-53.75	-52.11	-53.51	-52.93	-47.01	-41.50	-41.20	-0.30

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14574G	5.51	-58.52	-58.68	-56.08	-53.66	-50.21	-44.70	-41.20	-3.50
5290MHz	Pass	4.99G	5.51G	AV	5.35816G	5.51	-54.32	-52.95	-54.37	-53.89	-47.82	-42.31	-41.20	-1.11
5290MHz	Pass	4.99G	5.51G	PK	5.14418G	5.51	-48.62	-44.90	-46.36	-38.30	-36.63	-31.12	-21.20	-9.92
5290MHz	Pass	4.99G	5.51G	PK	5.35998G	5.51	-43.09	-36.64	-43.32	-34.46	-31.74	-26.23	-21.20	-5.03
5290MHz	Pass	4.99G	5.51G	PK	5.47984G	5.51	-48.42	-49.54	-46.20	-43.94	-40.46	-34.95	-27.00	-7.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14962G	5.51	-56.41	-54.28	-54.93	-53.72	-48.70	-43.19	-41.20	-1.99
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.3655G	5.51	-53.63	-52.12	-53.79	-52.88	-47.03	-41.52	-41.20	-0.32
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14584G	5.51	-41.56	-44.23	-41.73	-33.25	-31.89	-26.38	-21.20	-5.18
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35584G	5.51	-41.39	-42.18	-44.29	-35.42	-33.40	-27.89	-21.20	-6.69
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46042G	5.51	-42.76	-45.59	-44.14	-39.91	-36.55	-31.04	-27.00	-4.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14206G	5.51	-55.79	-54.20	-55.12	-54.36	-48.80	-43.29	-41.20	-2.09
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.40792G	5.51	-53.75	-52.11	-53.51	-52.93	-47.01	-41.50	-41.20	-0.30
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.11476G	5.51	-43.28	-47.39	-46.54	-31.82	-31.28	-25.77	-21.20	-4.57
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.40498G	5.51	-40.52	-42.93	-36.23	-40.58	-33.32	-27.81	-21.20	-6.61
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46084G	5.51	-44.79	-42.01	-45.37	-43.07	-37.58	-32.07	-27.00	-5.07


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5290MHz

30/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.14418G	-31.12	-21.20	-9.92	5.51	-36.63	-48.62	-44.90	-46.36	-38.30
4.99G	5.51G	1M	PK	5.35998G	-26.23	-21.20	-5.03	5.51	-31.74	-43.09	-36.64	-43.32	-34.46
4.99G	5.51G	1M	PK	5.47984G	-34.95	-27.00	-7.95	5.51	-40.46	-48.42	-49.54	-46.20	-43.94

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5290MHz

30/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14574G	-44.70	-41.20	-3.50	5.51	-50.21	-58.52	-58.68	-56.08	-53.66
4.99G	5.51G	1M	AV	5.35816G	-42.31	-41.20	-1.11	5.51	-47.82	-54.32	-52.95	-54.37	-53.89

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14584G	-26.38	-21.20	-5.18	5.51	-31.89	-41.56	-44.23	-41.73	-33.25
4.83G	5.67G	1M	PK	5.35584G	-27.89	-21.20	-6.69	5.51	-33.40	-41.39	-42.16	-44.29	-35.42
4.83G	5.67G	1M	PK	5.46042G	-31.04	-27.00	-4.04	5.51	-36.55	-42.76	-45.59	-44.14	-39.91

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14962G	-43.19	-41.20	-1.99	5.51	-48.70	-56.41	-54.28	-54.93	-53.72
4.83G	5.67G	1M	AV	5.3655G	-41.52	-41.20	-0.32	5.51	-47.03	-53.63	-52.12	-53.79	-52.88

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.11476G	-25.77	-21.20	-4.57	5.51	-31.28	-43.28	-47.39	-46.54	-31.82
4.83G	5.67G	1M	PK	5.40496G	-27.81	-21.20	-6.61	5.51	-33.32	-40.52	-42.93	-36.23	-40.58
4.83G	5.67G	1M	PK	5.46084G	-32.07	-27.00	-5.07	5.51	-37.58	-44.79	-42.01	-45.37	-43.07

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14206G	-43.29	-41.20	-2.09	5.51	-48.80	-55.79	-54.20	-55.12	-54.36
4.83G	5.67G	1M	AV	5.40792G	-41.50	-41.20	-0.30	5.51	-47.01	-53.75	-52.11	-53.51	-52.93

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.3571G	4.77	-51.53	-51.53	-46.76	-41.20	-5.56
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.35738G	4.77	-52.00	-52.00	-47.23	-41.20	-6.03

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14696G	4.77	-59.67	-59.67	-54.90	-41.20	-13.70
5260MHz	Pass	5.11G	5.39G	AV	5.3501G	4.77	-58.20	-58.20	-53.43	-41.20	-12.23
5260MHz	Pass	5.11G	5.39G	PK	5.12274G	4.77	-47.78	-47.78	-43.01	-21.20	-21.81
5260MHz	Pass	5.11G	5.39G	PK	5.36018G	4.77	-46.76	-46.76	-41.99	-21.20	-20.79
5300MHz	Pass	5.11G	5.39G	AV	5.14598G	4.77	-59.43	-59.43	-54.66	-41.20	-13.46
5300MHz	Pass	5.11G	5.39G	AV	5.37544G	4.77	-57.65	-57.65	-52.88	-41.20	-11.68
5300MHz	Pass	5.11G	5.39G	PK	5.1499G	4.77	-48.12	-48.12	-43.35	-21.20	-22.15
5300MHz	Pass	5.11G	5.39G	PK	5.35822G	4.77	-46.15	-46.15	-41.38	-21.20	-20.18
5320MHz	Pass	5.11G	5.39G	AV	5.14066G	4.77	-59.64	-59.64	-54.87	-41.20	-13.67
5320MHz	Pass	5.11G	5.39G	AV	5.3571G	4.77	-51.53	-51.53	-46.76	-41.20	-5.56
5320MHz	Pass	5.11G	5.39G	PK	5.12596G	4.77	-48.12	-48.12	-43.35	-21.20	-22.15
5320MHz	Pass	5.11G	5.39G	PK	5.35556G	4.77	-39.57	-39.57	-34.80	-21.20	-13.60
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.145G	4.77	-59.60	-59.60	-54.83	-41.20	-13.63
5260MHz	Pass	5.11G	5.39G	AV	5.37964G	4.77	-58.35	-58.35	-53.58	-41.20	-12.38
5260MHz	Pass	5.11G	5.39G	PK	5.13982G	4.77	-47.76	-47.76	-42.99	-21.20	-21.79
5260MHz	Pass	5.11G	5.39G	PK	5.38398G	4.77	-46.47	-46.47	-41.70	-21.20	-20.50
5300MHz	Pass	5.11G	5.39G	AV	5.14682G	4.77	-59.32	-59.32	-54.55	-41.20	-13.35
5300MHz	Pass	5.11G	5.39G	AV	5.37782G	4.77	-57.71	-57.71	-52.94	-41.20	-11.74
5300MHz	Pass	5.11G	5.39G	PK	5.1247G	4.77	-48.00	-48.00	-43.23	-21.20	-22.03
5300MHz	Pass	5.11G	5.39G	PK	5.37614G	4.77	-46.36	-46.36	-41.59	-21.20	-20.39
5320MHz	Pass	5.11G	5.39G	AV	5.14052G	4.77	-59.71	-59.71	-54.94	-41.20	-13.74
5320MHz	Pass	5.11G	5.39G	AV	5.35738G	4.77	-52.00	-52.00	-47.23	-41.20	-6.03
5320MHz	Pass	5.11G	5.39G	PK	5.13674G	4.77	-48.18	-48.18	-43.41	-21.20	-22.21
5320MHz	Pass	5.11G	5.39G	PK	5.35724G	4.77	-38.94	-38.94	-34.17	-21.20	-12.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5320MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.12596G	-43.35	-21.20	-22.15	4.77	-48.12	-48.12
5.11G	5.39G	1M	PK	5.35556G	-34.80	-21.20	-13.60	4.77	-39.57	-39.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5320MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14066G	-54.87	-41.20	-13.67	4.77	-59.64	-59.64
5.11G	5.39G	1M	AV	5.3571G	-46.76	-41.20	-5.56	4.77	-51.53	-51.53

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

28/01/2025



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13674G	-43.41	-21.20	-22.21	4.77	-48.18	-48.18
5.11G	5.39G	1M	PK	5.35724G	-34.17	-21.20	-12.97	4.77	-38.94	-38.94

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

28/01/2025



Limit:AV
ERP:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14052G	-54.94	-41.20	-13.74	4.77	-59.71	-59.71
5.11G	5.39G	1M	AV	5.35738G	-47.23	-41.20	-6.03	4.77	-52.00	-52.00



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Full RU_1T1S

Appendix E.25

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	Psum (dBm)	P3 (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	4.89	-77.05	-77.05	-72.16	-41.20	-30.96
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port3)	Pass	1G	40G	AV	5.10	-62.64	-62.64	-57.54	-41.20	-16.34
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.10	-61.19	-61.19	-56.09	-41.20	-14.89
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.10	-65.91	-65.91	-60.81	-41.20	-19.61
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.10	-71.30	-71.30	-66.20	-41.20	-25.00
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.10	-76.88	-76.88	-71.78	-41.20	-30.58

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.10	-84.46	-84.46	-79.36	-41.20	-38.16
5260MHz	Pass	1G	40G	AV	39.89153G	5.10	-76.57	-76.57	-71.47	-41.20	-30.27
5260MHz	Pass	1G	40G	PK	10.51478G	5.10	-62.94	-62.94	-57.84	-27.00	-30.84
5300MHz	Pass	1G	40G	AV	10.60009G	5.10	-62.82	-62.82	-57.72	-41.20	-16.52
5300MHz	Pass	1G	40G	PK	10.59644G	5.10	-59.02	-59.02	-53.92	-27.00	-26.92
5320MHz	Pass	1G	40G	AV	10.63788G	5.10	-62.64	-62.64	-57.54	-41.20	-16.34
5320MHz	Pass	1G	40G	PK	10.65128G	5.10	-55.66	-55.66	-50.56	-21.20	-29.36
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.10	-84.91	-84.91	-79.81	-41.20	-38.61
5260MHz	Pass	1G	40G	AV	39.86838G	5.10	-76.65	-76.65	-71.55	-41.20	-30.35
5260MHz	Pass	1G	40G	PK	10.51844G	5.10	-63.04	-63.04	-57.94	-27.00	-30.94
5300MHz	Pass	1G	40G	AV	10.60375G	5.10	-64.72	-64.72	-59.62	-41.20	-18.42
5300MHz	Pass	1G	40G	PK	10.59766G	5.10	-58.56	-58.56	-53.46	-27.00	-26.46
5320MHz	Pass	1G	40G	AV	10.6525G	5.10	-61.19	-61.19	-56.09	-41.20	-14.89
5320MHz	Pass	1G	40G	PK	10.6525G	5.10	-53.39	-53.39	-48.29	-21.20	-27.09
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	1G	40G	AV	10.60009G	5.10	-83.89	-83.89	-78.79	-41.20	-37.59
5270MHz	Pass	1G	40G	AV	39.91225G	5.10	-76.70	-76.70	-71.60	-41.20	-30.40
5270MHz	Pass	1G	40G	PK	10.57572G	5.10	-64.80	-64.80	-59.70	-27.00	-32.70
5310MHz	Pass	1G	40G	AV	10.61838G	5.10	-65.91	-65.91	-60.81	-41.20	-19.61
5310MHz	Pass	1G	40G	PK	10.62569G	5.10	-59.53	-59.53	-54.43	-21.20	-33.23
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62813G	5.10	-71.30	-71.30	-66.20	-41.20	-25.00
5290MHz	Pass	1G	40G	PK	10.594G	5.10	-64.11	-64.11	-59.01	-27.00	-32.01
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61959G	4.89	-77.69	-77.69	-72.80	-41.20	-31.60
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.85863G	4.89	-77.05	-77.05	-72.16	-41.20	-30.96
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.54769G	4.89	-69.21	-69.21	-64.32	-27.00	-37.32
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	32.68263G	4.89	-66.72	-66.72	-61.83	-27.00	-34.83
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.61959G	5.10	-77.69	-77.69	-72.59	-41.20	-31.39
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	39.88788G	5.10	-76.88	-76.88	-71.78	-41.20	-30.58
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.50625G	5.10	-68.97	-68.97	-63.87	-27.00	-36.87
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	23.30069G	5.10	-68.83	-68.83	-63.73	-27.00	-36.73


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.54769G	-64.32	-27.00	-37.32	4.89	-69.21	-	-	-69.21
1G	40G	1M	PK	32.68263G	-61.83	-27.00	-34.83	4.89	-66.72	-	-	-66.72

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61959G	-72.80	-41.20	-31.60	4.89	-77.69	-	-	-77.69
1G	40G	1M	AV	39.85863G	-72.16	-41.20	-30.96	4.89	-77.05	-	-	-77.05

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port3)

CSE [PK]

5320MHz

30/01/2025



Limit.PK
EIRP.PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.65128G	-50.56	-21.20	-29.36	5.10	-55.66	-	-	-55.66

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port3)

CSE [AV]

5320MHz

30/01/2025



Limit.AV
EIRP.AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.63788G	-57.54	-41.20	-16.34	5.10	-62.64	-	-	-62.64

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5320MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.6525G	-48.29	-21.20	-27.09	5.10	-53.39	-	-	-53.39

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5320MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.6525G	-56.09	-41.20	-14.89	5.10	-61.19	-	-	-61.19

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5310MHz




30/01/2025
 Limit.PK
 EIRP.PK
 Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.62569G	-54.43	-21.20	-33.23	5.10	-59.53	-	-	-59.53

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5310MHz



30/01/2025
 Limit.AV
 EIRP.AV
 Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61838G	-60.81	-41.20	-19.61	5.10	-65.91	-	-	-65.91

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5290MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.594G	-59.01	-27.00	-32.01	5.10	-64.11	-	-	-64.11

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5290MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62813G	-66.20	-41.20	-25.00	5.10	-71.30	-	-	-71.30




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.50625G	-63.87	-27.00	-36.87	5.10	-68.97	-	-	-68.97
1G	40G	1M	PK	23.30069G	-63.73	-27.00	-36.73	5.10	-68.83	-	-	-68.83

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61959G	-72.59	-41.20	-31.39	5.10	-77.69	-	-	-77.69
1G	40G	1M	AV	39.88788G	-71.78	-41.20	-30.58	5.10	-76.88	-	-	-76.88



CSE-Harmonics (Restricted Band) _Non-Beamforming_Radio 2_Full RU_2T1S

Appendix E.26

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-70.68	-75.57	-78.34	-78.84	-41.20	-29.48	4.89
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	Pass	1G	40G	AV	-52.00	-57.10	-58.11	-63.91	-41.20	-10.80	5.10
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-52.30	-57.40	-59.63	-61.37	-41.20	-11.10	5.10
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-61.50	-66.60	-68.60	-70.93	-41.20	-20.30	5.10
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-67.73	-72.83	-74.97	-76.92	-41.20	-26.53	5.10
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-70.73	-75.83	-78.65	-79.04	-41.20	-29.53	5.10

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.10	-85.00	-84.85	-81.91	-76.81	-41.20	-35.61
5260MHz	Pass	1G	40G	AV	39.90616G	5.10	-76.35	-76.73	-73.53	-68.43	-41.20	-27.23
5260MHz	Pass	1G	40G	PK	10.516G	5.10	-51.85	-67.10	-51.72	-46.62	-27.00	-19.62
5300MHz	Pass	1G	40G	AV	10.60131G	5.10	-58.11	-63.91	-57.10	-52.00	-41.20	-10.80
5300MHz	Pass	1G	40G	PK	10.59766G	5.10	-53.57	-57.69	-52.15	-47.05	-27.00	-20.05
5320MHz	Pass	1G	40G	AV	10.65006G	5.10	-59.16	-62.28	-57.44	-52.34	-41.20	-11.14
5320MHz	Pass	1G	40G	PK	10.62813G	5.10	-50.48	-61.08	-50.12	-45.02	-21.20	-23.82
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.10	-84.08	-84.57	-81.31	-76.21	-41.20	-35.01
5260MHz	Pass	1G	40G	AV	39.92444G	5.10	-76.26	-76.72	-73.47	-68.37	-41.20	-27.17
5260MHz	Pass	1G	40G	PK	10.51966G	5.10	-52.29	-67.00	-52.15	-47.05	-27.00	-20.05
5300MHz	Pass	1G	40G	AV	10.60253G	5.10	-59.68	-64.41	-58.42	-53.32	-41.20	-12.12
5300MHz	Pass	1G	40G	PK	10.59888G	5.10	-53.67	-59.99	-52.76	-47.66	-27.00	-20.66
5320MHz	Pass	1G	40G	AV	10.65006G	5.10	-59.63	-61.37	-57.40	-52.30	-41.20	-11.10
5320MHz	Pass	1G	40G	PK	10.65006G	5.10	-52.84	-54.32	-50.51	-45.41	-21.20	-24.21
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	1G	40G	AV	10.60009G	5.10	-83.59	-84.16	-80.86	-75.76	-41.20	-34.56
5270MHz	Pass	1G	40G	AV	39.91834G	5.10	-75.81	-77.10	-73.40	-68.30	-41.20	-27.10
5270MHz	Pass	1G	40G	PK	10.53428G	5.10	-55.59	-72.71	-55.51	-50.41	-27.00	-23.41
5310MHz	Pass	1G	40G	AV	10.62203G	5.10	-68.60	-70.93	-66.60	-61.50	-41.20	-20.30
5310MHz	Pass	1G	40G	PK	10.59766G	5.10	-63.02	-65.22	-60.97	-55.87	-27.00	-28.87
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62325G	5.10	-74.97	-76.92	-72.83	-67.73	-41.20	-26.53
5290MHz	Pass	1G	40G	PK	10.57206G	5.10	-64.71	-67.43	-62.85	-57.75	-27.00	-30.75
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61472G	4.89	-80.20	-81.41	-77.75	-72.86	-41.20	-31.66
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.99756G	4.89	-78.34	-78.84	-75.57	-70.68	-41.20	-29.48
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.49163G	4.89	-65.55	-74.73	-65.05	-60.16	-27.00	-33.16
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.61228G	5.10	-80.52	-82.71	-78.47	-73.37	-41.20	-32.17
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	40G	5.10	-78.65	-79.04	-75.83	-70.73	-41.20	-29.53
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.50869G	5.10	-64.44	-72.17	-63.76	-58.66	-27.00	-31.66


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.49163G	-60.16	-27.00	-33.16	4.89	-65.05	-	-65.55	-74.73

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61472G	-72.86	-41.20	-31.66	4.89	-77.75	-	-80.20	-81.41
1G	40G	1M	AV	39.99756G	-70.68	-41.20	-29.48	4.89	-75.57	-	-78.34	-78.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE [PK]

5300MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.59766G	-47.05	-27.00	-20.05	5.10	-52.15	-	-53.57	-57.69

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE [AV]

5300MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60131G	-52.00	-41.20	-10.80	5.10	-57.10	-	-58.11	-63.91

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5320MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.65006G	-45.41	-21.20	-24.21	5.10	-50.51	-	-52.84	-54.32

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5320MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.65006G	-52.30	-41.20	-11.10	5.10	-57.40	-	-59.63	-61.37

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5310MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.59766G	-55.87	-27.00	-28.87	5.10	-60.97	-	-63.02	-65.22

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5310MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62203G	-61.50	-41.20	-20.30	5.10	-66.60	-	-68.60	-70.93

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5290MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.57206G	-57.75	-27.00	-30.75	5.10	-62.85	-	-64.71	-67.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5290MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62325G	-67.73	-41.20	-26.53	5.10	-72.83	-	-74.97	-76.92

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.50869G	-58.66	-27.00	-31.66	5.10	-63.76	-	-64.44	-72.17

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61228G	-73.37	-41.20	-32.17	5.10	-78.47	-	-80.52	-82.71
1G	40G	1M	AV	40G	-70.73	-41.20	-29.53	5.10	-75.83	-	-78.65	-79.04

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.31	-77.32	-77.38	-77.14	-77.79	-71.38	-66.07	-41.20	-24.87
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	5.51	-60.39	-59.05	-64.22	-67.20	-55.64	-50.13	-41.20	-8.93
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.51	-62.10	-59.38	-63.38	-67.79	-56.21	-50.70	-41.20	-9.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.51	-68.67	-67.76	-71.52	-70.49	-63.34	-57.83	-41.20	-16.63
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.51	-74.46	-74.54	-77.04	-75.39	-69.22	-63.71	-41.20	-22.51
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.51	-77.64	-77.39	-77.32	-76.88	-71.28	-65.77	-41.20	-24.57

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX


Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.51	-84.70	-84.93	-84.98	-84.84	-78.84	-73.33	-41.20	-32.13
5260MHz	Pass	1G	40G	AV	39.91103G	5.51	-77.26	-77.00	-77.15	-77.67	-71.24	-65.73	-41.20	-24.53
5260MHz	Pass	1G	40G	PK	10.516G	5.51	-55.76	-55.78	-65.15	-61.66	-52.02	-46.51	-27.00	-19.51
5300MHz	Pass	1G	40G	AV	10.60009G	5.51	-66.46	-59.81	-64.66	-61.44	-56.33	-50.82	-41.20	-9.62
5300MHz	Pass	1G	40G	PK	10.59766G	5.51	-58.35	-54.19	-58.77	-60.04	-51.20	-45.69	-27.00	-18.69
5320MHz	Pass	1G	40G	AV	10.64519G	5.51	-60.39	-59.05	-64.22	-67.20	-55.64	-50.13	-41.20	-8.93
5320MHz	Pass	1G	40G	PK	10.64397G	5.51	-50.01	-53.76	-59.63	-61.02	-47.94	-42.43	-21.20	-21.23
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	5.51	-85.04	-85.31	-85.01	-85.04	-79.08	-73.57	-41.20	-32.37
5260MHz	Pass	1G	40G	AV	39.103G	5.51	-77.32	-76.53	-77.48	-77.78	-71.23	-65.72	-41.20	-24.52
5260MHz	Pass	1G	40G	PK	10.516G	5.51	-59.41	-53.96	-62.45	-60.53	-51.79	-46.28	-27.00	-19.28
5300MHz	Pass	1G	40G	AV	10.60863G	5.51	-63.03	-63.01	-64.46	-64.11	-57.58	-52.07	-41.20	-10.87
5300MHz	Pass	1G	40G	PK	10.59522G	5.51	-55.79	-55.00	-60.75	-58.55	-50.95	-45.44	-27.00	-18.44
5320MHz	Pass	1G	40G	AV	10.64397G	5.51	-62.10	-59.38	-63.38	-67.79	-56.21	-50.70	-41.20	-9.50
5320MHz	Pass	1G	40G	PK	10.64641G	5.51	-58.08	-54.91	-51.91	-64.08	-49.35	-43.84	-21.20	-22.64
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	1G	40G	AV	10.60009G	5.51	-84.59	-84.24	-84.78	-83.67	-78.28	-72.77	-41.20	-31.57
5270MHz	Pass	1G	40G	AV	39.09203G	5.51	-77.24	-78.03	-77.66	-76.80	-71.39	-65.88	-41.20	-24.68
5270MHz	Pass	1G	40G	PK	10.53916G	5.51	-61.69	-57.48	-66.78	-62.12	-54.83	-49.32	-27.00	-22.32
5310MHz	Pass	1G	40G	AV	10.61716G	5.51	-68.67	-67.76	-71.52	-70.49	-63.34	-57.83	-41.20	-16.63
5310MHz	Pass	1G	40G	PK	10.594G	5.51	-67.22	-62.54	-67.57	-69.40	-59.84	-54.33	-27.00	-27.33
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.60741G	5.51	-74.46	-74.54	-77.04	-75.39	-69.22	-63.71	-41.20	-22.51
5290MHz	Pass	1G	40G	PK	10.57084G	5.51	-66.80	-64.85	-72.38	-69.69	-61.54	-56.03	-27.00	-29.03
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61106G	5.31	-84.81	-84.98	-84.42	-84.89	-78.75	-73.44	-41.20	-32.24
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.11763G	5.31	-77.32	-77.38	-77.14	-77.79	-71.38	-66.07	-41.20	-24.87
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.53306G	5.31	-76.87	-75.61	-77.20	-77.29	-70.67	-65.36	-27.00	-38.36
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	37.84281G	5.31	-72.81	-70.65	-69.33	-70.52	-64.64	-59.33	-27.00	-32.33
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.60741G	5.51	-84.64	-85.18	-84.50	-84.75	-78.74	-73.23	-41.20	-32.03
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	39.11641G	5.51	-77.64	-77.39	-77.32	-76.88	-71.28	-65.77	-41.20	-24.57
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.44897G	5.51	-77.18	-77.72	-77.07	-75.78	-70.86	-65.35	-27.00	-38.35
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	23.31653G	5.51	-70.83	-72.15	-68.93	-69.45	-64.15	-58.64	-27.00	-31.64

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5320MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.64397G	-42.43	-21.20	-21.23	5.51	-47.94	-50.01	-53.76	-59.63	-61.02

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5320MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.64519G	-50.13	-41.20	-8.93	5.51	-55.64	-60.39	-59.05	-64.22	-67.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5320MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.64641G	-43.84	-21.20	-22.64	5.51	-49.35	-58.08	-54.91	-51.91	-64.08

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5320MHz

25/01/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.64397G	-50.70	-41.20	-9.50	5.51	-56.21	-62.10	-59.38	-63.38	-67.79

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5310MHz

26/01/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.594G	-54.33	-27.00	-27.33	5.51	-59.84	-67.22	-62.54	-67.57	-69.40

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5310MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.61716G	-57.83	-41.20	-16.63	5.51	-63.34	-68.67	-67.76	-71.52	-70.49

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


CSE [PK]

5290MHz

26/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.57084G	-56.03	-27.00	-29.03	5.51	-61.54	-66.80	-64.85	-72.38	-69.69




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


CSE [AV]

5290MHz

26/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60741G	-63.71	-41.20	-22.51	5.51	-69.22	-74.46	-74.54	-77.04	-75.39




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.44897G	-65.35	-27.00	-38.35	5.51	-70.86	-77.18	-77.72	-77.07	-75.78
1G	40G	1M	PK	23.31653G	-58.64	-27.00	-31.64	5.51	-64.15	-70.83	-72.15	-68.93	-69.45

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

26/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60741G	-73.23	-41.20	-32.03	5.51	-78.74	-84.64	-85.18	-84.50	-84.75
1G	40G	1M	AV	39.11641G	-65.77	-41.20	-24.57	5.51	-71.28	-77.64	-77.39	-77.32	-76.88



CSE-Harmonics (Restricted Band)_Non-Beamforming_Radio 2 _Multi-RU_1T1S

Appendix E.28

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	1G	40G	AV	5.10	-53.77	-53.77	-48.67	-41.20	-7.47
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	Pass	1G	40G	AV	5.10	-60.79	-60.79	-55.69	-41.20	-14.49

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.60009G	5.10	-73.10	-73.10	-68.00	-41.20	-26.80
5290MHz	Pass	1G	40G	AV	15.86022G	5.10	-53.77	-53.77	-48.67	-41.20	-7.47
5290MHz	Pass	1G	40G	PK	10.58059G	5.10	-66.41	-66.41	-61.31	-27.00	-34.31
5290MHz	Pass	1G	40G	PK	15.86022G	5.10	-48.34	-48.34	-43.24	-21.20	-22.04
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.63056G	5.10	-76.26	-76.26	-71.16	-41.20	-29.96
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.67497G	5.10	-60.79	-60.79	-55.69	-41.20	-14.49
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.38438G	5.10	-67.21	-67.21	-62.11	-27.00	-35.11
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.69203G	5.10	-52.87	-52.87	-47.77	-21.20	-26.57


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [PK]

5290MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.58059G	-61.31	-27.00	-34.31	5.10	-66.41	-	-	-66.41
1G	40G	1M	PK	15.86022G	-43.24	-21.20	-22.04	5.10	-48.34	-	-	-48.34

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [AV]

5290MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60009G	-68.00	-41.20	-26.80	5.10	-73.10	-	-	-73.10
1G	40G	1M	AV	15.86022G	-48.67	-41.20	-7.47	5.10	-53.77	-	-	-53.77

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.38438G	-62.11	-27.00	-35.11	5.10	-67.21	-	-	-67.21
1G	40G	1M	PK	15.69203G	-47.77	-21.20	-26.57	5.10	-52.87	-	-	-52.87

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.38438G	-71.16	-41.20	-29.96	5.10	-76.26	-	-	-76.26
1G	40G	1M	AV	15.67497G	-55.69	-41.20	-14.49	5.10	-60.79	-	-	-60.79



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.29

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	1G	40G	AV	5.10	-72.92	-70.75	-63.59	-68.69	-41.20	-22.39
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	Pass	1G	40G	AV	5.10	-75.03	-74.53	-66.66	-71.76	-41.20	-25.46

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.29

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.64153G	5.10	-72.92	-70.75	-68.69	-63.59	-41.20	-22.39
5290MHz	Pass	1G	40G	PK	10.594G	5.10	-60.02	-66.87	-59.20	-54.10	-27.00	-27.10
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.62081G	5.10	-75.03	-74.53	-71.76	-66.66	-41.20	-25.46
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.50138G	5.10	-64.21	-69.44	-63.07	-57.97	-27.00	-30.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [PK]

5290MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.594G	-54.10	-27.00	-27.10	5.10	-59.20	-	-60.02	-66.87

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [AV]

5290MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.64153G	-63.59	-41.20	-22.39	5.10	-68.69	-	-72.92	-70.75

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.50138G	-57.97	-27.00	-30.97	5.10	-63.07	-	-64.21	-69.44

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62081G	-66.66	-41.20	-25.46	5.10	-71.76	-	-75.03	-74.53



CSE-Harmonics (Restricted Band)
Non-Beamforming_Radio 2_Multi-RU_4T1S

Appendix E.30

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	1G	40G	AV	5.51	-58.75	-60.35	-58.93	-59.76	-53.38	-47.87	-41.20	-6.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	1G	40G	AV	5.51	-63.71	-64.00	-64.40	-64.24	-58.06	-52.55	-41.20	-11.35

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)
Non-Beamforming_Radio 2_Multi-RU_4T1S

Appendix E.30

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.60009G	5.51	-76.15	-75.20	-75.20	-75.29	-69.85	-64.34	-41.20	-23.14
5290MHz	Pass	1G	40G	AV	15.86388G	5.51	-58.75	-60.35	-60.35	-59.76	-53.38	-47.87	-41.20	-6.67
5290MHz	Pass	1G	40G	PK	10.58425G	5.51	-70.06	-65.87	-65.87	-71.96	-63.01	-57.50	-27.00	-30.50
5290MHz	Pass	1G	40G	PK	15.84925G	5.51	-54.43	-53.58	-53.58	-56.62	-48.47	-42.96	-21.20	-21.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.61716G	5.51	-79.85	-79.98	-79.98	-79.62	-73.87	-68.36	-41.20	-27.16
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.77247G	5.51	-63.71	-64.00	-64.00	-64.24	-58.06	-52.55	-41.20	-11.35
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.46481G	5.51	-68.65	-66.71	-66.71	-70.51	-63.38	-57.87	-27.00	-30.87
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.76394G	5.51	-56.64	-62.63	-62.63	-57.31	-51.66	-46.15	-21.20	-24.95



DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5290MHz

01/02/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.58425G	-57.50	-27.00	-30.50	5.51	-63.01	-70.06	-65.87	-71.01	-71.96
1G	40G	1M	PK	15.84925G	-42.96	-21.20	-21.76	5.51	-48.47	-54.43	-53.58	-53.91	-56.62

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5290MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60009G	-64.34	-41.20	-23.14	5.51	-69.85	-76.15	-75.20	-77.09	-75.29
1G	40G	1M	AV	15.86388G	-47.87	-41.20	-6.67	5.51	-53.38	-58.75	-60.35	-58.93	-59.76

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.46481G	-57.87	-27.00	-30.87	5.51	-63.38	-68.65	-66.71	-76.93	-70.51
1G	40G	1M	PK	15.76394G	-46.15	-21.20	-24.95	5.51	-51.66	-56.64	-62.63	-56.46	-57.31

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.61716G	-68.36	-41.20	-27.16	5.51	-73.87	-79.85	-79.98	-80.11	-79.62
1G	40G	1M	AV	15.77247G	-52.55	-41.20	-11.35	5.51	-58.06	-63.71	-64.00	-64.40	-64.24



CSE-Harmonics (Restricted)_Non-Beamforming_Radio 2 _Channel Puncturing_1T1S

Appendix E.31

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	Pass	1G	40G	AV	5.10	-53.91	-53.91	-48.81	-41.20	-7.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)	Pass	1G	40G	AV	5.10	-57.18	-57.18	-52.08	-41.20	-10.88

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted)_Non-Beamforming_Radio 2 _Channel Puncturing_1T1S

Appendix E.31

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.61959G	5.10	-70.27	-70.27	-65.17	-41.20	-23.97
5290MHz	Pass	1G	40G	AV	15.87606G	5.10	-53.91	-53.91	-48.81	-41.20	-7.61
5290MHz	Pass	1G	40G	PK	10.56841G	5.10	-66.53	-66.53	-61.43	-27.00	-34.43
5290MHz	Pass	1G	40G	PK	15.88094G	5.10	-47.76	-47.76	-42.66	-21.20	-21.46
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.60619G	5.10	-75.80	-75.80	-70.70	-41.20	-29.50
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.75541G	5.10	-57.18	-57.18	-52.08	-41.20	-10.88
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.44166G	5.10	-70.10	-70.10	-65.00	-27.00	-38.00
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.66888G	5.10	-49.05	-49.05	-43.95	-21.20	-22.75
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.62447G	5.10	-75.53	-75.53	-70.43	-41.20	-29.23
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.77734G	5.10	-57.83	-57.83	-52.73	-41.20	-11.53
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.57816G	5.10	-69.69	-69.69	-64.59	-27.00	-37.59
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.781G	5.10	-50.47	-50.47	-45.37	-21.20	-24.17


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [PK]

5290MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.56841G	-61.43	-27.00	-34.43	5.10	-66.53	-	-	-66.53
1G	40G	1M	PK	15.88094G	-42.66	-21.20	-21.46	5.10	-47.76	-	-	-47.76

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [AV]

5290MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61959G	-65.17	-41.20	-23.97	5.10	-70.27	-	-	-70.27
1G	40G	1M	AV	15.87606G	-48.81	-41.20	-7.61	5.10	-53.91	-	-	-53.91

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.44166G	-65.00	-27.00	-38.00	5.10	-70.10	-	-	-70.10
1G	40G	1M	PK	15.66888G	-43.95	-21.20	-22.75	5.10	-49.05	-	-	-49.05

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60619G	-70.70	-41.20	-29.50	5.10	-75.80	-	-	-75.80
1G	40G	1M	AV	15.75541G	-52.08	-41.20	-10.88	5.10	-57.18	-	-	-57.18




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.57816G	-64.59	-27.00	-37.59	5.10	-69.69	-	-	-69.69
1G	40G	1M	PK	15.781G	-45.37	-21.20	-24.17	5.10	-50.47	-	-	-50.47

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62447G	-70.43	-41.20	-29.23	5.10	-75.53	-	-	-75.53
1G	40G	1M	AV	15.77734G	-52.73	-41.20	-11.53	5.10	-57.83	-	-	-57.83



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_2T1S

Appendix E.32

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)	Pass	1G	40G	AV	5.10	-73.50	-76.06	-71.58	-66.48	-41.20	-25.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port2&Port3)	Pass	1G	40G	AV	5.10	-79.64	-77.61	-75.50	-70.40	-41.20	-29.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted)_Non-Beamforming Radio 2_Channel Puncturing_2T1S

Appendix E.32

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62081G	5.10	-73.50	-76.06	-71.58	-66.48	-41.20	-25.28
5290MHz	Pass	1G	40G	PK	10.58181G	5.10	-63.08	-72.98	-62.66	-57.56	-27.00	-30.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.61716G	5.10	-81.28	-82.74	-78.94	-73.84	-41.20	-32.64
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	39.29556G	5.10	-79.64	-77.61	-75.50	-70.40	-41.20	-29.20
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.52819G	5.10	-66.58	-76.84	-66.19	-61.09	-27.00	-34.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.62691G	5.10	-78.78	-82.30	-77.18	-72.08	-41.20	-30.88
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	39.30288G	5.10	-78.40	-79.01	-75.68	-70.58	-41.20	-29.38
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.50259G	5.10	-67.59	-74.67	-66.81	-61.71	-27.00	-34.71


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)

CSE [PK]

5290MHz

14/03/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port2&Port3)

CSE [AV]

5290MHz

14/03/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port2&Port3)

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.52819G	-61.09	-27.00	-34.09	5.10	-66.19	-	-66.58	-76.84

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port2&Port3)

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61716G	-73.84	-41.20	-32.64	5.10	-78.94	-	-81.28	-82.74
1G	40G	1M	AV	39.29556G	-70.40	-41.20	-29.20	5.10	-75.50	-	-79.64	-77.61



CSE-Harmonics (Restricted)_Non-Beamforming_Radio 2_Channel Puncturing_4T1S

Appendix E.33

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	1G	40G	AV	5.51	-55.91	-55.33	-54.60	-54.56	-49.04	-43.53	-41.20	-2.33
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	1G	40G	AV	5.51	-61.68	-62.01	-62.94	-63.11	-56.37	-50.86	-41.20	-9.66

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted)_Non-Beamforming_Radio 2_Channel Puncturing_4T1S

Appendix E.33

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.61838G	5.51	-70.47	-69.81	-69.81	-71.35	-64.68	-59.17	-41.20	-17.97
5290MHz	Pass	1G	40G	AV	15.88216G	5.51	-55.91	-55.33	-55.33	-54.56	-49.04	-43.53	-41.20	-2.33
5290MHz	Pass	1G	40G	PK	10.5745G	5.51	-65.50	-65.77	-65.77	-67.69	-59.80	-54.29	-27.00	-27.29
5290MHz	Pass	1G	40G	PK	15.88825G	5.51	-51.38	-49.30	-49.30	-47.40	-43.64	-38.13	-21.20	-16.93
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.60009G	5.51	-80.65	-78.02	-78.02	-80.60	-73.85	-68.34	-41.20	-27.14
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.77003G	5.51	-63.01	-62.09	-62.09	-62.17	-56.49	-50.98	-41.20	-9.78
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.49406G	5.51	-68.40	-65.42	-65.42	-73.87	-63.11	-57.60	-27.00	-30.60
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.77734G	5.51	-55.67	-58.61	-58.61	-59.48	-50.70	-45.19	-21.20	-23.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	10.60009G	5.51	-79.67	-78.53	-78.53	-78.52	-72.84	-67.33	-41.20	-26.13
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	AV	15.77369G	5.51	-61.68	-62.01	-62.01	-63.11	-56.37	-50.86	-41.20	-9.66
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.46116G	5.51	-66.53	-66.66	-66.66	-76.64	-63.10	-57.59	-27.00	-30.59
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	15.77369G	5.51	-55.35	-57.36	-57.36	-56.43	-50.47	-44.96	-21.20	-23.76


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [PK]

5290MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.5745G	-54.29	-27.00	-27.29	5.51	-59.80	-65.50	-65.77	-64.80	-67.69
1G	40G	1M	PK	15.88825G	-38.13	-21.20	-16.93	5.51	-43.64	-51.38	-49.30	-52.18	-47.40

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [AV]

5290MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.61838G	-59.17	-41.20	-17.97	5.51	-64.68	-70.47	-69.81	-71.36	-71.35
1G	40G	1M	AV	15.88216G	-43.53	-41.20	-2.33	5.51	-49.04	-55.91	-55.33	-54.60	-54.56

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.49406G	-57.60	-27.00	-30.60	5.51	-63.11	-68.40	-65.42	-78.06	-73.87
1G	40G	1M	PK	15.77734G	-45.19	-21.20	-23.99	5.51	-50.70	-55.67	-58.61	-54.82	-59.48

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60009G	-68.34	-41.20	-27.14	5.51	-73.85	-80.65	-78.02	-80.93	-80.60
1G	40G	1M	AV	15.77003G	-50.98	-41.20	-9.78	5.51	-56.49	-63.01	-62.09	-62.85	-62.17

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.46116G	-57.59	-27.00	-30.59	5.51	-63.10	-66.53	-66.66	-75.21	-76.64
1G	40G	1M	PK	15.77369G	-44.96	-21.20	-23.76	5.51	-50.47	-55.35	-57.36	-57.10	-56.43

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60009G	-67.33	-41.20	-26.13	5.51	-72.84	-79.67	-78.53	-78.82	-78.52
1G	40G	1M	AV	15.77369G	-50.86	-41.20	-9.66	5.51	-56.37	-61.68	-62.01	-62.94	-63.11



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	4.77	-47.71	-47.71	-42.94	-41.20	-1.74
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	4.77	-48.91	-48.91	-44.14	-41.20	-2.94

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	4.77	-84.82	-84.82	-80.05	-41.20	-38.85
5260MHz	Pass	1G	40G	AV	15.781G	4.77	-47.79	-47.79	-43.02	-41.20	-1.82
5260MHz	Pass	1G	40G	PK	10.52209G	4.77	-69.06	-69.06	-64.29	-27.00	-37.29
5260MHz	Pass	1G	40G	PK	15.77978G	4.77	-42.46	-42.46	-37.69	-21.20	-16.49
5300MHz	Pass	1G	40G	AV	10.60009G	4.77	-76.85	-76.85	-72.08	-41.20	-30.88
5300MHz	Pass	1G	40G	AV	15.898G	4.77	-48.07	-48.07	-43.30	-41.20	-2.10
5300MHz	Pass	1G	40G	PK	10.59888G	4.77	-70.94	-70.94	-66.17	-27.00	-39.17
5300MHz	Pass	1G	40G	PK	15.89434G	4.77	-43.59	-43.59	-38.82	-21.20	-17.62
5320MHz	Pass	1G	40G	AV	10.63909G	4.77	-77.94	-77.94	-73.17	-41.20	-31.97
5320MHz	Pass	1G	40G	AV	15.96259G	4.77	-47.71	-47.71	-42.94	-41.20	-1.74
5320MHz	Pass	1G	40G	PK	10.64275G	4.77	-70.69	-70.69	-65.92	-21.20	-44.72
5320MHz	Pass	1G	40G	PK	15.96259G	4.77	-42.53	-42.53	-37.76	-21.20	-16.56
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	4.77	-85.43	-85.43	-80.66	-41.20	-39.46
5260MHz	Pass	1G	40G	AV	15.77734G	4.77	-49.35	-49.35	-44.58	-41.20	-3.38
5260MHz	Pass	1G	40G	PK	10.52331G	4.77	-70.47	-70.47	-65.70	-27.00	-38.70
5260MHz	Pass	1G	40G	PK	15.78222G	4.77	-41.83	-41.83	-37.06	-21.20	-15.86
5300MHz	Pass	1G	40G	AV	10.60009G	4.77	-78.44	-78.44	-73.67	-41.20	-32.47
5300MHz	Pass	1G	40G	AV	15.89922G	4.77	-49.49	-49.49	-44.72	-41.20	-3.52
5300MHz	Pass	1G	40G	PK	10.58913G	4.77	-72.82	-72.82	-68.05	-27.00	-41.05
5300MHz	Pass	1G	40G	PK	15.88947G	4.77	-43.21	-43.21	-38.44	-21.20	-17.24
5320MHz	Pass	1G	40G	AV	10.64153G	4.77	-78.53	-78.53	-73.76	-41.20	-32.56
5320MHz	Pass	1G	40G	AV	15.9565G	4.77	-48.91	-48.91	-44.14	-41.20	-2.94
5320MHz	Pass	1G	40G	PK	10.64397G	4.77	-71.75	-71.75	-66.98	-21.20	-45.78
5320MHz	Pass	1G	40G	PK	15.96381G	4.77	-40.53	-40.53	-35.76	-21.20	-14.56


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5320MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.64275G	-65.92	-21.20	-44.72	4.77	-70.69	-70.69
1G	40G	1M	PK	15.96259G	-37.76	-21.20	-16.56	4.77	-42.53	-42.53

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5320MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.63909G	-73.17	-41.20	-31.97	4.77	-77.94	-77.94
1G	40G	1M	AV	15.96259G	-42.94	-41.20	-1.74	4.77	-47.71	-47.71

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5320MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.64397G	-66.98	-21.20	-45.78	4.77	-71.75	-71.75
1G	40G	1M	PK	15.96381G	-35.76	-21.20	-14.56	4.77	-40.53	-40.53

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5320MHz

28/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.64153G	-73.76	-41.20	-32.56	4.77	-78.53	-78.53
1G	40G	1M	AV	15.9565G	-44.14	-41.20	-2.94	4.77	-48.91	-48.91


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	Horizontal
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	Horizontal
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	Horizontal
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	3.03646G	30.80	68.20	-37.40	3	Vertical	44	1.81
Mode 1	Pass	AV	6.48588G	38.63	68.20	-29.57	3	Vertical	339	2.39
Mode 1	Pass	AV	8.35258G	40.76	54.00	-13.24	3	Vertical	124	1.50
Mode 1	Pass	PK	3.02062G	42.77	88.20	-45.43	3	Vertical	44	1.81
Mode 1	Pass	PK	6.49104G	56.59	88.20	-31.61	3	Vertical	339	2.39
Mode 1	Pass	PK	8.34964G	53.12	74.00	-20.88	3	Vertical	124	1.50
Mode 1	Pass	AV	3.03342G	31.21	68.20	-36.99	3	Horizontal	51	1.50
Mode 1	Pass	AV	4.85898G	34.05	54.00	-19.95	3	Horizontal	324	1.50
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	3	Horizontal	145	2.24
Mode 1	Pass	PK	3.04764G	43.01	88.20	-45.19	3	Horizontal	51	1.50
Mode 1	Pass	PK	4.87044G	45.66	74.00	-28.34	3	Horizontal	324	1.50
Mode 1	Pass	PK	9.3358G	55.15	74.00	-18.85	3	Horizontal	145	2.24
Mode 2	Pass	AV	2.10628G	27.41	68.20	-40.79	3	Vertical	66	1.50
Mode 2	Pass	AV	4.33588G	32.81	54.00	-21.19	3	Vertical	306	1.50
Mode 2	Pass	AV	7.91632G	40.70	68.20	-27.50	3	Vertical	217	1.50
Mode 2	Pass	PK	2.11672G	39.13	88.20	-49.07	3	Vertical	66	1.50
Mode 2	Pass	PK	4.33732G	45.03	74.00	-28.97	3	Vertical	306	1.50
Mode 2	Pass	PK	7.93252G	52.92	88.20	-35.28	3	Vertical	217	1.50
Mode 2	Pass	AV	3.03832G	30.60	68.20	-37.60	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	3	Horizontal	310	1.50
Mode 2	Pass	AV	8.78496G	42.03	68.20	-26.17	3	Horizontal	354	1.50
Mode 2	Pass	PK	3.03418G	42.27	88.20	-45.93	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.80348G	45.17	74.00	-28.83	3	Horizontal	310	1.50
Mode 2	Pass	PK	8.78532G	53.82	88.20	-34.38	3	Horizontal	354	1.50
Mode 3	Pass	AV	3.02454G	30.10	68.20	-38.10	3	Vertical	21	1.05
Mode 3	Pass	AV	6.45133G	39.11	68.20	-29.09	3	Vertical	113	2.14
Mode 3	Pass	AV	7.15646G	42.60	68.20	-25.60	3	Vertical	82	2.58
Mode 3	Pass	PK	3.04556G	43.83	88.20	-44.37	3	Vertical	21	1.05
Mode 3	Pass	PK	6.50148G	58.16	88.20	-30.04	3	Vertical	113	2.14
Mode 3	Pass	PK	7.15851G	51.94	88.20	-36.26	3	Vertical	82	2.58
Mode 3	Pass	AV	3.15844G	30.25	68.20	-37.95	3	Horizontal	23	2.10
Mode 3	Pass	AV	4.81545G	37.24	54.00	-16.76	3	Horizontal	185	1.55
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	3	Horizontal	56	2.19
Mode 3	Pass	PK	3.23842G	43.89	88.20	-44.31	3	Horizontal	23	2.10
Mode 3	Pass	PK	4.84851G	46.17	74.00	-27.83	3	Horizontal	185	1.55
Mode 3	Pass	PK	8.12456G	54.92	74.00	-19.08	3	Horizontal	56	2.19
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Vertical	51	2.13
Mode 4	Pass	AV	5.01515G	37.28	54.00	-16.72	3	Vertical	259	1.54
Mode 4	Pass	AV	10.5556G	45.61	68.20	-22.59	3	Vertical	232	2.38
Mode 4	Pass	PK	3.15455G	41.43	88.20	-46.77	3	Vertical	51	2.13
Mode 4	Pass	PK	5.01564G	47.92	74.00	-26.08	3	Vertical	259	1.54
Mode 4	Pass	PK	10.5541G	57.56	88.20	-30.64	3	Vertical	232	2.38
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Horizontal	215	2.18
Mode 4	Pass	AV	5.15847G	34.97	68.20	-33.23	3	Horizontal	121	1.54
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	3	Horizontal	102	1.08
Mode 4	Pass	PK	3.15193G	42.94	88.20	-45.26	3	Horizontal	215	2.18
Mode 4	Pass	PK	5.15483G	46.90	88.20	-41.30	3	Horizontal	121	1.54
Mode 4	Pass	PK	9.14359G	54.93	74.00	-19.07	3	Horizontal	102	1.08

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03646G	30.80	68.20	-37.40	-0.35	3	Vertical	44	1.81	31.15	29.67	5.20	35.22
AV	6.48588G	38.63	68.20	-29.57	7.20	3	Vertical	339	2.39	31.43	35.02	7.70	35.52
AV	8.35258G	40.76	54.00	-13.24	10.82	3	Vertical	124	1.50	29.94	37.01	8.78	34.97
PK	3.02062G	42.77	88.20	-45.43	-0.39	3	Vertical	44	1.81	43.16	29.64	5.19	35.22
PK	6.49104G	56.59	88.20	-31.61	7.22	3	Vertical	339	2.39	49.37	35.05	7.70	35.53
PK	8.34964G	53.12	74.00	-20.88	10.80	3	Vertical	124	1.50	42.32	37.00	8.78	34.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03342G	31.21	68.20	-36.99	-0.35	3	Horizontal	51	1.50	31.56	29.67	5.20	35.22
AV	4.85898G	34.05	54.00	-19.95	4.05	3	Horizontal	324	1.50	30.00	32.54	6.57	35.06
AV	9.35734G	42.96	54.00	-11.04	13.05	3	Horizontal	145	2.24	29.91	38.33	9.53	34.81
PK	3.04764G	43.01	88.20	-45.19	-0.31	3	Horizontal	51	1.50	43.32	29.70	5.21	35.22
PK	4.87044G	45.66	74.00	-28.34	4.10	3	Horizontal	324	1.50	41.56	32.58	6.58	35.06
PK	9.3358G	55.15	74.00	-18.85	12.99	3	Horizontal	145	2.24	42.16	38.30	9.49	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.10628G	27.41	68.20	-40.79	-3.34	3	Vertical	66	1.50	30.75	27.43	4.24	35.01
AV	4.33588G	32.81	54.00	-21.19	2.63	3	Vertical	306	1.50	30.18	31.47	6.20	35.04
AV	7.91632G	40.70	68.20	-27.50	10.35	3	Vertical	217	1.50	30.35	36.93	8.49	35.07
PK	2.11672G	39.13	88.20	-49.07	-3.20	3	Vertical	66	1.50	42.33	27.57	4.25	35.02
PK	4.33732G	45.03	74.00	-28.97	2.63	3	Vertical	306	1.50	42.40	31.47	6.20	35.04
PK	7.93252G	52.92	88.20	-35.28	10.40	3	Vertical	217	1.50	42.52	36.97	8.50	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03832G	30.60	68.20	-37.60	-0.34	3	Horizontal	112	1.50	30.94	29.68	5.20	35.22
AV	4.79598G	33.26	54.00	-20.74	3.73	3	Horizontal	310	1.50	29.53	32.28	6.51	35.06
AV	8.78496G	42.03	68.20	-26.17	11.97	3	Horizontal	354	1.50	30.06	37.77	9.00	34.80
PK	3.03418G	42.27	88.20	-45.93	-0.35	3	Horizontal	112	1.50	42.62	29.67	5.20	35.22
PK	4.80348G	45.17	74.00	-28.83	3.76	3	Horizontal	310	1.50	41.41	32.31	6.51	35.06
PK	8.78532G	53.82	88.20	-34.38	11.97	3	Horizontal	354	1.50	41.85	37.77	9.00	34.80


Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Vertical	51	2.13	31.25	29.70	5.30	35.23
AV	5.01515G	37.28	54.00	-16.72	4.80	3	Vertical	259	1.54	32.48	33.14	6.73	35.07
AV	10.5556G	45.61	68.20	-22.59	14.57	3	Vertical	232	2.38	31.04	38.72	10.38	34.53
PK	3.15455G	41.43	88.20	-46.77	-0.24	3	Vertical	51	2.13	41.67	29.70	5.29	35.23
PK	5.01564G	47.92	74.00	-26.08	4.80	3	Vertical	259	1.54	43.12	33.14	6.73	35.07
PK	10.5541G	57.56	88.20	-30.64	14.57	3	Vertical	232	2.38	42.99	38.72	10.38	34.53

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Horizontal	215	2.18	31.25	29.70	5.30	35.23
AV	5.15847G	34.97	68.20	-33.23	4.79	3	Horizontal	121	1.54	30.18	33.08	6.78	35.07
AV	9.14521G	43.59	54.00	-10.41	12.45	3	Horizontal	102	1.08	31.14	38.00	9.20	34.75
PK	3.15193G	42.94	88.20	-45.26	-0.24	3	Horizontal	215	2.18	43.18	29.70	5.29	35.23
PK	5.15483G	46.90	88.20	-41.30	4.79	3	Horizontal	121	1.54	42.11	33.09	6.77	35.07
PK	9.14359G	54.93	74.00	-19.07	12.45	3	Horizontal	102	1.08	42.48	38.00	9.20	34.75