


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5550MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.39G	5.805G	1M	PK	5.39602G	-36.99	-21.20	-15.79	5.26	-42.25	-	-	-42.25
5.39G	5.805G	1M	PK	5.46595G	-40.12	-27.00	-13.12	5.26	-45.38	-	-	-45.38
5.39G	5.805G	1M	PK	5.72966G	-39.39	-27.00	-12.39	5.26	-44.65	-	-	-44.65

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5550MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.39G	5.805G	1M	AV	5.412G	-48.25	-41.20	-7.05	5.26	-53.51	-	-	-53.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5530MHz

30/01/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.34191G	-36.59	-27.00	-9.59	5.26	-41.85	-	-	-41.85
5.31G	5.885G	1M	PK	5.448G	-36.50	-21.20	-15.30	5.26	-41.76	-	-	-41.76
5.31G	5.885G	1M	PK	5.46611G	-34.87	-27.00	-7.87	5.26	-40.13	-	-	-40.13
5.31G	5.885G	1M	PK	5.82146G	-37.67	-27.00	-10.67	5.26	-42.93	-	-	-42.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5530MHz

30/01/2025



Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45921G	-46.77	-41.20	-5.57	5.26	-52.03	-	-	-52.03

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.34824G	-33.45	-27.00	-6.45	5.26	-38.71	-	-	-38.71
5.15G	6.045G	1M	PK	5.35093G	-31.82	-21.20	-10.62	5.26	-37.08	-	-	-37.08
5.15G	6.045G	1M	PK	5.46012G	-33.17	-27.00	-6.17	5.26	-38.43	-	-	-38.43
5.15G	6.045G	1M	PK	5.72728G	-28.14	-27.00	-1.14	5.26	-33.40	-	-	-33.40

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5570MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.56	-41.20	-11.36	5.26	-57.82	-	-	-57.82
5.15G	6.045G	1M	AV	5.427G	-43.89	-41.20	-2.69	5.26	-49.15	-	-	-49.15

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	Pass	5.43G	5.765G	AV	5.43302G	5.26	-57.39	-51.44	-50.46	-45.20	-41.20	-4.00
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.43G	5.765G	PK	5.72547G	5.26	-36.38	-36.49	-33.42	-28.16	-27.00	-1.16
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.39G	5.805G	PK	5.72532G	5.26	-40.51	-37.92	-36.01	-30.75	-27.00	-3.75
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.31G	5.885G	AV	5.45893G	5.26	-50.22	-51.97	-48.00	-42.74	-41.20	-1.54
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.15G	6.045G	AV	5.43193G	5.26	-49.54	-49.71	-46.61	-41.35	-41.20	-0.15

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45613G	5.26	-56.19	-56.33	-53.25	-47.99	-41.20	-6.79
5500MHz	Pass	5.43G	5.765G	PK	5.45127G	5.26	-46.50	-44.84	-42.58	-37.32	-21.20	-16.12
5500MHz	Pass	5.43G	5.765G	PK	5.46367G	5.26	-45.39	-44.51	-41.92	-36.66	-27.00	-9.66
5500MHz	Pass	5.43G	5.765G	PK	5.73368G	5.26	-45.67	-46.72	-43.15	-37.89	-27.00	-10.89
5580MHz	Pass	5.43G	5.765G	AV	5.43302G	5.26	-57.39	-51.44	-50.46	-45.20	-41.20	-4.00
5580MHz	Pass	5.43G	5.765G	PK	5.43168G	5.26	-45.66	-41.99	-40.44	-35.18	-21.20	-13.98
5580MHz	Pass	5.43G	5.765G	PK	5.46484G	5.26	-46.11	-48.21	-44.02	-38.76	-27.00	-11.76
5580MHz	Pass	5.43G	5.765G	PK	5.74088G	5.26	-47.16	-37.42	-36.98	-31.72	-27.00	-4.72
5700MHz	Pass	5.43G	5.765G	AV	5.45781G	5.26	-57.95	-58.18	-55.05	-49.79	-41.20	-8.59
5700MHz	Pass	5.43G	5.765G	PK	5.43302G	5.26	-47.01	-47.44	-44.21	-38.95	-21.20	-17.75
5700MHz	Pass	5.43G	5.765G	PK	5.46199G	5.26	-46.59	-48.57	-44.46	-39.20	-27.00	-12.20
5700MHz	Pass	5.43G	5.765G	PK	5.72547G	5.26	-41.74	-41.19	-38.45	-33.19	-27.00	-6.19
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43207G	5.26	-57.44	-58.13	-54.76	-49.50	-41.20	-8.30
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.45415G	5.26	-46.71	-48.48	-44.50	-39.24	-21.20	-18.04
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4645G	5.26	-46.60	-49.04	-44.64	-39.38	-27.00	-12.38
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.8654G	5.26	-47.24	-39.68	-38.98	-33.72	-27.00	-6.72
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45814G	5.26	-56.09	-56.21	-53.14	-47.88	-41.20	-6.68
5500MHz	Pass	5.43G	5.765G	PK	5.45446G	5.26	-45.67	-44.50	-42.04	-36.78	-21.20	-15.58
5500MHz	Pass	5.43G	5.765G	PK	5.46953G	5.26	-44.73	-45.47	-42.07	-36.81	-27.00	-9.81
5500MHz	Pass	5.43G	5.765G	PK	5.7372G	5.26	-46.21	-45.16	-42.64	-37.38	-27.00	-10.38
5580MHz	Pass	5.43G	5.765G	AV	5.43469G	5.26	-57.13	-51.86	-50.73	-45.47	-41.20	-4.27
5580MHz	Pass	5.43G	5.765G	PK	5.43034G	5.26	-47.63	-40.89	-40.06	-34.80	-21.20	-13.60
5580MHz	Pass	5.43G	5.765G	PK	5.46886G	5.26	-46.60	-46.09	-43.33	-38.07	-27.00	-11.07
5580MHz	Pass	5.43G	5.765G	PK	5.73083G	5.26	-48.92	-37.30	-37.01	-31.75	-27.00	-4.75
5700MHz	Pass	5.43G	5.765G	AV	5.44323G	5.26	-60.29	-60.49	-57.38	-52.12	-41.20	-10.92
5700MHz	Pass	5.43G	5.765G	PK	5.45831G	5.26	-48.58	-50.58	-46.46	-41.20	-21.20	-20.00
5700MHz	Pass	5.43G	5.765G	PK	5.46166G	5.26	-50.80	-48.19	-46.29	-41.03	-27.00	-14.03
5700MHz	Pass	5.43G	5.765G	PK	5.72547G	5.26	-36.38	-36.49	-33.42	-28.16	-27.00	-1.16
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43092G	5.26	-57.44	-57.97	-54.69	-49.43	-41.20	-8.23
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.45898G	5.26	-45.92	-48.73	-44.09	-38.83	-21.20	-17.63
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46197G	5.26	-47.28	-47.18	-44.22	-38.96	-27.00	-11.96
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86792G	5.26	-47.21	-39.49	-38.81	-33.55	-27.00	-6.55
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	5.39G	5.805G	AV	5.45972G	5.26	-53.75	-55.15	-51.38	-46.12	-41.20	-4.92
5510MHz	Pass	5.39G	5.805G	PK	5.4591G	5.26	-41.18	-42.24	-38.67	-33.41	-21.20	-12.21
5510MHz	Pass	5.39G	5.805G	PK	5.46989G	5.26	-38.65	-40.99	-36.65	-31.39	-27.00	-4.39
5510MHz	Pass	5.39G	5.805G	PK	5.80355G	5.26	-46.59	-42.38	-40.98	-35.72	-27.00	-8.72
5550MHz	Pass	5.39G	5.805G	AV	5.412G	5.26	-56.54	-53.36	-51.65	-46.39	-41.20	-5.19
5550MHz	Pass	5.39G	5.805G	PK	5.40639G	5.26	-47.23	-40.51	-39.67	-34.41	-21.20	-13.21
5550MHz	Pass	5.39G	5.805G	PK	5.46947G	5.26	-45.15	-46.09	-42.58	-37.32	-27.00	-10.32
5550MHz	Pass	5.39G	5.805G	PK	5.73798G	5.26	-45.23	-45.96	-42.57	-37.31	-27.00	-10.31
5670MHz	Pass	5.39G	5.805G	AV	5.44042G	5.26	-57.38	-57.75	-54.55	-49.29	-41.20	-8.09
5670MHz	Pass	5.39G	5.805G	PK	5.42507G	5.26	-45.77	-48.06	-43.76	-38.50	-21.20	-17.30
5670MHz	Pass	5.39G	5.805G	PK	5.46097G	5.26	-46.29	-47.18	-43.70	-38.44	-27.00	-11.44
5670MHz	Pass	5.39G	5.805G	PK	5.72532G	5.26	-40.51	-37.92	-36.01	-30.75	-27.00	-3.75
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.40647G	5.26	-56.58	-57.73	-54.11	-48.85	-41.20	-7.65
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.41862G	5.26	-44.99	-48.52	-43.40	-38.14	-21.20	-16.94
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46911G	5.26	-47.07	-47.28	-44.16	-38.90	-27.00	-11.90
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.85602G	5.26	-46.38	-41.11	-39.98	-34.72	-27.00	-7.72
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45893G	5.26	-50.22	-51.97	-48.00	-42.74	-41.20	-1.54
5530MHz	Pass	5.31G	5.885G	PK	5.33904G	5.26	-46.81	-42.80	-41.35	-36.09	-27.00	-9.09
5530MHz	Pass	5.31G	5.885G	PK	5.45806G	5.26	-39.28	-41.47	-37.23	-31.97	-21.20	-10.77
5530MHz	Pass	5.31G	5.885G	PK	5.46956G	5.26	-37.62	-41.35	-36.09	-30.83	-27.00	-3.83
5530MHz	Pass	5.31G	5.885G	PK	5.82261G	5.26	-44.73	-43.64	-41.14	-35.88	-27.00	-8.88
5610MHz	Pass	5.31G	5.885G	AV	5.45346G	5.26	-55.94	-54.22	-51.99	-46.73	-41.20	-5.53
5610MHz	Pass	5.31G	5.885G	PK	5.3146G	5.26	-44.74	-47.71	-42.97	-37.71	-27.00	-10.71
5610MHz	Pass	5.31G	5.885G	PK	5.42558G	5.26	-47.87	-42.76	-41.59	-36.33	-21.20	-15.13
5610MHz	Pass	5.31G	5.885G	PK	5.46726G	5.26	-46.31	-43.58	-41.72	-36.46	-27.00	-9.46
5610MHz	Pass	5.31G	5.885G	PK	5.78639G	5.26	-47.10	-40.70	-39.80	-34.54	-27.00	-7.54
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.35375G	5.26	-55.60	-57.09	-53.27	-48.01	-41.20	-6.81
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3471G	5.26	-45.78	-45.97	-42.86	-37.60	-27.00	-10.60
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.37545G	5.26	-44.37	-47.15	-42.53	-37.27	-21.20	-16.07
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46925G	5.26	-47.42	-45.68	-43.45	-38.19	-27.00	-11.19
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.8525G	5.26	-46.25	-41.86	-40.51	-35.25	-27.00	-8.25
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-59.39	-59.95	-56.65	-51.39	-41.20	-10.19



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5570MHz	Pass	5.15G	6.045G	AV	5.43193G	5.26	-49.54	-49.71	-46.61	-41.35	-41.20	-0.15
5570MHz	Pass	5.15G	6.045G	PK	5.34601G	5.26	-43.00	-39.19	-37.68	-32.42	-27.00	-5.42
5570MHz	Pass	5.15G	6.045G	PK	5.40866G	5.26	-37.50	-40.52	-35.74	-30.48	-21.20	-9.28
5570MHz	Pass	5.15G	6.045G	PK	5.46996G	5.26	-39.72	-38.75	-36.20	-30.94	-27.00	-3.94
5570MHz	Pass	5.15G	6.045G	PK	5.7595G	5.26	-38.64	-34.30	-32.94	-27.68	-27.00	-0.68


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE Bandedge [PK]

5580MHz

13/03/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE Bandedge [AV]

5580MHz

13/03/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5700MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.43G	5.765G	1M	PK	5.45831G	-41.20	-21.20	-20.00	5.26	-46.46	-	-48.58	-50.58
5.43G	5.765G	1M	PK	5.46166G	-41.03	-27.00	-14.03	5.26	-46.29	-	-50.80	-48.19
5.43G	5.765G	1M	PK	5.72547G	-28.16	-27.00	-1.16	5.26	-33.42	-	-36.38	-36.49

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5700MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.43G	5.765G	1M	AV	5.44323G	-52.12	-41.20	-10.92	5.26	-57.38	-	-60.29	-60.49

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5670MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.39G	5.805G	1M	PK	5.42507G	-38.50	-21.20	-17.30	5.26	-43.76	-	-45.77	-48.06
5.39G	5.805G	1M	PK	5.46097G	-38.44	-27.00	-11.44	5.26	-43.70	-	-46.29	-47.19
5.39G	5.805G	1M	PK	5.72532G	-30.75	-27.00	-3.75	5.26	-36.01	-	-40.51	-37.92

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5670MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.39G	5.805G	1M	AV	5.44042G	-49.29	-41.20	-8.09	5.26	-54.55	-	-57.38	-57.75

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5530MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.33904G	-36.09	-27.00	-9.09	5.26	-41.35	-	-46.81	-42.80
5.31G	5.885G	1M	PK	5.45806G	-31.97	-21.20	-10.77	5.26	-37.23	-	-39.28	-41.47
5.31G	5.885G	1M	PK	5.46956G	-30.83	-27.00	-3.83	5.26	-36.09	-	-37.62	-41.35
5.31G	5.885G	1M	PK	5.82261G	-35.88	-27.00	-8.88	5.26	-41.14	-	-44.73	-43.64

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5530MHz

13/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45893G	-42.74	-41.20	-1.54	5.26	-48.00	-	-50.22	-51.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5570MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.34601G	-32.42	-27.00	-5.42	5.26	-37.68	-	-43.00	-39.19
5.15G	6.045G	1M	PK	5.40866G	-30.48	-21.20	-9.28	5.26	-35.74	-	-37.50	-40.52
5.15G	6.045G	1M	PK	5.46996G	-30.94	-27.00	-3.94	5.26	-36.20	-	-39.72	-38.75
5.15G	6.045G	1M	PK	5.7595G	-27.68	-27.00	-0.68	5.26	-32.94	-	-38.64	-34.30

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-51.39	-41.20	-10.19	5.26	-56.65	-	-59.39	-59.95
5.15G	6.045G	1M	AV	5.43193G	-41.35	-41.20	-0.15	5.26	-46.61	-	-49.54	-49.71

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	5.43G	5.765G	AV	5.43318G	5.50	-58.39	-58.47	-53.22	-49.63	-47.32	-41.82	-41.20	-0.62
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.43G	5.765G	PK	5.72564G	5.50	-40.33	-37.21	-37.43	-41.31	-32.70	-27.20	-27.00	-0.20
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.39G	5.805G	AV	5.40224G	5.50	-57.51	-58.19	-54.55	-51.61	-48.63	-43.13	-41.20	-1.93
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.31G	5.885G	AV	5.4595G	5.50	-55.62	-51.43	-53.07	-57.11	-47.74	-42.24	-41.20	-1.04
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	5.15G	6.045G	AV	5.4373G	5.50	-53.28	-51.74	-53.34	-53.99	-46.98	-41.48	-41.20	-0.28

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45312G	5.50	-57.46	-57.49	-58.07	-57.99	-51.72	-46.22	-41.20	-5.02
5500MHz	Pass	5.43G	5.765G	PK	5.45613G	5.50	-47.95	-45.60	-48.22	-48.27	-41.34	-35.84	-21.20	-14.64
5500MHz	Pass	5.43G	5.765G	PK	5.46501G	5.50	-46.37	-46.42	-47.75	-47.50	-40.95	-35.45	-27.00	-8.45
5500MHz	Pass	5.43G	5.765G	PK	5.74674G	5.50	-46.47	-47.57	-48.32	-50.10	-41.90	-36.40	-27.00	-9.40
5580MHz	Pass	5.43G	5.765G	AV	5.43318G	5.50	-58.39	-58.47	-53.22	-49.63	-47.32	-41.82	-41.20	-0.62
5580MHz	Pass	5.43G	5.765G	PK	5.43335G	5.50	-49.43	-49.53	-43.63	-39.76	-37.66	-32.16	-21.20	-10.96
5580MHz	Pass	5.43G	5.765G	PK	5.46769G	5.50	-48.75	-47.15	-49.05	-49.26	-42.45	-36.95	-27.00	-9.95
5580MHz	Pass	5.43G	5.765G	PK	5.72748G	5.50	-49.37	-49.10	-38.77	-41.20	-36.34	-30.84	-27.00	-3.84
5700MHz	Pass	5.43G	5.765G	AV	5.45278G	5.50	-58.91	-59.23	-59.99	-59.23	-53.30	-47.80	-41.20	-6.60
5700MHz	Pass	5.43G	5.765G	PK	5.45697G	5.50	-49.50	-46.84	-49.97	-48.72	-42.56	-37.06	-21.20	-15.86
5700MHz	Pass	5.43G	5.765G	PK	5.46467G	5.50	-49.44	-47.36	-48.65	-49.52	-42.63	-37.13	-27.00	-10.13
5700MHz	Pass	5.43G	5.765G	PK	5.72514G	5.50	-42.50	-42.82	-41.38	-45.67	-36.81	-31.31	-27.00	-4.31
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.44035G	5.50	-58.69	-58.69	-59.88	-59.62	-53.17	-47.67	-41.20	-6.47
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4599G	5.50	-48.79	-47.67	-50.48	-49.54	-42.98	-37.48	-21.20	-16.28
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46082G	5.50	-47.92	-49.32	-49.81	-49.99	-43.16	-37.66	-27.00	-10.66
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.867G	5.50	-48.92	-48.61	-40.95	-41.68	-37.57	-32.07	-27.00	-5.07
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45965G	5.50	-57.39	-55.93	-56.50	-55.99	-50.39	-44.89	-41.20	-3.69
5500MHz	Pass	5.43G	5.765G	PK	5.45312G	5.50	-46.63	-44.47	-45.96	-46.64	-39.81	-34.31	-21.20	-13.11
5500MHz	Pass	5.43G	5.765G	PK	5.46786G	5.50	-45.06	-46.23	-47.22	-43.58	-39.29	-33.79	-27.00	-6.79
5500MHz	Pass	5.43G	5.765G	PK	5.74507G	5.50	-47.37	-47.81	-47.36	-48.97	-41.81	-36.31	-27.00	-9.31
5580MHz	Pass	5.43G	5.765G	AV	5.43452G	5.50	-58.14	-58.04	-53.31	-49.58	-47.26	-41.76	-41.20	-0.56
5580MHz	Pass	5.43G	5.765G	PK	5.43017G	5.50	-48.63	-48.56	-44.76	-37.86	-36.48	-30.98	-21.20	-9.78
5580MHz	Pass	5.43G	5.765G	PK	5.46886G	5.50	-47.58	-47.11	-48.82	-48.68	-41.97	-36.47	-27.00	-9.47
5580MHz	Pass	5.43G	5.765G	PK	5.72698G	5.50	-48.25	-48.08	-37.67	-39.19	-34.92	-29.42	-27.00	-2.42
5700MHz	Pass	5.43G	5.765G	AV	5.45245G	5.50	-59.14	-59.70	-60.29	-59.70	-53.67	-48.17	-41.20	-6.97
5700MHz	Pass	5.43G	5.765G	PK	5.45161G	5.50	-49.10	-48.60	-49.35	-48.34	-42.81	-37.31	-21.20	-16.11
5700MHz	Pass	5.43G	5.765G	PK	5.46183G	5.50	-49.48	-49.74	-48.29	-49.64	-43.23	-37.73	-27.00	-10.73
5700MHz	Pass	5.43G	5.765G	PK	5.72564G	5.50	-40.33	-37.21	-37.43	-41.31	-32.70	-27.20	-27.00	-0.20
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43713G	5.50	-58.34	-59.02	-59.58	-59.55	-53.07	-47.57	-41.20	-6.37
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.45254G	5.50	-46.92	-48.22	-49.67	-50.22	-42.54	-37.04	-21.20	-15.84
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46473G	5.50	-48.75	-48.97	-48.08	-49.81	-42.84	-37.34	-27.00	-10.34
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86493G	5.50	-47.96	-47.95	-40.47	-39.73	-36.42	-30.92	-27.00	-3.92
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	5.39G	5.805G	AV	5.45993G	5.50	-56.89	-54.38	-55.85	-57.16	-49.91	-44.41	-41.20	-3.21
5510MHz	Pass	5.39G	5.805G	PK	5.45951G	5.50	-47.02	-42.29	-46.64	-46.90	-39.17	-33.67	-21.20	-12.47
5510MHz	Pass	5.39G	5.805G	PK	5.46898G	5.50	-45.50	-40.39	-38.85	-45.14	-35.52	-30.02	-27.00	-3.02
5510MHz	Pass	5.39G	5.805G	PK	5.80189G	5.50	-47.42	-46.60	-42.21	-46.67	-39.15	-33.65	-27.00	-6.65
5550MHz	Pass	5.39G	5.805G	AV	5.40224G	5.50	-57.51	-58.19	-54.55	-51.61	-48.63	-43.13	-41.20	-1.93
5550MHz	Pass	5.39G	5.805G	PK	5.40971G	5.50	-48.55	-47.87	-44.89	-39.98	-37.87	-32.37	-21.20	-11.17
5550MHz	Pass	5.39G	5.805G	PK	5.46815G	5.50	-47.50	-47.99	-47.06	-45.64	-40.93	-35.43	-27.00	-8.43
5550MHz	Pass	5.39G	5.805G	PK	5.79214G	5.50	-48.10	-46.79	-45.61	-47.79	-40.94	-35.44	-27.00	-8.44
5670MHz	Pass	5.39G	5.805G	AV	5.44831G	5.50	-58.27	-58.07	-59.51	-58.63	-52.57	-47.07	-41.20	-5.87
5670MHz	Pass	5.39G	5.805G	PK	5.44354G	5.50	-47.86	-47.15	-50.68	-47.50	-42.08	-36.58	-21.20	-15.38
5670MHz	Pass	5.39G	5.805G	PK	5.46449G	5.50	-48.33	-48.37	-48.64	-50.24	-42.81	-37.31	-27.00	-10.31
5670MHz	Pass	5.39G	5.805G	PK	5.72511G	5.50	-42.80	-42.81	-41.17	-43.81	-36.52	-31.02	-27.00	-4.02
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.39513G	5.50	-56.83	-57.63	-58.88	-55.21	-50.91	-45.41	-41.20	-4.21
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.42132G	5.50	-46.26	-46.85	-48.90	-44.27	-40.24	-34.74	-21.20	-13.54
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46209G	5.50	-47.79	-48.17	-49.33	-48.55	-42.40	-36.90	-27.00	-9.90
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.85197G	5.50	-47.12	-48.24	-40.99	-41.34	-37.27	-31.77	-27.00	-4.77
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.4595G	5.50	-55.62	-51.43	-53.07	-57.11	-47.74	-42.24	-41.20	-1.04
5530MHz	Pass	5.31G	5.885G	PK	5.33904G	5.50	-48.69	-48.10	-45.40	-41.92	-39.13	-33.63	-27.00	-6.63
5530MHz	Pass	5.31G	5.885G	PK	5.4572G	5.50	-45.82	-41.19	-42.07	-46.55	-37.29	-31.79	-21.20	-10.59
5530MHz	Pass	5.31G	5.885G	PK	5.46895G	5.50	-41.81	-40.65	-42.12	-43.86	-35.94	-30.44	-27.00	-3.44
5530MHz	Pass	5.31G	5.885G	PK	5.84331G	5.50	-43.95	-44.64	-45.33	-44.96	-38.67	-33.17	-27.00	-6.17
5610MHz	Pass	5.31G	5.885G	AV	5.44283G	5.50	-55.67	-56.64	-55.74	-53.05	-49.03	-43.53	-41.20	-2.33
5610MHz	Pass	5.31G	5.885G	PK	5.31086G	5.50	-43.99	-41.04	-49.34	-43.41	-37.55	-32.05	-27.00	-5.05
5610MHz	Pass	5.31G	5.885G	PK	5.45979G	5.50	-45.34	-46.81	-44.00	-43.23	-38.62	-33.12	-21.20	-11.92
5610MHz	Pass	5.31G	5.885G	PK	5.46151G	5.50	-45.15	-44.78	-46.36	-43.69	-38.87	-33.37	-27.00	-6.37
5610MHz	Pass	5.31G	5.885G	PK	5.7976G	5.50	-46.43	-46.66	-42.12	-41.95	-37.71	-32.21	-27.00	-5.21
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.3527G	5.50	-53.36	-54.58	-58.36	-53.30	-48.47	-42.97	-41.20	-1.77
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34675G	5.50	-43.47	-43.00	-48.93	-44.22	-38.36	-32.86	-27.00	-5.86
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4038G	5.50	-42.35	-44.23	-49.89	-41.86	-37.66	-32.16	-21.20	-10.96
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4626G	5.50	-46.94	-49.00	-46.46	-49.28	-41.73	-36.23	-27.00	-9.23
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85145G	5.50	-45.81	-48.62	-44.02	-43.04	-38.89	-33.39	-27.00	-6.39
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.50	-58.38	-59.02	-59.55	-58.35	-52.78	-47.28	-41.20	-6.08



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5570MHz	Pass	5.15G	6.045G	AV	5.4373G	5.50	-53.28	-51.74	-53.34	-53.99	-46.98	-41.48	-41.20	-0.28
5570MHz	Pass	5.15G	6.045G	PK	5.34914G	5.50	-41.35	-45.18	-46.46	-45.11	-38.04	-32.54	-27.00	-5.54
5570MHz	Pass	5.15G	6.045G	PK	5.40821G	5.50	-39.41	-43.42	-43.42	-43.43	-36.00	-30.50	-21.20	-9.30
5570MHz	Pass	5.15G	6.045G	PK	5.46549G	5.50	-44.03	-41.11	-42.65	-45.35	-36.98	-31.48	-27.00	-4.48
5570MHz	Pass	5.15G	6.045G	PK	5.76218G	5.50	-43.03	-39.74	-38.38	-44.61	-34.74	-29.24	-27.00	-2.24


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5580MHz

25/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.43G	5.765G	1M	PK	5.43335G	-32.16	-21.20	-10.96	5.50	-37.66	-49.43	-49.53	-43.63	-39.76
5.43G	5.765G	1M	PK	5.46769G	-36.95	-27.00	-9.95	5.50	-42.45	-48.75	-47.15	-49.05	-49.26
5.43G	5.765G	1M	PK	5.72748G	-30.84	-27.00	-3.84	5.50	-36.34	-49.37	-49.10	-38.77	-41.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5580MHz

25/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.43G	5.765G	1M	AV	5.43318G	-41.82	-41.20	-0.62	5.50	-47.32	-58.39	-58.47	-53.22	-49.63

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5700MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.43G	5.765G	1M	PK	5.45161G	-37.31	-21.20	-16.11	5.50	-42.81	-49.10	-48.60	-49.35	-48.34
5.43G	5.765G	1M	PK	5.46183G	-37.73	-27.00	-10.73	5.50	-43.23	-49.48	-49.74	-48.29	-49.64
5.43G	5.765G	1M	PK	5.72564G	-27.20	-27.00	-0.20	5.50	-32.70	-40.33	-37.21	-37.43	-41.31

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5700MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.43G	5.765G	1M	AV	5.45245G	-48.17	-41.20	-6.97	5.50	-53.67	-59.14	-59.70	-60.29	-59.70

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5550MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.805G	1M	PK	5.40971G	-32.37	-21.20	-11.17	5.50	-37.87	-48.55	-47.87	-44.89	-39.98
5.39G	5.805G	1M	PK	5.46615G	-35.43	-27.00	-8.43	5.50	-40.93	-47.50	-47.99	-47.06	-45.64
5.39G	5.805G	1M	PK	5.79214G	-35.44	-27.00	-8.44	5.50	-40.94	-48.10	-46.79	-45.61	-47.79

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5550MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.805G	1M	AV	5.40224G	-43.13	-41.20	-1.93	5.50	-48.63	-57.51	-58.19	-54.55	-51.61

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5530MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.33904G	-33.63	-27.00	-6.63	5.50	-39.13	-48.69	-48.10	-45.40	-41.92
5.31G	5.885G	1M	PK	5.4572G	-31.79	-21.20	-10.59	5.50	-37.29	-45.82	-41.19	-42.07	-46.55
5.31G	5.885G	1M	PK	5.46985G	-30.44	-27.00	-3.44	5.50	-35.94	-41.81	-40.65	-42.12	-43.86
5.31G	5.885G	1M	PK	5.84331G	-33.17	-27.00	-6.17	5.50	-38.67	-43.95	-44.64	-45.33	-44.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5530MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.4595G	-42.24	-41.20	-1.04	5.50	-47.74	-55.62	-51.43	-53.07	-57.11

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5570MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34914G	-32.54	-27.00	-5.54	5.50	-38.04	-41.35	-45.18	-46.46	-45.11
5.15G	6.045G	1M	PK	5.40821G	-30.50	-21.20	-9.30	5.50	-36.00	-39.41	-43.42	-43.42	-43.43
5.15G	6.045G	1M	PK	5.46549G	-31.48	-27.00	-4.48	5.50	-36.98	-44.03	-41.11	-42.65	-45.35
5.15G	6.045G	1M	PK	5.76218G	-29.24	-27.00	-2.24	5.50	-34.74	-43.03	-39.74	-38.38	-44.61

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5570MHz

25/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-47.28	-41.20	-6.08	5.50	-52.78	-58.38	-59.02	-59.55	-58.35
5.15G	6.045G	1M	AV	5.4373G	-41.48	-41.20	-0.28	5.50	-46.98	-53.28	-51.74	-53.34	-53.99

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	Pass	5.31G	5.885G	PK	5.74125G	5.26	-33.59	-33.59	-28.33	-27.00	-1.33
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	Pass	5.15G	6.045G	PK	5.75771G	5.26	-33.54	-33.54	-28.28	-27.00	-1.28

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45979G	5.26	-51.36	-51.36	-46.10	-41.20	-4.90
5530MHz	Pass	5.31G	5.885G	PK	5.33875G	5.26	-43.53	-43.53	-38.27	-27.00	-11.27
5530MHz	Pass	5.31G	5.885G	PK	5.45404G	5.26	-38.97	-38.97	-33.71	-21.20	-12.51
5530MHz	Pass	5.31G	5.885G	PK	5.46928G	5.26	-38.86	-38.86	-33.60	-27.00	-6.60
5530MHz	Pass	5.31G	5.885G	PK	5.82146G	5.26	-43.26	-43.26	-38.00	-27.00	-11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	5.31G	5.885G	AV	5.42213G	5.26	-53.96	-53.96	-48.70	-41.20	-7.50
5610MHz	Pass	5.31G	5.885G	PK	5.31G	5.26	-46.68	-46.68	-41.42	-27.00	-14.42
5610MHz	Pass	5.31G	5.885G	PK	5.45548G	5.26	-35.80	-35.80	-30.54	-21.20	-9.34
5610MHz	Pass	5.31G	5.885G	PK	5.46008G	5.26	-37.30	-37.30	-32.04	-27.00	-5.04
5610MHz	Pass	5.31G	5.885G	PK	5.74125G	5.26	-33.59	-33.59	-28.33	-27.00	-1.33
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.3597G	5.26	-57.47	-57.47	-52.21	-41.20	-11.01
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3408G	5.26	-47.29	-47.29	-42.03	-27.00	-15.03
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4493G	5.26	-46.92	-46.92	-41.66	-21.20	-20.46
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46575G	5.26	-46.61	-46.61	-41.35	-27.00	-14.35
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85495G	5.26	-34.82	-34.82	-29.56	-27.00	-2.56
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-59.22	-59.22	-53.96	-41.20	-12.76
5570MHz	Pass	5.15G	6.045G	AV	5.37867G	5.26	-49.29	-49.29	-44.03	-41.20	-2.83
5570MHz	Pass	5.15G	6.045G	PK	5.33795G	5.26	-39.43	-39.43	-34.17	-27.00	-7.17
5570MHz	Pass	5.15G	6.045G	PK	5.38449G	5.26	-36.69	-36.69	-31.43	-21.20	-10.23
5570MHz	Pass	5.15G	6.045G	PK	5.46683G	5.26	-36.32	-36.32	-31.06	-27.00	-4.06
5570MHz	Pass	5.15G	6.045G	PK	5.75771G	5.26	-33.54	-33.54	-28.28	-27.00	-1.28

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [PK]

5530MHz



01/02/2025


Limit:PK
EIRP:PK
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.33875G	-38.27	-27.00	-11.27	5.26	-43.53	-	-	-43.53
5.31G	5.885G	1M	PK	5.45404G	-33.71	-21.20	-12.51	5.26	-38.97	-	-	-38.97
5.31G	5.885G	1M	PK	5.46928G	-33.60	-27.00	-6.60	5.26	-38.86	-	-	-38.86
5.31G	5.885G	1M	PK	5.62146G	-38.00	-27.00	-11.00	5.26	-43.26	-	-	-43.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [AV]

5530MHz



01/02/2025

Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45979G	-46.10	-41.20	-4.90	5.26	-51.36	-	-	-51.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE Bandedge [PK]

5610MHz

01/02/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.31G	-41.42	-27.00	-14.42	5.26	-46.68	-	-	-46.68
5.31G	5.885G	1M	PK	5.45548G	-30.54	-21.20	-9.34	5.26	-35.80	-	-	-35.80
5.31G	5.885G	1M	PK	5.46008G	-32.04	-27.00	-5.04	5.26	-37.30	-	-	-37.30
5.31G	5.885G	1M	PK	5.74125G	-28.33	-27.00	-1.33	5.26	-33.59	-	-	-33.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE Bandedge [AV]

5610MHz

01/02/2025




Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.42213G	-48.70	-41.20	-7.50	5.26	-53.96	-	-	-53.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	6.01G	1M	PK	5.3408G	-42.03	-27.00	-15.03	5.26	-47.29	-	-	-47.29
5.31G	6.01G	1M	PK	5.4493G	-41.66	-21.20	-20.46	5.26	-46.92	-	-	-46.92
5.31G	6.01G	1M	PK	5.46575G	-41.35	-27.00	-14.35	5.26	-46.61	-	-	-46.61
5.31G	6.01G	1M	PK	5.85495G	-29.56	-27.00	-2.56	5.26	-34.82	-	-	-34.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	6.01G	1M	AV	5.3597G	-52.21	-41.20	-11.01	5.26	-57.47	-	-	-57.47

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE Bandedge [PK]

5570MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.33795G	-34.17	-27.00	-7.17	5.26	-39.43	-	-	-39.43
5.15G	6.045G	1M	PK	5.38449G	-31.43	-21.20	-10.23	5.26	-36.69	-	-	-36.69
5.15G	6.045G	1M	PK	5.46683G	-31.06	-27.00	-4.06	5.26	-36.32	-	-	-36.32
5.15G	6.045G	1M	PK	5.75771G	-28.28	-27.00	-1.28	5.26	-33.54	-	-	-33.54

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE Bandedge [AV]

5570MHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.96	-41.20	-12.76	5.26	-59.22	-	-	-59.22
5.15G	6.045G	1M	AV	5.37867G	-44.03	-41.20	-2.83	5.26	-49.29	-	-	-49.29

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	5.31G	5.885G	AV	5.45893G	5.26	-49.11	-51.16	-47.00	-41.74	-41.20	-0.54
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	Pass	5.15G	6.045G	PK	5.75413G	5.26	-36.52	-34.44	-32.35	-27.09	-27.00	-0.09

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45893G	5.26	-49.11	-51.16	-47.00	-41.74	-41.20	-0.54
5530MHz	Pass	5.31G	5.885G	PK	5.34853G	5.26	-49.25	-43.91	-42.80	-37.54	-27.00	-10.54
5530MHz	Pass	5.31G	5.885G	PK	5.45576G	5.26	-34.73	-37.14	-32.76	-27.50	-21.20	-6.30
5530MHz	Pass	5.31G	5.885G	PK	5.46353G	5.26	-34.40	-38.22	-32.89	-27.63	-27.00	-0.63
5530MHz	Pass	5.31G	5.885G	PK	5.83354G	5.26	-46.15	-45.47	-42.79	-37.53	-27.00	-10.53
5610MHz	Pass	5.31G	5.885G	AV	5.45346G	5.26	-57.61	-56.17	-53.82	-48.56	-41.20	-7.36
5610MHz	Pass	5.31G	5.885G	PK	5.3399G	5.26	-49.39	-46.57	-44.74	-39.48	-27.00	-12.48
5610MHz	Pass	5.31G	5.885G	PK	5.4595G	5.26	-39.66	-44.74	-38.49	-33.23	-21.20	-12.03
5610MHz	Pass	5.31G	5.885G	PK	5.46726G	5.26	-40.52	-40.36	-37.43	-32.17	-27.00	-5.17
5610MHz	Pass	5.31G	5.885G	PK	5.77776G	5.26	-49.40	-34.10	-33.97	-28.71	-27.00	-1.71
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.36005G	5.26	-58.08	-57.92	-54.99	-49.73	-41.20	-8.53
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.345G	5.26	-47.66	-47.71	-44.67	-39.41	-27.00	-12.41
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.36985G	5.26	-49.06	-46.61	-44.65	-39.39	-21.20	-18.19
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46785G	5.26	-47.60	-49.94	-45.60	-40.34	-27.00	-13.34
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.8546G	5.26	-47.91	-43.45	-42.12	-36.86	-27.00	-9.86
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-61.04	-62.08	-58.52	-53.26	-41.20	-12.06
5570MHz	Pass	5.15G	6.045G	AV	5.37465G	5.26	-49.31	-50.81	-46.99	-41.73	-41.20	-0.53
5570MHz	Pass	5.15G	6.045G	PK	5.34511G	5.26	-42.00	-38.54	-36.92	-31.66	-27.00	-4.66
5570MHz	Pass	5.15G	6.045G	PK	5.38986G	5.26	-39.49	-33.74	-32.72	-27.46	-21.20	-6.26
5570MHz	Pass	5.15G	6.045G	PK	5.46325G	5.26	-46.88	-40.66	-39.73	-34.47	-27.00	-7.47
5570MHz	Pass	5.15G	6.045G	PK	5.75413G	5.26	-36.52	-34.44	-32.35	-27.09	-27.00	-0.09


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5530MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.34853G	-37.54	-27.00	-10.54	5.26	-42.80	-	-49.25	-43.91
5.31G	5.885G	1M	PK	5.45576G	-27.50	-21.20	-6.30	5.26	-32.76	-	-34.73	-37.14
5.31G	5.885G	1M	PK	5.46353G	-27.63	-27.00	-0.63	5.26	-32.89	-	-34.40	-38.22
5.31G	5.885G	1M	PK	5.83354G	-37.53	-27.00	-10.53	5.26	-42.79	-	-46.15	-45.47

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5530MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45893G	-41.74	-41.20	-0.54	5.26	-47.00	-	-49.11	-51.16

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE Bandedge [PK]

5570MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.34511G	-31.66	-27.00	-4.66	5.26	-36.92	-	-42.00	-38.54
5.15G	6.045G	1M	PK	5.38986G	-27.46	-21.20	-6.26	5.26	-32.72	-	-39.49	-33.74
5.15G	6.045G	1M	PK	5.46325G	-34.47	-27.00	-7.47	5.26	-39.73	-	-46.88	-40.66
5.15G	6.045G	1M	PK	5.75413G	-27.09	-27.00	-0.09	5.26	-32.35	-	-36.52	-34.44

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE Bandedge [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.26	-41.20	-12.06	5.26	-58.52	-	-61.04	-62.08
5.15G	6.045G	1M	AV	5.37465G	-41.73	-41.20	-0.53	5.26	-46.99	-	-49.31	-50.81



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	5.31G	5.885G	PK	5.76828G	5.50	-44.12	-34.75	-41.71	-42.15	-32.99	-27.49	-27.00	-0.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	5.15G	6.045G	PK	5.46191G	5.50	-42.98	-37.69	-43.12	-36.50	-33.07	-27.57	-27.00	-0.57

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.43621G	5.50	-55.65	-53.25	-55.73	-55.45	-48.87	-43.37	-41.20	-2.17
5530MHz	Pass	5.31G	5.885G	PK	5.34249G	5.50	-47.43	-42.80	-45.60	-42.99	-38.29	-32.79	-27.00	-5.79
5530MHz	Pass	5.31G	5.885G	PK	5.43276G	5.50	-45.36	-40.55	-41.13	-32.15	-30.95	-25.45	-21.20	-4.25
5530MHz	Pass	5.31G	5.885G	PK	5.46151G	5.50	-47.83	-39.74	-42.44	-40.63	-35.75	-30.25	-27.00	-3.25
5530MHz	Pass	5.31G	5.885G	PK	5.81543G	5.50	-48.84	-47.27	-49.19	-40.70	-38.89	-33.39	-27.00	-6.39
5610MHz	Pass	5.31G	5.885G	AV	5.42471G	5.50	-58.98	-59.41	-55.67	-52.66	-49.77	-44.27	-41.20	-3.07
5610MHz	Pass	5.31G	5.885G	PK	5.3399G	5.50	-48.63	-49.89	-50.56	-42.11	-40.26	-34.76	-27.00	-7.76
5610MHz	Pass	5.31G	5.885G	PK	5.45893G	5.50	-41.25	-36.46	-43.64	-44.98	-34.25	-28.75	-21.20	-7.55
5610MHz	Pass	5.31G	5.885G	PK	5.46036G	5.50	-41.42	-39.73	-40.47	-40.36	-34.43	-28.93	-27.00	-1.93
5610MHz	Pass	5.31G	5.885G	PK	5.76828G	5.50	-44.12	-34.75	-41.71	-42.15	-32.99	-27.49	-27.00	-0.49
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4038G	5.50	-56.08	-56.06	-59.70	-53.71	-49.88	-44.38	-41.20	-3.18
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.33275G	5.50	-42.60	-43.56	-50.78	-48.55	-39.16	-33.66	-27.00	-6.66
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3905G	5.50	-42.73	-43.90	-50.17	-49.71	-39.42	-33.92	-21.20	-12.72
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4696G	5.50	-48.46	-48.58	-48.16	-48.65	-42.44	-36.94	-27.00	-9.94
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.86125G	5.50	-48.93	-49.37	-33.49	-48.93	-33.14	-27.64	-27.00	-0.64
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.50	-59.29	-59.92	-60.16	-59.57	-53.70	-48.20	-41.20	-7.00
5570MHz	Pass	5.15G	6.045G	AV	5.37107G	5.50	-54.12	-53.34	-54.71	-53.81	-47.95	-42.45	-41.20	-1.25
5570MHz	Pass	5.15G	6.045G	PK	5.34824G	5.50	-40.30	-46.04	-45.07	-43.66	-37.16	-31.66	-27.00	-4.66
5570MHz	Pass	5.15G	6.045G	PK	5.45206G	5.50	-44.09	-35.63	-45.65	-37.69	-32.92	-27.42	-21.20	-6.22
5570MHz	Pass	5.15G	6.045G	PK	5.46191G	5.50	-42.98	-37.69	-43.12	-36.50	-33.07	-27.57	-27.00	-0.57
5570MHz	Pass	5.15G	6.045G	PK	5.7501G	5.50	-44.10	-42.92	-40.45	-37.52	-34.47	-28.97	-27.00	-1.97

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]


5530MHz



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [AV]

5530MHz




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.3399G	-34.76	-27.00	-7.76	5.50	-40.26	-48.63	-49.89	-50.56	-42.11
5.31G	5.885G	1M	PK	5.45893G	-28.75	-21.20	-7.55	5.50	-34.25	-41.25	-36.46	-43.64	-44.98
5.31G	5.885G	1M	PK	5.46036G	-28.93	-27.00	-1.93	5.50	-34.43	-41.42	-39.73	-40.47	-40.36
5.31G	5.885G	1M	PK	5.76828G	-27.49	-27.00	-0.49	5.50	-32.99	-44.12	-34.75	-41.71	-42.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [AV]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.42471G	-44.27	-41.20	-3.07	5.50	-49.77	-58.98	-59.41	-55.67	-52.66

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.33275G	-33.66	-27.00	-6.66	5.50	-39.16	-42.60	-43.56	-50.78	-48.55
5.31G	6.01G	1M	PK	5.3905G	-33.92	-21.20	-12.72	5.50	-39.42	-42.73	-43.90	-50.17	-49.71
5.31G	6.01G	1M	PK	5.4696G	-36.94	-27.00	-9.94	5.50	-42.44	-48.46	-48.58	-48.16	-48.65
5.31G	6.01G	1M	PK	5.86125G	-27.64	-27.00	-0.64	5.50	-33.14	-48.93	-49.37	-33.49	-48.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.4038G	-44.38	-41.20	-3.18	5.50	-49.88	-56.08	-56.06	-59.70	-53.71

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5570MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34824G	-31.66	-27.00	-4.66	5.50	-37.16	-40.30	-46.04	-45.07	-43.66
5.15G	6.045G	1M	PK	5.45206G	-27.42	-21.20	-6.22	5.50	-32.92	-44.09	-35.63	-45.65	-37.69
5.15G	6.045G	1M	PK	5.46191G	-27.57	-27.00	-0.57	5.50	-33.07	-42.98	-37.69	-43.12	-36.50
5.15G	6.045G	1M	PK	5.7501G	-28.97	-27.00	-1.97	5.50	-34.47	-44.10	-42.92	-40.45	-37.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5570MHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.20	-41.20	-7.00	5.50	-53.70	-59.29	-59.92	-60.16	-59.57
5.15G	6.045G	1M	AV	5.37107G	-42.45	-41.20	-1.25	5.50	-47.95	-54.12	-53.34	-54.71	-53.81



CSE Bandedge_Non-Beamforming_Radio 2_ Channel Puncturing_1T1S

Appendix E.21

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	5.31G	5.885G	AV	5.45634G	5.26	-49.76	-49.76	-44.50	-41.20	-3.30
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)	Pass	5.15G	6.045G	PK	5.72638G	5.26	-32.47	-32.47	-27.21	-27.00	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45634G	5.26	-49.76	-49.76	-44.50	-41.20	-3.30
5530MHz	Pass	5.31G	5.885G	PK	5.3399G	5.26	-43.33	-43.33	-38.07	-27.00	-11.07
5530MHz	Pass	5.31G	5.885G	PK	5.44743G	5.26	-37.80	-37.80	-32.54	-21.20	-11.34
5530MHz	Pass	5.31G	5.885G	PK	5.46611G	5.26	-36.49	-36.49	-31.23	-27.00	-4.23
5530MHz	Pass	5.31G	5.885G	PK	5.80364G	5.26	-43.09	-43.09	-37.83	-27.00	-10.83
5610MHz	Pass	5.31G	5.885G	AV	5.45461G	5.26	-54.37	-54.37	-49.11	-41.20	-7.91
5610MHz	Pass	5.31G	5.885G	PK	5.34019G	5.26	-46.03	-46.03	-40.77	-27.00	-13.77
5610MHz	Pass	5.31G	5.885G	PK	5.45346G	5.26	-44.07	-44.07	-38.81	-21.20	-17.61
5610MHz	Pass	5.31G	5.885G	PK	5.46726G	5.26	-44.99	-44.99	-39.73	-27.00	-12.73
5610MHz	Pass	5.31G	5.885G	PK	5.79875G	5.26	-39.73	-39.73	-34.47	-27.00	-7.47
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.35935G	5.26	-57.29	-57.29	-52.03	-41.20	-10.83
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3471G	5.26	-46.95	-46.95	-41.69	-27.00	-14.69
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4472G	5.26	-45.66	-45.66	-40.40	-21.20	-19.20
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46925G	5.26	-47.35	-47.35	-42.09	-27.00	-15.09
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.87665G	5.26	-42.51	-42.51	-37.25	-27.00	-10.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-58.04	-58.04	-52.78	-41.20	-11.58
5570MHz	Pass	5.15G	6.045G	AV	5.44267G	5.26	-49.17	-49.17	-43.91	-41.20	-2.71
5570MHz	Pass	5.15G	6.045G	PK	5.34735G	5.26	-41.51	-41.51	-36.25	-27.00	-9.25
5570MHz	Pass	5.15G	6.045G	PK	5.43237G	5.26	-34.40	-34.40	-29.14	-21.20	-7.94
5570MHz	Pass	5.15G	6.045G	PK	5.4628G	5.26	-38.79	-38.79	-33.53	-27.00	-6.53
5570MHz	Pass	5.15G	6.045G	PK	5.72638G	5.26	-32.47	-32.47	-27.21	-27.00	-0.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-58.12	-58.12	-52.86	-41.20	-11.66
5570MHz	Pass	5.15G	6.045G	AV	5.39836G	5.26	-47.57	-47.57	-42.31	-41.20	-1.11
5570MHz	Pass	5.15G	6.045G	PK	5.3469G	5.26	-40.60	-40.60	-35.34	-27.00	-8.34
5570MHz	Pass	5.15G	6.045G	PK	5.40642G	5.26	-33.42	-33.42	-28.16	-21.20	-6.96
5570MHz	Pass	5.15G	6.045G	PK	5.46773G	5.26	-32.85	-32.85	-27.59	-27.00	-0.59
5570MHz	Pass	5.15G	6.045G	PK	5.75234G	5.26	-32.67	-32.67	-27.41	-27.00	-0.41


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [PK]

5530MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.3399G	-38.07	-27.00	-11.07	5.26	-43.33	-	-	-43.33
5.31G	5.885G	1M	PK	5.44743G	-32.54	-27.00	-11.34	5.26	-37.80	-	-	-37.80
5.31G	5.885G	1M	PK	5.46611G	-31.23	-27.00	-4.23	5.26	-36.49	-	-	-36.49
5.31G	5.885G	1M	PK	5.80364G	-37.83	-27.00	-10.83	5.26	-43.09	-	-	-43.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [AV]

5530MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45634G	-44.50	-41.20	-3.30	5.26	-49.76	-	-	-49.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_1TX(Port3)

CSE Bandedge [PK]

5610MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.34019G	-40.77	-27.00	-13.77	5.26	-46.03	-	-	-46.03
5.31G	5.885G	1M	PK	5.45346G	-38.81	-21.20	-17.61	5.26	-44.07	-	-	-44.07
5.31G	5.885G	1M	PK	5.46726G	-39.73	-27.00	-12.73	5.26	-44.99	-	-	-44.99
5.31G	5.885G	1M	PK	5.79875G	-34.47	-27.00	-7.47	5.26	-39.73	-	-	-39.73

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_1TX(Port3)

CSE Bandedge [AV]

5610MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45461G	-49.11	-41.20	-7.91	5.26	-54.37	-	-	-54.37

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	6.01G	1M	PK	5.3471G	-41.69	-27.00	-14.69	5.26	-46.95	-	-	-46.95
5.31G	6.01G	1M	PK	5.4472G	-40.40	-21.20	-19.20	5.26	-45.66	-	-	-45.66
5.31G	6.01G	1M	PK	5.46925G	-42.09	-27.00	-15.09	5.26	-47.35	-	-	-47.35
5.31G	6.01G	1M	PK	5.87665G	-37.25	-27.00	-10.25	5.26	-42.51	-	-	-42.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	6.01G	1M	AV	5.35935G	-52.03	-41.20	-10.83	5.26	-57.29	-	-	-57.29
5.31G	6.01G	1M	AV	5.42025G	-52.03	-41.20	-10.83	5.26	-57.29	-	-	-57.29

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)

CSE Bandedge [PK]

5570MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.34735G	-36.25	-27.00	-9.25	5.26	-41.51	-	-	-41.51
5.15G	6.045G	1M	PK	5.43237G	-29.14	-21.20	-7.94	5.26	-34.40	-	-	-34.40
5.15G	6.045G	1M	PK	5.4628G	-33.53	-27.00	-6.53	5.26	-38.79	-	-	-38.79
5.15G	6.045G	1M	PK	5.72638G	-27.21	-27.00	-0.21	5.26	-32.47	-	-	-32.47

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)

CSE Bandedge [AV]

5570MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.78	-41.20	-11.58	5.26	-58.04	-	-	-58.04
5.15G	6.045G	1M	AV	5.44267G	-43.91	-41.20	-2.71	5.26	-49.17	-	-	-49.17

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE Bandedge [PK]

5570MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.3469G	-35.34	-27.00	-8.34	5.26	-40.60	-	-	-40.60
5.15G	6.045G	1M	PK	5.40642G	-28.16	-21.20	-6.96	5.26	-33.42	-	-	-33.42
5.15G	6.045G	1M	PK	5.46773G	-27.59	-27.00	-0.59	5.26	-32.85	-	-	-32.85
5.15G	6.045G	1M	PK	5.75234G	-27.41	-27.00	-0.41	5.26	-32.67	-	-	-32.67

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE Bandedge [AV]

5570MHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.86	-41.20	-11.66	5.26	-58.12	-	-	-58.12
5.15G	6.045G	1M	AV	5.39836G	-42.31	-41.20	-1.11	5.26	-47.57	-	-	-47.57



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	5.31G	5.885G	AV	5.45864G	5.26	-49.81	-51.58	-47.60	-42.34	-41.20	-1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	Pass	5.15G	6.045G	PK	5.74786G	5.26	-38.81	-33.62	-32.47	-27.21	-27.00	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45864G	5.26	-49.81	-51.58	-47.60	-42.34	-41.20	-1.14
5530MHz	Pass	5.31G	5.885G	PK	5.34479G	5.26	-47.38	-41.70	-40.66	-35.40	-27.00	-8.40
5530MHz	Pass	5.31G	5.885G	PK	5.44973G	5.26	-37.43	-41.29	-35.93	-30.67	-21.20	-9.47
5530MHz	Pass	5.31G	5.885G	PK	5.46928G	5.26	-36.18	-40.08	-34.70	-29.44	-27.00	-2.44
5530MHz	Pass	5.31G	5.885G	PK	5.82204G	5.26	-47.31	-43.55	-42.02	-36.76	-27.00	-9.76
5610MHz	Pass	5.31G	5.885G	AV	5.45461G	5.26	-56.32	-54.14	-52.08	-46.82	-41.20	-5.62
5610MHz	Pass	5.31G	5.885G	PK	5.34536G	5.26	-47.11	-45.95	-43.48	-38.22	-27.00	-11.22
5610MHz	Pass	5.31G	5.885G	PK	5.45461G	5.26	-43.43	-45.34	-41.27	-36.01	-21.20	-14.81
5610MHz	Pass	5.31G	5.885G	PK	5.46065G	5.26	-44.23	-46.33	-42.14	-36.88	-27.00	-9.88
5610MHz	Pass	5.31G	5.885G	PK	5.73924G	5.26	-43.75	-41.61	-39.54	-34.28	-27.00	-7.28
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.35935G	5.26	-56.27	-57.38	-53.78	-48.52	-41.20	-7.32
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.33275G	5.26	-44.47	-48.85	-43.12	-37.86	-27.00	-10.86
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.359G	5.26	-45.57	-46.35	-42.93	-37.67	-21.20	-16.47
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.464G	5.26	-47.28	-47.78	-44.51	-39.25	-27.00	-12.25
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.856G	5.26	-46.92	-42.95	-41.49	-36.23	-27.00	-9.23
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-61.09	-61.50	-58.28	-53.02	-41.20	-11.82
5570MHz	Pass	5.15G	6.045G	AV	5.39389G	5.26	-53.80	-54.58	-51.16	-45.90	-41.20	-4.70
5570MHz	Pass	5.15G	6.045G	PK	5.34869G	5.26	-44.84	-42.25	-40.34	-35.08	-27.00	-8.08
5570MHz	Pass	5.15G	6.045G	PK	5.4458G	5.26	-37.33	-43.28	-36.35	-31.09	-21.20	-9.89
5570MHz	Pass	5.15G	6.045G	PK	5.46459G	5.26	-40.49	-43.47	-38.72	-33.46	-27.00	-6.46
5570MHz	Pass	5.15G	6.045G	PK	5.72549G	5.26	-41.04	-33.63	-32.91	-27.65	-27.00	-0.65
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-60.87	-61.36	-58.10	-52.84	-41.20	-11.64
5570MHz	Pass	5.15G	6.045G	AV	5.39613G	5.26	-50.43	-51.51	-47.93	-42.67	-41.20	-1.47
5570MHz	Pass	5.15G	6.045G	PK	5.34869G	5.26	-42.13	-44.06	-39.98	-34.72	-27.00	-7.72
5570MHz	Pass	5.15G	6.045G	PK	5.40731G	5.26	-33.21	-39.74	-32.34	-27.08	-21.20	-5.88
5570MHz	Pass	5.15G	6.045G	PK	5.46817G	5.26	-42.85	-36.96	-35.96	-30.70	-27.00	-3.70
5570MHz	Pass	5.15G	6.045G	PK	5.74786G	5.26	-38.81	-33.62	-32.47	-27.21	-27.00	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	PK	5.34479G	-35.40	-27.00	-8.40	5.26	-40.66	-	-47.38	-41.70
5.31G	5.885G	1M	PK	5.44973G	-30.67	-21.20	-9.47	5.26	-35.93	-	-37.43	-41.29
5.31G	5.885G	1M	PK	5.46928G	-29.44	-27.00	-2.44	5.26	-34.70	-	-36.18	-40.08
5.31G	5.885G	1M	PK	5.62204G	-36.76	-27.00	-9.76	5.26	-42.02	-	-47.31	-43.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.31G	5.885G	1M	AV	5.45864G	-42.34	-41.20	-1.14	5.26	-47.60	-	-49.81	-51.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5570MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	PK	5.34869G	-34.72	-27.00	-7.72	5.26	-39.98	-	-42.13	-44.06
5.15G	6.045G	1M	PK	5.40731G	-27.08	-21.20	-5.88	5.26	-32.34	-	-33.21	-39.74
5.15G	6.045G	1M	PK	5.46817G	-30.70	-27.00	-3.70	5.26	-35.96	-	-42.85	-36.96
5.15G	6.045G	1M	PK	5.74786G	-27.21	-27.00	-0.21	5.26	-32.47	-	-38.81	-33.62

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.84	-41.20	-11.64	5.26	-58.10	-	-60.87	-61.36
5.15G	6.045G	1M	AV	5.39613G	-42.67	-41.20	-1.47	5.26	-47.93	-	-50.43	-51.51



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	5.31G	5.885G	AV	5.45749G	5.50	-55.43	-50.94	-53.14	-57.03	-47.51	-42.01	-41.20	-0.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	5.15G	6.045G	AV	5.37465G	5.50	-53.94	-53.83	-53.98	-53.40	-47.76	-42.26	-41.20	-1.06

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45749G	5.50	-55.43	-50.94	-53.14	-57.03	-47.51	-42.01	-41.20	-0.81
5530MHz	Pass	5.31G	5.885G	PK	5.3491G	5.50	-47.39	-47.66	-45.83	-41.80	-38.94	-33.44	-27.00	-6.44
5530MHz	Pass	5.31G	5.885G	PK	5.45001G	5.50	-45.98	-37.13	-41.96	-46.48	-35.16	-29.66	-21.20	-8.46
5530MHz	Pass	5.31G	5.885G	PK	5.46841G	5.50	-38.66	-41.01	-42.07	-44.99	-35.10	-29.60	-27.00	-2.60
5530MHz	Pass	5.31G	5.885G	PK	5.82261G	5.50	-45.23	-41.30	-46.98	-45.69	-38.21	-32.71	-27.00	-5.71
5610MHz	Pass	5.31G	5.885G	AV	5.4526G	5.50	-56.74	-57.22	-55.43	-53.31	-49.38	-43.88	-41.20	-2.68
5610MHz	Pass	5.31G	5.885G	PK	5.31316G	5.50	-42.20	-43.38	-47.52	-48.07	-38.56	-33.06	-27.00	-6.06
5610MHz	Pass	5.31G	5.885G	PK	5.44283G	5.50	-46.69	-45.86	-43.30	-42.17	-38.10	-32.60	-21.20	-11.40
5610MHz	Pass	5.31G	5.885G	PK	5.46324G	5.50	-41.73	-47.43	-48.20	-47.81	-39.32	-33.82	-27.00	-6.82
5610MHz	Pass	5.31G	5.885G	PK	5.73895G	5.50	-39.23	-49.24	-43.68	-43.61	-36.62	-31.12	-27.00	-4.12
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.3786G	5.50	-53.66	-54.16	-58.28	-53.09	-48.38	-42.88	-41.20	-1.68
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34885G	5.50	-44.07	-42.21	-49.70	-49.06	-39.12	-33.62	-27.00	-6.62
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3744G	5.50	-42.87	-44.24	-48.89	-41.08	-37.44	-31.94	-21.20	-10.74
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4682G	5.50	-48.31	-47.68	-48.50	-48.45	-42.20	-36.70	-27.00	-9.70
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85355G	5.50	-47.95	-47.91	-43.87	-42.04	-38.67	-33.17	-27.00	-6.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.50	-59.72	-60.16	-60.19	-59.89	-53.97	-48.47	-41.20	-7.27
5570MHz	Pass	5.15G	6.045G	AV	5.45162G	5.50	-55.44	-54.57	-55.03	-55.27	-49.04	-43.54	-41.20	-2.34
5570MHz	Pass	5.15G	6.045G	PK	5.34422G	5.50	-48.10	-44.83	-46.68	-44.45	-39.76	-34.26	-27.00	-7.26
5570MHz	Pass	5.15G	6.045G	PK	5.39344G	5.50	-46.34	-45.97	-39.19	-39.64	-35.56	-30.06	-21.20	-8.86
5570MHz	Pass	5.15G	6.045G	PK	5.46683G	5.50	-45.77	-46.20	-42.57	-37.21	-35.29	-29.79	-27.00	-2.79
5570MHz	Pass	5.15G	6.045G	PK	5.72862G	5.50	-45.39	-44.25	-38.14	-41.89	-35.46	-29.96	-27.00	-2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.50	-59.60	-59.82	-60.65	-59.76	-53.92	-48.42	-41.20	-7.22
5570MHz	Pass	5.15G	6.045G	AV	5.37465G	5.50	-53.94	-53.83	-53.98	-53.40	-47.76	-42.26	-41.20	-1.06
5570MHz	Pass	5.15G	6.045G	PK	5.34959G	5.50	-44.94	-38.15	-44.82	-45.36	-36.07	-30.57	-27.00	-3.57
5570MHz	Pass	5.15G	6.045G	PK	5.45385G	5.50	-45.21	-38.12	-43.16	-39.59	-34.65	-29.15	-21.20	-7.95
5570MHz	Pass	5.15G	6.045G	PK	5.46012G	5.50	-45.00	-36.89	-41.47	-44.87	-34.68	-29.18	-27.00	-2.18
5570MHz	Pass	5.15G	6.045G	PK	5.75457G	5.50	-44.34	-41.32	-36.99	-44.71	-34.63	-29.13	-27.00	-2.13

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.3491G	-33.44	-27.00	-6.44	5.50	-38.94	-47.39	-47.66	-45.83	-41.80
5.31G	5.885G	1M	PK	5.45001G	-29.66	-21.20	-8.46	5.50	-35.16	-45.98	-37.13	-41.96	-46.48
5.31G	5.885G	1M	PK	5.46841G	-29.60	-27.00	-2.60	5.50	-35.10	-38.66	-41.01	-42.07	-44.99
5.31G	5.885G	1M	PK	5.62261G	-32.71	-27.00	-5.71	5.50	-38.21	-45.23	-41.30	-46.90	-45.69

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45749G	-42.01	-41.20	-0.81	5.50	-47.51	-55.43	-50.94	-53.14	-57.03

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.31316G	-33.06	-27.00	-6.06	5.50	-38.56	-42.20	-43.38	-47.52	-48.07
5.31G	5.885G	1M	PK	5.44283G	-32.60	-21.20	-11.40	5.50	-38.10	-46.69	-45.86	-43.30	-42.17
5.31G	5.885G	1M	PK	5.46324G	-33.82	-27.00	-6.82	5.50	-39.32	-41.73	-47.43	-48.20	-47.81
5.31G	5.885G	1M	PK	5.73895G	-31.12	-27.00	-4.12	5.50	-36.62	-39.23	-49.24	-43.68	-43.61

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.4526G	-43.88	-41.20	-2.68	5.50	-49.38	-56.74	-57.22	-55.43	-53.31

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34885G	-33.62	-27.00	-6.62	5.50	-39.12	-44.07	-42.21	-49.70	-49.06
5.31G	6.01G	1M	PK	5.3744G	-31.94	-21.20	-10.74	5.50	-37.44	-42.87	-44.24	-48.89	-41.08
5.31G	6.01G	1M	PK	5.4682G	-36.70	-27.00	-9.70	5.50	-42.20	-48.31	-47.68	-48.50	-48.45
5.31G	6.01G	1M	PK	5.85355G	-33.17	-27.00	-6.17	5.50	-38.67	-47.95	-47.91	-43.87	-42.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3786G	-42.88	-41.20	-1.68	5.50	-48.38	-53.66	-54.16	-58.28	-53.09

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5570MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34422G	-34.26	-27.00	-7.26	5.50	-39.76	-48.10	-44.83	-46.68	-44.45
5.15G	6.045G	1M	PK	5.39344G	-30.06	-21.20	-8.86	5.50	-35.56	-46.34	-45.97	-39.19	-39.64
5.15G	6.045G	1M	PK	5.46683G	-29.79	-27.00	-2.79	5.50	-35.29	-45.77	-46.20	-42.57	-37.21
5.15G	6.045G	1M	PK	5.72862G	-29.96	-27.00	-2.96	5.50	-35.46	-45.39	-44.25	-38.14	-41.89

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5570MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.47	-41.20	-7.27	5.50	-53.97	-59.72	-60.16	-60.19	-59.89
5.15G	6.045G	1M	AV	5.45162G	-43.54	-41.20	-2.34	5.50	-49.04	-55.44	-54.57	-55.03	-55.27

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [PK]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34959G	-30.57	-27.00	-3.57	5.50	-36.07	-44.94	-38.15	-44.82	-45.36
5.15G	6.045G	1M	PK	5.45385G	-29.15	-21.20	-7.95	5.50	-34.65	-45.21	-38.12	-43.16	-39.59
5.15G	6.045G	1M	PK	5.46012G	-29.18	-27.00	-2.18	5.50	-34.68	-45.00	-36.89	-41.47	-44.87
5.15G	6.045G	1M	PK	5.75457G	-29.13	-27.00	-2.13	5.50	-34.63	-44.34	-41.32	-36.99	-44.71

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [AV]

5570MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.42	-41.20	-7.22	5.50	-53.92	-59.60	-59.82	-60.65	-59.76
5.15G	6.045G	1M	AV	5.37465G	-42.26	-41.20	-1.06	5.50	-47.76	-53.94	-53.83	-53.98	-53.40

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.43G	5.765G	PK	5.72597G	3.94	-36.77	-36.77	-32.83	-27.00	-5.83
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.43G	5.765G	PK	5.72514G	3.94	-31.06	-31.06	-27.12	-27.00	-0.12

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	3.94	-53.95	-53.95	-50.01	-41.20	-8.81
5500MHz	Pass	5.43G	5.765G	PK	5.45982G	3.94	-43.44	-43.44	-39.50	-21.20	-18.30
5500MHz	Pass	5.43G	5.765G	PK	5.4697G	3.94	-42.03	-42.03	-38.09	-27.00	-11.09
5500MHz	Pass	5.43G	5.765G	PK	5.75947G	3.94	-48.35	-48.35	-44.41	-27.00	-17.41
5580MHz	Pass	5.43G	5.765G	AV	5.4305G	3.94	-59.32	-59.32	-55.38	-41.20	-14.18
5580MHz	Pass	5.43G	5.765G	PK	5.44725G	3.94	-47.98	-47.98	-44.04	-21.20	-22.84
5580MHz	Pass	5.43G	5.765G	PK	5.464G	3.94	-47.94	-47.94	-44.00	-27.00	-17.00
5580MHz	Pass	5.43G	5.765G	PK	5.76014G	3.94	-45.89	-45.89	-41.95	-27.00	-14.95
5700MHz	Pass	5.43G	5.765G	AV	5.45144G	3.94	-59.63	-59.63	-55.69	-41.20	-14.49
5700MHz	Pass	5.43G	5.765G	PK	5.43737G	3.94	-47.88	-47.88	-43.94	-21.20	-22.74
5700MHz	Pass	5.43G	5.765G	PK	5.464G	3.94	-48.78	-48.78	-44.84	-27.00	-17.84
5700MHz	Pass	5.43G	5.765G	PK	5.72597G	3.94	-36.77	-36.77	-32.83	-27.00	-5.83
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43046G	3.94	-59.23	-59.23	-55.29	-41.20	-14.09
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43069G	3.94	-59.23	-59.23	-55.29	-41.20	-14.09
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4599G	3.94	-48.80	-48.80	-44.86	-21.20	-23.66
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46335G	3.94	-48.18	-48.18	-44.24	-27.00	-17.24
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.87137G	3.94	-47.89	-47.89	-43.95	-27.00	-16.95
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45948G	3.94	-54.19	-54.19	-50.25	-41.20	-9.05
5500MHz	Pass	5.43G	5.765G	PK	5.45831G	3.94	-44.24	-44.24	-40.30	-21.20	-19.10
5500MHz	Pass	5.43G	5.765G	PK	5.46903G	3.94	-41.32	-41.32	-37.38	-27.00	-10.38
5500MHz	Pass	5.43G	5.765G	PK	5.7253G	3.94	-47.05	-47.05	-43.11	-27.00	-16.11
5580MHz	Pass	5.43G	5.765G	AV	5.43034G	3.94	-59.35	-59.35	-55.41	-41.20	-14.21
5580MHz	Pass	5.43G	5.765G	PK	5.44005G	3.94	-47.97	-47.97	-44.03	-21.20	-22.83
5580MHz	Pass	5.43G	5.765G	PK	5.46802G	3.94	-48.06	-48.06	-44.12	-27.00	-17.12
5580MHz	Pass	5.43G	5.765G	PK	5.76031G	3.94	-47.47	-47.47	-43.53	-27.00	-16.53
5700MHz	Pass	5.43G	5.765G	AV	5.45345G	3.94	-59.63	-59.63	-55.69	-41.20	-14.49
5700MHz	Pass	5.43G	5.765G	PK	5.43486G	3.94	-48.20	-48.20	-44.26	-21.20	-23.06
5700MHz	Pass	5.43G	5.765G	PK	5.46451G	3.94	-47.60	-47.60	-43.66	-27.00	-16.66
5700MHz	Pass	5.43G	5.765G	PK	5.72514G	3.94	-31.06	-31.06	-27.12	-27.00	-0.12
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.45829G	3.94	-59.27	-59.27	-55.33	-41.20	-14.13
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43092G	3.94	-47.95	-47.95	-44.01	-21.20	-22.81
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46864G	3.94	-47.70	-47.70	-43.76	-27.00	-16.76
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.85136G	3.94	-47.04	-47.04	-43.10	-27.00	-16.10


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5700MHz

28/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.43737G	-43.94	-21.20	-22.74	3.94	-47.88	-47.88
5.43G	5.765G	1M	PK	5.464G	-44.84	-27.00	-17.84	3.94	-48.78	-48.78
5.43G	5.765G	1M	PK	5.72597G	-32.83	-27.00	-5.83	3.94	-36.77	-36.77

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5700MHz

28/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45144G	-55.69	-41.20	-14.49	3.94	-59.63	-59.63

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5700MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.43486G	-44.26	-21.20	-23.06	3.94	-48.20	-48.20
5.43G	5.765G	1M	PK	5.46451G	-43.66	-27.00	-16.66	3.94	-47.60	-47.60
5.43G	5.765G	1M	PK	5.72514G	-27.12	-27.00	-0.12	3.94	-31.06	-31.06

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5700MHz

28/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45345G	-55.69	-41.20	-14.49	3.94	-59.63	-59.63



CSE-Harmonics (Restricted Band) _Non-Beamforming_Radio 2_Full RU_1T1S

Appendix E.25

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port3)	Pass	1G	40G	AV	5.26	-62.86	-57.60	-62.86	-41.20	-16.40
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.26	-63.76	-58.50	-63.76	-41.20	-17.30
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.26	-66.71	-61.45	-66.71	-41.20	-20.25
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.26	-70.08	-64.82	-70.08	-41.20	-23.62
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	5.26	-74.11	-68.85	-74.11	-41.20	-27.65

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	10.99984G	5.26	-62.86	-62.86	-57.60	-41.20	-16.40
5500MHz	Pass	1G	40G	PK	10.99375G	5.26	-57.28	-57.28	-52.02	-21.20	-30.82
5580MHz	Pass	1G	40G	AV	11.15828G	5.26	-64.48	-64.48	-59.22	-41.20	-18.02
5580MHz	Pass	1G	40G	PK	11.15706G	5.26	-57.23	-57.23	-51.97	-21.20	-30.77
5700MHz	Pass	1G	40G	AV	11.40203G	5.26	-63.94	-63.94	-58.68	-41.20	-17.48
5700MHz	Pass	1G	40G	PK	11.39594G	5.26	-57.65	-57.65	-52.39	-21.20	-31.19
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.44225G	5.26	-64.91	-64.91	-59.65	-41.20	-18.45
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44591G	5.26	-57.97	-57.97	-52.71	-21.20	-31.51
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	11.00106G	5.26	-63.76	-63.76	-58.50	-41.20	-17.30
5500MHz	Pass	1G	40G	PK	11.00472G	5.26	-57.88	-57.88	-52.62	-21.20	-31.42
5580MHz	Pass	1G	40G	AV	11.15706G	5.26	-65.42	-65.42	-60.16	-41.20	-18.96
5580MHz	Pass	1G	40G	PK	11.15828G	5.26	-59.39	-59.39	-54.13	-21.20	-32.93
5700MHz	Pass	1G	40G	AV	11.39959G	5.26	-65.28	-65.28	-60.02	-41.20	-18.82
5700MHz	Pass	1G	40G	PK	11.40203G	5.26	-57.84	-57.84	-52.58	-21.20	-31.38
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43981G	5.26	-65.96	-65.96	-60.70	-41.20	-19.50
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44103G	5.26	-57.08	-57.08	-51.82	-21.20	-30.62
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	1G	40G	AV	11.01934G	5.26	-67.37	-67.37	-62.11	-41.20	-20.91
5510MHz	Pass	1G	40G	PK	11.01569G	5.26	-60.83	-60.83	-55.57	-21.20	-34.37
5550MHz	Pass	1G	40G	AV	11.10466G	5.26	-67.53	-67.53	-62.27	-41.20	-21.07
5550MHz	Pass	1G	40G	PK	11.10588G	5.26	-62.33	-62.33	-57.07	-21.20	-35.87
5670MHz	Pass	1G	40G	AV	11.34231G	5.26	-66.71	-66.71	-61.45	-41.20	-20.25
5670MHz	Pass	1G	40G	PK	11.33013G	5.26	-58.46	-58.46	-53.20	-21.20	-32.00
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.42641G	5.26	-68.59	-68.59	-63.33	-41.20	-22.13
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.43981G	5.26	-62.04	-62.04	-56.78	-21.20	-35.58
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.05347G	5.26	-70.28	-70.28	-65.02	-41.20	-23.82
5530MHz	Pass	1G	40G	PK	11.05591G	5.26	-61.11	-61.11	-55.85	-21.20	-34.65
5610MHz	Pass	1G	40G	AV	11.22409G	5.26	-70.08	-70.08	-64.82	-41.20	-23.62
5610MHz	Pass	1G	40G	PK	11.218G	5.26	-63.58	-63.58	-58.32	-21.20	-37.12
5610MHz	Pass	1G	40G	PK	33.21156G	5.26	-68.75	-68.75	-63.49	-27.00	-36.49
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.38253G	5.26	-70.25	-70.25	-64.99	-41.20	-23.79
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.34353G	5.26	-63.43	-63.43	-58.17	-21.20	-36.97
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	32.65216G	5.26	-68.84	-68.84	-63.58	-27.00	-36.58
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.16681G	5.26	-74.11	-74.11	-68.85	-41.20	-27.65
5570MHz	Pass	1G	40G	PK	11.16438G	5.26	-67.51	-67.51	-62.25	-21.20	-41.05
5570MHz	Pass	1G	40G	PK	23.23853G	5.26	-69.14	-69.14	-63.88	-27.00	-36.88


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port3)

CSE [PK]

5500MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.99375G	-52.02	-21.20	-30.82	5.26	-57.28	-	-	-57.28

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port3)

CSE [AV]

5500MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.99984G	-57.60	-41.20	-16.40	5.26	-62.86	-	-	-62.86

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5500MHz



30/01/2025


Limit.PK
EIRP.PK
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.00472G	-52.62	-21.20	-31.42	5.26	-57.88	-	-	-57.88

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5500MHz



30/01/2025


Limit.AV
EIRP.AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.00106G	-58.50	-41.20	-17.30	5.26	-63.76	-	-	-63.76

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5670MHz




30/01/2025
 Limit.PK
 EIRP.PK
 Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.33013G	-53.20	-21.20	-32.00	5.26	-58.46	-	-	-58.46

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5670MHz



30/01/2025
 Limit.AV
 EIRP.AV
 Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.34231G	-61.45	-41.20	-20.25	5.26	-66.71	-	-	-66.71

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.218G	-58.32	-21.20	-37.12	5.26	-63.58	-	-	-63.58
1G	40G	1M	PK	33.21156G	-63.49	-27.00	-36.49	5.26	-68.75	-	-	-68.75

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.22409G	-64.82	-41.20	-23.62	5.26	-70.08	-	-	-70.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.16438G	-62.25	-21.20	-41.05	5.26	-67.51	-	-	-67.51
1G	40G	1M	PK	23.23853G	-63.88	-27.00	-36.88	5.26	-69.14	-	-	-69.14

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5570MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.16681G	-68.85	-41.20	-27.65	5.26	-74.11	-	-	-74.11



CSE-Harmonics (Restricted Band) Non-Beamforming_Radio 2_Full RU_2T1S

Appendix E.26

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	Pass	1G	40G	AV	-56.88	-62.14	-69.00	-63.14	-41.20	-15.68	5.26
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-56.64	-61.90	-70.97	-62.47	-41.20	-15.44	5.26
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-60.79	-66.05	-76.84	-66.43	-41.20	-19.59	5.26
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-64.36	-69.62	-77.09	-70.48	-41.20	-23.16	5.26
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	-70.42	-75.68	-78.85	-78.54	-41.20	-29.22	5.26

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	11.00106G	5.26	-69.00	-63.14	-62.14	-56.88	-41.20	-15.68
5500MHz	Pass	1G	40G	PK	11.00228G	5.26	-63.89	-56.09	-55.42	-50.16	-21.20	-28.96
5580MHz	Pass	1G	40G	AV	11.1595G	5.26	-72.89	-63.85	-63.34	-58.08	-41.20	-16.88
5580MHz	Pass	1G	40G	PK	11.16559G	5.26	-69.82	-58.50	-58.19	-52.93	-21.20	-31.73
5700MHz	Pass	1G	40G	AV	11.39959G	5.26	-72.87	-63.50	-63.02	-57.76	-41.20	-16.56
5700MHz	Pass	1G	40G	PK	11.40081G	5.26	-69.20	-56.98	-56.73	-51.47	-21.20	-30.27
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43981G	5.26	-74.51	-65.08	-64.61	-59.35	-41.20	-18.15
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44103G	5.26	-70.37	-55.09	-54.96	-49.70	-21.20	-28.50
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	10.99741G	5.26	-70.97	-62.47	-61.90	-56.64	-41.20	-15.44
5500MHz	Pass	1G	40G	PK	10.99863G	5.26	-63.07	-58.28	-57.04	-51.78	-21.20	-30.58
5580MHz	Pass	1G	40G	AV	11.1595G	5.26	-73.65	-65.51	-64.89	-59.63	-41.20	-18.43
5580MHz	Pass	1G	40G	PK	11.16438G	5.26	-68.00	-57.85	-57.45	-52.19	-21.20	-30.99
5700MHz	Pass	1G	40G	AV	11.39716G	5.26	-78.91	-66.92	-66.65	-61.39	-41.20	-20.19
5700MHz	Pass	1G	40G	PK	11.39716G	5.26	-70.07	-61.46	-60.90	-55.64	-21.20	-34.44
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.44347G	5.26	-75.65	-65.74	-65.32	-60.06	-41.20	-18.86
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.43981G	5.26	-67.55	-58.08	-57.62	-52.36	-21.20	-31.16
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	1G	40G	AV	11.01325G	5.26	-73.65	-67.37	-66.45	-61.19	-41.20	-19.99
5510MHz	Pass	1G	40G	PK	11.01813G	5.26	-67.04	-61.17	-60.17	-54.91	-21.20	-33.71
5550MHz	Pass	1G	40G	AV	11.09856G	5.26	-75.23	-67.93	-67.19	-61.93	-41.20	-20.73
5550MHz	Pass	1G	40G	PK	11.101G	5.26	-71.39	-60.76	-60.40	-55.14	-21.20	-33.94
5670MHz	Pass	1G	40G	AV	11.33866G	5.26	-76.84	-66.43	-66.05	-60.79	-41.20	-19.59
5670MHz	Pass	1G	40G	PK	11.33622G	5.26	-68.78	-60.20	-59.64	-54.38	-21.20	-33.18
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.41909G	5.26	-78.08	-68.54	-68.08	-62.82	-41.20	-21.62
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.41178G	5.26	-70.35	-60.82	-60.36	-55.10	-21.20	-33.90
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.07297G	5.26	-77.09	-70.48	-69.62	-64.36	-41.20	-23.16
5530MHz	Pass	1G	40G	PK	11.04128G	5.26	-69.08	-63.47	-62.42	-57.16	-21.20	-35.96
5530MHz	Pass	1G	40G	PK	23.28484G	5.26	-68.23	-70.58	-66.24	-60.98	-27.00	-33.98
5610MHz	Pass	1G	40G	AV	11.22166G	5.26	-78.58	-70.84	-70.16	-64.90	-41.20	-23.70
5610MHz	Pass	1G	40G	PK	11.2375G	5.26	-72.39	-62.86	-62.40	-57.14	-21.20	-35.94
5610MHz	Pass	1G	40G	PK	23.27997G	5.26	-68.76	-70.42	-66.50	-61.24	-27.00	-34.24
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.37766G	5.26	-79.93	-70.06	-69.63	-64.37	-41.20	-23.17
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.35938G	5.26	-74.14	-61.22	-61.00	-55.74	-21.20	-34.54
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	38.53872G	5.26	-69.80	-68.90	-66.32	-61.06	-27.00	-34.06
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.08638G	5.26	-83.27	-78.84	-77.50	-72.24	-41.20	-31.04
5570MHz	Pass	1G	40G	AV	39.98659G	5.26	-78.85	-78.54	-75.68	-70.42	-41.20	-29.22
5570MHz	Pass	1G	40G	PK	11.0815G	5.26	-77.95	-70.40	-69.70	-64.44	-21.20	-43.24
5570MHz	Pass	1G	40G	PK	38.09997G	5.26	-71.35	-71.14	-68.23	-62.97	-27.00	-35.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE [PK]

5500MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.00228G	-50.16	-21.20	-28.96	5.26	-55.42	-	-63.89	-56.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX(Port2&Port3)

CSE [AV]

5500MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.00106G	-56.88	-41.20	-15.68	5.26	-62.14	-	-69.00	-63.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5500MHz



14/03/2025


Limit.PK
 EIRP.PK
 Sum.PK
 Port 2
 Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.99863G	-51.78	-21.20	-30.58	5.26	-57.04	-	-63.07	-58.28

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5500MHz



14/03/2025

Limit.AV
 EIRP.AV
 Sum.AV
 Port 2
 Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.99741G	-56.64	-41.20	-15.44	5.26	-61.90	-	-70.97	-62.47

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5670MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.33622G	-54.38	-21.20	-33.18	5.26	-59.64	-	-68.78	-60.20

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5670MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.33866G	-60.79	-41.20	-19.59	5.26	-66.05	-	-76.84	-66.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5530MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.04128G	-57.16	-21.20	-35.96	5.26	-62.42	-	-69.08	-63.47
1G	40G	1M	PK	23.28484G	-60.98	-27.00	-33.98	5.26	-66.24	-	-68.23	-70.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5530MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.07297G	-64.36	-41.20	-23.16	5.26	-69.62	-	-77.09	-70.48

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

5570MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.0815G	-64.44	-21.20	-43.24	5.26	-69.70	-	-77.95	-70.40
1G	40G	1M	PK	38.09997G	-62.97	-27.00	-35.97	5.26	-68.23	-	-71.35	-71.14

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.08638G	-72.24	-41.20	-31.04	5.26	-77.50	-	-83.27	-78.84
1G	40G	1M	AV	39.98659G	-70.42	-41.20	-29.22	5.26	-75.68	-	-78.85	-78.54



CSE-Harmonics (Restricted Band) Non-Beamforming_Radio 2_Full RU_4T1S

Appendix E.27

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	5.50	-70.28	-69.50	-64.50	-63.79	-60.09	-54.59	-41.20	-13.39
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.50	-70.78	-71.64	-64.73	-65.03	-60.95	-55.45	-41.20	-14.25
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.50	-72.76	-73.53	-68.87	-67.15	-63.77	-58.27	-41.20	-17.07
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.50	-77.68	-78.25	-71.90	-71.41	-67.72	-62.22	-41.20	-21.02
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	5.50	-76.33	-77.63	-77.38	-77.44	-71.14	-65.64	-41.20	-24.44

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	10.99984G	5.50	-70.28	-69.50	-64.50	-63.79	-60.09	-54.59	-41.20	-13.39
5500MHz	Pass	1G	40G	PK	11.00228G	5.50	-65.81	-66.13	-58.73	-56.78	-54.04	-48.54	-21.20	-27.34
5580MHz	Pass	1G	40G	AV	11.1595G	5.50	-71.16	-72.79	-64.96	-67.85	-62.13	-56.63	-41.20	-15.43
5580MHz	Pass	1G	40G	PK	11.16072G	5.50	-66.17	-67.48	-60.88	-59.46	-56.25	-50.75	-21.20	-29.55
5700MHz	Pass	1G	40G	AV	11.40081G	5.50	-70.81	-75.73	-65.60	-69.16	-62.95	-57.45	-41.20	-16.25
5700MHz	Pass	1G	40G	PK	11.39959G	5.50	-62.91	-68.57	-56.74	-66.05	-55.20	-49.70	-21.20	-28.50
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43981G	5.50	-68.27	-73.63	-65.90	-70.07	-62.61	-57.11	-41.20	-15.91
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.43859G	5.50	-62.58	-71.90	-57.65	-64.25	-55.67	-50.17	-21.20	-28.97
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	11.00228G	5.50	-70.78	-71.64	-64.73	-65.03	-60.95	-55.45	-41.20	-14.25
5500MHz	Pass	1G	40G	PK	10.99741G	5.50	-65.98	-63.07	-57.65	-55.48	-52.76	-47.26	-21.20	-26.06
5580MHz	Pass	1G	40G	AV	11.16072G	5.50	-72.91	-74.52	-65.19	-67.42	-62.44	-56.94	-41.20	-15.74
5580MHz	Pass	1G	40G	PK	11.1595G	5.50	-63.80	-68.67	-59.65	-59.68	-55.67	-50.17	-21.20	-28.97
5700MHz	Pass	1G	40G	AV	11.39959G	5.50	-72.82	-77.62	-68.49	-71.84	-65.58	-60.08	-41.20	-18.88
5700MHz	Pass	1G	40G	PK	11.39594G	5.50	-65.71	-70.47	-61.30	-66.18	-58.73	-53.23	-21.20	-32.03
5700MHz	Pass	1G	40G	PK	23.31166G	5.50	-69.36	-71.52	-72.90	-68.42	-64.18	-58.68	-27.00	-31.68
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43859G	5.50	-70.31	-74.90	-66.07	-69.62	-63.17	-57.67	-41.20	-16.47
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44103G	5.50	-66.06	-70.46	-59.29	-63.09	-56.98	-51.48	-21.20	-30.28
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	1G	40G	AV	11.01569G	5.50	-72.76	-73.53	-68.87	-67.15	-63.77	-58.27	-41.20	-17.07
5510MHz	Pass	1G	40G	PK	11.01691G	5.50	-67.51	-67.78	-61.14	-58.03	-55.71	-50.21	-21.20	-29.01
5550MHz	Pass	1G	40G	AV	11.09978G	5.50	-74.82	-75.77	-67.89	-69.89	-64.89	-59.39	-41.20	-18.19
5550MHz	Pass	1G	40G	PK	11.08516G	5.50	-71.64	-70.40	-65.40	-61.01	-59.06	-53.56	-21.20	-32.36
5550MHz	Pass	1G	40G	PK	32.68628G	5.50	-68.23	-74.10	-70.19	-71.39	-64.47	-58.97	-27.00	-31.97
5670MHz	Pass	1G	40G	AV	11.33744G	5.50	-73.17	-76.84	-67.87	-71.92	-65.28	-59.78	-41.20	-18.58
5670MHz	Pass	1G	40G	PK	11.33013G	5.50	-68.34	-71.20	-60.94	-66.17	-58.96	-53.46	-21.20	-32.26
5670MHz	Pass	1G	40G	PK	23.24584G	5.50	-70.53	-69.49	-71.12	-71.73	-64.62	-59.12	-27.00	-32.12
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.41666G	5.50	-73.30	-79.07	-68.64	-72.54	-65.99	-60.49	-41.20	-19.29
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.40569G	5.50	-69.74	-73.30	-60.54	-66.19	-58.94	-53.44	-21.20	-32.24
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	37.83184G	5.50	-71.72	-72.19	-70.50	-69.16	-64.71	-59.21	-27.00	-32.21
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.05956G	5.50	-77.68	-78.25	-71.90	-71.41	-67.72	-62.22	-41.20	-21.02
5530MHz	Pass	1G	40G	PK	11.07297G	5.50	-72.45	-71.99	-63.21	-66.98	-60.98	-55.48	-21.20	-34.28
5530MHz	Pass	1G	40G	PK	23.32141G	5.50	-69.38	-71.50	-70.83	-70.46	-64.45	-58.95	-27.00	-31.95
5610MHz	Pass	1G	40G	AV	11.218G	5.50	-76.64	-79.31	-71.61	-74.72	-68.66	-63.16	-41.20	-21.96
5610MHz	Pass	1G	40G	PK	11.22409G	5.50	-71.82	-75.08	-62.45	-68.61	-60.95	-55.45	-21.20	-34.25
5610MHz	Pass	1G	40G	PK	37.83672G	5.50	-71.92	-70.91	-69.49	-69.87	-64.43	-58.93	-27.00	-31.93
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.38009G	5.50	-75.94	-80.54	-71.08	-74.97	-68.41	-62.91	-41.20	-21.71
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.36791G	5.50	-69.92	-74.11	-65.46	-66.15	-61.75	-56.25	-21.20	-35.05
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	23.29581G	5.50	-70.63	-69.21	-70.88	-71.22	-64.39	-58.89	-27.00	-31.89
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.11563G	5.50	-82.59	-82.78	-77.53	-79.72	-74.08	-68.58	-41.20	-27.38
5570MHz	Pass	1G	40G	AV	39.92931G	5.50	-76.33	-77.63	-77.38	-77.44	-71.14	-65.64	-41.20	-24.44
5570MHz	Pass	1G	40G	PK	11.03763G	5.50	-76.51	-76.21	-70.15	-74.46	-67.48	-61.98	-21.20	-40.78
5570MHz	Pass	1G	40G	PK	23.35553G	5.50	-73.19	-72.09	-69.88	-68.12	-64.36	-58.86	-27.00	-31.86


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5500MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.00228G	-48.54	-21.20	-27.34	5.50	-54.04	-65.61	-66.13	-56.73	-56.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5500MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.9984G	-54.59	-41.20	-13.39	5.50	-60.09	-70.28	-69.50	-64.50	-63.79

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5500MHz

25/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.99741G	-47.26	-21.20	-26.06	5.50	-52.76	-65.98	-63.07	-57.65	-55.48

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5500MHz

25/01/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.00228G	-55.45	-41.20	-14.25	5.50	-60.95	-70.78	-71.64	-64.73	-65.03

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5510MHz

26/01/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.01691G	-50.21	-21.20	-29.01	5.50	-55.71	-67.51	-67.78	-61.14	-58.03

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5510MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.01699G	-58.27	-41.20	-17.07	5.50	-63.77	-72.76	-73.53	-68.87	-67.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

5530MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.07297G	-55.48	-21.20	-34.28	5.50	-60.98	-72.45	-71.99	-63.21	-66.98
1G	40G	1M	PK	23.32141G	-58.95	-27.00	-31.95	5.50	-64.45	-69.38	-71.50	-70.83	-70.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

5530MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.05956G	-62.22	-41.20	-21.02	5.50	-67.72	-77.68	-78.25	-71.90	-71.41

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

5570MHz

26/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.03763G	-61.98	-21.20	-40.78	5.50	-67.48	-76.51	-76.21	-70.15	-74.46
1G	40G	1M	PK	23.35553G	-58.86	-27.00	-31.86	5.50	-64.36	-73.19	-72.09	-69.88	-68.12

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

5570MHz

26/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.11563G	-68.58	-41.20	-27.38	5.50	-74.08	-82.59	-82.78	-77.53	-79.72
1G	40G	1M	AV	39.92931G	-65.64	-41.20	-24.44	5.50	-71.14	-76.33	-77.63	-77.38	-77.44

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	Psum (dBm)	P3 (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	Pass	1G	40G	PK	5.26	-47.79	-47.79	-42.53	-27.00	-15.53
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	Pass	1G	40G	PK	5.26	-57.56	-57.56	-52.30	-27.00	-25.30

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.07541G	5.26	-70.04	-70.04	-64.78	-41.20	-23.58
5530MHz	Pass	1G	40G	PK	11.07906G	5.26	-63.90	-63.90	-58.64	-21.20	-37.44
5530MHz	Pass	1G	40G	PK	16.639G	5.26	-51.59	-51.59	-46.33	-27.00	-19.33
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	1G	40G	AV	11.2375G	5.26	-74.30	-74.30	-69.04	-41.20	-27.84
5610MHz	Pass	1G	40G	PK	11.17169G	5.26	-66.34	-66.34	-61.08	-21.20	-39.88
5610MHz	Pass	1G	40G	PK	16.76575G	5.26	-51.39	-51.39	-46.13	-27.00	-19.13
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.37888G	5.26	-69.38	-69.38	-64.12	-41.20	-22.92
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.38009G	5.26	-63.10	-63.10	-57.84	-21.20	-36.64
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.10456G	5.26	-47.79	-47.79	-42.53	-27.00	-15.53
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.16559G	5.26	-76.17	-76.17	-70.91	-41.20	-29.71
5570MHz	Pass	1G	40G	AV	39.92809G	5.26	-76.07	-76.07	-70.81	-41.20	-29.61
5570MHz	Pass	1G	40G	PK	11.023G	5.26	-69.38	-69.38	-64.12	-21.20	-42.92
5570MHz	Pass	1G	40G	PK	16.75478G	5.26	-57.56	-57.56	-52.30	-27.00	-25.30


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [PK]

5530MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.07906G	-58.64	-21.20	-37.44	5.26	-63.90	-	-	-63.90
1G	40G	1M	PK	16.639G	-46.33	-27.00	-19.33	5.26	-51.59	-	-	-51.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [AV]

5530MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.07541G	-64.78	-41.20	-23.58	5.26	-70.04	-	-	-70.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [PK]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.17169G	-61.08	-21.20	-39.88	5.26	-66.34	-	-	-66.34
1G	40G	1M	PK	16.76575G	-46.13	-27.00	-19.13	5.26	-51.39	-	-	-51.39

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [AV]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.2375G	-69.04	-41.20	-27.84	5.26	-74.30	-	-	-74.30

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.38009G	-57.84	-21.20	-36.64	5.26	-63.10	-	-	-63.10
1G	40G	1M	PK	17.10456G	-42.53	-27.00	-15.53	5.26	-47.79	-	-	-47.79

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.37888G	-64.12	-41.20	-22.92	5.26	-69.38	-	-	-69.38

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE [PK]

5570MHz

01/02/2025



Limit:PK
ERP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.023G	-64.12	-21.20	-42.92	5.26	-69.38	-	-	-69.38
1G	40G	1M	PK	16.75478G	-52.30	-27.00	-25.30	5.26	-57.56	-	-	-57.56

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)

CSE [AV]

5570MHz

01/02/2025



Limit:AV
ERP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.16559G	-70.91	-41.20	-29.71	5.26	-76.17	-	-	-76.17
1G	40G	1M	AV	39.92809G	-70.81	-41.20	-29.61	5.26	-76.07	-	-	-76.07



CSE-Harmonics (Restricted Band)
_Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.29

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	1G	40G	PK	5.26	-50.71	-54.03	-43.79	-49.05	-27.00	-16.79
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	Pass	1G	40G	AV	5.26	-78.65	-78.07	-70.08	-75.34	-41.20	-28.88

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.01813G	5.26	-77.12	-71.26	-70.26	-65.00	-41.20	-23.80
5530MHz	Pass	1G	40G	PK	11.02056G	5.26	-69.89	-65.60	-64.23	-58.97	-21.20	-37.77
5530MHz	Pass	1G	40G	PK	16.639G	5.26	-56.59	-55.21	-52.84	-47.58	-27.00	-20.58
5610MHz	Pass	1G	40G	AV	11.18022G	5.26	-81.08	-76.08	-74.89	-69.63	-41.20	-28.43
5610MHz	Pass	1G	40G	PK	11.18509G	5.26	-75.64	-68.47	-67.71	-62.45	-21.20	-41.25
5610MHz	Pass	1G	40G	PK	16.85959G	5.26	-50.71	-54.03	-49.05	-43.79	-27.00	-16.79
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.39472G	5.26	-82.11	-75.69	-74.80	-69.54	-41.20	-28.34
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.80013G	5.26	-77.35	-78.17	-74.73	-69.47	-41.20	-28.27
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.39594G	5.26	-77.12	-68.48	-67.92	-62.66	-21.20	-41.46
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.05947G	5.26	-58.26	-53.79	-52.46	-47.20	-27.00	-20.20
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.01934G	5.26	-81.62	-78.11	-76.51	-71.25	-41.20	-30.05
5570MHz	Pass	1G	40G	AV	39.98781G	5.26	-78.65	-78.07	-75.34	-70.08	-41.20	-28.88
5570MHz	Pass	1G	40G	PK	11.02056G	5.26	-72.49	-70.00	-68.06	-62.80	-21.20	-41.60
5570MHz	Pass	1G	40G	PK	36.26453G	5.26	-70.67	-71.46	-68.04	-62.78	-27.00	-35.78



DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [PK]

5610MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.18509G	-62.45	-21.20	-41.25	5.26	-67.71	-	-75.64	-68.47
1G	40G	1M	PK	16.85959G	-43.79	-27.00	-16.79	5.26	-49.05	-	-50.71	-54.03

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [AV]

5610MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.18022G	-69.63	-41.20	-28.43	5.26	-74.89	-	-81.08	-76.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE [PK]

5570MHz

14/03/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.02056G	-62.80	-21.20	-41.60	5.26	-68.06	-	-72.49	-70.00
1G	40G	1M	PK	36.26453G	-62.78	-27.00	-35.78	5.26	-68.04	-	-70.67	-71.46

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port2&Port3)

CSE [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.01934G	-71.25	-41.20	-30.05	5.26	-76.51	-	-81.62	-78.11
1G	40G	1M	AV	39.98781G	-70.08	-41.20	-28.88	5.26	-75.34	-	-78.65	-78.07



CSE-Harmonics (Restricted Band)
Non-Beamforming_Radio 2_Multi-RU_4T1S

Appendix E.30

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	1G	40G	PK	5.50	-47.69	-55.94	-55.48	-53.05	-45.63	-40.13	-27.00	-13.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	1G	40G	PK	5.50	-66.34	-65.08	-56.62	-59.69	-54.21	-48.71	-27.00	-21.71

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band) **Non-Beamforming_Radio 2_Multi-RU_4T1S**

Appendix E.30

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.05834G	5.50	-77.49	-76.96	-76.96	-72.48	-67.69	-62.19	-41.20	-20.99
5530MHz	Pass	1G	40G	PK	11.062G	5.50	-74.96	-71.02	-71.02	-65.71	-62.03	-56.53	-21.20	-35.33
5530MHz	Pass	1G	40G	PK	16.62072G	5.50	-56.10	-58.65	-58.65	-60.10	-51.18	-45.68	-27.00	-18.68
5610MHz	Pass	1G	40G	AV	11.21922G	5.50	-82.27	-82.90	-82.90	-78.42	-72.58	-67.08	-41.20	-25.88
5610MHz	Pass	1G	40G	AV	39.92566G	5.50	-76.90	-77.16	-77.16	-77.03	-70.71	-65.21	-41.20	-24.01
5610MHz	Pass	1G	40G	PK	11.21922G	5.50	-75.34	-79.54	-79.54	-72.46	-66.65	-61.15	-21.20	-39.95
5610MHz	Pass	1G	40G	PK	16.85228G	5.50	-47.69	-55.94	-55.94	-53.05	-45.63	-40.13	-27.00	-13.13
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.38131G	5.50	-73.79	-77.76	-77.76	-74.58	-68.37	-62.87	-41.20	-21.67
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.37888G	5.50	-68.61	-70.19	-70.19	-69.37	-61.32	-55.82	-21.20	-34.62
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.04363G	5.50	-55.36	-56.44	-56.44	-57.04	-47.23	-41.73	-27.00	-14.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.10466G	5.50	-81.27	-82.38	-82.38	-79.40	-73.77	-68.27	-41.20	-27.07
5570MHz	Pass	1G	40G	AV	39.91103G	5.50	-77.42	-77.38	-77.38	-76.41	-70.91	-65.41	-41.20	-24.21
5570MHz	Pass	1G	40G	PK	11.1595G	5.50	-75.44	-77.84	-77.84	-74.34	-67.02	-61.52	-21.20	-40.32
5570MHz	Pass	1G	40G	PK	16.66216G	5.50	-66.34	-65.08	-65.08	-59.69	-54.21	-48.71	-27.00	-21.71


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5530MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.062G	-56.53	-21.20	-35.33	5.50	-62.03	-74.96	-71.02	-66.08	-65.71
1G	40G	1M	PK	16.62072G	-45.68	-27.00	-18.68	5.50	-51.18	-56.10	-58.65	-55.50	-60.10

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5530MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.05834G	-62.19	-41.20	-20.99	5.50	-67.69	-77.49	-76.96	-71.20	-72.48

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.21922G	-61.15	-21.20	-39.95	5.50	-66.65	-75.34	-79.54	-69.23	-72.46
1G	40G	1M	PK	16.85228G	-40.13	-27.00	-13.13	5.50	-45.63	-47.69	-55.94	-55.48	-53.05

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5610MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.21922G	-67.08	-41.20	-25.88	5.50	-72.58	-82.27	-82.90	-75.27	-78.42
1G	40G	1M	AV	39.92566G	-65.21	-41.20	-24.01	5.50	-70.71	-76.90	-77.16	-75.94	-77.03

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.37888G	-55.82	-21.20	-34.62	5.50	-61.32	-68.61	-70.19	-64.10	-69.37
1G	40G	1M	PK	17.04363G	-41.73	-27.00	-14.73	5.50	-47.23	-55.36	-56.44	-49.29	-57.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.38131G	-62.87	-41.20	-21.67	5.50	-68.37	-73.79	-77.76	-72.82	-74.58

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [PK]

5570MHz

01/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.1595G	-61.52	-21.20	-40.32	5.50	-67.02	-75.44	-77.84	-69.33	-74.34
1G	40G	1M	PK	16.66216G	-48.71	-27.00	-21.71	5.50	-54.21	-66.34	-65.08	-56.62	-59.69

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [AV]

5570MHz

01/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.10466G	-68.27	-41.20	-27.07	5.50	-73.77	-81.27	-82.38	-77.64	-79.40
1G	40G	1M	AV	39.91103G	-65.41	-41.20	-24.21	5.50	-70.91	-77.42	-77.38	-76.60	-76.41



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_1T1S

Appendix E.31

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	1G	40G	PK	5.26	-48.29	-48.29	-43.03	-27.00	-16.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)	Pass	1G	40G	PK	5.26	-53.03	-53.03	-47.77	-27.00	-20.77

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.06688G	5.26	-70.44	-70.44	-65.18	-41.20	-23.98
5530MHz	Pass	1G	40G	PK	11.05713G	5.26	-63.02	-63.02	-57.76	-21.20	-36.56
5530MHz	Pass	1G	40G	PK	16.64144G	5.26	-53.38	-53.38	-48.12	-27.00	-21.12
5610MHz	Pass	1G	40G	AV	11.179G	5.26	-72.68	-72.68	-67.42	-41.20	-26.22
5610MHz	Pass	1G	40G	PK	11.18509G	5.26	-65.03	-65.03	-59.77	-21.20	-38.57
5610MHz	Pass	1G	40G	PK	16.81206G	5.26	-48.91	-48.91	-43.65	-27.00	-16.65
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.33988G	5.26	-69.65	-69.65	-64.39	-41.20	-23.19
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.34719G	5.26	-61.12	-61.12	-55.86	-21.20	-34.66
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.107G	5.26	-48.29	-48.29	-43.03	-27.00	-16.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.09734G	5.26	-74.42	-74.42	-69.16	-41.20	-27.96
5570MHz	Pass	1G	40G	PK	11.08638G	5.26	-66.15	-66.15	-60.89	-21.20	-39.69
5570MHz	Pass	1G	40G	PK	16.74016G	5.26	-53.03	-53.03	-47.77	-27.00	-20.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.04006G	5.26	-74.64	-74.64	-69.38	-41.20	-28.18
5570MHz	Pass	1G	40G	PK	11.062G	5.26	-66.48	-66.48	-61.22	-21.20	-40.02
5570MHz	Pass	1G	40G	PK	16.76088G	5.26	-54.23	-54.23	-48.97	-27.00	-21.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5530MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.05713G	-57.76	-21.20	-36.56	5.26	-63.02	-	-	-63.02
1G	40G	1M	PK	16.64144G	-48.12	-27.00	-21.12	5.26	-53.38	-	-	-53.38

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5530MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.06688G	-65.18	-41.20	-23.98	5.26	-70.44	-	-	-70.44

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5610MHz

31/01/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.18509G	-59.77	-21.20	-38.57	5.26	-65.03	-	-	-65.03
1G	40G	1M	PK	16.81206G	-43.65	-27.00	-16.65	5.26	-48.91	-	-	-48.91

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5610MHz

31/01/2025



Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.179G	-67.42	-41.20	-26.22	5.26	-72.68	-	-	-72.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.34719G	-55.86	-21.20	-34.66	5.26	-61.12	-	-	-61.12
1G	40G	1M	PK	17.107G	-43.03	-27.00	-16.03	5.26	-48.29	-	-	-48.29

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.33988G	-64.39	-41.20	-23.19	5.26	-69.65	-	-	-69.65

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)

CSE [PK]

5570MHz

31/01/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.08638G	-60.89	-21.20	-39.69	5.26	-66.15	-	-	-66.15
1G	40G	1M	PK	16.74016G	-47.77	-27.00	-20.77	5.26	-53.03	-	-	-53.03

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port3)

CSE [AV]

5570MHz

31/01/2025



Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.09734G	-69.16	-41.20	-27.96	5.26	-74.42	-	-	-74.42

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [PK]

5570MHz

31/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.062G	-61.22	-21.20	-40.02	5.26	-66.48	-	-	-66.48
1G	40G	1M	PK	16.76088G	-48.97	-27.00	-21.97	5.26	-54.23	-	-	-54.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [AV]

5570MHz

31/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.04006G	-69.38	-41.20	-28.18	5.26	-74.64	-	-	-74.64



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_2T1S

Appendix E.32

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port2&Port3)	Pass	1G	40G	PK	5.26	-45.64	-53.11	-44.92	-39.66	-27.00	-12.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port2&Port3)	Pass	1G	40G	AV	5.26	-78.82	-78.86	-75.83	-70.57	-41.20	-29.37

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.01691G	5.26	-75.73	-70.68	-69.50	-64.24	-41.20	-23.04
5530MHz	Pass	1G	40G	PK	11.04616G	5.26	-71.72	-62.38	-61.90	-56.64	-21.20	-35.44
5530MHz	Pass	1G	40G	PK	16.63047G	5.26	-50.79	-56.75	-49.81	-44.55	-27.00	-17.55
5610MHz	Pass	1G	40G	AV	11.18144G	5.26	-79.92	-73.07	-72.25	-66.99	-41.20	-25.79
5610MHz	Pass	1G	40G	PK	11.18144G	5.26	-73.10	-66.30	-65.48	-60.22	-21.20	-39.02
5610MHz	Pass	1G	40G	PK	16.82791G	5.26	-49.91	-50.08	-46.98	-41.72	-27.00	-14.72
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.36059G	5.26	-75.62	-68.76	-67.95	-62.69	-41.20	-21.49
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.35328G	5.26	-70.19	-60.34	-59.91	-54.65	-21.20	-33.45
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.02656G	5.26	-45.64	-53.11	-44.92	-39.66	-27.00	-12.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.1205G	5.26	-83.70	-78.85	-77.62	-72.36	-41.20	-31.16
5570MHz	Pass	1G	40G	AV	39.30044G	5.26	-78.82	-78.86	-75.83	-70.57	-41.20	-29.37
5570MHz	Pass	1G	40G	PK	11.14122G	5.26	-77.49	-70.95	-70.08	-64.82	-21.20	-43.62
5570MHz	Pass	1G	40G	PK	38.17188G	5.26	-69.44	-75.09	-68.39	-63.13	-27.00	-36.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.05713G	5.26	-83.14	-78.30	-77.07	-71.81	-41.20	-30.61
5570MHz	Pass	1G	40G	AV	39.99756G	5.26	-79.35	-78.77	-76.04	-70.78	-41.20	-29.58
5570MHz	Pass	1G	40G	PK	11.14975G	5.26	-77.07	-68.80	-68.20	-62.94	-21.20	-41.74
5570MHz	Pass	1G	40G	PK	38.13653G	5.26	-72.24	-69.58	-67.70	-62.44	-27.00	-35.44


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port2&Port3)

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.35328G	-54.65	-21.20	-33.45	5.26	-59.91	-	-70.19	-60.34
1G	40G	1M	PK	17.02656G	-39.66	-27.00	-12.66	5.26	-44.92	-	-45.64	-53.11

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port2&Port3)

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.36059G	-62.69	-41.20	-21.49	5.26	-67.95	-	-75.62	-68.76

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port2&Port3)

CSE [PK]

5570MHz

14/03/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.14122G	-64.82	-21.20	-43.62	5.26	-70.08	-	-77.49	-70.95
1G	40G	1M	PK	38.17188G	-63.13	-27.00	-36.13	5.26	-68.39	-	-69.44	-75.09

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port2&Port3)

CSE [AV]

5570MHz

14/03/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.1205G	-72.36	-41.20	-31.16	5.26	-77.62	-	-83.70	-78.85
1G	40G	1M	AV	39.30044G	-70.57	-41.20	-29.37	5.26	-75.83	-	-78.82	-78.86



CSE-Harmonics (Restricted)_Non-Beamforming _Radio 2_Channel Puncturing_4T1S

Appendix E.33

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	1G	40G	PK	5.50	-47.17	-52.11	-51.30	-51.76	-44.04	-38.54	-27.00	-11.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	1G	40G	PK	5.50	-59.27	-59.92	-57.78	-61.37	-53.37	-47.87	-27.00	-20.87

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.01934G	5.50	-75.24	-75.15	-75.15	-70.80	-66.52	-61.02	-41.20	-19.82
5530MHz	Pass	1G	40G	PK	11.01934G	5.50	-70.43	-70.90	-70.90	-63.82	-60.17	-54.67	-21.20	-33.47
5530MHz	Pass	1G	40G	PK	16.64144G	5.50	-53.63	-55.27	-55.27	-54.49	-48.54	-43.04	-27.00	-16.04
5610MHz	Pass	1G	40G	AV	11.18266G	5.50	-80.07	-79.87	-79.87	-76.57	-70.48	-64.98	-41.20	-23.78
5610MHz	Pass	1G	40G	PK	11.17534G	5.50	-72.60	-71.23	-71.23	-68.74	-64.29	-58.79	-21.20	-37.59
5610MHz	Pass	1G	40G	PK	16.82669G	5.50	-52.53	-51.22	-51.22	-49.93	-44.81	-39.31	-27.00	-12.31
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.39959G	5.50	-71.09	-75.53	-75.53	-72.73	-65.59	-60.09	-41.20	-18.89
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.40325G	5.50	-64.25	-69.23	-69.23	-64.84	-58.87	-53.37	-21.20	-32.17
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.10578G	5.50	-47.17	-52.11	-52.11	-51.76	-44.04	-38.54	-27.00	-11.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.09247G	5.50	-82.19	-81.92	-81.92	-78.80	-74.51	-69.01	-41.20	-27.81
5570MHz	Pass	1G	40G	AV	39.89763G	5.50	-76.63	-77.43	-77.43	-76.02	-70.73	-65.23	-41.20	-24.03
5570MHz	Pass	1G	40G	PK	11.07784G	5.50	-74.98	-76.09	-76.09	-73.74	-68.00	-62.50	-21.20	-41.30
5570MHz	Pass	1G	40G	PK	16.75966G	5.50	-59.66	-62.21	-62.21	-61.35	-55.04	-49.54	-27.00	-22.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.09613G	5.50	-79.00	-81.41	-81.41	-79.70	-73.59	-68.09	-41.20	-26.89
5570MHz	Pass	1G	40G	AV	39.89519G	5.50	-76.68	-76.54	-76.54	-77.20	-70.68	-65.18	-41.20	-23.98
5570MHz	Pass	1G	40G	PK	11.08759G	5.50	-75.12	-76.06	-76.06	-73.36	-67.81	-62.31	-21.20	-41.11
5570MHz	Pass	1G	40G	PK	16.74991G	5.50	-59.27	-59.92	-59.92	-61.37	-53.37	-47.87	-27.00	-20.87


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [PK]

5530MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.01934G	-54.67	-21.20	-33.47	5.50	-60.17	-70.43	-70.90	-64.25	-63.82
1G	40G	1M	PK	16.64144G	-43.04	-27.00	-16.04	5.50	-48.54	-53.63	-55.27	-55.06	-54.49

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [AV]

5530MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.01934G	-61.02	-41.20	-19.82	5.50	-66.52	-75.24	-75.15	-71.02	-70.80

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [PK]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.17534G	-58.79	-21.20	-37.59	5.50	-64.29	-72.60	-71.23	-69.66	-68.74
1G	40G	1M	PK	16.82669G	-39.31	-27.00	-12.31	5.50	-44.81	-52.53	-51.22	-50.10	-49.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [AV]

5610MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.18266G	-64.98	-41.20	-23.78	5.50	-70.48	-80.07	-79.87	-73.25	-76.57

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.40325G	-53.37	-21.20	-32.17	5.50	-58.87	-64.25	-69.23	-63.25	-64.84
1G	40G	1M	PK	17.10578G	-38.54	-27.00	-11.54	5.50	-44.04	-47.17	-52.11	-51.30	-51.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.39959G	-60.09	-41.20	-18.89	5.50	-65.59	-71.09	-75.53	-69.31	-72.73

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE [PK]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.07784G	-62.50	-21.20	-41.30	5.50	-68.00	-74.98	-76.09	-72.23	-73.74
1G	40G	1M	PK	16.75966G	-49.54	-27.00	-22.54	5.50	-55.04	-59.66	-62.21	-61.45	-61.35

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE [AV]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.09247G	-69.01	-41.20	-27.81	5.50	-74.51	-82.19	-81.92	-80.11	-78.80
1G	40G	1M	AV	39.89763G	-65.23	-41.20	-24.03	5.50	-70.73	-76.63	-77.43	-77.04	-76.02

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [PK]

5570MHz

30/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.08759G	-62.31	-21.20	-41.11	5.50	-67.81	-75.12	-76.06	-71.94	-73.36
1G	40G	1M	PK	16.74991G	-47.87	-27.00	-20.87	5.50	-53.37	-59.27	-59.92	-57.78	-61.37

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [AV]

5570MHz

30/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.09613G	-68.09	-41.20	-26.89	5.50	-73.59	-79.00	-81.41	-78.78	-79.70
1G	40G	1M	AV	39.89519G	-65.18	-41.20	-23.98	5.50	-70.68	-76.68	-76.54	-76.44	-77.20



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	3.94	-50.37	-50.37	-46.43	-41.20	-5.23
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	3.94	-50.43	-50.43	-46.49	-41.20	-5.29

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	8.24913G	3.94	-60.26	-60.26	-56.32	-41.20	-15.12
5500MHz	Pass	1G	40G	AV	11.00106G	3.94	-76.26	-76.26	-72.32	-41.20	-31.12
5500MHz	Pass	1G	40G	PK	11.00228G	3.94	-70.06	-70.06	-66.12	-21.20	-44.92
5500MHz	Pass	1G	40G	PK	16.5025G	3.94	-48.23	-48.23	-44.29	-27.00	-17.29
5580MHz	Pass	1G	40G	AV	7.43988G	3.94	-50.37	-50.37	-46.43	-41.20	-5.23
5580MHz	Pass	1G	40G	AV	11.16559G	3.94	-82.44	-82.44	-78.50	-41.20	-37.30
5580MHz	Pass	1G	40G	PK	11.1595G	3.94	-75.71	-75.71	-71.77	-21.20	-50.57
5580MHz	Pass	1G	40G	PK	16.73528G	3.94	-42.52	-42.52	-38.58	-27.00	-11.58
5700MHz	Pass	1G	40G	AV	7.59953G	3.94	-51.52	-51.52	-47.58	-41.20	-6.38
5700MHz	Pass	1G	40G	AV	11.40081G	3.94	-71.35	-71.35	-67.41	-41.20	-26.21
5700MHz	Pass	1G	40G	PK	11.40325G	3.94	-64.86	-64.86	-60.92	-21.20	-39.72
5700MHz	Pass	1G	40G	PK	17.10213G	3.94	-41.63	-41.63	-37.69	-27.00	-10.69
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.62634G	3.94	-51.32	-51.32	-47.38	-41.20	-6.18
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.44103G	3.94	-72.01	-72.01	-68.07	-41.20	-26.87
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.43616G	3.94	-65.61	-65.61	-61.67	-21.20	-40.47
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.16063G	3.94	-45.85	-45.85	-41.91	-27.00	-14.91
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	8.24913G	3.94	-60.56	-60.56	-56.62	-41.20	-15.42
5500MHz	Pass	1G	40G	AV	11.00106G	3.94	-78.03	-78.03	-74.09	-41.20	-32.89
5500MHz	Pass	1G	40G	PK	10.99984G	3.94	-70.59	-70.59	-66.65	-21.20	-45.45
5500MHz	Pass	1G	40G	PK	16.50006G	3.94	-49.27	-49.27	-45.33	-27.00	-18.33
5580MHz	Pass	1G	40G	AV	7.43988G	3.94	-50.43	-50.43	-46.49	-41.20	-5.29
5580MHz	Pass	1G	40G	AV	11.1595G	3.94	-82.06	-82.06	-78.12	-41.20	-36.92
5580MHz	Pass	1G	40G	PK	11.14244G	3.94	-75.70	-75.70	-71.76	-21.20	-50.56
5580MHz	Pass	1G	40G	PK	16.73406G	3.94	-44.61	-44.61	-40.67	-27.00	-13.67
5700MHz	Pass	1G	40G	AV	7.59953G	3.94	-51.91	-51.91	-47.97	-41.20	-6.77
5700MHz	Pass	1G	40G	AV	11.40081G	3.94	-73.60	-73.60	-69.66	-41.20	-28.46
5700MHz	Pass	1G	40G	PK	11.40203G	3.94	-66.42	-66.42	-62.48	-21.20	-41.28
5700MHz	Pass	1G	40G	PK	17.09238G	3.94	-45.03	-45.03	-41.09	-27.00	-14.09
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.62634G	3.94	-51.81	-51.81	-47.87	-41.20	-6.67
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43372G	3.94	-72.89	-72.89	-68.95	-41.20	-27.75
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.43859G	3.94	-64.12	-64.12	-60.18	-21.20	-38.98
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	17.15575G	3.94	-45.71	-45.71	-41.77	-27.00	-14.77


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5580MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.1595G	-71.77	-21.20	-50.57	3.94	-75.71	-75.71
1G	40G	1M	PK	16.73528G	-38.58	-27.00	-11.58	3.94	-42.52	-42.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5580MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.43988G	-46.43	-41.20	-5.23	3.94	-50.37	-50.37
1G	40G	1M	AV	11.16559G	-78.50	-41.20	-37.30	3.94	-82.44	-82.44

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5580MHz

28/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.14244G	-71.76	-21.20	-50.56	3.94	-75.70	-75.70
1G	40G	1M	PK	16.73406G	-40.67	-27.00	-13.67	3.94	-44.61	-44.61

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5580MHz

28/01/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.43988G	-46.49	-41.20	-5.29	3.94	-50.43	-50.43
1G	40G	1M	AV	11.1595G	-78.12	-41.20	-36.92	3.94	-82.06	-82.06




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	Horizontal
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	Horizontal
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	Horizontal
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	3.03646G	30.80	68.20	-37.40	3	Vertical	44	1.81
Mode 1	Pass	AV	6.48588G	38.63	68.20	-29.57	3	Vertical	339	2.39
Mode 1	Pass	AV	8.35258G	40.76	54.00	-13.24	3	Vertical	124	1.50
Mode 1	Pass	PK	3.02062G	42.77	88.20	-45.43	3	Vertical	44	1.81
Mode 1	Pass	PK	6.49104G	56.59	88.20	-31.61	3	Vertical	339	2.39
Mode 1	Pass	PK	8.34964G	53.12	74.00	-20.88	3	Vertical	124	1.50
Mode 1	Pass	AV	3.03342G	31.21	68.20	-36.99	3	Horizontal	51	1.50
Mode 1	Pass	AV	4.85898G	34.05	54.00	-19.95	3	Horizontal	324	1.50
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	3	Horizontal	145	2.24
Mode 1	Pass	PK	3.04764G	43.01	88.20	-45.19	3	Horizontal	51	1.50
Mode 1	Pass	PK	4.87044G	45.66	74.00	-28.34	3	Horizontal	324	1.50
Mode 1	Pass	PK	9.3358G	55.15	74.00	-18.85	3	Horizontal	145	2.24
Mode 2	Pass	AV	2.10628G	27.41	68.20	-40.79	3	Vertical	66	1.50
Mode 2	Pass	AV	4.33588G	32.81	54.00	-21.19	3	Vertical	306	1.50
Mode 2	Pass	AV	7.91632G	40.70	68.20	-27.50	3	Vertical	217	1.50
Mode 2	Pass	PK	2.11672G	39.13	88.20	-49.07	3	Vertical	66	1.50
Mode 2	Pass	PK	4.33732G	45.03	74.00	-28.97	3	Vertical	306	1.50
Mode 2	Pass	PK	7.93252G	52.92	88.20	-35.28	3	Vertical	217	1.50
Mode 2	Pass	AV	3.03832G	30.60	68.20	-37.60	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	3	Horizontal	310	1.50
Mode 2	Pass	AV	8.78496G	42.03	68.20	-26.17	3	Horizontal	354	1.50
Mode 2	Pass	PK	3.03418G	42.27	88.20	-45.93	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.80348G	45.17	74.00	-28.83	3	Horizontal	310	1.50
Mode 2	Pass	PK	8.78532G	53.82	88.20	-34.38	3	Horizontal	354	1.50
Mode 3	Pass	AV	3.02454G	30.10	68.20	-38.10	3	Vertical	21	1.05
Mode 3	Pass	AV	6.45133G	39.11	68.20	-29.09	3	Vertical	113	2.14
Mode 3	Pass	AV	7.15646G	42.60	68.20	-25.60	3	Vertical	82	2.58
Mode 3	Pass	PK	3.04556G	43.83	88.20	-44.37	3	Vertical	21	1.05
Mode 3	Pass	PK	6.50148G	58.16	88.20	-30.04	3	Vertical	113	2.14
Mode 3	Pass	PK	7.15851G	51.94	88.20	-36.26	3	Vertical	82	2.58
Mode 3	Pass	AV	3.15844G	30.25	68.20	-37.95	3	Horizontal	23	2.10
Mode 3	Pass	AV	4.81545G	37.24	54.00	-16.76	3	Horizontal	185	1.55
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	3	Horizontal	56	2.19
Mode 3	Pass	PK	3.23842G	43.89	88.20	-44.31	3	Horizontal	23	2.10
Mode 3	Pass	PK	4.84851G	46.17	74.00	-27.83	3	Horizontal	185	1.55
Mode 3	Pass	PK	8.12456G	54.92	74.00	-19.08	3	Horizontal	56	2.19
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Vertical	51	2.13
Mode 4	Pass	AV	5.01515G	37.28	54.00	-16.72	3	Vertical	259	1.54
Mode 4	Pass	AV	10.5556G	45.61	68.20	-22.59	3	Vertical	232	2.38
Mode 4	Pass	PK	3.15455G	41.43	88.20	-46.77	3	Vertical	51	2.13
Mode 4	Pass	PK	5.01564G	47.92	74.00	-26.08	3	Vertical	259	1.54
Mode 4	Pass	PK	10.5541G	57.56	88.20	-30.64	3	Vertical	232	2.38
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Horizontal	215	2.18
Mode 4	Pass	AV	5.15847G	34.97	68.20	-33.23	3	Horizontal	121	1.54
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	3	Horizontal	102	1.08
Mode 4	Pass	PK	3.15193G	42.94	88.20	-45.26	3	Horizontal	215	2.18
Mode 4	Pass	PK	5.15483G	46.90	88.20	-41.30	3	Horizontal	121	1.54
Mode 4	Pass	PK	9.14359G	54.93	74.00	-19.07	3	Horizontal	102	1.08

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03646G	30.80	68.20	-37.40	-0.35	3	Vertical	44	1.81	31.15	29.67	5.20	35.22
AV	6.48588G	38.63	68.20	-29.57	7.20	3	Vertical	339	2.39	31.43	35.02	7.70	35.52
AV	8.35258G	40.76	54.00	-13.24	10.82	3	Vertical	124	1.50	29.94	37.01	8.78	34.97
PK	3.02062G	42.77	88.20	-45.43	-0.39	3	Vertical	44	1.81	43.16	29.64	5.19	35.22
PK	6.49104G	56.59	88.20	-31.61	7.22	3	Vertical	339	2.39	49.37	35.05	7.70	35.53
PK	8.34964G	53.12	74.00	-20.88	10.80	3	Vertical	124	1.50	42.32	37.00	8.78	34.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03342G	31.21	68.20	-36.99	-0.35	3	Horizontal	51	1.50	31.56	29.67	5.20	35.22
AV	4.85898G	34.05	54.00	-19.95	4.05	3	Horizontal	324	1.50	30.00	32.54	6.57	35.06
AV	9.35734G	42.96	54.00	-11.04	13.05	3	Horizontal	145	2.24	29.91	38.33	9.53	34.81
PK	3.04764G	43.01	88.20	-45.19	-0.31	3	Horizontal	51	1.50	43.32	29.70	5.21	35.22
PK	4.87044G	45.66	74.00	-28.34	4.10	3	Horizontal	324	1.50	41.56	32.58	6.58	35.06
PK	9.3358G	55.15	74.00	-18.85	12.99	3	Horizontal	145	2.24	42.16	38.30	9.49	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.10628G	27.41	68.20	-40.79	-3.34	3	Vertical	66	1.50	30.75	27.43	4.24	35.01
AV	4.33588G	32.81	54.00	-21.19	2.63	3	Vertical	306	1.50	30.18	31.47	6.20	35.04
AV	7.91632G	40.70	68.20	-27.50	10.35	3	Vertical	217	1.50	30.35	36.93	8.49	35.07
PK	2.11672G	39.13	88.20	-49.07	-3.20	3	Vertical	66	1.50	42.33	27.57	4.25	35.02
PK	4.33732G	45.03	74.00	-28.97	2.63	3	Vertical	306	1.50	42.40	31.47	6.20	35.04
PK	7.93252G	52.92	88.20	-35.28	10.40	3	Vertical	217	1.50	42.52	36.97	8.50	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03832G	30.60	68.20	-37.60	-0.34	3	Horizontal	112	1.50	30.94	29.68	5.20	35.22
AV	4.79598G	33.26	54.00	-20.74	3.73	3	Horizontal	310	1.50	29.53	32.28	6.51	35.06
AV	8.78496G	42.03	68.20	-26.17	11.97	3	Horizontal	354	1.50	30.06	37.77	9.00	34.80
PK	3.03418G	42.27	88.20	-45.93	-0.35	3	Horizontal	112	1.50	42.62	29.67	5.20	35.22
PK	4.80348G	45.17	74.00	-28.83	3.76	3	Horizontal	310	1.50	41.41	32.31	6.51	35.06
PK	8.78532G	53.82	88.20	-34.38	11.97	3	Horizontal	354	1.50	41.85	37.77	9.00	34.80


Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Vertical	51	2.13	31.25	29.70	5.30	35.23
AV	5.01515G	37.28	54.00	-16.72	4.80	3	Vertical	259	1.54	32.48	33.14	6.73	35.07
AV	10.5556G	45.61	68.20	-22.59	14.57	3	Vertical	232	2.38	31.04	38.72	10.38	34.53
PK	3.15455G	41.43	88.20	-46.77	-0.24	3	Vertical	51	2.13	41.67	29.70	5.29	35.23
PK	5.01564G	47.92	74.00	-26.08	4.80	3	Vertical	259	1.54	43.12	33.14	6.73	35.07
PK	10.5541G	57.56	88.20	-30.64	14.57	3	Vertical	232	2.38	42.99	38.72	10.38	34.53

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Horizontal	215	2.18	31.25	29.70	5.30	35.23
AV	5.15847G	34.97	68.20	-33.23	4.79	3	Horizontal	121	1.54	30.18	33.08	6.78	35.07
AV	9.14521G	43.59	54.00	-10.41	12.45	3	Horizontal	102	1.08	31.14	38.00	9.20	34.75
PK	3.15193G	42.94	88.20	-45.26	-0.24	3	Horizontal	215	2.18	43.18	29.70	5.29	35.23
PK	5.15483G	46.90	88.20	-41.30	4.79	3	Horizontal	121	1.54	42.11	33.09	6.77	35.07
PK	9.14359G	54.93	74.00	-19.07	12.45	3	Horizontal	102	1.08	42.48	38.00	9.20	34.75