

06/02/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(4);Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	-1.07	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.39	10.30	5.61	37.45	58.46

06/02/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(4);Ch:6665MHz;TX

CF Freq
6.665GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	-3.81	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.25	10.30	5.65	37.44	58.53

06/02/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(4);Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 5

EIRP PSD (dBm)	-7.54	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.07	10.73	5.81	37.39	58.84

06/02/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(4);Ch:7095MHz;TX

CF Freq
7.095GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 5

EIRP PSD (dBm)	4.67	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.51	10.47	5.86	37.26	59.05

06/02/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(4);Ch:7085MHz;TX

CF Freq
7.085GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 5

EIRP PSD (dBm)	2.81	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.20	10.59	5.85	37.28	59.03

06/02/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(4);Ch:6945MHz;TX

CF Freq
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	0.27	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.26	10.74	5.81	37.39	58.85

06/02/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(4);Ch:6985MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	4.79
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	4.87
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	4.88
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	3.32
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	-0.86
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	4.93
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	4.93
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	4.93
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	2.92
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	0.25
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	4.70
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	4.91
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	4.86
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	2.92
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	0.79
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	4.89
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	4.71
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	4.99
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	3.26

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-
5955MHz_TX	Pass	4.73	5.00
6195MHz_TX	Pass	4.79	5.00
6415MHz_TX	Pass	4.75	5.00
6435MHz_TX	Pass	4.93	5.00
6475MHz_TX	Pass	4.62	5.00
6515MHz_TX	Pass	4.55	5.00
6535MHz_TX	Pass	4.70	5.00
6695MHz_TX	Pass	4.54	5.00
6875MHz_TX	Pass	4.55	5.00
6895MHz_TX	Pass	4.67	5.00
6995MHz_TX	Pass	4.89	5.00
7095MHz_TX	Pass	4.45	5.00
7115MHz_TX	Pass	4.82	5.00
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-
5965MHz_TX	Pass	4.67	5.00
6205MHz_TX	Pass	4.87	5.00
6405MHz_TX	Pass	4.75	5.00
6445MHz_TX	Pass	4.54	5.00
6485MHz_TX	Pass	4.76	5.00
6525MHz_TX	Pass	4.93	5.00
6565MHz_TX	Pass	4.48	5.00
6685MHz_TX	Pass	4.80	5.00
6885MHz_TX	Pass	4.91	5.00
6925MHz_TX	Pass	4.67	5.00
7005MHz_TX	Pass	4.71	5.00
7085MHz_TX	Pass	4.65	5.00
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-
5985MHz_TX	Pass	4.72	5.00
6225MHz_TX	Pass	4.81	5.00
6385MHz_TX	Pass	4.88	5.00
6465MHz_TX	Pass	4.66	5.00
6545MHz_TX	Pass	4.93	5.00
6625MHz_TX	Pass	4.56	5.00
6705MHz_TX	Pass	4.86	5.00
6785MHz_TX	Pass	4.67	5.00
6865MHz_TX	Pass	4.53	5.00
6945MHz_TX	Pass	4.99	5.00
7025MHz_TX	Pass	4.79	5.00
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-
6025MHz_TX	Pass	2.63	5.00
6185MHz_TX	Pass	3.31	5.00
6345MHz_TX	Pass	3.32	5.00
6505MHz_TX	Pass	2.92	5.00
6665MHz_TX	Pass	2.92	5.00
6825MHz_TX	Pass	1.67	5.00
6985MHz_TX	Pass	3.26	5.00
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-
6105MHz_TX	Pass	-1.00	5.00
6265MHz_TX	Pass	-0.86	5.00
6425MHz_TX	Pass	0.25	5.00
6585MHz_TX	Pass	0.20	5.00
6745MHz_TX	Pass	0.03	5.00
6905MHz_TX	Pass	0.79	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density; Inf = There's no restriction for the limit.

08/02/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,4);Ch:6195MHz;TX

CF Freq
6.195GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 5

EIRP PSD (dBm)

4.79

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-9.30

11.48

5.36


37.67

57.88

08/02/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,4);Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz



Page 5

EIRP PSD (dBm)

4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-9.23

11.49

5.36

37.66


57.89



08/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,4);Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.12	11.20	5.57	37.54	58.17

08/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,4);Ch:6345MHz;TX

CF Freq
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
3.32				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.06	11.46	5.45	37.61	58.00

08/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,4);Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	-0.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.18	11.41	5.41	37.63	57.95

08/02/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,4);Ch:6435MHz;TX

CF Freq
6.435GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 5

EIRP PSD (dBm)	4.93	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.19	11.14	5.57	37.52	58.21

08/02/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,4);Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.87	10.66	5.58	37.47	58.35

08/02/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,4);Ch:6545MHz;TX

CF Freq
6.545GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.20	10.41	5.59	37.46	58.41

08/02/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,4);Ch:6505MHz;TX

CF Freq
6.505GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.22	10.40	5.59	37.46	58.41

08/02/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,4);Ch:6425MHz;TX

CF Freq
6.425GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.25				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.13	11.46	5.45	37.61	58.00

08/02/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,4);Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.7				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.04	10.71	5.58	37.47	58.34

08/02/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,4);Ch:6885MHz;TX

CF Freq
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz



Page 5


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.62	10.70	5.80	37.39	58.82



08/02/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,4);Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.60	10.30	5.66	37.44	58.54

08/02/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,4);Ch:6665MHz;TX

CF Freq
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.45	10.30	5.63	37.45	58.49

08/02/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,4);Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.74	10.78	5.82	37.38	58.87

08/02/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,4);Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.64	10.87	5.84	37.37	58.93

08/02/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,4);Ch:7005MHz;TX

CF Freq
7.005GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 5

EIRP PSD (dBm)	4.71	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.81	10.88	5.84	37.37	58.93

08/02/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,4);Ch:6945MHz;TX

CF Freq
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	4.99	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.54	10.78	5.82	37.38	58.87

08/02/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,4);Ch:6985MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.87
802.11be EHT40_Nss1,(MCS0)_4TX	4.92
802.11be EHT80_Nss1,(MCS0)_4TX	4.69
802.11be EHT160_Nss1,(MCS0)_4TX	3.27
802.11be EHT320_Nss1,(MCS0)_4TX	-0.41
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.91
802.11be EHT40_Nss1,(MCS0)_4TX	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	4.92
802.11be EHT160_Nss1,(MCS0)_4TX	2.29
802.11be EHT320_Nss1,(MCS0)_4TX	0.62
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.58
802.11be EHT40_Nss1,(MCS0)_4TX	4.97
802.11be EHT80_Nss1,(MCS0)_4TX	4.85
802.11be EHT160_Nss1,(MCS0)_4TX	4.01
802.11be EHT320_Nss1,(MCS0)_4TX	1.37
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.76
802.11be EHT40_Nss1,(MCS0)_4TX	4.93
802.11be EHT80_Nss1,(MCS0)_4TX	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	4.44

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.87	5.00
6195MHz	Pass	4.67	5.00
6415MHz	Pass	4.56	5.00
6435MHz	Pass	4.45	5.00
6475MHz	Pass	4.68	5.00
6515MHz	Pass	4.91	5.00
6535MHz	Pass	4.58	5.00
6695MHz	Pass	4.34	5.00
6875MHz	Pass	4.48	5.00
6895MHz	Pass	4.63	5.00
6995MHz	Pass	4.76	5.00
7095MHz	Pass	4.67	5.00
7115MHz	Pass	-2.68	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.82	5.00
6205MHz	Pass	4.73	5.00
6405MHz	Pass	4.92	5.00
6445MHz	Pass	4.45	5.00
6485MHz	Pass	4.98	5.00
6525MHz	Pass	4.52	5.00
6565MHz	Pass	4.97	5.00
6685MHz	Pass	4.43	5.00
6885MHz	Pass	4.42	5.00
6925MHz	Pass	4.93	5.00
7005MHz	Pass	4.58	5.00
7085MHz	Pass	4.71	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.43	5.00
6225MHz	Pass	4.52	5.00
6385MHz	Pass	4.69	5.00
6465MHz	Pass	4.84	5.00
6545MHz	Pass	4.92	5.00
6625MHz	Pass	4.73	5.00
6705MHz	Pass	4.82	5.00
6785MHz	Pass	4.85	5.00
6865MHz	Pass	4.63	5.00
6945MHz	Pass	4.89	5.00
7025MHz	Pass	4.78	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	3.27	5.00
6185MHz	Pass	2.16	5.00
6345MHz	Pass	2.56	5.00
6505MHz	Pass	2.29	5.00
6665MHz	Pass	2.70	5.00
6825MHz	Pass	4.01	5.00
6985MHz	Pass	4.44	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	-0.41	5.00
6265MHz	Pass	-0.86	5.00
6425MHz	Pass	-1.55	5.00
6585MHz	Pass	0.62	5.00
6745MHz	Pass	0.62	5.00
6905MHz	Pass	1.37	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density; Inf = There's no restriction for the limit.

11/02/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 5

EIRP PSD (dBm)
4.87

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.86	11.21	5.22	37.82	57.54

11/02/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
40MHz



Page 6

EIRP PSD (dBm)
4.92


EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.12	11.18	5.57	37.53	58.18

11/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 6

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.25	11.22	5.56	37.55	58.15

11/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
3.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.58	11.46	5.32	37.73	57.72

11/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 6

EIRP PSD (dBm)
-0.41


EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.25	11.48	5.32	37.73	57.73

11/02/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 5

EIRP PSD (dBm)
4.91


EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.71	10.80	5.58	37.48	58.32

11/02/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 5

EIRP PSD (dBm)	4.98	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.33	11.03	5.58	37.50	58.26

11/02/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX

CF Freq
6.545GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz



Page 5

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.08	10.51	5.59	37.47	58.39

11/02/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX

CF Freq
6.505GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 6

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.29				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.82	11.14	5.57	37.52	58.20

11/02/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX

CF Freq
6.585GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.62				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.90	10.39	5.72	37.43	58.62

11/02/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 6

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.58				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.21	10.67	5.58	37.47	58.35

11/02/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.17	10.40	5.59	37.46	58.41

11/02/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.69	10.47	5.76	37.42	58.67

11/02/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX

CF Freq
6.825GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.01				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.52	10.71	5.81	37.39	58.82

11/02/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	1.37	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.14	10.76	5.81	37.39	58.85

11/02/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 5

EIRP PSD (dBm)	4.76	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.76	10.89	5.84	37.37	58.94

11/02/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz



Page 5

EIRP PSD (dBm)
4.93


EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.59	10.75	5.81	37.39	58.85

11/02/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX

CF Freq
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz



Page 5

EIRP PSD (dBm)
4.89

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.63	10.75	5.81	37.39	58.85

11/02/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.44		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.08	10.75	5.81	37.39	58.85

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	0.20
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	-1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)	-6.76
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	-7.55
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	-3.40
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	-4.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	-	-	-
5985MHz	Pass	0.20	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	-	-	-
7025MHz	Pass	-3.40	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	-	-	-
6025MHz	Pass	-1.50	5.00
6985MHz	Pass	-4.32	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)	-	-	-
6105MHz	Pass	-6.76	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	-	-	-
6905MHz	Pass	-7.55	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

01/04/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1(4);Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.2				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.62	11.34	5.30	37.77	57.63

21/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1(4);Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-1.5				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.36	11.48	5.32	37.72	57.74

01/04/2025

EIRP PSD:Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1(4);Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	-6.76	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.61	11.48	5.32	37.73	57.74

01/04/2025

EIRP PSD:Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1(4);Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	-7.55	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.11	10.87	5.84	37.36	58.95

01/04/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1(4);Ch:7025MHz;TX

CF Freq
7.025GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 5

EIRP PSD (dBm)	-3.4	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.93	10.87	5.84	37.37	58.93

01/04/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1(4);Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz



Page 5

EIRP PSD (dBm)	-4.32	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.86	10.77	5.82	37.38	58.87

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	3.47
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	2.52
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	-2.00
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	-1.85
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	1.37
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	1.30

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	-	-	-
5985MHz	Pass	3.47	5.00
7025MHz	Pass	1.37	5.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	-	-	-
6025MHz	Pass	2.52	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	-	-	-
6985MHz	Pass	1.30	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	-	-	-
6105MHz	Pass	-2.00	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	-	-	-
6905MHz	Pass	-1.85	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

02/04/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2(1,4);Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	3.47	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.36	11.34	5.30	37.77	57.64

02/04/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:2(1,4);Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5


EIRP PSD (dBm)	2.52	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.33	11.47	5.32	37.73	57.73



02/04/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:2(1,4);Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-2				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.97	11.45	5.33	37.70	57.79

02/04/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:2(1,4);Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-1.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.40	10.50	5.77	37.41	58.69

02/04/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2(1,4);Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
1.37				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.14	10.90	5.84	37.37	58.94

02/04/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2(1,4);Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
1.3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.22	10.74	5.81	37.39	58.84

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	3.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	3.05
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-1.50
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-1.34
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	1.15

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	3.89	5.00
7025MHz	Pass	1.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	3.05	5.00
6985MHz	Pass	1.15	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	-1.50	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-
6905MHz	Pass	-1.34	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

02/04/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.93	11.34	5.30	37.77	57.63

02/04/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz




Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.05				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.80	11.46	5.32	37.73	57.72

02/04/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	-1.5	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.57	11.42	5.35	37.69	57.83

02/04/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)	-1.34	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.86	10.89	5.84	37.37	58.94


02/04/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX



02/04/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX





Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_1T1S

Appendix D.7

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	0.33
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-1.44
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-4.89
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-7.60
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-2.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-2.60

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_1T1S

Appendix D.7

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-
5985MHz	Pass	0.33	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-
7025MHz	Pass	-2.43	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-
6025MHz	Pass	-1.53	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-
6025MHz	Pass	-1.44	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-
6985MHz	Pass	-2.91	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-
6985MHz	Pass	-2.60	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-
6105MHz	Pass	-4.94	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-
6105MHz	Pass	-4.94	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-
6105MHz	Pass	-4.89	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-
6905MHz	Pass	-7.60	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-
6905MHz	Pass	-7.92	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-
6905MHz	Pass	-7.87	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

18/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1(4);Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	0.33	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.47	11.28	5.28	37.79	57.59

18/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:1(4);Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	-1.44	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.28	11.40	5.31	37.75	57.68

18/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 4;Nant:1(4);Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 5

EIRP PSD (dBm)	-4.89	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.97	11.42	5.35	37.68	57.83

18/03/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:1(4);Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 5

EIRP PSD (dBm)	-7.6	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.12	10.75	5.81	37.39	58.85

06/02/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 2;Nant:1(4);Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	-2.43	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.96	10.87	5.84	37.37	58.93

18/03/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:1(4);Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	-2.6	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.12	10.75	5.81	37.39	58.85



Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_2T1S

Appendix D.8

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	4.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port1&Port4)	2.40
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX(Port1&Port4)	-1.04
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)	0.06
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	4.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	3.20

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_2T1S

Appendix D.8

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	-	-	-
5985MHz	Pass	4.71	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	-	-	-
7025MHz	Pass	4.73	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)	-	-	-
6025MHz	Pass	2.25	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port1&Port4)	-	-	-
6025MHz	Pass	2.40	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port1&Port4)	-	-	-
6985MHz	Pass	2.63	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-
6985MHz	Pass	3.20	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-
6105MHz	Pass	-1.10	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX(Port1&Port4)	-	-	-
6105MHz	Pass	-1.04	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)	-	-	-
6105MHz	Pass	-1.04	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX(Port1&Port4)	-	-	-
6905MHz	Pass	-0.39	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)	-	-	-
6905MHz	Pass	0.06	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX(Port1&Port4)	-	-	-
6905MHz	Pass	-0.01	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

18/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:2(1,4);Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	4.71	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.08	11.27	5.27	37.79	57.58

18/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:2(1,4);Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	2.4	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.45	11.47	5.32	37.73	57.73




Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_2T1S

Appendix D.8

19/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 4;Nant:2(1,4);Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
-1.04				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.99	11.45	5.33	37.71	57.78

18/03/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:2(1,4);Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 5

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
0.06				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.47	10.78	5.82	37.38	58.87

18/03/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 1;Nant:2(1,4);Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	4.73	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.85	10.86	5.84	37.36	58.96

18/03/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:2(1,4);Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	3.2	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.32	10.74	5.81	37.39	58.84



Radiated PSD_Non-Beamforming_Radio 3 _Channel Puncturing_4T1S

Appendix D.9

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	4.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	3.13
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	0.33
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	0.19
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	4.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	2.14

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-
5985MHz	Pass	4.39	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-
7025MHz	Pass	4.48	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-
6025MHz	Pass	3.03	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-
6025MHz	Pass	3.13	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-
6985MHz	Pass	1.99	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-
6985MHz	Pass	2.14	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-
6105MHz	Pass	0.33	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-
6105MHz	Pass	-0.23	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-
6105MHz	Pass	-0.05	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-
6905MHz	Pass	0.19	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-
6905MHz	Pass	-0.01	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-
6905MHz	Pass	-0.97	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

19/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.39				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.42	11.30	5.29	37.78	57.60

19/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.13				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.72	11.49	5.32	37.72	57.74

19/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 2;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 5

EIRP PSD (dBm)	0.33	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.59	11.47	5.33	37.71	57.77

19/03/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 5

EIRP PSD (dBm)	0.19	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.33	10.81	5.82	37.38	58.89

18/03/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 1;Nant:4;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 5

EIRP PSD (dBm)	4.48	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.13	10.84	5.84	37.35	58.96

19/03/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 5

EIRP PSD (dBm)	2.14	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.39	10.77	5.82	37.38	58.86



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.74
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.88
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.60
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.76

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.74	5.00
6195MHz	Pass	4.50	5.00
6415MHz	Pass	4.37	5.00
6435MHz	Pass	4.73	5.00
6475MHz	Pass	4.88	5.00
6515MHz	Pass	4.86	5.00
6535MHz	Pass	4.60	5.00
6695MHz	Pass	4.09	5.00
6875MHz	Pass	4.35	5.00
6895MHz	Pass	4.52	5.00
6995MHz	Pass	4.76	5.00
7095MHz	Pass	4.60	5.00
7115MHz	Pass	3.96	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

13/02/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 6

EIRP PSD (dBm)

4.74

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-8.99

11.21

5.22

37.82

57.54

13/02/2025

EIRP PSD;Band:6.4G;ax20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6475MHz;TX

CF Freq
6.475GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 6


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]
4.88		Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-10.47	11.00	5.58	37.50	58.27	

13/02/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 6

EIRP PSD (dBm)

4.6

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-11.17

10.69

5.58


37.47

58.35

13/02/2025

EIRP PSD;Band:7.0G;ax20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 6

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]
4.76		Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-11.76	10.89	5.84	37.37	58.94	



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.40
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.83
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.87
802.11be EHT320-BF_Nss1,(MCS0)_4TX	2.82
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.45
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.78
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.66
802.11be EHT320-BF_Nss1,(MCS0)_4TX	3.09
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.75
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.58
802.11be EHT320-BF_Nss1,(MCS0)_4TX	2.87
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.58
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.60

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.29	5.00
6195MHz	Pass	4.91	5.00
6415MHz	Pass	4.36	5.00
6435MHz	Pass	4.68	5.00
6475MHz	Pass	4.89	5.00
6515MHz	Pass	4.74	5.00
6535MHz	Pass	3.70	5.00
6695MHz	Pass	4.74	5.00
6875MHz	Pass	4.89	5.00
6895MHz	Pass	3.95	5.00
6995MHz	Pass	4.58	5.00
7095MHz	Pass	4.12	5.00
7115MHz	Pass	-1.53	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.16	5.00
6205MHz	Pass	4.12	5.00
6405MHz	Pass	4.40	5.00
6445MHz	Pass	4.42	5.00
6485MHz	Pass	4.45	5.00
6525MHz	Pass	4.15	5.00
6565MHz	Pass	4.08	5.00
6685MHz	Pass	4.75	5.00
6885MHz	Pass	4.49	5.00
6925MHz	Pass	4.92	5.00
7005MHz	Pass	4.04	5.00
7085MHz	Pass	3.45	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.31	5.00
6225MHz	Pass	4.30	5.00
6385MHz	Pass	4.83	5.00
6465MHz	Pass	4.06	5.00
6545MHz	Pass	4.78	5.00
6625MHz	Pass	4.88	5.00
6705MHz	Pass	4.80	5.00
6785MHz	Pass	4.80	5.00
6865MHz	Pass	4.90	5.00
6945MHz	Pass	4.93	5.00
7025MHz	Pass	4.24	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.29	5.00
6185MHz	Pass	4.87	5.00
6345MHz	Pass	4.65	5.00
6505MHz	Pass	4.66	5.00
6665MHz	Pass	4.58	5.00
6825MHz	Pass	4.55	5.00
6985MHz	Pass	4.60	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	2.32	5.00
6265MHz	Pass	2.82	5.00
6425MHz	Pass	1.24	5.00
6585MHz	Pass	3.09	5.00
6745MHz	Pass	2.87	5.00
6905MHz	Pass	2.46	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density; Inf = There's no restriction for the limit.

20/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 5

EIRP PSD (dBm)	4.91	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.20	11.49	5.36	37.66	57.90

21/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
40MHz




Page 6

EIRP PSD (dBm)	4.4	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.58	11.21	5.57	37.54	58.16


25/02/2025

EIRP PSD:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




25/02/2025

EIRP PSD:Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




25/02/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




21/02/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




22/02/2025

EIRP PSD:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




25/02/2025

EIRP PSD:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




25/02/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




25/02/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




21/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




22/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




25/02/2025

EIRP PSD:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




25/02/2025

EIRP PSD:Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




25/02/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




21/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




22/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




25/02/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



25/02/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	5.963998G	-4.18	5.943025G	-34.67	-24.25	-10.42	4
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	6.221796G	-1.04	6.18285G	-30.61	-21.12	-9.49	4
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	6.2317G	-1.31	6.1804G	-29.92	-21.34	-8.58	4
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	6.27902G	-0.87	6.6808G	-51.40	-40.87	-10.53	4
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	6.23301G	-2.38	6.791G	-49.92	-42.38	-7.54	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	6.506702G	-2.19	6.526875G	-33.87	-22.36	-11.51	4
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	6.5266G	-1.40	6.54665G	-30.23	-20.80	-9.43	4
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	6.4679G	-1.47	6.4201G	-31.27	-21.47	-9.80	4
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	6.58118G	-1.22	6.7688G	-50.96	-41.22	-9.74	4
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	6.63539G	-2.53	6.0662G	-48.77	-42.53	-6.24	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	6.868427G	-2.42	6.8632G	-33.75	-22.51	-11.24	4
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	6.573348G	-1.17	6.5425G	-33.82	-21.07	-12.75	4
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	6.6986G	-1.94	6.7486G	-28.43	-21.97	-6.46	4
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	6.6688G	-1.50	6.9584G	-51.69	-41.50	-10.19	4
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	6.753G	-3.16	6.2406G	-48.93	-43.16	-5.77	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	7.113075G	-14.11	7.0656G	-63.71	-54.11	-9.60	4
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	6.941646G	-1.65	6.90245G	-33.03	-21.71	-11.32	4
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	6.99301G	-2.04	6.9796G	-31.41	-22.09	-9.32	4
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	6.996G	-1.59	6.708G	-52.24	-41.59	-10.65	4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963998G	-4.18	5.943025G	-34.67	-24.25	-10.42	4
6195MHz	Pass	6.187252G	-4.01	6.182975G	-37.89	-24.01	-13.88	4
6415MHz	Pass	6.421373G	-2.18	6.4031G	-34.69	-22.19	-12.50	4
6435MHz	Pass	6.426002G	-2.39	6.4471G	-36.61	-22.19	-14.42	4
6475MHz	Pass	6.467102G	-2.26	6.462825G	-34.54	-22.36	-12.18	4
6515MHz	Pass	6.506702G	-2.19	6.526875G	-33.87	-22.36	-11.51	4
6535MHz	Pass	6.542498G	-2.31	6.547075G	-35.19	-22.35	-12.84	4
6695MHz	Pass	6.702348G	-2.92	6.68275G	-37.27	-22.94	-14.33	4
6875MHz	Pass	6.868427G	-2.42	6.8632G	-33.75	-22.51	-11.24	4
6895MHz	Pass	6.887452G	-1.91	6.883025G	-35.03	-21.98	-13.05	4
6995MHz	Pass	6.985777G	-2.37	6.98285G	-34.89	-22.49	-12.40	4
7095MHz	Pass	7.086502G	-6.20	7.08285G	-39.34	-25.30	-14.04	4
7115MHz	Pass	7.113075G	-14.11	7.0656G	-63.71	-54.11	-9.60	4
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.979646G	-1.04	5.943G	-30.93	-21.08	-9.85	4
6205MHz	Pass	6.221796G	-1.04	6.18285G	-30.61	-21.12	-9.49	4
6405MHz	Pass	6.422846G	-1.07	6.4273G	-31.92	-21.14	-10.78	4
6445MHz	Pass	6.440151G	-1.59	6.422G	-34.99	-20.49	-14.50	4
6485MHz	Pass	6.499546G	-0.94	6.46265G	-32.12	-20.94	-11.18	4
6525MHz	Pass	6.5266G	-1.40	6.54665G	-30.23	-20.80	-9.43	4
6565MHz	Pass	6.573348G	-1.17	6.5425G	-33.82	-21.07	-12.75	4
6685MHz	Pass	6.703495G	-1.56	6.66195G	-35.24	-21.62	-13.62	4
6885MHz	Pass	6.896897G	-1.62	6.90815G	-35.41	-21.32	-14.09	4
6925MHz	Pass	6.941646G	-1.65	6.90245G	-33.03	-21.71	-11.32	4
7005MHz	Pass	6.986505G	-1.74	6.98215G	-34.74	-21.77	-12.97	4
7085MHz	Pass	7.071453G	-3.44	7.06255G	-34.80	-23.46	-11.34	4
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9891G	-1.08	6.0304G	-31.28	-21.15	-10.13	4
6225MHz	Pass	6.2317G	-1.31	6.1804G	-29.92	-21.34	-8.58	4
6385MHz	Pass	6.34761G	-0.99	6.2246G	-51.90	-40.99	-10.91	4
6465MHz	Pass	6.4679G	-1.47	6.4201G	-31.27	-21.47	-9.80	4
6545MHz	Pass	6.58259G	-1.34	6.4991G	-32.31	-21.36	-10.95	4
6625MHz	Pass	6.6389G	-1.62	6.6709G	-32.33	-21.66	-10.67	4
6705MHz	Pass	6.6986G	-1.94	6.7486G	-28.43	-21.97	-6.46	4
6785MHz	Pass	6.81319G	-2.15	6.7412G	-29.91	-22.15	-7.76	4
6865MHz	Pass	6.856G	-1.69	6.8196G	-31.47	-21.70	-9.77	4
6945MHz	Pass	6.9328G	-1.82	6.8999G	-31.38	-21.96	-9.42	4
7025MHz	Pass	6.99301G	-2.04	6.9796G	-31.41	-22.09	-9.32	4
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08678G	-0.06	6.2814G	-50.57	-40.01	-10.56	4
6185MHz	Pass	6.2024G	-1.16	6.4858G	-52.39	-41.16	-11.23	4
6345MHz	Pass	6.27902G	-0.87	6.6808G	-51.40	-40.87	-10.53	4
6505MHz	Pass	6.58118G	-1.22	6.7688G	-50.96	-41.22	-9.74	4
6665MHz	Pass	6.6688G	-1.50	6.9584G	-51.69	-41.50	-10.19	4
6825MHz	Pass	6.75602G	-1.52	6.5714G	-52.46	-41.26	-11.20	4
6985MHz	Pass	6.996G	-1.59	6.708G	-52.24	-41.59	-10.65	4
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07701G	-1.81	6.6194G	-49.75	-41.81	-7.94	4
6265MHz	Pass	6.23301G	-2.38	6.791G	-49.92	-42.38	-7.54	4
6425MHz	Pass	6.27144G	-2.28	6.9458G	-48.92	-42.28	-6.64	4
6585MHz	Pass	6.63539G	-2.53	6.0662G	-48.77	-42.53	-6.24	4
6745MHz	Pass	6.753G	-3.16	6.2406G	-48.93	-43.16	-5.77	4
6905MHz	Pass	6.93059G	-2.96	6.3366G	-49.60	-42.96	-6.64	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

MASK

5955MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

MASK

6205MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

MASK

6225MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

MASK

6345MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

MASK

6265MHz_TX

21/02/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

MASK

6515MHz_TX

21/02/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

MASK

6525MHz_TX

21/02/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

MASK

6465MHz_TX

21/02/2025




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

MASK

6505MHz_TX

21/02/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

MASK

6585MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

MASK

6875MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

MASK

6565MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

MASK

6705MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

MASK

6665MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

MASK

6745MHz_TX

21/02/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

MASK

7115MHz_TX

21/02/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

MASK

6925MHz_TX

21/02/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

MASK

7025MHz_TX

21/02/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

MASK

6985MHz_TX

21/02/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.186777G	-9.18	6.1833G	-39.79	-28.68	-11.11	1
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.221446G	-4.11	6.2274G	-35.39	-24.16	-11.23	4
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.3935G	-1.06	6.34G	-30.11	-21.06	-9.05	1
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.09498G	-0.49	6.2894G	-50.16	-40.49	-9.67	4
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.27424G	-2.20	6.9606G	-48.22	-42.20	-6.02	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.479224G	-9.17	6.487025G	-42.17	-29.17	-13.00	4
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.542996G	-4.79	6.547G	-34.29	-24.59	-9.70	1
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.4764G	-1.94	6.4208G	-30.74	-21.96	-8.78	4
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.4996G	-1.35	6.7766G	-50.13	-41.35	-8.78	4
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.61219G	-2.56	6.0798G	-48.51	-42.56	-5.95	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.871751G	-9.78	6.86315G	-41.39	-29.79	-11.60	4
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.699046G	-4.83	6.70695G	-34.73	-24.87	-9.86	1
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.796G	-2.29	6.7402G	-30.98	-22.36	-8.62	4
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.68559G	-1.56	6.9676G	-50.87	-41.56	-9.31	4
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.763G	-3.24	6.2146G	-48.77	-43.24	-5.53	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.989001G	-9.58	6.9831G	-41.92	-29.59	-12.33	1
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.991403G	-4.88	6.9827G	-36.13	-24.89	-11.24	4
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.99341G	-2.78	6.9798G	-31.93	-22.84	-9.09	1
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.9702G	-1.67	6.7242G	-51.44	-41.67	-9.77	4
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	6.87301G	-3.11	6.3358G	-49.29	-43.11	-6.18	4

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962723G	-8.32	5.967175G	-42.91	-28.37	-14.54	1
5955MHz	Pass	5.962623G	-8.86	5.989725G	-64.13	-48.86	-15.27	4
6195MHz	Pass	6.186777G	-9.18	6.1833G	-39.79	-28.68	-11.11	1
6195MHz	Pass	6.192551G	-9.30	6.182975G	-42.66	-29.36	-13.30	4
6415MHz	Pass	6.406052G	-8.03	6.402875G	-41.49	-28.11	-13.38	1
6415MHz	Pass	6.423623G	-7.91	6.40275G	-42.05	-27.93	-14.12	4
6435MHz	Pass	6.427602G	-8.58	6.447075G	-41.77	-28.66	-13.11	1
6435MHz	Pass	6.428202G	-8.87	6.4844G	-62.97	-48.87	-14.10	4
6475MHz	Pass	6.483723G	-8.92	6.434425G	-62.95	-48.92	-14.03	1
6475MHz	Pass	6.479224G	-9.17	6.487025G	-42.17	-29.17	-13.00	4
6515MHz	Pass	6.522623G	-9.21	6.473G	-63.10	-49.21	-13.89	1
6515MHz	Pass	6.523423G	-8.77	6.5492G	-63.19	-48.77	-14.42	4
6535MHz	Pass	6.526852G	-8.64	6.49355G	-62.77	-48.64	-14.13	1
6535MHz	Pass	6.541698G	-8.90	6.54715G	-42.47	-28.98	-13.49	4
6695MHz	Pass	6.703498G	-8.64	6.683G	-41.56	-28.66	-12.90	1
6695MHz	Pass	6.703823G	-8.95	6.707025G	-41.55	-29.06	-12.49	4
6875MHz	Pass	6.883198G	-9.71	6.8865G	-39.80	-27.91	-11.89	1
6875MHz	Pass	6.871751G	-9.78	6.86315G	-41.39	-29.79	-11.60	4
6895MHz	Pass	6.904273G	-9.59	6.94485G	-62.48	-49.59	-12.89	1
6895MHz	Pass	6.886702G	-9.90	6.9386G	-62.34	-49.90	-12.44	4
6995MHz	Pass	6.989001G	-9.58	6.9831G	-41.92	-29.59	-12.33	1
6995MHz	Pass	6.985652G	-9.70	6.95975G	-62.40	-49.70	-12.70	4
7095MHz	Pass	7.085977G	-10.50	7.05865G	-63.85	-50.50	-13.35	1
7095MHz	Pass	7.087877G	-10.34	7.083125G	-42.86	-30.35	-12.51	4
7115MHz	Pass	7.122173G	-11.18	7.072875G	-64.28	-51.18	-13.10	1
7115MHz	Pass	7.108077G	-10.97	7.1268G	-42.59	-29.67	-12.92	4
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.975447G	-3.82	5.94165G	-38.32	-23.83	-14.49	1
5965MHz	Pass	5.968099G	-3.74	5.9881G	-37.05	-23.54	-13.51	4
6205MHz	Pass	6.223195G	-4.32	6.22775G	-36.71	-24.37	-12.34	1
6205MHz	Pass	6.221446G	-4.11	6.2274G	-35.39	-24.16	-11.23	4
6405MHz	Pass	6.400401G	-4.79	6.309G	-59.22	-44.79	-14.43	1
6405MHz	Pass	6.4066G	-4.90	6.4281G	-38.39	-24.70	-13.69	4
6445MHz	Pass	6.427504G	-4.47	6.42245G	-36.44	-24.27	-12.17	1
6445MHz	Pass	6.447249G	-4.65	6.46755G	-36.00	-24.80	-11.20	4
6485MHz	Pass	6.493398G	-4.56	6.462G	-38.70	-24.60	-14.10	1
6485MHz	Pass	6.471353G	-4.60	6.4625G	-35.27	-23.40	-11.87	4
6525MHz	Pass	6.542996G	-4.79	6.547G	-34.29	-24.59	-9.70	1
6525MHz	Pass	6.507354G	-4.88	6.5471G	-35.88	-24.92	-10.96	4
6565MHz	Pass	6.577697G	-5.54	6.5427G	-37.33	-25.55	-11.78	1
6565MHz	Pass	6.580046G	-5.69	6.5874G	-37.14	-25.78	-11.36	4
6685MHz	Pass	6.699046G	-4.83	6.70695G	-34.73	-24.87	-9.86	1
6685MHz	Pass	6.702296G	-5.04	6.66285G	-35.73	-25.07	-10.66	4
6885MHz	Pass	6.900346G	-5.15	6.95935G	-58.03	-45.15	-12.88	1
6885MHz	Pass	6.891848G	-5.44	6.9078G	-38.31	-25.53	-12.78	4
6925MHz	Pass	6.920351G	-5.91	6.99025G	-58.21	-45.91	-12.30	1
6925MHz	Pass	6.921301G	-6.28	6.9968G	-58.02	-46.28	-11.74	4
7005MHz	Pass	6.989204G	-4.48	6.9827G	-35.25	-22.58	-12.67	1
7005MHz	Pass	6.991403G	-4.88	6.9827G	-36.13	-24.89	-11.24	4
7085MHz	Pass	7.068654G	-8.55	7.0006G	-60.72	-48.55	-12.17	1
7085MHz	Pass	7.072853G	-8.34	6.98875G	-60.55	-48.34	-12.21	4
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01059G	-1.30	5.9393G	-32.25	-21.31	-10.94	1
5985MHz	Pass	6.01749G	-1.77	6.0292G	-30.35	-21.17	-9.18	4


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2437G	-1.91	6.1801G	-31.12	-21.97	-9.15	1
6225MHz	Pass	6.2276G	-1.93	6.1792G	-32.48	-21.94	-10.54	4
6385MHz	Pass	6.3935G	-1.06	6.34G	-30.11	-21.06	-9.05	1
6385MHz	Pass	6.34741G	-1.10	6.3394G	-31.65	-21.13	-10.52	4
6465MHz	Pass	6.4665G	-2.27	6.4202G	-31.44	-22.32	-9.12	1
6465MHz	Pass	6.4764G	-1.94	6.4208G	-30.74	-21.96	-8.78	4
6545MHz	Pass	6.58229G	-2.51	6.5906G	-33.00	-22.52	-10.48	1
6545MHz	Pass	6.58059G	-2.33	6.7279G	-52.75	-42.33	-10.42	4
6625MHz	Pass	6.6265G	-1.20	6.5811G	-29.88	-21.22	-8.66	1
6625MHz	Pass	6.6386G	-1.68	6.7772G	-52.90	-41.68	-11.22	4
6705MHz	Pass	6.6988G	-2.05	6.6598G	-32.27	-22.11	-10.16	1
6705MHz	Pass	6.73569G	-1.96	6.75G	-31.69	-22.04	-9.65	4
6785MHz	Pass	6.75541G	-2.23	6.7396G	-32.14	-22.26	-9.88	1
6785MHz	Pass	6.796G	-2.29	6.7402G	-30.98	-22.36	-8.62	4
6865MHz	Pass	6.8708G	-3.13	6.9099G	-32.78	-23.13	-9.65	1
6865MHz	Pass	6.89049G	-2.63	6.8205G	-32.26	-22.64	-9.62	4
6945MHz	Pass	6.9562G	-2.77	6.9894G	-32.01	-22.78	-9.23	1
6945MHz	Pass	6.97639G	-2.69	6.9001G	-32.40	-22.73	-9.67	4
7025MHz	Pass	6.99341G	-2.78	6.9798G	-31.93	-22.84	-9.09	1
7025MHz	Pass	6.99771G	-3.10	6.8749G	-53.73	-43.10	-10.63	4
802.11be EHT160_Nss1 (MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0306G	-0.29	6.2866G	-51.05	-40.29	-10.76	1
6025MHz	Pass	6.09498G	-0.49	6.2894G	-50.16	-40.49	-9.67	4
6185MHz	Pass	6.25918G	-1.29	6.4456G	-51.74	-41.29	-10.45	1
6185MHz	Pass	6.1754G	-1.09	6.4708G	-51.51	-41.09	-10.42	4
6345MHz	Pass	6.3326G	-0.76	6.6744G	-51.73	-40.76	-10.97	1
6345MHz	Pass	6.26802G	-0.73	6.6394G	-51.50	-40.73	-10.77	4
6505MHz	Pass	6.5016G	-1.38	6.2362G	-51.33	-41.38	-9.95	1
6505MHz	Pass	6.4996G	-1.35	6.7766G	-50.13	-41.35	-8.78	4
6665MHz	Pass	6.67G	-1.31	6.9694G	-51.08	-41.31	-9.77	1
6665MHz	Pass	6.68559G	-1.56	6.9676G	-50.87	-41.56	-9.31	4
6825MHz	Pass	6.75222G	-1.26	6.5652G	-51.96	-41.26	-10.70	1
6825MHz	Pass	6.79761G	-1.60	6.5564G	-51.82	-41.60	-10.22	4
6985MHz	Pass	6.9744G	-1.68	6.6776G	-52.09	-41.68	-10.41	1
6985MHz	Pass	6.9702G	-1.67	6.7242G	-51.44	-41.67	-9.77	4
802.11be EHT320_Nss1 (MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24856G	-2.05	6.6082G	-49.93	-42.05	-7.88	1
6105MHz	Pass	6.16618G	-1.99	6.6086G	-49.19	-41.99	-7.20	4
6265MHz	Pass	6.2742G	-1.96	6.9718G	-50.44	-41.96	-8.48	1
6265MHz	Pass	6.23261G	-2.21	6.8166G	-49.31	-42.21	-7.10	4
6425MHz	Pass	6.27144G	-2.77	6.9646G	-49.36	-42.77	-6.59	1
6425MHz	Pass	6.27424G	-2.20	6.9606G	-48.22	-42.20	-6.02	4
6585MHz	Pass	6.6038G	-2.26	6.0746G	-49.06	-42.26	-6.80	1
6585MHz	Pass	6.61219G	-2.56	6.0798G	-48.51	-42.56	-5.95	4
6745MHz	Pass	6.71581G	-3.02	6.2406G	-49.38	-43.02	-6.36	1
6745MHz	Pass	6.763G	-3.24	6.2146G	-48.77	-43.24	-5.53	4
6905MHz	Pass	6.9166G	-2.62	6.405G	-48.97	-42.60	-6.37	1
6905MHz	Pass	6.87301G	-3.11	6.3358G	-49.29	-43.11	-6.18	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6195MHz_TX

26/02/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6205MHz_TX

26/02/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6385MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3935G	-1.06	6.34G	-30.11	-21.06	-9.05	1
6.34741G	-1.10	6.3394G	-31.65	-21.13	-10.52	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6025MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0306G	-0.29	6.2866G	-51.05	-40.29	-10.76	1
6.09498G	-0.49	6.2894G	-50.16	-40.49	-9.67	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6425MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27144G	-2.77	6.9646G	-49.36	-42.77	-6.59	1
6.27424G	-2.20	6.9606G	-48.22	-42.20	-6.02	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6475MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.483723G	-8.92	6.434425G	-62.95	-48.92	-14.03	1
6.479224G	-9.17	6.487025G	-42.17	-29.17	-13.00	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6525MHz_TX

26/02/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6465MHz_TX

26/02/2025




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6505MHz_TX

26/02/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6585MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6875MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6685MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6785MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75541G	-2.23	6.7396G	-32.14	-22.26	-9.88	1
6.796G	-2.29	6.7402G	-30.98	-22.36	-8.62	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6665MHz_TX

26/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67G	-1.31	6.9694G	-51.08	-41.31	-9.77	1
6.68559G	-1.56	6.9676G	-50.87	-41.56	-9.31	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6745MHz_TX

26/02/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71581G	-3.02	6.2406G	-49.38	-43.02	-6.36	1
6.763G	-3.24	6.2146G	-48.77	-43.24	-5.53	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6995MHz_TX

26/02/2025

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989001G	-9.58	6.9831G	-41.92	-29.59	-12.33	1
6.985652G	-9.70	6.95975G	-62.40	-49.70	-12.70	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

7005MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989204G	-4.48	6.9827G	-35.25	-22.58	-12.67	1
6.991403G	-4.88	6.9827G	-36.13	-24.89	-11.24	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

7025MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99341G	-2.78	6.9798G	-31.93	-22.84	-9.09	1
6.99771G	-3.10	6.8749G	-53.73	-43.10	-10.63	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6985MHz_TX

26/02/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

MASK

6905MHz_TX

26/02/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.421998G	-7.71	6.42665G	-38.52	-27.31	-11.21	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.970399G	-3.97	5.98675G	-33.33	-24	-9.33	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.24G	-1.11	6.4166G	-46.59	-41.11	-5.48	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.2032G	-1.09	6.4402G	-44.28	-41.06	-3.22	3
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.08181G	-2.03	6.903G	-42.62	-42.03	-0.59	3
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.426077G	-7.7	6.423525G	-37.98	-27.79	-10.19	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.475452G	-4.18	6.5066G	-33.37	-23.68	-9.69	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.48669G	-1.67	6.6009G	-46.75	-41.67	-5.08	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.5094G	-1.31	6.8158G	-43.85	-41.31	-2.54	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.73256G	-2.45	6.0698G	-43.33	-42.45	-0.88	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.700699G	-9.45	6.7069G	-41.29	-29.55	-11.74	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.552153G	-5	6.58705G	-34.78	-25.06	-9.72	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.74731G	-3.58	6.8288G	-30.88	-23.58	-7.3	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.69159G	-1.97	6.9716G	-43.22	-41.97	-1.25	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.7574G	-3.02	6.2238G	-48.69	-43.02	-5.67	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.120099G	-19.61	7.16015G	-64.74	-59.61	-5.13	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	7.072503G	-10.01	6.9887G	-60.14	-50.01	-10.13	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.98691G	-4	6.9811G	-32.37	-24	-8.37	3
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.9738G	-1.61	6.7198G	-51.73	-41.61	-10.12	1
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.95459G	-2.83	6.3978G	-49.09	-42.83	-6.26	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963948G	-7.45	5.943G	-40.73	-27.54	-13.19	1
5955MHz	Pass	5.964073G	-7.51	5.942975G	-41.16	-27.53	-13.63	2
5955MHz	Pass	5.962423G	-7.83	5.943075G	-40.77	-27.83	-12.94	3
5955MHz	Pass	5.951276G	-7.56	5.94305G	-40.32	-27.63	-12.69	4
6195MHz	Pass	6.200699G	-8.29	6.183G	-41.55	-28.29	-13.26	1
6195MHz	Pass	6.201523G	-8.11	6.18325G	-39.69	-28.16	-11.53	2
6195MHz	Pass	6.204298G	-7.54	6.182875G	-41.48	-27.58	-13.9	3
6195MHz	Pass	6.204223G	-7.83	6.206975G	-40.49	-27.97	-12.52	4
6415MHz	Pass	6.421998G	-7.71	6.42665G	-38.52	-27.31	-11.21	1
6415MHz	Pass	6.408252G	-7.3	6.402925G	-40.15	-27.36	-12.79	2
6415MHz	Pass	6.416375G	-7.59	6.402775G	-41.42	-27.77	-13.65	3
6415MHz	Pass	6.411351G	-7.88	6.426975G	-41.15	-27.9	-13.25	4
6435MHz	Pass	6.427452G	-7.89	6.423175G	-40.52	-27.69	-12.83	1
6435MHz	Pass	6.426077G	-7.7	6.423525G	-37.98	-27.79	-10.19	2
6435MHz	Pass	6.432251G	-7.82	6.447025G	-40.83	-27.86	-12.97	3
6435MHz	Pass	6.432301G	-8.63	6.446925G	-41.37	-28.63	-12.74	4
6475MHz	Pass	6.466102G	-8.5	6.486925G	-41.66	-28.1	-13.56	1
6475MHz	Pass	6.481923G	-7.99	6.46305G	-40.35	-28.2	-12.15	2
6475MHz	Pass	6.47385G	-8.12	6.487G	-41.74	-28.12	-13.62	3
6475MHz	Pass	6.483598G	-8.9	6.46335G	-39.99	-28.93	-11.06	4
6515MHz	Pass	6.521423G	-7.99	6.527G	-42.08	-28.01	-14.07	1
6515MHz	Pass	6.524173G	-7.94	6.52735G	-43.18	-27.97	-15.21	2
6515MHz	Pass	6.523073G	-7.78	6.526725G	-40.03	-27.78	-12.25	3
6515MHz	Pass	6.507477G	-8.39	6.503125G	-40.94	-28.4	-12.54	4
6535MHz	Pass	6.543573G	-8.65	6.580775G	-63.02	-48.65	-14.37	1
6535MHz	Pass	6.541398G	-7.77	6.52295G	-40.81	-27.83	-12.98	2
6535MHz	Pass	6.542423G	-8.22	6.546975G	-40.43	-28.31	-12.12	3
6535MHz	Pass	6.527827G	-8.51	6.5229G	-42.68	-28.31	-14.37	4
6695MHz	Pass	6.686577G	-9.67	6.707G	-42.99	-29.67	-13.32	1
6695MHz	Pass	6.700699G	-9.45	6.7069G	-41.29	-29.55	-11.74	2
6695MHz	Pass	6.690951G	-9.52	6.657775G	-63.65	-49.52	-14.13	3
6695MHz	Pass	6.701273G	-9.99	6.683275G	-42.06	-29.99	-12.07	4
6875MHz	Pass	6.883448G	-9.89	6.9219G	-62.47	-49.89	-12.58	1
6875MHz	Pass	6.883323G	-9.43	6.911975G	-62.33	-49.43	-12.9	2
6875MHz	Pass	6.877574G	-9.7	6.909025G	-62.47	-49.7	-12.77	3
6875MHz	Pass	6.876675G	-10.16	6.912G	-62.43	-50.16	-12.27	4
6895MHz	Pass	6.885702G	-10.11	6.883025G	-42.04	-30.25	-11.79	1
6895MHz	Pass	6.903948G	-9.46	6.906825G	-41.42	-29.26	-12.16	2
6895MHz	Pass	6.888202G	-9.9	6.930825G	-62.46	-49.9	-12.56	3
6895MHz	Pass	6.902423G	-10.3	6.906975G	-41.95	-29.8	-12.15	4
6995MHz	Pass	6.987427G	-10.01	6.95605G	-62.33	-50.01	-12.32	1
6995MHz	Pass	6.988502G	-10.26	6.95625G	-62.46	-50.26	-12.2	2
6995MHz	Pass	6.993175G	-9.94	6.957025G	-62.37	-49.94	-12.43	3
6995MHz	Pass	6.991926G	-10.74	6.95535G	-62.39	-50.74	-11.65	4
7095MHz	Pass	7.085902G	-12.94	7.142425G	-64.49	-52.94	-11.55	1
7095MHz	Pass	7.086052G	-11.83	7.14235G	-64.56	-51.83	-12.73	2
7095MHz	Pass	7.088827G	-12.25	7.047675G	-64.62	-52.25	-12.37	3
7095MHz	Pass	7.087977G	-12.69	7.05525G	-64.65	-52.69	-11.96	4
7115MHz	Pass	7.120099G	-19.61	7.16015G	-64.74	-59.61	-5.13	1
7115MHz	Pass	7.121948G	-19.57	7.1592G	-65.34	-59.57	-5.77	2
7115MHz	Pass	7.11355G	-19.75	7.073875G	-65.43	-59.75	-5.68	3
7115MHz	Pass	7.117499G	-19.77	7.068225G	-65.33	-59.77	-5.56	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.975347G	-3.89	5.9877G	-35.72	-24.01	-11.71	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.970399G	-3.97	5.98675G	-33.33	-24	-9.33	2
5965MHz	Pass	5.968999G	-4.01	5.98765G	-34.93	-24.02	-10.91	3
5965MHz	Pass	5.976697G	-3.88	5.94175G	-37.86	-23.95	-13.91	4
6205MHz	Pass	6.212498G	-3.74	6.2276G	-35.11	-23.44	-11.67	1
6205MHz	Pass	6.218047G	-4.41	6.1818G	-38.35	-24.42	-13.93	2
6205MHz	Pass	6.209849G	-3.97	6.22775G	-36.16	-24	-12.16	3
6205MHz	Pass	6.208449G	-3.77	6.182G	-36.53	-23.81	-12.72	4
6405MHz	Pass	6.392403G	-4.19	6.3821G	-37.53	-24.26	-13.27	1
6405MHz	Pass	6.396202G	-4.52	6.4268G	-34.77	-24.55	-10.22	2
6405MHz	Pass	6.402251G	-4.59	6.38235G	-36.55	-24.67	-11.88	3
6405MHz	Pass	6.399951G	-4.18	6.42735G	-34.63	-24.23	-10.4	4
6445MHz	Pass	6.431653G	-4.1	6.42305G	-34.1	-24.12	-9.98	1
6445MHz	Pass	6.438602G	-4.2	6.4673G	-34.51	-24.29	-10.22	2
6445MHz	Pass	6.430454G	-3.92	6.4679G	-35.74	-23.99	-11.75	3
6445MHz	Pass	6.430104G	-4.29	6.42185G	-37.7	-24.45	-13.25	4
6485MHz	Pass	6.468554G	-4.45	6.507G	-34.3	-24.47	-9.83	1
6485MHz	Pass	6.475452G	-4.18	6.5066G	-33.37	-23.68	-9.69	2
6485MHz	Pass	6.497747G	-4.27	6.4618G	-38.1	-24.35	-13.75	3
6485MHz	Pass	6.4834G	-4.23	6.50765G	-35.73	-24.24	-11.49	4
6525MHz	Pass	6.506955G	-4.8	6.5474G	-36.91	-24.8	-12.11	1
6525MHz	Pass	6.509604G	-4.51	6.5472G	-35.7	-24.52	-11.18	2
6525MHz	Pass	6.542196G	-4.78	6.5021G	-37.69	-24.83	-12.86	3
6525MHz	Pass	6.520501G	-4.77	6.5027G	-34.65	-24.8	-9.85	4
6565MHz	Pass	6.574098G	-5.02	6.5875G	-36.96	-25.06	-11.9	1
6565MHz	Pass	6.552153G	-5	6.58705G	-34.78	-25.06	-9.72	2
6565MHz	Pass	6.582146G	-4.52	6.49405G	-59.09	-44.52	-14.57	3
6565MHz	Pass	6.581196G	-5.05	6.5875G	-37.72	-25.07	-12.65	4
6685MHz	Pass	6.691998G	-5.31	6.5867G	-59.22	-45.31	-13.91	1
6685MHz	Pass	6.691098G	-5.74	6.70745G	-37.58	-25.76	-11.82	2
6685MHz	Pass	6.702396G	-5.49	6.5917G	-59.28	-45.49	-13.79	3
6685MHz	Pass	6.687699G	-5.6	6.66255G	-36.95	-25.67	-11.28	4
6885MHz	Pass	6.897547G	-6.49	6.86265G	-38.14	-26.54	-11.6	1
6885MHz	Pass	6.889749G	-6.11	6.8624G	-37.97	-26.15	-11.82	2
6885MHz	Pass	6.866855G	-6.37	6.9072G	-37.44	-26.38	-11.06	3
6885MHz	Pass	6.887G	-6.51	6.98445G	-58.21	-46.51	-11.7	4
6925MHz	Pass	6.933398G	-6.6	6.99695G	-57.79	-46.6	-11.19	1
6925MHz	Pass	6.911003G	-5.95	6.99985G	-58.42	-45.95	-12.47	2
6925MHz	Pass	6.943145G	-5.9	6.9997G	-58.19	-45.9	-12.29	3
6925MHz	Pass	6.936047G	-6.29	6.9967G	-58.41	-46.29	-12.12	4
7005MHz	Pass	6.988704G	-6.6	6.98325G	-36.8	-26.63	-10.17	1
7005MHz	Pass	6.986405G	-6.56	6.98245G	-38.26	-26.62	-11.64	2
7005MHz	Pass	6.987304G	-6.49	6.983G	-37.51	-26.29	-11.22	3
7005MHz	Pass	6.995252G	-6.73	6.98265G	-37.66	-26.73	-10.93	4
7085MHz	Pass	7.072503G	-10.01	6.9887G	-60.14	-50.01	-10.13	1
7085MHz	Pass	7.075352G	-8.82	7.015G	-60.5	-48.82	-11.68	2
7085MHz	Pass	7.068954G	-9.39	7.01275G	-60.86	-49.39	-11.47	3
7085MHz	Pass	7.077602G	-9.63	6.9889G	-60.68	-49.63	-11.05	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9953G	-1.16	5.9404G	-30.66	-21.17	-9.49	1
5985MHz	Pass	6.00919G	-1.67	6.0286G	-29.61	-21.7	-7.91	2
5985MHz	Pass	6.0024G	-1.38	6.0295G	-29.64	-21.45	-8.19	3
5985MHz	Pass	5.9877G	-1.64	6.0287G	-28.97	-21.71	-7.26	4
6225MHz	Pass	6.2148G	-1.01	6.4113G	-46.81	-41.01	-5.8	1
6225MHz	Pass	6.25699G	-1.64	6.4245G	-47.22	-41.64	-5.58	2
6225MHz	Pass	6.26209G	-1.25	6.4058G	-47.22	-41.25	-5.97	3
6225MHz	Pass	6.24G	-1.11	6.4166G	-46.59	-41.11	-5.48	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3898G	-1.38	6.4298G	-30.58	-21.49	-9.09	1
6385MHz	Pass	6.3935G	-1.24	6.4291G	-29.92	-21.28	-8.64	2
6385MHz	Pass	6.365G	-1.63	6.34G	-31.76	-21.63	-10.13	3
6385MHz	Pass	6.35061G	-1.41	6.5762G	-52.41	-41.41	-11	4
6465MHz	Pass	6.4711G	-1.32	6.6249G	-46.81	-41.32	-5.49	1
6465MHz	Pass	6.4552G	-1.43	6.6167G	-47.49	-41.43	-6.06	2
6465MHz	Pass	6.44081G	-1.39	6.6021G	-47.37	-41.39	-5.98	3
6465MHz	Pass	6.48669G	-1.67	6.6009G	-46.75	-41.67	-5.08	4
6545MHz	Pass	6.57699G	-1.94	6.5893G	-30.57	-21.95	-8.62	1
6545MHz	Pass	6.51151G	-1.79	6.4983G	-34.08	-21.86	-12.22	2
6545MHz	Pass	6.57989G	-1.9	6.5894G	-30.73	-21.91	-8.82	3
6545MHz	Pass	6.57949G	-2.05	6.5888G	-30.51	-22.05	-8.46	4
6625MHz	Pass	6.6128G	-2.24	6.6696G	-31.25	-22.31	-8.94	1
6625MHz	Pass	6.58941G	-2.4	6.6696G	-31.6	-22.43	-9.17	2
6625MHz	Pass	6.6349G	-2.16	6.6696G	-31.5	-22.21	-9.29	3
6625MHz	Pass	6.6222G	-2.17	6.6688G	-29.93	-22.17	-7.76	4
6705MHz	Pass	6.7141G	-3.03	6.6586G	-33.97	-23.1	-10.87	1
6705MHz	Pass	6.73159G	-3.25	6.6597G	-33.32	-23.33	-9.99	2
6705MHz	Pass	6.6891G	-2.9	6.7499G	-32.87	-22.92	-9.95	3
6705MHz	Pass	6.7005G	-3.05	6.6611G	-31.21	-23.07	-8.14	4
6785MHz	Pass	6.75201G	-3.5	6.7395G	-33.74	-23.51	-10.23	1
6785MHz	Pass	6.7929G	-3.65	6.829G	-32.18	-23.69	-8.49	2
6785MHz	Pass	6.783G	-3.66	6.9621G	-55.08	-43.66	-11.42	3
6785MHz	Pass	6.74731G	-3.58	6.8288G	-30.88	-23.58	-7.3	4
6865MHz	Pass	6.8769G	-3.33	6.9995G	-54.05	-43.29	-10.76	1
6865MHz	Pass	6.83671G	-3.41	6.9097G	-32.34	-23.44	-8.9	2
6865MHz	Pass	6.8829G	-3.3	6.819G	-34.34	-23.3	-11.04	3
6865MHz	Pass	6.88569G	-3.48	6.9998G	-53.44	-43.48	-9.96	4
6945MHz	Pass	6.9574G	-3.76	6.9899G	-33.07	-23.76	-9.31	1
6945MHz	Pass	6.97159G	-3.76	6.9919G	-35.74	-23.84	-11.9	2
6945MHz	Pass	6.98089G	-3.42	6.9896G	-32.97	-23.43	-9.54	3
6945MHz	Pass	6.9547G	-3.66	6.9898G	-32.72	-23.68	-9.04	4
7025MHz	Pass	6.99051G	-4.09	6.9803G	-33.15	-24.1	-9.05	1
7025MHz	Pass	6.99781G	-3.9	6.9797G	-33.36	-24	-9.36	2
7025MHz	Pass	6.98691G	-4	6.9811G	-32.37	-24	-8.37	3
7025MHz	Pass	6.98931G	-4.42	6.9799G	-34.64	-24.5	-10.14	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0366G	-0.5	6.396G	-44.17	-40.5	-3.67	1
6025MHz	Pass	6.09738G	-0.51	6.4154G	-43.79	-40.51	-3.28	2
6025MHz	Pass	6.06259G	-0.46	6.4106G	-44.33	-40.46	-3.87	3
6025MHz	Pass	6.08738G	-0.33	6.4024G	-44.33	-40.33	-4	4
6185MHz	Pass	6.21459G	-1.03	6.4424G	-44.33	-41.03	-3.3	1
6185MHz	Pass	6.26038G	-0.83	6.4388G	-44.22	-40.83	-3.39	2
6185MHz	Pass	6.2032G	-1.09	6.4402G	-44.28	-41.06	-3.22	3
6185MHz	Pass	6.25178G	-0.85	6.4416G	-44.36	-40.85	-3.51	4
6345MHz	Pass	6.27162G	-0.68	6.6014G	-44.03	-40.68	-3.35	1
6345MHz	Pass	6.3368G	-1.1	6.6026G	-44.41	-41.1	-3.31	2
6345MHz	Pass	6.27022G	-0.58	6.605G	-44.3	-40.58	-3.72	3
6345MHz	Pass	6.30001G	-1.12	6.6458G	-44.47	-41.12	-3.35	4
6505MHz	Pass	6.58138G	-1.23	6.8288G	-43.92	-41.23	-2.69	1
6505MHz	Pass	6.5122G	-1.13	6.9038G	-43.76	-41.13	-2.63	2
6505MHz	Pass	6.58078G	-1.33	6.8174G	-44.09	-41.33	-2.76	3
6505MHz	Pass	6.5094G	-1.31	6.8158G	-43.85	-41.31	-2.54	4
6665MHz	Pass	6.69099G	-1.41	6.97G	-43.02	-41.41	-1.61	1
6665MHz	Pass	6.69159G	-1.97	6.9716G	-43.22	-41.97	-1.25	2
6665MHz	Pass	6.64401G	-1.38	6.9854G	-43.02	-41.38	-1.64	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.6842G	-1.78	6.9996G	-43.09	-41.78	-1.31	4
6825MHz	Pass	6.75022G	-1.6	6.5524G	-51.89	-41.6	-10.29	1
6825MHz	Pass	6.834G	-1.42	6.5178G	-51.79	-41.42	-10.37	2
6825MHz	Pass	6.88319G	-1.38	6.5684G	-52.08	-41.38	-10.7	3
6825MHz	Pass	6.78781G	-1.48	6.4704G	-52.26	-41.48	-10.78	4
6985MHz	Pass	6.9738G	-1.61	6.7198G	-51.73	-41.61	-10.12	1
6985MHz	Pass	6.9738G	-1.33	6.6428G	-51.63	-41.33	-10.3	2
6985MHz	Pass	6.96361G	-1.58	6.6662G	-51.84	-41.58	-10.26	3
6985MHz	Pass	6.9972G	-1.66	6.5878G	-52.41	-41.66	-10.75	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.21297G	-1.78	6.8534G	-42.4	-41.78	-0.62	1
6105MHz	Pass	6.26136G	-1.65	6.8254G	-42.52	-41.65	-0.87	2
6105MHz	Pass	6.08181G	-2.03	6.903G	-42.62	-42.03	-0.59	3
6105MHz	Pass	6.24337G	-2.13	6.6094G	-42.77	-42.13	-0.64	4
6265MHz	Pass	6.273G	-2.18	6.7878G	-49.44	-42.18	-7.26	1
6265MHz	Pass	6.30019G	-2.06	6.825G	-50.18	-42.06	-8.12	2
6265MHz	Pass	6.28859G	-1.93	6.8126G	-50.4	-41.93	-8.47	3
6265MHz	Pass	6.28579G	-1.77	6.8134G	-50.02	-41.77	-8.25	4
6425MHz	Pass	6.27064G	-2.29	6.9718G	-48.15	-42.29	-5.86	1
6425MHz	Pass	6.37701G	-2.44	6.9606G	-49.67	-42.44	-7.23	2
6425MHz	Pass	6.26944G	-2.58	6.9634G	-49.39	-42.58	-6.81	3
6425MHz	Pass	6.4178G	-2.82	6.9618G	-49.25	-42.82	-6.43	4
6585MHz	Pass	6.73256G	-2.45	6.0698G	-43.33	-42.45	-0.88	1
6585MHz	Pass	6.5898G	-2.25	6.0786G	-43.76	-42.25	-1.51	2
6585MHz	Pass	6.6038G	-2.4	6.0538G	-43.52	-42.4	-1.12	3
6585MHz	Pass	6.601G	-2.36	6.0414G	-43.57	-42.36	-1.21	4
6745MHz	Pass	6.7574G	-3.02	6.2238G	-48.69	-43.02	-5.67	1
6745MHz	Pass	6.77379G	-3.19	6.243G	-49.65	-43.19	-6.46	2
6745MHz	Pass	6.72141G	-3.09	6.2326G	-49.52	-43.09	-6.43	3
6745MHz	Pass	6.76659G	-3.06	6.2366G	-49.3	-43.06	-6.24	4
6905MHz	Pass	6.95459G	-2.83	6.3978G	-49.09	-42.83	-6.26	1
6905MHz	Pass	6.9178G	-2.55	6.3982G	-48.98	-42.55	-6.43	2
6905MHz	Pass	6.96299G	-2.52	6.4014G	-49.08	-42.52	-6.56	3
6905MHz	Pass	6.9122G	-2.85	6.3986G	-49.2	-42.85	-6.35	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

26/02/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421998G	-7.71	6.42665G	-38.52	-27.31	-11.21	1
6.408252G	-7.30	6.402925G	-40.15	-27.36	-12.79	2
6.416375G	-7.59	6.402775G	-41.42	-27.77	-13.65	3
6.411351G	-7.88	6.426975G	-41.15	-27.90	-13.25	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

26/02/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.975347G	-3.89	5.9877G	-35.72	-24.01	-11.71	1
5.970399G	-3.97	5.98675G	-33.33	-24.00	-9.33	2
5.968999G	-4.01	5.98765G	-34.93	-24.02	-10.91	3
5.976697G	-3.88	5.94175G	-37.86	-23.95	-13.91	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

26/02/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2148G	-1.01	6.4113G	-46.81	-41.01	-5.80	1
6.25699G	-1.64	6.4245G	-47.22	-41.64	-5.58	2
6.26209G	-1.25	6.4058G	-47.22	-41.25	-5.97	3
6.24G	-1.11	6.4166G	-46.59	-41.11	-5.48	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

26/02/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21459G	-1.03	6.4424G	-44.33	-41.03	-3.30	1
6.26038G	-0.83	6.4388G	-44.22	-40.83	-3.39	2
6.2032G	-1.09	6.4402G	-44.28	-41.06	-3.22	3
6.25178G	-0.85	6.4416G	-44.36	-40.85	-3.51	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21297G	-1.78	6.8534G	-42.40	-41.78	-0.62	1
6.26136G	-1.65	6.8254G	-42.52	-41.65	-0.87	2
6.08181G	-2.03	6.903G	-42.62	-42.03	-0.59	3
6.24337G	-2.13	6.6094G	-42.77	-42.13	-0.64	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427452G	-7.89	6.423175G	-40.52	-27.69	-12.83	1
6.426077G	-7.70	6.423525G	-37.98	-27.79	-10.19	2
6.432251G	-7.82	6.447025G	-40.83	-27.86	-12.97	3
6.432301G	-8.63	6.446925G	-41.37	-28.63	-12.74	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468554G	-4.45	6.507G	-34.30	-24.47	-9.83	1
6.475452G	-4.18	6.5066G	-33.37	-23.68	-9.69	2
6.497747G	-4.27	6.4618G	-38.10	-24.35	-13.75	3
6.4834G	-4.23	6.50765G	-35.73	-24.24	-11.49	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4711G	-1.32	6.6249G	-46.81	-41.32	-5.49	1
6.4552G	-1.43	6.6167G	-47.49	-41.43	-6.06	2
6.44081G	-1.39	6.6021G	-47.37	-41.39	-5.98	3
6.48669G	-1.67	6.6009G	-46.75	-41.67	-5.08	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58138G	-1.23	6.8288G	-43.92	-41.23	-2.69	1
6.5122G	-1.13	6.9038G	-43.76	-41.13	-2.63	2
6.58078G	-1.33	6.8174G	-44.09	-41.33	-2.76	3
6.5094G	-1.31	6.8158G	-43.85	-41.31	-2.54	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73256G	-2.45	6.0698G	-43.33	-42.45	-0.88	1
6.5898G	-2.25	6.0786G	-43.76	-42.25	-1.51	2
6.6038G	-2.40	6.0538G	-43.52	-42.40	-1.12	3
6.601G	-2.36	6.0414G	-43.57	-42.36	-1.21	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

26/02/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

26/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7574G	-3.02	6.2238G	-48.69	-43.02	-5.67	1
6.77379G	-3.19	6.243G	-49.65	-43.19	-6.46	2
6.72141G	-3.09	6.2326G	-49.52	-43.09	-6.43	3
6.76659G	-3.06	6.2366G	-49.30	-43.06	-6.24	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

26/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.120099G	-19.61	7.16015G	-64.74	-59.61	-5.13	1
7.121948G	-19.57	7.1592G	-65.34	-59.57	-5.77	2
7.11355G	-19.75	7.073875G	-65.43	-59.75	-5.68	3
7.117499G	-19.77	7.068225G	-65.33	-59.77	-5.56	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

26/02/2025

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.072503G	-10.01	6.9887G	-60.14	-50.01	-10.13	1
7.075352G	-8.82	7.015G	-60.50	-48.82	-11.68	2
7.068954G	-9.39	7.01275G	-60.86	-49.39	-11.47	3
7.077602G	-9.63	6.9889G	-60.68	-49.63	-11.05	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

26/02/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99051G	-4.09	6.9803G	-33.15	-24.10	-9.05	1
6.99781G	-3.90	6.9797G	-33.36	-24.00	-9.36	2
6.98691G	-4.00	6.9811G	-32.37	-24.00	-8.37	3
6.98931G	-4.42	6.9799G	-34.64	-24.50	-10.14	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

26/02/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

26/02/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	Pass	6.02239G	-2.30	6.1698G	-54.11	-42.30	-11.81	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port4)	Pass	6.08938G	-0.89	6.289G	-51.25	-40.89	-10.36	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX(Port4)	Pass	6.0978G	-2.58	6.6162G	-49.57	-42.58	-6.99	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	Pass	6.98978G	-4.49	6.2926G	-50.32	-44.49	-5.83	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	Pass	6.99021G	-2.63	6.8922G	-52.47	-42.63	-9.84	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	Pass	6.93221G	-2.74	6.6002G	-51.69	-42.74	-8.95	4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02239G	-2.30	6.1698G	-54.11	-42.30	-11.81	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99021G	-2.63	6.8922G	-52.47	-42.63	-9.84	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08938G	-0.89	6.289G	-51.25	-40.89	-10.36	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93221G	-2.74	6.6002G	-51.69	-42.74	-8.95	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX(Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0978G	-2.58	6.6162G	-49.57	-42.58	-6.99	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.98978G	-4.49	6.2926G	-50.32	-44.49	-5.83	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)

MASK

5985MHz_TX

24/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port4)

MASK

6025MHz_TX

25/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX(Port4)

MASK

6105MHz_TX

17/03/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)

MASK

6905MHz_TX

25/03/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)

MASK

7025MHz_TX

16/03/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

MASK

6985MHz_TX

25/03/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	Pass	6.01959G	-1.92	6.1289G	-53.23	-41.92	-11.31	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	Pass	6.09978G	-0.96	6.3012G	-50.08	-40.96	-9.12	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	Pass	6.1174G	-2.33	6.6098G	-49.86	-42.33	-7.53	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	Pass	6.99301G	-3.52	6.8468G	-53.87	-43.52	-10.35	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	Pass	6.999G	-1.79	6.7294G	-51.39	-41.79	-9.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	Pass	6.99898G	-3.79	6.2902G	-50.04	-43.79	-6.25	4

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00869G	-1.90	6.1199G	-55.71	-41.90	-13.81	1
5985MHz	Pass	6.01959G	-1.92	6.1289G	-53.23	-41.92	-11.31	4
7025MHz	Pass	6.99851G	-3.47	6.8922G	-54.62	-43.47	-11.15	1
7025MHz	Pass	6.99301G	-3.52	6.8468G	-53.87	-43.52	-10.35	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09798G	-1.18	6.4108G	-52.17	-41.18	-10.99	1
6025MHz	Pass	6.09978G	-0.96	6.3012G	-50.08	-40.96	-9.12	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.94021G	-1.96	6.713G	-51.78	-41.96	-9.82	1
6985MHz	Pass	6.999G	-1.79	6.7294G	-51.39	-41.79	-9.60	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1146G	-2.50	6.619G	-50.57	-42.50	-8.07	1
6105MHz	Pass	6.1174G	-2.33	6.6098G	-49.86	-42.33	-7.53	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.98938G	-3.58	6.301G	-50.15	-43.58	-6.57	1
6905MHz	Pass	6.99898G	-3.79	6.2902G	-50.04	-43.79	-6.25	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

MASK

5985MHz_TX

15/03/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00869G	-1.90	6.1199G	-55.71	-41.90	-13.81	1
6.01959G	-1.92	6.1289G	-53.23	-41.92	-11.31	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)

MASK

6025MHz_TX

25/03/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09798G	-1.18	6.4108G	-52.17	-41.18	-10.99	1
6.09978G	-0.96	6.3012G	-50.08	-40.96	-9.12	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)

MASK

6105MHz_TX

15/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1146G	-2.50	6.619G	-50.57	-42.50	-8.07	1
6.1174G	-2.33	6.6098G	-49.86	-42.33	-7.53	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

MASK

7025MHz_TX

15/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99851G	-3.47	6.8922G	-54.62	-43.47	-11.15	1
6.99301G	-3.52	6.8468G	-53.87	-43.52	-10.35	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)

MASK

6985MHz_TX

15/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94021G	-1.96	6.713G	-51.78	-41.96	-9.82	1
6.999G	-1.79	6.7294G	-51.39	-41.79	-9.60	4

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)

MASK

6905MHz_TX

15/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98938G	-3.58	6.301G	-50.15	-43.58	-6.57	1
6.99898G	-3.79	6.2902G	-50.04	-43.79	-6.25	4

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.01799G	-1.74	6.1204G	-53.38	-41.74	-11.64	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.08239G	-0.23	6.284G	-49.58	-40.23	-9.35	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	6.07141G	-2.82	6.6106G	-50.10	-42.82	-7.28	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.99651G	-4.69	6.8922G	-54.55	-44.69	-9.86	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.9884G	-1.99	6.7254G	-51.51	-41.99	-9.52	1
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	6.99298G	-3.56	6.2886G	-49.53	-43.56	-5.97	4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01969G	-1.99	6.1749G	-55.52	-41.99	-13.53	1
5985MHz	Pass	6.01209G	-2.30	6.1742G	-55.29	-42.30	-12.99	2
5985MHz	Pass	6.01799G	-1.74	6.1204G	-53.38	-41.74	-11.64	3
5985MHz	Pass	6.01299G	-1.97	6.1362G	-54.11	-41.97	-12.14	4
7025MHz	Pass	6.99931G	-4.53	6.8862G	-55.05	-44.53	-10.52	1
7025MHz	Pass	6.99821G	-3.96	6.8915G	-54.53	-43.96	-10.57	2
7025MHz	Pass	6.99651G	-4.69	6.8922G	-54.55	-44.69	-9.86	3
7025MHz	Pass	6.99591G	-4.47	6.8952G	-54.29	-44.14	-10.15	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06279G	-0.36	6.2872G	-49.79	-40.36	-9.43	1
6025MHz	Pass	6.08239G	-0.23	6.284G	-49.58	-40.23	-9.35	2
6025MHz	Pass	6.05019G	-0.49	6.284G	-50.53	-40.49	-10.04	3
6025MHz	Pass	6.07319G	-0.50	6.2842G	-50.13	-40.50	-9.63	4
6985MHz	Pass	6.9884G	-1.99	6.7254G	-51.51	-41.99	-9.52	1
6985MHz	Pass	6.93561G	-1.54	6.7192G	-51.31	-41.54	-9.77	2
6985MHz	Pass	6.9948G	-2.05	6.7214G	-51.96	-42.05	-9.91	3
6985MHz	Pass	6.99G	-1.59	6.7056G	-51.40	-41.59	-9.81	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0854G	-2.78	6.6082G	-50.73	-42.78	-7.95	1
6105MHz	Pass	6.15099G	-2.62	6.5978G	-50.42	-42.62	-7.80	2
6105MHz	Pass	6.0898G	-2.54	6.6094G	-50.53	-42.54	-7.99	3
6105MHz	Pass	6.07141G	-2.82	6.6106G	-50.10	-42.82	-7.28	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.98938G	-3.48	6.3006G	-49.80	-43.48	-6.32	1
6905MHz	Pass	6.99298G	-3.40	6.287G	-49.57	-43.40	-6.17	2
6905MHz	Pass	6.99978G	-3.01	6.2862G	-49.04	-43.01	-6.03	3
6905MHz	Pass	6.99298G	-3.56	6.2886G	-49.53	-43.56	-5.97	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

15/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01969G	-1.99	6.1749G	-55.52	-41.99	-13.53	1
6.01209G	-2.30	6.1742G	-55.29	-42.30	-12.99	2
6.01799G	-1.74	6.1204G	-53.38	-41.74	-11.64	3
6.01299G	-1.97	6.1362G	-54.11	-41.97	-12.14	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

15/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06279G	-0.36	6.2872G	-49.79	-40.36	-9.43	1
6.08239G	-0.23	6.284G	-49.58	-40.23	-9.35	2
6.05019G	-0.49	6.284G	-50.53	-40.49	-10.04	3
6.07319G	-0.50	6.2842G	-50.13	-40.50	-9.63	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

15/03/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

15/03/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6985MHz_TX

15/03/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6905MHz_TX

15/03/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit	Margin	Port
						(dBm)	(dB)	
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)	Pass	5.9981G	-2.37	6.1443G	-53.72	-42.37	-11.35	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	Pass	6.07299G	-0.62	6.282G	-50.07	-40.62	-9.45	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX(Port4)	Pass	6.16818G	-4.71	6.6122G	-51.20	-44.71	-6.49	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	Pass	6.99418G	-5.81	6.2902G	-51.30	-45.81	-5.49	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)	Pass	6.99581G	-2.55	6.8487G	-53.51	-42.55	-10.96	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port4)	Pass	6.9718G	-2.84	6.7254G	-52.51	-42.84	-9.67	4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9981G	-2.37	6.1443G	-53.72	-42.37	-11.35	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99581G	-2.55	6.8487G	-53.51	-42.55	-10.96	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07299G	-0.62	6.282G	-50.07	-40.62	-9.45	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05519G	-1.45	6.288G	-51.95	-41.45	-10.50	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9992G	-2.86	6.6014G	-52.70	-42.86	-9.84	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9718G	-2.84	6.7254G	-52.51	-42.84	-9.67	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX(Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20697G	-4.19	6.6106G	-50.82	-44.19	-6.63	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.25976G	-4.33	6.6274G	-51.04	-44.33	-6.71	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16818G	-4.71	6.6122G	-51.20	-44.71	-6.49	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87701G	-4.12	6.4006G	-49.82	-44.12	-5.70	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.99418G	-5.81	6.2902G	-51.30	-45.81	-5.49	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX(Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.97218G	-3.77	6.4062G	-51.36	-43.76	-7.60	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)

MASK

5985MHz_TX

27/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)

MASK

6025MHz_TX

27/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX(Port4)

MASK

6105MHz_TX

27/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16818G	-4.71	6.6122G	-51.20	-44.71	-6.49	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)

MASK

6905MHz_TX

27/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99418G	-5.81	6.2902G	-51.30	-45.81	-5.49	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_1TX(Port4)

MASK

7025MHz_TX

03/03/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_1TX(Port4)

MASK

6985MHz_TX

27/03/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	Pass	5.9751G	-1.55	6.1569G	-53.31	-41.55	-11.76	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)	Pass	6.07099G	-1.43	6.2824G	-51.21	-41.43	-9.78	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX(Port1&Port4)	Pass	6.20817G	-2.83	6.629G	-50.61	-42.83	-7.78	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	Pass	7.0063G	-4.25	6.8886G	-53.57	-44.25	-9.32	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port1&Port4)	Pass	6.994G	-1.98	6.7288G	-51.55	-41.98	-9.57	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX(Port1&Port4)	Pass	6.97778G	-2.96	6.4014G	-49.04	-42.96	-6.08	4

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0026G	-1.49	6.1276G	-56.37	-41.49	-14.88	1
5985MHz	Pass	5.9751G	-1.55	6.1569G	-53.31	-41.55	-11.76	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
7025MHz	Pass	7.042G	-4.33	6.8784G	-55.45	-44.33	-11.12	1
7025MHz	Pass	7.0063G	-4.25	6.8886G	-53.57	-44.25	-9.32	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06959G	-1.42	6.301G	-52.73	-41.42	-11.31	1
6025MHz	Pass	6.07099G	-1.43	6.2824G	-51.21	-41.43	-9.78	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07679G	-1.35	6.2836G	-52.85	-41.15	-11.70	1
6025MHz	Pass	6.08878G	-1.23	6.298G	-52.02	-41.23	-10.79	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95041G	-1.80	6.7166G	-52.22	-41.80	-10.42	1
6985MHz	Pass	6.994G	-1.98	6.7288G	-51.55	-41.98	-9.57	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92821G	-1.76	6.7192G	-52.25	-41.76	-10.49	1
6985MHz	Pass	6.9922G	-1.68	6.7186G	-51.84	-41.68	-10.16	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.21057G	-3.10	6.6222G	-51.41	-43.10	-8.31	1
6105MHz	Pass	6.20817G	-2.83	6.629G	-50.61	-42.83	-7.78	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07741G	-3.24	6.6082G	-52.33	-43.24	-9.09	1
6105MHz	Pass	6.12859G	-2.58	6.6142G	-51.36	-42.58	-8.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0894G	-2.83	6.6082G	-52.35	-42.83	-9.52	1
6105MHz	Pass	6.12939G	-2.70	6.6034G	-51.94	-42.56	-9.38	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.95459G	-2.64	6.3874G	-48.95	-42.64	-6.31	1
6905MHz	Pass	6.97778G	-2.96	6.4014G	-49.04	-42.96	-6.08	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.96978G	-2.72	6.4082G	-49.74	-42.47	-7.27	1
6905MHz	Pass	6.97138G	-2.97	6.317G	-49.95	-42.97	-6.98	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX(Port1&Port4)	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93979G	-3.17	6.4034G	-51.60	-43.17	-8.43	1
6905MHz	Pass	6.96499G	-3.18	6.3954G	-51.07	-43.18	-7.89	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)

MASK

5985MHz_TX

01/03/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0026G	-1.49	6.1276G	-56.37	-41.49	-14.88	1
5.9751G	-1.55	6.1569G	-53.31	-41.55	-11.76	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)

MASK

6025MHz_TX

21/03/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06999G	-1.42	6.301G	-52.73	-41.42	-11.31	1
6.07099G	-1.43	6.2824G	-51.21	-41.43	-9.78	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX(Port1&Port4)

MASK

6105MHz_TX

21/03/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)

MASK

7025MHz_TX

01/03/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX(Port1&Port4)

MASK

6985MHz_TX

01/03/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX(Port1&Port4)

MASK

6905MHz_TX

02/03/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	5.9806G	-2.51	6.1522G	-54.03	-42.51	-11.52	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	Pass	6.06699G	-0.98	6.2762G	-50.02	-40.94	-9.08	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	Pass	6.14899G	-1.90	6.6018G	-49.27	-41.90	-7.37	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	7.0084G	-5.42	6.865G	-54.25	-45.42	-8.83	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	6.96181G	-1.79	6.7362G	-51.18	-41.79	-9.39	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	Pass	6.95539G	-2.92	6.415G	-49.42	-42.92	-6.50	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0017G	-2.41	6.1366G	-56.81	-42.41	-14.40	1
5985MHz	Pass	5.9921G	-2.36	5.9415G	-36.54	-22.37	-14.17	2
5985MHz	Pass	5.9806G	-2.51	6.1522G	-54.03	-42.51	-11.52	3
5985MHz	Pass	5.9733G	-2.22	6.1552G	-55.10	-42.22	-12.88	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0088G	-5.52	6.8904G	-55.73	-45.52	-10.21	1
7025MHz	Pass	7.013G	-5.31	6.8607G	-55.70	-45.31	-10.39	2
7025MHz	Pass	7.0094G	-5.38	6.8594G	-54.45	-45.38	-9.07	3
7025MHz	Pass	7.0084G	-5.42	6.865G	-54.25	-45.42	-8.83	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06699G	-0.98	6.2762G	-50.02	-40.94	-9.08	1
6025MHz	Pass	6.09838G	-0.77	6.2952G	-50.70	-40.77	-9.93	2
6025MHz	Pass	6.06899G	-0.68	6.2872G	-49.84	-40.68	-9.16	3
6025MHz	Pass	6.07479G	-0.85	6.2772G	-51.07	-40.85	-10.22	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07139G	-0.83	6.2762G	-51.81	-40.79	-11.02	1
6025MHz	Pass	6.07359G	-0.20	6.2198G	-42.26	-31.94	-10.32	2
6025MHz	Pass	6.09918G	-0.45	6.2828G	-50.55	-40.45	-10.10	3
6025MHz	Pass	6.07439G	-0.41	6.3034G	-51.55	-40.41	-11.14	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.96301G	-1.99	6.7318G	-51.89	-41.96	-9.93	1
6985MHz	Pass	6.96181G	-1.79	6.7362G	-51.18	-41.79	-9.39	2
6985MHz	Pass	6.9936G	-1.96	6.731G	-51.55	-41.95	-9.60	3
6985MHz	Pass	6.95541G	-2.04	6.7288G	-52.25	-41.96	-10.29	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.96261G	-1.49	6.7224G	-51.86	-41.49	-10.37	1
6985MHz	Pass	6.95541G	-1.64	6.7244G	-51.55	-41.64	-9.91	2
6985MHz	Pass	6.95201G	-1.74	6.698G	-52.63	-41.74	-10.89	3
6985MHz	Pass	6.9712G	-1.77	6.725G	-51.68	-41.77	-9.91	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.23017G	-2.10	6.6018G	-49.89	-42.04	-7.85	1
6105MHz	Pass	6.25536G	-1.78	6.6118G	-49.58	-41.78	-7.80	2
6105MHz	Pass	6.14899G	-1.90	6.6018G	-49.27	-41.90	-7.37	3
6105MHz	Pass	6.17618G	-1.56	6.5974G	-49.30	-41.56	-7.74	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07181G	-2.12	6.607G	-51.10	-42.12	-8.98	1
6105MHz	Pass	6.17338G	-2.34	6.6086G	-50.90	-42.34	-8.56	2
6105MHz	Pass	6.13859G	-2.13	6.6098G	-50.47	-42.13	-8.34	3
6105MHz	Pass	6.17618G	-1.85	6.599G	-50.45	-41.85	-8.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0894G	-2.25	6.6022G	-51.37	-42.22	-9.15	1
6105MHz	Pass	6.17178G	-2.29	6.6122G	-51.39	-42.29	-9.10	2
6105MHz	Pass	6.15299G	-2.41	6.6002G	-51.21	-42.41	-8.80	3
6105MHz	Pass	6.15659G	-1.60	6.6102G	-50.68	-41.60	-9.08	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.97178G	-2.81	6.3814G	-49.43	-42.81	-6.62	1
6905MHz	Pass	6.95539G	-2.92	6.415G	-49.42	-42.92	-6.50	2
6905MHz	Pass	6.97178G	-3.20	6.4034G	-49.71	-43.20	-6.51	3
6905MHz	Pass	6.99138G	-3.06	6.3742G	-49.68	-43.06	-6.62	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.96618G	-3.09	6.4014G	-49.96	-43.09	-6.87	1
6905MHz	Pass	6.97818G	-2.82	6.4006G	-49.85	-42.82	-7.03	2
6905MHz	Pass	6.97178G	-3.25	6.3906G	-50.14	-43.25	-6.89	3
6905MHz	Pass	6.97658G	-2.90	6.3014G	-50.23	-42.90	-7.33	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.94059G	-3.11	6.4038G	-51.20	-43.11	-8.09	1
6905MHz	Pass	6.93779G	-2.89	6.4118G	-51.05	-42.89	-8.16	2
6905MHz	Pass	6.99258G	-2.96	6.3998G	-51.11	-42.96	-8.15	3
6905MHz	Pass	6.8934G	-2.99	6.4006G	-50.89	-42.99	-7.90	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

MASK

5985MHz_TX

21/03/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0017G	-2.41	6.1366G	-56.81	-42.41	-14.40	1
5.9921G	-2.36	5.9415G	-36.54	-22.37	-14.17	2
5.9806G	-2.51	6.1522G	-54.03	-42.51	-11.52	3
5.9733G	-2.22	6.1552G	-55.10	-42.22	-12.88	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

MASK

6025MHz_TX

21/03/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06699G	-0.98	6.2762G	-50.02	-40.94	-9.08	1
6.09838G	-0.77	6.2952G	-50.70	-40.77	-9.93	2
6.06899G	-0.68	6.2872G	-49.84	-40.68	-9.16	3
6.07479G	-0.85	6.2772G	-51.07	-40.85	-10.22	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_2_4TX

MASK

6105MHz_TX

27/02/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_1_4TX

MASK

7025MHz_TX

27/02/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

MASK

6985MHz_TX

27/02/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

MASK

6905MHz_TX

28/02/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.954625G	-2.74	5.939025G	-35.12	-26.96	-8.16	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.475525G	-4.39	6.452525G	-46.88	-35.48	-11.40	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.87555G	-4.67	6.846075G	-53.37	-43.54	-9.83	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.89565G	-4.72	6.86565G	-54.65	-43.90	-10.75	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.954625G	-2.74	5.939025G	-35.12	-26.96	-8.16	1
6195MHz	Pass	6.194425G	-3.39	6.175325G	-42.85	-31.22	-11.63	1
6415MHz	Pass	6.414125G	-4.49	6.4037G	-38.46	-24.70	-13.76	1
6435MHz	Pass	6.43445G	-4.20	6.4123G	-46.94	-34.97	-11.97	1
6475MHz	Pass	6.475525G	-4.39	6.452525G	-46.88	-35.48	-11.40	1
6515MHz	Pass	6.515625G	-4.57	6.49645G	-44.23	-31.18	-13.05	1
6535MHz	Pass	6.535375G	-4.89	6.511425G	-50.25	-37.47	-12.78	1
6695MHz	Pass	6.694425G	-4.24	6.669825G	-48.16	-38.00	-10.16	1
6875MHz	Pass	6.87555G	-4.67	6.846075G	-53.37	-43.54	-9.83	1
6895MHz	Pass	6.89565G	-4.72	6.86565G	-54.65	-43.90	-10.75	1
6995MHz	Pass	6.994425G	-5.69	6.963775G	-59.14	-45.69	-13.45	1
7095MHz	Pass	7.09465G	-7.79	7.064775G	-62.08	-47.79	-14.29	1
7115MHz	Pass	7.114225G	-8.28	7.103975G	-43.03	-28.34	-14.69	1

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

27/02/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

27/02/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

27/02/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

27/02/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.423998G	-12.54	6.375825G	-60.80	-52.54	-8.26	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.216247G	-8.33	6.2759G	-56.77	-48.33	-8.44	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.25139G	-6.17	6.3544G	-53.51	-46.17	-7.34	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.05599G	-0.69	6.1822G	-28.93	-27.41	-1.52	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.257G	0.90	6.7758G	-43.93	-39.10	-4.83	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.507202G	-10.66	6.469175G	-60.73	-50.66	-10.07	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.458097G	-8.28	6.51075G	-56.56	-48.28	-8.28	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.50279G	-4.04	6.2824G	-53.12	-44.04	-9.08	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.4918G	-2.29	6.2302G	-49.82	-42.29	-7.53	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.28344G	0.94	6.9402G	-44.04	-39.06	-4.98	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.702373G	-10.90	6.665575G	-58.34	-49.90	-8.44	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.897097G	-8.77	6.9572G	-55.91	-48.77	-7.14	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.7793G	-5.20	6.9745G	-52.56	-45.20	-7.36	2
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.61061G	-2.29	6.9982G	-49.49	-42.29	-7.20	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.8938G	-1.31	6.3302G	-42.27	-41.31	-0.96	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.122473G	-16.51	7.08005G	-60.39	-56.51	-3.88	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	7.080501G	-11.96	6.99145G	-55.83	-51.96	-3.87	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	7.0316G	-5.88	6.8915G	-52.76	-45.88	-6.88	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.9776G	-1.00	7.1426G	-31.50	-23.69	-7.81	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960299G	-11.77	5.998675G	-61.47	-51.77	-9.70	1
5955MHz	Pass	5.963323G	-11.50	6.004525G	-61.35	-51.50	-9.85	2
5955MHz	Pass	5.963173G	-11.16	5.921225G	-61.11	-51.16	-9.95	3
5955MHz	Pass	5.962273G	-11.73	5.994675G	-61.57	-51.73	-9.84	4
6195MHz	Pass	6.200674G	-11.31	6.238575G	-60.54	-51.31	-9.23	1
6195MHz	Pass	6.202673G	-11.07	6.231725G	-60.46	-51.07	-9.39	2
6195MHz	Pass	6.202373G	-10.93	6.228875G	-60.34	-50.93	-9.41	3
6195MHz	Pass	6.203073G	-11.63	6.24085G	-60.87	-51.63	-9.24	4
6415MHz	Pass	6.423998G	-12.54	6.375825G	-60.80	-52.54	-8.26	1
6415MHz	Pass	6.407027G	-12.13	6.4486G	-60.78	-52.13	-8.65	2
6415MHz	Pass	6.406277G	-11.12	6.382575G	-60.97	-51.12	-9.85	3
6415MHz	Pass	6.406477G	-12.23	6.4515G	-61.17	-52.23	-8.94	4
6435MHz	Pass	6.439999G	-10.42	6.4017G	-60.73	-50.42	-10.31	1
6435MHz	Pass	6.429051G	-10.37	6.484625G	-60.62	-50.37	-10.25	2
6435MHz	Pass	6.443748G	-10.19	6.402225G	-60.75	-50.19	-10.56	3
6435MHz	Pass	6.442848G	-9.66	6.39855G	-60.78	-49.66	-11.12	4
6475MHz	Pass	6.473775G	-9.60	6.434075G	-60.64	-49.60	-11.04	1
6475MHz	Pass	6.482348G	-9.47	6.42545G	-60.38	-49.47	-10.91	2
6475MHz	Pass	6.480074G	-9.88	6.517875G	-60.47	-49.88	-10.59	3
6475MHz	Pass	6.481548G	-10.30	6.442125G	-60.64	-50.30	-10.34	4
6515MHz	Pass	6.522573G	-10.06	6.54935G	-60.80	-50.06	-10.74	1
6515MHz	Pass	6.51585G	-9.69	6.481325G	-60.62	-49.69	-10.93	2
6515MHz	Pass	6.507202G	-10.66	6.469175G	-60.73	-50.66	-10.07	3
6515MHz	Pass	6.505852G	-9.67	6.5557G	-60.93	-49.67	-11.26	4
6535MHz	Pass	6.541298G	-9.04	6.5238G	-40.23	-29.11	-11.12	1
6535MHz	Pass	6.528002G	-7.93	6.496975G	-60.50	-47.93	-12.57	2
6535MHz	Pass	6.526027G	-8.14	6.494175G	-60.55	-48.14	-12.41	3
6535MHz	Pass	6.529026G	-8.72	6.50095G	-60.72	-48.72	-12.00	4
6695MHz	Pass	6.702373G	-10.90	6.665575G	-58.34	-49.90	-8.44	1
6695MHz	Pass	6.686952G	-10.79	6.7358G	-60.31	-50.79	-9.52	2
6695MHz	Pass	6.700599G	-10.56	6.73305G	-60.76	-50.56	-10.20	3
6695MHz	Pass	6.687377G	-10.45	6.731675G	-60.64	-50.45	-10.19	4
6875MHz	Pass	6.866602G	-9.39	6.922775G	-59.52	-49.39	-10.13	1
6875MHz	Pass	6.881923G	-9.20	6.91665G	-59.64	-49.20	-10.44	2
6875MHz	Pass	6.882398G	-9.37	6.912175G	-59.65	-49.37	-10.28	3
6875MHz	Pass	6.882423G	-9.58	6.9088G	-60.15	-49.58	-10.57	4
6895MHz	Pass	6.903548G	-9.68	6.941625G	-59.84	-49.68	-10.16	1
6895MHz	Pass	6.903748G	-9.46	6.94155G	-59.72	-49.46	-10.26	2
6895MHz	Pass	6.901948G	-9.98	6.9443G	-59.79	-49.98	-9.81	3
6895MHz	Pass	6.897499G	-10.60	6.9277G	-59.87	-50.60	-9.27	4
6995MHz	Pass	6.986727G	-9.32	6.961925G	-59.07	-49.32	-9.75	1
6995MHz	Pass	6.999949G	-8.86	7.0309G	-59.07	-48.86	-10.21	2
6995MHz	Pass	6.988502G	-9.33	7.032725G	-59.49	-49.33	-10.16	3
6995MHz	Pass	6.998624G	-9.59	7.03355G	-59.55	-49.59	-9.96	4
7095MHz	Pass	7.086602G	-11.39	7.054G	-59.85	-51.39	-8.46	1
7095MHz	Pass	7.090426G	-10.91	7.05155G	-59.47	-50.91	-8.56	2
7095MHz	Pass	7.087477G	-11.77	7.0623G	-59.88	-51.77	-8.11	3
7095MHz	Pass	7.102773G	-12.04	7.05475G	-60.16	-52.04	-8.12	4
7115MHz	Pass	7.108752G	-15.58	7.075675G	-60.43	-55.58	-4.85	1
7115MHz	Pass	7.124248G	-15.87	7.0687G	-60.11	-55.87	-4.24	2
7115MHz	Pass	7.107502G	-15.71	7.070675G	-60.17	-55.71	-4.46	3
7115MHz	Pass	7.122473G	-16.51	7.08005G	-60.39	-56.51	-3.88	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.970549G	-6.72	6.05875G	-57.05	-46.72	-10.33	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.982196G	-6.47	6.06015G	-56.95	-46.47	-10.48	2
5965MHz	Pass	5.949704G	-6.34	6.03825G	-57.02	-46.34	-10.68	3
5965MHz	Pass	5.981896G	-7.24	6.06105G	-57.25	-47.24	-10.01	4
6205MHz	Pass	6.216247G	-8.33	6.2759G	-56.77	-48.33	-8.44	1
6205MHz	Pass	6.190604G	-7.97	6.2962G	-56.67	-47.97	-8.70	2
6205MHz	Pass	6.218747G	-7.69	6.285G	-56.89	-47.69	-9.20	3
6205MHz	Pass	6.221746G	-8.07	6.2879G	-56.95	-48.07	-8.88	4
6405MHz	Pass	6.422746G	-6.73	6.3109G	-56.76	-46.73	-10.03	1
6405MHz	Pass	6.388154G	-6.46	6.33535G	-56.42	-46.46	-9.96	2
6405MHz	Pass	6.392653G	-6.03	6.47485G	-56.65	-46.03	-10.62	3
6405MHz	Pass	6.390054G	-7.07	6.32805G	-56.92	-47.07	-9.85	4
6445MHz	Pass	6.449599G	-7.86	6.5175G	-56.69	-47.86	-8.83	1
6445MHz	Pass	6.460846G	-7.97	6.514G	-56.72	-47.97	-8.75	2
6445MHz	Pass	6.462346G	-7.66	6.51395G	-56.85	-47.66	-9.19	3
6445MHz	Pass	6.458097G	-8.28	6.51075G	-56.56	-48.28	-8.28	4
6485MHz	Pass	6.468754G	-7.38	6.41925G	-56.61	-47.38	-9.23	1
6485MHz	Pass	6.498747G	-7.12	6.40575G	-56.38	-47.12	-9.26	2
6485MHz	Pass	6.501946G	-7.00	6.39415G	-56.95	-47.00	-9.95	3
6485MHz	Pass	6.502546G	-7.94	6.55905G	-56.98	-47.94	-9.04	4
6525MHz	Pass	6.537997G	-7.53	6.44305G	-56.58	-47.53	-9.05	1
6525MHz	Pass	6.513753G	-6.96	6.62095G	-56.77	-46.96	-9.81	2
6525MHz	Pass	6.536047G	-7.17	6.4336G	-56.56	-47.17	-9.39	3
6525MHz	Pass	6.506605G	-6.77	6.4596G	-56.93	-46.77	-10.16	4
6565MHz	Pass	6.546455G	-6.25	6.6463G	-56.72	-46.25	-10.47	1
6565MHz	Pass	6.549904G	-5.46	6.49875G	-56.14	-45.46	-10.68	2
6565MHz	Pass	6.551253G	-5.56	6.63545G	-56.63	-45.56	-11.07	3
6565MHz	Pass	6.580896G	-5.95	6.64625G	-56.88	-45.95	-10.93	4
6685MHz	Pass	6.700096G	-7.36	6.78015G	-56.79	-47.36	-9.43	1
6685MHz	Pass	6.698197G	-6.95	6.78105G	-56.64	-46.95	-9.69	2
6685MHz	Pass	6.669554G	-6.37	6.7584G	-56.76	-46.37	-10.39	3
6685MHz	Pass	6.680101G	-7.20	6.7813G	-56.97	-47.20	-9.77	4
6685MHz	Pass	6.867654G	-8.61	6.97975G	-55.81	-48.61	-7.20	1
6685MHz	Pass	6.902196G	-7.18	6.9821G	-55.49	-47.18	-8.31	2
6685MHz	Pass	6.893948G	-7.83	6.98235G	-55.80	-47.83	-7.97	3
6685MHz	Pass	6.897097G	-8.77	6.9572G	-55.91	-48.77	-7.14	4
6925MHz	Pass	6.919901G	-8.12	7.00005G	-55.00	-48.12	-6.88	1
6925MHz	Pass	6.9239G	-7.87	6.99345G	-55.21	-47.87	-7.34	2
6925MHz	Pass	6.909404G	-7.77	7.0098G	-55.32	-47.77	-7.55	3
6925MHz	Pass	6.911853G	-8.10	6.99925G	-55.73	-48.10	-7.63	4
7005MHz	Pass	6.990704G	-4.94	6.9401G	-55.71	-44.94	-10.77	1
7005MHz	Pass	6.986705G	-4.87	6.93155G	-55.55	-44.87	-10.68	2
7005MHz	Pass	6.992303G	-5.83	6.91195G	-55.52	-45.83	-9.69	3
7005MHz	Pass	6.991153G	-6.33	6.9394G	-55.83	-46.33	-9.50	4
7085MHz	Pass	7.070154G	-10.08	6.9995G	-55.46	-50.08	-5.38	1
7085MHz	Pass	7.066255G	-10.14	7.0054G	-55.56	-50.14	-5.42	2
7085MHz	Pass	7.070004G	-10.62	7.0072G	-55.46	-50.62	-4.84	3
7085MHz	Pass	7.080501G	-11.96	6.99145G	-55.83	-51.96	-3.87	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00749G	-4.73	6.12G	-53.86	-44.73	-9.13	1
5985MHz	Pass	5.95261G	-5.32	6.1369G	-53.90	-45.32	-8.58	2
5985MHz	Pass	6.01499G	-4.63	6.1685G	-53.20	-44.63	-8.57	3
5985MHz	Pass	6.01899G	-5.00	6.141G	-53.59	-45.00	-8.59	4
6225MHz	Pass	6.25129G	-5.99	6.4244G	-53.70	-45.99	-7.71	1
6225MHz	Pass	6.2417G	-5.85	6.3571G	-53.80	-45.85	-7.95	2
6225MHz	Pass	6.26139G	-5.63	6.3928G	-53.48	-45.63	-7.85	3
6225MHz	Pass	6.25139G	-6.17	6.3544G	-53.51	-46.17	-7.34	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3696G	-3.92	6.2273G	-53.26	-43.92	-9.34	1
6385MHz	Pass	6.35521G	-4.04	6.2431G	-53.48	-44.04	-9.44	2
6385MHz	Pass	6.3699G	-3.20	6.565G	-52.41	-43.20	-9.21	3
6385MHz	Pass	6.3686G	-4.50	6.2514G	-53.38	-44.50	-8.88	4
6465MHz	Pass	6.50029G	-3.83	6.6344G	-53.54	-43.83	-9.71	1
6465MHz	Pass	6.50009G	-3.56	6.3226G	-53.59	-43.56	-10.03	2
6465MHz	Pass	6.50339G	-3.29	6.6507G	-52.68	-43.29	-9.39	3
6465MHz	Pass	6.50279G	-4.04	6.2824G	-53.12	-44.04	-9.08	4
6545MHz	Pass	6.5345G	-3.75	6.7247G	-53.69	-43.75	-9.94	1
6545MHz	Pass	6.5302G	-3.35	6.6827G	-53.53	-43.35	-10.18	2
6545MHz	Pass	6.52221G	-3.78	6.7352G	-52.95	-43.78	-9.17	3
6545MHz	Pass	6.51681G	-4.12	6.4154G	-53.43	-44.12	-9.31	4
6625MHz	Pass	6.59341G	-2.52	6.7593G	-53.05	-42.52	-10.53	1
6625MHz	Pass	6.6368G	-3.23	6.8233G	-53.09	-43.23	-9.86	2
6625MHz	Pass	6.65149G	-2.92	6.7817G	-52.61	-42.92	-9.69	3
6625MHz	Pass	6.65299G	-3.36	6.4683G	-53.39	-43.36	-10.03	4
6705MHz	Pass	6.72919G	-4.14	6.895G	-52.78	-44.14	-8.64	1
6705MHz	Pass	6.67141G	-3.87	6.8745G	-52.74	-43.87	-8.87	2
6705MHz	Pass	6.717G	-3.72	6.8962G	-52.16	-43.72	-8.44	3
6705MHz	Pass	6.73959G	-3.87	6.8769G	-52.90	-43.87	-9.03	4
6785MHz	Pass	6.75111G	-4.82	6.9765G	-52.66	-44.82	-7.84	1
6785MHz	Pass	6.7793G	-5.20	6.9745G	-52.56	-45.20	-7.36	2
6785MHz	Pass	6.75711G	-4.08	6.9224G	-52.14	-44.08	-8.06	3
6785MHz	Pass	6.74851G	-5.10	6.9528G	-52.54	-45.10	-7.44	4
6865MHz	Pass	6.89579G	-3.34	6.9946G	-52.01	-43.34	-8.67	1
6865MHz	Pass	6.89799G	-3.59	6.9958G	-52.18	-43.59	-8.59	2
6865MHz	Pass	6.89799G	-2.81	6.9981G	-51.51	-42.81	-8.70	3
6865MHz	Pass	6.8765G	-4.06	6.9964G	-52.27	-44.06	-8.21	4
6945MHz	Pass	6.9537G	-3.20	7.0841G	-53.32	-43.20	-10.12	1
6945MHz	Pass	6.91531G	-2.56	6.8117G	-53.15	-42.56	-10.59	2
6945MHz	Pass	6.90771G	-2.93	7.0784G	-52.84	-42.93	-9.91	3
6945MHz	Pass	6.91331G	-3.08	6.7537G	-53.15	-43.08	-10.07	4
7025MHz	Pass	6.99081G	-4.48	6.8927G	-53.09	-44.48	-8.61	1
7025MHz	Pass	6.99211G	-5.45	6.8874G	-52.85	-45.45	-7.40	2
7025MHz	Pass	6.99271G	-5.32	6.8744G	-53.00	-45.32	-7.68	3
7025MHz	Pass	7.0316G	-5.88	6.8915G	-52.76	-45.88	-6.88	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05599G	-0.69	6.1822G	-28.93	-27.41	-1.52	1
6025MHz	Pass	6.09498G	-0.79	6.3006G	-49.73	-40.79	-8.94	2
6025MHz	Pass	6.0104G	-0.90	6.279G	-50.10	-40.90	-9.20	3
6025MHz	Pass	6.09258G	-0.94	6.2838G	-49.28	-40.94	-8.34	4
6185MHz	Pass	6.22159G	-2.59	6.5146G	-50.77	-42.47	-8.30	1
6185MHz	Pass	6.24199G	-2.39	6.4996G	-50.44	-42.39	-8.05	2
6185MHz	Pass	6.26018G	-1.53	6.4566G	-50.41	-41.53	-8.88	3
6185MHz	Pass	6.23619G	-2.04	6.4754G	-50.65	-42.04	-8.61	4
6345MHz	Pass	6.3376G	-3.13	6.0608G	-49.57	-43.13	-6.44	1
6345MHz	Pass	6.37359G	-3.28	6.7142G	-51.02	-43.28	-7.74	2
6345MHz	Pass	6.26922G	-2.18	6.6956G	-50.85	-42.18	-8.67	3
6345MHz	Pass	6.37559G	-3.39	6.6092G	-51.26	-43.39	-7.87	4
6505MHz	Pass	6.4918G	-2.29	6.2302G	-49.82	-42.29	-7.53	1
6505MHz	Pass	6.498G	-1.93	6.855G	-50.01	-41.93	-8.08	2
6505MHz	Pass	6.522G	-2.09	6.883G	-50.21	-42.09	-8.12	3
6505MHz	Pass	6.52859G	-2.33	6.8882G	-50.51	-42.33	-8.18	4
6665MHz	Pass	6.73358G	-1.79	6.9206G	-49.25	-41.79	-7.46	1
6665MHz	Pass	6.63581G	-2.13	7.0092G	-49.65	-42.13	-7.52	2
6665MHz	Pass	6.6482G	-1.87	6.9938G	-49.43	-41.87	-7.56	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.61061G	-2.29	6.9982G	-49.49	-42.29	-7.20	4
6825MHz	Pass	6.89758G	-0.69	6.9784G	-31.13	-23.89	-7.24	1
6825MHz	Pass	6.79921G	-1.39	6.5128G	-50.12	-41.39	-8.73	2
6825MHz	Pass	6.75022G	-0.48	6.4762G	-50.20	-40.48	-9.72	3
6825MHz	Pass	6.76881G	-1.50	6.4972G	-50.52	-41.50	-9.02	4
6985MHz	Pass	6.9776G	-1.00	7.1426G	-31.50	-23.69	-7.81	1
6985MHz	Pass	6.91722G	-0.25	6.723G	-50.07	-40.25	-9.82	2
6985MHz	Pass	6.91302G	-0.58	6.7248G	-50.33	-40.58	-9.75	3
6985MHz	Pass	7.02699G	-1.86	6.7288G	-50.21	-41.86	-8.35	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0922G	-1.26	6.8766G	-48.00	-41.26	-6.74	1
6105MHz	Pass	6.24137G	-1.48	6.609G	-47.39	-41.48	-5.91	2
6105MHz	Pass	6.25896G	-1.07	6.615G	-46.45	-41.07	-5.38	3
6105MHz	Pass	6.0858G	-2.02	6.6482G	-47.26	-42.02	-5.24	4
6265MHz	Pass	6.33698G	1.71	7.057G	-45.74	-34.72	-11.02	1
6265MHz	Pass	6.33418G	1.53	6.7658G	-43.99	-38.47	-5.52	2
6265MHz	Pass	6.2574G	1.88	6.8742G	-44.27	-38.12	-6.15	3
6265MHz	Pass	6.257G	0.90	6.7758G	-43.93	-39.10	-4.83	4
6425MHz	Pass	6.36981G	0.74	7.2198G	-47.50	-38.39	-9.11	1
6425MHz	Pass	6.49618G	1.11	6.9974G	-44.20	-38.89	-5.31	2
6425MHz	Pass	6.28344G	0.94	6.9402G	-44.04	-39.06	-4.98	3
6425MHz	Pass	6.53017G	0.16	6.9998G	-45.00	-39.84	-5.16	4
6585MHz	Pass	6.73096G	0.68	6.8914G	-30.05	-20.16	-9.89	1
6585MHz	Pass	6.51382G	1.17	6.0618G	-44.21	-38.83	-5.38	2
6585MHz	Pass	6.61979G	1.16	6.0642G	-44.74	-38.84	-5.90	3
6585MHz	Pass	6.52901G	0.18	6.0586G	-45.33	-39.82	-5.51	4
6745MHz	Pass	6.89976G	0.27	7.0598G	-25.49	-23.63	-1.86	1
6745MHz	Pass	6.80898G	0.29	6.2322G	-44.69	-39.71	-4.98	2
6745MHz	Pass	6.753G	1.40	6.2222G	-44.45	-38.60	-5.85	3
6745MHz	Pass	6.7646G	0.55	6.2446G	-44.20	-39.45	-4.75	4
6905MHz	Pass	6.8938G	-1.31	6.3302G	-42.27	-41.31	-0.96	1
6905MHz	Pass	6.9102G	-0.83	6.3798G	-47.01	-40.83	-6.18	2
6905MHz	Pass	6.9114G	-0.96	6.389G	-46.49	-40.96	-5.53	3
6905MHz	Pass	6.75464G	-2.04	6.375G	-46.55	-42.04	-4.51	4


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

11/03/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423998G	-12.54	6.375825G	-60.80	-52.54	-8.26	1
6.407027G	-12.13	6.4486G	-60.78	-52.13	-8.65	2
6.406277G	-11.12	6.382575G	-60.97	-51.12	-9.85	3
6.406477G	-12.23	6.4515G	-61.17	-52.23	-8.94	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

11/03/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.216247G	-8.33	6.2759G	-56.77	-48.33	-8.44	1
6.190604G	-7.97	6.2962G	-56.67	-47.97	-8.70	2
6.218747G	-7.69	6.285G	-56.89	-47.69	-9.20	3
6.221746G	-8.07	6.2879G	-56.95	-48.07	-8.88	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

11/03/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

11/03/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

11/03/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

11/03/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

11/03/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

11/03/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4918G	-2.29	6.2302G	-49.82	-42.29	-7.53	1
6.498G	-1.93	6.855G	-50.01	-41.93	-8.08	2
6.522G	-2.09	6.883G	-50.21	-42.09	-8.12	3
6.52859G	-2.33	6.8882G	-50.51	-42.33	-8.18	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36981G	0.74	7.2198G	-47.50	-38.39	-9.11	1
6.49618G	1.11	6.9974G	-44.20	-38.89	-5.31	2
6.28344G	0.94	6.9402G	-44.04	-39.06	-4.98	3
6.53017G	0.16	6.9998G	-45.00	-39.84	-5.16	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702373G	-10.90	6.665575G	-58.34	-49.90	-8.44	1
6.686952G	-10.79	6.7358G	-60.31	-50.79	-9.52	2
6.700599G	-10.56	6.73305G	-60.76	-50.56	-10.20	3
6.687377G	-10.45	6.731675G	-60.64	-50.45	-10.19	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867654G	-8.61	6.97975G	-55.81	-48.61	-7.20	1
6.902196G	-7.18	6.9821G	-55.49	-47.18	-8.31	2
6.893948G	-7.83	6.98235G	-55.80	-47.83	-7.97	3
6.897097G	-8.77	6.9572G	-55.91	-48.77	-7.14	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

11/03/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

11/03/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8938G	-1.31	6.3302G	-42.27	-41.31	-0.96	1
6.9102G	-0.83	6.3798G	-47.01	-40.83	-6.18	2
6.9114G	-0.96	6.389G	-46.49	-40.96	-5.53	3
6.75464G	-2.04	6.375G	-46.55	-42.04	-4.51	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

11/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.108752G	-15.58	7.075675G	-60.43	-55.58	-4.85	1
7.124248G	-15.87	7.0687G	-60.11	-55.87	-4.24	2
7.107502G	-15.71	7.070675G	-60.17	-55.71	-4.46	3
7.122473G	-16.51	7.08005G	-60.39	-56.51	-3.88	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

11/03/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

11/03/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

11/03/2025





RSE TX below 1GHz_Non-Beamforming_Radio 3_Full RU_1T1S Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	PK	70.74M	34.77	40.00	-5.23	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	70.74M	34.77	40.00	-5.23	3	Vertical	0	1.00
6225MHz	Pass	PK	101.78M	25.60	43.50	-17.90	3	Vertical	0	1.00
6225MHz	Pass	PK	187.14M	20.38	43.50	-23.12	3	Vertical	0	1.00
6225MHz	Pass	PK	499.48M	28.06	46.00	-17.94	3	Vertical	0	1.00
6225MHz	Pass	PK	536.34M	28.50	46.00	-17.50	3	Vertical	0	1.00
6225MHz	Pass	QP	34.01M	26.11	40.00	-13.89	3	Vertical	77	1.00
6225MHz	Pass	PK	37.76M	26.61	40.00	-13.39	3	Horizontal	360	1.00
6225MHz	Pass	PK	70.74M	25.36	40.00	-14.64	3	Horizontal	360	1.00
6225MHz	Pass	PK	134.76M	23.15	43.50	-20.35	3	Horizontal	360	1.00
6225MHz	Pass	PK	249.22M	22.75	46.00	-23.25	3	Horizontal	360	1.00
6225MHz	Pass	PK	454.86M	27.36	46.00	-18.64	3	Horizontal	360	1.00
6225MHz	Pass	PK	499.48M	30.20	46.00	-15.80	3	Horizontal	360	1.00