


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	70.74M	34.77	40.00	-5.23	-15.28	3	Vertical	0	1.00	50.05	11.41	0.63	27.32
PK	101.78M	25.60	43.50	-17.90	-10.54	3	Vertical	0	1.00	36.14	15.93	0.77	27.24
PK	187.14M	20.38	43.50	-23.12	-11.69	3	Vertical	0	1.00	32.07	14.15	1.05	26.89
PK	499.48M	28.06	46.00	-17.94	-3.82	3	Vertical	0	1.00	31.88	22.53	1.70	28.05
PK	536.34M	28.50	46.00	-17.50	-3.50	3	Vertical	0	1.00	32.00	23.08	1.73	28.31
QP	34.01M	26.11	40.00	-13.89	-5.49	3	Vertical	77	1.00	31.60	21.45	0.44	27.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	26.61	40.00	-13.39	-7.52	3	Horizontal	360	1.00	34.13	19.40	0.46	27.38
PK	70.74M	25.36	40.00	-14.64	-15.28	3	Horizontal	360	1.00	40.64	11.41	0.63	27.32
PK	134.76M	23.15	43.50	-20.35	-9.66	3	Horizontal	360	1.00	32.81	16.58	0.88	27.12
PK	249.22M	22.75	46.00	-23.25	-8.03	3	Horizontal	360	1.00	30.78	17.40	1.21	26.64
PK	454.86M	27.36	46.00	-18.64	-4.48	3	Horizontal	360	1.00	31.84	21.85	1.61	27.94
PK	499.48M	30.20	46.00	-15.80	-3.82	3	Horizontal	360	1.00	34.02	22.53	1.70	28.05



RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU_1T1S Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	AV	11.91G	39.99	54.00	-14.01	3	Vertical	182	3.00
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	AV	11.92992G	40.39	54.00	-13.61	3	Vertical	184	2.82
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	AV	11.96996G	40.52	54.00	-13.48	3	Vertical	193	2.24
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	AV	12.6842G	39.92	54.00	-14.08	3	Vertical	46	2.07
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	AV	12.20996G	40.35	54.00	-13.65	3	Vertical	165	2.55
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	AV	12.95004G	41.23	68.20	-26.97	3	Vertical	39	2.65
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	AV	12.96992G	41.04	68.20	-27.16	3	Vertical	40	2.43
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.08984G	41.56	68.20	-26.64	3	Vertical	51	2.13
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.00992G	40.06	68.20	-28.14	3	Vertical	300	2.34
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.16996G	42.31	68.20	-25.89	3	Vertical	123	2.42
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.39916G	40.60	54.00	-13.40	3	Horizontal	185	1.50
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.36984G	41.15	54.00	-12.85	3	Vertical	128	3.00
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.25968G	40.56	54.00	-13.44	3	Horizontal	79	1.50
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	AV	13.33G	40.63	54.00	-13.37	3	Vertical	345	1.79
802.11be EHT320_Nss1,(MCS0)_1TX(Port4)	Pass	AV	7.25G	46.83	54.00	-7.17	3	Vertical	348	2.65
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	Pass	AV	7.1255G	67.95	68.20	-0.25	3	Vertical	353	2.46
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	Pass	AV	7.1252G	48.90	68.20	-19.30	3	Vertical	296	2.42
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	Pass	AV	7.1699G	47.15	68.20	-21.05	3	Vertical	332	2.57
802.11be EHT160_Nss1,(MCS0)_1TX(Port4)	Pass	AV	7.1275G	47.97	68.20	-20.23	3	Vertical	119	2.32

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	41.16	68.20	-27.04	3	Vertical	123	2.52
5955MHz	Pass	AV	5.9478G	97.14	Inf	-Inf	3	Vertical	123	2.52
5955MHz	Pass	PK	5.916G	54.70	88.20	-33.50	3	Vertical	123	2.52
5955MHz	Pass	PK	5.949G	110.68	Inf	-Inf	3	Vertical	123	2.52
5955MHz	Pass	AV	11.91G	39.99	54.00	-14.01	3	Vertical	182	3.00
5955MHz	Pass	PK	11.89632G	51.61	74.00	-22.39	3	Vertical	182	3.00
5955MHz	Pass	AV	11.895G	38.37	54.00	-15.63	3	Horizontal	24	1.50
5955MHz	Pass	PK	11.9088G	51.53	74.00	-22.47	3	Horizontal	24	1.50
6195MHz	Pass	AV	12.38108G	38.42	54.00	-15.58	3	Vertical	292	1.50
6195MHz	Pass	PK	12.3814G	51.19	74.00	-22.81	3	Vertical	292	1.50
6195MHz	Pass	AV	12.38172G	38.47	54.00	-15.53	3	Horizontal	27	1.26
6195MHz	Pass	PK	12.38732G	51.14	74.00	-22.86	3	Horizontal	27	1.26
6415MHz	Pass	AV	12.82996G	40.92	68.20	-27.28	3	Vertical	51	2.09
6415MHz	Pass	PK	12.83268G	52.35	88.20	-35.85	3	Vertical	51	2.09
6415MHz	Pass	AV	12.8382G	39.76	68.20	-28.44	3	Horizontal	360	1.35
6415MHz	Pass	PK	12.82844G	52.80	88.20	-35.40	3	Horizontal	360	1.35
6435MHz	Pass	AV	12.86152G	39.76	68.20	-28.44	3	Vertical	184	1.55
6435MHz	Pass	PK	12.86864G	51.77	88.20	-36.43	3	Vertical	184	1.55
6435MHz	Pass	AV	12.86812G	39.81	68.20	-28.39	3	Horizontal	133	1.50
6435MHz	Pass	PK	12.86344G	52.01	88.20	-36.19	3	Horizontal	133	1.50
6475MHz	Pass	AV	12.95004G	41.23	68.20	-26.97	3	Vertical	39	2.65
6475MHz	Pass	PK	12.9406G	53.58	88.20	-34.62	3	Vertical	39	2.65
6475MHz	Pass	AV	12.957G	39.74	68.20	-28.46	3	Horizontal	117	2.77
6475MHz	Pass	PK	12.95808G	53.48	88.20	-34.72	3	Horizontal	117	2.77
6515MHz	Pass	AV	13.02372G	39.88	68.20	-28.32	3	Vertical	145	2.86
6515MHz	Pass	PK	13.02644G	52.68	88.20	-35.52	3	Vertical	145	2.86
6515MHz	Pass	AV	13.0364G	39.80	68.20	-28.40	3	Horizontal	22	2.77
6515MHz	Pass	PK	13.03628G	52.87	88.20	-35.33	3	Horizontal	22	2.77
6535MHz	Pass	AV	13.06996G	41.14	68.20	-27.06	3	Vertical	53	1.98
6535MHz	Pass	PK	13.07404G	53.47	88.20	-34.73	3	Vertical	53	1.98
6535MHz	Pass	AV	13.07128G	39.93	68.20	-28.27	3	Horizontal	308	1.50
6535MHz	Pass	PK	13.07772G	53.71	88.20	-34.49	3	Horizontal	308	1.50
6695MHz	Pass	AV	13.38096G	40.54	54.00	-13.46	3	Vertical	201	1.50
6695MHz	Pass	PK	13.38812G	53.59	74.00	-20.41	3	Vertical	201	1.50
6695MHz	Pass	AV	13.39916G	40.60	54.00	-13.40	3	Horizontal	185	1.50
6695MHz	Pass	PK	13.39484G	53.56	74.00	-20.44	3	Horizontal	185	1.50
6875MHz	Pass	AV	13.74984G	41.78	68.20	-26.42	3	Vertical	62	2.85
6875MHz	Pass	PK	13.74556G	53.84	88.20	-34.36	3	Vertical	62	2.85
6875MHz	Pass	AV	13.75872G	41.15	68.20	-27.05	3	Horizontal	105	1.90
6875MHz	Pass	PK	13.75276G	54.53	88.20	-33.67	3	Horizontal	105	1.90
6895MHz	Pass	AV	13.78984G	41.25	68.20	-26.95	3	Vertical	176	1.67
6895MHz	Pass	PK	13.7966G	54.51	88.20	-33.69	3	Vertical	176	1.67
6895MHz	Pass	AV	13.79084G	41.06	68.20	-27.14	3	Horizontal	60	1.06
6895MHz	Pass	PK	13.78136G	53.83	88.20	-34.37	3	Horizontal	60	1.06
6995MHz	Pass	AV	13.98996G	43.04	68.20	-25.16	3	Vertical	188	1.81
6995MHz	Pass	PK	13.99712G	55.68	88.20	-32.52	3	Vertical	188	1.81
6995MHz	Pass	AV	13.98284G	41.85	68.20	-26.35	3	Horizontal	309	2.24
6995MHz	Pass	PK	13.98856G	55.33	88.20	-32.87	3	Horizontal	309	2.24
7095MHz	Pass	AV	7.0863G	96.88	Inf	-Inf	3	Vertical	294	2.76
7095MHz	Pass	AV	7.2396G	46.77	68.20	-21.43	3	Vertical	294	2.76
7095MHz	Pass	PK	7.092G	109.90	Inf	-Inf	3	Vertical	294	2.76
7095MHz	Pass	PK	7.1946G	59.96	88.20	-28.24	3	Vertical	294	2.76
7095MHz	Pass	AV	14.18992G	43.93	68.20	-24.27	3	Vertical	182	1.00
7095MHz	Pass	PK	14.18576G	56.08	88.20	-32.12	3	Vertical	182	1.00
7095MHz	Pass	AV	14.19008G	42.41	68.20	-25.79	3	Horizontal	204	1.50
7095MHz	Pass	PK	14.19892G	55.68	88.20	-32.52	3	Horizontal	204	1.50
7115MHz	Pass	AV	7.1125G	91.86	Inf	-Inf	3	Vertical	353	2.46
7115MHz	Pass	AV	7.1255G	67.95	68.20	-0.25	3	Vertical	353	2.46
7115MHz	Pass	PK	7.1075G	98.33	Inf	-Inf	3	Vertical	353	2.46
7115MHz	Pass	PK	7.1255G	77.19	88.20	-11.01	3	Vertical	353	2.46


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22996G	43.00	68.20	-25.20	3	Vertical	188	1.00
7115MHz	Pass	PK	14.23032G	55.35	88.20	-32.85	3	Vertical	188	1.00
7115MHz	Pass	AV	14.22352G	42.36	68.20	-25.84	3	Horizontal	64	1.13
7115MHz	Pass	PK	14.22616G	54.33	88.20	-33.87	3	Horizontal	64	1.13
802.11be EHT40_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	50.55	68.20	-17.65	3	Vertical	125	2.61
5965MHz	Pass	AV	5.9821G	95.96	Inf	-Inf	3	Vertical	125	2.61
5965MHz	Pass	PK	5.9242G	67.05	88.20	-21.15	3	Vertical	125	2.61
5965MHz	Pass	PK	5.9818G	110.11	Inf	-Inf	3	Vertical	125	2.61
5965MHz	Pass	AV	11.92992G	40.39	54.00	-13.61	3	Vertical	184	2.82
5965MHz	Pass	PK	11.92932G	50.99	74.00	-23.01	3	Vertical	184	2.82
5965MHz	Pass	AV	11.92424G	38.41	54.00	-15.59	3	Horizontal	285	2.53
5965MHz	Pass	PK	11.9358G	51.54	74.00	-22.46	3	Horizontal	285	2.53
6205MHz	Pass	AV	12.41912G	38.46	54.00	-15.54	3	Vertical	284	2.35
6205MHz	Pass	PK	12.4116G	51.13	74.00	-22.87	3	Vertical	284	2.35
6205MHz	Pass	AV	12.40216G	38.27	54.00	-15.73	3	Horizontal	221	3.00
6205MHz	Pass	PK	12.41664G	50.69	74.00	-23.31	3	Horizontal	221	3.00
6405MHz	Pass	AV	12.81G	41.00	68.20	-27.20	3	Vertical	101	2.77
6405MHz	Pass	PK	12.8142G	52.63	88.20	-35.57	3	Vertical	101	2.77
6405MHz	Pass	AV	12.80508G	39.92	68.20	-28.28	3	Horizontal	137	1.05
6405MHz	Pass	PK	12.81304G	52.57	88.20	-35.63	3	Horizontal	137	1.05
6445MHz	Pass	AV	12.89012G	40.06	68.20	-28.14	3	Vertical	163	2.80
6445MHz	Pass	PK	12.88912G	52.54	88.20	-35.66	3	Vertical	163	2.80
6445MHz	Pass	AV	12.8852G	39.74	68.20	-28.46	3	Horizontal	277	1.50
6445MHz	Pass	PK	12.89836G	53.35	88.20	-34.85	3	Horizontal	277	1.50
6485MHz	Pass	AV	12.96992G	41.04	68.20	-27.16	3	Vertical	40	2.43
6485MHz	Pass	PK	12.97452G	52.50	88.20	-35.70	3	Vertical	40	2.43
6485MHz	Pass	AV	12.97844G	39.85	68.20	-28.35	3	Horizontal	325	2.91
6485MHz	Pass	PK	12.96916G	52.60	88.20	-35.60	3	Horizontal	325	2.91
6525MHz	Pass	AV	13.04228G	39.97	68.20	-28.23	3	Vertical	224	1.50
6525MHz	Pass	PK	13.04344G	52.75	88.20	-35.45	3	Vertical	224	1.50
6525MHz	Pass	AV	13.05528G	39.83	68.20	-28.37	3	Horizontal	355	2.96
6525MHz	Pass	PK	13.04924G	53.05	88.20	-35.15	3	Horizontal	355	2.96
6565MHz	Pass	AV	13.12992G	41.66	68.20	-26.54	3	Vertical	53	2.64
6565MHz	Pass	PK	13.12836G	53.61	88.20	-34.59	3	Vertical	53	2.64
6565MHz	Pass	AV	13.13884G	40.20	68.20	-28.00	3	Horizontal	18	1.80
6565MHz	Pass	PK	13.12124G	53.27	88.20	-34.93	3	Horizontal	18	1.80
6685MHz	Pass	AV	13.36984G	41.15	54.00	-12.85	3	Vertical	128	3.00
6685MHz	Pass	PK	13.36884G	53.24	74.00	-20.76	3	Vertical	128	3.00
6685MHz	Pass	AV	13.36176G	40.54	54.00	-13.46	3	Horizontal	230	1.50
6685MHz	Pass	PK	13.36948G	53.39	74.00	-20.61	3	Horizontal	230	1.50
6885MHz	Pass	AV	13.76996G	41.63	68.20	-26.57	3	Vertical	203	2.94
6885MHz	Pass	PK	13.77872G	54.02	88.20	-34.18	3	Vertical	203	2.94
6885MHz	Pass	AV	13.76272G	41.12	68.20	-27.08	3	Horizontal	313	2.74
6885MHz	Pass	PK	13.76284G	53.70	88.20	-34.50	3	Horizontal	313	2.74
6925MHz	Pass	AV	13.84992G	42.04	68.20	-26.16	3	Vertical	188	1.14
6925MHz	Pass	PK	13.85252G	54.23	88.20	-33.97	3	Vertical	188	1.14
6925MHz	Pass	AV	13.8576G	41.27	68.20	-26.93	3	Horizontal	51	1.50
6925MHz	Pass	PK	13.84128G	53.74	88.20	-34.46	3	Horizontal	51	1.50
7005MHz	Pass	AV	14.00996G	42.43	68.20	-25.77	3	Vertical	190	1.47
7005MHz	Pass	PK	14.01336G	55.24	88.20	-32.96	3	Vertical	190	1.47
7005MHz	Pass	AV	14.01712G	42.01	68.20	-26.19	3	Horizontal	4	1.50
7005MHz	Pass	PK	14.0078G	54.33	88.20	-33.87	3	Horizontal	4	1.50
7085MHz	Pass	AV	7.0667G	95.05	Inf	-Inf	3	Vertical	296	2.42
7085MHz	Pass	AV	7.1252G	48.90	68.20	-19.30	3	Vertical	296	2.42
7085MHz	Pass	PK	7.067G	108.88	Inf	-Inf	3	Vertical	296	2.42
7085MHz	Pass	PK	7.1264G	62.80	88.20	-25.40	3	Vertical	296	2.42
7085MHz	Pass	AV	14.17G	43.01	68.20	-25.19	3	Vertical	189	1.26
7085MHz	Pass	PK	14.17692G	55.36	88.20	-32.84	3	Vertical	189	1.26
7085MHz	Pass	AV	14.16048G	42.31	68.20	-25.89	3	Horizontal	296	1.97
7085MHz	Pass	PK	14.1604G	54.77	88.20	-33.43	3	Horizontal	296	1.97
802.11be EHT80_Nss1,(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.925G	47.45	68.20	-20.75	3	Vertical	124	2.37
5985MHz	Pass	AV	6.023G	93.14	Inf	-Inf	3	Vertical	124	2.37
5985MHz	Pass	PK	5.918G	60.84	88.20	-27.36	3	Vertical	124	2.37
5985MHz	Pass	PK	6.022G	106.01	Inf	-Inf	3	Vertical	124	2.37
5985MHz	Pass	AV	11.96996G	40.52	54.00	-13.48	3	Vertical	193	2.24
5985MHz	Pass	PK	11.96948G	52.25	74.00	-21.75	3	Vertical	193	2.24
5985MHz	Pass	AV	11.97232G	38.52	54.00	-15.48	3	Horizontal	345	1.50
5985MHz	Pass	PK	11.97584G	51.70	74.00	-22.30	3	Horizontal	345	1.50
6225MHz	Pass	AV	12.45936G	38.39	54.00	-15.61	3	Vertical	81	1.50
6225MHz	Pass	PK	12.44884G	51.33	74.00	-22.67	3	Vertical	81	1.50
6225MHz	Pass	AV	12.45524G	38.36	54.00	-15.64	3	Horizontal	345	1.42
6225MHz	Pass	PK	12.458G	52.18	74.00	-21.82	3	Horizontal	345	1.42
6385MHz	Pass	AV	12.77012G	39.85	68.20	-28.35	3	Vertical	97	1.50
6385MHz	Pass	PK	12.7624G	52.78	88.20	-35.42	3	Vertical	97	1.50
6385MHz	Pass	AV	12.76148G	39.85	68.20	-28.35	3	Horizontal	206	1.50
6385MHz	Pass	PK	12.776G	53.00	88.20	-35.20	3	Horizontal	206	1.50
6465MHz	Pass	AV	12.92996G	41.46	68.20	-26.74	3	Vertical	51	2.06
6465MHz	Pass	PK	12.9302G	52.69	88.20	-35.51	3	Vertical	51	2.06
6465MHz	Pass	AV	12.92336G	39.86	68.20	-28.34	3	Horizontal	205	1.50
6465MHz	Pass	PK	12.92844G	53.11	88.20	-35.09	3	Horizontal	205	1.50
6545MHz	Pass	AV	13.08984G	41.56	68.20	-26.64	3	Vertical	51	2.13
6545MHz	Pass	PK	13.0996G	52.87	88.20	-35.33	3	Vertical	51	2.13
6545MHz	Pass	AV	13.08852G	39.98	68.20	-28.22	3	Horizontal	344	2.28
6545MHz	Pass	PK	13.09824G	52.68	88.20	-35.52	3	Horizontal	344	2.28
6625MHz	Pass	AV	13.24956G	40.48	68.20	-27.72	3	Vertical	359	1.50
6625MHz	Pass	PK	13.25988G	53.36	74.00	-20.64	3	Vertical	359	1.50
6625MHz	Pass	AV	13.25968G	40.56	54.00	-13.44	3	Horizontal	79	1.50
6625MHz	Pass	PK	13.25132G	53.09	74.00	-20.91	3	Horizontal	79	1.50
6705MHz	Pass	AV	13.40996G	40.90	68.20	-27.30	3	Vertical	349	1.44
6705MHz	Pass	PK	13.4102G	53.45	88.20	-34.75	3	Vertical	349	1.44
6705MHz	Pass	AV	13.41936G	40.71	68.20	-27.49	3	Horizontal	90	2.50
6705MHz	Pass	PK	13.41588G	53.77	88.20	-34.43	3	Horizontal	90	2.50
6785MHz	Pass	AV	13.56284G	41.34	68.20	-26.86	3	Vertical	213	1.56
6785MHz	Pass	PK	13.56308G	54.13	88.20	-34.07	3	Vertical	213	1.56
6785MHz	Pass	AV	13.562G	41.39	68.20	-26.81	3	Horizontal	115	1.37
6785MHz	Pass	PK	13.57724G	53.49	88.20	-34.71	3	Horizontal	115	1.37
6865MHz	Pass	AV	13.73572G	40.91	68.20	-27.29	3	Vertical	308	1.50
6865MHz	Pass	PK	13.72372G	54.17	88.20	-34.03	3	Vertical	308	1.50
6865MHz	Pass	AV	13.72668G	40.93	68.20	-27.27	3	Horizontal	81	1.00
6865MHz	Pass	PK	13.7352G	54.31	88.20	-33.89	3	Horizontal	81	1.00
6945MHz	Pass	AV	13.88984G	42.30	68.20	-25.90	3	Vertical	185	1.09
6945MHz	Pass	PK	13.89168G	54.76	88.20	-33.44	3	Vertical	185	1.09
6945MHz	Pass	AV	13.88648G	41.45	68.20	-26.75	3	Horizontal	106	1.50
6945MHz	Pass	PK	13.89908G	53.83	88.20	-34.37	3	Horizontal	106	1.50
7025MHz	Pass	AV	6.998G	90.01	Inf	-Inf	3	Vertical	332	2.57
7025MHz	Pass	AV	7.1699G	47.15	68.20	-21.05	3	Vertical	332	2.57
7025MHz	Pass	PK	6.9965G	104.12	Inf	-Inf	3	Vertical	332	2.57
7025MHz	Pass	PK	7.1588G	61.38	88.20	-26.82	3	Vertical	332	2.57
7025MHz	Pass	AV	14.04992G	42.90	68.20	-25.30	3	Vertical	189	1.70
7025MHz	Pass	PK	14.04648G	55.05	88.20	-33.15	3	Vertical	189	1.70
7025MHz	Pass	AV	14.05136G	42.16	68.20	-26.04	3	Horizontal	29	1.55
7025MHz	Pass	PK	14.05888G	55.19	88.20	-33.01	3	Horizontal	29	1.55
802.11be EHT160_Nss1(MCS0)_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	47.37	68.20	-20.83	3	Vertical	125	2.40
6025MHz	Pass	AV	6.098G	91.27	Inf	-Inf	3	Vertical	125	2.40
6025MHz	Pass	PK	5.922G	61.80	88.20	-26.40	3	Vertical	125	2.40
6025MHz	Pass	PK	6.0995G	105.13	Inf	-Inf	3	Vertical	125	2.40
6025MHz	Pass	AV	12.05G	39.85	54.00	-14.15	3	Vertical	193	1.50
6025MHz	Pass	PK	12.0498G	51.78	74.00	-22.22	3	Vertical	193	1.50
6025MHz	Pass	AV	12.05008G	38.75	54.00	-15.25	3	Horizontal	295	1.50
6025MHz	Pass	PK	12.05212G	52.33	74.00	-21.67	3	Horizontal	295	1.50
6185MHz	Pass	AV	12.36636G	38.43	54.00	-15.57	3	Vertical	254	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36764G	51.82	74.00	-22.18	3	Vertical	254	1.50
6185MHz	Pass	AV	12.36164G	38.50	54.00	-15.50	3	Horizontal	145	2.82
6185MHz	Pass	PK	12.37584G	51.19	74.00	-22.81	3	Horizontal	145	2.82
6345MHz	Pass	AV	12.6842G	39.92	54.00	-14.08	3	Vertical	46	2.07
6345MHz	Pass	PK	12.69708G	53.34	74.00	-20.66	3	Vertical	46	2.07
6345MHz	Pass	AV	12.6952G	39.85	54.00	-14.15	3	Horizontal	199	2.67
6345MHz	Pass	PK	12.6886G	54.13	74.00	-19.87	3	Horizontal	199	2.67
6505MHz	Pass	AV	13.00992G	40.06	68.20	-28.14	3	Vertical	300	2.34
6505MHz	Pass	PK	13.01084G	52.42	88.20	-35.78	3	Vertical	300	2.34
6505MHz	Pass	AV	13.00844G	39.83	68.20	-28.37	3	Horizontal	0	2.36
6505MHz	Pass	PK	13.01372G	52.52	88.20	-35.68	3	Horizontal	0	2.36
6665MHz	Pass	AV	13.33G	40.63	54.00	-13.37	3	Vertical	345	1.79
6665MHz	Pass	PK	13.3296G	53.42	74.00	-20.58	3	Vertical	345	1.79
6665MHz	Pass	AV	13.32116G	40.58	54.00	-13.42	3	Horizontal	235	1.50
6665MHz	Pass	PK	13.32124G	53.64	74.00	-20.36	3	Horizontal	235	1.50
6825MHz	Pass	AV	13.64996G	41.23	68.20	-26.97	3	Vertical	184	2.26
6825MHz	Pass	PK	13.6492G	53.18	88.20	-35.02	3	Vertical	184	2.26
6825MHz	Pass	AV	13.64488G	40.88	68.20	-27.32	3	Horizontal	174	1.50
6825MHz	Pass	PK	13.65072G	52.99	88.20	-35.21	3	Horizontal	174	1.50
6985MHz	Pass	AV	6.918G	90.03	Inf	-Inf	3	Vertical	119	2.32
6985MHz	Pass	AV	7.1275G	47.97	68.20	-20.23	3	Vertical	119	2.32
6985MHz	Pass	PK	6.9165G	103.92	Inf	-Inf	3	Vertical	119	2.32
6985MHz	Pass	PK	7.1335G	62.22	88.20	-25.98	3	Vertical	119	2.32
6985MHz	Pass	AV	13.97G	42.75	68.20	-25.45	3	Vertical	187	1.84
6985MHz	Pass	PK	13.96108G	54.88	88.20	-33.32	3	Vertical	187	1.84
6985MHz	Pass	AV	13.97564G	41.46	68.20	-26.74	3	Horizontal	193	1.50
6985MHz	Pass	PK	13.96672G	54.83	88.20	-33.37	3	Horizontal	193	1.50
802.11be EHT320_Nss1(MCS0)_1TX(Port4)										
6105MHz	Pass	AV	5.925G	45.64	68.20	-22.56	3	Vertical	126	2.41
6105MHz	Pass	AV	6.239G	87.79	Inf	-Inf	3	Vertical	126	2.41
6105MHz	Pass	PK	5.925G	62.29	88.20	-25.91	3	Vertical	126	2.41
6105MHz	Pass	PK	6.207G	101.92	Inf	-Inf	3	Vertical	126	2.41
6105MHz	Pass	AV	12.20996G	40.35	54.00	-13.65	3	Vertical	165	2.55
6105MHz	Pass	PK	12.215G	51.83	74.00	-22.17	3	Vertical	165	2.55
6105MHz	Pass	AV	12.2104G	39.08	54.00	-14.92	3	Horizontal	316	1.50
6105MHz	Pass	PK	12.2042G	52.31	74.00	-21.69	3	Horizontal	316	1.50
6265MHz	Pass	AV	12.53876G	39.00	54.00	-15.00	3	Vertical	220	1.39
6265MHz	Pass	PK	12.52192G	51.53	74.00	-22.47	3	Vertical	220	1.39
6265MHz	Pass	AV	12.52112G	39.01	54.00	-14.99	3	Horizontal	72	1.50
6265MHz	Pass	PK	12.52328G	52.69	74.00	-21.31	3	Horizontal	72	1.50
6425MHz	Pass	AV	12.84992G	41.16	68.20	-27.04	3	Vertical	50	2.18
6425MHz	Pass	PK	12.84472G	52.65	88.20	-35.55	3	Vertical	50	2.18
6425MHz	Pass	AV	12.84052G	39.72	68.20	-28.48	3	Horizontal	192	2.14
6425MHz	Pass	PK	12.85224G	52.57	88.20	-35.63	3	Horizontal	192	2.14
6585MHz	Pass	AV	13.16996G	42.31	68.20	-25.89	3	Vertical	123	2.42
6585MHz	Pass	PK	13.16964G	53.51	88.20	-34.69	3	Vertical	123	2.42
6585MHz	Pass	AV	13.1634G	40.32	68.20	-27.88	3	Horizontal	274	1.50
6585MHz	Pass	PK	13.1628G	52.55	88.20	-35.65	3	Horizontal	274	1.50
6745MHz	Pass	AV	13.49004G	42.12	68.20	-26.08	3	Vertical	70	2.94
6745MHz	Pass	PK	13.48536G	53.75	88.20	-34.45	3	Vertical	70	2.94
6745MHz	Pass	AV	13.48216G	41.17	68.20	-27.03	3	Horizontal	6	2.71
6745MHz	Pass	PK	13.48888G	53.68	88.20	-34.52	3	Horizontal	6	2.71
6905MHz	Pass	AV	6.905G	86.16	Inf	-Inf	3	Vertical	348	2.65
6905MHz	Pass	AV	7.25G	46.83	54.00	-7.17	3	Vertical	348	2.65
6905MHz	Pass	PK	6.921G	99.50	Inf	-Inf	3	Vertical	348	2.65
6905MHz	Pass	PK	7.316G	60.32	74.00	-13.68	3	Vertical	348	2.65
6905MHz	Pass	AV	13.80996G	41.55	68.20	-26.65	3	Vertical	196	2.96
6905MHz	Pass	PK	13.81012G	54.82	88.20	-33.38	3	Vertical	196	2.96
6905MHz	Pass	AV	13.80728G	40.97	68.20	-27.23	3	Horizontal	157	1.19
6905MHz	Pass	PK	13.8088G	53.55	88.20	-34.65	3	Horizontal	157	1.19

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	41.16	68.20	-27.04	1.89	3	Vertical	123	2.52	39.27	34.55	5.18	37.84
AV	5.9478G	97.14	Inf	-Inf	1.89	3	Vertical	123	2.52	95.25	34.50	5.21	37.82
PK	5.916G	54.70	88.20	-33.50	1.88	3	Vertical	123	2.52	52.82	34.57	5.16	37.85
PK	5.949G	110.68	Inf	-Inf	1.89	3	Vertical	123	2.52	108.79	34.50	5.21	37.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91G	39.99	54.00	-14.01	9.54	3	Vertical	182	3.00	30.45	39.12	8.35	37.93
PK	11.89632G	51.61	74.00	-22.39	9.52	3	Vertical	182	3.00	42.09	39.09	8.35	37.92


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.45	68.20	-20.75	1.89	3	Vertical	124	2.37	45.56	34.55	5.18	37.84
AV	6.023G	93.14	Inf	-Inf	2.03	3	Vertical	124	2.37	91.11	34.50	5.30	37.77
PK	5.918G	60.84	88.20	-27.36	1.88	3	Vertical	124	2.37	58.96	34.56	5.17	37.85
PK	6.022G	106.01	Inf	-Inf	2.03	3	Vertical	124	2.37	103.98	34.50	5.30	37.77

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96996G	40.52	54.00	-13.48	9.66	3	Vertical	193	2.24	30.86	39.24	8.38	37.96
PK	11.96948G	52.25	74.00	-21.75	9.66	3	Vertical	193	2.24	42.59	39.24	8.38	37.96


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6345MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port4)

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port4)

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port4)

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.918G	90.03	Inf	-Inf	4.72	3	Vertical	119	2.32	85.31	36.30	5.81	37.39
AV	7.1275G	47.97	68.20	-20.23	5.63	3	Vertical	119	2.32	42.34	36.97	5.87	37.21
PK	6.9165G	103.92	Inf	-Inf	4.72	3	Vertical	119	2.32	99.20	36.30	5.81	37.39
PK	7.1335G	62.22	88.20	-25.98	5.67	3	Vertical	119	2.32	56.55	37.00	5.87	37.20

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97G	42.75	68.20	-25.45	11.91	3	Vertical	187	1.84	30.84	40.74	9.50	38.33
PK	13.96108G	54.88	88.20	-33.32	11.88	3	Vertical	187	1.84	43.00	40.72	9.50	38.34

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port4)

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.97564G	41.46	68.20	-26.74	11.93	3	Horizontal	193	1.50	29.53	40.75	9.51	38.33				
PK	13.96672G	54.83	88.20	-33.37	11.90	3	Horizontal	193	1.50	42.93	40.73	9.50	38.33				



RSE TX below 1GHz_Non-Beamforming_Radio 3_Full RU_2T1S Appendix E.14

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	PK	53.28M	32.19	40.00	-7.81	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	53.28M	32.19	40.00	-7.81	3	Vertical	360	1.00
6225MHz	Pass	PK	70.74M	31.28	40.00	-8.72	3	Vertical	360	1.00
6225MHz	Pass	PK	101.78M	24.50	43.50	-19.00	3	Vertical	360	1.00
6225MHz	Pass	PK	278.32M	22.65	46.00	-23.35	3	Vertical	360	1.00
6225MHz	Pass	PK	547.98M	29.26	46.00	-16.74	3	Vertical	360	1.00
6225MHz	Pass	QP	31.94M	31.62	40.00	-8.38	3	Vertical	173	1.62
6225MHz	Pass	PK	37.76M	26.22	40.00	-13.78	3	Horizontal	0	1.00
6225MHz	Pass	PK	70.74M	24.26	40.00	-15.74	3	Horizontal	0	1.00
6225MHz	Pass	PK	134.76M	23.01	43.50	-20.49	3	Horizontal	0	1.00
6225MHz	Pass	PK	249.22M	22.13	46.00	-23.87	3	Horizontal	0	1.00
6225MHz	Pass	PK	499.48M	31.00	46.00	-15.00	3	Horizontal	0	1.00
6225MHz	Pass	PK	542.16M	29.15	46.00	-16.85	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	53.28M	32.19	40.00	-7.81	-14.71	3	Vertical	360	1.00	46.90	12.09	0.55	27.35
PK	70.74M	31.28	40.00	-8.72	-15.28	3	Vertical	360	1.00	46.56	11.41	0.63	27.32
PK	101.78M	24.50	43.50	-19.00	-10.54	3	Vertical	360	1.00	35.04	15.93	0.77	27.24
PK	278.32M	22.65	46.00	-23.35	-7.47	3	Vertical	360	1.00	30.12	17.92	1.27	26.66
PK	547.98M	29.26	46.00	-16.74	-2.74	3	Vertical	360	1.00	32.00	23.92	1.74	28.40
QP	31.94M	31.62	40.00	-8.38	-4.49	3	Vertical	173	1.62	36.11	22.46	0.43	27.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	26.22	40.00	-13.78	-7.52	3	Horizontal	0	1.00	33.74	19.40	0.46	27.38
PK	70.74M	24.26	40.00	-15.74	-15.28	3	Horizontal	0	1.00	39.54	11.41	0.63	27.32
PK	134.76M	23.01	43.50	-20.49	-9.66	3	Horizontal	0	1.00	32.67	16.58	0.88	27.12
PK	249.22M	22.13	46.00	-23.87	-8.03	3	Horizontal	0	1.00	30.16	17.40	1.21	26.64
PK	499.48M	31.00	46.00	-15.00	-3.82	3	Horizontal	0	1.00	34.82	22.53	1.70	28.05
PK	542.16M	29.15	46.00	-16.85	-2.99	3	Horizontal	0	1.00	32.14	23.63	1.73	28.35



RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU_2T1S Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	11.90996G	40.03	54.00	-13.97	3	Vertical	198	2.14
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	11.93G	39.84	54.00	-14.16	3	Vertical	199	2.00
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	11.96992G	39.41	54.00	-14.59	3	Vertical	196	2.19
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	12.04996G	40.57	54.00	-13.43	3	Vertical	187	2.92
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	12.20988G	40.03	54.00	-13.97	3	Vertical	187	3.00
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.037G	39.66	68.20	-28.54	3	Vertical	208	1.50
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	12.97004G	40.41	68.20	-27.79	3	Vertical	99	2.92
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.08996G	41.80	68.20	-26.40	3	Vertical	52	2.06
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.00992G	41.01	68.20	-27.19	3	Vertical	50	2.55
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.16996G	40.32	68.20	-27.88	3	Vertical	211	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.38988G	41.29	54.00	-12.71	3	Vertical	224	2.52
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.36992G	40.68	54.00	-13.32	3	Vertical	192	1.94
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.25992G	41.17	54.00	-12.83	3	Vertical	189	2.90
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	13.32996G	40.52	54.00	-13.48	3	Vertical	176	1.48
802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	7.258G	48.82	54.00	-5.18	3	Vertical	119	2.73
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	7.1255G	65.84	68.20	-2.36	3	Vertical	297	2.22
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	7.2305G	46.27	68.20	-21.93	3	Vertical	297	2.18
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	7.169G	45.79	68.20	-22.41	3	Vertical	118	2.72
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	Pass	AV	7.137G	50.91	68.20	-17.29	3	Vertical	118	2.80

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
5955MHz_TX	Pass	AV	5.9172G	41.44	68.20	-26.76	3	Vertical	128	2.41
5955MHz_TX	Pass	AV	5.9574G	97.20	Inf	-Inf	3	Vertical	128	2.41
5955MHz_TX	Pass	PK	5.9019G	56.26	88.20	-31.94	3	Vertical	128	2.41
5955MHz_TX	Pass	PK	5.9589G	110.10	Inf	-Inf	3	Vertical	128	2.41
5955MHz_TX	Pass	AV	11.90996G	40.03	54.00	-13.97	3	Vertical	198	2.14
5955MHz_TX	Pass	PK	11.90976G	51.60	74.00	-22.40	3	Vertical	198	2.14
5955MHz_TX	Pass	AV	11.91984G	37.90	54.00	-16.10	3	Horizontal	84	1.50
5955MHz_TX	Pass	PK	11.90856G	51.74	74.00	-22.26	3	Horizontal	84	1.50
6195MHz_TX	Pass	AV	12.3872G	38.24	54.00	-15.76	3	Vertical	171	2.48
6195MHz_TX	Pass	PK	12.39668G	51.62	74.00	-22.38	3	Vertical	171	2.48
6195MHz_TX	Pass	AV	12.38056G	38.23	54.00	-15.77	3	Horizontal	42	1.74
6195MHz_TX	Pass	PK	12.39016G	51.44	74.00	-22.56	3	Horizontal	42	1.74
6415MHz_TX	Pass	AV	12.82992G	40.05	68.20	-28.15	3	Vertical	193	2.59
6415MHz_TX	Pass	PK	12.82676G	53.02	88.20	-35.18	3	Vertical	193	2.59
6415MHz_TX	Pass	AV	12.8206G	39.55	68.20	-28.65	3	Horizontal	274	2.73
6415MHz_TX	Pass	PK	12.82504G	52.61	88.20	-35.59	3	Horizontal	274	2.73
6435MHz_TX	Pass	AV	12.86432G	39.56	68.20	-28.64	3	Vertical	0	1.63
6435MHz_TX	Pass	PK	12.86824G	53.41	88.20	-34.79	3	Vertical	0	1.63
6435MHz_TX	Pass	AV	12.86124G	39.55	68.20	-28.65	3	Horizontal	95	1.50
6435MHz_TX	Pass	PK	12.87572G	52.73	88.20	-35.47	3	Horizontal	95	1.50
6475MHz_TX	Pass	AV	12.95968G	39.64	68.20	-28.56	3	Vertical	270	1.50
6475MHz_TX	Pass	PK	12.94504G	53.11	88.20	-35.09	3	Vertical	270	1.50
6475MHz_TX	Pass	AV	12.942G	39.64	68.20	-28.56	3	Horizontal	181	1.50
6475MHz_TX	Pass	PK	12.95752G	53.50	88.20	-34.70	3	Horizontal	181	1.50
6515MHz_TX	Pass	AV	13.037G	39.66	68.20	-28.54	3	Vertical	208	1.50
6515MHz_TX	Pass	PK	13.02484G	52.94	88.20	-35.26	3	Vertical	208	1.50
6515MHz_TX	Pass	AV	13.03696G	39.65	68.20	-28.55	3	Horizontal	54	2.54
6515MHz_TX	Pass	PK	13.0268G	52.86	88.20	-35.34	3	Horizontal	54	2.54
6535MHz_TX	Pass	AV	13.06996G	40.92	68.20	-27.28	3	Vertical	55	2.06
6535MHz_TX	Pass	PK	13.0652G	53.22	88.20	-34.98	3	Vertical	55	2.06
6535MHz_TX	Pass	AV	13.06708G	39.63	68.20	-28.57	3	Horizontal	267	2.10
6535MHz_TX	Pass	PK	13.06656G	54.14	88.20	-34.06	3	Horizontal	267	2.10
6695MHz_TX	Pass	AV	13.38988G	41.29	54.00	-12.71	3	Vertical	224	2.52
6695MHz_TX	Pass	PK	13.39908G	53.45	74.00	-20.55	3	Vertical	224	2.52
6695MHz_TX	Pass	AV	13.3812G	40.41	54.00	-13.59	3	Horizontal	233	1.50
6695MHz_TX	Pass	PK	13.38684G	53.34	74.00	-20.66	3	Horizontal	233	1.50
6875MHz_TX	Pass	AV	13.75724G	40.75	68.20	-27.45	3	Vertical	21	2.89
6875MHz_TX	Pass	PK	13.75596G	53.43	88.20	-34.77	3	Vertical	21	2.89
6875MHz_TX	Pass	AV	13.75676G	40.70	68.20	-27.50	3	Horizontal	108	1.50
6875MHz_TX	Pass	PK	13.7562G	53.86	88.20	-34.34	3	Horizontal	108	1.50
6895MHz_TX	Pass	AV	13.78996G	41.60	68.20	-26.60	3	Vertical	184	1.01
6895MHz_TX	Pass	PK	13.79108G	54.38	88.20	-33.82	3	Vertical	184	1.01
6895MHz_TX	Pass	AV	13.7908G	40.73	68.20	-27.47	3	Horizontal	360	1.87
6895MHz_TX	Pass	PK	13.78044G	53.73	88.20	-34.47	3	Horizontal	360	1.87
6995MHz_TX	Pass	AV	13.98996G	42.81	68.20	-25.39	3	Vertical	186	1.69
6995MHz_TX	Pass	PK	13.9902G	54.68	88.20	-33.52	3	Vertical	186	1.69
6995MHz_TX	Pass	AV	13.98332G	41.23	68.20	-26.97	3	Horizontal	211	2.44
6995MHz_TX	Pass	PK	13.995G	54.73	88.20	-33.47	3	Horizontal	211	2.44
7095MHz_TX	Pass	AV	7.0878G	96.84	Inf	-Inf	3	Vertical	148	2.65
7095MHz_TX	Pass	AV	7.2447G	46.37	68.20	-21.83	3	Vertical	148	2.65
7095MHz_TX	Pass	PK	7.0893G	110.08	Inf	-Inf	3	Vertical	148	2.65
7095MHz_TX	Pass	PK	7.2435G	60.01	88.20	-28.19	3	Vertical	148	2.65
7095MHz_TX	Pass	AV	14.18996G	43.68	68.20	-24.52	3	Vertical	185	1.56
7095MHz_TX	Pass	PK	14.18816G	56.12	88.20	-32.08	3	Vertical	185	1.56
7095MHz_TX	Pass	AV	14.19332G	42.48	68.20	-25.72	3	Horizontal	43	1.50
7095MHz_TX	Pass	PK	14.1986G	55.57	88.20	-32.63	3	Horizontal	43	1.50
7115MHz_TX	Pass	AV	7.1165G	100.91	Inf	-Inf	3	Vertical	297	2.22
7115MHz_TX	Pass	AV	7.1255G	65.84	68.20	-2.36	3	Vertical	297	2.22
7115MHz_TX	Pass	PK	7.1175G	106.77	Inf	-Inf	3	Vertical	297	2.22
7115MHz_TX	Pass	PK	7.1255G	76.44	88.20	-11.76	3	Vertical	297	2.22


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz_TX	Pass	AV	14.22996G	43.21	68.20	-24.99	3	Vertical	186	1.86
7115MHz_TX	Pass	PK	14.225G	55.51	88.20	-32.69	3	Vertical	186	1.86
7115MHz_TX	Pass	AV	14.22148G	42.33	68.20	-25.87	3	Horizontal	97	2.34
7115MHz_TX	Pass	PK	14.23112G	55.65	88.20	-32.55	3	Horizontal	97	2.34
802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
5965MHz_TX	Pass	AV	5.9248G	46.49	68.20	-21.71	3	Vertical	131	2.27
5965MHz_TX	Pass	AV	5.968G	97.11	Inf	-Inf	3	Vertical	131	2.27
5965MHz_TX	Pass	PK	5.9248G	60.05	88.20	-28.15	3	Vertical	131	2.27
5965MHz_TX	Pass	PK	5.9485G	109.51	Inf	-Inf	3	Vertical	131	2.27
5965MHz_TX	Pass	AV	11.93G	39.84	54.00	-14.16	3	Vertical	199	2.00
5965MHz_TX	Pass	PK	11.92988G	52.43	74.00	-21.57	3	Vertical	199	2.00
5965MHz_TX	Pass	AV	11.93968G	38.34	54.00	-15.66	3	Horizontal	62	1.37
5965MHz_TX	Pass	PK	11.92096G	51.92	74.00	-22.08	3	Horizontal	62	1.37
6205MHz_TX	Pass	AV	12.4008G	38.09	54.00	-15.91	3	Vertical	17	1.96
6205MHz_TX	Pass	PK	12.41304G	51.16	74.00	-22.84	3	Vertical	17	1.96
6205MHz_TX	Pass	AV	12.40144G	38.07	54.00	-15.93	3	Horizontal	343	1.50
6205MHz_TX	Pass	PK	12.4154G	51.84	74.00	-22.16	3	Horizontal	343	1.50
6405MHz_TX	Pass	AV	12.80988G	40.19	68.20	-28.01	3	Vertical	48	1.96
6405MHz_TX	Pass	PK	12.81812G	52.97	88.20	-35.23	3	Vertical	48	1.96
6405MHz_TX	Pass	AV	12.81676G	39.52	68.20	-28.68	3	Horizontal	34	1.00
6405MHz_TX	Pass	PK	12.8154G	52.91	88.20	-35.29	3	Horizontal	34	1.00
6445MHz_TX	Pass	AV	12.8968G	39.58	68.20	-28.62	3	Vertical	185	2.94
6445MHz_TX	Pass	PK	12.89992G	52.75	88.20	-35.45	3	Vertical	185	2.94
6445MHz_TX	Pass	AV	12.89672G	39.59	68.20	-28.61	3	Horizontal	117	1.50
6445MHz_TX	Pass	PK	12.88236G	52.90	88.20	-35.30	3	Horizontal	117	1.50
6485MHz_TX	Pass	AV	12.97004G	40.41	68.20	-27.79	3	Vertical	99	2.92
6485MHz_TX	Pass	PK	12.97708G	53.29	88.20	-34.91	3	Vertical	99	2.92
6485MHz_TX	Pass	AV	12.96504G	39.69	68.20	-28.51	3	Horizontal	340	1.50
6485MHz_TX	Pass	PK	12.96972G	52.82	88.20	-35.38	3	Horizontal	340	1.50
6525MHz_TX	Pass	AV	13.05G	40.34	68.20	-27.86	3	Vertical	252	2.38
6525MHz_TX	Pass	PK	13.05364G	52.90	88.20	-35.30	3	Vertical	252	2.38
6525MHz_TX	Pass	AV	13.04028G	39.64	68.20	-28.56	3	Horizontal	139	1.50
6525MHz_TX	Pass	PK	13.04008G	52.88	88.20	-35.32	3	Horizontal	139	1.50
6565MHz_TX	Pass	AV	13.12996G	42.20	68.20	-26.00	3	Vertical	51	2.42
6565MHz_TX	Pass	PK	13.13004G	53.31	88.20	-34.89	3	Vertical	51	2.42
6565MHz_TX	Pass	AV	13.12048G	39.72	68.20	-28.48	3	Horizontal	286	1.50
6565MHz_TX	Pass	PK	13.131G	53.13	88.20	-35.07	3	Horizontal	286	1.50
6685MHz_TX	Pass	AV	13.36992G	40.68	54.00	-13.32	3	Vertical	192	1.94
6685MHz_TX	Pass	PK	13.36916G	54.11	74.00	-19.89	3	Vertical	192	1.94
6685MHz_TX	Pass	AV	13.36204G	40.41	54.00	-13.59	3	Horizontal	280	1.50
6685MHz_TX	Pass	PK	13.36364G	53.99	74.00	-20.01	3	Horizontal	280	1.50
6885MHz_TX	Pass	AV	13.76996G	41.37	68.20	-26.83	3	Vertical	181	1.40
6885MHz_TX	Pass	PK	13.77104G	53.73	88.20	-34.47	3	Vertical	181	1.40
6885MHz_TX	Pass	AV	13.76356G	40.73	68.20	-27.47	3	Horizontal	69	1.06
6885MHz_TX	Pass	PK	13.76012G	54.48	88.20	-33.72	3	Horizontal	69	1.06
6925MHz_TX	Pass	AV	13.85G	42.16	68.20	-26.04	3	Vertical	186	1.00
6925MHz_TX	Pass	PK	13.85092G	54.29	88.20	-33.91	3	Vertical	186	1.00
6925MHz_TX	Pass	AV	13.8558G	41.07	68.20	-27.13	3	Horizontal	82	1.50
6925MHz_TX	Pass	PK	13.85224G	54.22	88.20	-33.98	3	Horizontal	82	1.50
7005MHz_TX	Pass	AV	14.01G	42.48	68.20	-25.72	3	Vertical	188	1.50
7005MHz_TX	Pass	PK	14.00148G	54.68	88.20	-33.52	3	Vertical	188	1.50
7005MHz_TX	Pass	AV	14.01688G	41.32	68.20	-26.88	3	Horizontal	147	1.50
7005MHz_TX	Pass	PK	14.01416G	55.17	88.20	-33.03	3	Horizontal	147	1.50
7085MHz_TX	Pass	AV	7.0667G	97.01	Inf	-Inf	3	Vertical	297	2.18
7085MHz_TX	Pass	AV	7.2305G	46.27	68.20	-21.93	3	Vertical	297	2.18
7085MHz_TX	Pass	PK	7.0676G	109.52	Inf	-Inf	3	Vertical	297	2.18
7085MHz_TX	Pass	PK	7.1897G	60.20	88.20	-28.00	3	Vertical	297	2.18
7085MHz_TX	Pass	AV	14.16992G	43.49	68.20	-24.71	3	Vertical	185	1.70
7085MHz_TX	Pass	PK	14.17216G	55.45	88.20	-32.75	3	Vertical	185	1.70
7085MHz_TX	Pass	AV	14.16004G	42.48	68.20	-25.72	3	Horizontal	316	1.00
7085MHz_TX	Pass	PK	14.16768G	56.19	88.20	-32.01	3	Horizontal	316	1.00
802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz_TX	Pass	AV	5.925G	50.09	68.20	-18.11	3	Vertical	130	2.25
5985MHz_TX	Pass	AV	6.007G	97.32	Inf	-Inf	3	Vertical	130	2.25
5985MHz_TX	Pass	PK	5.925G	63.56	88.20	-24.64	3	Vertical	130	2.25
5985MHz_TX	Pass	PK	5.9865G	109.95	Inf	-Inf	3	Vertical	130	2.25
5985MHz_TX	Pass	AV	11.96992G	39.41	54.00	-14.59	3	Vertical	196	2.19
5985MHz_TX	Pass	PK	11.97008G	51.47	74.00	-22.53	3	Vertical	196	2.19
5985MHz_TX	Pass	AV	11.97G	38.94	54.00	-15.06	3	Horizontal	196	2.70
5985MHz_TX	Pass	PK	11.9748G	51.36	74.00	-22.64	3	Horizontal	196	2.70
6225MHz_TX	Pass	AV	12.4412G	37.96	54.00	-16.04	3	Vertical	360	1.50
6225MHz_TX	Pass	PK	12.45108G	51.21	74.00	-22.79	3	Vertical	360	1.50
6225MHz_TX	Pass	AV	12.44076G	37.97	54.00	-16.03	3	Horizontal	186	2.90
6225MHz_TX	Pass	PK	12.45624G	52.02	74.00	-21.98	3	Horizontal	186	2.90
6385MHz_TX	Pass	AV	12.76712G	39.56	68.20	-28.64	3	Vertical	11	1.42
6385MHz_TX	Pass	PK	12.77632G	52.90	88.20	-35.30	3	Vertical	11	1.42
6385MHz_TX	Pass	AV	12.76696G	39.57	68.20	-28.63	3	Horizontal	144	2.83
6385MHz_TX	Pass	PK	12.77032G	53.19	88.20	-35.01	3	Horizontal	144	2.83
6465MHz_TX	Pass	AV	12.92992G	41.11	68.20	-27.09	3	Vertical	50	2.84
6465MHz_TX	Pass	PK	12.93036G	53.61	88.20	-34.59	3	Vertical	50	2.84
6465MHz_TX	Pass	AV	12.9372G	39.69	68.20	-28.51	3	Horizontal	0	1.50
6465MHz_TX	Pass	PK	12.93596G	53.03	88.20	-35.17	3	Horizontal	0	1.50
6545MHz_TX	Pass	AV	13.08996G	41.80	68.20	-26.40	3	Vertical	52	2.06
6545MHz_TX	Pass	PK	13.08984G	53.24	88.20	-34.96	3	Vertical	52	2.06
6545MHz_TX	Pass	AV	13.0952G	39.63	68.20	-28.57	3	Horizontal	233	1.50
6545MHz_TX	Pass	PK	13.0992G	53.32	88.20	-34.88	3	Horizontal	233	1.50
6625MHz_TX	Pass	AV	13.25992G	41.17	54.00	-12.83	3	Vertical	189	2.90
6625MHz_TX	Pass	PK	13.25324G	54.26	74.00	-19.74	3	Vertical	189	2.90
6625MHz_TX	Pass	AV	13.25992G	40.14	54.00	-13.86	3	Horizontal	23	1.50
6625MHz_TX	Pass	PK	13.2534G	53.64	74.00	-20.36	3	Horizontal	23	1.50
6705MHz_TX	Pass	AV	13.40996G	41.23	68.20	-26.97	3	Vertical	118	2.95
6705MHz_TX	Pass	PK	13.40504G	53.84	88.20	-34.36	3	Vertical	118	2.95
6705MHz_TX	Pass	AV	13.41708G	40.44	68.20	-27.76	3	Horizontal	102	2.83
6705MHz_TX	Pass	PK	13.41932G	53.85	88.20	-34.35	3	Horizontal	102	2.83
6785MHz_TX	Pass	AV	13.56004G	41.27	68.20	-26.93	3	Vertical	101	1.09
6785MHz_TX	Pass	PK	13.56376G	54.50	88.20	-33.70	3	Vertical	101	1.09
6785MHz_TX	Pass	AV	13.56008G	41.28	68.20	-26.92	3	Horizontal	106	1.50
6785MHz_TX	Pass	PK	13.5616G	54.09	88.20	-34.11	3	Horizontal	106	1.50
6865MHz_TX	Pass	AV	13.72988G	41.55	68.20	-26.65	3	Vertical	183	1.01
6865MHz_TX	Pass	PK	13.72824G	53.80	88.20	-34.40	3	Vertical	183	1.01
6865MHz_TX	Pass	AV	13.72808G	40.61	68.20	-27.59	3	Horizontal	67	1.50
6865MHz_TX	Pass	PK	13.72808G	54.93	88.20	-33.27	3	Horizontal	67	1.50
6945MHz_TX	Pass	AV	13.89G	42.52	68.20	-25.68	3	Vertical	184	1.48
6945MHz_TX	Pass	PK	13.88796G	55.47	88.20	-32.73	3	Vertical	184	1.48
6945MHz_TX	Pass	AV	13.88668G	41.32	68.20	-26.88	3	Horizontal	90	1.50
6945MHz_TX	Pass	PK	13.88288G	55.33	88.20	-32.87	3	Horizontal	90	1.50
7025MHz_TX	Pass	AV	6.9974G	97.09	Inf	-Inf	3	Vertical	118	2.72
7025MHz_TX	Pass	AV	7.169G	45.79	68.20	-22.41	3	Vertical	118	2.72
7025MHz_TX	Pass	PK	6.9986G	109.20	Inf	-Inf	3	Vertical	118	2.72
7025MHz_TX	Pass	PK	7.1474G	58.91	88.20	-29.29	3	Vertical	118	2.72
7025MHz_TX	Pass	AV	14.04992G	42.56	68.20	-25.64	3	Vertical	188	1.37
7025MHz_TX	Pass	PK	14.05288G	56.01	88.20	-32.19	3	Vertical	188	1.37
7025MHz_TX	Pass	AV	14.05984G	41.48	68.20	-26.72	3	Horizontal	351	1.50
7025MHz_TX	Pass	PK	14.04276G	55.16	88.20	-33.04	3	Horizontal	351	1.50
802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.925G	50.78	68.20	-17.42	3	Vertical	139	1.98
6025MHz_TX	Pass	AV	6.048G	95.22	Inf	-Inf	3	Vertical	139	1.98
6025MHz_TX	Pass	PK	5.925G	63.53	88.20	-24.67	3	Vertical	139	1.98
6025MHz_TX	Pass	PK	6.0485G	108.58	Inf	-Inf	3	Vertical	139	1.98
6025MHz_TX	Pass	AV	12.04996G	40.57	54.00	-13.43	3	Vertical	187	2.92
6025MHz_TX	Pass	PK	12.05812G	52.88	74.00	-21.12	3	Vertical	187	2.92
6025MHz_TX	Pass	AV	12.05G	38.93	54.00	-15.07	3	Horizontal	20	1.88
6025MHz_TX	Pass	PK	12.04212G	52.66	74.00	-21.34	3	Horizontal	20	1.88
6185MHz_TX	Pass	AV	12.36028G	38.46	54.00	-15.54	3	Vertical	238	2.44

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz_TX	Pass	PK	12.37552G	52.43	74.00	-21.57	3	Vertical	238	2.44
6185MHz_TX	Pass	AV	12.36052G	38.46	54.00	-15.54	3	Horizontal	58	2.94
6185MHz_TX	Pass	PK	12.36824G	52.70	74.00	-21.30	3	Horizontal	58	2.94
6345MHz_TX	Pass	AV	12.68996G	40.09	54.00	-13.91	3	Vertical	83	3.00
6345MHz_TX	Pass	PK	12.69976G	53.11	74.00	-20.89	3	Vertical	83	3.00
6345MHz_TX	Pass	AV	12.6806G	39.73	54.00	-14.27	3	Horizontal	232	2.46
6345MHz_TX	Pass	PK	12.7G	54.34	74.00	-19.66	3	Horizontal	232	2.46
6505MHz_TX	Pass	AV	13.00992G	41.01	68.20	-27.19	3	Vertical	50	2.55
6505MHz_TX	Pass	PK	13.01G	52.90	88.20	-35.30	3	Vertical	50	2.55
6505MHz_TX	Pass	AV	13.00236G	39.73	68.20	-28.47	3	Horizontal	345	1.50
6505MHz_TX	Pass	PK	13.01996G	54.01	88.20	-34.19	3	Horizontal	345	1.50
6665MHz_TX	Pass	AV	13.32996G	40.52	54.00	-13.48	3	Vertical	176	1.48
6665MHz_TX	Pass	PK	13.32452G	53.63	74.00	-20.37	3	Vertical	176	1.48
6665MHz_TX	Pass	AV	13.32768G	40.39	54.00	-13.61	3	Horizontal	117	2.14
6665MHz_TX	Pass	PK	13.32816G	54.47	74.00	-19.53	3	Horizontal	117	2.14
6825MHz_TX	Pass	AV	13.64992G	41.08	68.20	-27.12	3	Vertical	351	2.01
6825MHz_TX	Pass	PK	13.64676G	53.85	88.20	-34.35	3	Vertical	351	2.01
6825MHz_TX	Pass	AV	13.64048G	40.79	68.20	-27.41	3	Horizontal	141	2.66
6825MHz_TX	Pass	PK	13.64572G	53.68	88.20	-34.52	3	Horizontal	141	2.66
6985MHz_TX	Pass	AV	6.918G	95.90	Inf	-Inf	3	Vertical	118	2.80
6985MHz_TX	Pass	AV	7.137G	50.91	68.20	-17.29	3	Vertical	118	2.80
6985MHz_TX	Pass	PK	6.9975G	109.10	Inf	-Inf	3	Vertical	118	2.80
6985MHz_TX	Pass	PK	7.1335G	66.47	88.20	-21.73	3	Vertical	118	2.80
6985MHz_TX	Pass	AV	13.97G	43.07	68.20	-25.13	3	Vertical	186	1.56
6985MHz_TX	Pass	PK	13.96264G	55.08	88.20	-33.12	3	Vertical	186	1.56
6985MHz_TX	Pass	AV	13.96548G	41.49	68.20	-26.71	3	Horizontal	47	1.50
6985MHz_TX	Pass	PK	13.96808G	55.24	88.20	-32.96	3	Horizontal	47	1.50
802.11be EHT320_Nss1(MCS0)_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz_TX	Pass	AV	5.925G	48.35	68.20	-19.85	3	Vertical	140	2.70
6105MHz_TX	Pass	AV	6.124G	91.76	Inf	-Inf	3	Vertical	140	2.70
6105MHz_TX	Pass	PK	5.922G	61.05	88.20	-27.15	3	Vertical	140	2.70
6105MHz_TX	Pass	PK	6.083G	105.29	Inf	-Inf	3	Vertical	140	2.70
6105MHz_TX	Pass	AV	12.20988G	40.03	54.00	-13.97	3	Vertical	187	3.00
6105MHz_TX	Pass	PK	12.21024G	52.35	74.00	-21.65	3	Vertical	187	3.00
6105MHz_TX	Pass	AV	12.20608G	39.23	54.00	-14.77	3	Horizontal	35	2.03
6105MHz_TX	Pass	PK	12.21172G	52.70	74.00	-21.30	3	Horizontal	35	2.03
6265MHz_TX	Pass	AV	12.53516G	38.42	54.00	-15.58	3	Vertical	322	1.78
6265MHz_TX	Pass	PK	12.5308G	51.97	74.00	-22.03	3	Vertical	322	1.78
6265MHz_TX	Pass	AV	12.5308G	38.42	54.00	-15.58	3	Horizontal	344	1.76
6265MHz_TX	Pass	PK	12.5252G	51.57	74.00	-22.43	3	Horizontal	344	1.76
6425MHz_TX	Pass	AV	12.84992G	39.57	68.20	-28.63	3	Vertical	2	1.50
6425MHz_TX	Pass	PK	12.84256G	53.47	88.20	-34.73	3	Vertical	2	1.50
6425MHz_TX	Pass	AV	12.85164G	39.51	68.20	-28.69	3	Horizontal	24	2.71
6425MHz_TX	Pass	PK	12.84948G	53.14	88.20	-35.06	3	Horizontal	24	2.71
6585MHz_TX	Pass	AV	13.16996G	40.32	68.20	-27.88	3	Vertical	211	1.50
6585MHz_TX	Pass	PK	13.16088G	53.84	88.20	-34.36	3	Vertical	211	1.50
6585MHz_TX	Pass	AV	13.16036G	39.89	68.20	-28.31	3	Horizontal	360	2.05
6585MHz_TX	Pass	PK	13.16536G	53.39	88.20	-34.81	3	Horizontal	360	2.05
6745MHz_TX	Pass	AV	13.4946G	40.73	68.20	-27.47	3	Vertical	333	1.50
6745MHz_TX	Pass	PK	13.48956G	53.93	88.20	-34.27	3	Vertical	333	1.50
6745MHz_TX	Pass	AV	13.49468G	40.74	68.20	-27.46	3	Horizontal	99	1.50
6745MHz_TX	Pass	PK	13.48252G	53.88	88.20	-34.32	3	Horizontal	99	1.50
6905MHz_TX	Pass	AV	6.939G	93.47	Inf	-Inf	3	Vertical	119	2.73
6905MHz_TX	Pass	AV	7.258G	48.82	54.00	-5.18	3	Vertical	119	2.73
6905MHz_TX	Pass	PK	6.798G	106.44	Inf	-Inf	3	Vertical	119	2.73
6905MHz_TX	Pass	PK	7.26G	61.20	74.00	-12.80	3	Vertical	119	2.73
6905MHz_TX	Pass	AV	13.81004G	41.72	68.20	-26.48	3	Vertical	187	1.00
6905MHz_TX	Pass	PK	13.80684G	54.68	88.20	-33.52	3	Vertical	187	1.00
6905MHz_TX	Pass	AV	13.81992G	41.07	68.20	-27.13	3	Horizontal	305	1.50
6905MHz_TX	Pass	PK	13.80728G	54.62	88.20	-33.58	3	Horizontal	305	1.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9172G	41.44	68.20	-26.76	1.89	3	Vertical	128	2.41	39.55	34.57	5.17	37.85
AV	5.9574G	97.20	Inf	-Inf	1.91	3	Vertical	128	2.41	95.29	34.50	5.23	37.82
PK	5.9019G	56.26	88.20	-31.94	1.88	3	Vertical	128	2.41	54.38	34.60	5.14	37.86
PK	5.9589G	110.10	Inf	-Inf	1.92	3	Vertical	128	2.41	108.18	34.50	5.23	37.81

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90996G	40.03	54.00	-13.97	9.54	3	Vertical	198	2.14	30.49	39.12	8.35	37.93
PK	11.90976G	51.60	74.00	-22.40	9.54	3	Vertical	198	2.14	42.06	39.12	8.35	37.93


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.09	68.20	-18.11	1.89	3	Vertical	130	2.25	48.20	34.55	5.18	37.84
AV	6.007G	97.32	Inf	-Inf	2.01	3	Vertical	130	2.25	95.31	34.50	5.29	37.78
PK	5.925G	63.56	88.20	-24.64	1.89	3	Vertical	130	2.25	61.67	34.55	5.18	37.84
PK	5.9865G	109.95	Inf	-Inf	1.98	3	Vertical	130	2.25	107.97	34.50	5.27	37.79

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96992G	39.41	54.00	-14.59	9.66	3	Vertical	196	2.19	29.75	39.24	8.38	37.96
PK	11.97008G	51.47	74.00	-22.53	9.66	3	Vertical	196	2.19	41.81	39.24	8.38	37.96


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.35	68.20	-19.85	1.89	3	Vertical	140	2.70	46.46	34.55	5.18	37.84
AV	6.124G	91.76	Inf	-Inf	2.12	3	Vertical	140	2.70	89.64	34.50	5.33	37.71
PK	5.922G	61.05	88.20	-27.15	1.88	3	Vertical	140	2.70	59.17	34.56	5.17	37.85
PK	6.083G	105.29	Inf	-Inf	2.02	3	Vertical	140	2.70	103.27	34.43	5.32	37.73

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20988G	40.03	54.00	-13.97	9.93	3	Vertical	187	3.00	30.10	39.48	8.52	38.07
PK	12.21024G	52.35	74.00	-21.65	9.93	3	Vertical	187	3.00	42.42	39.48	8.52	38.07


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX(Port1&Port4)

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port1&Port4)

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port1&Port4)

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9974G	97.09	Inf	-Inf	4.68	3	Vertical	118	2.72	92.41	36.21	5.84	37.37
AV	7.169G	45.79	68.20	-22.41	5.90	3	Vertical	118	2.72	39.89	37.18	5.87	37.15
PK	6.9986G	109.20	Inf	-Inf	4.67	3	Vertical	118	2.72	104.53	36.20	5.84	37.37
PK	7.1474G	58.91	88.20	-29.29	5.77	3	Vertical	118	2.72	53.14	37.08	5.87	37.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04992G	42.56	68.20	-25.64	12.14	3	Vertical	188	1.37	30.42	40.90	9.54	38.30
PK	14.05288G	56.01	88.20	-32.19	12.15	3	Vertical	188	1.37	43.86	40.91	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port1&Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port1&Port4)

6985MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 3_Full RU_4T1S Appendix E.16

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	70.74M	33.40	40.00	-6.60	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	70.74M	33.40	40.00	-6.60	3	Vertical	360	1.00
6225MHz	Pass	PK	101.78M	24.87	43.50	-18.63	3	Vertical	360	1.00
6225MHz	Pass	PK	272.5M	23.42	46.00	-22.58	3	Vertical	360	1.00
6225MHz	Pass	PK	499.48M	27.52	46.00	-18.48	3	Vertical	360	1.00
6225MHz	Pass	PK	547.98M	28.95	46.00	-17.05	3	Vertical	360	1.00
6225MHz	Pass	QP	32.08M	31.61	40.00	-8.39	3	Vertical	91	1.00
6225MHz	Pass	PK	37.76M	25.57	40.00	-14.43	3	Horizontal	0	1.00
6225MHz	Pass	PK	70.74M	24.11	40.00	-15.89	3	Horizontal	0	1.00
6225MHz	Pass	PK	134.76M	23.32	43.50	-20.18	3	Horizontal	0	1.00
6225MHz	Pass	PK	270.56M	23.58	46.00	-22.42	3	Horizontal	0	1.00
6225MHz	Pass	PK	499.48M	31.13	46.00	-14.87	3	Horizontal	0	1.00
6225MHz	Pass	PK	532.46M	29.61	46.00	-16.39	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_PoE



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_PoE





RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU_4T1S Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.90996G	40.41	54.00	-13.59	3	Vertical	31	2.05
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	11.92992G	40.21	54.00	-13.79	3	Vertical	30	1.57
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	11.96992G	40.92	54.00	-13.08	3	Vertical	31	1.53
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.05G	42.16	54.00	-11.84	3	Vertical	35	2.57
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.20996G	40.44	54.00	-13.56	3	Vertical	29	1.94
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.02996G	42.10	68.20	-26.10	3	Horizontal	9	1.68
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.05004G	42.56	68.20	-25.64	3	Horizontal	9	1.63
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.08996G	43.27	68.20	-24.93	3	Horizontal	10	1.55
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.00988G	41.92	68.20	-26.28	3	Horizontal	8	1.69
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.16988G	43.21	68.20	-24.99	3	Horizontal	6	1.23
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.38996G	42.32	54.00	-11.68	3	Horizontal	29	2.06
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.36992G	41.64	54.00	-12.36	3	Horizontal	17	1.17
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25008G	40.63	54.00	-13.37	3	Vertical	359	1.95
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.32992G	41.72	54.00	-12.28	3	Horizontal	0	1.64
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.267G	49.88	54.00	-4.12	3	Vertical	12	2.58
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.69	68.20	-0.51	3	Vertical	16	1.25
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	14.17G	46.14	68.20	-22.06	3	Horizontal	9	1.15
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1264G	47.09	68.20	-21.11	3	Vertical	11	2.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.1425G	53.28	68.20	-14.92	3	Vertical	12	1.88

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9202G	40.99	68.20	-27.21	3	Vertical	309	2.17
5955MHz	Pass	AV	5.9532G	97.15	Inf	-Inf	3	Vertical	309	2.17
5955MHz	Pass	PK	5.9217G	55.06	88.20	-33.14	3	Vertical	309	2.17
5955MHz	Pass	PK	5.9535G	109.65	Inf	-Inf	3	Vertical	309	2.17
5955MHz	Pass	AV	5.9154G	41.03	68.20	-27.17	3	Horizontal	36	2.88
5955MHz	Pass	AV	5.9592G	96.97	Inf	-Inf	3	Horizontal	36	2.88
5955MHz	Pass	PK	5.8989G	55.04	88.20	-33.16	3	Horizontal	36	2.88
5955MHz	Pass	PK	5.9589G	110.31	Inf	-Inf	3	Horizontal	36	2.88
5955MHz	Pass	AV	11.90996G	40.41	54.00	-13.59	3	Vertical	31	2.05
5955MHz	Pass	PK	11.90528G	52.45	74.00	-21.55	3	Vertical	31	2.05
5955MHz	Pass	AV	11.91G	39.73	54.00	-14.27	3	Horizontal	0	1.56
5955MHz	Pass	PK	11.90264G	51.75	74.00	-22.25	3	Horizontal	0	1.56
6195MHz	Pass	AV	12.386G	38.07	54.00	-15.93	3	Vertical	39	1.50
6195MHz	Pass	PK	12.38488G	51.66	74.00	-22.34	3	Vertical	39	1.50
6195MHz	Pass	AV	12.38996G	38.63	54.00	-15.37	3	Horizontal	340	1.96
6195MHz	Pass	PK	12.39968G	51.11	74.00	-22.89	3	Horizontal	340	1.96
6415MHz	Pass	AV	12.82996G	39.47	68.20	-28.73	3	Vertical	342	2.75
6415MHz	Pass	PK	12.82628G	52.86	88.20	-35.34	3	Vertical	342	2.75
6415MHz	Pass	AV	12.82996G	40.56	68.20	-27.64	3	Horizontal	53	1.21
6415MHz	Pass	PK	12.82936G	53.14	88.20	-35.06	3	Horizontal	53	1.21
6435MHz	Pass	AV	12.86532G	39.63	68.20	-28.57	3	Vertical	135	1.50
6435MHz	Pass	PK	12.86324G	52.97	88.20	-35.23	3	Vertical	135	1.50
6435MHz	Pass	AV	12.86992G	40.92	68.20	-27.28	3	Horizontal	55	1.65
6435MHz	Pass	PK	12.86816G	53.23	88.20	-34.97	3	Horizontal	55	1.65
6475MHz	Pass	AV	12.94992G	40.46	68.20	-27.74	3	Vertical	7	1.50
6475MHz	Pass	PK	12.9498G	52.69	88.20	-35.51	3	Vertical	7	1.50
6475MHz	Pass	AV	12.94992G	41.12	68.20	-27.08	3	Horizontal	9	1.66
6475MHz	Pass	PK	12.94996G	52.87	88.20	-35.33	3	Horizontal	9	1.66
6515MHz	Pass	AV	13.02992G	40.57	68.20	-27.63	3	Vertical	6	1.40
6515MHz	Pass	PK	13.03244G	53.40	88.20	-34.80	3	Vertical	6	1.40
6515MHz	Pass	AV	13.02996G	42.10	68.20	-26.10	3	Horizontal	9	1.68
6515MHz	Pass	PK	13.02344G	53.20	88.20	-35.00	3	Horizontal	9	1.68
6535MHz	Pass	AV	13.07G	40.48	68.20	-27.72	3	Vertical	4	1.42
6535MHz	Pass	PK	13.07764G	54.41	88.20	-33.79	3	Vertical	4	1.42
6535MHz	Pass	AV	13.07G	42.26	68.20	-25.94	3	Horizontal	11	1.48
6535MHz	Pass	PK	13.06408G	53.26	88.20	-34.94	3	Horizontal	11	1.48
6695MHz	Pass	AV	13.39G	41.48	54.00	-12.52	3	Vertical	356	1.64
6695MHz	Pass	PK	13.38972G	54.73	74.00	-19.27	3	Vertical	356	1.64
6695MHz	Pass	AV	13.38996G	42.32	54.00	-11.68	3	Horizontal	29	2.06
6695MHz	Pass	PK	13.39048G	54.16	74.00	-19.84	3	Horizontal	29	2.06
6875MHz	Pass	AV	13.74996G	42.52	68.20	-25.68	3	Vertical	20	2.01
6875MHz	Pass	PK	13.75928G	54.04	88.20	-34.16	3	Vertical	20	2.01
6875MHz	Pass	AV	13.75004G	41.42	68.20	-26.78	3	Horizontal	1	1.79
6875MHz	Pass	PK	13.7498G	54.11	88.20	-34.09	3	Horizontal	1	1.79
6895MHz	Pass	AV	13.78996G	42.32	68.20	-25.88	3	Vertical	20	2.06
6895MHz	Pass	PK	13.78748G	54.63	88.20	-33.57	3	Vertical	20	2.06
6895MHz	Pass	AV	13.78988G	41.36	68.20	-26.84	3	Horizontal	360	1.50
6895MHz	Pass	PK	13.78576G	54.84	88.20	-33.36	3	Horizontal	360	1.50
6995MHz	Pass	AV	13.98992G	43.36	68.20	-24.84	3	Vertical	24	1.13
6995MHz	Pass	PK	13.99016G	55.21	88.20	-32.99	3	Vertical	24	1.13
6995MHz	Pass	AV	13.98996G	43.39	68.20	-24.81	3	Horizontal	15	1.59
6995MHz	Pass	PK	13.99532G	54.84	88.20	-33.36	3	Horizontal	15	1.59
7095MHz	Pass	AV	7.0899G	96.87	Inf	-Inf	3	Vertical	13	1.51
7095MHz	Pass	AV	7.242G	46.30	68.20	-21.90	3	Vertical	13	1.51
7095MHz	Pass	PK	7.0911G	110.50	Inf	-Inf	3	Vertical	13	1.51
7095MHz	Pass	PK	7.2408G	60.34	88.20	-27.86	3	Vertical	13	1.51
7095MHz	Pass	AV	7.0968G	94.99	Inf	-Inf	3	Horizontal	302	2.23
7095MHz	Pass	AV	7.2432G	46.14	68.20	-22.06	3	Horizontal	302	2.23
7095MHz	Pass	PK	7.0968G	108.91	Inf	-Inf	3	Horizontal	302	2.23
7095MHz	Pass	PK	7.161G	59.52	88.20	-28.68	3	Horizontal	302	2.23

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18996G	44.16	68.20	-24.04	3	Vertical	357	1.03
7095MHz	Pass	PK	14.18992G	56.30	88.20	-31.90	3	Vertical	357	1.03
7095MHz	Pass	AV	14.18992G	45.75	68.20	-22.45	3	Horizontal	21	1.69
7095MHz	Pass	PK	14.18956G	55.96	88.20	-32.24	3	Horizontal	21	1.69
7115MHz	Pass	AV	7.1075G	93.68	Inf	-Inf	3	Vertical	16	1.25
7115MHz	Pass	AV	7.1255G	67.69	68.20	-0.51	3	Vertical	16	1.25
7115MHz	Pass	PK	7.1075G	99.31	Inf	-Inf	3	Vertical	16	1.25
7115MHz	Pass	PK	7.1255G	77.98	88.20	-10.22	3	Vertical	16	1.25
7115MHz	Pass	AV	7.1165G	91.06	Inf	-Inf	3	Horizontal	298	2.20
7115MHz	Pass	AV	7.1255G	59.74	68.20	-8.46	3	Horizontal	298	2.20
7115MHz	Pass	PK	7.1165G	96.66	Inf	-Inf	3	Horizontal	298	2.20
7115MHz	Pass	PK	7.1255G	68.61	88.20	-19.59	3	Horizontal	298	2.20
7115MHz	Pass	AV	14.22992G	43.22	68.20	-24.98	3	Vertical	360	1.05
7115MHz	Pass	PK	14.23776G	55.28	88.20	-32.92	3	Vertical	360	1.05
7115MHz	Pass	AV	14.22992G	47.14	68.20	-21.06	3	Horizontal	9	1.21
7115MHz	Pass	PK	14.22976G	57.85	88.20	-30.35	3	Horizontal	9	1.21
802.11be EHT40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	47.18	68.20	-21.02	3	Vertical	323	1.62
5965MHz	Pass	AV	5.9815G	96.58	Inf	-Inf	3	Vertical	323	1.62
5965MHz	Pass	PK	5.9236G	62.14	88.20	-26.06	3	Vertical	323	1.62
5965MHz	Pass	PK	5.98G	109.20	Inf	-Inf	3	Vertical	323	1.62
5965MHz	Pass	AV	5.9218G	45.57	68.20	-22.63	3	Horizontal	61	2.70
5965MHz	Pass	AV	5.9806G	97.13	Inf	-Inf	3	Horizontal	61	2.70
5965MHz	Pass	PK	5.9152G	61.49	88.20	-26.71	3	Horizontal	61	2.70
5965MHz	Pass	PK	5.9797G	109.98	Inf	-Inf	3	Horizontal	61	2.70
5965MHz	Pass	AV	11.92992G	40.21	54.00	-13.79	3	Vertical	30	1.57
5965MHz	Pass	PK	11.92136G	52.27	74.00	-21.73	3	Vertical	30	1.57
5965MHz	Pass	AV	11.93G	39.82	54.00	-14.18	3	Horizontal	1	1.70
5965MHz	Pass	PK	11.92692G	52.46	74.00	-21.54	3	Horizontal	1	1.70
6205MHz	Pass	AV	12.402G	38.07	54.00	-15.93	3	Vertical	360	1.50
6205MHz	Pass	PK	12.4072G	52.02	74.00	-21.98	3	Vertical	360	1.50
6205MHz	Pass	AV	12.40992G	39.09	54.00	-14.91	3	Horizontal	338	1.39
6205MHz	Pass	PK	12.41164G	51.29	74.00	-22.71	3	Horizontal	338	1.39
6405MHz	Pass	AV	12.8018G	39.65	68.20	-28.55	3	Vertical	45	1.50
6405MHz	Pass	PK	12.81788G	53.01	88.20	-35.19	3	Vertical	45	1.50
6405MHz	Pass	AV	12.81004G	40.80	68.20	-27.40	3	Horizontal	53	1.27
6405MHz	Pass	PK	12.8098G	53.30	88.20	-34.90	3	Horizontal	53	1.27
6445MHz	Pass	AV	12.89704G	39.66	68.20	-28.54	3	Vertical	259	1.13
6445MHz	Pass	PK	12.88488G	53.15	88.20	-35.05	3	Vertical	259	1.13
6445MHz	Pass	AV	12.88992G	40.65	68.20	-27.55	3	Horizontal	55	1.60
6445MHz	Pass	PK	12.88632G	53.39	88.20	-34.81	3	Horizontal	55	1.60
6485MHz	Pass	AV	12.96988G	40.80	68.20	-27.40	3	Vertical	5	1.39
6485MHz	Pass	PK	12.97016G	53.24	88.20	-34.96	3	Vertical	5	1.39
6485MHz	Pass	AV	12.96996G	42.08	68.20	-26.12	3	Horizontal	14	1.88
6485MHz	Pass	PK	12.96992G	53.66	88.20	-34.54	3	Horizontal	14	1.88
6525MHz	Pass	AV	13.05G	40.48	68.20	-27.72	3	Vertical	5	1.46
6525MHz	Pass	PK	13.045G	52.79	88.20	-35.41	3	Vertical	5	1.46
6525MHz	Pass	AV	13.05004G	42.56	68.20	-25.64	3	Horizontal	9	1.63
6525MHz	Pass	PK	13.04608G	53.70	88.20	-34.50	3	Horizontal	9	1.63
6565MHz	Pass	AV	13.12992G	42.18	68.20	-26.02	3	Vertical	0	2.43
6565MHz	Pass	PK	13.12872G	53.99	88.20	-34.21	3	Vertical	0	2.43
6565MHz	Pass	AV	13.12996G	44.21	68.20	-23.99	3	Horizontal	10	1.63
6565MHz	Pass	PK	13.13004G	55.26	88.20	-32.94	3	Horizontal	10	1.63
6685MHz	Pass	AV	13.36984G	41.00	54.00	-13.00	3	Vertical	353	1.49
6685MHz	Pass	PK	13.37228G	53.46	74.00	-20.54	3	Vertical	353	1.49
6685MHz	Pass	AV	13.36992G	41.64	54.00	-12.36	3	Horizontal	17	1.17
6685MHz	Pass	PK	13.36968G	53.76	74.00	-20.24	3	Horizontal	17	1.17
6885MHz	Pass	AV	13.76992G	42.60	68.20	-25.60	3	Vertical	19	2.02
6885MHz	Pass	PK	13.76216G	54.38	88.20	-33.82	3	Vertical	19	2.02
6885MHz	Pass	AV	13.76992G	41.43	68.20	-26.77	3	Horizontal	360	1.50
6885MHz	Pass	PK	13.776G	54.28	88.20	-33.92	3	Horizontal	360	1.50
6925MHz	Pass	AV	13.85008G	42.10	68.20	-26.10	3	Vertical	22	1.60



RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU_4T1S Appendix E.17


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.85888G	54.75	88.20	-33.45	3	Vertical	22	1.60
6925MHz	Pass	AV	13.85G	41.74	68.20	-26.46	3	Horizontal	49	1.50
6925MHz	Pass	PK	13.85008G	55.30	88.20	-32.90	3	Horizontal	49	1.50
7005MHz	Pass	AV	14.00996G	44.00	68.20	-24.20	3	Vertical	18	2.11
7005MHz	Pass	PK	14.00968G	55.55	88.20	-32.65	3	Vertical	18	2.11
7005MHz	Pass	AV	14.01G	43.65	68.20	-24.55	3	Horizontal	15	1.65
7005MHz	Pass	PK	14.0016G	55.67	88.20	-32.53	3	Horizontal	15	1.65
7085MHz	Pass	AV	7.067G	96.95	Inf	-Inf	3	Vertical	11	2.45
7085MHz	Pass	AV	7.2332G	46.09	68.20	-22.11	3	Vertical	11	2.45
7085MHz	Pass	PK	7.0664G	110.85	Inf	-Inf	3	Vertical	11	2.45
7085MHz	Pass	PK	7.2074G	59.22	88.20	-28.98	3	Vertical	11	2.45
7085MHz	Pass	AV	7.067G	95.10	Inf	-Inf	3	Horizontal	303	2.16
7085MHz	Pass	AV	7.2329G	45.96	68.20	-22.24	3	Horizontal	303	2.16
7085MHz	Pass	PK	7.0673G	107.80	Inf	-Inf	3	Horizontal	303	2.16
7085MHz	Pass	PK	7.2314G	60.02	88.20	-28.18	3	Horizontal	303	2.16
7085MHz	Pass	AV	14.16996G	44.77	68.20	-23.43	3	Vertical	335	1.00
7085MHz	Pass	PK	14.17044G	58.05	88.20	-30.15	3	Vertical	335	1.00
7085MHz	Pass	AV	14.17G	46.14	68.20	-22.06	3	Horizontal	9	1.15
7085MHz	Pass	PK	14.1702G	56.28	88.20	-31.92	3	Horizontal	9	1.15
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	50.23	68.20	-17.97	3	Vertical	327	1.63
5985MHz	Pass	AV	6.022G	95.87	Inf	-Inf	3	Vertical	327	1.63
5985MHz	Pass	PK	5.925G	63.97	88.20	-24.23	3	Vertical	327	1.63
5985MHz	Pass	PK	5.9825G	109.20	Inf	-Inf	3	Vertical	327	1.63
5985MHz	Pass	AV	5.922G	50.31	68.20	-17.89	3	Horizontal	59	2.93
5985MHz	Pass	AV	6.0215G	97.02	Inf	-Inf	3	Horizontal	59	2.93
5985MHz	Pass	PK	5.921G	64.07	88.20	-24.13	3	Horizontal	59	2.93
5985MHz	Pass	PK	6.0225G	109.45	Inf	-Inf	3	Horizontal	59	2.93
5985MHz	Pass	AV	11.96992G	40.92	54.00	-13.08	3	Vertical	31	1.53
5985MHz	Pass	PK	11.9702G	52.54	74.00	-21.46	3	Vertical	31	1.53
5985MHz	Pass	AV	11.96996G	39.96	54.00	-14.04	3	Horizontal	0	1.63
5985MHz	Pass	PK	11.96996G	52.63	74.00	-21.37	3	Horizontal	0	1.63
6225MHz	Pass	AV	12.44012G	38.03	54.00	-15.97	3	Vertical	329	1.50
6225MHz	Pass	PK	12.45172G	51.74	74.00	-22.26	3	Vertical	329	1.50
6225MHz	Pass	AV	12.45004G	39.26	54.00	-14.74	3	Horizontal	338	1.29
6225MHz	Pass	PK	12.44588G	51.22	74.00	-22.78	3	Horizontal	338	1.29
6385MHz	Pass	AV	12.76988G	40.13	68.20	-28.07	3	Vertical	360	1.93
6385MHz	Pass	PK	12.77492G	54.17	88.20	-34.03	3	Vertical	360	1.93
6385MHz	Pass	AV	12.77004G	40.89	68.20	-27.31	3	Horizontal	51	1.10
6385MHz	Pass	PK	12.77004G	53.45	88.20	-34.75	3	Horizontal	51	1.10
6465MHz	Pass	AV	12.93008G	40.56	68.20	-27.64	3	Vertical	6	1.48
6465MHz	Pass	PK	12.92448G	53.55	88.20	-34.65	3	Vertical	6	1.48
6465MHz	Pass	AV	12.93G	41.02	68.20	-27.18	3	Horizontal	9	1.71
6465MHz	Pass	PK	12.93216G	53.33	88.20	-34.87	3	Horizontal	9	1.71
6545MHz	Pass	AV	13.08996G	40.81	68.20	-27.39	3	Vertical	8	1.41
6545MHz	Pass	PK	13.08968G	52.93	88.20	-35.27	3	Vertical	8	1.41
6545MHz	Pass	AV	13.08996G	43.27	68.20	-24.93	3	Horizontal	10	1.55
6545MHz	Pass	PK	13.08988G	54.03	88.20	-34.17	3	Horizontal	10	1.55
6625MHz	Pass	AV	13.25008G	40.63	54.00	-13.37	3	Vertical	359	1.95
6625MHz	Pass	PK	13.25008G	53.40	74.00	-20.60	3	Vertical	359	1.95
6625MHz	Pass	AV	13.24996G	43.62	68.20	-24.58	3	Horizontal	36	1.77
6625MHz	Pass	PK	13.25024G	54.21	74.00	-19.79	3	Horizontal	36	1.77
6705MHz	Pass	AV	13.41G	41.86	68.20	-26.34	3	Vertical	357	1.61
6705MHz	Pass	PK	13.4024G	53.97	88.20	-34.23	3	Vertical	357	1.61
6705MHz	Pass	AV	13.40992G	42.03	68.20	-26.17	3	Horizontal	19	1.48
6705MHz	Pass	PK	13.41604G	53.90	88.20	-34.30	3	Horizontal	19	1.48
6785MHz	Pass	AV	13.57G	42.99	68.20	-25.21	3	Vertical	20	1.55
6785MHz	Pass	PK	13.56356G	55.17	88.20	-33.03	3	Vertical	20	1.55
6785MHz	Pass	AV	13.57004G	42.76	68.20	-25.44	3	Horizontal	319	1.99
6785MHz	Pass	PK	13.57044G	54.64	88.20	-33.56	3	Horizontal	319	1.99
6865MHz	Pass	AV	13.72996G	42.58	68.20	-25.62	3	Vertical	18	1.50
6865MHz	Pass	PK	13.73304G	54.28	88.20	-33.92	3	Vertical	18	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.72996G	42.29	68.20	-25.91	3	Horizontal	0	1.00
6865MHz	Pass	PK	13.73864G	54.22	88.20	-33.98	3	Horizontal	0	1.00
6945MHz	Pass	AV	13.89G	43.37	68.20	-24.83	3	Vertical	21	1.13
6945MHz	Pass	PK	13.89288G	54.77	88.20	-33.43	3	Vertical	21	1.13
6945MHz	Pass	AV	13.88992G	41.93	68.20	-26.27	3	Horizontal	343	1.50
6945MHz	Pass	PK	13.89236G	54.67	88.20	-33.53	3	Horizontal	343	1.50
7025MHz	Pass	AV	6.9866G	97.29	Inf	-Inf	3	Vertical	11	2.50
7025MHz	Pass	AV	7.1264G	47.09	68.20	-21.11	3	Vertical	11	2.50
7025MHz	Pass	PK	6.9863G	110.17	Inf	-Inf	3	Vertical	11	2.50
7025MHz	Pass	PK	7.1279G	61.86	88.20	-26.34	3	Vertical	11	2.50
7025MHz	Pass	AV	7.0457G	94.07	Inf	-Inf	3	Horizontal	307	1.85
7025MHz	Pass	AV	7.1252G	46.07	68.20	-22.13	3	Horizontal	307	1.85
7025MHz	Pass	PK	7.0457G	107.06	Inf	-Inf	3	Horizontal	307	1.85
7025MHz	Pass	PK	7.1585G	60.25	88.20	-27.95	3	Horizontal	307	1.85
7025MHz	Pass	AV	14.05G	44.85	68.20	-23.35	3	Vertical	22	2.14
7025MHz	Pass	PK	14.05604G	55.75	88.20	-32.45	3	Vertical	22	2.14
7025MHz	Pass	AV	14.04996G	44.09	68.20	-24.11	3	Horizontal	15	1.65
7025MHz	Pass	PK	14.05668G	55.26	88.20	-32.94	3	Horizontal	15	1.65
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9215G	49.21	68.20	-18.99	3	Vertical	340	1.85
6025MHz	Pass	AV	6.057G	95.92	Inf	-Inf	3	Vertical	340	1.85
6025MHz	Pass	PK	5.9215G	62.14	88.20	-26.06	3	Vertical	340	1.85
6025MHz	Pass	PK	6.058G	108.46	Inf	-Inf	3	Vertical	340	1.85
6025MHz	Pass	AV	5.9205G	50.86	68.20	-17.34	3	Horizontal	58	2.86
6025MHz	Pass	AV	6.0805G	95.98	Inf	-Inf	3	Horizontal	58	2.86
6025MHz	Pass	PK	5.921G	63.97	88.20	-24.23	3	Horizontal	58	2.86
6025MHz	Pass	PK	6.093G	108.73	Inf	-Inf	3	Horizontal	58	2.86
6025MHz	Pass	AV	12.05G	42.16	54.00	-11.84	3	Vertical	35	2.57
6025MHz	Pass	PK	12.04636G	52.40	74.00	-21.60	3	Vertical	35	2.57
6025MHz	Pass	AV	12.05G	40.61	54.00	-13.39	3	Horizontal	75	1.71
6025MHz	Pass	PK	12.05028G	52.41	74.00	-21.59	3	Horizontal	75	1.71
6185MHz	Pass	AV	12.36036G	38.50	54.00	-15.50	3	Vertical	235	1.53
6185MHz	Pass	PK	12.36568G	51.69	74.00	-22.31	3	Vertical	235	1.53
6185MHz	Pass	AV	12.36992G	38.83	54.00	-15.17	3	Horizontal	337	1.46
6185MHz	Pass	PK	12.36988G	51.58	74.00	-22.42	3	Horizontal	337	1.46
6345MHz	Pass	AV	12.68088G	39.80	54.00	-14.20	3	Vertical	175	2.53
6345MHz	Pass	PK	12.68156G	53.02	74.00	-20.98	3	Vertical	175	2.53
6345MHz	Pass	AV	12.69004G	40.70	54.00	-13.30	3	Horizontal	339	1.50
6345MHz	Pass	PK	12.68112G	53.43	74.00	-20.57	3	Horizontal	339	1.50
6505MHz	Pass	AV	13.01008G	40.92	68.20	-27.28	3	Vertical	7	1.40
6505MHz	Pass	PK	13.00664G	53.07	88.20	-35.13	3	Vertical	7	1.40
6505MHz	Pass	AV	13.00988G	41.92	68.20	-26.28	3	Horizontal	8	1.69
6505MHz	Pass	PK	13.00408G	53.04	88.20	-35.16	3	Horizontal	8	1.69
6665MHz	Pass	AV	13.32996G	41.45	54.00	-12.55	3	Vertical	5	1.00
6665MHz	Pass	PK	13.32952G	53.73	74.00	-20.27	3	Vertical	5	1.00
6665MHz	Pass	AV	13.32992G	41.72	54.00	-12.28	3	Horizontal	0	1.64
6665MHz	Pass	PK	13.32564G	53.81	74.00	-20.19	3	Horizontal	0	1.64
6825MHz	Pass	AV	13.64996G	42.75	68.20	-25.45	3	Vertical	20	1.58
6825MHz	Pass	PK	13.65784G	54.02	88.20	-34.18	3	Vertical	20	1.58
6825MHz	Pass	AV	13.65004G	41.77	68.20	-26.43	3	Horizontal	360	1.50
6825MHz	Pass	PK	13.64992G	54.21	88.20	-33.99	3	Horizontal	360	1.50
6985MHz	Pass	AV	6.9225G	97.05	Inf	-Inf	3	Vertical	12	1.88
6985MHz	Pass	AV	7.1425G	53.28	68.20	-14.92	3	Vertical	12	1.88
6985MHz	Pass	PK	6.923G	111.04	Inf	-Inf	3	Vertical	12	1.88
6985MHz	Pass	PK	7.1415G	66.82	88.20	-21.38	3	Vertical	12	1.88
6985MHz	Pass	AV	6.9815G	93.89	Inf	-Inf	3	Horizontal	302	1.11
6985MHz	Pass	AV	7.1335G	50.95	68.20	-17.25	3	Horizontal	302	1.11
6985MHz	Pass	PK	7.0215G	106.59	Inf	-Inf	3	Horizontal	302	1.11
6985MHz	Pass	PK	7.1415G	67.18	88.20	-21.02	3	Horizontal	302	1.11
6985MHz	Pass	AV	13.97G	45.07	68.20	-23.13	3	Vertical	15	1.65
6985MHz	Pass	PK	13.97004G	55.14	88.20	-33.06	3	Vertical	15	1.65
6985MHz	Pass	AV	13.96988G	43.01	68.20	-25.19	3	Horizontal	16	1.03

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96544G	54.96	88.20	-33.24	3	Horizontal	16	1.03
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	46.28	68.20	-21.92	3	Vertical	343	1.66
6105MHz	Pass	AV	6.22G	92.12	Inf	-Inf	3	Vertical	343	1.66
6105MHz	Pass	PK	5.924G	58.72	88.20	-29.48	3	Vertical	343	1.66
6105MHz	Pass	PK	6.22G	106.25	Inf	-Inf	3	Vertical	343	1.66
6105MHz	Pass	AV	5.91G	47.03	68.20	-21.17	3	Horizontal	39	2.90
6105MHz	Pass	AV	6.089G	92.38	Inf	-Inf	3	Horizontal	39	2.90
6105MHz	Pass	PK	5.91G	60.06	88.20	-28.14	3	Horizontal	39	2.90
6105MHz	Pass	PK	6.15G	105.15	Inf	-Inf	3	Horizontal	39	2.90
6105MHz	Pass	AV	12.20996G	40.44	54.00	-13.56	3	Vertical	29	1.94
6105MHz	Pass	PK	12.20076G	52.71	74.00	-21.29	3	Vertical	29	1.94
6105MHz	Pass	AV	12.20992G	39.67	54.00	-14.33	3	Horizontal	309	1.50
6105MHz	Pass	PK	12.20976G	53.89	74.00	-20.11	3	Horizontal	309	1.50
6265MHz	Pass	AV	12.53536G	38.46	54.00	-15.54	3	Vertical	208	1.83
6265MHz	Pass	PK	12.53256G	52.17	74.00	-21.83	3	Vertical	208	1.83
6265MHz	Pass	AV	12.53016G	38.59	54.00	-15.41	3	Horizontal	60	1.50
6265MHz	Pass	PK	12.5356G	51.75	74.00	-22.25	3	Horizontal	60	1.50
6425MHz	Pass	AV	12.85032G	39.73	68.20	-28.47	3	Vertical	341	1.50
6425MHz	Pass	PK	12.84152G	53.55	88.20	-34.65	3	Vertical	341	1.50
6425MHz	Pass	AV	12.85G	40.70	68.20	-27.50	3	Horizontal	55	1.33
6425MHz	Pass	PK	12.84036G	52.59	88.20	-35.61	3	Horizontal	55	1.33
6585MHz	Pass	AV	13.16996G	40.87	68.20	-27.33	3	Vertical	335	2.97
6585MHz	Pass	PK	13.17036G	53.65	88.20	-34.55	3	Vertical	335	2.97
6585MHz	Pass	AV	13.16988G	43.21	68.20	-24.99	3	Horizontal	6	1.23
6585MHz	Pass	PK	13.17012G	53.88	88.20	-34.32	3	Horizontal	6	1.23
6745MHz	Pass	AV	13.49G	42.48	68.20	-25.72	3	Vertical	15	2.02
6745MHz	Pass	PK	13.49472G	54.23	88.20	-33.97	3	Vertical	15	2.02
6745MHz	Pass	AV	13.49G	41.87	68.20	-26.33	3	Horizontal	314	2.41
6745MHz	Pass	PK	13.49568G	54.20	88.20	-34.00	3	Horizontal	314	2.41
6905MHz	Pass	AV	6.927G	94.05	Inf	-Inf	3	Vertical	12	2.58
6905MHz	Pass	AV	7.267G	49.88	54.00	-4.12	3	Vertical	12	2.58
6905MHz	Pass	PK	6.887G	106.76	Inf	-Inf	3	Vertical	12	2.58
6905MHz	Pass	PK	7.268G	63.22	74.00	-10.78	3	Vertical	12	2.58
6905MHz	Pass	AV	6.934G	92.86	Inf	-Inf	3	Horizontal	323	3.00
6905MHz	Pass	AV	7.251G	49.52	54.00	-4.48	3	Horizontal	323	3.00
6905MHz	Pass	PK	6.933G	105.38	Inf	-Inf	3	Horizontal	323	3.00
6905MHz	Pass	PK	7.251G	62.47	74.00	-11.53	3	Horizontal	323	3.00
6905MHz	Pass	AV	13.80996G	42.30	68.20	-25.90	3	Vertical	19	1.99
6905MHz	Pass	PK	13.80624G	55.22	88.20	-32.98	3	Vertical	19	1.99
6905MHz	Pass	AV	13.80984G	41.94	68.20	-26.26	3	Horizontal	34	2.51
6905MHz	Pass	PK	13.8046G	54.83	88.20	-33.37	3	Horizontal	34	2.51


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	47.18	68.20	-21.02	1.89	3	Vertical	323	1.62	45.29	34.55	5.18	37.84
AV	5.9815G	96.58	Inf	-Inf	1.96	3	Vertical	323	1.62	94.62	34.50	5.26	37.80
PK	5.9236G	62.14	88.20	-26.06	1.89	3	Vertical	323	1.62	60.25	34.55	5.18	37.84
PK	5.98G	109.20	Inf	-Inf	1.96	3	Vertical	323	1.62	107.24	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9218G	45.57	68.20	-22.63	1.88	3	Horizontal	61	2.70	43.69	34.56	5.17	37.85
AV	5.9806G	97.13	Inf	-Inf	1.96	3	Horizontal	61	2.70	95.17	34.50	5.26	37.80
PK	5.9152G	61.49	88.20	-26.71	1.88	3	Horizontal	61	2.70	59.61	34.57	5.16	37.85
PK	5.9797G	109.98	Inf	-Inf	1.96	3	Horizontal	61	2.70	108.02	34.50	5.26	37.80


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.923G	46.28	68.20	-21.92	1.88	3	Vertical	343	1.66	44.40	34.55	5.17	37.84
AV	6.22G	92.12	Inf	-Inf	2.37	3	Vertical	343	1.66	89.75	34.64	5.38	37.65
PK	5.924G	58.72	88.20	-29.48	1.89	3	Vertical	343	1.66	56.83	34.55	5.18	37.84
PK	6.22G	106.25	Inf	-Inf	2.37	3	Vertical	343	1.66	103.88	34.64	5.38	37.65

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.91G	47.03	68.20	-21.17	1.88	3	Horizontal	39	2.90	45.15	34.58	5.16	37.86
AV	6.089G	92.38	Inf	-Inf	2.01	3	Horizontal	39	2.90	90.37	34.42	5.32	37.73
PK	5.91G	60.06	88.20	-28.14	1.88	3	Horizontal	39	2.90	58.18	34.58	5.16	37.86
PK	6.15G	105.15	Inf	-Inf	2.25	3	Horizontal	39	2.90	102.90	34.60	5.34	37.69


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX





RSE TX above 1GHz_Non-Beamforming _Radio 3_Multi-RU_1T1S

Appendix E.18

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	Pass	AV	11.97004G	39.14	54.00	-14.86	3	Vertical	191	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	Pass	AV	12.05032G	39.43	54.00	-14.57	3	Vertical	190	1.84
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)	Pass	AV	12.2102G	39.23	54.00	-14.77	3	Vertical	75	1.72
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	Pass	AV	7.281G	48.66	54.00	-5.34	3	Vertical	352	2.56
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	Pass	AV	7.172G	47.27	68.20	-20.93	3	Vertical	345	2.46
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	Pass	AV	7.18G	48.34	68.20	-19.86	3	Vertical	348	2.38

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.904G	44.39	68.20	-23.81	3	Vertical	124	2.52
5985MHz	Pass	AV	6.018G	93.18	Inf	-Inf	3	Vertical	124	2.52
5985MHz	Pass	PK	5.907G	63.20	88.20	-25.00	3	Vertical	124	2.52
5985MHz	Pass	PK	6.015G	105.84	Inf	-Inf	3	Vertical	124	2.52
5985MHz	Pass	AV	11.97004G	39.14	54.00	-14.86	3	Vertical	191	1.50
5985MHz	Pass	PK	11.97288G	51.40	74.00	-22.60	3	Vertical	191	1.50
5985MHz	Pass	AV	11.96324G	38.64	54.00	-15.36	3	Horizontal	130	1.98
5985MHz	Pass	PK	11.966G	51.60	74.00	-22.40	3	Horizontal	130	1.98
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9884G	89.58	Inf	-Inf	3	Vertical	345	2.46
7025MHz	Pass	AV	7.172G	47.27	68.20	-20.93	3	Vertical	345	2.46
7025MHz	Pass	PK	6.9878G	102.80	Inf	-Inf	3	Vertical	345	2.46
7025MHz	Pass	PK	7.1444G	60.02	88.20	-28.18	3	Vertical	345	2.46
7025MHz	Pass	AV	14.05668G	42.25	68.20	-25.95	3	Vertical	316	1.98
7025MHz	Pass	PK	14.04996G	54.87	88.20	-33.33	3	Vertical	316	1.98
7025MHz	Pass	AV	14.05616G	42.24	68.20	-25.96	3	Horizontal	194	2.53
7025MHz	Pass	PK	14.05252G	54.64	88.20	-33.56	3	Horizontal	194	2.53
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	44.89	68.20	-23.31	3	Vertical	128	2.35
6025MHz	Pass	AV	6.092G	91.54	Inf	-Inf	3	Vertical	128	2.35
6025MHz	Pass	PK	5.922G	57.83	88.20	-30.37	3	Vertical	128	2.35
6025MHz	Pass	PK	6.093G	103.76	Inf	-Inf	3	Vertical	128	2.35
6025MHz	Pass	AV	12.05032G	39.43	54.00	-14.57	3	Vertical	190	1.84
6025MHz	Pass	PK	12.05568G	51.41	74.00	-22.59	3	Vertical	190	1.84
6025MHz	Pass	AV	12.04252G	39.21	54.00	-14.79	3	Horizontal	360	2.51
6025MHz	Pass	PK	12.0412G	51.97	74.00	-22.03	3	Horizontal	360	2.51
6985MHz	Pass	AV	6.939G	88.68	Inf	-Inf	3	Vertical	348	2.38
6985MHz	Pass	AV	7.18G	48.34	68.20	-19.86	3	Vertical	348	2.38
6985MHz	Pass	PK	7.041G	101.58	Inf	-Inf	3	Vertical	348	2.38
6985MHz	Pass	PK	7.195G	61.04	88.20	-27.16	3	Vertical	348	2.38
6985MHz	Pass	AV	13.96048G	42.09	68.20	-26.11	3	Vertical	122	2.69
6985MHz	Pass	PK	13.96512G	54.06	88.20	-34.14	3	Vertical	122	2.69
6985MHz	Pass	AV	13.979G	42.10	68.20	-26.10	3	Horizontal	71	1.82
6985MHz	Pass	PK	13.97996G	53.56	88.20	-34.64	3	Horizontal	71	1.82
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	44.54	68.20	-23.66	3	Vertical	125	2.33
6105MHz	Pass	AV	6.053G	86.54	Inf	-Inf	3	Vertical	125	2.33
6105MHz	Pass	PK	5.925G	56.96	88.20	-31.24	3	Vertical	125	2.33
6105MHz	Pass	PK	6.055G	99.99	Inf	-Inf	3	Vertical	125	2.33
6105MHz	Pass	AV	12.2102G	39.23	54.00	-14.77	3	Vertical	75	1.72
6105MHz	Pass	PK	12.20632G	52.11	74.00	-21.89	3	Vertical	75	1.72
6105MHz	Pass	AV	12.21688G	39.10	54.00	-14.90	3	Horizontal	113	1.50
6105MHz	Pass	PK	12.21976G	51.17	74.00	-22.83	3	Horizontal	113	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.989G	85.22	Inf	-Inf	3	Vertical	352	2.56
6905MHz	Pass	AV	7.281G	48.66	54.00	-5.34	3	Vertical	352	2.56
6905MHz	Pass	PK	7.021G	97.85	Inf	-Inf	3	Vertical	352	2.56
6905MHz	Pass	PK	7.273G	61.17	74.00	-12.83	3	Vertical	352	2.56
6905MHz	Pass	AV	13.80144G	41.41	68.20	-26.79	3	Vertical	160	1.87
6905MHz	Pass	PK	13.81024G	54.42	88.20	-33.78	3	Vertical	160	1.87
6905MHz	Pass	AV	13.80104G	41.59	68.20	-26.61	3	Horizontal	245	1.00
6905MHz	Pass	PK	13.8122G	53.86	88.20	-34.34	3	Horizontal	245	1.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	44.54	68.20	-23.66	1.89	3	Vertical	125	2.33	42.65	34.55	5.18	37.84
AV	6.053G	86.54	Inf	-Inf	2.05	3	Vertical	125	2.33	84.49	34.49	5.31	37.75
PK	5.925G	56.96	88.20	-31.24	1.89	3	Vertical	125	2.33	55.07	34.55	5.18	37.84
PK	6.055G	99.99	Inf	-Inf	2.05	3	Vertical	125	2.33	97.94	34.49	5.31	37.75

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2102G	39.23	54.00	-14.77	9.93	3	Vertical	75	1.72	29.30	39.48	8.52	38.07
PK	12.20632G	52.11	74.00	-21.89	9.94	3	Vertical	75	1.72	42.17	39.49	8.52	38.07


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX(Port4)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port4)

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port4)

6985MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3 _Multi-RU_2T1S

Appendix E.19

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	Pass	AV	11.96408G	39.23	54.00	-14.77	3	Horizontal	196	1.95
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	Pass	AV	12.04268G	39.24	54.00	-14.76	3	Horizontal	10	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	Pass	AV	12.21604G	39.18	54.00	-14.82	3	Horizontal	267	2.63
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	Pass	AV	7.262G	47.26	54.00	-6.74	3	Vertical	127	2.79
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	Pass	AV	7.1696G	46.10	68.20	-22.10	3	Vertical	118	2.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	Pass	AV	7.1395G	49.48	68.20	-18.72	3	Vertical	122	2.59

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	47.49	68.20	-20.71	3	Vertical	126	2.76
5985MHz	Pass	AV	6.022G	96.70	Inf	-Inf	3	Vertical	126	2.76
5985MHz	Pass	PK	5.9195G	63.58	88.20	-24.62	3	Vertical	126	2.76
5985MHz	Pass	PK	6.0225G	108.99	Inf	-Inf	3	Vertical	126	2.76
5985MHz	Pass	AV	11.96264G	39.14	54.00	-14.86	3	Vertical	75	2.66
5985MHz	Pass	PK	11.97044G	51.95	74.00	-22.05	3	Vertical	75	2.66
5985MHz	Pass	AV	11.96408G	39.23	54.00	-14.77	3	Horizontal	196	1.95
5985MHz	Pass	PK	11.96724G	51.16	74.00	-22.84	3	Horizontal	196	1.95
7025MHz	Pass	AV	6.9977G	94.10	Inf	-Inf	3	Vertical	118	2.28
7025MHz	Pass	AV	7.1696G	46.10	68.20	-22.10	3	Vertical	118	2.28
7025MHz	Pass	PK	7.0196G	105.68	Inf	-Inf	3	Vertical	118	2.28
7025MHz	Pass	PK	7.1654G	58.79	88.20	-29.41	3	Vertical	118	2.28
7025MHz	Pass	AV	14.05564G	42.48	68.20	-25.72	3	Vertical	55	1.50
7025MHz	Pass	PK	14.04324G	54.60	88.20	-33.60	3	Vertical	55	1.50
7025MHz	Pass	AV	14.0568G	42.48	68.20	-25.72	3	Horizontal	253	1.50
7025MHz	Pass	PK	14.04972G	54.70	88.20	-33.50	3	Horizontal	253	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	45.27	68.20	-22.93	3	Vertical	130	2.45
6025MHz	Pass	AV	6.0865G	95.70	Inf	-Inf	3	Vertical	130	2.45
6025MHz	Pass	PK	5.9195G	58.45	88.20	-29.75	3	Vertical	130	2.45
6025MHz	Pass	PK	5.964G	108.12	Inf	-Inf	3	Vertical	130	2.45
6025MHz	Pass	AV	12.04172G	39.16	54.00	-14.84	3	Vertical	258	1.50
6025MHz	Pass	PK	12.05604G	51.58	74.00	-22.42	3	Vertical	258	1.50
6025MHz	Pass	AV	12.04268G	39.24	54.00	-14.76	3	Horizontal	10	1.50
6025MHz	Pass	PK	12.04904G	52.03	74.00	-21.97	3	Horizontal	10	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.919G	94.83	Inf	-Inf	3	Vertical	122	2.59
6985MHz	Pass	AV	7.1395G	49.48	68.20	-18.72	3	Vertical	122	2.59
6985MHz	Pass	PK	6.9425G	106.90	Inf	-Inf	3	Vertical	122	2.59
6985MHz	Pass	PK	7.1385G	63.69	88.20	-24.51	3	Vertical	122	2.59
6985MHz	Pass	AV	13.9752G	42.13	68.20	-26.07	3	Vertical	21	1.51
6985MHz	Pass	PK	13.97392G	53.91	88.20	-34.29	3	Vertical	21	1.51
6985MHz	Pass	AV	13.976G	42.13	68.20	-26.07	3	Horizontal	223	1.00
6985MHz	Pass	PK	13.97924G	54.66	88.20	-33.54	3	Horizontal	223	1.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	45.24	68.20	-22.96	3	Vertical	129	2.39
6105MHz	Pass	AV	6.126G	91.49	Inf	-Inf	3	Vertical	129	2.39
6105MHz	Pass	PK	5.922G	58.84	88.20	-29.36	3	Vertical	129	2.39
6105MHz	Pass	PK	6.166G	104.68	Inf	-Inf	3	Vertical	129	2.39
6105MHz	Pass	AV	12.20204G	39.00	54.00	-15.00	3	Vertical	289	2.59
6105MHz	Pass	PK	12.20352G	50.98	74.00	-23.02	3	Vertical	289	2.59
6105MHz	Pass	AV	12.21604G	39.18	54.00	-14.82	3	Horizontal	267	2.63
6105MHz	Pass	PK	12.2078G	51.59	74.00	-22.41	3	Horizontal	267	2.63
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.8G	91.19	Inf	-Inf	3	Vertical	127	2.79
6905MHz	Pass	AV	7.262G	47.26	54.00	-6.74	3	Vertical	127	2.79
6905MHz	Pass	PK	6.781G	103.67	Inf	-Inf	3	Vertical	127	2.79
6905MHz	Pass	PK	7.261G	60.54	74.00	-13.46	3	Vertical	127	2.79
6905MHz	Pass	AV	13.80388G	40.88	68.20	-27.32	3	Vertical	176	1.50
6905MHz	Pass	PK	13.81508G	53.66	88.20	-34.54	3	Vertical	176	1.50
6905MHz	Pass	AV	13.80212G	40.79	68.20	-27.41	3	Horizontal	139	1.50
6905MHz	Pass	PK	13.80968G	53.27	88.20	-34.93	3	Horizontal	139	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX(Port1&Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX(Port1&Port4)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX(Port1&Port4)

6905MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9977G	94.10	Inf	-Inf	4.67	3	Vertical	118	2.28	89.43	36.20	5.84	37.37
AV	7.1696G	46.10	68.20	-22.10	5.90	3	Vertical	118	2.28	40.20	37.18	5.87	37.15
PK	7.0196G	105.68	Inf	-Inf	4.82	3	Vertical	118	2.28	100.86	36.32	5.84	37.34
PK	7.1654G	58.79	88.20	-29.41	5.87	3	Vertical	118	2.28	52.92	37.16	5.87	37.16

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05564G	42.48	68.20	-25.72	12.15	3	Vertical	55	1.50	30.33	40.91	9.54	38.30
PK	14.04324G	54.60	88.20	-33.60	12.13	3	Vertical	55	1.50	42.47	40.89	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port1&Port4)

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	11.97008G	39.59	54.00	-14.41	3	Vertical	201	1.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	12.04216G	39.16	54.00	-14.84	3	Vertical	304	1.16
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	12.20988G	38.74	54.00	-15.26	3	Vertical	202	2.90
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	AV	7.253G	48.74	54.00	-5.26	3	Vertical	339	2.72
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	7.1744G	46.77	68.20	-21.43	3	Horizontal	40	2.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	7.137G	49.14	68.20	-19.06	3	Vertical	120	2.37

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	45.16	68.20	-23.04	3	Vertical	131	2.40
5985MHz	Pass	AV	6.0185G	92.11	Inf	-Inf	3	Vertical	131	2.40
5985MHz	Pass	PK	5.919G	59.87	88.20	-28.33	3	Vertical	131	2.40
5985MHz	Pass	PK	6.0185G	109.04	Inf	-Inf	3	Vertical	131	2.40
5985MHz	Pass	AV	5.925G	44.99	68.20	-23.21	3	Horizontal	44	2.57
5985MHz	Pass	AV	6.023G	90.39	Inf	-Inf	3	Horizontal	44	2.57
5985MHz	Pass	PK	5.912G	59.20	88.20	-29.00	3	Horizontal	44	2.57
5985MHz	Pass	PK	5.9815G	107.43	Inf	-Inf	3	Horizontal	44	2.57
5985MHz	Pass	AV	11.97008G	39.59	54.00	-14.41	3	Vertical	201	1.25
5985MHz	Pass	PK	11.9634G	51.13	74.00	-22.87	3	Vertical	201	1.25
5985MHz	Pass	AV	11.9608G	39.12	54.00	-14.88	3	Horizontal	194	1.93
5985MHz	Pass	PK	11.9634G	51.52	74.00	-22.48	3	Horizontal	194	1.93
7025MHz	Pass	AV	6.9953G	92.99	Inf	-Inf	3	Vertical	337	2.73
7025MHz	Pass	AV	7.1717G	46.69	68.20	-21.51	3	Vertical	337	2.73
7025MHz	Pass	PK	6.9884G	106.03	Inf	-Inf	3	Vertical	337	2.73
7025MHz	Pass	PK	7.1459G	60.49	88.20	-27.71	3	Vertical	337	2.73
7025MHz	Pass	AV	6.9956G	91.17	Inf	-Inf	3	Horizontal	40	2.22
7025MHz	Pass	AV	7.1744G	46.77	68.20	-21.43	3	Horizontal	40	2.22
7025MHz	Pass	PK	6.9953G	105.75	Inf	-Inf	3	Horizontal	40	2.22
7025MHz	Pass	PK	7.1513G	60.55	88.20	-27.65	3	Horizontal	40	2.22
7025MHz	Pass	AV	14.0574G	42.43	68.20	-25.77	3	Vertical	35	2.44
7025MHz	Pass	PK	14.0414G	54.85	88.20	-33.35	3	Vertical	35	2.44
7025MHz	Pass	AV	14.05712G	42.62	68.20	-25.58	3	Horizontal	178	2.10
7025MHz	Pass	PK	14.04696G	54.22	88.20	-33.98	3	Horizontal	178	2.10
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.918G	46.74	68.20	-21.46	3	Vertical	128	2.52
6025MHz	Pass	AV	6.057G	92.22	Inf	-Inf	3	Vertical	128	2.52
6025MHz	Pass	PK	5.898G	65.63	88.20	-22.57	3	Vertical	128	2.52
6025MHz	Pass	PK	6.098G	108.53	Inf	-Inf	3	Vertical	128	2.52
6025MHz	Pass	AV	5.925G	46.59	68.20	-21.61	3	Horizontal	346	2.81
6025MHz	Pass	AV	6.044G	91.78	Inf	-Inf	3	Horizontal	346	2.81
6025MHz	Pass	PK	5.9065G	62.58	88.20	-25.62	3	Horizontal	346	2.81
6025MHz	Pass	PK	6.064G	108.05	Inf	-Inf	3	Horizontal	346	2.81
6025MHz	Pass	AV	12.04216G	39.16	54.00	-14.84	3	Vertical	304	1.16
6025MHz	Pass	PK	12.04116G	51.82	74.00	-22.18	3	Vertical	304	1.16
6025MHz	Pass	AV	12.04044G	39.12	54.00	-14.88	3	Horizontal	49	1.50
6025MHz	Pass	PK	12.04616G	51.13	74.00	-22.87	3	Horizontal	49	1.50
6985MHz	Pass	AV	6.936G	91.54	Inf	-Inf	3	Vertical	120	2.37
6985MHz	Pass	AV	7.137G	49.14	68.20	-19.06	3	Vertical	120	2.37
6985MHz	Pass	PK	6.936G	106.46	Inf	-Inf	3	Vertical	120	2.37
6985MHz	Pass	PK	7.136G	64.85	88.20	-23.35	3	Vertical	120	2.37
6985MHz	Pass	AV	6.917G	91.12	Inf	-Inf	3	Horizontal	28	2.36
6985MHz	Pass	AV	7.1365G	48.53	68.20	-19.67	3	Horizontal	28	2.36
6985MHz	Pass	PK	6.916G	105.86	Inf	-Inf	3	Horizontal	28	2.36
6985MHz	Pass	PK	7.1375G	63.65	88.20	-24.55	3	Horizontal	28	2.36
6985MHz	Pass	AV	13.96996G	42.46	68.20	-25.74	3	Vertical	189	1.41
6985MHz	Pass	PK	13.96344G	54.58	88.20	-33.62	3	Vertical	189	1.41
6985MHz	Pass	AV	13.97868G	42.18	68.20	-26.02	3	Horizontal	5	1.50
6985MHz	Pass	PK	13.97784G	54.46	88.20	-33.74	3	Horizontal	5	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.918G	44.45	68.20	-23.75	3	Vertical	129	2.69
6105MHz	Pass	AV	6.057G	88.89	Inf	-Inf	3	Vertical	129	2.69
6105MHz	Pass	PK	5.917G	61.99	88.20	-26.21	3	Vertical	129	2.69
6105MHz	Pass	PK	6.118G	103.70	Inf	-Inf	3	Vertical	129	2.69
6105MHz	Pass	AV	5.925G	44.33	68.20	-23.87	3	Horizontal	347	2.86
6105MHz	Pass	AV	6.064G	87.72	Inf	-Inf	3	Horizontal	347	2.86
6105MHz	Pass	PK	5.907G	60.77	88.20	-27.43	3	Horizontal	347	2.86
6105MHz	Pass	PK	6.162G	102.59	Inf	-Inf	3	Horizontal	347	2.86
6105MHz	Pass	AV	12.20988G	38.74	54.00	-15.26	3	Vertical	202	2.90
6105MHz	Pass	PK	12.20484G	50.91	74.00	-23.09	3	Vertical	202	2.90




**RSE TX above 1GHz_Non-Beamforming
_Radio 3_Multi-RU_4T1S**

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.2156G	38.05	54.00	-15.95	3	Horizontal	95	3.00
6105MHz	Pass	PK	12.20252G	51.27	74.00	-22.73	3	Horizontal	95	3.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.995G	91.30	Inf	-Inf	3	Vertical	339	2.72
6905MHz	Pass	AV	7.253G	48.74	54.00	-5.26	3	Vertical	339	2.72
6905MHz	Pass	PK	7.035G	103.79	Inf	-Inf	3	Vertical	339	2.72
6905MHz	Pass	PK	7.28G	61.57	74.00	-12.43	3	Vertical	339	2.72
6905MHz	Pass	AV	6.818G	90.98	Inf	-Inf	3	Horizontal	27	2.21
6905MHz	Pass	AV	7.273G	47.97	54.00	-6.03	3	Horizontal	27	2.21
6905MHz	Pass	PK	6.815G	103.50	Inf	-Inf	3	Horizontal	27	2.21
6905MHz	Pass	PK	7.27G	61.98	74.00	-12.02	3	Horizontal	27	2.21
6905MHz	Pass	AV	13.802G	40.92	68.20	-27.28	3	Vertical	324	1.50
6905MHz	Pass	PK	13.81044G	53.74	88.20	-34.46	3	Vertical	324	1.50
6905MHz	Pass	AV	13.80204G	40.77	68.20	-27.43	3	Horizontal	65	1.20
6905MHz	Pass	PK	13.80916G	53.54	88.20	-34.66	3	Horizontal	65	1.20


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX





**RSE TX above 1GHz_Non-Beamforming
Radio 3_Channel Puncturing_1T1S**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)	Pass	AV	11.97G	39.66	54.00	-14.34	3	Vertical	195	2.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)	Pass	AV	12.074G	38.73	54.00	-15.27	3	Vertical	9	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	Pass	AV	12.21512G	38.75	54.00	-15.25	3	Horizontal	345	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)	Pass	AV	7.281G	47.86	54.00	-6.14	3	Vertical	297	2.44
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)	Pass	AV	7.1255G	45.30	68.20	-22.90	3	Vertical	348	2.52
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	Pass	AV	7.1375G	47.80	68.20	-20.40	3	Vertical	123	2.34


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	47.22	68.20	-20.98	3	Vertical	127	2.60
5985MHz	Pass	AV	5.995G	92.97	Inf	-Inf	3	Vertical	127	2.60
5985MHz	Pass	PK	5.925G	60.78	88.20	-27.42	3	Vertical	127	2.60
5985MHz	Pass	PK	5.9935G	106.72	Inf	-Inf	3	Vertical	127	2.60
5985MHz	Pass	AV	11.97G	39.66	54.00	-14.34	3	Vertical	195	2.14
5985MHz	Pass	PK	11.99544G	54.08	74.00	-19.92	3	Vertical	195	2.14
5985MHz	Pass	AV	11.96312G	38.50	54.00	-15.50	3	Horizontal	153	2.78
5985MHz	Pass	PK	11.99512G	53.28	74.00	-20.72	3	Horizontal	153	2.78
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9869G	89.76	Inf	-Inf	3	Vertical	348	2.52
7025MHz	Pass	AV	7.1255G	45.30	68.20	-22.90	3	Vertical	348	2.52
7025MHz	Pass	PK	6.9872G	103.39	Inf	-Inf	3	Vertical	348	2.52
7025MHz	Pass	PK	7.1423G	59.38	88.20	-28.82	3	Vertical	348	2.52
7025MHz	Pass	AV	14.05G	42.89	68.20	-25.31	3	Vertical	187	1.50
7025MHz	Pass	PK	14.05608G	56.02	88.20	-32.18	3	Vertical	187	1.50
7025MHz	Pass	AV	14.08728G	41.96	68.20	-26.24	3	Horizontal	283	2.18
7025MHz	Pass	PK	14.08792G	57.35	88.20	-30.85	3	Horizontal	283	2.18
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	47.81	68.20	-20.39	3	Vertical	125	2.34
6025MHz	Pass	AV	6.049G	91.18	Inf	-Inf	3	Vertical	125	2.34
6025MHz	Pass	PK	5.894G	63.58	88.20	-24.62	3	Vertical	125	2.34
6025MHz	Pass	PK	6.087G	104.64	Inf	-Inf	3	Vertical	125	2.34
6025MHz	Pass	AV	12.04968G	38.71	54.00	-15.29	3	Vertical	208	1.50
6025MHz	Pass	PK	11.98408G	54.00	74.00	-20.00	3	Vertical	208	1.50
6025MHz	Pass	AV	12.04264G	38.72	54.00	-15.28	3	Horizontal	36	1.50
6025MHz	Pass	PK	12.04008G	53.17	74.00	-20.83	3	Horizontal	36	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	46.28	68.20	-21.92	3	Vertical	126	2.34
6025MHz	Pass	AV	6.061G	91.24	Inf	-Inf	3	Vertical	126	2.34
6025MHz	Pass	PK	5.9245G	68.76	88.20	-19.44	3	Vertical	126	2.34
6025MHz	Pass	PK	6.058G	105.61	Inf	-Inf	3	Vertical	126	2.34
6025MHz	Pass	AV	12.074G	38.73	54.00	-15.27	3	Vertical	9	1.50
6025MHz	Pass	PK	12.0388G	53.04	74.00	-20.96	3	Vertical	9	1.50
6025MHz	Pass	AV	11.99272G	38.68	54.00	-15.32	3	Horizontal	297	1.50
6025MHz	Pass	PK	11.97832G	52.93	74.00	-21.07	3	Horizontal	297	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9275G	89.95	Inf	-Inf	3	Vertical	123	2.34
6985MHz	Pass	AV	7.1375G	47.80	68.20	-20.40	3	Vertical	123	2.34
6985MHz	Pass	PK	6.9225G	104.18	Inf	-Inf	3	Vertical	123	2.34
6985MHz	Pass	PK	7.1415G	66.83	88.20	-21.37	3	Vertical	123	2.34
6985MHz	Pass	AV	14.04104G	41.69	68.20	-26.51	3	Vertical	85	2.39
6985MHz	Pass	PK	14.04136G	56.31	88.20	-31.89	3	Vertical	85	2.39
6985MHz	Pass	AV	14.04008G	41.75	68.20	-26.45	3	Horizontal	86	3.00
6985MHz	Pass	PK	13.98344G	55.94	88.20	-32.26	3	Horizontal	86	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9255G	90.10	Inf	-Inf	3	Vertical	122	2.34
6985MHz	Pass	AV	7.2345G	47.43	68.20	-20.77	3	Vertical	122	2.34
6985MHz	Pass	PK	6.9305G	104.53	Inf	-Inf	3	Vertical	122	2.34
6985MHz	Pass	PK	7.1315G	65.38	88.20	-22.82	3	Vertical	122	2.34
6985MHz	Pass	AV	14.0388G	41.74	68.20	-26.46	3	Vertical	176	1.50
6985MHz	Pass	PK	14.00136G	56.27	88.20	-31.93	3	Vertical	176	1.50
6985MHz	Pass	AV	14.04008G	41.69	68.20	-26.51	3	Horizontal	290	1.45
6985MHz	Pass	PK	13.92168G	55.84	88.20	-32.36	3	Horizontal	290	1.45
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	45.61	68.20	-22.59	3	Vertical	127	2.44
6105MHz	Pass	AV	6.171G	88.02	Inf	-Inf	3	Vertical	127	2.44
6105MHz	Pass	PK	5.91G	62.67	88.20	-25.53	3	Vertical	127	2.44
6105MHz	Pass	PK	6.098G	101.49	Inf	-Inf	3	Vertical	127	2.44
6105MHz	Pass	AV	12.21256G	38.71	54.00	-15.29	3	Vertical	203	1.50
6105MHz	Pass	PK	12.25288G	53.05	74.00	-20.95	3	Vertical	203	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21832G	38.67	54.00	-15.33	3	Horizontal	182	2.25
6105MHz	Pass	PK	12.23176G	53.41	74.00	-20.59	3	Horizontal	182	2.25
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.70	68.20	-24.50	3	Vertical	127	2.40
6105MHz	Pass	AV	6.166G	88.05	Inf	-Inf	3	Vertical	127	2.40
6105MHz	Pass	PK	5.915G	60.79	88.20	-27.41	3	Vertical	127	2.40
6105MHz	Pass	PK	6.204G	102.36	Inf	-Inf	3	Vertical	127	2.40
6105MHz	Pass	AV	12.21768G	38.73	54.00	-15.27	3	Vertical	8	1.16
6105MHz	Pass	PK	12.194G	53.22	74.00	-20.78	3	Vertical	8	1.16
6105MHz	Pass	AV	12.21512G	38.75	54.00	-15.25	3	Horizontal	345	1.50
6105MHz	Pass	PK	12.13G	52.88	74.00	-21.12	3	Horizontal	345	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	44.22	68.20	-23.98	3	Vertical	124	2.40
6105MHz	Pass	AV	6.162G	87.87	Inf	-Inf	3	Vertical	124	2.40
6105MHz	Pass	PK	5.922G	61.18	88.20	-27.02	3	Vertical	124	2.40
6105MHz	Pass	PK	6.159G	102.14	Inf	-Inf	3	Vertical	124	2.40
6105MHz	Pass	AV	12.21576G	38.73	54.00	-15.27	3	Vertical	30	1.50
6105MHz	Pass	PK	12.07624G	53.18	74.00	-20.82	3	Vertical	30	1.50
6105MHz	Pass	AV	12.21704G	38.70	54.00	-15.30	3	Horizontal	305	1.18
6105MHz	Pass	PK	12.14088G	52.98	74.00	-21.02	3	Horizontal	305	1.18
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.923G	85.14	Inf	-Inf	3	Vertical	121	2.34
6905MHz	Pass	AV	7.302G	47.84	54.00	-6.16	3	Vertical	121	2.34
6905MHz	Pass	PK	6.934G	99.10	Inf	-Inf	3	Vertical	121	2.34
6905MHz	Pass	PK	7.359G	62.11	74.00	-11.89	3	Vertical	121	2.34
6905MHz	Pass	AV	13.81G	41.96	68.20	-26.24	3	Vertical	184	1.50
6905MHz	Pass	PK	13.67112G	55.84	88.20	-32.36	3	Vertical	184	1.50
6905MHz	Pass	AV	13.95848G	41.36	68.20	-26.84	3	Horizontal	0	1.50
6905MHz	Pass	PK	13.95592G	55.34	88.20	-32.86	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.867G	84.97	Inf	-Inf	3	Vertical	297	2.44
6905MHz	Pass	AV	7.281G	47.86	54.00	-6.14	3	Vertical	297	2.44
6905MHz	Pass	PK	6.864G	99.10	Inf	-Inf	3	Vertical	297	2.44
6905MHz	Pass	PK	7.274G	61.75	74.00	-12.25	3	Vertical	297	2.44
6905MHz	Pass	AV	13.81G	42.03	68.20	-26.17	3	Vertical	184	1.17
6905MHz	Pass	PK	13.78632G	55.12	88.20	-33.08	3	Vertical	184	1.17
6905MHz	Pass	AV	13.95464G	41.32	68.20	-26.88	3	Horizontal	250	2.82
6905MHz	Pass	PK	13.95656G	55.37	88.20	-32.83	3	Horizontal	250	2.82
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX(Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.858G	85.40	Inf	-Inf	3	Vertical	297	2.24
6905MHz	Pass	AV	7.306G	46.28	54.00	-7.72	3	Vertical	297	2.24
6905MHz	Pass	PK	6.929G	98.28	Inf	-Inf	3	Vertical	297	2.24
6905MHz	Pass	PK	7.404G	60.42	74.00	-13.58	3	Vertical	297	2.24
6905MHz	Pass	AV	13.81G	41.86	68.20	-26.34	3	Vertical	183	1.44
6905MHz	Pass	PK	13.85992G	54.99	88.20	-33.21	3	Vertical	183	1.44
6905MHz	Pass	AV	13.9572G	41.39	68.20	-26.81	3	Horizontal	135	1.50
6905MHz	Pass	PK	13.95144G	55.43	88.20	-32.77	3	Horizontal	135	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port4)

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port4)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port4)

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port4)

6985MHz_TX





**RSE TX above 1GHz_Non-Beamforming
Radio 3_Channel Puncturing_2T1S**

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	Pass	AV	11.9698G	39.84	54.00	-14.16	3	Vertical	160	1.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)	Pass	PK	5.9005G	73.91	88.20	-14.29	3	Vertical	130	2.46
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)	Pass	AV	12.20988G	39.74	54.00	-14.26	3	Vertical	163	2.64
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)	Pass	AV	7.262G	49.21	54.00	-4.79	3	Vertical	121	2.28
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	Pass	AV	7.1696G	45.92	68.20	-22.28	3	Vertical	335	2.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	Pass	AV	7.141G	51.23	68.20	-16.97	3	Vertical	121	2.34


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	51.13	68.20	-17.07	3	Vertical	125	2.55
5985MHz	Pass	AV	6.004G	97.33	Inf	-Inf	3	Vertical	125	2.55
5985MHz	Pass	PK	5.924G	67.41	88.20	-20.79	3	Vertical	125	2.55
5985MHz	Pass	PK	5.9635G	110.53	Inf	-Inf	3	Vertical	125	2.55
5985MHz	Pass	AV	11.9698G	39.84	54.00	-14.16	3	Vertical	160	1.03
5985MHz	Pass	PK	11.97716G	51.93	74.00	-22.07	3	Vertical	160	1.03
5985MHz	Pass	AV	11.964G	38.74	54.00	-15.26	3	Horizontal	138	1.50
5985MHz	Pass	PK	11.9646G	51.45	74.00	-22.55	3	Horizontal	138	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0115G	97.21	Inf	-Inf	3	Vertical	335	2.58
7025MHz	Pass	AV	7.1696G	45.92	68.20	-22.28	3	Vertical	335	2.58
7025MHz	Pass	PK	7.0331G	110.53	Inf	-Inf	3	Vertical	335	2.58
7025MHz	Pass	PK	7.1252G	59.69	88.20	-28.51	3	Vertical	335	2.58
7025MHz	Pass	AV	14.04996G	43.69	68.20	-24.51	3	Vertical	186	1.17
7025MHz	Pass	PK	14.05G	55.02	88.20	-33.18	3	Vertical	186	1.17
7025MHz	Pass	AV	14.04992G	42.04	68.20	-26.16	3	Horizontal	218	1.50
7025MHz	Pass	PK	14.05008G	54.76	88.20	-33.44	3	Horizontal	218	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	49.73	68.20	-18.47	3	Vertical	130	2.46
6025MHz	Pass	AV	6.0865G	94.80	Inf	-Inf	3	Vertical	130	2.46
6025MHz	Pass	PK	5.9005G	73.91	88.20	-14.29	3	Vertical	130	2.46
6025MHz	Pass	PK	6.0685G	107.47	Inf	-Inf	3	Vertical	130	2.46
6025MHz	Pass	AV	12.04984G	39.37	54.00	-14.63	3	Vertical	196	1.49
6025MHz	Pass	PK	12.04392G	51.69	74.00	-22.31	3	Vertical	196	1.49
6025MHz	Pass	AV	12.04452G	38.71	54.00	-15.29	3	Horizontal	182	1.29
6025MHz	Pass	PK	12.0572G	52.14	74.00	-21.86	3	Horizontal	182	1.29
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	48.52	68.20	-19.68	3	Vertical	126	2.46
6025MHz	Pass	AV	6.0835G	94.94	Inf	-Inf	3	Vertical	126	2.46
6025MHz	Pass	PK	5.92G	73.85	88.20	-14.35	3	Vertical	126	2.46
6025MHz	Pass	PK	5.983G	107.83	Inf	-Inf	3	Vertical	126	2.46
6025MHz	Pass	AV	12.05004G	39.40	54.00	-14.60	3	Vertical	196	1.39
6025MHz	Pass	PK	12.04528G	51.74	74.00	-22.26	3	Vertical	196	1.39
6025MHz	Pass	AV	12.04208G	38.77	54.00	-15.23	3	Horizontal	22	1.50
6025MHz	Pass	PK	12.04108G	51.42	74.00	-22.58	3	Horizontal	22	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.921G	95.24	Inf	-Inf	3	Vertical	122	2.38
6985MHz	Pass	AV	7.1405G	50.84	68.20	-17.36	3	Vertical	122	2.38
6985MHz	Pass	PK	6.9405G	108.18	Inf	-Inf	3	Vertical	122	2.38
6985MHz	Pass	PK	7.1435G	67.62	88.20	-20.58	3	Vertical	122	2.38
6985MHz	Pass	AV	13.97G	42.11	68.20	-26.09	3	Vertical	186	1.14
6985MHz	Pass	PK	13.96284G	54.43	88.20	-33.77	3	Vertical	186	1.14
6985MHz	Pass	AV	13.97716G	41.55	68.20	-26.65	3	Horizontal	27	1.50
6985MHz	Pass	PK	13.96784G	54.11	88.20	-34.09	3	Horizontal	27	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.92G	95.79	Inf	-Inf	3	Vertical	121	2.34
6985MHz	Pass	AV	7.141G	51.23	68.20	-16.97	3	Vertical	121	2.34
6985MHz	Pass	PK	6.92G	110.15	Inf	-Inf	3	Vertical	121	2.34
6985MHz	Pass	PK	7.164G	70.01	88.20	-18.19	3	Vertical	121	2.34
6985MHz	Pass	AV	13.97G	41.85	68.20	-26.35	3	Vertical	58	2.99
6985MHz	Pass	PK	13.97808G	54.70	88.20	-33.50	3	Vertical	58	2.99
6985MHz	Pass	AV	13.97736G	41.55	68.20	-26.65	3	Horizontal	59	1.20
6985MHz	Pass	PK	13.96252G	54.67	88.20	-33.53	3	Horizontal	59	1.20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	45.85	68.20	-22.35	3	Vertical	128	2.55
6105MHz	Pass	AV	6.125G	91.65	Inf	-Inf	3	Vertical	128	2.55
6105MHz	Pass	PK	5.921G	59.88	88.20	-28.32	3	Vertical	128	2.55
6105MHz	Pass	PK	6.223G	104.42	Inf	-Inf	3	Vertical	128	2.55
6105MHz	Pass	AV	12.2156G	38.62	54.00	-15.38	3	Vertical	354	1.63
6105MHz	Pass	PK	12.20116G	51.94	74.00	-22.06	3	Vertical	354	1.63

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21632G	38.60	54.00	-15.40	3	Horizontal	92	1.50
6105MHz	Pass	PK	12.20136G	51.96	74.00	-22.04	3	Horizontal	92	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	46.74	68.20	-21.46	3	Vertical	128	2.58
6105MHz	Pass	AV	6.123G	91.67	Inf	-Inf	3	Vertical	128	2.58
6105MHz	Pass	PK	5.903G	61.88	88.20	-26.32	3	Vertical	128	2.58
6105MHz	Pass	PK	6.045G	104.78	Inf	-Inf	3	Vertical	128	2.58
6105MHz	Pass	AV	12.20992G	38.94	54.00	-15.06	3	Vertical	125	2.70
6105MHz	Pass	PK	12.21724G	51.81	74.00	-22.19	3	Vertical	125	2.70
6105MHz	Pass	AV	12.21376G	38.58	54.00	-15.42	3	Horizontal	200	2.14
6105MHz	Pass	PK	12.20332G	51.59	74.00	-22.41	3	Horizontal	200	2.14
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	45.82	68.20	-22.38	3	Vertical	129	2.61
6105MHz	Pass	AV	6.083G	91.75	Inf	-Inf	3	Vertical	129	2.61
6105MHz	Pass	PK	5.925G	58.98	88.20	-29.22	3	Vertical	129	2.61
6105MHz	Pass	PK	6.063G	104.83	Inf	-Inf	3	Vertical	129	2.61
6105MHz	Pass	AV	12.20988G	39.74	54.00	-14.26	3	Vertical	163	2.64
6105MHz	Pass	PK	12.21368G	52.14	74.00	-21.86	3	Vertical	163	2.64
6105MHz	Pass	AV	12.20228G	38.59	54.00	-15.41	3	Horizontal	233	1.45
6105MHz	Pass	PK	12.20256G	52.45	74.00	-21.55	3	Horizontal	233	1.45
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.9G	92.28	Inf	-Inf	3	Vertical	124	2.64
6905MHz	Pass	AV	7.259G	48.75	54.00	-5.25	3	Vertical	124	2.64
6905MHz	Pass	PK	6.778G	105.23	Inf	-Inf	3	Vertical	124	2.64
6905MHz	Pass	PK	7.262G	61.20	74.00	-12.80	3	Vertical	124	2.64
6905MHz	Pass	AV	13.80992G	42.45	68.20	-25.75	3	Vertical	182	1.90
6905MHz	Pass	PK	13.8036G	54.27	88.20	-33.93	3	Vertical	182	1.90
6905MHz	Pass	AV	13.80104G	40.84	68.20	-27.36	3	Horizontal	56	1.35
6905MHz	Pass	PK	13.80592G	54.10	88.20	-34.10	3	Horizontal	56	1.35
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.922G	92.67	Inf	-Inf	3	Vertical	121	2.28
6905MHz	Pass	AV	7.262G	49.21	54.00	-4.79	3	Vertical	121	2.28
6905MHz	Pass	PK	6.943G	106.20	Inf	-Inf	3	Vertical	121	2.28
6905MHz	Pass	PK	7.259G	61.61	74.00	-12.39	3	Vertical	121	2.28
6905MHz	Pass	AV	13.80992G	42.29	68.20	-25.91	3	Vertical	181	1.96
6905MHz	Pass	PK	13.80496G	54.57	88.20	-33.63	3	Vertical	181	1.96
6905MHz	Pass	AV	13.80036G	40.91	68.20	-27.29	3	Horizontal	129	1.05
6905MHz	Pass	PK	13.81512G	53.56	88.20	-34.64	3	Horizontal	129	1.05
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX(Port1&Port4)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.921G	92.92	Inf	-Inf	3	Vertical	120	2.34
6905MHz	Pass	AV	7.258G	46.87	54.00	-7.13	3	Vertical	120	2.34
6905MHz	Pass	PK	6.924G	105.48	Inf	-Inf	3	Vertical	120	2.34
6905MHz	Pass	PK	7.259G	59.89	74.00	-14.11	3	Vertical	120	2.34
6905MHz	Pass	AV	13.81G	42.17	68.20	-26.03	3	Vertical	184	1.00
6905MHz	Pass	PK	13.80644G	53.63	88.20	-34.57	3	Vertical	184	1.00
6905MHz	Pass	AV	13.80028G	40.90	68.20	-27.30	3	Horizontal	202	1.50
6905MHz	Pass	PK	13.80168G	53.04	88.20	-35.16	3	Horizontal	202	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX(Port1&Port4)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port4)

6025MHz_TX

