



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX(Port1&Port4)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX(Port1&Port4)

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX(Port1&Port4)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port4)

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	AV	11.96984G	39.22	54.00	-14.78	3	Vertical	73	2.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	Pass	PK	5.9215G	74.98	88.20	-13.22	3	Horizontal	360	2.75
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	Pass	AV	12.0756G	38.63	54.00	-15.37	3	Horizontal	209	2.52
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	Pass	AV	7.251G	49.08	54.00	-4.92	3	Vertical	299	2.73
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	AV	7.1648G	45.69	68.20	-22.51	3	Vertical	335	2.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	AV	7.131G	50.68	68.20	-17.52	3	Vertical	333	2.33

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	48.78	68.20	-19.42	3	Vertical	130	2.56
5985MHz	Pass	AV	5.9985G	96.95	Inf	-Inf	3	Vertical	130	2.56
5985MHz	Pass	PK	5.924G	67.20	88.20	-21.00	3	Vertical	130	2.56
5985MHz	Pass	PK	5.971G	109.55	Inf	-Inf	3	Vertical	130	2.56
5985MHz	Pass	AV	5.9215G	47.18	68.20	-21.02	3	Horizontal	357	2.71
5985MHz	Pass	AV	5.9795G	96.26	Inf	-Inf	3	Horizontal	357	2.71
5985MHz	Pass	PK	5.9195G	63.86	88.20	-24.34	3	Horizontal	357	2.71
5985MHz	Pass	PK	5.98G	110.90	Inf	-Inf	3	Horizontal	357	2.71
5985MHz	Pass	AV	11.96984G	39.22	54.00	-14.78	3	Vertical	73	2.03
5985MHz	Pass	PK	11.95384G	53.28	74.00	-20.72	3	Vertical	73	2.03
5985MHz	Pass	AV	11.96168G	38.54	54.00	-15.46	3	Horizontal	60	1.57
5985MHz	Pass	PK	11.93208G	53.56	74.00	-20.44	3	Horizontal	60	1.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0136G	96.79	Inf	-Inf	3	Vertical	335	2.61
7025MHz	Pass	AV	7.1648G	45.69	68.20	-22.51	3	Vertical	335	2.61
7025MHz	Pass	PK	7.0067G	109.13	Inf	-Inf	3	Vertical	335	2.61
7025MHz	Pass	PK	7.1708G	59.29	88.20	-28.91	3	Vertical	335	2.61
7025MHz	Pass	AV	7.0193G	95.05	Inf	-Inf	3	Horizontal	341	2.19
7025MHz	Pass	AV	7.172G	45.69	68.20	-22.51	3	Horizontal	341	2.19
7025MHz	Pass	PK	7.0202G	107.93	Inf	-Inf	3	Horizontal	341	2.19
7025MHz	Pass	PK	7.1717G	60.54	88.20	-27.66	3	Horizontal	341	2.19
7025MHz	Pass	AV	14.08904G	41.80	68.20	-26.40	3	Vertical	250	1.28
7025MHz	Pass	PK	14.01896G	56.28	88.20	-31.92	3	Vertical	250	1.28
7025MHz	Pass	AV	14.08808G	41.78	68.20	-26.42	3	Horizontal	182	1.81
7025MHz	Pass	PK	14.054G	56.49	88.20	-31.71	3	Horizontal	182	1.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	50.14	68.20	-18.06	3	Vertical	126	2.58
6025MHz	Pass	AV	6.0975G	95.57	Inf	-Inf	3	Vertical	126	2.58
6025MHz	Pass	PK	5.917G	71.07	88.20	-17.13	3	Vertical	126	2.58
6025MHz	Pass	PK	6.0785G	108.58	Inf	-Inf	3	Vertical	126	2.58
6025MHz	Pass	AV	5.9215G	49.45	68.20	-18.75	3	Horizontal	360	2.75
6025MHz	Pass	AV	6.0595G	95.48	Inf	-Inf	3	Horizontal	360	2.75
6025MHz	Pass	PK	5.9215G	74.98	88.20	-13.22	3	Horizontal	360	2.75
6025MHz	Pass	PK	6.079G	108.87	Inf	-Inf	3	Horizontal	360	2.75
6025MHz	Pass	AV	12.0388G	38.58	54.00	-15.42	3	Vertical	82	1.95
6025MHz	Pass	PK	12.00616G	53.69	74.00	-20.31	3	Vertical	82	1.95
6025MHz	Pass	AV	12.03816G	38.60	54.00	-15.40	3	Horizontal	117	1.50
6025MHz	Pass	PK	12.1268G	52.98	74.00	-21.02	3	Horizontal	117	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	49.01	68.20	-19.19	3	Vertical	306	2.55
6025MHz	Pass	AV	6.0955G	95.60	Inf	-Inf	3	Vertical	306	2.55
6025MHz	Pass	PK	5.9225G	74.16	88.20	-14.04	3	Vertical	306	2.55
6025MHz	Pass	PK	6.0755G	108.69	Inf	-Inf	3	Vertical	306	2.55
6025MHz	Pass	AV	5.92G	47.42	68.20	-20.78	3	Horizontal	358	2.62
6025MHz	Pass	AV	6.079G	95.38	Inf	-Inf	3	Horizontal	358	2.62
6025MHz	Pass	PK	5.9185G	69.88	88.20	-18.32	3	Horizontal	358	2.62
6025MHz	Pass	PK	6.0975G	109.11	Inf	-Inf	3	Horizontal	358	2.62
6025MHz	Pass	AV	11.99464G	38.55	54.00	-15.45	3	Vertical	26	1.53
6025MHz	Pass	PK	12.1044G	53.19	74.00	-20.81	3	Vertical	26	1.53
6025MHz	Pass	AV	12.04104G	38.59	54.00	-15.41	3	Horizontal	197	1.35
6025MHz	Pass	PK	11.98472G	53.26	74.00	-20.74	3	Horizontal	197	1.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9335G	94.59	Inf	-Inf	3	Vertical	333	2.33
6985MHz	Pass	AV	7.131G	50.68	68.20	-17.52	3	Vertical	333	2.33
6985MHz	Pass	PK	6.954G	107.23	Inf	-Inf	3	Vertical	333	2.33
6985MHz	Pass	PK	7.1435G	65.75	88.20	-22.45	3	Vertical	333	2.33
6985MHz	Pass	AV	6.9165G	93.43	Inf	-Inf	3	Horizontal	27	2.21
6985MHz	Pass	AV	7.136G	49.10	68.20	-19.10	3	Horizontal	27	2.21
6985MHz	Pass	PK	6.917G	106.23	Inf	-Inf	3	Horizontal	27	2.21
6985MHz	Pass	PK	7.139G	68.60	88.20	-19.60	3	Horizontal	27	2.21

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	14.00616G	41.49	68.20	-26.71	3	Vertical	195	1.50
6985MHz	Pass	PK	13.96168G	56.69	88.20	-31.51	3	Vertical	195	1.50
6985MHz	Pass	AV	14.02184G	41.43	68.20	-26.77	3	Horizontal	138	2.28
6985MHz	Pass	PK	14.02632G	55.77	88.20	-32.43	3	Horizontal	138	2.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX										
6985MHz	Pass	AV	6.9335G	94.86	Inf	-Inf	3	Vertical	332	2.53
6985MHz	Pass	AV	7.1325G	48.82	68.20	-19.38	3	Vertical	332	2.53
6985MHz	Pass	PK	6.9345G	108.90	Inf	-Inf	3	Vertical	332	2.53
6985MHz	Pass	PK	7.1405G	66.35	88.20	-21.85	3	Vertical	332	2.53
6985MHz	Pass	AV	6.9195G	93.51	Inf	-Inf	3	Horizontal	43	2.16
6985MHz	Pass	AV	7.1565G	48.93	68.20	-19.27	3	Horizontal	43	2.16
6985MHz	Pass	PK	6.939G	107.20	Inf	-Inf	3	Horizontal	43	2.16
6985MHz	Pass	PK	7.141G	68.82	88.20	-19.38	3	Horizontal	43	2.16
6985MHz	Pass	AV	14.02536G	41.43	68.20	-26.77	3	Vertical	19	2.41
6985MHz	Pass	PK	14.00424G	55.80	88.20	-32.40	3	Vertical	19	2.41
6985MHz	Pass	AV	14.03848G	41.44	68.20	-26.76	3	Horizontal	268	2.00
6985MHz	Pass	PK	14.0388G	55.75	88.20	-32.45	3	Horizontal	268	2.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX										
6105MHz	Pass	AV	5.917G	47.56	68.20	-20.64	3	Vertical	306	2.42
6105MHz	Pass	AV	6.155G	93.04	Inf	-Inf	3	Vertical	306	2.42
6105MHz	Pass	PK	5.922G	69.33	88.20	-18.87	3	Vertical	306	2.42
6105MHz	Pass	PK	6.135G	105.53	Inf	-Inf	3	Vertical	306	2.42
6105MHz	Pass	AV	5.921G	47.07	68.20	-21.13	3	Horizontal	360	2.78
6105MHz	Pass	AV	6.079G	92.90	Inf	-Inf	3	Horizontal	360	2.78
6105MHz	Pass	PK	5.92G	67.25	88.20	-20.95	3	Horizontal	360	2.78
6105MHz	Pass	PK	6.08G	106.15	Inf	-Inf	3	Horizontal	360	2.78
6105MHz	Pass	AV	12.06024G	38.56	54.00	-15.44	3	Vertical	191	1.50
6105MHz	Pass	PK	12.06216G	52.64	74.00	-21.36	3	Vertical	191	1.50
6105MHz	Pass	AV	12.08776G	38.59	54.00	-15.41	3	Horizontal	233	1.50
6105MHz	Pass	PK	12.36296G	52.94	74.00	-21.06	3	Horizontal	233	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX										
6105MHz	Pass	AV	5.917G	47.30	68.20	-20.90	3	Vertical	304	2.67
6105MHz	Pass	AV	6.156G	92.66	Inf	-Inf	3	Vertical	304	2.67
6105MHz	Pass	PK	5.919G	61.50	88.20	-26.70	3	Vertical	304	2.67
6105MHz	Pass	PK	6.096G	105.88	Inf	-Inf	3	Vertical	304	2.67
6105MHz	Pass	AV	5.921G	46.33	68.20	-21.87	3	Horizontal	360	2.82
6105MHz	Pass	AV	6.079G	92.28	Inf	-Inf	3	Horizontal	360	2.82
6105MHz	Pass	PK	5.924G	60.71	88.20	-27.49	3	Horizontal	360	2.82
6105MHz	Pass	PK	6.18G	105.62	Inf	-Inf	3	Horizontal	360	2.82
6105MHz	Pass	AV	12.07112G	38.56	54.00	-15.44	3	Vertical	346	1.50
6105MHz	Pass	PK	12.1108G	52.51	74.00	-21.49	3	Vertical	346	1.50
6105MHz	Pass	AV	12.0756G	38.63	54.00	-15.37	3	Horizontal	209	2.52
6105MHz	Pass	PK	12.33736G	53.14	74.00	-20.86	3	Horizontal	209	2.52
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX										
6105MHz	Pass	AV	5.924G	46.30	68.20	-21.90	3	Vertical	305	2.55
6105MHz	Pass	AV	6.095G	92.65	Inf	-Inf	3	Vertical	305	2.55
6105MHz	Pass	PK	5.924G	64.58	88.20	-23.62	3	Vertical	305	2.55
6105MHz	Pass	PK	6.175G	105.18	Inf	-Inf	3	Vertical	305	2.55
6105MHz	Pass	AV	5.921G	45.68	68.20	-22.52	3	Horizontal	360	2.70
6105MHz	Pass	AV	6.059G	92.42	Inf	-Inf	3	Horizontal	360	2.70
6105MHz	Pass	PK	5.923G	64.11	88.20	-24.09	3	Horizontal	360	2.70
6105MHz	Pass	PK	6.06G	104.95	Inf	-Inf	3	Horizontal	360	2.70
6105MHz	Pass	AV	12.07432G	38.63	54.00	-15.37	3	Vertical	269	2.10
6105MHz	Pass	PK	12.34312G	52.89	74.00	-21.11	3	Vertical	269	2.10
6105MHz	Pass	AV	12.07368G	38.57	54.00	-15.43	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.24584G	53.17	74.00	-20.83	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX										
6905MHz	Pass	AV	6.955G	93.13	Inf	-Inf	3	Vertical	299	2.73
6905MHz	Pass	AV	7.251G	49.08	54.00	-4.92	3	Vertical	299	2.73
6905MHz	Pass	PK	6.895G	106.82	Inf	-Inf	3	Vertical	299	2.73
6905MHz	Pass	PK	7.251G	62.72	74.00	-11.28	3	Vertical	299	2.73
6905MHz	Pass	AV	6.758G	90.84	Inf	-Inf	3	Horizontal	25	2.17




**RSE TX above 1GHz_Non-Beamforming
_Radio 3_Channel Puncturing_4T1S**

Appendix E.23

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.255G	47.00	54.00	-7.00	3	Horizontal	25	2.17
6905MHz	Pass	PK	6.857G	103.48	Inf	-Inf	3	Horizontal	25	2.17
6905MHz	Pass	PK	7.257G	60.24	74.00	-13.76	3	Horizontal	25	2.17
6905MHz	Pass	AV	13.81G	41.58	68.20	-26.62	3	Vertical	184	1.00
6905MHz	Pass	PK	13.77288G	55.34	88.20	-32.86	3	Vertical	184	1.00
6905MHz	Pass	AV	13.95336G	41.41	68.20	-26.79	3	Horizontal	250	1.50
6905MHz	Pass	PK	13.70632G	55.28	88.20	-32.92	3	Horizontal	250	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.923G	92.74	Inf	-Inf	3	Vertical	120	2.34
6905MHz	Pass	AV	7.25G	48.95	54.00	-5.05	3	Vertical	120	2.34
6905MHz	Pass	PK	6.943G	105.31	Inf	-Inf	3	Vertical	120	2.34
6905MHz	Pass	PK	7.258G	62.39	74.00	-11.61	3	Vertical	120	2.34
6905MHz	Pass	AV	6.916G	90.17	Inf	-Inf	3	Horizontal	210	2.34
6905MHz	Pass	AV	7.26G	48.34	54.00	-5.66	3	Horizontal	210	2.34
6905MHz	Pass	PK	6.916G	103.14	Inf	-Inf	3	Horizontal	210	2.34
6905MHz	Pass	PK	7.261G	61.48	74.00	-12.52	3	Horizontal	210	2.34
6905MHz	Pass	AV	13.81G	41.63	68.20	-26.57	3	Vertical	184	1.00
6905MHz	Pass	PK	13.93608G	55.34	88.20	-32.86	3	Vertical	184	1.00
6905MHz	Pass	AV	13.95656G	41.35	68.20	-26.85	3	Horizontal	68	1.50
6905MHz	Pass	PK	13.9284G	55.96	88.20	-32.24	3	Horizontal	68	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.922G	91.78	Inf	-Inf	3	Vertical	150	2.92
6905MHz	Pass	AV	7.25G	46.79	54.00	-7.21	3	Vertical	150	2.92
6905MHz	Pass	PK	6.922G	103.81	Inf	-Inf	3	Vertical	150	2.92
6905MHz	Pass	PK	7.256G	59.91	74.00	-14.09	3	Vertical	150	2.92
6905MHz	Pass	AV	6.856G	89.93	Inf	-Inf	3	Horizontal	210	2.14
6905MHz	Pass	AV	7.28G	46.56	54.00	-7.44	3	Horizontal	210	2.14
6905MHz	Pass	PK	6.856G	102.46	Inf	-Inf	3	Horizontal	210	2.14
6905MHz	Pass	PK	7.279G	60.54	74.00	-13.46	3	Horizontal	210	2.14
6905MHz	Pass	AV	13.81G	41.44	68.20	-26.76	3	Vertical	179	1.87
6905MHz	Pass	PK	13.94952G	55.11	88.20	-33.09	3	Vertical	179	1.87
6905MHz	Pass	AV	13.95016G	41.33	68.20	-26.87	3	Horizontal	3	1.50
6905MHz	Pass	PK	13.9444G	55.56	88.20	-32.64	3	Horizontal	3	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	47.30	68.20	-20.90	1.89	3	Vertical	304	2.67	45.41	34.57	5.17	37.85
AV	6.156G	92.66	Inf	-Inf	2.25	3	Vertical	304	2.67	90.41	34.60	5.34	37.69
PK	5.919G	61.50	88.20	-26.70	1.88	3	Vertical	304	2.67	59.62	34.56	5.17	37.85
PK	6.096G	105.88	Inf	-Inf	2.01	3	Vertical	304	2.67	103.87	34.41	5.32	37.72

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	46.33	68.20	-21.87	1.88	3	Horizontal	360	2.82	44.45	34.56	5.17	37.85
AV	6.079G	92.28	Inf	-Inf	2.03	3	Horizontal	360	2.82	90.25	34.44	5.32	37.73
PK	5.924G	60.71	88.20	-27.49	1.89	3	Horizontal	360	2.82	58.82	34.55	5.18	37.84
PK	6.18G	105.62	Inf	-Inf	2.28	3	Horizontal	360	2.82	103.34	34.60	5.35	37.67


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax.HEW20_Nss1,(MCS0)_1TX	Pass	QP	35.01M	33.45	40.00	-6.55	3	Vertical	277	1.79

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6195MHz	Pass	PK	101.78M	24.91	43.50	-18.59	3	Vertical	360	1.00
6195MHz	Pass	PK	101.78M	24.91	43.50	-18.59	3	Vertical	360	1.00
6195MHz	Pass	PK	247.28M	32.03	46.00	-13.97	3	Vertical	360	1.00
6195MHz	Pass	PK	670.2M	37.27	46.00	-8.73	3	Vertical	360	1.00
6195MHz	Pass	PK	716.76M	34.20	46.00	-11.80	3	Vertical	360	1.00
6195MHz	Pass	QP	35.01M	33.45	40.00	-6.55	3	Vertical	277	1.79
6195MHz	Pass	PK	37.76M	26.02	40.00	-13.98	3	Horizontal	0	1.00
6195MHz	Pass	PK	90.14M	22.47	43.50	-21.03	3	Horizontal	0	1.00
6195MHz	Pass	PK	134.76M	22.45	43.50	-21.05	3	Horizontal	0	1.00
6195MHz	Pass	PK	249.22M	21.98	46.00	-24.02	3	Horizontal	0	1.00
6195MHz	Pass	PK	460.68M	28.12	46.00	-17.88	3	Horizontal	0	1.00
6195MHz	Pass	PK	670.2M	32.28	46.00	-13.72	3	Horizontal	0	1.00


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_PoE



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_PoE



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.38112G	37.98	54.00	-16.02	3	Vertical	118	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.94176G	39.39	68.20	-28.81	3	Vertical	360	2.54
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	13.38064G	40.06	54.00	-13.94	3	Vertical	89	1.42
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	68.06	68.20	-0.14	3	Horizontal	335	1.99

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	46.42	68.20	-21.78	3	Horizontal	316	2.06
5955MHz	Pass	AV	5.9538G	97.01	Inf	-Inf	3	Horizontal	316	2.06
5955MHz	Pass	PK	5.925G	60.79	88.20	-27.41	3	Horizontal	316	2.06
5955MHz	Pass	PK	5.9559G	110.10	Inf	-Inf	3	Horizontal	316	2.06
5955MHz	Pass	AV	11.92404G	37.73	54.00	-16.27	3	Vertical	7	1.62
5955MHz	Pass	PK	11.89908G	51.92	74.00	-22.08	3	Vertical	7	1.62
5955MHz	Pass	AV	11.91042G	37.72	54.00	-16.28	3	Horizontal	68	1.38
5955MHz	Pass	PK	11.91228G	51.93	74.00	-22.07	3	Horizontal	68	1.38
6195MHz	Pass	AV	12.38112G	37.98	54.00	-16.02	3	Vertical	118	1.50
6195MHz	Pass	PK	12.3962G	51.35	74.00	-22.65	3	Vertical	118	1.50
6195MHz	Pass	AV	12.38224G	37.98	54.00	-16.02	3	Horizontal	192	1.50
6195MHz	Pass	PK	12.38308G	51.07	74.00	-22.93	3	Horizontal	192	1.50
6415MHz	Pass	AV	12.83636G	39.32	68.20	-28.88	3	Vertical	282	1.50
6415MHz	Pass	PK	12.8228G	52.90	88.20	-35.30	3	Vertical	282	1.50
6415MHz	Pass	AV	12.83612G	39.32	68.20	-28.88	3	Horizontal	338	1.88
6415MHz	Pass	PK	12.82972G	53.06	88.20	-35.14	3	Horizontal	338	1.88
6435MHz	Pass	AV	12.86664G	39.32	68.20	-28.88	3	Vertical	206	1.50
6435MHz	Pass	PK	12.87492G	52.17	88.20	-36.03	3	Vertical	206	1.50
6435MHz	Pass	AV	12.86476G	39.31	68.20	-28.89	3	Horizontal	201	1.50
6435MHz	Pass	PK	12.86844G	52.92	88.20	-35.28	3	Horizontal	201	1.50
6475MHz	Pass	AV	12.94176G	39.39	68.20	-28.81	3	Vertical	360	2.54
6475MHz	Pass	PK	12.95088G	52.37	88.20	-35.83	3	Vertical	360	2.54
6475MHz	Pass	AV	12.95952G	39.39	68.20	-28.81	3	Horizontal	202	1.50
6475MHz	Pass	PK	12.95156G	52.52	88.20	-35.68	3	Horizontal	202	1.50
6515MHz	Pass	AV	13.02328G	39.36	68.20	-28.84	3	Vertical	189	1.46
6515MHz	Pass	PK	13.02788G	52.76	88.20	-35.44	3	Vertical	189	1.46
6515MHz	Pass	AV	13.022G	39.38	68.20	-28.82	3	Horizontal	289	1.50
6515MHz	Pass	PK	13.0248G	52.56	88.20	-35.64	3	Horizontal	289	1.50
6535MHz	Pass	AV	13.06792G	39.37	68.20	-28.83	3	Vertical	15	2.30
6535MHz	Pass	PK	13.06412G	52.67	88.20	-35.53	3	Vertical	15	2.30
6535MHz	Pass	AV	13.06732G	39.36	68.20	-28.84	3	Horizontal	333	1.03
6535MHz	Pass	PK	13.06204G	52.46	88.20	-35.74	3	Horizontal	333	1.03
6695MHz	Pass	AV	13.38064G	40.06	54.00	-13.94	3	Vertical	89	1.42
6695MHz	Pass	PK	13.38692G	54.74	74.00	-19.26	3	Vertical	89	1.42
6695MHz	Pass	AV	13.38208G	40.06	54.00	-13.94	3	Horizontal	257	1.49
6695MHz	Pass	PK	13.3976G	52.95	74.00	-21.05	3	Horizontal	257	1.49
6875MHz	Pass	AV	13.75708G	40.49	68.20	-27.71	3	Vertical	360	2.58
6875MHz	Pass	PK	13.75072G	54.37	88.20	-33.83	3	Vertical	360	2.58
6875MHz	Pass	AV	13.75748G	40.49	68.20	-27.71	3	Horizontal	154	3.00
6875MHz	Pass	PK	13.74236G	53.08	88.20	-35.12	3	Horizontal	154	3.00
6895MHz	Pass	AV	13.79196G	40.53	68.20	-27.67	3	Vertical	6	2.05
6895MHz	Pass	PK	13.78768G	54.78	88.20	-33.42	3	Vertical	6	2.05
6895MHz	Pass	AV	13.79208G	40.53	68.20	-27.67	3	Horizontal	359	1.50
6895MHz	Pass	PK	13.79152G	53.80	88.20	-34.40	3	Horizontal	359	1.50
6995MHz	Pass	AV	13.9832G	41.14	68.20	-27.06	3	Vertical	157	1.50
6995MHz	Pass	PK	13.9968G	54.87	88.20	-33.33	3	Vertical	157	1.50
6995MHz	Pass	AV	13.98328G	41.15	68.20	-27.05	3	Horizontal	0	1.96
6995MHz	Pass	PK	13.98976G	54.98	88.20	-33.22	3	Horizontal	0	1.96
7095MHz	Pass	AV	7.0956G	96.84	Inf	-Inf	3	Horizontal	335	1.90
7095MHz	Pass	AV	7.2447G	45.91	68.20	-22.29	3	Horizontal	335	1.90
7095MHz	Pass	PK	7.0959G	109.87	Inf	-Inf	3	Horizontal	335	1.90
7095MHz	Pass	PK	7.2399G	60.91	88.20	-27.29	3	Horizontal	335	1.90
7095MHz	Pass	AV	14.19164G	42.10	68.20	-26.10	3	Vertical	280	1.04
7095MHz	Pass	PK	14.18996G	54.89	88.20	-33.31	3	Vertical	280	1.04
7095MHz	Pass	AV	14.18808G	42.17	68.20	-26.03	3	Horizontal	50	1.50
7095MHz	Pass	PK	14.18508G	54.47	88.20	-33.73	3	Horizontal	50	1.50
7115MHz	Pass	AV	7.1135G	99.46	Inf	-Inf	3	Horizontal	335	1.99
7115MHz	Pass	AV	7.1255G	68.06	68.20	-0.14	3	Horizontal	335	1.99
7115MHz	Pass	PK	7.1135G	105.61	Inf	-Inf	3	Horizontal	335	1.99
7115MHz	Pass	PK	7.1255G	77.17	88.20	-11.03	3	Horizontal	335	1.99



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22372G	42.02	68.20	-26.18	3	Vertical	76	1.50
7115MHz	Pass	PK	14.22336G	53.90	88.20	-34.30	3	Vertical	76	1.50
7115MHz	Pass	AV	14.22292G	41.99	68.20	-26.21	3	Horizontal	285	1.50
7115MHz	Pass	PK	14.23624G	54.82	88.20	-33.38	3	Horizontal	285	1.50


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.91018G	39.17	54.00	-14.83	3	Vertical	22	2.47
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.93G	40.24	54.00	-13.76	3	Vertical	239	1.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.96372G	39.11	54.00	-14.89	3	Vertical	125	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.04996G	40.33	54.00	-13.67	3	Vertical	262	2.45
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	PK	5.921G	76.95	88.20	-11.25	3	Vertical	299	2.14
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.02994G	40.72	68.20	-27.48	3	Vertical	254	2.04
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.88988G	40.20	68.20	-28.00	3	Vertical	334	2.55
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.09004G	41.87	68.20	-26.33	3	Vertical	44	2.46
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.01224G	39.89	68.20	-28.31	3	Horizontal	201	2.57
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	13.1553G	40.40	68.20	-27.80	3	Horizontal	90	1.31
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.3816G	40.78	54.00	-13.22	3	Horizontal	344	1.29
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37G	40.77	54.00	-13.23	3	Vertical	229	2.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	13.2532G	53.97	74.00	-20.03	3	Horizontal	165	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.32164G	40.60	54.00	-13.40	3	Vertical	360	2.59
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.289G	50.34	54.00	-3.66	3	Vertical	147	1.80
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.99	68.20	-0.21	3	Horizontal	327	2.33
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2311G	47.54	68.20	-20.66	3	Vertical	294	2.17
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1744G	47.22	68.20	-20.98	3	Vertical	327	2.20
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	7.137G	85.63	88.20	-2.57	3	Vertical	50	3.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9172G	42.43	68.20	-25.77	3	Vertical	135	1.50
5955MHz	Pass	AV	5.9622G	92.81	Inf	-Inf	3	Vertical	135	1.50
5955MHz	Pass	PK	5.8968G	56.48	88.20	-31.72	3	Vertical	135	1.50
5955MHz	Pass	PK	5.9601G	106.13	Inf	-Inf	3	Vertical	135	1.50
5955MHz	Pass	AV	5.9166G	42.46	68.20	-25.74	3	Horizontal	289	2.95
5955MHz	Pass	AV	5.9466G	96.12	Inf	-Inf	3	Horizontal	289	2.95
5955MHz	Pass	PK	5.925G	57.79	88.20	-30.41	3	Horizontal	289	2.95
5955MHz	Pass	PK	5.9466G	109.34	Inf	-Inf	3	Horizontal	289	2.95
5955MHz	Pass	AV	11.91018G	39.17	54.00	-14.83	3	Vertical	22	2.47
5955MHz	Pass	PK	11.89806G	51.60	74.00	-22.40	3	Vertical	22	2.47
5955MHz	Pass	AV	11.92302G	38.58	54.00	-15.42	3	Horizontal	184	1.50
5955MHz	Pass	PK	11.91996G	51.34	74.00	-22.66	3	Horizontal	184	1.50
6195MHz	Pass	AV	12.37512G	38.82	54.00	-15.18	3	Vertical	0	3.00
6195MHz	Pass	PK	12.37878G	51.60	74.00	-22.40	3	Vertical	0	3.00
6195MHz	Pass	AV	12.4032G	38.89	54.00	-15.11	3	Horizontal	98	1.50
6195MHz	Pass	PK	12.39486G	51.91	74.00	-22.09	3	Horizontal	98	1.50
6415MHz	Pass	AV	12.83024G	40.20	68.20	-28.00	3	Vertical	172	1.58
6415MHz	Pass	PK	12.83666G	53.27	88.20	-34.93	3	Vertical	172	1.58
6415MHz	Pass	AV	12.83144G	39.92	68.20	-28.28	3	Horizontal	0	1.00
6415MHz	Pass	PK	12.83372G	53.23	88.20	-34.97	3	Horizontal	0	1.00
6435MHz	Pass	AV	12.86748G	40.01	68.20	-28.19	3	Vertical	11	1.50
6435MHz	Pass	PK	12.87918G	52.83	88.20	-35.37	3	Vertical	11	1.50
6435MHz	Pass	AV	12.85608G	39.97	68.20	-28.23	3	Horizontal	67	2.58
6435MHz	Pass	PK	12.87438G	53.58	88.20	-34.62	3	Horizontal	67	2.58
6475MHz	Pass	AV	12.95036G	39.92	68.20	-28.28	3	Vertical	305	2.95
6475MHz	Pass	PK	12.94292G	52.52	88.20	-35.68	3	Vertical	305	2.95
6475MHz	Pass	AV	12.95582G	39.66	68.20	-28.54	3	Horizontal	358	1.85
6475MHz	Pass	PK	12.93596G	52.56	88.20	-35.64	3	Horizontal	358	1.85
6515MHz	Pass	AV	13.02994G	40.72	68.20	-27.48	3	Vertical	254	2.04
6515MHz	Pass	PK	13.04044G	52.84	88.20	-35.36	3	Vertical	254	2.04
6515MHz	Pass	AV	13.0336G	39.83	68.20	-28.37	3	Horizontal	44	2.12
6515MHz	Pass	PK	13.0192G	53.41	88.20	-34.79	3	Horizontal	44	2.12
6535MHz	Pass	AV	13.06994G	41.47	68.20	-26.73	3	Vertical	51	2.50
6535MHz	Pass	PK	13.06982G	53.17	88.20	-35.03	3	Vertical	51	2.50
6535MHz	Pass	AV	13.07432G	40.03	68.20	-28.17	3	Horizontal	206	2.73
6535MHz	Pass	PK	13.0766G	52.71	88.20	-35.49	3	Horizontal	206	2.73
6695MHz	Pass	AV	13.37806G	40.72	54.00	-13.28	3	Vertical	0	1.50
6695MHz	Pass	PK	13.38148G	53.61	74.00	-20.39	3	Vertical	0	1.50
6695MHz	Pass	AV	13.3816G	40.78	54.00	-13.22	3	Horizontal	344	1.29
6695MHz	Pass	PK	13.38676G	52.94	74.00	-21.06	3	Horizontal	344	1.29
6875MHz	Pass	AV	13.75G	42.05	68.20	-26.15	3	Vertical	163	2.93
6875MHz	Pass	PK	13.75228G	54.63	88.20	-33.57	3	Vertical	163	2.93
6875MHz	Pass	AV	13.73932G	41.23	68.20	-26.97	3	Horizontal	292	1.50
6875MHz	Pass	PK	13.7533G	53.82	88.20	-34.38	3	Horizontal	292	1.50
6895MHz	Pass	AV	13.78992G	42.40	68.20	-25.80	3	Vertical	164	1.18
6895MHz	Pass	PK	13.78744G	54.52	88.20	-33.68	3	Vertical	164	1.18
6895MHz	Pass	AV	13.78784G	41.43	68.20	-26.77	3	Horizontal	347	2.58
6895MHz	Pass	PK	13.78324G	54.23	88.20	-33.97	3	Horizontal	347	2.58
6995MHz	Pass	AV	13.99004G	43.47	68.20	-24.73	3	Vertical	183	1.00
6995MHz	Pass	PK	13.98984G	55.36	88.20	-32.84	3	Vertical	183	1.00
6995MHz	Pass	AV	13.98736G	42.05	68.20	-26.15	3	Horizontal	9	2.58
6995MHz	Pass	PK	13.9884G	54.50	88.20	-33.70	3	Horizontal	9	2.58
7095MHz	Pass	AV	7.1034G	97.16	Inf	-Inf	3	Vertical	128	1.49
7095MHz	Pass	AV	7.2432G	47.99	68.20	-20.21	3	Vertical	128	1.49
7095MHz	Pass	PK	7.1022G	108.85	Inf	-Inf	3	Vertical	128	1.49
7095MHz	Pass	PK	7.233G	61.08	88.20	-27.12	3	Vertical	128	1.49
7095MHz	Pass	AV	7.1034G	97.33	Inf	-Inf	3	Horizontal	39	2.25
7095MHz	Pass	AV	7.242G	47.95	68.20	-20.25	3	Horizontal	39	2.25
7095MHz	Pass	PK	7.104G	109.69	Inf	-Inf	3	Horizontal	39	2.25
7095MHz	Pass	PK	7.2048G	61.06	88.20	-27.14	3	Horizontal	39	2.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18996G	43.62	68.20	-24.58	3	Vertical	157	2.90
7095MHz	Pass	PK	14.18264G	55.05	88.20	-33.15	3	Vertical	157	2.90
7095MHz	Pass	AV	14.18076G	42.41	68.20	-25.79	3	Horizontal	201	2.64
7095MHz	Pass	PK	14.18832G	55.24	88.20	-32.96	3	Horizontal	201	2.64
7115MHz	Pass	AV	7.1205G	92.00	Inf	-Inf	3	Vertical	141	1.50
7115MHz	Pass	AV	7.1255G	63.66	68.20	-4.54	3	Vertical	141	1.50
7115MHz	Pass	PK	7.1195G	97.97	Inf	-Inf	3	Vertical	141	1.50
7115MHz	Pass	PK	7.1255G	73.91	88.20	-14.29	3	Vertical	141	1.50
7115MHz	Pass	AV	7.1235G	94.75	Inf	-Inf	3	Horizontal	327	2.33
7115MHz	Pass	AV	7.1255G	67.99	68.20	-0.21	3	Horizontal	327	2.33
7115MHz	Pass	PK	7.1235G	100.52	Inf	-Inf	3	Horizontal	327	2.33
7115MHz	Pass	PK	7.1255G	79.20	88.20	-9.00	3	Horizontal	327	2.33
7115MHz	Pass	AV	14.22992G	43.60	68.20	-24.60	3	Vertical	159	3.00
7115MHz	Pass	PK	14.22768G	55.38	88.20	-32.82	3	Vertical	159	3.00
7115MHz	Pass	AV	14.22772G	42.28	68.20	-25.92	3	Horizontal	133	1.50
7115MHz	Pass	PK	14.2254G	55.97	88.20	-32.23	3	Horizontal	133	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.92G	43.04	68.20	-25.16	3	Vertical	130	1.53
5965MHz	Pass	AV	5.9662G	95.51	Inf	-Inf	3	Vertical	130	1.53
5965MHz	Pass	PK	5.9236G	56.89	88.20	-31.31	3	Vertical	130	1.53
5965MHz	Pass	PK	5.9674G	108.85	Inf	-Inf	3	Vertical	130	1.53
5965MHz	Pass	AV	5.9248G	43.34	68.20	-24.86	3	Horizontal	333	2.62
5965MHz	Pass	AV	5.947G	96.87	Inf	-Inf	3	Horizontal	333	2.62
5965MHz	Pass	PK	5.923G	63.31	88.20	-24.89	3	Horizontal	333	2.62
5965MHz	Pass	PK	5.9494G	110.80	Inf	-Inf	3	Horizontal	333	2.62
5965MHz	Pass	AV	11.93G	40.24	54.00	-13.76	3	Vertical	239	1.99
5965MHz	Pass	PK	11.92744G	51.98	74.00	-22.02	3	Vertical	239	1.99
5965MHz	Pass	AV	11.93112G	38.93	54.00	-15.07	3	Horizontal	317	1.37
5965MHz	Pass	PK	11.92904G	51.61	74.00	-22.39	3	Horizontal	317	1.37
6205MHz	Pass	AV	12.40272G	38.75	54.00	-15.25	3	Vertical	145	2.81
6205MHz	Pass	PK	12.40176G	52.69	74.00	-21.31	3	Vertical	145	2.81
6205MHz	Pass	AV	12.40316G	38.73	54.00	-15.27	3	Horizontal	54	2.95
6205MHz	Pass	PK	12.40336G	51.87	74.00	-22.13	3	Horizontal	54	2.95
6405MHz	Pass	AV	12.81008G	40.98	68.20	-27.22	3	Vertical	35	2.56
6405MHz	Pass	PK	12.81G	53.17	88.20	-35.03	3	Vertical	35	2.56
6405MHz	Pass	AV	12.80896G	39.84	68.20	-28.36	3	Horizontal	193	1.50
6405MHz	Pass	PK	12.81128G	52.63	88.20	-35.57	3	Horizontal	193	1.50
6445MHz	Pass	AV	12.88988G	40.20	68.20	-28.00	3	Vertical	334	2.55
6445MHz	Pass	PK	12.8896G	52.91	88.20	-35.29	3	Vertical	334	2.55
6445MHz	Pass	AV	12.88952G	39.89	68.20	-28.31	3	Horizontal	162	1.50
6445MHz	Pass	PK	12.8808G	53.06	88.20	-35.14	3	Horizontal	162	1.50
6485MHz	Pass	AV	12.96996G	40.09	68.20	-28.11	3	Vertical	102	2.96
6485MHz	Pass	PK	12.96684G	52.98	88.20	-35.22	3	Vertical	102	2.96
6485MHz	Pass	AV	12.97148G	39.62	68.20	-28.58	3	Horizontal	55	2.11
6485MHz	Pass	PK	12.96664G	52.51	88.20	-35.69	3	Horizontal	55	2.11
6525MHz	Pass	AV	13.05G	39.98	68.20	-28.22	3	Vertical	158	2.08
6525MHz	Pass	PK	13.05616G	53.34	88.20	-34.86	3	Vertical	158	2.08
6525MHz	Pass	AV	13.05852G	39.78	68.20	-28.42	3	Horizontal	9	2.79
6525MHz	Pass	PK	13.0574G	53.08	88.20	-35.12	3	Horizontal	9	2.79
6565MHz	Pass	AV	13.13G	42.19	68.20	-26.01	3	Vertical	45	2.92
6565MHz	Pass	PK	13.12992G	53.51	88.20	-34.69	3	Vertical	45	2.92
6565MHz	Pass	AV	13.13608G	40.22	68.20	-27.98	3	Horizontal	263	1.78
6565MHz	Pass	PK	13.13188G	52.88	88.20	-35.32	3	Horizontal	263	1.78
6685MHz	Pass	AV	13.37G	40.77	54.00	-13.23	3	Vertical	229	2.99
6685MHz	Pass	PK	13.37732G	54.11	74.00	-19.89	3	Vertical	229	2.99
6685MHz	Pass	AV	13.36104G	40.50	54.00	-13.50	3	Horizontal	188	2.47
6685MHz	Pass	PK	13.37388G	53.68	74.00	-20.32	3	Horizontal	188	2.47
6685MHz	Pass	AV	13.76608G	41.20	68.20	-27.00	3	Vertical	319	2.52
6685MHz	Pass	PK	13.76832G	54.23	88.20	-33.97	3	Vertical	319	2.52
6685MHz	Pass	AV	13.76248G	41.11	68.20	-27.09	3	Horizontal	360	1.50
6685MHz	Pass	PK	13.7762G	53.78	88.20	-34.42	3	Horizontal	360	1.50
6925MHz	Pass	AV	13.85856G	41.04	68.20	-27.16	3	Vertical	281	2.35

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.85692G	54.40	88.20	-33.80	3	Vertical	281	2.35
6925MHz	Pass	AV	13.8574G	41.13	68.20	-27.07	3	Horizontal	233	1.50
6925MHz	Pass	PK	13.84352G	54.18	88.20	-34.02	3	Horizontal	233	1.50
7005MHz	Pass	AV	6.9876G	98.13	Inf	-Inf	3	Vertical	218	2.15
7005MHz	Pass	AV	7.1406G	46.93	68.20	-21.27	3	Vertical	218	2.15
7005MHz	Pass	PK	6.9864G	110.77	Inf	-Inf	3	Vertical	218	2.15
7005MHz	Pass	PK	7.14G	60.23	88.20	-27.97	3	Vertical	218	2.15
7005MHz	Pass	AV	7.0002G	96.91	Inf	-Inf	3	Horizontal	30	2.29
7005MHz	Pass	AV	7.1514G	47.04	68.20	-21.16	3	Horizontal	30	2.29
7005MHz	Pass	PK	6.996G	111.05	Inf	-Inf	3	Horizontal	30	2.29
7005MHz	Pass	PK	7.134G	60.92	88.20	-27.28	3	Horizontal	30	2.29
7005MHz	Pass	AV	14.00996G	42.87	68.20	-25.33	3	Vertical	180	1.04
7005MHz	Pass	PK	14.00612G	55.63	88.20	-32.57	3	Vertical	180	1.04
7005MHz	Pass	AV	14.01836G	41.96	68.20	-26.24	3	Horizontal	77	1.28
7005MHz	Pass	PK	14.00968G	56.60	88.20	-31.60	3	Horizontal	77	1.28
7085MHz	Pass	AV	7.0712G	95.47	Inf	-Inf	3	Vertical	294	2.17
7085MHz	Pass	AV	7.2311G	47.54	68.20	-20.66	3	Vertical	294	2.17
7085MHz	Pass	PK	7.0724G	108.91	Inf	-Inf	3	Vertical	294	2.17
7085MHz	Pass	PK	7.1369G	63.89	88.20	-24.31	3	Vertical	294	2.17
7085MHz	Pass	AV	7.0673G	91.59	Inf	-Inf	3	Horizontal	28	1.49
7085MHz	Pass	AV	7.2347G	47.46	68.20	-20.74	3	Horizontal	28	1.49
7085MHz	Pass	PK	7.0685G	104.42	Inf	-Inf	3	Horizontal	28	1.49
7085MHz	Pass	PK	7.2161G	61.21	88.20	-26.99	3	Horizontal	28	1.49
7085MHz	Pass	AV	14.16996G	42.80	68.20	-25.40	3	Vertical	138	3.00
7085MHz	Pass	PK	14.16012G	55.71	88.20	-32.49	3	Vertical	138	3.00
7085MHz	Pass	AV	14.16712G	42.39	68.20	-25.81	3	Horizontal	179	1.50
7085MHz	Pass	PK	14.17408G	55.61	88.20	-32.59	3	Horizontal	179	1.50
802.11be EHT80-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.918G	46.21	68.20	-21.99	3	Vertical	124	2.26
5985MHz	Pass	AV	6.019G	94.85	Inf	-Inf	3	Vertical	124	2.26
5985MHz	Pass	PK	5.922G	60.55	88.20	-27.65	3	Vertical	124	2.26
5985MHz	Pass	PK	6.003G	108.29	Inf	-Inf	3	Vertical	124	2.26
5985MHz	Pass	AV	5.925G	43.45	68.20	-24.75	3	Horizontal	203	2.48
5985MHz	Pass	AV	5.983G	97.09	Inf	-Inf	3	Horizontal	203	2.48
5985MHz	Pass	PK	5.911G	56.69	88.20	-31.51	3	Horizontal	203	2.48
5985MHz	Pass	PK	5.983G	109.54	Inf	-Inf	3	Horizontal	203	2.48
5985MHz	Pass	AV	11.96372G	39.11	54.00	-14.89	3	Vertical	125	1.50
5985MHz	Pass	PK	11.9644G	51.89	74.00	-22.11	3	Vertical	125	1.50
5985MHz	Pass	AV	11.9636G	39.05	54.00	-14.95	3	Horizontal	116	1.50
5985MHz	Pass	PK	11.9688G	52.04	74.00	-21.96	3	Horizontal	116	1.50
6225MHz	Pass	AV	12.45728G	38.90	54.00	-15.10	3	Vertical	336	1.89
6225MHz	Pass	PK	12.4562G	51.84	74.00	-22.16	3	Vertical	336	1.89
6225MHz	Pass	AV	12.45676G	38.78	54.00	-15.22	3	Horizontal	227	1.50
6225MHz	Pass	PK	12.44652G	51.87	74.00	-22.13	3	Horizontal	227	1.50
6385MHz	Pass	AV	12.7698G	40.82	68.20	-27.38	3	Vertical	67	2.94
6385MHz	Pass	PK	12.77428G	53.65	88.20	-34.55	3	Vertical	67	2.94
6385MHz	Pass	AV	12.77792G	39.98	68.20	-28.22	3	Horizontal	216	2.13
6385MHz	Pass	PK	12.77872G	52.57	88.20	-35.63	3	Horizontal	216	2.13
6465MHz	Pass	AV	12.92988G	40.32	68.20	-27.88	3	Vertical	274	2.35
6465MHz	Pass	PK	12.92808G	53.65	88.20	-34.55	3	Vertical	274	2.35
6465MHz	Pass	AV	12.93044G	40.00	68.20	-28.20	3	Horizontal	192	2.93
6465MHz	Pass	PK	12.9358G	53.24	88.20	-34.96	3	Horizontal	192	2.93
6545MHz	Pass	AV	13.09004G	41.87	68.20	-26.33	3	Vertical	44	2.46
6545MHz	Pass	PK	13.08968G	54.48	88.20	-33.72	3	Vertical	44	2.46
6545MHz	Pass	AV	13.085G	39.97	68.20	-28.23	3	Horizontal	14	1.50
6545MHz	Pass	PK	13.09816G	53.66	88.20	-34.54	3	Horizontal	14	1.50
6625MHz	Pass	AV	13.2498G	41.36	68.20	-26.84	3	Vertical	181	1.58
6625MHz	Pass	PK	13.24936G	53.75	88.20	-34.45	3	Vertical	181	1.58
6625MHz	Pass	AV	13.24832G	40.57	68.20	-27.63	3	Horizontal	185	1.50
6625MHz	Pass	PK	13.2532G	53.97	74.00	-20.03	3	Horizontal	185	1.50
6705MHz	Pass	AV	13.41996G	40.85	68.20	-27.35	3	Vertical	234	1.19
6705MHz	Pass	PK	13.4114G	53.42	88.20	-34.78	3	Vertical	234	1.19

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6705MHz	Pass	AV	13.41824G	40.85	68.20	-27.35	3	Horizontal	68	1.50
6705MHz	Pass	PK	13.41416G	53.36	88.20	-34.84	3	Horizontal	68	1.50
6785MHz	Pass	AV	13.56996G	41.85	68.20	-26.35	3	Vertical	177	1.70
6785MHz	Pass	PK	13.57016G	54.57	88.20	-33.63	3	Vertical	177	1.70
6785MHz	Pass	AV	13.56064G	41.32	68.20	-26.88	3	Horizontal	223	1.01
6785MHz	Pass	PK	13.56624G	54.29	88.20	-33.91	3	Horizontal	223	1.01
6865MHz	Pass	AV	13.72524G	41.29	68.20	-26.91	3	Vertical	360	1.50
6865MHz	Pass	PK	13.72564G	53.95	88.20	-34.25	3	Vertical	360	1.50
6865MHz	Pass	AV	13.73628G	41.23	68.20	-26.97	3	Horizontal	17	1.50
6865MHz	Pass	PK	13.72232G	54.19	88.20	-34.01	3	Horizontal	17	1.50
6945MHz	Pass	AV	13.8912G	41.23	68.20	-26.97	3	Vertical	35	1.50
6945MHz	Pass	PK	13.89168G	53.96	88.20	-34.24	3	Vertical	35	1.50
6945MHz	Pass	AV	13.8968G	41.29	68.20	-26.91	3	Horizontal	61	2.59
6945MHz	Pass	PK	13.89596G	54.18	88.20	-34.02	3	Horizontal	61	2.59
7025MHz	Pass	AV	7.0142G	97.02	Inf	-Inf	3	Vertical	327	2.20
7025MHz	Pass	AV	7.1744G	47.22	68.20	-20.98	3	Vertical	327	2.20
7025MHz	Pass	PK	7.016G	109.74	Inf	-Inf	3	Vertical	327	2.20
7025MHz	Pass	PK	7.1426G	60.10	88.20	-28.10	3	Vertical	327	2.20
7025MHz	Pass	AV	6.992G	94.21	Inf	-Inf	3	Horizontal	335	2.67
7025MHz	Pass	AV	7.1672G	47.19	68.20	-21.01	3	Horizontal	335	2.67
7025MHz	Pass	PK	6.998G	107.15	Inf	-Inf	3	Horizontal	335	2.67
7025MHz	Pass	PK	7.1594G	60.40	88.20	-27.80	3	Horizontal	335	2.67
7025MHz	Pass	AV	14.04984G	42.38	68.20	-25.82	3	Vertical	224	2.68
7025MHz	Pass	PK	14.04612G	55.49	88.20	-32.71	3	Vertical	224	2.68
7025MHz	Pass	AV	14.05808G	42.22	68.20	-25.98	3	Horizontal	80	2.52
7025MHz	Pass	PK	14.05648G	55.84	88.20	-32.36	3	Horizontal	80	2.52
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9185G	51.48	68.20	-16.72	3	Vertical	142	2.25
6025MHz	Pass	AV	6.0145G	95.71	Inf	-Inf	3	Vertical	142	2.25
6025MHz	Pass	PK	5.925G	67.88	88.20	-20.32	3	Vertical	142	2.25
6025MHz	Pass	PK	6.016G	109.10	Inf	-Inf	3	Vertical	142	2.25
6025MHz	Pass	AV	5.925G	48.38	68.20	-19.82	3	Horizontal	204	2.47
6025MHz	Pass	AV	5.9815G	96.73	Inf	-Inf	3	Horizontal	204	2.47
6025MHz	Pass	PK	5.8775G	64.10	88.20	-24.10	3	Horizontal	204	2.47
6025MHz	Pass	PK	5.982G	109.43	Inf	-Inf	3	Horizontal	204	2.47
6025MHz	Pass	AV	12.04996G	40.33	54.00	-13.67	3	Vertical	262	2.45
6025MHz	Pass	PK	12.04232G	52.43	74.00	-21.57	3	Vertical	262	2.45
6025MHz	Pass	AV	12.04152G	39.00	54.00	-15.00	3	Horizontal	307	1.50
6025MHz	Pass	PK	12.05824G	52.40	74.00	-21.60	3	Horizontal	307	1.50
6185MHz	Pass	AV	12.3668G	39.04	54.00	-14.96	3	Vertical	82	1.50
6185MHz	Pass	PK	12.37808G	51.39	74.00	-22.61	3	Vertical	82	1.50
6185MHz	Pass	AV	12.36348G	39.08	54.00	-14.92	3	Horizontal	126	1.50
6185MHz	Pass	PK	12.36316G	51.85	74.00	-22.15	3	Horizontal	126	1.50
6345MHz	Pass	AV	12.68992G	40.30	54.00	-13.70	3	Vertical	78	2.91
6345MHz	Pass	PK	12.69056G	52.45	74.00	-21.55	3	Vertical	78	2.91
6345MHz	Pass	AV	12.6958G	39.59	54.00	-14.41	3	Horizontal	171	1.50
6345MHz	Pass	PK	12.69512G	53.15	74.00	-20.85	3	Horizontal	171	1.50
6505MHz	Pass	AV	13.00196G	39.75	68.20	-28.45	3	Vertical	153	1.37
6505MHz	Pass	PK	13.01496G	52.84	88.20	-35.36	3	Vertical	153	1.37
6505MHz	Pass	AV	13.01224G	39.89	68.20	-28.31	3	Horizontal	201	2.57
6505MHz	Pass	PK	13.0182G	54.05	88.20	-34.15	3	Horizontal	201	2.57
6665MHz	Pass	AV	13.32164G	40.60	54.00	-13.40	3	Vertical	360	2.59
6665MHz	Pass	PK	13.32872G	53.93	74.00	-20.07	3	Vertical	360	2.59
6665MHz	Pass	AV	13.32076G	40.56	54.00	-13.44	3	Horizontal	26	1.50
6665MHz	Pass	PK	13.32356G	53.51	74.00	-20.49	3	Horizontal	26	1.50
6825MHz	Pass	AV	13.64992G	41.87	68.20	-26.33	3	Vertical	175	1.81
6825MHz	Pass	PK	13.65016G	54.16	88.20	-34.04	3	Vertical	175	1.81
6825MHz	Pass	AV	13.6414G	41.01	68.20	-27.19	3	Horizontal	184	1.50
6825MHz	Pass	PK	13.65472G	53.89	88.20	-34.31	3	Horizontal	184	1.50
6985MHz	Pass	AV	6.9945G	97.10	Inf	-Inf	3	Vertical	50	3.00
6985MHz	Pass	AV	7.1395G	54.70	68.20	-13.50	3	Vertical	50	3.00
6985MHz	Pass	PK	6.995G	111.30	Inf	-Inf	3	Vertical	50	3.00




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	7.137G	85.63	88.20	-2.57	3	Vertical	50	3.00
6985MHz	Pass	AV	6.953G	94.42	Inf	-Inf	3	Horizontal	345	2.31
6985MHz	Pass	AV	7.1305G	53.71	68.20	-14.49	3	Horizontal	345	2.31
6985MHz	Pass	PK	6.953G	108.55	Inf	-Inf	3	Horizontal	345	2.31
6985MHz	Pass	PK	7.134G	79.40	88.20	-8.80	3	Horizontal	345	2.31
6985MHz	Pass	AV	13.97228G	41.74	68.20	-26.46	3	Vertical	311	1.00
6985MHz	Pass	PK	13.97784G	55.75	88.20	-32.45	3	Vertical	311	1.00
6985MHz	Pass	AV	13.97792G	41.79	68.20	-26.41	3	Horizontal	316	1.50
6985MHz	Pass	PK	13.9668G	54.48	88.20	-33.72	3	Horizontal	316	1.50
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	52.42	68.20	-15.78	3	Vertical	299	2.14
6105MHz	Pass	AV	6.127G	93.11	Inf	-Inf	3	Vertical	299	2.14
6105MHz	Pass	PK	5.921G	76.95	88.20	-11.25	3	Vertical	299	2.14
6105MHz	Pass	PK	6.129G	107.34	Inf	-Inf	3	Vertical	299	2.14
6105MHz	Pass	AV	5.925G	47.72	68.20	-20.48	3	Horizontal	202	2.48
6105MHz	Pass	AV	5.981G	94.45	Inf	-Inf	3	Horizontal	202	2.48
6105MHz	Pass	PK	5.921G	66.37	88.20	-21.83	3	Horizontal	202	2.48
6105MHz	Pass	PK	6.21G	109.13	Inf	-Inf	3	Horizontal	202	2.48
6105MHz	Pass	AV	12.20756G	39.06	54.00	-14.94	3	Vertical	134	1.50
6105MHz	Pass	PK	12.2026G	51.91	74.00	-22.09	3	Vertical	134	1.50
6105MHz	Pass	AV	12.21544G	38.96	54.00	-15.04	3	Horizontal	334	1.75
6105MHz	Pass	PK	12.20344G	52.60	74.00	-21.40	3	Horizontal	334	1.75
6265MHz	Pass	AV	12.5226G	39.03	54.00	-14.97	3	Vertical	17	1.16
6265MHz	Pass	PK	12.52072G	51.73	74.00	-22.27	3	Vertical	17	1.16
6265MHz	Pass	AV	12.52512G	39.14	54.00	-14.86	3	Horizontal	201	2.71
6265MHz	Pass	PK	12.5328G	52.20	74.00	-21.80	3	Horizontal	201	2.71
6425MHz	Pass	AV	12.83764G	39.99	68.20	-28.21	3	Vertical	224	1.75
6425MHz	Pass	PK	12.86122G	53.74	88.20	-34.46	3	Vertical	224	1.75
6425MHz	Pass	AV	12.85528G	40.05	68.20	-28.15	3	Horizontal	217	1.73
6425MHz	Pass	PK	12.84352G	52.93	88.20	-35.27	3	Horizontal	217	1.73
6585MHz	Pass	AV	13.16172G	40.30	68.20	-27.90	3	Vertical	239	1.10
6585MHz	Pass	PK	13.17486G	52.56	88.20	-35.64	3	Vertical	239	1.10
6585MHz	Pass	AV	13.1553G	40.40	68.20	-27.80	3	Horizontal	90	1.31
6585MHz	Pass	PK	13.1589G	53.09	88.20	-35.11	3	Horizontal	90	1.31
6745MHz	Pass	AV	13.47938G	41.11	68.20	-27.09	3	Vertical	36	2.38
6745MHz	Pass	PK	13.49552G	53.07	88.20	-35.13	3	Vertical	36	2.38
6745MHz	Pass	AV	13.4921G	41.08	68.20	-27.12	3	Horizontal	275	1.01
6745MHz	Pass	PK	13.49036G	52.96	88.20	-35.24	3	Horizontal	275	1.01
6905MHz	Pass	AV	6.922G	92.54	Inf	-Inf	3	Vertical	147	1.80
6905MHz	Pass	AV	7.289G	50.34	54.00	-3.66	3	Vertical	147	1.80
6905MHz	Pass	PK	6.925G	109.30	Inf	-Inf	3	Vertical	147	1.80
6905MHz	Pass	PK	7.293G	68.15	74.00	-5.85	3	Vertical	147	1.80
6905MHz	Pass	AV	6.902G	92.88	Inf	-Inf	3	Horizontal	35	2.40
6905MHz	Pass	AV	7.291G	48.81	54.00	-5.19	3	Horizontal	35	2.40
6905MHz	Pass	PK	6.895G	107.23	Inf	-Inf	3	Horizontal	35	2.40
6905MHz	Pass	PK	7.289G	62.50	74.00	-11.50	3	Horizontal	35	2.40
6905MHz	Pass	AV	13.79746G	41.12	68.20	-27.08	3	Vertical	244	2.85
6905MHz	Pass	PK	13.80382G	53.66	88.20	-34.54	3	Vertical	244	2.85
6905MHz	Pass	AV	13.79806G	41.20	68.20	-27.00	3	Horizontal	302	1.55
6905MHz	Pass	PK	13.81318G	53.90	88.20	-34.30	3	Horizontal	302	1.55


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	52.42	68.20	-15.78	1.89	3	Vertical	299	2.14	50.53	34.55	5.18	37.84
AV	6.127G	93.11	Inf	-Inf	2.14	3	Vertical	299	2.14	90.97	34.51	5.33	37.70
PK	5.921G	76.95	88.20	-11.25	1.88	3	Vertical	299	2.14	75.07	34.56	5.17	37.85
PK	6.129G	107.34	Inf	-Inf	2.16	3	Vertical	299	2.14	105.18	34.52	5.34	37.70

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	47.72	68.20	-20.48	1.89	3	Horizontal	202	2.48	45.83	34.55	5.18	37.84
AV	5.981G	94.45	Inf	-Inf	1.96	3	Horizontal	202	2.48	92.49	34.50	5.26	37.80
PK	5.921G	66.37	88.20	-21.83	1.88	3	Horizontal	202	2.48	64.49	34.56	5.17	37.85
PK	6.21G	109.13	Inf	-Inf	2.34	3	Horizontal	202	2.48	106.79	34.62	5.37	37.65


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.922G	92.54	Inf	-Inf	4.72	3	Vertical	147	1.80	87.82	36.30	5.81	37.39
AV	7.289G	50.34	54.00	-3.66	6.37	3	Vertical	147	1.80	43.97	37.40	5.97	37.00
PK	6.925G	109.30	Inf	-Inf	4.72	3	Vertical	147	1.80	104.58	36.30	5.81	37.39
PK	7.293G	68.15	74.00	-5.85	6.39	3	Vertical	147	1.80	61.76	37.40	5.98	36.99

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	92.88	Inf	-Inf	4.72	3	Horizontal	35	2.40	88.16	36.30	5.81	37.39
AV	7.291G	48.81	54.00	-5.19	6.38	3	Horizontal	35	2.40	42.43	37.40	5.98	37.00
PK	6.895G	107.23	Inf	-Inf	4.70	3	Horizontal	35	2.40	102.53	36.29	5.80	37.39
PK	7.289G	62.50	74.00	-11.50	6.37	3	Horizontal	35	2.40	56.13	37.40	5.97	37.00


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9945G	97.10	Inf	-Inf	4.68	3	Vertical	50	3.00	92.42	36.21	5.84	37.37
AV	7.1395G	54.70	68.20	-13.50	5.72	3	Vertical	50	3.00	48.98	37.04	5.87	37.19
PK	6.995G	111.30	Inf	-Inf	4.68	3	Vertical	50	3.00	106.62	36.21	5.84	37.37
PK	7.137G	85.63	88.20	-2.57	5.70	3	Vertical	50	3.00	79.93	37.02	5.87	37.19

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.953G	94.42	Inf	-Inf	4.73	3	Horizontal	345	2.31	89.69	36.29	5.82	37.38
AV	7.1305G	53.71	68.20	-14.49	5.65	3	Horizontal	345	2.31	48.06	36.98	5.87	37.20
PK	6.953G	108.55	Inf	-Inf	4.73	3	Horizontal	345	2.31	103.82	36.29	5.82	37.38
PK	7.134G	79.40	88.20	-8.80	5.67	3	Horizontal	345	2.31	73.73	37.00	5.87	37.20


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
3.14	3.39	3.21	3.31

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.14	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.39	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-70.21	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.31	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-79.14	OFF	10	100	90	Pass
				Center	6105	-77.14	OFF	10	100	90	Pass
				High edge	6260	-74.14	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-78.39	OFF	10	100	90	Pass
				Center	6425	-73.39	OFF	10	100	90	Pass
				High edge	6580	-72.39	OFF	10	100	90	Pass
6,7	159	320	6745	Low edge	6590	-78.21	OFF	10	100	90	Pass
				Center	6745	-64.21	OFF	10	100	90	Pass
				High edge	6900	-77.21	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	3.14	-72.14	≤ -62
						Minimal	-70.00	3.14	-73.14	≤ -62
						ON	-71.00	3.14	-74.14	≤ -62
6	101	20	6455	Center	6455	OFF	-69.00	3.39	-72.39	≤ -62
						Minimal	-70.00	3.39	-73.39	≤ -62
						ON	-71.00	3.39	-74.39	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	3.21	-70.21	≤ -62
						Minimal	-68.00	3.21	-71.21	≤ -62
						ON	-69.00	3.21	-72.21	≤ -62
8	213	20	7015	Center	7015	OFF	-68.00	3.31	-71.31	≤ -62
						Minimal	-69.00	3.31	-72.31	≤ -62
						ON	-70.00	3.31	-73.31	≤ -62

Contention Based protocol 802.11be EHT320										
	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-76.00	3.14	-79.14	≤ -62
						Minimal	-77.00	3.14	-80.14	≤ -62
						ON	-78.00	3.14	-81.14	≤ -62
				Center	6105	OFF	-74.00	3.14	-77.14	≤ -62
						Minimal	-75.00	3.14	-78.14	≤ -62
						ON	-76.00	3.14	-79.14	≤ -62
				High edge	6260	OFF	-71.00	3.14	-74.14	≤ -62
						Minimal	-72.00	3.14	-75.14	≤ -62
						ON	-73.00	3.14	-76.14	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-75.00	3.39	-78.39	≤ -62
						Minimal	-76.00	3.39	-79.39	≤ -62
						ON	-77.00	3.39	-80.39	≤ -62
				Center	6425	OFF	-70.00	3.39	-73.39	≤ -62
						Minimal	-71.00	3.39	-74.39	≤ -62
						ON	-72.00	3.39	-75.39	≤ -62
				High edge	6580	OFF	-69.00	3.39	-72.39	≤ -62
						Minimal	-70.00	3.39	-73.39	≤ -62
						ON	-71.00	3.39	-74.39	≤ -62
6,7	159	320	6745	Low edge	6590	OFF	-75.00	3.21	-78.21	≤ -62
						Minimal	-76.00	3.21	-79.21	≤ -62
						ON	-77.00	3.21	-80.21	≤ -62
				Center	6745	OFF	-61.00	3.21	-64.21	≤ -62
						Minimal	-62.00	3.21	-65.21	≤ -62
						ON	-63.00	3.21	-66.21	≤ -62
				High edge	6900	OFF	-74.00	3.21	-77.21	≤ -62
						Minimal	-75.00	3.21	-78.21	≤ -62
						ON	-76.00	3.21	-79.21	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



01/08/2025

Sample Time

12.5us

All TX Time

96.975ms

All TX Sample

7758

Duty Cycle

0.969629

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



01/08/2025

Sample Time

12.5us

All TX Time

93.1625ms

All TX Sample

7453

Duty Cycle

0.931509

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




01/08/2025
 Sample Time
 12.5us
 All TX Time
 90.675ms
 All TX Sample
 7254
 Duty Cycle
 0.906637
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




01/08/2025
 Sample Time
 12.5us
 All TX Time
 94.3125ms
 All TX Sample
 7545
 Duty Cycle
 0.943007
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



01/08/2025

Sample Time

12.5us

All TX Time

89.125ms

All TX Sample

7130

Duty Cycle

0.891139

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



01/08/2025

Sample Time

12.5us

All TX Time

81.2625ms

All TX Sample

6501

Duty Cycle

0.812523

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main



01/08/2025

Sample Time

12.5us

All TX Time

89.2ms

All TX Sample

7136

Duty Cycle

0.891889


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz




Date: 1.AUG.2025 11:34:41

Frequency (MHz): 7015 MHz




Date: 1.AUG.2025 11:33:22

Frequency (MHz): 5950 MHz




Date: 1.AUG.2025 11:36:10

Frequency (MHz): 6105 MHz




Date: 1.AUG.2025 11:37:30

Frequency (MHz): 6260 MHz




Date: 1.AUG.2025 11:38:27

Frequency (MHz): 6270 MHz




Date: 1.AUG.2025 11:39:40

Frequency (MHz): 6425 MHz




Date: 1.AUG.2025 11:41:12

Frequency (MHz): 6580 MHz




Date: 1.AUG.2025 11:42:00

Frequency (MHz): 6590 MHz




Date: 1.AUG.2025 11:42:53


Frequency (MHz): 6745 MHz




Date: 1.AUG.2025 11:43:39



2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -76dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -77dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -78dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -74dBm)


Time Analysis



01/08/2025	
Sample Time	
1us	
All TX Time	
696.135ms	
All TX Sample	
696135	
Duty Cycle	
0.696134	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6105 MHz (Threshold Level: -75dBm)


Time Analysis



01/08/2025	
Sample Time	
1us	
All TX Time	
639.166ms	
All TX Sample	
639166	
Duty Cycle	
0.639165	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6105 MHz (Threshold Level: -76dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -73dBm)

Time Analysis



Antenna Gain(dBi)											
3.14											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.14	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.14	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-70.14	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-67.14	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-73.14	OFF	10	100	90	Pass
				Center	6105	-71.14	OFF	10	100	90	Pass
				High edge	6260	-62.14	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-63.14	OFF	10	100	90	Pass
				Center	6425	-63.14	OFF	10	100	90	Pass
				High edge	6580	-62.00	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6590	-67.14	OFF	10	100	90	Pass
				Center	6745	-67.14	OFF	10	100	90	Pass
				High edge	6900	-78.14	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-70.14	OFF	10	100	90	Pass
				Center	6905	-69.14	OFF	10	100	90	Pass
				High edge	7060	-66.14	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.00	3.14	-71.14	≤ -62
						Minimal	-70.00	3.14	-73.14	≤ -62
						ON	-71.00	3.14	-74.14	≤ -62
6	101	20	6455	Center	6455	OFF	-67.00	3.14	-70.14	≤ -62
						Minimal	-70.00	3.14	-73.14	≤ -62
						ON	-71.00	3.14	-74.14	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	3.14	-70.14	≤ -62
						Minimal	-70.00	3.14	-73.14	≤ -62
						ON	-71.00	3.14	-74.14	≤ -62
8	213	20	7015	Center	7015	OFF	-64.00	3.14	-67.14	≤ -62
						Minimal	-66.00	3.14	-69.14	≤ -62
						ON	-67.00	3.14	-70.14	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-70.00	3.14	-73.14	≤ -62
						Minimal	-71.00	3.14	-74.14	
						ON	-72.00	3.14	-75.14	
				Center	6105	OFF	-68.00	3.14	-71.14	≤ -62
						Minimal	-70.00	3.14	-73.14	
						ON	-71.00	3.14	-74.14	
				High edge	6260	OFF	-59.00	3.14	-62.14	≤ -62
						Minimal	-67.00	3.14	-70.14	
						ON	-68.00	3.14	-71.14	
5,6,7	95	320	6425	Low edge	6270	OFF	-60.00	3.14	-63.14	≤ -62
						Minimal	-64.00	3.14	-67.14	
						ON	-65.00	3.14	-68.14	
				Center	6425	OFF	-60.00	3.14	-63.14	≤ -62
						Minimal	-69.00	3.14	-72.14	
						ON	-70.00	3.14	-73.14	
				High edge	6580	OFF	-58.86	3.14	-62.00	≤ -62
						Minimal	-60.00	3.14	-63.14	
						ON	-60.00	3.14	-63.14	
6,7	127	320	6585	Low edge	6430	OFF	-64.00	3.14	-67.14	≤ -62
						Minimal	-66.00	3.14	-69.14	
						ON	-67.00	3.14	-70.14	
				Center	6585	OFF	-64.00	3.14	-67.14	≤ -62
						Minimal	-67.00	3.14	-70.14	
						ON	-68.00	3.14	-71.14	
				High edge	6740	OFF	-75.00	3.14	-78.14	≤ -62
						Minimal	-76.00	3.14	-79.14	
						ON	-76.00	3.14	-79.14	
7,8	191	320	6905	Low edge	6750	OFF	-67.00	3.14	-70.14	≤ -62
						Minimal	-68.00	3.14	-71.14	
						ON	-68.00	3.14	-71.14	
				Center	6905	OFF	-66.00	3.14	-69.14	≤ -62
						Minimal	-70.00	3.14	-73.14	
						ON	-71.00	3.14	-74.14	
				High edge	7060	OFF	-63.00	3.14	-66.14	≤ -62
						Minimal	-66.00	3.14	-69.14	
						ON	-67.00	3.14	-70.14	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

95.25ms

All TX Sample

7620

Duty Cycle

0.952381

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

95ms

All TX Sample

7600

Duty Cycle

0.949881

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

94.9ms

All TX Sample

7592

Duty Cycle

0.948881

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

95.1375ms

All TX Sample

7611

Duty Cycle

0.951256

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

81.2625ms

All TX Sample

6501

Duty Cycle

0.812523

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.4375ms

All TX Sample

6595

Duty Cycle

0.824272

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

83.7125ms

All TX Sample

6697

Duty Cycle

0.83702

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

84.925ms

All TX Sample

6794

Duty Cycle

0.849144

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.0375ms

All TX Sample

6563

Duty Cycle

0.820272

T1[s]

T2[s]

NaNs

T3[s]


T4[s]

NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.0125ms

All TX Sample

6561

Duty Cycle

0.820022

T1[s]

T2[s]

NaNs

T3[s]


T4[s]

NaNs

Bandwidth 320MHz: Traffic Loading Plot -6590MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.8875ms

All TX Sample

6631

Duty Cycle

0.828771

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.0125ms

All TX Sample

6561

Duty Cycle

0.820022

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6745MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

85.45ms

All TX Sample

6836

Duty Cycle

0.854393

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.175ms

All TX Sample

6574

Duty Cycle

0.821647

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6900MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

81.875ms

All TX Sample

6550

Duty Cycle

0.818648

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

80.425ms

All TX Sample

6434

Duty Cycle

0.804149

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 320MHz: Traffic Loading Plot -7060MHz

Time Analysis

Main



05/05/2025

Sample Time

12.5us

All TX Time

82.25ms

All TX Sample

6580

Duty Cycle

0.822397


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 5.MAY.2025 22:34:40


Frequency (MHz): 7015 MHz



Date: 5.MAY.2025 22:34:12


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 5.MAY.2025 22:32:41

Frequency (MHz): 6105 MHz




Date: 5.MAY.2025 22:32:02

Frequency (MHz): 6260 MHz




Date: 5.MAY.2025 22:31:32

Frequency (MHz): 6270 MHz




Date: 5.MAY.2025 22:30:53

Frequency (MHz): 6425 MHz




Date: 5.MAY.2025 22:30:02

Frequency (MHz): 6580 MHz




Date: 5.MAY.2025 22:25:02

Frequency (MHz): 6590 MHz




Date: 6.MAY.2025 03:42:21

Frequency (MHz): 6745 MHz




Date: 6.MAY.2025 03:41:21

Frequency (MHz): 6750 MHz




Date: 5.MAY.2025 22:27:20

Frequency (MHz): 6900 MHz




Date: 6.MAY.2025 03:41:50

Frequency (MHz): 6905 MHz




Date: 5.MAY.2025 22:27:59

Frequency (MHz): 7060 MHz




Date: 5.MAY.2025 22:28:34

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -71dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -71dBm)


Time Analysis



05/05/2025	
Sample Time	
1us	
All TX Time	
593.64ms	
All TX Sample	
593640	
Duty Cycle	
0.593639	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)


Time Analysis



05/05/2025	
Sample Time	
1us	
All TX Time	
566.873ms	
All TX Sample	
566873	
Duty Cycle	
0.566872	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -70dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -71dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)

Time Analysis




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	Horizontal
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	Horizontal
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	Horizontal
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	3.03646G	30.80	68.20	-37.40	3	Vertical	44	1.81
Mode 1	Pass	AV	6.48588G	38.63	68.20	-29.57	3	Vertical	339	2.39
Mode 1	Pass	AV	8.35258G	40.76	54.00	-13.24	3	Vertical	124	1.50
Mode 1	Pass	PK	3.02062G	42.77	88.20	-45.43	3	Vertical	44	1.81
Mode 1	Pass	PK	6.49104G	56.59	88.20	-31.61	3	Vertical	339	2.39
Mode 1	Pass	PK	8.34964G	53.12	74.00	-20.88	3	Vertical	124	1.50
Mode 1	Pass	AV	3.03342G	31.21	68.20	-36.99	3	Horizontal	51	1.50
Mode 1	Pass	AV	4.85898G	34.05	54.00	-19.95	3	Horizontal	324	1.50
Mode 1	Pass	AV	9.35734G	42.96	54.00	-11.04	3	Horizontal	145	2.24
Mode 1	Pass	PK	3.04764G	43.01	88.20	-45.19	3	Horizontal	51	1.50
Mode 1	Pass	PK	4.87044G	45.66	74.00	-28.34	3	Horizontal	324	1.50
Mode 1	Pass	PK	9.3358G	55.15	74.00	-18.85	3	Horizontal	145	2.24
Mode 2	Pass	AV	2.10628G	27.41	68.20	-40.79	3	Vertical	66	1.50
Mode 2	Pass	AV	4.33588G	32.81	54.00	-21.19	3	Vertical	306	1.50
Mode 2	Pass	AV	7.91632G	40.70	68.20	-27.50	3	Vertical	217	1.50
Mode 2	Pass	PK	2.11672G	39.13	88.20	-49.07	3	Vertical	66	1.50
Mode 2	Pass	PK	4.33732G	45.03	74.00	-28.97	3	Vertical	306	1.50
Mode 2	Pass	PK	7.93252G	52.92	88.20	-35.28	3	Vertical	217	1.50
Mode 2	Pass	AV	3.03832G	30.60	68.20	-37.60	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.79598G	33.26	54.00	-20.74	3	Horizontal	310	1.50
Mode 2	Pass	AV	8.78496G	42.03	68.20	-26.17	3	Horizontal	354	1.50
Mode 2	Pass	PK	3.03418G	42.27	88.20	-45.93	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.80348G	45.17	74.00	-28.83	3	Horizontal	310	1.50
Mode 2	Pass	PK	8.78532G	53.82	88.20	-34.38	3	Horizontal	354	1.50
Mode 3	Pass	AV	3.02454G	30.10	68.20	-38.10	3	Vertical	21	1.05
Mode 3	Pass	AV	6.45133G	39.11	68.20	-29.09	3	Vertical	113	2.14
Mode 3	Pass	AV	7.15646G	42.60	68.20	-25.60	3	Vertical	82	2.58
Mode 3	Pass	PK	3.04556G	43.83	88.20	-44.37	3	Vertical	21	1.05
Mode 3	Pass	PK	6.50148G	58.16	88.20	-30.04	3	Vertical	113	2.14
Mode 3	Pass	PK	7.15851G	51.94	88.20	-36.26	3	Vertical	82	2.58
Mode 3	Pass	AV	3.15844G	30.25	68.20	-37.95	3	Horizontal	23	2.10
Mode 3	Pass	AV	4.81545G	37.24	54.00	-16.76	3	Horizontal	185	1.55
Mode 3	Pass	AV	8.14552G	40.84	54.00	-13.16	3	Horizontal	56	2.19
Mode 3	Pass	PK	3.23842G	43.89	88.20	-44.31	3	Horizontal	23	2.10
Mode 3	Pass	PK	4.84851G	46.17	74.00	-27.83	3	Horizontal	185	1.55
Mode 3	Pass	PK	8.12456G	54.92	74.00	-19.08	3	Horizontal	56	2.19
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Vertical	51	2.13
Mode 4	Pass	AV	5.01515G	37.28	54.00	-16.72	3	Vertical	259	1.54
Mode 4	Pass	AV	10.5556G	45.61	68.20	-22.59	3	Vertical	232	2.38
Mode 4	Pass	PK	3.15455G	41.43	88.20	-46.77	3	Vertical	51	2.13
Mode 4	Pass	PK	5.01564G	47.92	74.00	-26.08	3	Vertical	259	1.54
Mode 4	Pass	PK	10.5541G	57.56	88.20	-30.64	3	Vertical	232	2.38
Mode 4	Pass	AV	3.15847G	31.02	68.20	-37.18	3	Horizontal	215	2.18
Mode 4	Pass	AV	5.15847G	34.97	68.20	-33.23	3	Horizontal	121	1.54
Mode 4	Pass	AV	9.14521G	43.59	54.00	-10.41	3	Horizontal	102	1.08
Mode 4	Pass	PK	3.15193G	42.94	88.20	-45.26	3	Horizontal	215	2.18
Mode 4	Pass	PK	5.15483G	46.90	88.20	-41.30	3	Horizontal	121	1.54
Mode 4	Pass	PK	9.14359G	54.93	74.00	-19.07	3	Horizontal	102	1.08

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03646G	30.80	68.20	-37.40	-0.35	3	Vertical	44	1.81	31.15	29.67	5.20	35.22
AV	6.48588G	38.63	68.20	-29.57	7.20	3	Vertical	339	2.39	31.43	35.02	7.70	35.52
AV	8.35258G	40.76	54.00	-13.24	10.82	3	Vertical	124	1.50	29.94	37.01	8.78	34.97
PK	3.02062G	42.77	88.20	-45.43	-0.39	3	Vertical	44	1.81	43.16	29.64	5.19	35.22
PK	6.49104G	56.59	88.20	-31.61	7.22	3	Vertical	339	2.39	49.37	35.05	7.70	35.53
PK	8.34964G	53.12	74.00	-20.88	10.80	3	Vertical	124	1.50	42.32	37.00	8.78	34.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03342G	31.21	68.20	-36.99	-0.35	3	Horizontal	51	1.50	31.56	29.67	5.20	35.22
AV	4.85898G	34.05	54.00	-19.95	4.05	3	Horizontal	324	1.50	30.00	32.54	6.57	35.06
AV	9.35734G	42.96	54.00	-11.04	13.05	3	Horizontal	145	2.24	29.91	38.33	9.53	34.81
PK	3.04764G	43.01	88.20	-45.19	-0.31	3	Horizontal	51	1.50	43.32	29.70	5.21	35.22
PK	4.87044G	45.66	74.00	-28.34	4.10	3	Horizontal	324	1.50	41.56	32.58	6.58	35.06
PK	9.3358G	55.15	74.00	-18.85	12.99	3	Horizontal	145	2.24	42.16	38.30	9.49	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.10628G	27.41	68.20	-40.79	-3.34	3	Vertical	66	1.50	30.75	27.43	4.24	35.01
AV	4.33588G	32.81	54.00	-21.19	2.63	3	Vertical	306	1.50	30.18	31.47	6.20	35.04
AV	7.91632G	40.70	68.20	-27.50	10.35	3	Vertical	217	1.50	30.35	36.93	8.49	35.07
PK	2.11672G	39.13	88.20	-49.07	-3.20	3	Vertical	66	1.50	42.33	27.57	4.25	35.02
PK	4.33732G	45.03	74.00	-28.97	2.63	3	Vertical	306	1.50	42.40	31.47	6.20	35.04
PK	7.93252G	52.92	88.20	-35.28	10.40	3	Vertical	217	1.50	42.52	36.97	8.50	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.03832G	30.60	68.20	-37.60	-0.34	3	Horizontal	112	1.50	30.94	29.68	5.20	35.22
AV	4.79598G	33.26	54.00	-20.74	3.73	3	Horizontal	310	1.50	29.53	32.28	6.51	35.06
AV	8.78496G	42.03	68.20	-26.17	11.97	3	Horizontal	354	1.50	30.06	37.77	9.00	34.80
PK	3.03418G	42.27	88.20	-45.93	-0.35	3	Horizontal	112	1.50	42.62	29.67	5.20	35.22
PK	4.80348G	45.17	74.00	-28.83	3.76	3	Horizontal	310	1.50	41.41	32.31	6.51	35.06
PK	8.78532G	53.82	88.20	-34.38	11.97	3	Horizontal	354	1.50	41.85	37.77	9.00	34.80

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.02454G	30.10	68.20	-38.10	-0.38	3	Vertical	21	1.05	30.48	29.65	5.19	35.22
AV	6.45133G	39.11	68.20	-29.09	6.97	3	Vertical	113	2.14	32.14	34.81	7.67	35.51
AV	7.15646G	42.60	68.20	-25.60	9.34	3	Vertical	82	2.58	33.26	36.54	8.18	35.38
PK	3.04556G	43.83	88.20	-44.37	-0.32	3	Vertical	21	1.05	44.15	29.69	5.21	35.22
PK	6.50148G	58.16	88.20	-30.04	7.29	3	Vertical	113	2.14	50.87	35.11	7.71	35.53
PK	7.15851G	51.94	88.20	-36.26	9.35	3	Vertical	82	2.58	42.59	36.55	8.18	35.38

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15844G	30.25	68.20	-37.95	-0.23	3	Horizontal	23	2.10	30.48	29.70	5.30	35.23
AV	4.81545G	37.24	54.00	-16.76	3.83	3	Horizontal	185	1.55	33.41	32.36	6.53	35.06
AV	8.14552G	40.84	54.00	-13.16	10.59	3	Horizontal	56	2.19	30.25	37.00	8.63	35.04
PK	3.23842G	43.89	88.20	-44.31	-0.24	3	Horizontal	23	2.10	44.13	29.62	5.37	35.23
PK	4.84851G	46.17	74.00	-27.83	3.99	3	Horizontal	185	1.55	42.18	32.49	6.56	35.06
PK	8.12456G	54.92	74.00	-19.08	10.58	3	Horizontal	56	2.19	44.34	37.00	8.62	35.04

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Vertical	51	2.13	31.25	29.70	5.30	35.23
AV	5.01515G	37.28	54.00	-16.72	4.80	3	Vertical	259	1.54	32.48	33.14	6.73	35.07
AV	10.5556G	45.61	68.20	-22.59	14.57	3	Vertical	232	2.38	31.04	38.72	10.38	34.53
PK	3.15455G	41.43	88.20	-46.77	-0.24	3	Vertical	51	2.13	41.67	29.70	5.29	35.23
PK	5.01564G	47.92	74.00	-26.08	4.80	3	Vertical	259	1.54	43.12	33.14	6.73	35.07
PK	10.5541G	57.56	88.20	-30.64	14.57	3	Vertical	232	2.38	42.99	38.72	10.38	34.53

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.15847G	31.02	68.20	-37.18	-0.23	3	Horizontal	215	2.18	31.25	29.70	5.30	35.23
AV	5.15847G	34.97	68.20	-33.23	4.79	3	Horizontal	121	1.54	30.18	33.08	6.78	35.07
AV	9.14521G	43.59	54.00	-10.41	12.45	3	Horizontal	102	1.08	31.14	38.00	9.20	34.75
PK	3.15193G	42.94	88.20	-45.26	-0.24	3	Horizontal	215	2.18	43.18	29.70	5.29	35.23
PK	5.15483G	46.90	88.20	-41.30	4.79	3	Horizontal	121	1.54	42.11	33.09	6.77	35.07
PK	9.14359G	54.93	74.00	-19.07	12.45	3	Horizontal	102	1.08	42.48	38.00	9.20	34.75