



AFC DUT TEST HARNESS REPORT

FCC ID : UDX-600218020

Equipment : Cisco Wireless 9174E Series Wi-Fi 7 Access Point

Brand Name : CISCO

Model Name : CW9174E

Applicant : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA

Manufacturer : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA

Standard : 47 CFR FCC Part 15.407

The product was received on Jun. 06, 2025, and testing was started from Oct. 03, 2025 and completed on Oct. 03, 2025. We, Sporton International Inc. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.5 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinhua Laboratory, the test report shall not be reproduced except in full.



Approved by: Jackson Tsai

Sporton International Inc. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

1	General Description	5
1.1	Product Feature of Equipment Under Test	5
1.2	Antenna Information	6
1.3	Accessories.....	10
1.4	Support Equipment	10
1.5	Applicable Standards	10
1.6	Testing Location.....	10
2	Measurement Environment	11
2.1	AFC DUT General Capabilities Declaration	11
2.2	Test Configuration	12
3	Protocol Test Results	14
3.1	Successful Registration and Spectrum Access Request	14
3.2	Unsuccessful Spectrum Access Request	16
3.3	Successful Spectrum Access Update	17
3.4	Unsuccessful Spectrum Access Update	19
3.5	Unsuccessful Server Validation	21
4	Test Equipment and Calibration Data	22
5	Measurement Uncertainty	23

Appendix A. Tools Report

Appendix B. DUT Spectrum Inquiry Request/Response Logs

Appendix C. RF Measurement Plots

Photographs of EUT v01



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Frequency Test Group: Inquired Frequency – Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1	PASS	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1	PASS	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1	PASS	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1	PASS	-
AFC capability - Server Validation – Mandatory Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Jason Su

Report Producer: Debby Hung



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature of Equipment Under Test	
Power Type	From PoE
EUT Type	☒ Standard Power Access Point with Proxy ☐ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Bandwidth (MHz)	20 / 40 / 80 /160
Condition of EUT	☒ Indoor ☐ Outdoor
Professional Installation	☒ Yes ☐ No
Firmware Version	9-G4b38272e6edf-rel-bookend
Software Version	9-G4b38272e6edf-rel-bookend
Hardware Version	NA
Proxy Firmware Version	NA
Proxy Software Version	622320
Proxy Hardware Version	NA

Note: The above information was declared by manufacturer.



1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
1	Cisco	C-ANT9101=	Omnidirectional	Octal DART	2.4G+5G+6G+ Scan+BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
2	Cisco	C-ANT9102=	Omnidirectional	Octal DART	2.4G+5G+6G+ Scan+BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
3	Cisco	C-ANT9103=	Directional Patch	Right angle octal DART	2.4G+5G+6G+ Scan+BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
4	Cisco	CW-ANT-T-O2 -D8	Omnidirectional	Octal DART	2.4G+5G+6G+BLE &IEEE 802.15.5	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
5	Cisco	CW-ANT-T-D2 -D8	Directional Panel	Right angle octal DART	2.4G+5G+6G+BLE &IEEE 802.15.6	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
6	Cisco	MA-ANT-3-C6	Panel Omni	RP-TNC	2.4G+5G+Scan+ BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
7	Cisco	MA-ANT-3-D6	Downtilt Panel Omni	RP-TNC	2.4G+5G+Scan+ BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*2R BLE&IEEE 802.15.4 1T*1R
8	Cisco	MA-ANT-3-E6	Wide Patch	RP-TNC	2.4G+5G+Scan+ BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R



Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
9	Cisco	MA-ANT-3-F6	Narrow Patch	RP-TNC	2.4G+5G+Scan+ BLE&IEEE 802.15.4	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R BLE&IEEE 802.15.4 1T*1R
10	Cisco	AIR-ANT2524 V4C-R/RS=	Ceiling Mount Omni-Directional	RP-TNC	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
11	Cisco	AIR-ANT2544 V4M-R/RS	Wall-Mounted Omnidirectional	RP-TNC	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
12	Cisco	AIR-ANT2566 P4W-R/RS	4-Element Patch	RP-TNC	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
13	Cisco	AIR-ANT2566 D4M-R/RS	Directional Array	RP-TNC	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
14	Cisco	AIR-ANT2513 P4M-N	Patch Array	N-Female Bulkhead	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
15	Cisco	AIR-ANT2513 P4M-NS	Patch Array	N-Female Bulkhead	2.4G+5G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio4_Scan 1T*1R
16	Cisco	CW-ANT-T-O4 -R	Omnidirectional	Reverse Polarity TNC	2.4G+5G+6G	Radio1_2.4G 2*2 Radio3_2.4G 4*4 Radio2_5G 4*4 Radio3_6G 4*4



Ant.	Gain (dBi)									
	2.4G	UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	BLE& IEEE 802.15.4
1	2	6	6	6	6	6	6	6	6	3
2	4	4	4	4	4	4	4	4	4	4
3	6	6	6	6	6	6	6	6	6	6
4	3.25	5.63	5.63	5.63	5.63	5.63	5.63	5.63	5.63	3.25
5	6.6	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	6.6
6	4.9	4.9	4.9	4.9	4.9	-	-	-	-	4.9
7	2.9	3.7	3.7	3.7	3.7	-	-	-	-	2.9
8	7	6.3	6.3	6.3	6.3	-	-	-	-	7
9	11.2	10.8	10.8	10.8	10.8	-	-	-	-	11.2
10	2	4	4	4	4	-	-	-	-	-
11	4	4	4	4	4	-	-	-	-	-
12	6	6	6	6	6	-	-	-	-	-
13	6	6	6	6	6	-	-	-	-	-
14	13	13	13	13	13	-	-	-	-	-
15	13	13	13	13	13	-	-	-	-	-
16	1	2	2	2	2	4	4	4	4	-

Note 1: The EUT has sixteen antennas.

Note 2: Only the maximum and minimum gain of antennas were performed during the test.

For 2.4GHz function:

For IEEE 802.11 b/g/n/VHT/ax/be mode (1TX/2RX) (Radio 1)

Ant. 1~Ant.16 could transmit/receive.

Support diversity function and pre-tested on each single chain, the worst case was port 1 and it was recorded in this test report.

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX) (Radio 1)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax/be mode (1TX/4RX) (Radio 3)

Ant. 1~Ant.16 could transmit/receive.

Support diversity function and pre-tested on each single chain, the worst case was port 2 and it was recorded in this test report.

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/4RX) (Radio 3)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax/be mode (4TX/4RX) (Radio 3)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax mode(1TX/1RX) (Scan Radio)

Ant. 1~Ant.15 could transmit/receive simultaneously.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax/be mode (1TX/4RX) (Radio 2)

Ant. 1~Ant.16 could transmit/receive.

Support diversity function and pre-tested on each single chain, the worst case was port 3 and it was recorded in this test report.

For IEEE 802.11 a/n/ac/ax/be mode (2TX/4RX) (Radio 2)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 a/n/ac/ax/be mode (4TX/4RX) (Radio 2)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 a/n/ac/ax mode (1TX/1RX) (Scan Radio)

Ant. 1~Ant.15 could transmit/receive.

For 6GHz function:

For IEEE 802.11 ax/be mode (1TX/4RX) (Radio 3)

Ant. 1~Ant. 5 could transmit/receive.

Support diversity function and pre-tested on each single chain, the worst case was port 3 and it was recorded in this test report.

For IEEE 802.11 ax/be mode (2TX/4RX) (Radio 3)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 ax/be mode (4TX/4RX) (Radio 3)

Ant. 1~Ant.16 could transmit/receive simultaneously.

For IEEE 802.11 ax mode (1TX/1RX) (Scan Radio)

Ant. 1~Ant.15 could transmit/receive simultaneously.

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX)

Ant. 1~Ant. 9 could transmit/receive.

For 802.15.4 function:

For IEEE 802.15.4 mode (1TX/1RX)

Ant. 1~Ant. 9 could transmit/receive.

Note 2: Directional gain information

	Maximum Output Power	Power Spectral Density
Non-BF	Directional gain = Max.gain + array gain. For power measurements on IEEE 802.11 devices Array Gain = 0 dB (i.e., no array gain) for N ANT ≤ 4	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$
BF	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$



1.3 Accessories

Accessories				
Low Profile Mounting Bracket	Brand Name	Cisco	Model Name	AIR-AP-BRACKET-1
Ceiling grid clip	Brand Name	Cisco	Model Name	AIR-AP-T-RAIL-R

Reminder: Regarding to more detail and other information, please refer to user manual.

1.4 Support Equipment

Support Equipment					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	DELL	E5410	-	-
2	Client(Slave)	Askey	RTQ7300T-D187	H8NSBE1V1K	Provided by Customer
3	Notebook	DELL	E5410	-	-

1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.5
- ♦ FCC KDB 987594 D05 v01r01

1.6 Testing Location

Testing Location Information	
Test Lab. : Sporton International Inc. Hsinhua Laboratory	
Hsinhua ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)	
(TAF: 3785) TEL: 886-3-327-3456 FAX: 886-3-327-0973	
Test site Designation No. TW3785 with FCC.	

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted	DFS03-HY	Ivan Chung	22.7~23.1°C / 53~55%	03/Oct/2025



2 Measurement Environment


Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.184

2.1 AFC DUT General Capabilities Declaration


Item	Question	Vendor Response
1	AFC DUT Type	Proxy Standard Power AP
2	What is the AFC DUT supports sending an Available Spectrum Inquiry Request type?	Frequency
3	Does the AFC DUT need to be supplied with BSS configuration parameters?	No
4	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	No
5	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
6	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	-
7	Does the AFC DUT supports 160 MHz channel width operation?	Yes
8	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-
9	Does the AFC DUT supports 320 MHz channel width operation?	No

Note: The above information was declared by manufacturer.

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquired Frequency Range and/or the inquired Channels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or



	availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
21	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
22	AFC DUT Test Harness validates the presence of mandatory registration information
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C

3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: - For SP only operation, AFC DUT does not transmit in the band. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~C



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. • During the 60 seconds wait time: • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits • For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.



14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds - If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: - For SP only operation, AFC DUT does not transmit in the band, - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. - If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency



	ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Manufacturer/ Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date
Signal Analyzer	ROHDE&SC HWARZ	FSV3044	101439	10Hz~44GHz	23/Dec/2024	22/Dec/2025
SENSE-15407_ NII	Sporton	V5.11.23	N/A	N/A	N/A	N/A
WFA-Quick Track-Tool	Sporton	2.0.65.184	N/A	N/A	N/A	N/A



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	0.66 dB	Confidence levels of 95%

————THE END————

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Standard Power AP with Proxy
DUT Vendor Name	CISCO
DUT Product Model	CW9174E

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NoRootCA 10639 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 TLS cipherSuiteENULL 10638 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 StapledOCSPRespExpired 10637 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 OCSPStaplingDisabled 10636 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 ServerCertRevoked 10635 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 MatchSuffixSAN 10634 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 DifferentRootCA 10633 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NonMatchSAN 10632 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDUAU34 Frequency 10617 1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii),	CT AFC SP AP AFCDUAU33 Frequency 10616 1 (Successful spectrum access update)	PASS

15.407(k)(9)(i)		
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT AFC SP AP AFCDUSA32 Frequency 10615 1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Frequency 160MHz 10614 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Frequency 80MHz 10613 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Frequency 40MHz 10612 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Frequency 20MHz 10611 1 (Successful registration and spectrum access request)	PASS

**Test Measurements**

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1 (Unsuccessful spectrum access update)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (23 dBm/MHz PSD) in Spectrum Reponse] on channel 157 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1 (Successful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (14.1 dBm/MHz PSD) on channel 49 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_SP_OPERATION_2	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (19.2 dBm/MHz PSD) on channel 33 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS



TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1 (Unsuccessful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_160MHz_10614_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (9.0 dBm/MHz PSD) on channel center frequency index 15 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (9.4 dBm/MHz PSD) on channel center frequency index 47 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_80MHz_10613_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (11.6 dBm/MHz PSD) on channel center frequency index 167 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (10.3 dBm/MHz PSD) on channel center frequency index 23 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (8.1 dBm/MHz PSD) on channel center frequency index 35 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (11.3 dBm/MHz PSD) on channel center frequency index 163 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_20MHz_10611_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (11.6 dBm/MHz PSD) on channel 17 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (10.1 dBm/MHz PSD) on channel 1 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

AFC capability - Inquired Frequency

CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1

```
##### 2025-10-03T05:43:34Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ]
      }
    ]
  }
}
```

```

    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ]
  },
  {
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

2025-10-03T05:43:34Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 11.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 21.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },

```

```

    "maxPsd": 12.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 10.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 19.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 8.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 15.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 12.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 20.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 20.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 14.2
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 18.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 14.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 19.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 20.1
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T05:43:34Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

```

##### 2025-10-03T05:43:35Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        }
      }
    ]
  }
}

```

```

    },
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "height": 32.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

```

##### 2025-10-03T05:43:35Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      }
    }
  ]
}

```

```
    },
    "availableFrequencyInfo": [
      {
        "frequencyRange": {
          "highFrequency": 6045,
          "lowFrequency": 6025
        },
        "maxPsd": 11.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6065,
          "lowFrequency": 6045
        },
        "maxPsd": 21.7
      },
      {
        "frequencyRange": {
          "highFrequency": 6085,
          "lowFrequency": 6065
        },
        "maxPsd": 16.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6105,
          "lowFrequency": 6085
        },
        "maxPsd": 12.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6125,
          "lowFrequency": 6105
        },
        "maxPsd": 10.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6145,
          "lowFrequency": 6125
        },
        "maxPsd": 19.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6165,
          "lowFrequency": 6145
        },
        "maxPsd": 8.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6185,
          "lowFrequency": 6165
        },
        "maxPsd": 15.2
      },
      {
        "frequencyRange": {
```

```

        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 12.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 20.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 14.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 18.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 14.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 19.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 20.1
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T05:43:35Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],

```



```
        "version": "1.4"
      }

##### 2025-10-03T05:53:40Z #####
      {
        "headers": {
          "Host": "testserver.wfatestorg.org",
          "User-Agent": "curl/7.68.0",
          "Accept": "*/*",
          "Content-Type": "application/json",
          "X-Forwarded-For": "158.115.146.166",
          "X-Forwarded-Host": "testserver.wfatestorg.org",
          "X-Forwarded-Server": "testserver.wfatestorg.org",
          "Content-Length": "763",
          "Connection": "Keep-Alive"
        },
        "body": {
          "version": "1.4",
          "availableSpectrumInquiryRequests": [
            {
              "requestId": "154517913228976",
              "deviceDescriptor": {
                "serialNumber": "Q5BG-FE5W-RSPX",
                "certificationId": [
                  {
                    "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                    "id": "UDX-600218020"
                  }
                ]
              },
              "location": {
                "ellipse": {
                  "center": {
                    "latitude": 38,
                    "longitude": -122
                  },
                  "majorAxis": 20,
                  "minorAxis": 20,
                  "orientation": 0
                },
                "elevation": {
                  "height": 32.0,
                  "heightType": "AGL",
                  "verticalUncertainty": 10.0
                },
                "indoorDeployment": 1
              },
              "inquiredFrequencyRange": [
                {
                  "lowFrequency": 5945,
                  "highFrequency": 6875
                }
              ],
              "inquiredChannels": [
                {
                  "globalOperatingClass": 131
                }
              ],
              "vendorExtensions": [
                {

```

```
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T05:53:40Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 10.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.0
        }
      ]
    }
  ]
}
```

```

"frequencyRange": {
  "highFrequency": 6205,
  "lowFrequency": 6185
},
"maxPsd": 16.3
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 18.8
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 13.2
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 11.9
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 13.7
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 8.9
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 10.7
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 18.5
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },

```

```

        "maxPsd": 9.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6705,
          "lowFrequency": 6685
        },
        "maxPsd": 18.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 19.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 17.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6765,
          "lowFrequency": 6745
        },
        "maxPsd": 20.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6785,
          "lowFrequency": 6765
        },
        "maxPsd": 20.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6805,
          "lowFrequency": 6785
        },
        "maxPsd": 13.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6825,
          "lowFrequency": 6805
        },
        "maxPsd": 17.8
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T05:53:40Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}

```

```
##### 2025-10-03T05:53:41Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "**/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}
```

```

    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}

```

2025-10-03T05:53:41Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 10.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },

```

```

    "maxPsd": 16.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 18.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 13.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 11.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 13.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 8.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 10.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 18.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 9.0
  },
  {
    "frequencyRange": {

```

```
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 18.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 17.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 20.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 20.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 13.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 17.8
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T05:53:41Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1

```
##### 2025-10-03T06:11:17Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",

```

```

        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      ],
    },
    "vendorExtensions": [
      {
        "extensionId": "CiscolInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T06:11:17Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 12.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 8.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 15.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 16.1
        },
        {
          "frequencyRange": {

```

```

    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 8.1
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 8.3
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 19.4
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 21.3
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 8.7
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 16.0
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 8.7
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 17.1
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 13.0

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 19.8
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:11:17Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

```

```

##### 2025-10-03T06:11:18Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "**/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {

```

```

        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 32.0,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 1
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9174E"
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

```

2025-10-03T06:11:18Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {

```

```

    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 12.4
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 8.1
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 15.4
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 16.1
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 8.1
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 8.3
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 19.4
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 21.3
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 8.7

```



```
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 16.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 8.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },
          "maxPsd": 17.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6685,
            "lowFrequency": 6665
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6705,
            "lowFrequency": 6685
          },
          "maxPsd": 19.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6725,
            "lowFrequency": 6705
          },
          "maxPsd": 15.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6745,
            "lowFrequency": 6725
          },
          "maxPsd": 19.8
        }
      ],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T06:11:18Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

2025-10-03T06:19:27Z

```

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}

```

```

    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}

```

2025-10-03T06:19:27Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 11.2
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 11.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 14.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },

```

```

        "maxPsd": 18.5
      },
      {
        "frequencyRange": {
          "highFrequency": 6065,
          "lowFrequency": 6045
        },
        "maxPsd": 19.7
      },
      {
        "frequencyRange": {
          "highFrequency": 6085,
          "lowFrequency": 6065
        },
        "maxPsd": 12.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6105,
          "lowFrequency": 6085
        },
        "maxPsd": 21.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6205,
          "lowFrequency": 6185
        },
        "maxPsd": 13.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6225,
          "lowFrequency": 6205
        },
        "maxPsd": 16.7
      },
      {
        "frequencyRange": {
          "highFrequency": 6245,
          "lowFrequency": 6225
        },
        "maxPsd": 12.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6265,
          "lowFrequency": 6245
        },
        "maxPsd": 13.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6365,
          "lowFrequency": 6345
        },
        "maxPsd": 8.2
      },
      {
        "frequencyRange": {

```



```
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 19.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 10.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 20.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 11.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 8.4
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:19:27Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}

##### 2025-10-03T06:19:28Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
```

```

        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "158.115.146.166",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "763",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "154517913228976",
                "deviceDescriptor": {
                    "serialNumber": "Q5BG-FE5W-RSPX",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "UDX-600218020"
                        }
                    ]
                },
                "location": {
                    "ellipse": {
                        "center": {
                            "latitude": 38,
                            "longitude": -122
                        },
                        "majorAxis": 20,
                        "minorAxis": 20,
                        "orientation": 0
                    },
                    "elevation": {
                        "height": 32.0,
                        "heightType": "AGL",
                        "verticalUncertainty": 10.0
                    },
                    "indoorDeployment": 1
                },
                "inquiredFrequencyRange": [
                    {
                        "lowFrequency": 5945,
                        "highFrequency": 6875
                    }
                ],
                "inquiredChannels": [
                    {
                        "globalOperatingClass": 131
                    }
                ],
                "vendorExtensions": [
                    {
                        "extensionId": "CiscoApInfo",
                        "parameters": {
                            "version": "1.4",
                            "PID": "CW9174E"
                        }
                    }
                ]
            }
        ]
    }
}

```

```

    },
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T06:19:28Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 11.2
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 11.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 14.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 18.5
        },
        {
          "frequencyRange": {

```

```

    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 19.7
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 12.8
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 21.1
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 13.0
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 16.7
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 12.6
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 13.9
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 8.2
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 19.0

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 10.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 20.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 11.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 8.4
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:19:28Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1

```
##### 2025-10-03T06:30:07Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",

```

```
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      ],
    },
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T06:30:08Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6325,
            "lowFrequency": 6305
          },
          "maxPsd": 12.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6345,
            "lowFrequency": 6325
          },
          "maxPsd": 14.4
        },
        {
          "frequencyRange": {
```

```

    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.8
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 16.4
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.7
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 16.0
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 10.1
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 21.2
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 20.5
},
{
  "frequencyRange": {
    "highFrequency": 6765,
    "lowFrequency": 6745
  },
  "maxPsd": 13.2

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 12.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 13.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 11.6
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:30:08Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

```

```

##### 2025-10-03T06:30:08Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "**/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {

```

```

        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 32.0,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 1
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9174E"
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

```

2025-10-03T06:30:08Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {

```

```

    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 21.8
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 20.5
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 12.4
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 14.4
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 20.8
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 16.4
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 14.7
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 16.0

```



```
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 10.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 21.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6765,
            "lowFrequency": 6745
          },
          "maxPsd": 13.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6785,
            "lowFrequency": 6765
          },
          "maxPsd": 12.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6805,
            "lowFrequency": 6785
          },
          "maxPsd": 13.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6825,
            "lowFrequency": 6805
          },
          "maxPsd": 11.6
        }
      ],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T06:30:08Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

2025-10-03T06:37:09Z

```

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}

```

```

    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}

##### 2025-10-03T06:37:09Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 17.8
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 18.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 18.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 19.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },

```

```

    "maxPsd": 10.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 19.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 13.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 14.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 19.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 15.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 21.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 16.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 11.6
  },
  {
    "frequencyRange": {

```



```
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 19.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 16.9
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:37:09Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}

##### 2025-10-03T06:37:10Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
```

```

    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}

```

```

    },
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T06:37:10Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 17.8
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 18.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 18.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 19.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 10.3
        },
        {
          "frequencyRange": {

```

```

    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 19.2
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 13.0
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 14.3
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 19.8
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 15.0
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 21.8
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 16.7
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 11.6
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 19.7

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 16.9
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T06:37:10Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_Frequency_160MHz_10614_1

```
##### 2025-10-03T06:52:06Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {

```

```

        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      },
    ],
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

2025-10-03T06:52:06Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 11.2
        }
      ]
    }
  ]
}

```

```

"frequencyRange": {
  "highFrequency": 6045,
  "lowFrequency": 6025
},
"maxPsd": 13.0
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 21.2
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 17.6
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 9.0
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 18.9
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 20.3
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 18.7
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 18.0
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },

```

```

        "maxPsd": 14.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6705,
          "lowFrequency": 6685
        },
        "maxPsd": 13.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 14.4
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 13.3
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T06:52:06Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

```

```

##### 2025-10-03T06:52:07Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {

```

```

        "center": {
            "latitude": 38,
            "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "height": 32.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
    },
    "indoorDeployment": 1
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5945,
        "highFrequency": 6875
    }
],
"inquiredChannels": [
    {
        "globalOperatingClass": 131
    }
],
"vendorExtensions": [
    {
        "extensionId": "CiscoApInfo",
        "parameters": {
            "version": "1.4",
            "PID": "CW9174E"
        }
    }
]
},
"vendorExtensions": [
    {
        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
]
}
}

```

```

##### 2025-10-03T06:52:07Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableFrequencyInfo": [
                {

```

```
"frequencyRange": {  
  "highFrequency": 5965,  
  "lowFrequency": 5945  
},  
"maxPsd": 21.5  
,  
{  
  "frequencyRange": {  
    "highFrequency": 5985,  
    "lowFrequency": 5965  
  },  
  "maxPsd": 20.7  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6005,  
    "lowFrequency": 5985  
  },  
  "maxPsd": 20.5  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6025,  
    "lowFrequency": 6005  
  },  
  "maxPsd": 11.2  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6045,  
    "lowFrequency": 6025  
  },  
  "maxPsd": 13.0  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6065,  
    "lowFrequency": 6045  
  },  
  "maxPsd": 21.2  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6085,  
    "lowFrequency": 6065  
  },  
  "maxPsd": 17.6  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6105,  
    "lowFrequency": 6085  
  },  
  "maxPsd": 9.0  
},  
{  
  "frequencyRange": {  
    "highFrequency": 6605,  
    "lowFrequency": 6585  
  },  
}
```

```

        "maxPsd": 18.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6625,
          "lowFrequency": 6605
        },
        "maxPsd": 20.3
      },
      {
        "frequencyRange": {
          "highFrequency": 6645,
          "lowFrequency": 6625
        },
        "maxPsd": 18.7
      },
      {
        "frequencyRange": {
          "highFrequency": 6665,
          "lowFrequency": 6645
        },
        "maxPsd": 18.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6685,
          "lowFrequency": 6665
        },
        "maxPsd": 14.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6705,
          "lowFrequency": 6685
        },
        "maxPsd": 13.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 14.4
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 13.3
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T06:52:07Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}

```

```
##### 2025-10-03T07:01:36Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",

```

```

        "PID": "CW9174E"
      }
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

##### 2025-10-03T07:01:36Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 18.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          }
        }
      ]
    }
  ]
}

```

```

    },
    "maxPsd": 17.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 14.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 13.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 14.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 11.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 10.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 20.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 9.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 8.1
  },
  {

```

```

        "frequencyRange": {
          "highFrequency": 6385,
          "lowFrequency": 6365
        },
        "maxPsd": 16.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6405,
          "lowFrequency": 6385
        },
        "maxPsd": 12.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6425,
          "lowFrequency": 6405
        },
        "maxPsd": 16.6
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T07:01:36Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}

```

```

##### 2025-10-03T07:01:37Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        }
      }
    }
  }
}

```

```

    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 32.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 1
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9174E"
    }
  }
]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

```

2025-10-03T07:01:37Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          }
        }
      ]
    }
  ]
}

```

```
    },
    "maxPsd": 9.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 16.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 18.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 17.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 14.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 13.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 14.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 11.0
  },
  {
    }
```



```
        "frequencyRange": {
          "highFrequency": 6305,
          "lowFrequency": 6285
        },
        "maxPsd": 10.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6325,
          "lowFrequency": 6305
        },
        "maxPsd": 20.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6345,
          "lowFrequency": 6325
        },
        "maxPsd": 9.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6365,
          "lowFrequency": 6345
        },
        "maxPsd": 8.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6385,
          "lowFrequency": 6365
        },
        "maxPsd": 16.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6405,
          "lowFrequency": 6385
        },
        "maxPsd": 12.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6425,
          "lowFrequency": 6405
        },
        "maxPsd": 16.6
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T07:01:37Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-10-03T07:11:25Z #####
{
  "headers": {
```

```

"Host": "testserver.wfatestorg.org",
"User-Agent": "curl/7.68.0",
"Accept": "*/*",
"Content-Type": "application/json",
"X-Forwarded-For": "158.115.146.166",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "763",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913228976",
      "deviceDescriptor": {
        "serialNumber": "Q5BG-FE5W-RSPX",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600218020"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 32.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9174E"
          }
        }
      ]
    }
  ]
}

```

```

    ]
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2025-10-03T07:11:25Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 18.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 17.4
        }
      ]
    }
  ]
}

```

```
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 14.8
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 13.1
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 14.8
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 11.0
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 10.9
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 20.0
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 9.8
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 8.1
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 8.1
}
```

```

        },
        "maxPsd": 16.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6405,
          "lowFrequency": 6385
        },
        "maxPsd": 12.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6425,
          "lowFrequency": 6405
        },
        "maxPsd": 16.6
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T07:11:25Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}

```

```

##### 2025-10-03T07:11:26Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,

```

```

        "orientation": 0
      },
      "elevation": {
        "height": 32.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

2025-10-03T07:11:26Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.4
        },

```

```
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 16.7
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 9.4
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 18.6
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 17.4
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 14.8
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 13.1
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 14.8
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 11.0
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 11.0
}
```

```
        },
        "maxPsd": 10.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6325,
          "lowFrequency": 6305
        },
        "maxPsd": 20.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6345,
          "lowFrequency": 6325
        },
        "maxPsd": 9.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6365,
          "lowFrequency": 6345
        },
        "maxPsd": 8.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6385,
          "lowFrequency": 6365
        },
        "maxPsd": 16.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6405,
          "lowFrequency": 6385
        },
        "maxPsd": 12.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6425,
          "lowFrequency": 6405
        },
        "maxPsd": 16.6
      }
    ],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T07:11:26Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1

```
##### 2025-10-03T07:19:36Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",

```

```

        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      ],
    },
    "vendorExtensions": [
      {
        "extensionId": "CiscolInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

2025-10-03T07:19:36Z

```

    {
      "availableSpectrumInquiryResponses": [
        {
          "response": {
            "responseCode": 0,
            "shortDescription": "SUCCESS"
          },
          "availableFrequencyInfo": [
            {
              "frequencyRange": {
                "highFrequency": 5965,
                "lowFrequency": 5945
              },
              "maxPsd": 17.3
            },
            {
              "frequencyRange": {
                "highFrequency": 5985,
                "lowFrequency": 5965
              },
              "maxPsd": 18.4
            },
            {
              "frequencyRange": {
                "highFrequency": 6005,
                "lowFrequency": 5985
              },
              "maxPsd": 11.0
            },
            {
              "frequencyRange": {
                "highFrequency": 6025,
                "lowFrequency": 6005
              },
              "maxPsd": 17.9
            },
            {
              "frequencyRange": {

```

```
"highFrequency": 6205,
"lowFrequency": 6185
    },
    "maxPsd": 14.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 17.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 14.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 16.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 20.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 21.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 12.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 10.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 17.1
  }
```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 13.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 16.8
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:19:36Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

```

```

##### 2025-10-03T07:19:37Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "**/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {

```

```

        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 32.0,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 1
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9174E"
      }
    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

```

2025-10-03T07:19:37Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {

```

```

"highFrequency": 5965,
"lowFrequency": 5945
    },
    "maxPsd": 17.3
  },
  {
    "frequencyRange": {
      "highFrequency": 5985,
      "lowFrequency": 5965
    },
    "maxPsd": 18.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6005,
      "lowFrequency": 5985
    },
    "maxPsd": 11.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6025,
      "lowFrequency": 6005
    },
    "maxPsd": 17.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 14.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 17.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 14.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 16.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 20.0
  }

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 12.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 13.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 16.8
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:19:37Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

2025-10-03T07:32:56Z

```

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}

```

```

    }
  ]
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}

```

2025-10-03T07:34:17Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 16.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },

```

```

    "maxPsd": 19.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 12.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 16.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 21.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 15.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 12.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 15.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 17.0
  },
  {
    "frequencyRange": {

```



```
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 18.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 21.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 13.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 11.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 15.7
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:34:17Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}

##### 2025-10-03T07:34:18Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
```

```

    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ]
  }
}

```

```
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoInfo",
            "parameters": {
              "version": "1.4",
              "source": "Cloud",
              "identity": 1003
            }
          }
        ]
      }
    }
  }

##### 2025-10-03T07:34:18Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 16.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 19.2
        },
        {
          "frequencyRange": {
```

```

    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 12.9
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 9.2
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 16.2
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 21.0
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 15.8
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 12.3
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 15.9
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 18.0

```

```

        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 10.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },
          "maxPsd": 14.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6685,
            "lowFrequency": 6665
          },
          "maxPsd": 21.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6705,
            "lowFrequency": 6685
          },
          "maxPsd": 13.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6725,
            "lowFrequency": 6705
          },
          "maxPsd": 11.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6745,
            "lowFrequency": 6725
          },
          "maxPsd": 15.7
        }
      ],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T07:34:18Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}

```

```

##### 2025-10-03T07:34:30Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",

```

```

    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9174E"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {

```

```

        "extensionId": "CiscolInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-10-03T07:34:30Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 16.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 19.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },

```

```

    "maxPsd": 12.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 16.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 21.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 15.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 12.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 15.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 17.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 18.0
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 21.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 13.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 11.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 15.7
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:34:30Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

```

##### 2025-10-03T07:34:31Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  }
}

```

```

    },
    "body": {
      "version": "1.4",
      "availableSpectrumInquiryRequests": [
        {
          "requestId": "154517913228976",
          "deviceDescriptor": {
            "serialNumber": "Q5BG-FE5W-RSPX",
            "certificationId": [
              {
                "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                "id": "UDX-600218020"
              }
            ]
          },
          "location": {
            "ellipse": {
              "center": {
                "latitude": 38,
                "longitude": -122
              },
              "majorAxis": 20,
              "minorAxis": 20,
              "orientation": 0
            },
            "elevation": {
              "height": 32.0,
              "heightType": "AGL",
              "verticalUncertainty": 10.0
            },
            "indoorDeployment": 1
          },
          "inquiredFrequencyRange": [
            {
              "lowFrequency": 5945,
              "highFrequency": 6875
            }
          ],
          "inquiredChannels": [
            {
              "globalOperatingClass": 131
            }
          ],
          "vendorExtensions": [
            {
              "extensionId": "CiscoApInfo",
              "parameters": {
                "version": "1.4",
                "PID": "CW9174E"
              }
            }
          ]
        },
        {
          "vendorExtensions": [
            {
              "extensionId": "CiscoInfo",
              "parameters": {
                "version": "1.4",
                "source": "Cloud",

```



```
        "identity": 1003
      }
    }
  ]
}

##### 2025-10-03T07:34:31Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 16.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 19.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
```

```

    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 9.2
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 16.2
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 21.0
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 15.8
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 12.3
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 15.9
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 18.0
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 10.3

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 21.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 13.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 11.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 15.7
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:34:31Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1

```

##### 2025-10-03T07:50:22Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  }
}

```

```

    },
    "body": {
      "version": "1.4",
      "availableSpectrumInquiryRequests": [
        {
          "requestId": "154517913228976",
          "deviceDescriptor": {
            "serialNumber": "Q5BG-FE5W-RSPX",
            "certificationId": [
              {
                "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                "id": "UDX-600218020"
              }
            ]
          },
          "location": {
            "ellipse": {
              "center": {
                "latitude": 38,
                "longitude": -122
              },
              "majorAxis": 20,
              "minorAxis": 20,
              "orientation": 0
            },
            "elevation": {
              "height": 32.0,
              "heightType": "AGL",
              "verticalUncertainty": 10.0
            },
            "indoorDeployment": 1
          },
          "inquiredFrequencyRange": [
            {
              "lowFrequency": 5945,
              "highFrequency": 6875
            }
          ],
          "inquiredChannels": [
            {
              "globalOperatingClass": 131
            }
          ],
          "vendorExtensions": [
            {
              "extensionId": "CiscoApInfo",
              "parameters": {
                "version": "1.4",
                "PID": "CW9174E"
              }
            }
          ]
        },
        {
          "vendorExtensions": [
            {
              "extensionId": "CiscoInfo",
              "parameters": {
                "version": "1.4",
                "source": "Cloud",

```



```
        "identity": 1003
      }
    }
  ]
}

##### 2025-10-03T07:50:22Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
```

```
"highFrequency": 6085,
"lowFrequency": 6065
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6105,
"lowFrequency": 6085
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6125,
"lowFrequency": 6105
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6145,
"lowFrequency": 6125
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6165,
"lowFrequency": 6145
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6185,
"lowFrequency": 6165
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6205,
"lowFrequency": 6185
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6245,
"lowFrequency": 6225
},
"maxPsd": 23
},
{
"frequencyRange": {
"highFrequency": 6265,
"lowFrequency": 6245
},
"maxPsd": 23
}
```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6545,

```

```
"lowFrequency": 6525
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6565,
    "lowFrequency": 6545
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
    },
    "maxPsd": 23
    },
    {
    "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
    },
    "maxPsd": 23
    },
    },
```

```

        {
          "frequencyRange": {
            "highFrequency": 6725,
            "lowFrequency": 6705
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6745,
            "lowFrequency": 6725
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6765,
            "lowFrequency": 6745
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6785,
            "lowFrequency": 6765
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6805,
            "lowFrequency": 6785
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6825,
            "lowFrequency": 6805
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6845,
            "lowFrequency": 6825
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6865,
            "lowFrequency": 6845
          },
          "maxPsd": 23
        }
      ],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T07:50:22Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  
```

```

    }
  },
  "version": "1.4"
}

##### 2025-10-03T07:50:23Z #####

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [

```

```
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9174E"
          }
        }
      ],
    },
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

2025-10-03T07:50:23Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        }
      ]
    }
  ]
}
```

```
{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
}
```

```

    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 23
  },
  {

```

```
"frequencyRange": {
  "highFrequency": 6405,
  "lowFrequency": 6385
},
"maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6545,
    "lowFrequency": 6525
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6565,
    "lowFrequency": 6545
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 23
}
```

```

    "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {

```

```

        "highFrequency": 6845,
        "lowFrequency": 6825
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6865,
        "lowFrequency": 6845
      },
      "maxPsd": 23
    }
  ],
  "requestId": "154517913228976",
  "availabilityExpireTime": "2025-10-04T07:50:23Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}

],
"version": "1.4"
}

```

2025-10-03T08:09:56Z

```

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 32.0,

```

```

        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ]
  },
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

2025-10-03T08:09:56Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T08:09:56Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}

```

2025-10-03T08:09:56Z

```

{
  "headers": {

```

```

"Host": "testserver.wfatestorg.org",
  "Accept": "**/*",
  "Content-Type": "application/json",
  "X-Forwarded-For": "158.115.146.166",
  "X-Forwarded-Host": "testserver.wfatestorg.org",
  "X-Forwarded-Server": "testserver.wfatestorg.org",
  "Content-Length": "763",
  "Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913228976",
      "deviceDescriptor": {
        "serialNumber": "Q5BG-FE5W-RSPX",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600218020"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 32.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9174E"
          }
        }
      ]
    }
  ]
}

```

```

    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

##### 2025-10-03T08:09:57Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T08:09:57Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1

```

##### 2025-10-03T07:15:46Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.146.166",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913228976",
        "deviceDescriptor": {
          "serialNumber": "Q5BG-FE5W-RSPX",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600218020"
            }
          ]
        }
      }
    ]
  }
}

```

```

    }
  ],
  "location": {
    "ellipse": {
      "center": {
        "latitude": 38,
        "longitude": -122
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "height": 32.0,
      "heightType": "AGL",
      "verticalUncertainty": 10.0
    },
    "indoorDeployment": 1
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5945,
      "highFrequency": 6875
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9174E"
      }
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

2025-10-03T07:15:46Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {

```

```

        "responseCode": 0,
        "shortDescription": "SUCCESS"
    },
    "availableFrequencyInfo": [],
    "requestId": "154517913228976",
    "availabilityExpireTime": "2025-10-04T07:15:46Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-10-03T07:15:47Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "158.115.146.166",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "763",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "154517913228976",
                "deviceDescriptor": {
                    "serialNumber": "Q5BG-FE5W-RSPX",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "UDX-600218020"
                        }
                    ]
                },
                "location": {
                    "ellipse": {
                        "center": {
                            "latitude": 38,
                            "longitude": -122
                        },
                        "majorAxis": 20,
                        "minorAxis": 20,
                        "orientation": 0
                    },
                    "elevation": {
                        "height": 32.0,
                        "heightType": "AGL",
                        "verticalUncertainty": 10.0
                    },
                    "indoorDeployment": 1
                },
                "inquiredFrequencyRange": [
                    {
                        "lowFrequency": 5945,
                        "highFrequency": 6875
                    }
                ]
            }
        ]
    }
}

```

```
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9174E"
        }
      }
    ]
  },
  {
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```
##### 2025-10-03T07:15:47Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913228976",
      "availabilityExpireTime": "2025-10-04T07:15:47Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

AFC capability - Inquired Frequency

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6035	SP	20	6	15.05	21.05	N/A	Pass	1.18	7.18	11.6	Pass
5955	SP	20	6	14.13	20.13	N/A	Pass	0.06	6.06	10.1	Pass
6125	SP	40	6	14.68	20.68	N/A	Pass	-2.15	3.85	8.1	Pass
6765	SP	40	6	13.93	19.93	N/A	Pass	-3.05	2.95	11.3	Pass
6785	SP	80	6	13.94	19.94	N/A	Pass	-5.89	0.11	11.6	Pass
6065	SP	80	6	15.74	21.74	N/A	Pass	-4.05	1.95	10.3	Pass
6025	SP	160	6	15.36	21.36	N/A	Pass	-6.43	-0.43	9	Pass
6185	SP	160	6	14.73	20.73	N/A	Pass	-7.93	-1.93	9.4	Pass

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6195	SP	20	6	14.56	20.56	N/A	Pass	0.98	6.98	14.1	Pass
6115	SP	20	6	13.85	19.85	N/A	Pass	-0.27	5.73	19.2	Pass

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6115	SP	20	6	15.23	21.23	N/A	Pass	1.23	7.23	23	Pass

AFC capability - Inquired Frequency

CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1


Frequency (MHz): 6035

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6035MHz_TX

03/10/2025



Sum= Total Power
PX=Port X


Sum(dBm)	P1(dBm)
15.05	15.05

5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6035MHz

03/10/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.18	1.18	1.18

Frequency (MHz): 5955


5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

5955MHz_TX

03/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
14.13	14.13


5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

5955MHz

03/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.06	0.06	0.06

CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1

Frequency (MHz): 6125

5.925-6.425GHz_802.11be EHT40 SP_1TX


AV Power

6125MHz_TX

03/10/2025

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
14.68	14.68


5.925-6.425GHz_802.11be EHT40 SP_1TX

PSD

6125MHz

03/10/2025

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-2.15

Frequency (MHz): 6765


6.525-6.875GHz_802.11be EHT40 SP_1TX

AV Power

6765MHz_TX

03/10/2025

CF (Hz)
6.765G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
40M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
13.93	13.93


6.525-6.875GHz_802.11be EHT40 SP_1TX

PSD

6765MHz

03/10/2025

CF (Hz)
6.765G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.05	-3.05	-3.05

CT_AFC_SP_AP_AFCRSA31_Frequency_80MHz_10613_1

Frequency (MHz): 6785

6.525-6.875GHz_802.11be EHT80 SP_1TX


AV Power

6785MHz_TX

03/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
13.94	13.94


6.525-6.875GHz_802.11be EHT80 SP_1TX

PSD

6785MHz

03/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.89	-5.89	-5.89

Frequency (MHz): 6065

5.925-6.425GHz_802.11be EHT80 SP_1TX


AV Power

6065MHz_TX

03/10/2025

CF (Hz)
6.065G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.74	15.74


5.925-6.425GHz_802.11be EHT80 SP_1TX

PSD

6065MHz

03/10/2025

CF (Hz)
6.065G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.05	-4.05	-4.05

CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1

Frequency (MHz): 6025

5.925-6.425GHz_802.11be EHT160 SP_1TX


AV Power

6025MHz_TX

03/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.36	15.36


5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6025MHz

03/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.43	-6.43	-6.43

Frequency (MHz): 6185

5.925-6.425GHz_802.11be EHT160 SP_1TX


AV Power

6185MHz_TX

03/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
14.73	14.73


5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6185MHz

03/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.93	-7.93	-7.93

CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1

Bandwidth: 20MHz

Frequency (MHz): 6195

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6195MHz_TX

03/10/2025

CF (Hz)
6.195G

Span (Hz)
30M


RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
RMS

CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
14.56	14.56

5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6195MHz

03/10/2025

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.98	0.98	0.98

Frequency (MHz): 6115

5.925-6.425GHz_802.11be EHT20 SP_1TX


AV Power

6115MHz_TX

03/10/2025

CF (Hz)
6.115G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
13.85	13.85


5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6115MHz

03/10/2025

CF (Hz)
6.115G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.27	-0.27	-0.27

CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1

Bandwidth: 20MHz

Frequency (MHz): 6115

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6115MHz_TX

03/10/2025

CF (Hz)
6.115G

Span (Hz)
30M


RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
RMS

CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
15.23	15.23

5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6115MHz

03/10/2025

CF (Hz)
6.115G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
1.23	1.23	1.23

Duty Cycle

Bandwidth: 20MHz


DC;Band:be20;20;BWch:1,(M0)MHz;Nss:0.922



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
6.035G	10M	10M	100m	32001	3.125u	92.196875m	0.922

Bandwidth: 40MHz


DC;Band:be40;40;BWch:1,(M0)MHz;Nss:0.915



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
6.045G	10M	10M	100m	32001	3.125u	91.53125m	0.915

Bandwidth: 80MHz


DC;Band:be80;80;BWch:1,(M0)MHz;Nss:0.934



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
6.065G	10M	10M	100m	32001	3.125u	93.353125m	0.934

Bandwidth: 160MHz

DC;Band:be160;160;BWch:1,(M0)MHz;Nss:0.946



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
6.025G	10M	10M	100m	32001	3.125u	94.59375m	0.946

—THE END—