



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_1T1S_Multi-RU

Appendix E.36

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)	Pass	1G	40G	AV	39.78672G	13.00	-66.52	-66.52	-53.52	-41.20	-12.32
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	1G	40G	AV	39.91956G	13.00	-66.73	-66.73	-53.73	-41.20	-12.53

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_1T1S_Multi-RU

Appendix E.36

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.65128G	13.00	-74.13	-74.13	-61.13	-41.20	-19.93
5290MHz	Pass	1G	40G	AV	39.91956G	13.00	-66.73	-66.73	-53.73	-41.20	-12.53
5290MHz	Pass	1G	40G	PK	10.57572G	13.00	-68.03	-68.03	-55.03	-27.00	-28.03
5290MHz	Pass	1G	40G	PK	38.27425G	13.00	-59.93	-59.93	-46.93	-27.00	-19.93
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61716G	13.00	-75.45	-75.45	-62.45	-41.20	-21.25
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.78672G	13.00	-66.52	-66.52	-53.52	-41.20	-12.32
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.5745G	13.00	-68.44	-68.44	-55.44	-27.00	-28.44
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	37.63075G	13.00	-59.45	-59.45	-46.45	-27.00	-19.45

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.5745G	-55.44	-27.00	-28.44	13.00	-68.44	-	-	-68.44
1G	40G	1M	PK	37.63075G	-46.45	-27.00	-19.45	13.00	-59.45	-	-	-59.45

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61716G	-62.45	-41.20	-21.25	13.00	-75.45	-	-	-75.45
1G	40G	1M	AV	39.78672G	-53.52	-41.20	-12.32	13.00	-66.52	-	-	-66.52

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [PK]

5290MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.57572G	-55.03	-27.00	-28.03	13.00	-68.03	-	-	-68.03
1G	40G	1M	PK	38.27425G	-46.93	-27.00	-19.93	13.00	-59.93	-	-	-59.93

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.65128G	-61.13	-41.20	-19.93	13.00	-74.13	-	-	-74.13
1G	40G	1M	AV	39.91956G	-53.73	-41.20	-12.53	13.00	-66.73	-	-	-66.73



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 2_Patch Array_2T1S_Multi-RU

Appendix E.37

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX(Port1&Port3)	Pass	1G	40G	AV	39.69044G	16.01	-66.80	-66.94	-63.86	-47.85	-41.20	-6.65
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port3)	Pass	1G	40G	AV	39.71238G	16.01	-67.21	-66.78	-63.98	-47.97	-41.20	-6.77

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 2_Patch Array_2T1S_Multi-RU

Appendix E.37

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.63178G	16.01	-74.33	-75.98	-72.07	-56.06	-41.20	-14.86
5290MHz	Pass	1G	40G	AV	39.71238G	16.01	-67.21	-66.78	-63.98	-47.97	-41.20	-6.77
5290MHz	Pass	1G	40G	PK	10.58181G	16.01	-65.67	-72.57	-64.86	-48.85	-27.00	-21.85
5290MHz	Pass	1G	40G	PK	38.55213G	16.01	-60.80	-59.96	-57.35	-41.34	-27.00	-14.34
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.63422G	16.01	-74.84	-75.98	-72.36	-56.35	-41.20	-15.15
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.69044G	16.01	-66.80	-66.94	-63.86	-47.85	-41.20	-6.65
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.54769G	16.01	-67.98	-71.77	-66.46	-50.45	-27.00	-23.45
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	37.96347G	16.01	-60.39	-62.05	-58.13	-42.12	-27.00	-15.12


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX(Port1&Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.54769G	-50.45	-27.00	-23.45	16.01	-66.46	-67.98	-	-71.77
1G	40G	1M	PK	37.96347G	-42.12	-27.00	-15.12	16.01	-58.13	-60.39	-	-62.05

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX(Port1&Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.63422G	-56.35	-41.20	-15.15	16.01	-72.36	-74.84	-	-75.98
1G	40G	1M	AV	39.69044G	-47.85	-41.20	-6.65	16.01	-63.86	-66.80	-	-66.94




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port3)

CSE [PK]

5290MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.58181G	-48.85	-27.00	-21.85	16.01	-64.86	-65.67	-	-72.57
1G	40G	1M	PK	38.55213G	-41.34	-27.00	-14.34	16.01	-57.35	-60.80	-	-59.96

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port1&Port3)

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.63178G	-56.06	-41.20	-14.86	16.01	-72.07	-74.33	-	-75.98
1G	40G	1M	AV	39.71238G	-47.97	-41.20	-6.77	16.01	-63.98	-67.21	-	-66.78



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_4T1S_Multi-RU

Appendix E.38

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	1G	40G	AV	39.67703G	19.02	-67.19	-66.63	-67.34	-67.34	-61.09	-42.07	-41.20	-0.87
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	1G	40G	AV	39.69653G	19.02	-66.89	-67.63	-66.61	-67.48	-61.11	-42.09	-41.20	-0.89

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_4T1S_Multi-RU

Appendix E.38

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.63544G	19.02	-75.20	-75.77	-76.18	-76.97	-69.74	-50.72	-41.20	-9.52
5290MHz	Pass	1G	40G	AV	39.69653G	19.02	-66.89	-67.63	-66.61	-67.48	-61.11	-42.09	-41.20	-0.89
5290MHz	Pass	1G	40G	PK	10.59156G	19.02	-71.60	-69.69	-68.20	-69.05	-63.44	-44.42	-27.00	-17.42
5290MHz	Pass	1G	40G	PK	38.59113G	19.02	-60.76	-63.60	-60.90	-61.88	-55.63	-36.61	-27.00	-9.61
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61228G	19.02	-75.66	-76.26	-74.92	-76.26	-69.72	-50.70	-41.20	-9.50
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.67703G	19.02	-67.19	-66.63	-67.34	-67.34	-61.09	-42.07	-41.20	-0.87
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.56719G	19.02	-69.18	-69.72	-70.01	-72.07	-64.10	-45.08	-27.00	-18.08
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.57041G	19.02	-65.12	-61.67	-62.49	-60.05	-55.95	-36.93	-27.00	-9.93

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.56719G	-45.08	-27.00	-18.08	19.02	-64.10	-69.18	-69.72	-70.01	-72.07
1G	40G	1M	PK	38.57041G	-36.93	-27.00	-9.93	19.02	-55.95	-65.12	-61.67	-62.49	-60.05

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.61228G	-50.70	-41.20	-9.50	19.02	-69.72	-75.66	-76.26	-74.92	-76.26
1G	40G	1M	AV	39.67703G	-42.07	-41.20	-0.87	19.02	-61.09	-67.19	-66.63	-67.34	-67.34

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5290MHz

03/07/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59156G	-44.42	-27.00	-17.42	19.02	-63.44	-71.60	-69.69	-68.20	-69.05
1G	40G	1M	PK	38.59113G	-36.61	-27.00	-9.61	19.02	-55.63	-60.76	-63.60	-60.90	-61.88

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.63544G	-50.72	-41.20	-9.52	19.02	-69.74	-75.20	-75.77	-76.18	-75.97
1G	40G	1M	AV	39.69653G	-42.09	-41.20	-0.89	19.02	-61.11	-66.89	-67.63	-66.61	-67.48



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	Pass	1G	40G	AV	39.69897G	3.70	-66.74	-66.74	-63.04	-41.20	-21.84
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	Pass	1G	40G	AV	10.6135G	3.70	-65.06	-65.06	-61.36	-41.20	-20.16

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 2_Downtilt Panel Omni_1T1S_Channel Puncturing

Appendix E.39

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.6135G	3.70	-65.06	-65.06	-61.36	-41.20	-20.16
5290MHz	Pass	1G	40G	PK	10.59766G	3.70	-63.36	-63.36	-59.66	-27.00	-32.66
5290MHz	Pass	1G	40G	PK	35.95497G	3.70	-60.36	-60.36	-56.66	-27.00	-29.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61106G	3.70	-71.77	-71.77	-68.07	-41.20	-26.87
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.70384G	3.70	-66.89	-66.89	-63.19	-41.20	-21.99
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	5.80919G	3.70	-59.51	-59.51	-55.81	-27.00	-28.81
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.58425G	3.70	-66.63	-66.63	-62.93	-27.00	-35.93
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61472G	3.70	-72.36	-72.36	-68.66	-41.20	-27.46
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.69897G	3.70	-66.74	-66.74	-63.04	-41.20	-21.84
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	5.81163G	3.70	-58.74	-58.74	-55.04	-27.00	-28.04
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.59278G	3.70	-66.12	-66.12	-62.42	-27.00	-35.42


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	5.81163G	-55.04	-27.00	-28.04	3.70	-58.74	-	-	-58.74
1G	40G	1M	PK	10.59278G	-62.42	-27.00	-35.42	3.70	-66.12	-	-	-66.12

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.61472G	-68.66	-41.20	-27.46	3.70	-72.36	-	-	-72.36
1G	40G	1M	AV	39.69897G	-63.04	-41.20	-21.84	3.70	-66.74	-	-	-66.74




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [PK]

5290MHz

03/07/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.59766G	-59.66	-27.00	-32.66	3.70	-63.36	-	-	-63.36
1G	40G	1M	PK	35.95497G	-56.66	-27.00	-29.66	3.70	-60.36	-	-	-60.36

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [AV]

5290MHz

03/07/2025



Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.6135G	-61.36	-41.20	-20.16	3.70	-65.06	-	-	-65.06



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Downtilt Panel Omni_2T1S_Channel Puncturing

Appendix E.40

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port3)	Pass	1G	40G	AV	39.68313G	6.71	-66.90	-67.03	-63.95	-57.24	-41.20	-16.04
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)	Pass	1G	40G	AV	39.69653G	6.71	-66.93	-67.50	-64.20	-57.49	-41.20	-16.29

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Downtilt Panel Omni_2T1S_Channel Puncturing

Appendix E.40

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62934G	6.71	-70.00	-75.92	-69.01	-62.30	-41.20	-21.10
5290MHz	Pass	1G	40G	AV	39.69653G	6.71	-66.93	-67.50	-64.20	-57.49	-41.20	-16.29
5290MHz	Pass	1G	40G	PK	10.57938G	6.71	-63.15	-69.13	-62.17	-55.46	-27.00	-28.46
5290MHz	Pass	1G	40G	PK	38.52409G	6.71	-62.12	-59.88	-57.85	-51.14	-27.00	-24.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.62447G	6.71	-74.68	-76.33	-72.42	-65.71	-41.20	-24.51
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.68313G	6.71	-66.90	-67.03	-63.95	-57.24	-41.20	-16.04
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.52331G	6.71	-67.65	-70.52	-65.84	-59.13	-27.00	-32.13
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.55213G	6.71	-61.45	-60.57	-57.98	-51.27	-27.00	-24.27
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60984G	6.71	-74.90	-75.80	-72.32	-65.61	-41.20	-24.41
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.65631G	6.71	-67.68	-66.98	-64.31	-57.60	-41.20	-16.40
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.53184G	6.71	-67.78	-69.46	-65.53	-58.82	-27.00	-31.82
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.53994G	6.71	-61.58	-60.95	-58.24	-51.53	-27.00	-24.53

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_2TX(Port1&Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

01/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.52331G	-59.13	-27.00	-32.13	6.71	-65.84	-67.65	-	-70.52
1G	40G	1M	PK	38.55213G	-51.27	-27.00	-24.27	6.71	-57.98	-61.45	-	-60.57

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_2TX(Port1&Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

01/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62447G	-65.71	-41.20	-24.51	6.71	-72.42	-74.68	-	-76.33
1G	40G	1M	AV	39.68313G	-57.24	-41.20	-16.04	6.71	-63.95	-66.90	-	-67.03




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)

CSE [PK]

5290MHz

01/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.57938G	-55.46	-27.00	-28.46	6.71	-62.17	-63.15	-	-69.13
1G	40G	1M	PK	38.52409G	-51.14	-27.00	-24.14	6.71	-57.85	-62.12	-	-59.88

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)

CSE [AV]

5290MHz

01/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62934G	-62.30	-41.20	-21.10	6.71	-69.01	-70.00	-	-75.92
1G	40G	1M	AV	39.69653G	-57.49	-41.20	-16.29	6.71	-64.20	-66.93	-	-67.50



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 2_Downtilt Panel Omni_4T1S_Channel Puncturing

Appendix E.41

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	Pass	1G	40G	AV	39.68069G	9.72	-67.16	-67.59	-67.16	-67.73	-61.38	-51.66	-41.20	-10.46
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	1G	40G	AV	39.70384G	9.72	-67.60	-67.16	-67.31	-67.45	-61.36	-51.64	-41.20	-10.44

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 2_Downtilt Panel Omni_4T1S_Channel Puncturing

Appendix E.41

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62691G	9.72	-73.12	-74.95	-76.64	-76.64	-69.06	-59.34	-41.20	-18.14
5290MHz	Pass	1G	40G	AV	39.70384G	9.72	-67.60	-67.16	-67.31	-67.45	-61.36	-51.64	-41.20	-10.44
5290MHz	Pass	1G	40G	PK	10.59644G	9.72	-64.85	-72.11	-71.75	-72.35	-62.89	-53.17	-27.00	-26.17
5290MHz	Pass	1G	40G	PK	38.59844G	9.72	-62.63	-63.97	-62.86	-58.90	-55.60	-45.88	-27.00	-18.88
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60131G	9.72	-75.75	-75.93	-76.52	-75.75	-69.96	-60.24	-41.20	-19.04
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.69044G	9.72	-67.22	-67.51	-67.51	-67.80	-61.48	-51.76	-41.20	-10.56
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.52819G	9.72	-66.94	-70.49	-73.88	-73.21	-64.20	-54.48	-27.00	-27.48
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.596G	9.72	-61.22	-61.42	-60.22	-63.37	-55.40	-45.68	-27.00	-18.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.62569G	9.72	-75.66	-76.85	-76.24	-76.64	-70.30	-60.58	-41.20	-19.38
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.68069G	9.72	-67.16	-67.59	-67.16	-67.73	-61.38	-51.66	-41.20	-10.46
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.57694G	9.72	-71.05	-69.09	-69.34	-70.25	-63.84	-54.12	-27.00	-27.12
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.5765G	9.72	-64.69	-63.61	-62.57	-59.43	-56.08	-46.36	-27.00	-19.36

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

02/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.57694G	-54.12	-27.00	-27.12	9.72	-63.84	-71.05	-69.09	-69.34	-70.25
1G	40G	1M	PK	38.5765G	-46.36	-27.00	-19.36	9.72	-56.08	-64.69	-63.61	-62.57	-59.43

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

02/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.62569G	-60.58	-41.20	-19.38	9.72	-70.30	-75.66	-76.85	-76.24	-76.64
1G	40G	1M	AV	39.68069G	-51.66	-41.20	-10.46	9.72	-61.38	-67.16	-67.59	-67.16	-67.73




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [PK]

5290MHz

02/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59644G	-53.17	-27.00	-26.17	9.72	-62.89	-64.85	-72.11	-71.75	-72.35
1G	40G	1M	PK	38.59844G	-45.88	-27.00	-18.88	9.72	-55.60	-62.63	-63.97	-62.86	-58.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [AV]

5290MHz

02/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.62691G	-59.34	-41.20	-18.14	9.72	-69.06	-73.12	-74.95	-76.64	-76.64
1G	40G	1M	AV	39.70384G	-51.64	-41.20	-10.44	9.72	-61.36	-67.60	-67.16	-67.31	-67.45



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_1T1S_Channel Puncturing

Appendix E.42

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	Pass	1G	40G	AV	39.70019G	13.00	-66.70	-66.70	-53.70	-41.20	-12.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	Pass	1G	40G	AV	39.92931G	13.00	-66.99	-66.99	-53.99	-41.20	-12.79

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_1T1S_Channel Puncturing

Appendix E.42

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62203G	13.00	-75.33	-75.33	-62.33	-41.20	-21.13
5290MHz	Pass	1G	40G	AV	39.92931G	13.00	-66.99	-66.99	-53.99	-41.20	-12.79
5290MHz	Pass	1G	40G	PK	10.54525G	13.00	-68.80	-68.80	-55.80	-27.00	-28.80
5290MHz	Pass	1G	40G	PK	35.89159G	13.00	-58.95	-58.95	-45.95	-27.00	-18.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.64153G	13.00	-76.01	-76.01	-63.01	-41.20	-21.81
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.69897G	13.00	-66.99	-66.99	-53.99	-41.20	-12.79
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.41606G	13.00	-68.64	-68.64	-55.64	-27.00	-28.64
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.55578G	13.00	-60.02	-60.02	-47.02	-27.00	-20.02
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60131G	13.00	-75.58	-75.58	-62.58	-41.20	-21.38
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.70019G	13.00	-66.70	-66.70	-53.70	-41.20	-12.50
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.52209G	13.00	-68.68	-68.68	-55.68	-27.00	-28.68
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.01222G	13.00	-58.47	-58.47	-45.47	-27.00	-18.47

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.52209G	-55.68	-27.00	-28.68	13.00	-68.68	-	-	-68.68
1G	40G	1M	PK	38.01222G	-45.47	-27.00	-18.47	13.00	-58.47	-	-	-58.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60131G	-62.58	-41.20	-21.38	13.00	-75.58	-	-	-75.58
1G	40G	1M	AV	39.70019G	-53.70	-41.20	-12.50	13.00	-66.70	-	-	-66.70




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [PK]

5290MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.54525G	-55.80	-27.00	-28.80	13.00	-68.80	-	-	-68.80
1G	40G	1M	PK	35.89159G	-45.95	-27.00	-18.95	13.00	-58.95	-	-	-58.95

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port3)

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62203G	-62.33	-41.20	-21.13	13.00	-75.33	-	-	-75.33
1G	40G	1M	AV	39.92931G	-53.99	-41.20	-12.79	13.00	-66.99	-	-	-66.99



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_2T1S_Channel Puncturing

Appendix E.43

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port3)	Pass	1G	40G	AV	39.95003G	16.01	-66.79	-67.07	-63.92	-47.91	-41.20	-6.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)	Pass	1G	40G	AV	39.70506G	16.01	-67.25	-67.10	-64.16	-48.15	-41.20	-6.95

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_2T1S_Channel Puncturing

Appendix E.43

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62691G	16.01	-74.26	-75.49	-71.82	-55.81	-41.20	-14.61
5290MHz	Pass	1G	40G	AV	39.70506G	16.01	-67.25	-67.10	-64.16	-48.15	-41.20	-6.95
5290MHz	Pass	1G	40G	PK	10.57816G	16.01	-67.85	-68.00	-64.91	-48.90	-27.00	-21.90
5290MHz	Pass	1G	40G	PK	37.19322G	16.01	-58.94	-64.02	-57.77	-41.76	-27.00	-14.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.62325G	16.01	-75.14	-76.09	-72.58	-56.57	-41.20	-15.37
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.88544G	16.01	-66.86	-67.59	-64.20	-48.19	-41.20	-6.99
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.56841G	16.01	-69.42	-68.65	-66.01	-50.00	-27.00	-23.00
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.59722G	16.01	-59.08	-64.18	-57.91	-41.90	-27.00	-14.90
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60741G	16.01	-75.38	-75.95	-72.65	-56.64	-41.20	-15.44
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.95003G	16.01	-66.79	-67.07	-63.92	-47.91	-41.20	-6.71
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.59156G	16.01	-67.73	-70.15	-65.76	-49.75	-27.00	-22.75
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.05853G	16.01	-62.30	-60.33	-58.19	-42.18	-27.00	-15.18

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port3)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.59156G	-49.75	-27.00	-22.75	16.01	-65.76	-67.73	-	-70.15
1G	40G	1M	PK	38.05853G	-42.18	-27.00	-15.18	16.01	-58.19	-62.30	-	-60.33

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX(Port1&Port3)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.60741G	-56.64	-41.20	-15.44	16.01	-72.65	-75.38	-	-75.95
1G	40G	1M	AV	39.95003G	-47.91	-41.20	-6.71	16.01	-63.92	-66.79	-	-67.07




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)

CSE [PK]

5290MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	10.57816G	-48.90	-27.00	-21.90	16.01	-64.91	-67.85	-	-68.00
1G	40G	1M	PK	37.19322G	-41.76	-27.00	-14.76	16.01	-57.77	-58.94	-	-64.02

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX(Port1&Port3)

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	10.62691G	-55.81	-41.20	-14.61	16.01	-71.82	-74.26	-	-75.49
1G	40G	1M	AV	39.70506G	-48.15	-41.20	-6.95	16.01	-64.16	-67.25	-	-67.10



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_4T1S_Channel Puncturing

Appendix E.44

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	1G	40G	AV	-42.37	-61.39	-67.58	-68.04	-66.59	-67.58	-41.20	-1.17	19.02
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	1G	40G	AV	-42.39	-61.41	-67.01	-67.44	-68.05	-67.30	-41.20	-1.19	19.02

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 2_Patch Array_4T1S_Channel Puncturing

Appendix E.44

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.62325G	19.02	-75.16	-76.10	-76.10	-76.71	-69.96	-50.94	-41.20	-9.74
5290MHz	Pass	1G	40G	AV	39.70263G	19.02	-67.30	-67.01	-67.01	-68.05	-61.41	-42.39	-41.20	-1.19
5290MHz	Pass	1G	40G	PK	10.58547G	19.02	-68.70	-71.37	-71.37	-70.62	-63.97	-44.95	-27.00	-17.95
5290MHz	Pass	1G	40G	PK	38.59478G	19.02	-63.24	-63.76	-63.76	-61.77	-55.72	-36.70	-27.00	-9.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.61228G	19.02	-75.94	-76.13	-76.13	-76.33	-70.11	-51.09	-41.20	-9.89
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.69897G	19.02	-67.15	-67.44	-67.44	-67.74	-61.42	-42.40	-41.20	-1.20
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.59888G	19.02	-69.00	-69.26	-69.26	-71.70	-64.27	-45.25	-27.00	-18.25
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.58747G	19.02	-59.69	-62.41	-62.41	-63.04	-55.69	-36.67	-27.00	-9.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60497G	19.02	-76.16	-76.16	-76.16	-76.36	-70.04	-51.02	-41.20	-9.82
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.70019G	19.02	-67.58	-67.58	-67.58	-66.59	-61.39	-42.37	-41.20	-1.17
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.59156G	19.02	-70.66	-66.94	-66.94	-71.31	-63.51	-44.49	-27.00	-17.49
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.58259G	19.02	-62.00	-61.58	-61.58	-63.59	-56.23	-37.21	-27.00	-10.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59156G	-44.49	-27.00	-17.49	19.02	-63.51	-70.66	-66.94	-70.77	-71.31
1G	40G	1M	PK	38.58259G	-37.21	-27.00	-10.21	19.02	-56.23	-62.00	-61.58	-62.08	-63.59

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.60497G	-51.02	-41.20	-9.82	19.02	-70.04	-76.16	-76.16	-75.59	-76.36
1G	40G	1M	AV	39.70019G	-42.37	-41.20	-1.17	19.02	-61.39	-67.58	-67.58	-68.04	-66.59




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [PK]

5290MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.58547G	-44.95	-27.00	-17.95	19.02	-63.97	-68.70	-71.37	-69.75	-70.62
1G	40G	1M	PK	38.59478G	-36.70	-27.00	-9.70	19.02	-55.72	-63.24	-63.76	-59.52	-61.77

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [AV]

5290MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	10.62325G	-50.94	-41.20	-9.74	19.02	-69.96	-75.16	-76.10	-76.10	-76.71
1G	40G	1M	AV	39.70263G	-42.39	-41.20	-1.19	19.02	-61.41	-67.30	-67.01	-67.44	-68.05



CSE-Harmonics (Restricted Band)_Non-Beamforming_Scan Radio_Downtilt Panel Omni

Appendix E.45

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	39.73431G	3.70	-57.76	-57.76	-54.06	-41.20	-12.86
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	39.75016G	3.70	-57.97	-57.97	-54.27	-41.20	-13.07

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_Scan Radio_Downtilt Panel Omni

Appendix E.45

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	3.70	-67.51	-67.51	-63.81	-41.20	-22.61
5260MHz	Pass	1G	40G	AV	39.73431G	3.70	-57.76	-57.76	-54.06	-41.20	-12.86
5260MHz	Pass	1G	40G	PK	10.52819G	3.70	-60.67	-60.67	-56.97	-27.00	-29.97
5260MHz	Pass	1G	40G	PK	38.54238G	3.70	-51.64	-51.64	-47.94	-27.00	-20.94
5300MHz	Pass	1G	40G	AV	10.60741G	3.70	-66.35	-66.35	-62.65	-41.20	-21.45
5300MHz	Pass	1G	40G	AV	39.71238G	3.70	-57.78	-57.78	-54.08	-41.20	-12.88
5300MHz	Pass	1G	40G	PK	10.58181G	3.70	-59.23	-59.23	-55.53	-27.00	-28.53
5300MHz	Pass	1G	40G	PK	38.58016G	3.70	-50.93	-50.93	-47.23	-27.00	-20.23
5320MHz	Pass	1G	40G	AV	10.62934G	3.70	-67.01	-67.01	-63.31	-41.20	-22.11
5320MHz	Pass	1G	40G	AV	39.93419G	3.70	-58.13	-58.13	-54.43	-41.20	-13.23
5320MHz	Pass	1G	40G	PK	10.63909G	3.70	-58.28	-58.28	-54.58	-21.20	-33.38
5320MHz	Pass	1G	40G	PK	36.0025G	3.70	-51.02	-51.02	-47.32	-27.00	-20.32
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	3.70	-67.31	-67.31	-63.61	-41.20	-22.41
5260MHz	Pass	1G	40G	AV	39.29678G	3.70	-58.04	-58.04	-54.34	-41.20	-13.14
5260MHz	Pass	1G	40G	PK	10.51113G	3.70	-60.81	-60.81	-57.11	-27.00	-30.11
5260MHz	Pass	1G	40G	PK	38.57284G	3.70	-50.87	-50.87	-47.17	-27.00	-20.17
5300MHz	Pass	1G	40G	AV	10.60619G	3.70	-67.09	-67.09	-63.39	-41.20	-22.19
5300MHz	Pass	1G	40G	AV	39.75016G	3.70	-57.97	-57.97	-54.27	-41.20	-13.07
5300MHz	Pass	1G	40G	PK	10.58425G	3.70	-60.70	-60.70	-57.00	-27.00	-30.00
5300MHz	Pass	1G	40G	PK	37.25781G	3.70	-51.52	-51.52	-47.82	-27.00	-20.82
5320MHz	Pass	1G	40G	AV	10.6525G	3.70	-66.97	-66.97	-63.27	-41.20	-22.07
5320MHz	Pass	1G	40G	AV	39.69653G	3.70	-58.16	-58.16	-54.46	-41.20	-13.26
5320MHz	Pass	1G	40G	PK	10.64641G	3.70	-61.26	-61.26	-57.56	-21.20	-36.36
5320MHz	Pass	1G	40G	PK	37.36994G	3.70	-51.31	-51.31	-47.61	-27.00	-20.61

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5260MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.52819G	-56.97	-27.00	-29.97	3.70	-60.67	-60.67
1G	40G	1M	PK	38.54238G	-47.94	-27.00	-20.94	3.70	-51.64	-51.64

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5260MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-63.81	-41.20	-22.61	3.70	-67.51	-67.51
1G	40G	1M	AV	39.73431G	-54.06	-41.20	-12.86	3.70	-57.76	-57.76




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5300MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.58425G	-57.00	-27.00	-30.00	3.70	-60.70	-60.70
1G	40G	1M	PK	37.25781G	-47.82	-27.00	-20.82	3.70	-51.52	-51.52

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5300MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60619G	-63.39	-41.20	-22.19	3.70	-67.09	-67.09
1G	40G	1M	AV	39.75016G	-54.27	-41.20	-13.07	3.70	-57.97	-57.97



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	39.73431G	13.00	-57.76	-57.76	-44.76	-41.20	-3.56
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	39.75016G	13.00	-57.97	-57.97	-44.97	-41.20	-3.77

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Scan Radio_Patch Array

Appendix E.46

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	13.00	-67.51	-67.51	-54.51	-41.20	-13.31
5260MHz	Pass	1G	40G	AV	39.73431G	13.00	-57.76	-57.76	-44.76	-41.20	-3.56
5260MHz	Pass	1G	40G	PK	10.52819G	13.00	-60.67	-60.67	-47.67	-27.00	-20.67
5260MHz	Pass	1G	40G	PK	38.54238G	13.00	-51.64	-51.64	-38.64	-27.00	-11.64
5300MHz	Pass	1G	40G	AV	10.60741G	13.00	-66.35	-66.35	-53.35	-41.20	-12.15
5300MHz	Pass	1G	40G	AV	39.71238G	13.00	-57.78	-57.78	-44.78	-41.20	-3.58
5300MHz	Pass	1G	40G	PK	10.58181G	13.00	-59.23	-59.23	-46.23	-27.00	-19.23
5300MHz	Pass	1G	40G	PK	38.58016G	13.00	-50.93	-50.93	-37.93	-27.00	-10.93
5320MHz	Pass	1G	40G	AV	10.62203G	13.00	-67.04	-67.04	-54.04	-41.20	-12.84
5320MHz	Pass	1G	40G	AV	39.85497G	13.00	-58.01	-58.01	-45.01	-41.20	-3.81
5320MHz	Pass	1G	40G	PK	10.64519G	13.00	-59.31	-59.31	-46.31	-21.20	-25.11
5320MHz	Pass	1G	40G	PK	37.24075G	13.00	-50.51	-50.51	-37.51	-27.00	-10.51
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	13.00	-67.31	-67.31	-54.31	-41.20	-13.11
5260MHz	Pass	1G	40G	AV	39.29678G	13.00	-58.04	-58.04	-45.04	-41.20	-3.84
5260MHz	Pass	1G	40G	PK	10.51113G	13.00	-60.81	-60.81	-47.81	-27.00	-20.81
5260MHz	Pass	1G	40G	PK	38.57284G	13.00	-50.87	-50.87	-37.87	-27.00	-10.87
5300MHz	Pass	1G	40G	AV	10.60619G	13.00	-67.09	-67.09	-54.09	-41.20	-12.89
5300MHz	Pass	1G	40G	AV	39.75016G	13.00	-57.97	-57.97	-44.97	-41.20	-3.77
5300MHz	Pass	1G	40G	PK	10.58425G	13.00	-60.70	-60.70	-47.70	-27.00	-20.70
5300MHz	Pass	1G	40G	PK	37.25781G	13.00	-51.52	-51.52	-38.52	-27.00	-11.52
5320MHz	Pass	1G	40G	AV	10.64641G	13.00	-66.76	-66.76	-53.76	-41.20	-12.56
5320MHz	Pass	1G	40G	AV	38.674G	13.00	-58.00	-58.00	-45.00	-41.20	-3.80
5320MHz	Pass	1G	40G	PK	10.65372G	13.00	-60.72	-60.72	-47.72	-21.20	-26.52
5320MHz	Pass	1G	40G	PK	35.19081G	13.00	-50.08	-50.08	-37.08	-27.00	-10.08


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5260MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.52819G	-47.67	-27.00	-20.67	13.00	-60.67	-60.67
1G	40G	1M	PK	38.54238G	-38.64	-27.00	-11.64	13.00	-51.64	-51.64

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5260MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-54.51	-41.20	-13.31	13.00	-67.51	-67.51
1G	40G	1M	AV	39.73431G	-44.76	-41.20	-3.56	13.00	-57.76	-57.76

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5300MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.58425G	-47.70	-27.00	-20.70	13.00	-60.70	-60.70
1G	40G	1M	PK	37.25781G	-38.52	-27.00	-11.52	13.00	-51.52	-51.52

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5300MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60619G	-54.09	-41.20	-12.89	13.00	-67.09	-67.09
1G	40G	1M	AV	39.75016G	-44.97	-41.20	-3.77	13.00	-57.97	-57.97

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	12.39G	42.71	54.00	-11.29	Vertical
Mode 2	Pass	AV	12.39G	42.66	54.00	-11.34	Vertical
Mode 3	Pass	AV	12.3738G	42.85	54.00	-11.15	Vertical
Mode 4	Pass	AV	11.49072G	42.85	54.00	-11.15	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82391G	31.95	54.00	-22.05	3	Vertical	53	1.50
Mode 1	Pass	AV	4.87476G	32.24	54.00	-21.76	3	Vertical	268	1.50
Mode 1	Pass	AV	4.95811G	33.10	54.00	-20.90	3	Vertical	30	1.50
Mode 1	Pass	AV	11.49G	42.22	54.00	-11.78	3	Vertical	207	1.50
Mode 1	Pass	AV	11.57G	41.81	54.00	-12.19	3	Vertical	210	1.50
Mode 1	Pass	AV	12.39G	42.71	54.00	-11.29	3	Vertical	239	1.50
Mode 1	Pass	PK	4.82394G	44.01	74.00	-29.99	3	Vertical	53	1.50
Mode 1	Pass	PK	4.87649G	43.98	74.00	-30.02	3	Vertical	268	1.50
Mode 1	Pass	PK	4.95776G	45.03	74.00	-28.97	3	Vertical	30	1.50
Mode 1	Pass	PK	11.49G	54.37	74.00	-19.63	3	Vertical	207	1.50
Mode 1	Pass	PK	11.57G	54.52	74.00	-19.48	3	Vertical	210	1.50
Mode 1	Pass	PK	12.39G	54.79	74.00	-19.21	3	Vertical	239	1.50
Mode 1	Pass	AV	4.82175G	31.98	54.00	-22.02	3	Horizontal	106	1.59
Mode 1	Pass	AV	4.87331G	32.09	54.00	-21.91	3	Horizontal	213	1.50
Mode 1	Pass	AV	4.96G	32.92	54.00	-21.08	3	Horizontal	27	1.50
Mode 1	Pass	AV	11.49G	42.34	54.00	-11.66	3	Horizontal	315	1.50
Mode 1	Pass	AV	11.57G	41.94	54.00	-12.06	3	Horizontal	50	1.50
Mode 1	Pass	AV	12.39G	42.66	54.00	-11.34	3	Horizontal	250	1.50
Mode 1	Pass	PK	4.8224G	45.22	74.00	-28.78	3	Horizontal	106	1.59
Mode 1	Pass	PK	4.87539G	43.39	74.00	-30.61	3	Horizontal	213	1.50
Mode 1	Pass	PK	4.95944G	44.94	74.00	-29.06	3	Horizontal	27	1.50
Mode 1	Pass	PK	11.49G	53.96	74.00	-20.04	3	Horizontal	315	1.50
Mode 1	Pass	PK	11.57G	53.34	74.00	-20.66	3	Horizontal	50	1.50
Mode 1	Pass	PK	12.39G	54.58	74.00	-19.42	3	Horizontal	250	1.50
Mode 2	Pass	AV	4.8242G	31.79	54.00	-22.21	3	Vertical	267	1.50
Mode 2	Pass	AV	4.87546G	32.10	54.00	-21.90	3	Vertical	80	1.50
Mode 2	Pass	AV	4.95978G	32.84	54.00	-21.16	3	Vertical	24	1.26
Mode 2	Pass	AV	11.49G	42.15	54.00	-11.85	3	Vertical	203	1.50
Mode 2	Pass	AV	11.57G	41.89	54.00	-12.11	3	Vertical	81	1.62
Mode 2	Pass	AV	12.39G	42.66	54.00	-11.34	3	Vertical	65	1.50
Mode 2	Pass	PK	4.82528G	44.09	74.00	-29.91	3	Vertical	267	1.50
Mode 2	Pass	PK	4.87251G	44.20	74.00	-29.80	3	Vertical	80	1.50
Mode 2	Pass	PK	4.96052G	44.60	74.00	-29.40	3	Vertical	24	1.26
Mode 2	Pass	PK	11.49G	54.02	74.00	-19.98	3	Vertical	203	1.50
Mode 2	Pass	PK	11.57G	53.29	74.00	-20.71	3	Vertical	81	1.62
Mode 2	Pass	PK	12.39G	54.59	74.00	-19.41	3	Vertical	65	1.50
Mode 2	Pass	AV	4.82423G	31.82	54.00	-22.18	3	Horizontal	2	1.27
Mode 2	Pass	AV	4.87175G	32.14	54.00	-21.86	3	Horizontal	360	1.50
Mode 2	Pass	AV	4.9593G	32.86	54.00	-21.14	3	Horizontal	44	1.50
Mode 2	Pass	AV	11.49G	42.38	54.00	-11.62	3	Horizontal	316	1.50
Mode 2	Pass	AV	11.57G	41.94	54.00	-12.06	3	Horizontal	360	1.50
Mode 2	Pass	AV	12.39G	42.64	54.00	-11.36	3	Horizontal	72	1.14
Mode 2	Pass	PK	4.82384G	43.40	74.00	-30.60	3	Horizontal	2	1.27
Mode 2	Pass	PK	4.872G	44.35	74.00	-29.65	3	Horizontal	360	1.50
Mode 2	Pass	PK	4.95796G	44.24	74.00	-29.76	3	Horizontal	44	1.50
Mode 2	Pass	PK	11.49G	54.07	74.00	-19.93	3	Horizontal	316	1.50
Mode 2	Pass	PK	11.57G	53.41	74.00	-20.59	3	Horizontal	360	1.50
Mode 2	Pass	PK	12.39G	54.98	74.00	-19.02	3	Horizontal	72	1.14
Mode 3	Pass	AV	4.83272G	31.91	54.00	-22.09	3	Vertical	105	1.50
Mode 3	Pass	AV	4.86984G	32.15	54.00	-21.85	3	Vertical	124	2.71


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.87764G	32.31	54.00	-21.69	3	Vertical	289	1.50
Mode 3	Pass	AV	11.49464G	42.23	54.00	-11.77	3	Vertical	243	1.50
Mode 3	Pass	AV	11.5626G	41.82	54.00	-12.18	3	Vertical	281	1.50
Mode 3	Pass	AV	12.3738G	42.85	54.00	-11.15	3	Vertical	106	1.50
Mode 3	Pass	AV	13.06944G	44.14	68.20	-24.06	3	Vertical	124	1.50
Mode 3	Pass	PK	4.83356G	43.91	74.00	-30.09	3	Vertical	105	1.50
Mode 3	Pass	PK	4.87428G	43.71	74.00	-30.29	3	Vertical	289	1.50
Mode 3	Pass	PK	4.88236G	43.78	74.00	-30.22	3	Vertical	124	2.71
Mode 3	Pass	PK	11.49376G	53.54	74.00	-20.46	3	Vertical	243	1.50
Mode 3	Pass	PK	11.57556G	53.67	74.00	-20.33	3	Vertical	281	1.50
Mode 3	Pass	PK	12.371G	54.05	74.00	-19.95	3	Vertical	106	1.50
Mode 3	Pass	PK	13.0712G	56.41	88.20	-31.79	3	Vertical	124	1.50
Mode 3	Pass	AV	4.83324G	32.02	54.00	-21.98	3	Horizontal	274	1.69
Mode 3	Pass	AV	4.87384G	32.59	54.00	-21.41	3	Horizontal	118	1.00
Mode 3	Pass	AV	4.88152G	32.12	54.00	-21.88	3	Horizontal	190	1.50
Mode 3	Pass	AV	11.48624G	42.28	54.00	-11.72	3	Horizontal	329	1.50
Mode 3	Pass	AV	11.5638G	42.00	54.00	-12.00	3	Horizontal	113	2.23
Mode 3	Pass	AV	12.36672G	42.73	54.00	-11.27	3	Horizontal	53	1.50
Mode 3	Pass	AV	13.06568G	43.96	68.20	-24.24	3	Horizontal	130	1.50
Mode 3	Pass	PK	4.82992G	43.11	74.00	-30.89	3	Horizontal	274	1.69
Mode 3	Pass	PK	4.87688G	43.69	74.00	-30.31	3	Horizontal	190	1.50
Mode 3	Pass	PK	4.88032G	43.48	74.00	-30.52	3	Horizontal	118	1.00
Mode 3	Pass	PK	11.49024G	54.95	74.00	-19.05	3	Horizontal	329	1.50
Mode 3	Pass	PK	11.57044G	53.60	74.00	-20.40	3	Horizontal	113	2.23
Mode 3	Pass	PK	12.37876G	53.88	74.00	-20.12	3	Horizontal	53	1.50
Mode 3	Pass	PK	13.06732G	55.25	88.20	-32.95	3	Horizontal	130	1.50
Mode 4	Pass	AV	4.83372G	32.31	54.00	-21.69	3	Vertical	360	2.82
Mode 4	Pass	AV	4.8758G	32.47	54.00	-21.53	3	Vertical	301	2.60
Mode 4	Pass	AV	4.87836G	32.58	54.00	-21.42	3	Vertical	350	2.83
Mode 4	Pass	AV	11.49336G	42.75	54.00	-11.25	3	Vertical	192	1.50
Mode 4	Pass	AV	11.57128G	42.24	54.00	-11.76	3	Vertical	79	1.41
Mode 4	Pass	AV	13.07248G	44.07	68.20	-24.13	3	Vertical	145	1.50
Mode 4	Pass	PK	4.83188G	43.78	74.00	-30.22	3	Vertical	360	2.82
Mode 4	Pass	PK	4.86624G	44.39	74.00	-29.61	3	Vertical	350	2.83
Mode 4	Pass	PK	4.87708G	44.12	74.00	-29.88	3	Vertical	301	2.60
Mode 4	Pass	PK	11.49512G	54.06	74.00	-19.94	3	Vertical	192	1.50
Mode 4	Pass	PK	11.5776G	53.88	74.00	-20.12	3	Vertical	79	1.41
Mode 4	Pass	PK	13.06464G	55.93	88.20	-32.27	3	Vertical	145	1.50
Mode 4	Pass	AV	4.83056G	32.19	54.00	-21.81	3	Horizontal	171	2.51
Mode 4	Pass	AV	4.87684G	32.55	54.00	-21.45	3	Horizontal	129	1.50
Mode 4	Pass	AV	4.87884G	32.56	54.00	-21.44	3	Horizontal	114	1.50
Mode 4	Pass	AV	11.49072G	42.85	54.00	-11.15	3	Horizontal	185	2.75
Mode 4	Pass	AV	11.5724G	42.16	54.00	-11.84	3	Horizontal	270	1.50
Mode 4	Pass	AV	13.06448G	44.10	68.20	-24.10	3	Horizontal	254	1.50
Mode 4	Pass	PK	4.8242G	43.67	74.00	-30.33	3	Horizontal	171	2.51
Mode 4	Pass	PK	4.86704G	43.93	74.00	-30.07	3	Horizontal	129	1.50
Mode 4	Pass	PK	4.88328G	43.95	74.00	-30.05	3	Horizontal	114	1.50
Mode 4	Pass	PK	11.49204G	53.65	74.00	-20.35	3	Horizontal	185	2.75
Mode 4	Pass	PK	11.56948G	53.98	74.00	-20.02	3	Horizontal	270	1.50
Mode 4	Pass	PK	13.06172G	55.38	88.20	-32.82	3	Horizontal	254	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82391G	31.95	54.00	-22.05	2.36	3	Vertical	53	1.50	29.59	32.40	5.02	35.06
AV	4.87476G	32.24	54.00	-21.76	2.55	3	Vertical	268	1.50	29.69	32.60	5.01	35.06
AV	4.95811G	33.10	54.00	-20.90	2.96	3	Vertical	30	1.50	30.14	33.03	5.00	35.07
AV	11.49G	42.22	54.00	-11.78	12.87	3	Vertical	207	1.50	29.35	38.90	7.99	34.02
AV	11.57G	41.81	54.00	-12.19	12.72	3	Vertical	210	1.50	29.09	38.72	8.01	34.01
AV	12.39G	42.71	54.00	-11.29	13.38	3	Vertical	239	1.50	29.33	38.84	8.25	33.71
PK	4.82394G	44.01	74.00	-29.99	2.36	3	Vertical	53	1.50	41.65	32.40	5.02	35.06
PK	4.87649G	43.98	74.00	-30.02	2.56	3	Vertical	268	1.50	41.42	32.61	5.01	35.06
PK	4.95776G	45.03	74.00	-28.97	2.96	3	Vertical	30	1.50	42.07	33.03	5.00	35.07
PK	11.49G	54.37	74.00	-19.63	12.87	3	Vertical	207	1.50	41.50	38.90	7.99	34.02
PK	11.57G	54.52	74.00	-19.48	12.72	3	Vertical	210	1.50	41.80	38.72	8.01	34.01
PK	12.39G	54.79	74.00	-19.21	13.38	3	Vertical	239	1.50	41.41	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82175G	31.98	54.00	-22.02	2.35	3	Horizontal	106	1.59	29.63	32.39	5.02	35.06
AV	4.87331G	32.09	54.00	-21.91	2.54	3	Horizontal	213	1.50	29.55	32.59	5.01	35.06
AV	4.96G	32.92	54.00	-21.08	2.97	3	Horizontal	27	1.50	29.95	33.04	5.00	35.07
AV	11.49G	42.34	54.00	-11.66	12.87	3	Horizontal	315	1.50	29.47	38.90	7.99	34.02
AV	11.57G	41.94	54.00	-12.06	12.72	3	Horizontal	50	1.50	29.22	38.72	8.01	34.01
AV	12.39G	42.66	54.00	-11.34	13.38	3	Horizontal	250	1.50	29.28	38.84	8.25	33.71
PK	4.8224G	45.22	74.00	-28.78	2.35	3	Horizontal	106	1.59	42.87	32.39	5.02	35.06
PK	4.87539G	43.39	74.00	-30.61	2.55	3	Horizontal	213	1.50	40.84	32.60	5.01	35.06
PK	4.95944G	44.94	74.00	-29.06	2.97	3	Horizontal	27	1.50	41.97	33.04	5.00	35.07
PK	11.49G	53.96	74.00	-20.04	12.87	3	Horizontal	315	1.50	41.09	38.90	7.99	34.02
PK	11.57G	53.34	74.00	-20.66	12.72	3	Horizontal	50	1.50	40.62	38.72	8.01	34.01
PK	12.39G	54.58	74.00	-19.42	13.38	3	Horizontal	250	1.50	41.20	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8242G	31.79	54.00	-22.21	2.36	3	Vertical	267	1.50	29.43	32.40	5.02	35.06
AV	4.87546G	32.10	54.00	-21.90	2.55	3	Vertical	80	1.50	29.55	32.60	5.01	35.06
AV	4.95978G	32.84	54.00	-21.16	2.97	3	Vertical	24	1.26	29.87	33.04	5.00	35.07
AV	11.49G	42.15	54.00	-11.85	12.87	3	Vertical	203	1.50	29.28	38.90	7.99	34.02
AV	11.57G	41.89	54.00	-12.11	12.72	3	Vertical	81	1.62	29.17	38.72	8.01	34.01
AV	12.39G	42.66	54.00	-11.34	13.38	3	Vertical	65	1.50	29.28	38.84	8.25	33.71
PK	4.82528G	44.09	74.00	-29.91	2.36	3	Vertical	267	1.50	41.73	32.40	5.02	35.06
PK	4.87251G	44.20	74.00	-29.80	2.54	3	Vertical	80	1.50	41.66	32.59	5.01	35.06
PK	4.96052G	44.60	74.00	-29.40	2.97	3	Vertical	24	1.26	41.63	33.04	5.00	35.07
PK	11.49G	54.02	74.00	-19.98	12.87	3	Vertical	203	1.50	41.15	38.90	7.99	34.02
PK	11.57G	53.29	74.00	-20.71	12.72	3	Vertical	81	1.62	40.57	38.72	8.01	34.01
PK	12.39G	54.59	74.00	-19.41	13.38	3	Vertical	65	1.50	41.21	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82423G	31.82	54.00	-22.18	2.36	3	Horizontal	2	1.27	29.46	32.40	5.02	35.06
AV	4.87175G	32.14	54.00	-21.86	2.54	3	Horizontal	360	1.50	29.60	32.59	5.01	35.06
AV	4.9593G	32.86	54.00	-21.14	2.97	3	Horizontal	44	1.50	29.89	33.04	5.00	35.07
AV	11.49G	42.38	54.00	-11.62	12.87	3	Horizontal	316	1.50	29.51	38.90	7.99	34.02
AV	11.57G	41.94	54.00	-12.06	12.72	3	Horizontal	360	1.50	29.22	38.72	8.01	34.01
AV	12.39G	42.64	54.00	-11.36	13.38	3	Horizontal	72	1.14	29.26	38.84	8.25	33.71
PK	4.82384G	43.40	74.00	-30.60	2.36	3	Horizontal	2	1.27	41.04	32.40	5.02	35.06
PK	4.872G	44.35	74.00	-29.65	2.54	3	Horizontal	360	1.50	41.81	32.59	5.01	35.06
PK	4.95796G	44.24	74.00	-29.76	2.96	3	Horizontal	44	1.50	41.28	33.03	5.00	35.07
PK	11.49G	54.07	74.00	-19.93	12.87	3	Horizontal	316	1.50	41.20	38.90	7.99	34.02
PK	11.57G	53.41	74.00	-20.59	12.72	3	Horizontal	360	1.50	40.69	38.72	8.01	34.01
PK	12.39G	54.98	74.00	-19.02	13.38	3	Horizontal	72	1.14	41.60	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83272G	31.91	54.00	-22.09	2.39	3	Vertical	105	1.50	29.52	32.43	5.02	35.06
AV	4.86984G	32.15	54.00	-21.85	2.53	3	Vertical	124	2.71	29.62	32.58	5.01	35.06
AV	4.87764G	32.31	54.00	-21.69	2.56	3	Vertical	289	1.50	29.75	32.61	5.01	35.06
AV	11.49464G	42.23	54.00	-11.77	12.87	3	Vertical	243	1.50	29.36	38.90	7.99	34.02
AV	11.5626G	41.82	54.00	-12.18	12.75	3	Vertical	281	1.50	29.07	38.75	8.01	34.01
AV	12.3738G	42.85	54.00	-11.15	13.43	3	Vertical	106	1.50	29.42	38.90	8.25	33.72
AV	13.06944G	44.14	68.20	-24.06	15.56	3	Vertical	124	1.50	28.58	39.70	8.47	32.61
PK	4.83356G	43.91	74.00	-30.09	2.39	3	Vertical	105	1.50	41.52	32.43	5.02	35.06
PK	4.87428G	43.71	74.00	-30.29	2.55	3	Vertical	289	1.50	41.16	32.60	5.01	35.06
PK	4.88236G	43.78	74.00	-30.22	2.58	3	Vertical	124	2.71	41.20	32.63	5.01	35.06
PK	11.49376G	53.54	74.00	-20.46	12.87	3	Vertical	243	1.50	40.67	38.90	7.99	34.02
PK	11.57556G	53.67	74.00	-20.33	12.71	3	Vertical	281	1.50	40.96	38.70	8.02	34.01
PK	12.371G	54.05	74.00	-19.95	13.45	3	Vertical	106	1.50	40.60	38.92	8.25	33.72
PK	13.0712G	56.41	88.20	-31.79	15.56	3	Vertical	124	1.50	40.85	39.70	8.47	32.61

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83324G	32.02	54.00	-21.98	2.39	3	Horizontal	274	1.69	29.63	32.43	5.02	35.06
AV	4.87384G	32.59	54.00	-21.41	2.55	3	Horizontal	118	1.00	30.04	32.60	5.01	35.06
AV	4.88152G	32.12	54.00	-21.88	2.58	3	Horizontal	190	1.50	29.54	32.63	5.01	35.06
AV	11.48624G	42.28	54.00	-11.72	12.87	3	Horizontal	329	1.50	29.41	38.90	7.99	34.02
AV	11.5638G	42.00	54.00	-12.00	12.74	3	Horizontal	113	2.23	29.26	38.74	8.01	34.01
AV	12.36672G	42.73	54.00	-11.27	13.46	3	Horizontal	53	1.50	29.27	38.93	8.25	33.72
AV	13.06568G	43.96	68.20	-24.24	15.56	3	Horizontal	130	1.50	28.40	39.70	8.47	32.61
PK	4.82992G	43.11	74.00	-30.89	2.38	3	Horizontal	274	1.69	40.73	32.42	5.02	35.06
PK	4.87688G	43.69	74.00	-30.31	2.56	3	Horizontal	190	1.50	41.13	32.61	5.01	35.06
PK	4.88032G	43.48	74.00	-30.52	2.57	3	Horizontal	118	1.00	40.91	32.62	5.01	35.06
PK	11.49024G	54.95	74.00	-19.05	12.87	3	Horizontal	329	1.50	42.08	38.90	7.99	34.02
PK	11.57044G	53.60	74.00	-20.40	12.72	3	Horizontal	113	2.23	40.88	38.72	8.01	34.01
PK	12.37876G	53.88	74.00	-20.12	13.41	3	Horizontal	53	1.50	40.47	38.88	8.25	33.72
PK	13.06732G	55.25	88.20	-32.95	15.56	3	Horizontal	130	1.50	39.69	39.70	8.47	32.61

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83372G	32.31	54.00	-21.69	2.39	3	Vertical	360	2.82	29.92	32.43	5.02	35.06
AV	4.8758G	32.47	54.00	-21.53	2.55	3	Vertical	301	2.60	29.92	32.60	5.01	35.06
AV	4.87836G	32.58	54.00	-21.42	2.56	3	Vertical	350	2.83	30.02	32.61	5.01	35.06
AV	11.49336G	42.75	54.00	-11.25	12.87	3	Vertical	192	1.50	29.88	38.90	7.99	34.02
AV	11.57128G	42.24	54.00	-11.76	12.71	3	Vertical	79	1.41	29.53	38.71	8.01	34.01
AV	13.07248G	44.07	68.20	-24.13	15.57	3	Vertical	145	1.50	28.50	39.70	8.47	32.60
PK	4.83188G	43.78	74.00	-30.22	2.39	3	Vertical	360	2.82	41.39	32.43	5.02	35.06
PK	4.86624G	44.39	74.00	-29.61	2.51	3	Vertical	350	2.83	41.88	32.56	5.01	35.06
PK	4.87708G	44.12	74.00	-29.88	2.56	3	Vertical	301	2.60	41.56	32.61	5.01	35.06
PK	11.49512G	54.06	74.00	-19.94	12.87	3	Vertical	192	1.50	41.19	38.90	7.99	34.02
PK	11.5776G	53.88	74.00	-20.12	12.70	3	Vertical	79	1.41	41.18	38.69	8.02	34.01
PK	13.06464G	55.93	88.20	-32.27	15.55	3	Vertical	145	1.50	40.38	39.70	8.47	32.62

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83056G	32.19	54.00	-21.81	2.38	3	Horizontal	171	2.51	29.81	32.42	5.02	35.06
AV	4.87684G	32.55	54.00	-21.45	2.56	3	Horizontal	129	1.50	29.99	32.61	5.01	35.06
AV	4.87884G	32.56	54.00	-21.44	2.57	3	Horizontal	114	1.50	29.99	32.62	5.01	35.06
AV	11.49072G	42.85	54.00	-11.15	12.87	3	Horizontal	185	2.75	29.98	38.90	7.99	34.02
AV	11.5724G	42.16	54.00	-11.84	12.71	3	Horizontal	270	1.50	29.45	38.71	8.01	34.01
AV	13.06448G	44.10	68.20	-24.10	15.55	3	Horizontal	254	1.50	28.55	39.70	8.47	32.62
PK	4.8242G	43.67	74.00	-30.33	2.36	3	Horizontal	171	2.51	41.31	32.40	5.02	35.06
PK	4.86704G	43.93	74.00	-30.07	2.52	3	Horizontal	129	1.50	41.41	32.57	5.01	35.06
PK	4.88328G	43.95	74.00	-30.05	2.58	3	Horizontal	114	1.50	41.37	32.63	5.01	35.06
PK	11.49204G	53.65	74.00	-20.35	12.87	3	Horizontal	185	2.75	40.78	38.90	7.99	34.02
PK	11.56948G	53.98	74.00	-20.02	12.72	3	Horizontal	270	1.50	41.26	38.72	8.01	34.01
PK	13.06172G	55.38	88.20	-32.82	15.55	3	Horizontal	254	1.50	39.83	39.70	8.47	32.62