


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

19/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

18/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58901G	2.64	6.5812G	-25.11	-17.47	-7.64	1
6.6102G	2.16	6.5811G	-25.75	-17.92	-7.83	2
6.6326G	2.56	6.5807G	-26.25	-17.52	-8.73	3
6.65389G	2.82	6.7578G	-44.23	-37.18	-7.05	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

18/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58862G	2.96	6.9354G	-46.12	-37.04	-9.08	1
6.61301G	2.03	6.9248G	-46.74	-37.97	-8.77	2
6.73338G	2.60	6.9162G	-46.36	-37.17	-9.19	3
6.6526G	2.93	6.9194G	-41.87	-37.02	-4.85	4



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Full RU**

Appendix E.4

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	5.946277G	1.38	5.989875G	-45.80	-38.51	-7.29	3
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	5.980746G	2.85	6.0012G	-27.27	-22.11	-5.16	3
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	6.2139G	2.21	6.2685G	-24.44	-17.80	-6.64	3
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	6.331G	1.80	6.4266G	-21.91	-18.21	-3.70	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	6.846377G	1.58	6.8664G	-27.60	-18.42	-9.18	3
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	6.546305G	2.18	6.54365G	-25.08	-17.84	-7.24	3
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	6.62G	1.95	6.6659G	-21.29	-18.07	-3.22	3
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	6.73898G	2.20	6.7482G	-26.40	-17.90	-8.50	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Full RU**

Appendix E.4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.946277G	1.38	5.989875G	-45.80	-38.51	-7.29	3
6195MHz	Pass	6.186852G	2.25	6.16185G	-45.59	-37.75	-7.84	3
6415MHz	Pass	6.408402G	0.70	6.426875G	-31.27	-19.38	-11.89	3
6535MHz	Pass	6.525827G	1.42	6.546825G	-30.65	-18.69	-11.96	3
6695MHz	Pass	6.702098G	1.19	6.6831G	-30.98	-18.82	-12.16	3
6855MHz	Pass	6.846377G	1.58	6.8664G	-27.60	-18.42	-9.18	3
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.980746G	2.85	6.0012G	-27.27	-22.11	-5.16	3
6205MHz	Pass	6.186805G	2.76	6.18385G	-22.84	-17.27	-5.57	3
6405MHz	Pass	6.399251G	1.69	6.38345G	-27.27	-18.32	-8.95	3
6565MHz	Pass	6.546305G	2.18	6.54365G	-25.08	-17.84	-7.24	3
6685MHz	Pass	6.701696G	2.14	6.70705G	-27.73	-18.03	-9.70	3
6845MHz	Pass	6.855547G	2.24	6.8235G	-25.51	-17.80	-7.71	3
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02229G	2.71	6.0588G	-26.73	-17.30	-9.43	3
6225MHz	Pass	6.2139G	2.21	6.2685G	-24.44	-17.80	-6.64	3
6385MHz	Pass	6.35301G	1.62	6.3416G	-26.44	-18.41	-8.03	3
6625MHz	Pass	6.62G	1.95	6.6659G	-21.29	-18.07	-3.22	3
6705MHz	Pass	6.7165G	2.38	6.7481G	-24.50	-17.02	-7.48	3
6785MHz	Pass	6.82119G	2.24	6.8288G	-25.93	-17.76	-8.17	3
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09218G	3.22	6.2774G	-42.24	-36.78	-5.46	3
6185MHz	Pass	6.1784G	2.56	6.4344G	-43.21	-37.44	-5.77	3
6345MHz	Pass	6.331G	1.80	6.4266G	-21.91	-18.21	-3.70	3
6665MHz	Pass	6.73898G	2.20	6.7482G	-26.40	-17.90	-8.50	3

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

MASK

5955MHz_TX

19/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

MASK

5965MHz_TX

19/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

MASK

6225MHz_TX

19/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

MASK

6345MHz_TX

19/06/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

MASK

6855MHz_TX

19/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

MASK

6565MHz_TX

19/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

MASK

6625MHz_TX

19/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.62G	1.95	6.6659G	-21.29	-18.07	-3.22	3

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

MASK

6665MHz_TX

19/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73898G	2.20	6.7482G	-26.40	-17.90	-8.50	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Full RU**

Appendix E.5

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.961248G	1.82	5.988275G	-43.69	-37.59	-6.10	3
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.979946G	2.48	6.03135G	-44.31	-37.52	-6.79	3
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.02029G	2.32	6.0299G	-23.52	-17.68	-5.84	3
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.1704G	2.74	6.4404G	-43.28	-37.26	-6.02	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.704273G	0.97	6.7067G	-30.00	-19.05	-10.95	2
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.848949G	2.72	6.8674G	-29.17	-17.28	-11.89	3
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.72589G	2.44	6.7481G	-25.01	-17.58	-7.43	3
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	6.59502G	1.94	6.9266G	-47.29	-38.06	-9.23	2



**Mask_Non-Beamforming_
Radio_3_Omnidirectional_2T1S_Full RU**

Appendix E.5

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.959999G	1.75	5.9873G	-45.67	-37.49	-8.18	2
5955MHz	Pass	5.961248G	1.82	5.988275G	-43.69	-37.59	-6.10	3
6195MHz	Pass	6.190751G	2.16	6.2297G	-47.09	-37.84	-9.25	2
6195MHz	Pass	6.203323G	2.06	6.1627G	-44.39	-37.26	-7.13	3
6415MHz	Pass	6.407552G	0.92	6.427075G	-32.56	-18.98	-13.58	2
6415MHz	Pass	6.407002G	1.18	6.426625G	-29.21	-18.42	-10.79	3
6535MHz	Pass	6.528852G	1.44	6.547225G	-33.40	-17.56	-15.84	2
6535MHz	Pass	6.539249G	1.27	6.547075G	-32.52	-18.63	-13.89	3
6695MHz	Pass	6.704273G	0.97	6.7067G	-30.00	-19.05	-10.95	2
6695MHz	Pass	6.701023G	1.56	6.7072G	-31.83	-18.44	-13.39	3
6855MHz	Pass	6.862373G	1.40	6.8426G	-34.17	-18.61	-15.56	2
6855MHz	Pass	6.860824G	1.72	6.84305G	-30.39	-17.28	-13.11	3
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.983395G	2.57	5.98755G	-29.95	-17.47	-12.48	2
5965MHz	Pass	5.979946G	2.48	6.03135G	-44.31	-37.52	-6.79	3
6205MHz	Pass	6.187754G	3.05	6.26875G	-45.12	-36.89	-8.23	2
6205MHz	Pass	6.189554G	3.17	6.2691G	-45.26	-36.78	-8.48	3
6405MHz	Pass	6.395402G	1.78	6.42815G	-31.84	-18.26	-13.58	2
6405MHz	Pass	6.40555G	2.23	6.38225G	-30.91	-17.84	-13.07	3
6565MHz	Pass	6.546505G	2.08	6.54235G	-29.82	-17.52	-12.30	2
6565MHz	Pass	6.546705G	2.37	6.542G	-31.71	-17.63	-14.08	3
6685MHz	Pass	6.700696G	1.94	6.7079G	-31.95	-18.11	-13.84	2
6685MHz	Pass	6.690549G	2.37	6.70825G	-31.96	-17.64	-14.32	3
6845MHz	Pass	6.839851G	2.05	6.82205G	-31.11	-17.99	-13.12	2
6845MHz	Pass	6.848949G	2.72	6.8674G	-29.17	-17.28	-11.89	3
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02049G	2.11	6.0297G	-26.45	-17.92	-8.53	2
5985MHz	Pass	6.02029G	2.32	6.0299G	-23.52	-17.68	-5.84	3
6225MHz	Pass	6.19901G	2.74	6.092G	-45.84	-37.26	-8.58	2
6225MHz	Pass	6.2101G	2.24	6.3595G	-46.73	-37.72	-9.01	3
6385MHz	Pass	6.34971G	2.03	6.3388G	-30.13	-17.77	-12.36	2
6385MHz	Pass	6.35101G	1.98	6.4297G	-27.50	-18.07	-9.43	3
6625MHz	Pass	6.59721G	1.62	6.5803G	-27.67	-18.41	-9.26	2
6625MHz	Pass	6.6142G	2.32	6.6686G	-25.83	-17.69	-8.14	3
6705MHz	Pass	6.72G	1.50	6.7504G	-28.38	-18.53	-9.85	2
6705MHz	Pass	6.72589G	2.44	6.7481G	-25.01	-17.58	-7.43	3
6785MHz	Pass	6.81809G	1.52	6.8308G	-29.26	-18.49	-10.77	2
6785MHz	Pass	6.82189G	2.74	6.8302G	-27.48	-17.28	-10.20	3
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10138G	2.98	6.2758G	-43.16	-36.55	-6.61	2
6025MHz	Pass	6.09438G	3.12	6.2776G	-43.13	-36.88	-6.25	3
6185MHz	Pass	6.193G	2.81	6.4438G	-43.56	-37.11	-6.45	2
6185MHz	Pass	6.1704G	2.74	6.4404G	-43.28	-37.26	-6.02	3
6345MHz	Pass	6.27702G	2.87	6.092G	-45.60	-37.13	-8.47	2
6345MHz	Pass	6.3598G	1.74	6.0662G	-48.86	-38.26	-10.60	3
6665MHz	Pass	6.59502G	1.94	6.9266G	-47.29	-38.06	-9.23	2
6665MHz	Pass	6.73658G	2.70	6.9186G	-46.93	-37.30	-9.63	3

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

5955MHz_TX

18/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

5965MHz_TX

18/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

5985MHz_TX

18/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02049G	2.11	6.0297G	-26.45	-17.92	-8.53	2
6.02029G	2.32	6.0299G	-23.52	-17.68	-5.84	3

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

6185MHz_TX

18/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.193G	2.81	6.4438G	-43.56	-37.11	-6.45	2
6.1704G	2.74	6.4404G	-43.28	-37.26	-6.02	3


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

6695MHz_TX

18/06/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.704273G	0.97	6.7067G	-30.00	-19.05	-10.95	2
6.701023G	1.56	6.7072G	-31.83	-18.44	-13.39	3


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

6845MHz_TX

18/06/2025

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.839851G	2.05	6.82205G	-31.11	-17.99	-13.12	2
6.848949G	2.72	6.8674G	-29.17	-17.28	-11.89	3

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

6705MHz_TX

18/06/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72G	1.50	6.7504G	-28.38	-18.53	-9.85	2
6.72589G	2.44	6.7481G	-25.01	-17.58	-7.43	3

Port 2 

Port 3 

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

MASK

6665MHz_TX

18/06/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59502G	1.94	6.9266G	-47.29	-38.06	-9.23	2
6.73658G	2.70	6.9186G	-46.93	-37.30	-9.63	3

Port 2 

Port 3 



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Full RU**

Appendix E.6

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.186577G	2.26	6.160425G	-45.46	-37.74	-7.72	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.194753G	3.05	6.13905G	-44.70	-36.95	-7.75	3
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.2111G	2.59	6.1806G	-24.93	-17.46	-7.47	3
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.27762G	2.38	6.6032G	-41.66	-37.55	-4.11	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.860824G	1.56	6.887575G	-47.00	-38.06	-8.94	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.830804G	2.78	6.90855G	-46.01	-37.22	-8.79	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.65389G	2.82	6.7578G	-44.23	-37.18	-7.05	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.6526G	2.93	6.9194G	-41.87	-37.02	-4.85	4



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Full RU**

Appendix E.6

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960449G	0.60	5.967175G	-34.53	-19.41	-15.12	1
5955MHz	Pass	5.964273G	1.75	5.98865G	-47.34	-38.25	-9.09	2
5955MHz	Pass	5.958549G	1.47	5.9894G	-46.35	-38.53	-7.82	3
5955MHz	Pass	5.963623G	0.35	5.990125G	-49.91	-39.65	-10.26	4
6195MHz	Pass	6.203898G	1.74	6.161925G	-50.31	-38.16	-12.15	1
6195MHz	Pass	6.186977G	2.18	6.1615G	-45.77	-37.65	-8.12	2
6195MHz	Pass	6.186577G	2.26	6.160425G	-45.46	-37.74	-7.72	3
6195MHz	Pass	6.187152G	2.11	6.228275G	-46.80	-37.89	-8.91	4
6415MHz	Pass	6.417649G	1.58	6.426925G	-30.50	-17.42	-13.08	1
6415MHz	Pass	6.423073G	1.20	6.4028G	-32.13	-17.80	-14.33	2
6415MHz	Pass	6.413675G	1.76	6.4271G	-32.68	-18.26	-14.42	3
6415MHz	Pass	6.423898G	1.42	6.40335G	-29.82	-18.58	-11.24	4
6535MHz	Pass	6.533725G	1.88	6.522875G	-31.84	-18.18	-13.66	1
6535MHz	Pass	6.526102G	1.44	6.546775G	-30.41	-18.63	-11.78	2
6535MHz	Pass	6.537574G	1.25	6.546675G	-29.84	-18.92	-10.92	3
6535MHz	Pass	6.543298G	1.99	6.567525G	-48.83	-37.75	-11.08	4
6695MHz	Pass	6.69385G	1.72	6.706875G	-31.30	-18.29	-13.01	1
6695MHz	Pass	6.702623G	1.70	6.682175G	-36.36	-18.30	-18.06	2
6695MHz	Pass	6.698174G	1.94	6.6828G	-33.07	-18.11	-14.96	3
6695MHz	Pass	6.686277G	2.02	6.7286G	-48.04	-37.98	-10.06	4
6855MHz	Pass	6.860649G	0.97	6.86725G	-34.73	-19.03	-15.70	1
6855MHz	Pass	6.850526G	1.49	6.84315G	-29.96	-18.57	-11.39	2
6855MHz	Pass	6.863223G	2.09	6.843075G	-30.10	-17.51	-12.59	3
6855MHz	Pass	6.860824G	1.56	6.887575G	-47.00	-38.06	-8.94	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.983045G	1.14	5.9873G	-30.04	-18.91	-11.13	1
5965MHz	Pass	5.979846G	1.66	5.9875G	-30.13	-18.36	-11.77	2
5965MHz	Pass	5.970449G	1.87	6.0302G	-47.71	-38.13	-9.58	3
5965MHz	Pass	5.981796G	0.12	5.9873G	-31.32	-19.91	-11.41	4
6205MHz	Pass	6.186855G	2.70	6.2277G	-29.55	-17.40	-12.15	1
6205MHz	Pass	6.187354G	3.39	6.13705G	-45.33	-36.61	-8.72	2
6205MHz	Pass	6.194753G	3.05	6.13905G	-44.70	-36.95	-7.75	3
6205MHz	Pass	6.220546G	2.89	6.2693G	-46.58	-36.63	-9.95	4
6405MHz	Pass	6.421696G	2.22	6.4279G	-29.28	-17.87	-11.41	1
6405MHz	Pass	6.395852G	2.16	6.42705G	-28.08	-17.54	-10.54	2
6405MHz	Pass	6.420696G	1.95	6.42735G	-28.40	-18.10	-10.30	3
6405MHz	Pass	6.410249G	2.34	6.42735G	-29.43	-17.69	-11.74	4
6565MHz	Pass	6.546955G	2.93	6.54275G	-27.67	-17.08	-10.59	1
6565MHz	Pass	6.554203G	2.31	6.54205G	-29.65	-17.97	-11.68	2
6565MHz	Pass	6.547104G	3.06	6.58755G	-28.73	-16.98	-11.75	3
6565MHz	Pass	6.567299G	3.25	6.6278G	-45.74	-36.34	-9.40	4
6685MHz	Pass	6.687349G	2.68	6.7073G	-28.20	-17.39	-10.81	1
6685MHz	Pass	6.692348G	1.92	6.70735G	-29.51	-18.11	-11.40	2
6685MHz	Pass	6.690849G	2.70	6.7075G	-28.35	-17.36	-10.99	3
6685MHz	Pass	6.667504G	2.64	6.61795G	-47.96	-37.36	-10.60	4
6845MHz	Pass	6.848899G	2.14	6.86745G	-30.10	-17.86	-12.24	1
6845MHz	Pass	6.862746G	2.52	6.86715G	-27.99	-17.49	-10.50	2
6845MHz	Pass	6.847949G	3.05	6.86765G	-29.48	-16.96	-12.52	3
6845MHz	Pass	6.830804G	2.78	6.90855G	-46.01	-37.22	-8.79	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01179G	0.10	6.0293G	-28.76	-19.91	-8.85	1
5985MHz	Pass	6.01779G	1.18	6.0296G	-28.15	-18.85	-9.30	2
5985MHz	Pass	6.00989G	1.66	6.0311G	-28.01	-18.34	-9.67	3
5985MHz	Pass	6.01179G	-0.12	6.0301G	-30.64	-20.16	-10.48	4



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Full RU**

Appendix E.6

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2065G	2.22	6.1808G	-26.43	-17.80	-8.63	1
6225MHz	Pass	6.18751G	2.66	6.09G	-45.98	-37.34	-8.64	2
6225MHz	Pass	6.2111G	2.59	6.1806G	-24.93	-17.46	-7.47	3
6225MHz	Pass	6.2356G	2.50	6.0895G	-47.35	-37.50	-9.85	4
6385MHz	Pass	6.366G	2.38	6.4288G	-25.54	-17.62	-7.92	1
6385MHz	Pass	6.3799G	2.21	6.3388G	-29.35	-17.83	-11.52	2
6385MHz	Pass	6.3819G	2.48	6.3388G	-29.20	-17.56	-11.64	3
6385MHz	Pass	6.3738G	2.20	6.2523G	-46.62	-37.72	-8.90	4
6625MHz	Pass	6.58901G	2.64	6.5812G	-25.11	-17.47	-7.64	1
6625MHz	Pass	6.6102G	2.16	6.5811G	-25.75	-17.92	-7.83	2
6625MHz	Pass	6.6326G	2.56	6.5807G	-26.25	-17.52	-8.73	3
6625MHz	Pass	6.65389G	2.82	6.7578G	-44.23	-37.18	-7.05	4
6705MHz	Pass	6.71G	2.41	6.7503G	-26.89	-17.73	-9.16	1
6705MHz	Pass	6.67181G	2.01	6.7495G	-27.74	-18.06	-9.68	2
6705MHz	Pass	6.72829G	2.88	6.752G	-30.00	-17.12	-12.88	3
6705MHz	Pass	6.6916G	2.64	6.5731G	-46.50	-37.15	-9.35	4
6785MHz	Pass	6.7906G	2.03	6.829G	-26.75	-18.01	-8.74	1
6785MHz	Pass	6.80899G	2.00	6.8299G	-28.48	-18.00	-10.48	2
6785MHz	Pass	6.7923G	2.83	6.8309G	-28.14	-17.25	-10.89	3
6785MHz	Pass	6.75341G	2.38	6.8299G	-27.70	-17.62	-10.08	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09178G	1.46	6.2822G	-48.31	-38.54	-9.77	1
6025MHz	Pass	6.09438G	2.52	6.2794G	-47.06	-37.48	-9.58	2
6025MHz	Pass	6.09418G	2.71	6.2772G	-44.83	-37.29	-7.54	3
6025MHz	Pass	6.0214G	1.31	6.2782G	-47.89	-38.69	-9.20	4
6185MHz	Pass	6.1916G	2.36	6.4354G	-46.46	-37.64	-8.82	1
6185MHz	Pass	6.175G	3.15	5.9268G	-43.24	-36.85	-6.39	2
6185MHz	Pass	6.179G	2.77	6.442G	-42.83	-37.23	-5.60	3
6185MHz	Pass	6.25218G	3.40	5.9774G	-34.91	-29.94	-4.97	4
6345MHz	Pass	6.26782G	2.75	6.0916G	-42.92	-37.15	-5.77	1
6345MHz	Pass	6.26822G	2.88	6.075G	-45.34	-37.12	-8.22	2
6345MHz	Pass	6.32021G	2.00	6.0876G	-48.27	-38.00	-10.27	3
6345MHz	Pass	6.27762G	2.38	6.6032G	-41.66	-37.55	-4.11	4
6665MHz	Pass	6.58862G	2.96	6.9354G	-46.12	-37.04	-9.08	1
6665MHz	Pass	6.61301G	2.03	6.9248G	-46.74	-37.97	-8.77	2
6665MHz	Pass	6.73338G	2.60	6.9162G	-46.36	-37.17	-9.19	3
6665MHz	Pass	6.6526G	2.93	6.9194G	-41.87	-37.02	-4.85	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

18/06/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203898G	1.74	6.161925G	-50.31	-38.16	-12.15	1
6.186977G	2.18	6.1615G	-45.77	-37.65	-8.12	2
6.186577G	2.26	6.160425G	-45.46	-37.74	-7.72	3
6.187152G	2.11	6.228275G	-46.80	-37.89	-8.91	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

18/06/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186855G	2.70	6.2277G	-29.55	-17.40	-12.15	1
6.187354G	3.39	6.13705G	-45.33	-36.61	-8.72	2
6.194753G	3.05	6.13905G	-44.70	-36.95	-7.75	3
6.220546G	2.89	6.2693G	-46.58	-36.63	-9.95	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

18/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

18/06/2025





**Mask_Non-Beamforming_
Radio 3_Directional Patch_1T1S_Multi-RU**

Appendix E.7

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	6.01659G	1.64	6.0758G	-36.80	-20.27	-16.53	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	6.07319G	2.31	6.2814G	-46.35	-37.69	-8.66	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_1T1S_Multi-RU**

Appendix E.7

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01659G	1.64	6.0758G	-36.80	-20.27	-16.53	3
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01969G	1.58	6.0796G	-37.31	-20.75	-16.56	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07319G	2.31	6.2814G	-46.35	-37.69	-8.66	3
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10138G	2.56	6.2834G	-49.29	-37.44	-11.85	3
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09318G	2.32	6.222G	-41.94	-29.37	-12.57	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

MASK

5985MHz_TX

27/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

MASK

6025MHz_TX

26/06/2025





**Mask_Non-Beamforming_
Radio 3_Directional Patch_2T1S_Multi-RU**

Appendix E.8

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	6.01889G	0.70	6.0813G	-40.36	-29.63	-10.73	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	6.09298G	1.63	6.2766G	-48.94	-38.37	-10.57	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_2T1S_Multi-RU**

Appendix E.8

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01129G	0.61	6.0307G	-32.96	-19.60	-13.36	2
5985MHz	Pass	6.01889G	0.70	6.0813G	-40.36	-29.63	-10.73	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10218G	1.92	6.2782G	-48.83	-37.95	-10.88	2
6025MHz	Pass	6.09298G	1.63	6.2766G	-48.94	-38.37	-10.57	3


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

MASK

5985MHz_TX

27/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01129G	0.61	6.0307G	-32.96	-19.60	-13.36	2
6.01889G	0.70	6.0813G	-40.36	-29.63	-10.73	3


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

MASK

6025MHz_TX

27/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10218G	1.92	6.2782G	-48.83	-37.95	-10.88	2
6.09298G	1.63	6.2766G	-48.94	-38.37	-10.57	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_4T1S_Multi-RU**

Appendix E.9

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.01819G	-0.16	6.0801G	-42.67	-29.46	-13.21	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.08678G	1.08	6.278G	-49.43	-38.92	-10.51	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_4T1S_Multi-RU**

Appendix E.9

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02239G	-1.15	6.1655G	-55.65	-41.15	-14.50	1
5985MHz	Pass	6.01509G	-0.25	6.1153G	-55.21	-40.24	-14.97	2
5985MHz	Pass	6.01819G	-0.16	6.0801G	-42.67	-29.46	-13.21	3
5985MHz	Pass	6.01019G	-1.87	6.1211G	-56.44	-41.87	-14.57	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09118G	0.14	6.2954G	-51.37	-39.86	-11.51	1
6025MHz	Pass	6.09578G	0.73	6.2894G	-50.10	-39.27	-10.83	2
6025MHz	Pass	6.08678G	1.08	6.278G	-49.43	-38.92	-10.51	3
6025MHz	Pass	6.04699G	-0.15	6.2768G	-50.81	-40.15	-10.66	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

27/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02239G	-1.15	6.1655G	-55.65	-41.15	-14.50	1
6.01509G	-0.25	6.1153G	-55.21	-40.24	-14.97	2
6.01819G	-0.16	6.0801G	-42.67	-29.46	-13.21	3
6.01019G	-1.87	6.1211G	-56.44	-41.87	-14.57	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

27/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09118G	0.14	6.2954G	-51.37	-39.86	-11.51	1
6.09578G	0.73	6.2894G	-50.10	-39.27	-10.83	2
6.08678G	1.08	6.278G	-49.43	-38.92	-10.51	3
6.04699G	-0.15	6.2768G	-50.81	-40.15	-10.66	4

Port 1
Port 2
Port 3
Port 4



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Multi-RU**

Appendix E.10

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	6.01599G	2.33	6.0833G	-35.15	-20.41	-14.74	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	6.07319G	2.31	6.2814G	-46.35	-37.69	-8.66	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Multi-RU**

Appendix E.10

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01599G	2.33	6.0833G	-35.15	-20.41	-14.74	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07319G	2.31	6.2814G	-46.35	-37.69	-8.66	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

MASK

5985MHz_TX

26/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

MASK

6025MHz_TX

26/06/2025





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	6.01909G	1.85	6.0821G	-35.53	-28.70	-6.83	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	6.08718G	2.93	6.2742G	-45.25	-37.03	-8.22	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Multi-RU**

Appendix E.11

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01479G	1.87	6.0808G	-40.38	-28.52	-11.86	2
5985MHz	Pass	6.01909G	1.85	6.0821G	-35.53	-28.70	-6.83	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08159G	2.40	6.2842G	-46.69	-37.60	-9.09	2
6025MHz	Pass	6.08718G	2.93	6.2742G	-45.25	-37.03	-8.22	3


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

MASK

5985MHz_TX

26/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01479G	1.87	6.0808G	-40.38	-28.52	-11.86	2
6.01909G	1.85	6.0821G	-35.53	-28.70	-6.83	3


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

MASK

6025MHz_TX

26/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08159G	2.40	6.2842G	-46.69	-37.60	-9.09	2
6.08718G	2.93	6.2742G	-45.25	-37.03	-8.22	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Multi-RU**

Appendix E.12

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.01419G	0.91	6.0821G	-40.94	-28.93	-12.01	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.09918G	1.64	6.283G	-48.38	-38.36	-10.02	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Multi-RU**

Appendix E.12

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00879G	0.03	6.1248G	-55.14	-39.97	-15.17	1
5985MHz	Pass	6.01719G	1.19	6.1259G	-53.60	-38.81	-14.79	2
5985MHz	Pass	6.01419G	0.91	6.0821G	-40.94	-28.93	-12.01	3
5985MHz	Pass	6.01819G	-0.59	6.1294G	-55.67	-40.59	-15.08	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09318G	1.03	6.2938G	-50.62	-38.97	-11.65	1
6025MHz	Pass	6.09198G	2.16	6.2832G	-48.22	-37.84	-10.38	2
6025MHz	Pass	6.09918G	1.64	6.283G	-48.38	-38.36	-10.02	3
6025MHz	Pass	6.04859G	0.89	6.2756G	-49.38	-39.11	-10.27	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00879G	0.03	6.1248G	-55.14	-39.97	-15.17	1
6.01719G	1.19	6.1259G	-53.60	-38.81	-14.79	2
6.01419G	0.91	6.0821G	-40.94	-28.93	-12.01	3
6.01819G	-0.59	6.1294G	-55.67	-40.59	-15.08	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

26/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09318G	1.03	6.2938G	-50.62	-38.97	-11.65	1
6.09198G	2.16	6.2832G	-48.22	-37.84	-10.38	2
6.09918G	1.64	6.283G	-48.38	-38.36	-10.02	3
6.04859G	0.89	6.2756G	-49.38	-39.11	-10.27	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	6.01819G	2.08	6.0758G	-34.35	-19.83	-14.52	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	Pass	6.09698G	3.09	6.282G	-42.25	-36.91	-5.34	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_1T1S_Channel Puncturing**

Appendix E.13

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01819G	2.08	6.0758G	-34.35	-19.83	-14.52	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09698G	3.09	6.282G	-42.25	-36.91	-5.34	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09978G	2.89	6.22G	-36.22	-28.52	-7.70	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

MASK

5985MHz_TX

25/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

MASK

6025MHz_TX

25/06/2025





**Mask_Non-Beamforming_
Radio 3_Directional Patch_2T1S_Channel Puncturing**

Appendix E.14

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	6.00699G	1.21	6.0763G	-37.18	-27.75	-9.43	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	Pass	6.09018G	1.48	6.2732G	-48.56	-38.34	-10.22	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_2T1S_Channel Puncturing**

Appendix E.14

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00629G	1.28	6.1167G	-52.56	-38.72	-13.84	2
5985MHz	Pass	6.00699G	1.21	6.0763G	-37.18	-27.75	-9.43	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08878G	1.49	6.292G	-48.87	-38.51	-10.36	2
6025MHz	Pass	6.09018G	1.48	6.2732G	-48.56	-38.34	-10.22	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09558G	1.54	6.2778G	-48.88	-38.28	-10.60	2
6025MHz	Pass	6.09738G	1.77	6.2768G	-48.72	-38.23	-10.49	3


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

MASK

5985MHz_TX

25/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00629G	1.28	6.1167G	-52.56	-38.72	-13.84	2
6.00699G	1.21	6.0763G	-37.18	-27.75	-9.43	3


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)

MASK

6025MHz_TX

25/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08878G	1.49	6.292G	-48.87	-38.51	-10.36	2
6.09018G	1.48	6.2732G	-48.56	-38.34	-10.22	3



**Mask_Non-Beamforming_
Radio 3_Directional Patch_4T1S_Channel Puncturing**

Appendix E.15

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	5.9898G	0.54	5.9422G	-33.35	-19.46	-13.89	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	6.0306G	-0.80	6.242G	-45.07	-35.79	-9.28	4



**Mask_Non-Beamforming_
Radio 3_Directional Patch_4T1S_Channel Puncturing**

Appendix E.15

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0023G	-0.37	6.1667G	-54.76	-40.37	-14.39	1
5985MHz	Pass	5.9951G	0.45	6.1143G	-54.59	-38.64	-15.95	2
5985MHz	Pass	5.9898G	0.54	5.9422G	-33.35	-19.46	-13.89	3
5985MHz	Pass	6.0033G	-1.03	6.1773G	-56.83	-41.03	-15.80	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09238G	-0.24	6.2858G	-51.16	-40.24	-10.92	1
6025MHz	Pass	6.09498G	0.56	6.2792G	-50.44	-39.44	-11.00	2
6025MHz	Pass	6.09058G	0.47	6.283G	-50.16	-39.53	-10.63	3
6025MHz	Pass	6.0306G	-0.80	6.242G	-45.07	-35.79	-9.28	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08918G	0.29	6.2888G	-51.02	-39.71	-11.31	1
6025MHz	Pass	6.09518G	1.32	6.2758G	-49.98	-38.59	-11.39	2
6025MHz	Pass	6.09958G	1.48	6.2844G	-50.22	-38.52	-11.70	3
6025MHz	Pass	6.0142G	-0.41	6.277G	-52.02	-40.39	-11.63	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_4TX

MASK

5985MHz_TX

25/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0023G	-0.37	6.1667G	-54.76	-40.37	-14.39	1
5.9951G	0.45	6.1143G	-54.59	-38.64	-15.95	2
5.9898G	0.54	5.9422G	-33.35	-19.46	-13.89	3
6.0033G	-1.03	6.1773G	-56.83	-41.03	-15.80	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

MASK

6025MHz_TX

25/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09238G	-0.24	6.2858G	-51.16	-40.24	-10.92	1
6.09498G	0.56	6.2792G	-50.44	-39.44	-11.00	2
6.09058G	0.47	6.283G	-50.16	-39.53	-10.63	3
6.0306G	-0.80	6.242G	-45.07	-35.79	-9.28	4



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Channel Puncturing**

Appendix E.16

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	6.01529G	2.68	6.0734G	-29.82	-18.96	-10.86	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	Pass	6.09698G	3.09	6.282G	-42.25	-36.91	-5.34	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Channel Puncturing**

Appendix E.16

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01529G	2.68	6.0734G	-29.82	-18.96	-10.86	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09698G	3.09	6.282G	-42.25	-36.91	-5.34	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09978G	2.89	6.22G	-36.22	-28.52	-7.70	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

MASK

5985MHz_TX

25/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

MASK

6025MHz_TX

25/06/2025





**Mask_Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Channel Puncturing**

Appendix E.17

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	6.01509G	2.11	6.0792G	-33.74	-27.65	-6.09	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX(Port2&Port3)	Pass	6.08099G	2.28	6.1614G	-32.21	-22.81	-9.40	3



**Mask_Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Channel Puncturing**

Appendix E.17

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00689G	2.05	6.1181G	-48.44	-37.95	-10.49	2
5985MHz	Pass	6.01509G	2.11	6.0792G	-33.74	-27.65	-6.09	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06839G	2.14	6.2788G	-49.47	-37.82	-11.65	2
6025MHz	Pass	6.08099G	2.28	6.1614G	-32.21	-22.81	-9.40	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05859G	2.61	6.2842G	-49.69	-37.39	-12.30	2
6025MHz	Pass	6.06059G	2.77	5.94G	-27.22	-17.31	-9.91	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

MASK

5985MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX(Port2&Port3)

MASK

6025MHz_TX

24/06/2025





**Mask_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Channel Puncturing**

Appendix E.18

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	6.01949G	0.44	6.079G	-38.21	-28.57	-9.64	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	6.09418G	1.33	6.2822G	-48.71	-38.67	-10.04	3

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00999G	0.10	6.1173G	-54.03	-39.90	-14.13	1
5985MHz	Pass	6.01719G	0.55	6.1166G	-52.24	-39.45	-12.79	2
5985MHz	Pass	6.01949G	0.44	6.079G	-38.21	-28.57	-9.64	3
5985MHz	Pass	6.01389G	-0.69	6.1151G	-54.14	-40.26	-13.88	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06819G	-0.32	6.281G	-50.54	-40.22	-10.32	1
6025MHz	Pass	6.09598G	0.63	6.2796G	-50.06	-39.37	-10.69	2
6025MHz	Pass	6.09198G	0.61	6.2806G	-49.67	-39.39	-10.28	3
6025MHz	Pass	6.035G	-0.99	6.27G	-50.55	-40.25	-10.30	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08838G	-0.06	6.2818G	-51.18	-40.06	-11.12	1
6025MHz	Pass	6.09218G	1.02	6.2828G	-49.26	-38.98	-10.28	2
6025MHz	Pass	6.09418G	1.33	6.2822G	-48.71	-38.67	-10.04	3
6025MHz	Pass	6.0102G	-0.48	6.2802G	-51.36	-40.48	-10.88	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

MASK

5985MHz_TX

24/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00999G	0.10	6.1173G	-54.03	-39.90	-14.13	1
6.01779G	0.55	6.1166G	-52.24	-39.45	-12.79	2
6.01949G	0.44	6.079G	-38.21	-28.57	-9.64	3
6.01389G	-0.69	6.1151G	-54.14	-40.26	-13.88	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6025MHz_TX

24/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08838G	-0.06	6.2818G	-51.18	-40.06	-11.12	1
6.09218G	1.02	6.2828G	-49.26	-38.98	-10.28	2
6.09418G	1.33	6.2822G	-48.71	-38.67	-10.04	3
6.0102G	-0.48	6.2802G	-51.36	-40.48	-10.88	4

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.414525G	-5.28	6.431975G	-34.12	-29.67	-4.45	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.535525G	-4.25	6.54895G	-31.09	-24.86	-6.23	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.954425G	-4.88	5.92245G	-50.16	-43.77	-6.39	1
6195MHz	Pass	6.194575G	-2.81	6.21155G	-29.96	-23.30	-6.66	1
6415MHz	Pass	6.414525G	-5.28	6.431975G	-34.12	-29.67	-4.45	1
6535MHz	Pass	6.535525G	-4.25	6.54895G	-31.09	-24.86	-6.23	1
6695MHz	Pass	6.69565G	-3.16	6.71535G	-29.89	-23.28	-6.61	1
6855MHz	Pass	6.85415G	-3.59	6.8746G	-30.23	-23.71	-6.52	1

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

19/06/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

19/06/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.414525G	-5.28	6.431975G	-34.12	-29.67	-4.45	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.535525G	-4.25	6.54895G	-31.09	-24.86	-6.23	1

**Result**


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.954425G	-4.88	5.92245G	-50.16	-43.77	-6.39	1
6195MHz	Pass	6.194575G	-2.81	6.21155G	-29.96	-23.30	-6.66	1
6415MHz	Pass	6.414525G	-5.28	6.431975G	-34.12	-29.67	-4.45	1
6535MHz	Pass	6.535525G	-4.25	6.54895G	-31.09	-24.86	-6.23	1
6695MHz	Pass	6.69565G	-3.16	6.71535G	-29.89	-23.28	-6.61	1
6855MHz	Pass	6.85415G	-3.59	6.8746G	-30.23	-23.71	-6.52	1

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

19/06/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

19/06/2025





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	33.88M	35.41	40.00	-4.59	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz_PoE	Pass	PK	33.88M	35.41	40.00	-4.59	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	41.64M	34.93	40.00	-5.07	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	140.58M	28.39	43.50	-15.11	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	210.42M	26.12	43.50	-17.38	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	317.12M	31.92	46.00	-14.08	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	897.18M	34.13	46.00	-11.87	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	41.64M	23.41	40.00	-16.59	3	Horizontal	360	1.00
6025MHz_PoE	Pass	PK	90.14M	25.30	43.50	-18.20	3	Horizontal	360	1.00
6025MHz_PoE	Pass	PK	123.12M	28.87	43.50	-14.63	3	Horizontal	360	1.00
6025MHz_PoE	Pass	PK	140.58M	31.54	43.50	-11.96	3	Horizontal	360	1.00
6025MHz_PoE	Pass	PK	204.6M	33.09	43.50	-10.41	3	Horizontal	360	1.00
6025MHz_PoE	Pass	PK	321M	34.07	46.00	-11.93	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	35.41	40.00	-4.59	-5.95	3	Vertical	0	1.00	41.36	20.99	0.44	27.38
PK	41.64M	34.93	40.00	-5.07	-9.76	3	Vertical	0	1.00	44.69	17.11	0.48	27.35
PK	140.58M	28.39	43.50	-15.11	-9.98	3	Vertical	0	1.00	38.37	16.21	0.90	27.09
PK	210.42M	26.12	43.50	-17.38	-11.45	3	Vertical	0	1.00	37.57	14.18	1.12	26.75
PK	317.12M	31.92	46.00	-14.08	-6.58	3	Vertical	0	1.00	38.50	18.79	1.35	26.72
PK	897.18M	34.13	46.00	-11.87	0.45	3	Vertical	0	1.00	33.68	25.81	2.25	27.61

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	23.41	40.00	-16.59	-9.76	3	Horizontal	360	1.00	33.17	17.11	0.48	27.35
PK	90.14M	25.30	43.50	-18.20	-12.18	3	Horizontal	360	1.00	37.48	14.35	0.72	27.25
PK	123.12M	28.87	43.50	-14.63	-9.10	3	Horizontal	360	1.00	37.97	17.20	0.84	27.14
PK	140.58M	31.54	43.50	-11.96	-9.98	3	Horizontal	360	1.00	41.52	16.21	0.90	27.09
PK	204.6M	33.09	43.50	-10.41	-11.25	3	Horizontal	360	1.00	44.34	14.43	1.10	26.78
PK	321M	34.07	46.00	-11.93	-6.51	3	Horizontal	360	1.00	40.58	18.87	1.36	26.74



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.38992G	38.34	54.00	-15.66	3	Vertical	350	1.50

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	AV	12.38992G	38.34	54.00	-15.66	3	Vertical	350	1.50
6185MHz	Pass	PK	12.39616G	53.43	74.00	-20.57	3	Vertical	350	1.50
6185MHz	Pass	AV	12.38068G	38.34	54.00	-15.66	3	Horizontal	212	1.76
6185MHz	Pass	PK	12.397G	51.93	74.00	-22.07	3	Horizontal	212	1.76


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	11.97096G	38.57	54.00	-15.43	3	Vertical	188	1.50

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	11.97096G	38.57	54.00	-15.43	3	Vertical	188	1.50
6025MHz	Pass	PK	11.99368G	52.28	74.00	-21.72	3	Vertical	188	1.50
6025MHz	Pass	AV	12.07032G	38.55	54.00	-15.45	3	Horizontal	23	1.90
6025MHz	Pass	PK	12.10408G	52.77	74.00	-21.23	3	Horizontal	23	1.90


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),3xRU996+RU484+RU242 CP 6_4TX	Pass	AV	12.0463G	37.65	54.00	-16.35	3	Vertical	214	1.37



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_Channel Puncturing**


Appendix E.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0),3xRU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	12.0463G	37.65	54.00	-16.35	3	Vertical	214	1.37
6025MHz	Pass	PK	12.04831G	52.31	74.00	-21.69	3	Vertical	214	1.37
6025MHz	Pass	AV	12.0486G	36.47	54.00	-17.53	3	Horizontal	277	1.47
6025MHz	Pass	PK	12.04921G	51.55	74.00	-22.45	3	Horizontal	277	1.47


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),3xRU996+RU484+RU242 CP 6_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),3xRU996+RU484+RU242 CP 6_4TX

6025MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax.HEW20_Nss1,(MCS0)_1TX	Pass	PK	33.88M	33.53	40.00	-6.47	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz_PoE	Pass	PK	33.88M	33.53	40.00	-6.47	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	43.58M	33.52	40.00	-6.48	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	138.64M	27.87	43.50	-15.63	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	311.3M	29.92	46.00	-16.08	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	497.54M	29.74	46.00	-16.26	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	542.16M	28.29	46.00	-17.71	3	Vertical	0	1.00
5955MHz_PoE	Pass	PK	31.94M	25.45	40.00	-14.55	3	Horizontal	360	1.00
5955MHz_PoE	Pass	PK	90.14M	25.91	43.50	-17.59	3	Horizontal	360	1.00
5955MHz_PoE	Pass	PK	123.12M	29.02	43.50	-14.48	3	Horizontal	360	1.00
5955MHz_PoE	Pass	PK	138.64M	30.94	43.50	-12.56	3	Horizontal	360	1.00
5955MHz_PoE	Pass	PK	208.48M	33.50	43.50	-10.00	3	Horizontal	360	1.00
5955MHz_PoE	Pass	PK	322.94M	34.26	46.00	-11.74	3	Horizontal	360	1.00


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_PoE



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_PoE





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	13.07542G	38.98	68.20	-29.22	3	Vertical	286	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6535MHz	Pass	AV	13.07542G	38.98	68.20	-29.22	3	Vertical	286	1.50
6535MHz	Pass	PK	13.1048G	53.44	88.20	-34.76	3	Vertical	286	1.50
6535MHz	Pass	AV	13.07668G	38.96	68.20	-29.24	3	Horizontal	0	2.39
6535MHz	Pass	PK	13.08204G	53.33	88.20	-34.87	3	Horizontal	0	2.39


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	5.885G	7.165G	AV	5.92468G	6.00	-39.98	-39.98	-33.98	-27.00	-6.98
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	5.845G	7.205G	AV	5.92456G	6.00	-35.41	-35.41	-29.41	-27.00	-2.41
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	5.765G	7.285G	AV	5.9246G	6.00	-34.48	-34.48	-28.48	-27.00	-1.48
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92424G	6.00	-35.10	-35.10	-29.10	-27.00	-2.10

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Full RU

Appendix E.27

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	6.00	-39.98	-39.98	-33.98	-27.00	-6.98
5955MHz	Pass	5.885G	7.165G	AV	7.12596G	6.00	-51.66	-51.66	-45.66	-27.00	-18.66
5955MHz	Pass	5.885G	7.165G	PK	5.9234G	6.00	-28.66	-28.66	-22.66	-7.00	-15.66
5955MHz	Pass	5.885G	7.165G	PK	7.13812G	6.00	-39.47	-39.47	-33.47	-7.00	-26.47
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	6.00	-35.41	-35.41	-29.41	-27.00	-2.41
5965MHz	Pass	5.845G	7.205G	AV	7.12544G	6.00	-51.66	-51.66	-45.66	-27.00	-18.66
5965MHz	Pass	5.845G	7.205G	PK	5.92184G	6.00	-24.74	-24.74	-18.74	-7.00	-11.74
5965MHz	Pass	5.845G	7.205G	PK	7.205G	6.00	-40.05	-40.05	-34.05	-7.00	-27.05
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	6.00	-34.48	-34.48	-28.48	-27.00	-1.48
5985MHz	Pass	5.765G	7.285G	AV	7.28044G	6.00	-51.55	-51.55	-45.55	-41.20	-4.35
5985MHz	Pass	5.765G	7.285G	PK	5.9246G	6.00	-24.01	-24.01	-18.01	-7.00	-11.01
5985MHz	Pass	5.765G	7.285G	PK	7.25308G	6.00	-41.25	-41.25	-35.25	-21.20	-14.05
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	6.00	-35.10	-35.10	-29.10	-27.00	-2.10
6025MHz	Pass	5.605G	7.445G	AV	7.33828G	6.00	-51.69	-51.69	-45.69	-41.20	-4.49
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	6.00	-24.61	-24.61	-18.61	-7.00	-11.61
6025MHz	Pass	5.605G	7.445G	PK	7.3714G	6.00	-40.27	-40.27	-34.27	-21.20	-13.07


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5955MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	PK	5.9234G	-22.66	-7.00	-15.66	6.00	0.00	-28.66	-	-	-28.66
5.885G	7.165G	1M	PK	7.13812G	-33.47	-7.00	-26.47	6.00	0.00	-39.47	-	-	-39.47

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5955MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	AV	5.92468G	-33.98	-27.00	-6.98	6.00	0.00	-39.98	-	-	-39.98
5.885G	7.165G	1M	AV	7.12596G	-45.66	-27.00	-18.66	6.00	0.00	-51.66	-	-	-51.66




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5965MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	PK	5.92184G	-18.74	-7.00	-11.74	6.00	0.00	-24.74	-	-	-24.74
5.845G	7.205G	1M	PK	7.205G	-34.05	-7.00	-27.05	6.00	0.00	-40.05	-	-	-40.05

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5965MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	AV	5.92456G	-29.41	-27.00	-2.41	6.00	0.00	-35.41	-	-	-35.41
5.845G	7.205G	1M	AV	7.12544G	-45.66	-27.00	-18.66	6.00	0.00	-51.66	-	-	-51.66




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5985MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.9246G	-18.01	-7.00	-11.01	6.00	0.00	-24.01	-	-	-24.01
5.765G	7.285G	1M	PK	7.25308G	-35.25	-21.20	-14.05	6.00	0.00	-41.25	-	-	-41.25

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5985MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.48	-27.00	-1.48	6.00	0.00	-34.48	-	-	-34.48
5.765G	7.285G	1M	AV	7.28044G	-45.55	-41.20	-4.35	6.00	0.00	-51.55	-	-	-51.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

6025MHz

03/07/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92148G	-18.61	-7.00	-11.61	6.00	0.00	-24.61	-	-	-24.61
5.605G	7.445G	1M	PK	7.3714G	-34.27	-21.20	-13.07	6.00	0.00	-40.27	-	-	-40.27

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

6025MHz

03/07/2025



Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-29.10	-27.00	-2.10	6.00	0.00	-35.10	-	-	-35.10
5.605G	7.445G	1M	AV	7.33828G	-45.69	-41.20	-4.49	6.00	0.00	-51.69	-	-	-51.69



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.885G	7.165G	AV	5.92468G	9.01	-41.87	-39.94	-37.79	-28.78	-27.00	-1.78
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.845G	7.205G	AV	5.92456G	9.01	-50.86	-37.98	-37.76	-28.75	-27.00	-1.75
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.92384G	9.01	-47.68	-38.64	-38.13	-29.12	-27.00	-2.12
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	9.01	-46.21	-36.53	-36.09	-27.08	-27.00	-0.08

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Full RU

Appendix E.28

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	9.01	-41.87	-39.94	-37.79	-28.78	-27.00	-1.78
5955MHz	Pass	5.885G	7.165G	AV	7.1426G	9.01	-67.61	-66.83	-64.19	-55.18	-27.00	-28.18
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	9.01	-30.18	-28.98	-26.53	-17.52	-7.00	-10.52
5955MHz	Pass	5.885G	7.165G	PK	7.16052G	9.01	-56.44	-56.40	-53.41	-44.40	-7.00	-37.40
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	9.01	-50.86	-37.98	-37.76	-28.75	-27.00	-1.75
5965MHz	Pass	5.845G	7.205G	AV	7.17848G	9.01	-66.75	-67.51	-64.10	-55.09	-27.00	-28.09
5965MHz	Pass	5.845G	7.205G	PK	5.9232G	9.01	-35.38	-26.96	-26.38	-17.37	-7.00	-10.37
5965MHz	Pass	5.845G	7.205G	PK	7.18664G	9.01	-55.23	-57.47	-53.20	-44.19	-7.00	-37.19
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	9.01	-47.68	-38.64	-38.13	-29.12	-27.00	-2.12
5985MHz	Pass	5.765G	7.285G	AV	7.25004G	9.01	-68.92	-68.92	-65.91	-56.90	-41.20	-15.70
5985MHz	Pass	5.765G	7.285G	PK	5.92384G	9.01	-38.20	-27.85	-27.47	-18.46	-7.00	-11.46
5985MHz	Pass	5.765G	7.285G	PK	7.25764G	9.01	-57.71	-60.04	-55.71	-46.70	-21.20	-25.50
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	9.01	-46.21	-36.53	-36.09	-27.08	-27.00	-0.08
6025MHz	Pass	5.605G	7.445G	AV	7.25916G	9.01	-68.47	-67.91	-65.17	-56.16	-41.20	-14.96
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	9.01	-36.59	-25.81	-25.46	-16.45	-7.00	-9.45
6025MHz	Pass	5.605G	7.445G	PK	7.25272G	9.01	-58.78	-57.23	-54.93	-45.92	-21.20	-24.72


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	PK	5.92468G	-17.52	-7.00	-10.52	9.01	-26.53	-	-30.18	-28.98
5.885G	7.165G	1M	PK	7.16052G	-44.40	-7.00	-37.40	9.01	-53.41	-	-56.44	-56.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	AV	5.92468G	-28.78	-27.00	-1.78	9.01	-37.79	-	-41.87	-39.94
5.885G	7.165G	1M	AV	7.1426G	-55.18	-27.00	-28.18	9.01	-64.19	-	-67.61	-66.83

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	PK	5.9232G	-17.37	-7.00	-10.37	9.01	-26.38	-	-35.38	-26.96
5.845G	7.205G	1M	PK	7.18664G	-44.19	-7.00	-37.19	9.01	-53.20	-	-55.23	-57.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	AV	5.92456G	-28.75	-27.00	-1.75	9.01	-37.76	-	-50.86	-37.98
5.845G	7.205G	1M	AV	7.17848G	-55.09	-27.00	-28.09	9.01	-64.10	-	-66.75	-67.51

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5985MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92384G	-18.46	-7.00	-11.46	9.01	-27.47	-	-38.20	-27.85
5.765G	7.285G	1M	PK	7.25764G	-46.70	-21.20	-25.50	9.01	-55.71	-	-57.71	-60.04

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92384G	-29.12	-27.00	-2.12	9.01	-38.13	-	-47.68	-38.64
5.765G	7.285G	1M	AV	7.25004G	-56.90	-41.20	-15.70	9.01	-65.91	-	-68.92	-68.92

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.91964G	-16.45	-7.00	-9.45	9.01	-25.46	-	-36.59	-25.81
5.605G	7.445G	1M	PK	7.25272G	-45.92	-21.20	-24.72	9.01	-54.93	-	-58.78	-57.23

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-27.08	-27.00	-0.08	9.01	-36.09	-	-46.21	-36.53
5.605G	7.445G	1M	AV	7.25916G	-56.16	-41.20	-14.96	9.01	-65.17	-	-68.47	-67.91



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Full RU

Appendix E.29

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.92468G	12.02	-54.85	-52.69	-46.54	-53.68	-44.54	-32.52	-27.00	-5.52
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.92456G	12.02	-51.48	-56.28	-42.42	-49.81	-41.12	-29.10	-27.00	-2.10
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.765G	7.285G	AV	5.9246G	12.02	-51.54	-53.06	-42.59	-49.99	-41.13	-29.11	-27.00	-2.11
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	5.605G	7.445G	AV	5.92424G	12.02	-51.48	-51.60	-42.15	-47.94	-40.41	-28.39	-27.00	-1.39

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Full RU

Appendix E.29

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	12.02	-54.85	-52.69	-46.54	-53.68	-44.54	-32.52	-27.00	-5.52
5955MHz	Pass	5.885G	7.165G	AV	7.1426G	12.02	-67.46	-67.87	-66.95	-67.59	-61.43	-49.41	-27.00	-22.41
5955MHz	Pass	5.885G	7.165G	PK	5.92404G	12.02	-43.23	-39.98	-34.40	-42.80	-32.49	-20.47	-7.00	-13.47
5955MHz	Pass	5.885G	7.165G	PK	7.14388G	12.02	-57.97	-57.80	-56.79	-56.60	-51.23	-39.21	-7.00	-32.21
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	12.02	-51.48	-56.28	-42.42	-49.81	-41.12	-29.10	-27.00	-2.10
5965MHz	Pass	5.845G	7.205G	AV	7.14244G	12.02	-67.46	-67.73	-66.95	-67.73	-61.44	-49.42	-27.00	-22.42
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	12.02	-39.99	-47.01	-30.86	-39.05	-29.73	-17.71	-7.00	-10.71
5965MHz	Pass	5.845G	7.205G	PK	7.19208G	12.02	-59.38	-56.52	-57.52	-55.96	-51.14	-39.12	-7.00	-32.12
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	12.02	-51.54	-53.06	-42.59	-49.99	-41.13	-29.11	-27.00	-2.11
5985MHz	Pass	5.765G	7.285G	AV	7.25308G	12.02	-69.67	-68.89	-68.89	-68.89	-63.05	-51.03	-41.20	-9.83
5985MHz	Pass	5.765G	7.285G	PK	5.92384G	12.02	-41.14	-43.76	-31.84	-39.63	-30.54	-18.52	-7.00	-11.52
5985MHz	Pass	5.765G	7.285G	PK	7.25992G	12.02	-59.13	-58.57	-58.66	-59.58	-52.95	-40.93	-21.20	-19.73
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	12.02	-51.48	-51.60	-42.15	-47.94	-40.41	-28.39	-27.00	-1.39
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	12.02	-68.89	-68.89	-68.04	-68.17	-62.46	-50.44	-41.20	-9.24
6025MHz	Pass	5.605G	7.445G	PK	5.91872G	12.02	-41.89	-43.75	-31.49	-37.80	-30.08	-18.06	-7.00	-11.06
6025MHz	Pass	5.605G	7.445G	PK	7.25364G	12.02	-58.22	-58.71	-58.44	-57.79	-52.26	-40.24	-21.20	-19.04


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.92404G	-20.47	-7.00	-13.47	12.02	-32.49	-43.23	-39.98	-34.40	-42.80
5.885G	7.165G	1M	PK	7.14388G	-39.21	-7.00	-32.21	12.02	-51.23	-57.97	-57.80	-56.79	-56.60

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92468G	-32.52	-27.00	-5.52	12.02	-44.54	-54.85	-52.69	-46.54	-53.68
5.885G	7.165G	1M	AV	7.1426G	-49.41	-27.00	-22.41	12.02	-61.43	-67.46	-67.87	-66.95	-67.59

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.92456G	-17.71	-7.00	-10.71	12.02	-29.73	-39.99	-47.01	-30.86	-39.05
5.845G	7.205G	1M	PK	7.19208G	-39.12	-7.00	-32.12	12.02	-51.14	-59.38	-56.52	-57.52	-55.96

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92456G	-29.10	-27.00	-2.10	12.02	-41.12	-51.48	-56.28	-42.42	-49.81
5.845G	7.205G	1M	AV	7.14244G	-49.42	-27.00	-22.42	12.02	-61.44	-67.46	-67.73	-66.95	-67.73

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5985MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92384G	-18.52	-7.00	-11.52	12.02	-30.54	-41.14	-43.76	-31.84	-39.63
5.765G	7.285G	1M	PK	7.25992G	-40.93	-21.20	-19.73	12.02	-52.95	-59.13	-58.57	-58.66	-59.58

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5985MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-29.11	-27.00	-2.11	12.02	-41.13	-51.54	-53.06	-42.59	-49.99
5.765G	7.285G	1M	AV	7.25308G	-51.03	-41.20	-9.83	12.02	-63.05	-69.67	-68.89	-68.89	-68.89

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6025MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.91872G	-18.06	-7.00	-11.06	12.02	-30.08	-41.89	-43.75	-31.49	-37.80
5.605G	7.445G	1M	PK	7.25364G	-40.24	-21.20	-19.04	12.02	-52.26	-58.22	-58.71	-58.44	-57.79

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

6025MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-28.39	-27.00	-1.39	12.02	-40.41	-51.48	-51.60	-42.15	-47.94
5.605G	7.445G	1M	AV	7.25088G	-50.44	-41.20	-9.24	12.02	-62.46	-68.89	-68.89	-68.04	-68.17



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	5.885G	7.165G	AV	5.92468G	4.00	-39.98	-39.98	-35.98	-27.00	-8.98
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	5.845G	7.205G	AV	5.92456G	4.00	-32.34	-32.34	-28.34	-27.00	-1.34
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	5.765G	7.285G	AV	5.92384G	4.00	-31.56	-31.56	-27.56	-27.00	-0.56
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92424G	4.00	-35.10	-35.10	-31.10	-27.00	-4.10

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	4.00	-39.98	-39.98	-35.98	-27.00	-8.98
5955MHz	Pass	5.885G	7.165G	AV	7.12596G	4.00	-51.66	-51.66	-47.66	-27.00	-20.66
5955MHz	Pass	5.885G	7.165G	PK	5.9234G	4.00	-28.66	-28.66	-24.66	-7.00	-17.66
5955MHz	Pass	5.885G	7.165G	PK	7.13812G	4.00	-39.47	-39.47	-35.47	-7.00	-28.47
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	4.00	-32.34	-32.34	-28.34	-27.00	-1.34
5965MHz	Pass	5.845G	7.205G	AV	7.1302G	4.00	-51.49	-51.49	-47.49	-27.00	-20.49
5965MHz	Pass	5.845G	7.205G	PK	5.92388G	4.00	-21.38	-21.38	-17.38	-7.00	-10.38
5965MHz	Pass	5.845G	7.205G	PK	7.13224G	4.00	-40.36	-40.36	-36.36	-7.00	-29.36
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	4.00	-31.56	-31.56	-27.56	-27.00	-0.56
5985MHz	Pass	5.765G	7.285G	AV	7.25156G	4.00	-51.71	-51.71	-47.71	-41.20	-6.51
5985MHz	Pass	5.765G	7.285G	PK	5.92308G	4.00	-20.08	-20.08	-16.08	-7.00	-9.08
5985MHz	Pass	5.765G	7.285G	PK	7.27056G	4.00	-40.65	-40.65	-36.65	-21.20	-15.45
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	4.00	-35.10	-35.10	-31.10	-27.00	-4.10
6025MHz	Pass	5.605G	7.445G	AV	7.33828G	4.00	-51.69	-51.69	-47.69	-41.20	-6.49
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	4.00	-24.61	-24.61	-20.61	-7.00	-13.61
6025MHz	Pass	5.605G	7.445G	PK	7.3714G	4.00	-40.27	-40.27	-36.27	-21.20	-15.07


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	PK	5.9234G	-24.66	-7.00	-17.66	4.00	0.00	-28.66	-	-	-28.66
5.885G	7.165G	1M	PK	7.13812G	-35.47	-7.00	-28.47	4.00	0.00	-39.47	-	-	-39.47

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	AV	5.92468G	-35.98	-27.00	-8.98	4.00	0.00	-39.98	-	-	-39.98
5.885G	7.165G	1M	AV	7.12596G	-47.66	-27.00	-20.66	4.00	0.00	-51.66	-	-	-51.66

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	PK	5.92388G	-17.38	-7.00	-10.38	4.00	0.00	-21.38	-	-	-21.38
5.845G	7.205G	1M	PK	7.13224G	-36.36	-7.00	-29.36	4.00	0.00	-40.36	-	-	-40.36

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	AV	5.92456G	-28.34	-27.00	-1.34	4.00	0.00	-32.34	-	-	-32.34
5.845G	7.205G	1M	AV	7.1302G	-47.49	-27.00	-20.49	4.00	0.00	-51.49	-	-	-51.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

5985MHz

18/06/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92308G	-16.08	-7.00	-9.08	4.00	0.00	-20.08	-	-	-20.08
5.765G	7.285G	1M	PK	7.27056G	-36.65	-21.20	-15.45	4.00	0.00	-40.65	-	-	-40.65

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

5985MHz

18/06/2025



Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92384G	-27.56	-27.00	-0.56	4.00	0.00	-31.56	-	-	-31.56
5.765G	7.285G	1M	AV	7.25156G	-47.71	-41.20	-6.51	4.00	0.00	-51.71	-	-	-51.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [PK]

6025MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92148G	-20.61	-7.00	-13.61	4.00	0.00	-24.61	-	-	-24.61
5.605G	7.445G	1M	PK	7.3714G	-36.27	-21.20	-15.07	4.00	0.00	-40.27	-	-	-40.27

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE Bandedge [AV]

6025MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-31.10	-27.00	-4.10	4.00	0.00	-35.10	-	-	-35.10
5.605G	7.445G	1M	AV	7.33828G	-47.69	-41.20	-6.49	4.00	0.00	-51.69	-	-	-51.69



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.885G	7.165G	AV	5.92468G	7.01	-41.87	-39.94	-37.79	-30.78	-27.00	-3.78
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.845G	7.205G	AV	5.92456G	7.01	-45.78	-34.42	-34.11	-27.10	-27.00	-0.10
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.9246G	7.01	-47.25	-35.81	-35.51	-28.50	-27.00	-1.50
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	7.01	-49.54	-35.93	-35.74	-28.73	-27.00	-1.73

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	7.01	-41.87	-39.94	-37.79	-30.78	-27.00	-3.78
5955MHz	Pass	5.885G	7.165G	AV	7.1426G	7.01	-67.61	-66.83	-64.19	-57.18	-27.00	-30.18
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	7.01	-30.18	-28.98	-26.53	-19.52	-7.00	-12.52
5955MHz	Pass	5.885G	7.165G	PK	7.16052G	7.01	-56.44	-56.40	-53.41	-46.40	-7.00	-39.40
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	7.01	-45.78	-34.42	-34.11	-27.10	-27.00	-0.10
5965MHz	Pass	5.845G	7.205G	AV	7.17848G	7.01	-66.63	-66.88	-63.74	-56.73	-27.00	-29.73
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	7.01	-36.23	-22.57	-22.39	-15.38	-7.00	-8.38
5965MHz	Pass	5.845G	7.205G	PK	7.18664G	7.01	-56.07	-56.35	-53.20	-46.19	-7.00	-39.19
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	7.01	-47.25	-35.81	-35.51	-28.50	-27.00	-1.50
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	7.01	-68.19	-68.33	-65.25	-58.24	-41.20	-17.04
5985MHz	Pass	5.765G	7.285G	PK	5.9208G	7.01	-35.90	-26.19	-25.75	-18.74	-7.00	-11.74
5985MHz	Pass	5.765G	7.285G	PK	7.27208G	7.01	-59.61	-56.21	-54.58	-47.57	-21.20	-26.37
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	7.01	-49.54	-35.93	-35.74	-28.73	-27.00	-1.73
6025MHz	Pass	5.605G	7.445G	AV	7.25548G	7.01	-67.91	-68.19	-65.04	-58.03	-41.20	-16.83
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	7.01	-40.58	-24.91	-24.79	-17.78	-7.00	-10.78
6025MHz	Pass	5.605G	7.445G	PK	7.261G	7.01	-57.50	-58.96	-55.16	-48.15	-21.20	-26.95


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	PK	5.92468G	-19.52	-7.00	-12.52	7.01	-26.53	-	-30.18	-28.98
5.885G	7.165G	1M	PK	7.16052G	-46.40	-7.00	-39.40	7.01	-53.41	-	-56.44	-56.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.885G	7.165G	1M	AV	5.92468G	-30.78	-27.00	-3.78	7.01	-37.79	-	-41.87	-39.94
5.885G	7.165G	1M	AV	7.1426G	-57.18	-27.00	-30.18	7.01	-64.19	-	-67.61	-66.83

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	PK	5.92456G	-15.38	-7.00	-8.38	7.01	-22.39	-	-36.23	-22.57
5.845G	7.205G	1M	PK	7.17864G	-46.19	-7.00	-39.19	7.01	-53.20	-	-56.07	-56.35

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.845G	7.205G	1M	AV	5.92456G	-27.10	-27.00	-0.10	7.01	-34.11	-	-45.78	-34.42
5.845G	7.205G	1M	AV	7.17848G	-56.73	-27.00	-29.73	7.01	-63.74	-	-66.63	-66.88

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

5985MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.9208G	-18.74	-7.00	-11.74	7.01	-25.75	-	-35.90	-26.19
5.765G	7.285G	1M	PK	7.27208G	-47.57	-21.20	-26.37	7.01	-54.58	-	-59.61	-56.21

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.50	-27.00	-1.50	7.01	-35.51	-	-47.25	-35.81
5.765G	7.285G	1M	AV	7.25232G	-58.24	-41.20	-17.04	7.01	-65.25	-	-68.19	-68.33

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92424G	-17.78	-7.00	-10.78	7.01	-24.79	-	-40.58	-24.91
5.605G	7.445G	1M	PK	7.261G	-48.15	-21.20	-26.95	7.01	-55.16	-	-57.50	-58.96

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-28.73	-27.00	-1.73	7.01	-35.74	-	-49.54	-35.93
5.605G	7.445G	1M	AV	7.25548G	-58.03	-41.20	-16.83	7.01	-65.04	-	-67.91	-68.19



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.92468G	10.02	-51.81	-43.36	-41.42	-44.39	-37.93	-27.91	-27.00	-0.91
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.92456G	10.02	-50.73	-54.42	-39.14	-48.30	-38.28	-28.26	-27.00	-1.26
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.765G	7.285G	AV	5.9246G	10.02	-49.67	-53.01	-40.00	-48.70	-38.88	-28.86	-27.00	-1.86
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	5.605G	7.445G	AV	5.92332G	10.02	-50.70	-48.68	-38.60	-44.37	-37.06	-27.04	-27.00	-0.04

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-B_eamforming_ Radio 3_Omnidirectional_4T1S_Full RU

Appendix E.32

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	10.02	-51.81	-43.36	-41.42	-44.39	-37.93	-27.91	-27.00	-0.91
5955MHz	Pass	5.885G	7.165G	AV	7.1426G	10.02	-67.21	-67.34	-66.71	-67.47	-61.15	-51.13	-27.00	-24.13
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	10.02	-38.79	-31.77	-30.10	-32.83	-26.39	-16.37	-7.00	-9.37
5955MHz	Pass	5.885G	7.165G	PK	7.1426G	10.02	-57.79	-57.00	-57.00	-58.06	-51.42	-41.40	-7.00	-34.40
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	10.02	-50.73	-54.42	-39.14	-48.30	-38.28	-28.26	-27.00	-1.26
5965MHz	Pass	5.845G	7.205G	AV	7.14244G	10.02	-66.83	-67.34	-66.46	-66.95	-60.86	-50.84	-27.00	-23.84
5965MHz	Pass	5.845G	7.205G	PK	5.92116G	10.02	-41.91	-39.16	-28.23	-36.89	-27.23	-17.21	-7.00	-10.21
5965MHz	Pass	5.845G	7.205G	PK	7.14448G	10.02	-58.64	-56.83	-55.70	-57.48	-51.01	-40.99	-7.00	-33.99
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	10.02	-49.67	-53.01	-40.00	-48.70	-38.88	-28.86	-27.00	-1.86
5985MHz	Pass	5.765G	7.285G	AV	7.25004G	10.02	-69.56	-68.77	-68.62	-69.08	-62.97	-52.95	-41.20	-11.75
5985MHz	Pass	5.765G	7.285G	PK	5.92308G	10.02	-39.14	-44.74	-29.64	-38.61	-28.60	-18.58	-7.00	-11.58
5985MHz	Pass	5.765G	7.285G	PK	7.26524G	10.02	-61.14	-59.31	-57.96	-58.72	-53.11	-43.09	-21.20	-21.89
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	10.02	-50.70	-48.68	-38.60	-44.37	-37.06	-27.04	-27.00	-0.04
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	10.02	-68.92	-67.92	-68.19	-68.05	-62.23	-52.21	-41.20	-11.01
6025MHz	Pass	5.605G	7.445G	PK	5.91412G	10.02	-41.98	-40.01	-28.80	-34.24	-27.31	-17.29	-7.00	-10.29
6025MHz	Pass	5.605G	7.445G	PK	7.261G	10.02	-58.09	-57.58	-57.79	-58.31	-51.91	-41.89	-21.20	-20.69


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.92468G	-16.37	-7.00	-9.37	10.02	-26.39	-38.79	-31.77	-30.10	-32.83
5.885G	7.165G	1M	PK	7.1426G	-41.40	-7.00	-34.40	10.02	-51.42	-57.79	-57.00	-57.00	-58.06

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5955MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92468G	-27.91	-27.00	-0.91	10.02	-37.93	-51.81	-43.36	-41.42	-44.39
5.885G	7.165G	1M	AV	7.1426G	-51.13	-27.00	-24.13	10.02	-61.15	-67.21	-67.34	-66.71	-67.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.92116G	-17.21	-7.00	-10.21	10.02	-27.23	-41.91	-39.16	-28.23	-36.89
5.845G	7.205G	1M	PK	7.14448G	-40.99	-7.00	-33.99	10.02	-51.01	-58.64	-56.83	-55.70	-57.48

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5965MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92456G	-28.26	-27.00	-1.26	10.02	-38.28	-50.73	-54.42	-39.14	-48.30
5.845G	7.205G	1M	AV	7.14244G	-50.84	-27.00	-23.84	10.02	-60.86	-66.83	-67.34	-66.46	-66.95

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5985MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92308G	-18.58	-7.00	-11.58	10.02	-28.60	-39.14	-44.74	-29.64	-38.61
5.765G	7.285G	1M	PK	7.26524G	-43.09	-21.20	-21.89	10.02	-53.11	-61.14	-59.31	-57.96	-58.72

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5985MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.86	-27.00	-1.86	10.02	-38.88	-49.67	-53.01	-40.00	-48.70
5.765G	7.285G	1M	AV	7.25004G	-52.95	-41.20	-11.75	10.02	-62.97	-69.56	-68.77	-68.62	-69.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6025MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.91412G	-17.29	-7.00	-10.29	10.02	-27.31	-41.98	-40.01	-28.80	-34.24
5.605G	7.445G	1M	PK	7.261G	-41.89	-21.20	-20.69	10.02	-51.91	-58.09	-57.58	-57.79	-58.31

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

6025MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92332G	-27.04	-27.00	-0.04	10.02	-37.06	-50.70	-48.68	-38.60	-44.37
5.605G	7.445G	1M	AV	7.25088G	-52.21	-41.20	-11.01	10.02	-62.23	-68.92	-67.92	-68.19	-68.05



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Multi-RU

Appendix E.33

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	5.765G	7.285G	AV	5.9208G	6.00	-41.36	-35.36	-27.00	-8.36
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92332G	6.00	-40.50	-34.50	-27.00	-7.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Multi-RU

Appendix E.33

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9208G	6.00	-41.36	-35.36	-27.00	-8.36
5985MHz	Pass	5.765G	7.285G	AV	7.2508G	6.00	-68.48	-62.48	-41.20	-21.28
5985MHz	Pass	5.765G	7.285G	PK	5.92004G	6.00	-28.02	-22.02	-7.00	-15.02
5985MHz	Pass	5.765G	7.285G	PK	7.26372G	6.00	-57.07	-51.07	-21.20	-29.87
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9018G	6.00	-49.00	-43.00	-27.00	-16.00
5985MHz	Pass	5.765G	7.285G	AV	7.2508G	6.00	-68.48	-62.48	-41.20	-21.28
5985MHz	Pass	5.765G	7.285G	PK	5.90256G	6.00	-33.24	-27.24	-7.00	-20.24
5985MHz	Pass	5.765G	7.285G	PK	7.27436G	6.00	-58.17	-52.17	-21.20	-30.97
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	6.00	-40.50	-34.50	-27.00	-7.50
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	6.00	-68.34	-62.34	-41.20	-21.14
6025MHz	Pass	5.605G	7.445G	PK	5.90676G	6.00	-24.81	-18.81	-7.00	-11.81
6025MHz	Pass	5.605G	7.445G	PK	7.26376G	6.00	-57.88	-51.88	-21.20	-30.68
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.9224G	6.00	-42.27	-36.27	-27.00	-9.27
6025MHz	Pass	5.605G	7.445G	AV	7.25824G	6.00	-68.19	-62.19	-41.20	-20.99
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	6.00	-24.26	-18.26	-7.00	-11.26
6025MHz	Pass	5.605G	7.445G	PK	7.25364G	6.00	-57.11	-51.11	-21.20	-29.91
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	6.00	-52.57	-46.57	-27.00	-19.57
6025MHz	Pass	5.605G	7.445G	AV	7.25456G	6.00	-68.33	-62.33	-41.20	-21.13
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	6.00	-37.63	-31.63	-7.00	-24.63
6025MHz	Pass	5.605G	7.445G	PK	7.2564G	6.00	-57.19	-51.19	-21.20	-29.99


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92004G	-22.02	-7.00	-15.02	6.00	-28.02	-	-	-28.02
5.765G	7.285G	1M	PK	7.26372G	-51.07	-21.20	-29.87	6.00	-57.07	-	-	-57.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.9208G	-35.36	-27.00	-8.36	6.00	-41.36	-	-	-41.36
5.765G	7.285G	1M	AV	7.2508G	-62.48	-41.20	-21.28	6.00	-68.48	-	-	-68.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE Bandedge [PK]

6025MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.90676G	-18.81	-7.00	-11.81	6.00	-24.81	-	-	-24.81
5.605G	7.445G	1M	PK	7.26376G	-51.88	-21.20	-30.68	6.00	-57.88	-	-	-57.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE Bandedge [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92332G	-34.50	-27.00	-7.50	6.00	-40.50	-	-	-40.50
5.605G	7.445G	1M	AV	7.2518G	-62.34	-41.20	-21.14	6.00	-68.34	-	-	-68.34



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Multi-RU

Appendix E.34

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.92308G	9.01	-54.43	-42.90	-42.60	-33.59	-27.00	-6.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	9.01	-52.26	-45.01	-44.26	-35.25	-27.00	-8.25

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92308G	9.01	-54.43	-42.90	-42.60	-33.59	-27.00	-6.59
5985MHz	Pass	5.765G	7.285G	AV	7.2508G	9.01	-68.48	-68.48	-65.47	-56.46	-41.20	-15.26
5985MHz	Pass	5.765G	7.285G	PK	5.92384G	9.01	-35.59	-28.36	-27.61	-18.60	-7.00	-11.60
5985MHz	Pass	5.765G	7.285G	PK	7.2546G	9.01	-57.89	-57.31	-54.58	-45.57	-21.20	-24.37
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	9.01	-52.26	-45.01	-44.26	-35.25	-27.00	-8.25
6025MHz	Pass	5.605G	7.445G	AV	7.2564G	9.01	-68.48	-68.33	-65.39	-56.38	-41.20	-15.18
6025MHz	Pass	5.605G	7.445G	PK	5.91688G	9.01	-33.09	-28.63	-27.30	-18.29	-7.00	-11.29
6025MHz	Pass	5.605G	7.445G	PK	7.25548G	9.01	-59.57	-57.55	-55.43	-46.42	-21.20	-25.22


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92384G	-18.60	-7.00	-11.60	9.01	-27.61	-	-35.59	-28.36
5.765G	7.285G	1M	PK	7.2546G	-45.57	-21.20	-24.37	9.01	-54.58	-	-57.89	-57.31

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92308G	-33.59	-27.00	-6.59	9.01	-42.60	-	-54.43	-42.90
5.765G	7.285G	1M	AV	7.2508G	-56.46	-41.20	-15.26	9.01	-65.47	-	-68.48	-68.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.91688G	-18.29	-7.00	-11.29	9.01	-27.30	-	-33.09	-28.63
5.605G	7.445G	1M	PK	7.25548G	-46.42	-21.20	-25.22	9.01	-55.43	-	-59.57	-57.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-35.25	-27.00	-8.25	9.01	-44.26	-	-52.26	-45.01
5.605G	7.445G	1M	AV	7.2564G	-56.38	-41.20	-15.18	9.01	-65.39	-	-68.48	-68.33



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Multi-RU

Appendix E.35

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	5.765G	7.285G	AV	5.91624G	12.02	-43.72	-31.70	-27.00	-4.70	-49.58	-58.61	-46.45	-51.30
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	5.605G	7.445G	AV	5.9224G	12.02	-43.61	-31.59	-27.00	-4.59	-50.92	-56.10	-46.97	-48.88

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Multi-RU

Appendix E.35

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.91624G	12.02	-43.72	-31.70	-27.00	-4.70	-49.58	-58.61	-46.45	-51.30
5985MHz	Pass	5.765G	7.285G	AV	7.2508G	12.02	-63.07	-51.05	-41.20	-9.85	-69.89	-69.06	-68.60	-68.90
5985MHz	Pass	5.765G	7.285G	PK	5.92004G	12.02	-31.37	-19.35	-7.00	-12.35	-35.98	-46.06	-34.90	-38.92
5985MHz	Pass	5.765G	7.285G	PK	7.25156G	12.02	-53.31	-41.29	-21.20	-20.09	-59.66	-59.24	-59.93	-58.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.9224G	12.02	-43.61	-31.59	-27.00	-4.59	-50.92	-56.10	-46.97	-48.88
6025MHz	Pass	5.605G	7.445G	AV	7.25916G	12.02	-62.87	-50.85	-41.20	-9.65	-69.37	-68.74	-68.44	-69.05
6025MHz	Pass	5.605G	7.445G	PK	5.89112G	12.02	-27.61	-15.59	-7.00	-8.59	-33.31	-37.18	-36.10	-30.81
6025MHz	Pass	5.605G	7.445G	PK	7.27296G	12.02	-52.55	-40.53	-21.20	-19.33	-60.66	-59.33	-57.08	-58.04


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92004G	-19.35	-7.00	-12.35	12.02	-31.37	-35.98	-46.06	-34.90	-38.92
5.765G	7.285G	1M	PK	7.25156G	-41.29	-21.20	-20.09	12.02	-53.31	-59.66	-59.24	-59.93	-58.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.91624G	-31.70	-27.00	-4.70	12.02	-43.72	-49.58	-58.61	-46.45	-51.30
5.765G	7.285G	1M	AV	7.2508G	-51.05	-41.20	-9.85	12.02	-63.07	-69.89	-69.06	-68.60	-68.90

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

6025MHz

27/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

6025MHz

27/06/2025





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	5.765G	7.285G	AV	5.92308G	4.00	-39.30	-39.30	-36.30	-27.00	-8.30
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92332G	4.00	-40.50	-40.50	-36.50	-27.00	-9.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92308G	4.00	-39.30	-39.30	-36.30	-27.00	-8.30
5985MHz	Pass	5.765G	7.285G	AV	7.25004G	4.00	-68.63	-68.63	-64.63	-41.20	-23.43
5985MHz	Pass	5.765G	7.285G	PK	5.91852G	4.00	-24.87	-24.87	-20.87	-7.00	-13.87
5985MHz	Pass	5.765G	7.285G	PK	7.26068G	4.00	-58.05	-58.05	-54.05	-21.20	-32.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	4.00	-40.50	-40.50	-36.50	-27.00	-9.50
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	4.00	-68.34	-68.34	-64.34	-41.20	-23.14
6025MHz	Pass	5.605G	7.445G	PK	5.90676G	4.00	-24.81	-24.81	-20.81	-7.00	-13.81
6025MHz	Pass	5.605G	7.445G	PK	7.26376G	4.00	-57.88	-57.88	-53.88	-21.20	-32.68


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.91852G	-20.87	-7.00	-13.87	4.00	-24.87	-	-	-24.87
5.765G	7.285G	1M	PK	7.26068G	-54.05	-21.20	-32.85	4.00	-58.05	-	-	-58.05

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE Bandedge [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92308G	-35.30	-27.00	-8.30	4.00	-39.30	-	-	-39.30
5.765G	7.285G	1M	AV	7.25004G	-64.63	-41.20	-23.43	4.00	-68.63	-	-	-68.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE Bandedge [PK]

6025MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.90676G	-20.81	-7.00	-13.81	4.00	-24.81	-	-	-24.81
5.605G	7.445G	1M	PK	7.26376G	-53.88	-21.20	-32.68	4.00	-57.88	-	-	-57.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE Bandedge [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92332G	-36.50	-27.00	-9.50	4.00	-40.50	-	-	-40.50
5.605G	7.445G	1M	AV	7.2518G	-64.34	-41.20	-23.14	4.00	-68.34	-	-	-68.34



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.92232G	7.01	-48.93	-38.48	-38.11	-31.10	-27.00	-4.10
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	7.01	-46.79	-40.32	-39.44	-32.43	-27.00	-5.43

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92232G	7.01	-48.93	-38.48	-38.11	-31.10	-27.00	-4.10
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	7.01	-68.65	-68.50	-65.56	-58.55	-41.20	-17.35
5985MHz	Pass	5.765G	7.285G	PK	5.9246G	7.01	-31.42	-22.22	-21.73	-14.72	-7.00	-7.72
5985MHz	Pass	5.765G	7.285G	PK	7.26676G	7.01	-57.34	-58.98	-55.07	-48.06	-21.20	-26.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	7.01	-46.79	-40.32	-39.44	-32.43	-27.00	-5.43
6025MHz	Pass	5.605G	7.445G	AV	7.25732G	7.01	-68.65	-67.93	-65.26	-58.25	-41.20	-17.05
6025MHz	Pass	5.605G	7.445G	PK	5.90124G	7.01	-28.38	-23.85	-22.54	-15.53	-7.00	-8.53
6025MHz	Pass	5.605G	7.445G	PK	7.2656G	7.01	-59.65	-57.18	-55.23	-48.22	-21.20	-27.02

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [PK]


5985MHz



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.90124G	-15.53	-7.00	-8.53	7.01	-22.54	-	-28.38	-23.85
5.605G	7.445G	1M	PK	7.2656G	-48.22	-21.20	-27.02	7.01	-55.23	-	-59.65	-57.18

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

26/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-32.43	-27.00	-5.43	7.01	-39.44	-	-46.79	-40.32
5.605G	7.445G	1M	AV	7.25732G	-58.25	-41.20	-17.05	7.01	-65.26	-	-68.65	-67.93



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	5.765G	7.285G	AV	5.9246G	10.02	-48.67	-55.78	-43.92	-50.95	-41.88	-31.86	-27.00	-4.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	5.605G	7.445G	AV	5.92424G	10.02	-48.93	-51.97	-45.19	-45.53	-41.11	-31.09	-27.00	-4.09

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Multi-RU

Appendix E.38

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	10.02	-48.67	-55.78	-43.92	-50.95	-41.88	-31.86	-27.00	-4.86
5985MHz	Pass	5.765G	7.285G	AV	7.25156G	10.02	-69.22	-68.16	-68.45	-68.60	-62.57	-52.55	-41.20	-11.35
5985MHz	Pass	5.765G	7.285G	PK	5.91016G	10.02	-37.32	-42.35	-29.83	-36.87	-28.27	-18.25	-7.00	-11.25
5985MHz	Pass	5.765G	7.285G	PK	7.26144G	10.02	-59.92	-57.25	-58.55	-59.03	-52.56	-42.54	-21.20	-21.34
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	10.02	-48.93	-51.97	-45.19	-45.53	-41.11	-31.09	-27.00	-4.09
6025MHz	Pass	5.605G	7.445G	AV	7.25548G	10.02	-69.06	-68.30	-68.30	-68.75	-62.57	-52.55	-41.20	-11.35
6025MHz	Pass	5.605G	7.445G	PK	5.90676G	10.02	-38.94	-31.73	-28.96	-28.65	-24.64	-14.62	-7.00	-7.62
6025MHz	Pass	5.605G	7.445G	PK	7.25548G	10.02	-60.55	-59.09	-56.33	-57.97	-52.19	-42.17	-21.20	-20.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.91016G	-18.25	-7.00	-11.25	10.02	-28.27	-37.32	-42.35	-29.83	-36.87
5.765G	7.285G	1M	PK	7.26144G	-42.54	-21.20	-21.34	10.02	-52.56	-59.92	-57.25	-58.55	-59.03

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [AV]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-31.86	-27.00	-4.86	10.02	-41.88	-48.67	-55.78	-43.92	-50.95
5.765G	7.285G	1M	AV	7.25156G	-52.55	-41.20	-11.35	10.02	-62.57	-69.22	-68.16	-68.45	-68.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

6025MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.90676G	-14.62	-7.00	-7.62	10.02	-24.64	-38.94	-31.73	-28.96	-28.65
5.605G	7.445G	1M	PK	7.25548G	-42.17	-21.20	-20.97	10.02	-52.19	-60.55	-59.09	-56.33	-57.97

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

6025MHz

26/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-31.09	-27.00	-4.09	10.02	-41.11	-48.93	-51.97	-45.19	-45.53
5.605G	7.445G	1M	AV	7.25548G	-52.55	-41.20	-11.35	10.02	-62.57	-69.06	-68.30	-68.30	-68.75



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	5.765G	7.285G	AV	7.25232G	6.00	-51.59	-51.59	-45.59	-41.20	-4.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92056G	6.00	-33.31	-33.31	-27.31	-27.00	-0.31

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Channel Puncturing

Appendix E.39

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92308G	6.00	-39.40	-39.40	-33.40	-27.00	-6.40
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	6.00	-51.59	-51.59	-45.59	-41.20	-4.39
5985MHz	Pass	5.765G	7.285G	PK	5.92232G	6.00	-22.90	-22.90	-16.90	-7.00	-9.90
5985MHz	Pass	5.765G	7.285G	PK	7.25536G	6.00	-40.33	-40.33	-34.33	-21.20	-13.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	6.00	-33.31	-33.31	-27.31	-27.00	-0.31
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	6.00	-51.56	-51.56	-45.56	-41.20	-4.36
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	6.00	-14.85	-14.85	-8.85	-7.00	-1.85
6025MHz	Pass	5.605G	7.445G	PK	7.35116G	6.00	-40.46	-40.46	-34.46	-21.20	-13.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	6.00	-37.36	-37.36	-31.36	-27.00	-4.36
6025MHz	Pass	5.605G	7.445G	AV	7.28584G	6.00	-51.41	-51.41	-45.41	-41.20	-4.21
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	6.00	-16.32	-16.32	-10.32	-7.00	-3.32
6025MHz	Pass	5.605G	7.445G	PK	7.25272G	6.00	-40.66	-40.66	-34.66	-21.20	-13.46


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92232G	-16.90	-7.00	-9.90	6.00	0.00	-22.90	-	-	-22.90
5.765G	7.285G	1M	PK	7.25536G	-34.33	-21.20	-13.13	6.00	0.00	-40.33	-	-	-40.33

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [AV]

5985MHz

25/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92308G	-33.40	-27.00	-6.40	6.00	0.00	-39.40	-	-	-39.40
5.765G	7.285G	1M	AV	7.25232G	-45.59	-41.20	-4.39	6.00	0.00	-51.59	-	-	-51.59




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

CSE Bandedge [PK]

6025MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92148G	-8.85	-7.00	-1.85	6.00	0.00	-14.85	-	-	-14.85
5.605G	7.445G	1M	PK	7.35116G	-34.46	-21.20	-13.26	6.00	0.00	-40.46	-	-	-40.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

CSE Bandedge [AV]

6025MHz

26/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92056G	-27.31	-27.00	-0.31	6.00	0.00	-33.31	-	-	-33.31
5.605G	7.445G	1M	AV	7.25088G	-45.56	-41.20	-4.36	6.00	0.00	-51.56	-	-	-51.56



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Channel Puncturing

Appendix E.40

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.92004G	9.01	-48.14	-41.54	-40.68	-31.67	-27.00	-4.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	9.01	-46.73	-40.98	-39.96	-30.95	-27.00	-3.95

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Channel Puncturing

Appendix E.40

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92004G	9.01	-48.14	-41.54	-40.68	-31.67	-27.00	-4.67
5985MHz	Pass	5.765G	7.285G	AV	7.25004G	9.01	-68.80	-68.80	-65.79	-56.78	-41.20	-15.58
5985MHz	Pass	5.765G	7.285G	PK	5.92156G	9.01	-33.79	-28.61	-27.46	-18.45	-7.00	-11.45
5985MHz	Pass	5.765G	7.285G	PK	7.25004G	9.01	-57.43	-58.66	-54.99	-45.98	-21.20	-24.78
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	9.01	-46.73	-40.98	-39.96	-30.95	-27.00	-3.95
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	9.01	-68.65	-67.93	-65.26	-56.25	-41.20	-15.05
6025MHz	Pass	5.605G	7.445G	PK	5.90032G	9.01	-22.89	-34.87	-22.62	-13.61	-7.00	-6.61
6025MHz	Pass	5.605G	7.445G	PK	7.25732G	9.01	-57.26	-59.39	-55.19	-46.18	-21.20	-24.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	9.01	-46.67	-41.52	-40.36	-31.35	-27.00	-4.35
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	9.01	-68.50	-68.50	-65.49	-56.48	-41.20	-15.28
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	9.01	-29.89	-23.03	-22.22	-13.21	-7.00	-6.21
6025MHz	Pass	5.605G	7.445G	PK	7.25548G	9.01	-58.06	-58.80	-55.40	-46.39	-21.20	-25.19


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92156G	-18.45	-7.00	-11.45	9.01	-27.46	-	-33.79	-28.61
5.765G	7.285G	1M	PK	7.25004G	-45.98	-21.20	-24.78	9.01	-54.99	-	-57.43	-58.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92004G	-31.67	-27.00	-4.67	9.01	-40.68	-	-48.14	-41.54
5.765G	7.285G	1M	AV	7.25004G	-56.78	-41.20	-15.58	9.01	-65.79	-	-68.80	-68.80

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.90032G	-13.61	-7.00	-6.61	9.01	-22.62	-	-22.89	-34.87
5.605G	7.445G	1M	PK	7.25732G	-46.18	-21.20	-24.98	9.01	-55.19	-	-57.26	-59.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

25/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-30.95	-27.00	-3.95	9.01	-39.96	-	-46.73	-40.98
5.605G	7.445G	1M	AV	7.25088G	-56.25	-41.20	-15.05	9.01	-65.26	-	-68.65	-67.93



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	5.765G	7.285G	AV	5.9246G	12.02	-49.96	-53.86	-44.74	-50.28	-42.43	-30.41	-27.00	-3.41
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	5.605G	7.445G	AV	5.92332G	12.02	-47.93	-49.64	-43.29	-47.49	-40.38	-28.36	-27.00	-1.36

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Channel Puncturing

Appendix E.41

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	12.02	-49.95	-53.86	-44.74	-50.28	-42.43	-30.41	-27.00	-3.41
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	12.02	-69.60	-68.96	-68.65	-69.27	-63.09	-51.07	-41.20	-9.87
5985MHz	Pass	5.765G	7.285G	PK	5.92384G	12.02	-36.46	-37.02	-30.01	-37.37	-27.94	-15.92	-7.00	-8.92
5985MHz	Pass	5.765G	7.285G	PK	7.25384G	12.02	-59.87	-59.09	-58.90	-59.76	-53.36	-41.34	-21.20	-20.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	12.02	-47.93	-49.64	-43.29	-47.49	-40.38	-28.36	-27.00	-1.36
6025MHz	Pass	5.605G	7.445G	AV	7.25272G	12.02	-69.77	-68.80	-68.36	-69.11	-62.96	-50.94	-41.20	-9.74
6025MHz	Pass	5.605G	7.445G	PK	5.90032G	12.02	-36.48	-38.97	-25.24	-30.00	-23.62	-11.60	-7.00	-4.60
6025MHz	Pass	5.605G	7.445G	PK	7.25364G	12.02	-60.04	-59.35	-57.59	-59.66	-53.03	-41.01	-21.20	-19.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.9224G	12.02	-47.98	-49.33	-43.60	-47.11	-40.42	-28.40	-27.00	-1.40
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	12.02	-69.60	-68.96	-68.80	-68.96	-63.05	-51.03	-41.20	-9.83
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	12.02	-27.94	-38.53	-24.88	-35.34	-22.77	-10.75	-7.00	-3.75
6025MHz	Pass	5.605G	7.445G	PK	7.25088G	12.02	-59.77	-58.11	-58.25	-59.61	-52.85	-40.83	-21.20	-19.63


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92384G	-15.92	-7.00	-8.92	12.02	-27.94	-36.46	-37.02	-30.01	-37.37
5.765G	7.285G	1M	PK	7.25384G	-41.34	-21.20	-20.14	12.02	-53.36	-59.87	-59.09	-58.90	-59.76

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-30.41	-27.00	-3.41	12.02	-42.43	-49.95	-53.86	-44.74	-50.28
5.765G	7.285G	1M	AV	7.25232G	-51.07	-41.20	-9.87	12.02	-63.09	-69.60	-68.96	-68.65	-69.27

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

CSE Bandedge [PK]

6025MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.90032G	-11.60	-7.00	-4.60	12.02	-23.62	-36.48	-38.97	-25.24	-30.00
5.605G	7.445G	1M	PK	7.25364G	-41.01	-21.20	-19.81	12.02	-53.03	-60.04	-59.35	-57.59	-59.66

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

CSE Bandedge [AV]

6025MHz

25/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92332G	-28.36	-27.00	-1.36	12.02	-40.38	-47.93	-49.64	-43.29	-47.49
5.605G	7.445G	1M	AV	7.25272G	-50.94	-41.20	-9.74	12.02	-62.96	-69.77	-68.80	-66.36	-69.11



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_1T1S_Channel Puncturing

Appendix E.42

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	5.765G	7.285G	AV	5.92004G	4.00	-36.50	-36.50	-31.50	-27.00	-4.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	Pass	5.605G	7.445G	AV	5.92056G	4.00	-33.31	-33.31	-29.31	-27.00	-2.31

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_1T1S_Channel Puncturing

Appendix E.42

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92004G	4.00	-35.50	-35.50	-31.50	-27.00	-4.50
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	4.00	-51.56	-51.56	-47.56	-41.20	-6.36
5985MHz	Pass	5.765G	7.285G	PK	5.92004G	4.00	-20.50	-20.50	-16.50	-7.00	-9.50
5985MHz	Pass	5.765G	7.285G	PK	7.2698G	4.00	-39.54	-39.54	-35.54	-21.20	-14.34
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	4.00	-33.31	-33.31	-29.31	-27.00	-2.31
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	4.00	-51.56	-51.56	-47.56	-41.20	-6.36
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	4.00	-14.85	-14.85	-10.85	-7.00	-3.85
6025MHz	Pass	5.605G	7.445G	PK	7.35116G	4.00	-40.46	-40.46	-36.46	-21.20	-15.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	4.00	-37.36	-37.36	-33.36	-27.00	-6.36
6025MHz	Pass	5.605G	7.445G	AV	7.28584G	4.00	-51.41	-51.41	-47.41	-41.20	-6.21
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	4.00	-16.32	-16.32	-12.32	-7.00	-5.32
6025MHz	Pass	5.605G	7.445G	PK	7.25272G	4.00	-40.66	-40.66	-36.66	-21.20	-15.46


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.92004G	-16.50	-7.00	-9.50	4.00	0.00	-20.50	-	-	-20.50
5.765G	7.285G	1M	PK	7.2698G	-35.54	-21.20	-14.34	4.00	0.00	-39.54	-	-	-39.54

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE Bandedge [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.92004G	-31.50	-27.00	-4.50	4.00	0.00	-35.50	-	-	-35.50
5.765G	7.285G	1M	AV	7.25232G	-47.56	-41.20	-6.36	4.00	0.00	-51.56	-	-	-51.56

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

CSE Bandedge [PK]

6025MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92148G	-10.85	-7.00	-3.85	4.00	0.00	-14.85	-	-	-14.85
5.605G	7.445G	1M	PK	7.35116G	-36.46	-21.20	-15.26	4.00	0.00	-40.46	-	-	-40.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)

CSE Bandedge [AV]

6025MHz

25/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92056G	-29.31	-27.00	-2.31	4.00	0.00	-33.31	-	-	-33.31
5.605G	7.445G	1M	AV	7.25088G	-47.56	-41.20	-6.36	4.00	0.00	-51.56	-	-	-51.56



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	5.765G	7.285G	AV	5.9246G	7.01	-44.14	-36.63	-35.92	-28.91	-27.00	-1.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)	Pass	5.605G	7.445G	AV	5.92424G	7.01	-41.60	-35.58	-34.61	-27.60	-27.00	-0.60

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Channel Puncturing

Appendix E.43

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	7.01	-44.14	-36.63	-36.92	-28.91	-27.00	-1.91
5985MHz	Pass	5.765G	7.285G	AV	7.25004G	7.01	-68.63	-68.63	-65.62	-58.61	-41.20	-17.41
5985MHz	Pass	5.765G	7.285G	PK	5.91928G	7.01	-30.63	-21.63	-21.12	-14.11	-7.00	-7.11
5985MHz	Pass	5.765G	7.285G	PK	7.26372G	7.01	-58.30	-59.06	-55.65	-48.64	-21.20	-27.44
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	7.01	-41.47	-35.67	-34.66	-27.65	-27.00	-0.65
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	7.01	-68.78	-67.91	-65.31	-58.30	-41.20	-17.10
6025MHz	Pass	5.605G	7.445G	PK	5.92148G	7.01	-20.61	-24.59	-19.15	-12.14	-7.00	-5.14
6025MHz	Pass	5.605G	7.445G	PK	7.25456G	7.01	-59.22	-57.74	-55.41	-48.40	-21.20	-27.20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	7.01	-41.60	-35.58	-34.61	-27.60	-27.00	-0.60
6025MHz	Pass	5.605G	7.445G	AV	7.25548G	7.01	-68.77	-68.04	-65.38	-58.37	-41.20	-17.17
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	7.01	-26.23	-24.65	-22.36	-15.35	-7.00	-8.35
6025MHz	Pass	5.605G	7.445G	PK	7.25088G	7.01	-59.53	-57.82	-55.58	-48.57	-21.20	-27.37


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [PK]

5985MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	PK	5.91928G	-14.11	-7.00	-7.11	7.01	-21.12	-	-30.63	-21.63
5.765G	7.285G	1M	PK	7.26372G	-48.64	-21.20	-27.44	7.01	-55.65	-	-58.30	-59.06

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE Bandedge [AV]

5985MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.91	-27.00	-1.91	7.01	-35.92	-	-44.14	-36.63
5.765G	7.285G	1M	AV	7.25004G	-58.61	-41.20	-17.41	7.01	-65.62	-	-68.63	-68.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)

CSE Bandedge [PK]

6025MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	PK	5.92424G	-15.35	-7.00	-8.35	7.01	-22.36	-	-26.23	-24.65
5.605G	7.445G	1M	PK	7.25088G	-48.57	-21.20	-27.37	7.01	-55.58	-	-59.53	-57.82

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)

CSE Bandedge [AV]

6025MHz

24/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
5.605G	7.445G	1M	AV	5.92424G	-27.60	-27.00	-0.60	7.01	-34.61	-	-41.60	-35.58
5.605G	7.445G	1M	AV	7.25548G	-58.37	-41.20	-17.17	7.01	-65.38	-	-68.77	-68.04



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Channel Puncturing

Appendix E.44

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	5.765G	7.285G	AV	5.92232G	10.02	-47.20	-51.99	-41.13	-47.94	-39.26	-29.24	-27.00	-2.24
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	5.605G	7.445G	AV	5.92056G	10.02	-47.00	-47.06	-41.95	-45.39	-38.78	-28.76	-27.00	-1.76

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Channel Puncturing

Appendix E.44

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92232G	10.02	-47.20	-51.99	-41.13	-47.94	-39.26	-29.24	-27.00	-2.24
5985MHz	Pass	5.765G	7.285G	AV	7.25232G	10.02	-69.76	-69.27	-69.27	-68.95	-63.28	-53.26	-41.20	-12.06
5985MHz	Pass	5.765G	7.285G	PK	5.91776G	10.02	-31.32	-35.06	-23.76	-33.70	-22.45	-12.43	-7.00	-5.43
5985MHz	Pass	5.765G	7.285G	PK	7.25688G	10.02	-58.47	-58.84	-60.14	-59.76	-53.23	-43.21	-21.20	-22.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92056G	10.02	-47.00	-47.06	-41.95	-45.39	-38.78	-28.76	-27.00	-1.76
6025MHz	Pass	5.605G	7.445G	AV	7.25824G	10.02	-69.59	-68.79	-68.35	-69.10	-62.91	-52.89	-41.20	-11.69
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	10.02	-37.49	-37.11	-32.20	-22.17	-21.52	-11.50	-7.00	-4.50
6025MHz	Pass	5.605G	7.445G	PK	7.25364G	10.02	-59.87	-57.84	-57.97	-59.98	-52.78	-42.76	-21.20	-21.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.9132G	10.02	-47.55	-46.57	-41.96	-45.76	-38.87	-28.85	-27.00	-1.85
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	10.02	-69.43	-68.80	-68.50	-68.80	-62.85	-52.83	-41.20	-11.63
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	10.02	-37.00	-28.96	-24.98	-33.26	-22.91	-12.89	-7.00	-5.89
6025MHz	Pass	5.605G	7.445G	PK	7.25548G	10.02	-60.97	-59.71	-56.24	-59.24	-52.65	-42.63	-21.20	-21.43


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5985MHz

23/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.91776G	-12.43	-7.00	-5.43	10.02	-22.45	-31.32	-35.06	-23.76	-33.70
5.765G	7.285G	1M	PK	7.25688G	-43.21	-21.20	-22.01	10.02	-53.23	-58.47	-58.84	-60.14	-59.76

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5985MHz

23/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.92232G	-29.24	-27.00	-2.24	10.02	-39.26	-47.20	-51.99	-41.13	-47.94
5.765G	7.285G	1M	AV	7.25232G	-53.26	-41.20	-12.06	10.02	-63.28	-69.76	-69.27	-69.27	-68.95

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

CSE Bandedge [PK]

6025MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92056G	-11.50	-7.00	-4.50	10.02	-21.52	-37.49	-37.11	-32.20	-22.17
5.605G	7.445G	1M	PK	7.25364G	-42.76	-21.20	-21.56	10.02	-52.78	-59.87	-57.84	-57.97	-59.98

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

CSE Bandedge [AV]

6025MHz

24/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92056G	-28.76	-27.00	-1.76	10.02	-38.78	-47.00	-47.06	-41.95	-45.39
5.605G	7.445G	1M	AV	7.25824G	-52.89	-41.20	-11.69	10.02	-62.91	-69.59	-68.79	-68.35	-69.10



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92404G	6.00	-43.89	-43.89	-37.89	-27.00	-10.89

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92404G	6.00	-43.89	-43.89	-37.89	-27.00	-10.89
5955MHz	Pass	5.885G	7.165G	AV	7.13044G	6.00	-71.43	-71.43	-65.43	-27.00	-38.43
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	6.00	-30.94	-30.94	-24.94	-7.00	-17.94
5955MHz	Pass	5.885G	7.165G	PK	7.12596G	6.00	-60.32	-60.32	-54.32	-7.00	-47.32


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92468G	-24.94	-7.00	-17.94	6.00	-30.94	-30.94
5.885G	7.165G	1M	PK	7.12596G	-54.32	-7.00	-47.32	6.00	-60.32	-60.32

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92404G	-37.89	-27.00	-10.89	6.00	-43.89	-43.89
5.885G	7.165G	1M	AV	7.13044G	-65.43	-27.00	-38.43	6.00	-71.43	-71.43



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92404G	4.00	-43.89	-43.89	-39.89	-27.00	-12.89

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92404G	4.00	-43.89	-43.89	-39.89	-27.00	-12.89
5955MHz	Pass	5.885G	7.165G	AV	7.13044G	4.00	-71.43	-71.43	-67.43	-27.00	-40.43
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	4.00	-30.94	-30.94	-26.94	-7.00	-19.94
5955MHz	Pass	5.885G	7.165G	PK	7.12596G	4.00	-60.32	-60.32	-56.32	-7.00	-49.32


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92468G	-26.94	-7.00	-19.94	4.00	-30.94	-30.94
5.885G	7.165G	1M	PK	7.12596G	-56.32	-7.00	-49.32	4.00	-60.32	-60.32

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92404G	-39.89	-27.00	-12.89	4.00	-43.89	-43.89
5.885G	7.165G	1M	AV	7.13044G	-67.43	-27.00	-40.43	4.00	-71.43	-71.43



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Full RU

Appendix E.47

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-57.25	-57.25	-51.25	-41.20	-10.05
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-65.82	-65.82	-59.82	-41.20	-18.62
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-65.98	-65.98	-59.98	-41.20	-18.78
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-66.79	-66.79	-60.79	-41.20	-19.59
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-66.36	-66.36	-60.36	-41.20	-19.16
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-66.62	-66.62	-60.62	-41.20	-19.42
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-66.80	-66.80	-60.80	-41.20	-19.60
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	6.00	-66.99	-66.99	-60.99	-41.20	-19.79

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming Radio 3_Directional Patch_1T1S_Full RU

Appendix E.47

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91756G	6.00	-75.32	-75.32	-69.32	-41.20	-28.12
5955MHz	Pass	1G	40G	AV	17.86628G	6.00	-61.02	-61.02	-55.02	-41.20	-13.82
5955MHz	Pass	1G	40G	PK	11.90538G	6.00	-68.40	-68.40	-62.40	-21.20	-41.20
5955MHz	Pass	1G	40G	PK	17.86141G	6.00	-55.14	-55.14	-49.14	-21.20	-27.94
6195MHz	Pass	1G	40G	AV	12.38191G	6.00	-75.68	-75.68	-69.68	-41.20	-28.48
6195MHz	Pass	1G	40G	AV	18.57681G	6.00	-57.25	-57.25	-51.25	-41.20	-10.05
6195MHz	Pass	1G	40G	PK	12.39288G	6.00	-69.37	-69.37	-63.37	-21.20	-42.17
6195MHz	Pass	1G	40G	PK	18.56706G	6.00	-48.66	-48.66	-42.66	-21.20	-21.46
6415MHz	Pass	1G	40G	AV	12.82066G	6.00	-75.67	-75.67	-69.67	-27.00	-42.67
6415MHz	Pass	1G	40G	AV	39.69166G	6.00	-67.03	-67.03	-61.03	-41.20	-19.83
6415MHz	Pass	1G	40G	PK	12.83894G	6.00	-69.02	-69.02	-63.02	-7.00	-56.02
6415MHz	Pass	1G	40G	PK	39.73066G	6.00	-58.90	-58.90	-52.90	-21.20	-31.70
6535MHz	Pass	1G	40G	AV	13.07294G	6.00	-76.19	-76.19	-70.19	-27.00	-43.19
6535MHz	Pass	1G	40G	AV	39.69288G	6.00	-66.36	-66.36	-60.36	-41.20	-19.16
6535MHz	Pass	1G	40G	PK	13.0705G	6.00	-69.72	-69.72	-63.72	-7.00	-56.72
6535MHz	Pass	1G	40G	PK	39.72213G	6.00	-59.18	-59.18	-53.18	-21.20	-31.98
6695MHz	Pass	1G	40G	AV	13.37641G	6.00	-75.80	-75.80	-69.80	-41.20	-28.60
6695MHz	Pass	1G	40G	AV	39.28825G	6.00	-67.05	-67.05	-61.05	-41.20	-19.85
6695MHz	Pass	1G	40G	PK	13.37275G	6.00	-67.04	-67.04	-61.04	-21.20	-39.84
6695MHz	Pass	1G	40G	PK	39.87081G	6.00	-59.07	-59.07	-53.07	-21.20	-31.87
6855MHz	Pass	1G	40G	AV	13.69572G	6.00	-75.70	-75.70	-69.70	-27.00	-42.70
6855MHz	Pass	1G	40G	AV	39.71725G	6.00	-66.91	-66.91	-60.91	-41.20	-19.71
6855MHz	Pass	1G	40G	PK	13.70303G	6.00	-68.34	-68.34	-62.34	-7.00	-55.34
6855MHz	Pass	1G	40G	PK	38.89581G	6.00	-58.95	-58.95	-52.95	-21.20	-31.75
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.89806G	6.00	-75.45	-75.45	-69.45	-41.20	-28.25
5965MHz	Pass	1G	40G	AV	39.72091G	6.00	-67.07	-67.07	-61.07	-41.20	-19.87
5965MHz	Pass	1G	40G	PK	11.9005G	6.00	-68.72	-68.72	-62.72	-21.20	-41.52
5965MHz	Pass	1G	40G	PK	39.32116G	6.00	-59.13	-59.13	-53.13	-21.20	-31.93
6205MHz	Pass	1G	40G	AV	12.43675G	6.00	-75.75	-75.75	-69.75	-41.20	-28.55
6205MHz	Pass	1G	40G	AV	39.70384G	6.00	-65.82	-65.82	-59.82	-41.20	-18.62
6205MHz	Pass	1G	40G	PK	12.41116G	6.00	-68.27	-68.27	-62.27	-21.20	-41.07
6205MHz	Pass	1G	40G	PK	39.36138G	6.00	-59.10	-59.10	-53.10	-21.20	-31.90
6405MHz	Pass	1G	40G	AV	12.83772G	6.00	-76.02	-76.02	-70.02	-27.00	-43.02
6405MHz	Pass	1G	40G	AV	39.69531G	6.00	-66.87	-66.87	-60.87	-41.20	-19.67
6405MHz	Pass	1G	40G	PK	12.78775G	6.00	-68.26	-68.26	-62.26	-7.00	-55.26
6405MHz	Pass	1G	40G	PK	39.36625G	6.00	-58.98	-58.98	-52.98	-21.20	-31.78
6565MHz	Pass	1G	40G	AV	13.15338G	6.00	-75.82	-75.82	-69.82	-27.00	-42.82
6565MHz	Pass	1G	40G	AV	39.39063G	6.00	-67.05	-67.05	-61.05	-41.20	-19.85
6565MHz	Pass	1G	40G	PK	13.13753G	6.00	-68.32	-68.32	-62.32	-7.00	-55.32
6565MHz	Pass	1G	40G	PK	39.376G	6.00	-59.44	-59.44	-53.44	-21.20	-32.24
6685MHz	Pass	1G	40G	AV	13.33984G	6.00	-75.33	-75.33	-69.33	-41.20	-28.13
6685MHz	Pass	1G	40G	AV	39.73066G	6.00	-66.98	-66.98	-60.98	-41.20	-19.78
6685MHz	Pass	1G	40G	PK	13.33984G	6.00	-68.01	-68.01	-62.01	-21.20	-40.81
6685MHz	Pass	1G	40G	PK	39.41988G	6.00	-58.82	-58.82	-52.82	-21.20	-31.62
6845MHz	Pass	1G	40G	AV	13.70059G	6.00	-75.52	-75.52	-69.52	-27.00	-42.52
6845MHz	Pass	1G	40G	AV	39.71116G	6.00	-66.62	-66.62	-60.62	-41.20	-19.42
6845MHz	Pass	1G	40G	PK	13.66525G	6.00	-68.23	-68.23	-62.23	-7.00	-55.23
6845MHz	Pass	1G	40G	PK	38.70081G	6.00	-59.35	-59.35	-53.35	-21.20	-32.15
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.90781G	6.00	-74.92	-74.92	-68.92	-41.20	-27.72
5985MHz	Pass	1G	40G	AV	18.00766G	6.00	-65.98	-65.98	-59.98	-41.20	-18.78
5985MHz	Pass	1G	40G	PK	11.99922G	6.00	-68.55	-68.55	-62.55	-21.20	-41.35
5985MHz	Pass	1G	40G	PK	39.80866G	6.00	-58.83	-58.83	-52.83	-21.20	-31.63
6225MHz	Pass	1G	40G	AV	12.50866G	6.00	-75.56	-75.56	-69.56	-41.20	-28.36
6225MHz	Pass	1G	40G	AV	39.72091G	6.00	-66.93	-66.93	-60.93	-41.20	-19.73
6225MHz	Pass	1G	40G	PK	12.40384G	6.00	-68.00	-68.00	-62.00	-21.20	-40.80
6225MHz	Pass	1G	40G	PK	39.6295G	6.00	-58.82	-58.82	-52.82	-21.20	-31.62
6385MHz	Pass	1G	40G	AV	12.69756G	6.00	-76.27	-76.27	-70.27	-41.20	-29.07
6385MHz	Pass	1G	40G	AV	39.89153G	6.00	-66.61	-66.61	-60.61	-41.20	-19.41
6385MHz	Pass	1G	40G	PK	12.7G	6.00	-70.52	-70.52	-64.52	-21.20	-43.32
6385MHz	Pass	1G	40G	PK	39.68556G	6.00	-58.81	-58.81	-52.81	-21.20	-31.61
6625MHz	Pass	1G	40G	AV	13.2655G	6.00	-75.17	-75.17	-69.17	-41.20	-27.97
6625MHz	Pass	1G	40G	AV	39.67581G	6.00	-67.16	-67.16	-61.16	-41.20	-19.96
6625MHz	Pass	1G	40G	PK	13.29353G	6.00	-67.20	-67.20	-61.20	-21.20	-40.00
6625MHz	Pass	1G	40G	PK	39.37722G	6.00	-59.34	-59.34	-53.34	-21.20	-32.14
6705MHz	Pass	1G	40G	AV	13.35447G	6.00	-75.45	-75.45	-69.45	-41.20	-28.25
6705MHz	Pass	1G	40G	AV	39.72213G	6.00	-66.80	-66.80	-60.80	-41.20	-19.60



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Full RU

Appendix E.47

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.33984G	6.00	-67.85	-67.85	-61.85	-21.20	-40.65
6705MHz	Pass	1G	40G	PK	39.60756G	6.00	-59.23	-59.23	-53.23	-21.20	-32.03
6785MHz	Pass	1G	40G	AV	13.52997G	6.00	-75.71	-75.71	-69.71	-27.00	-42.71
6785MHz	Pass	1G	40G	AV	39.74772G	6.00	-66.80	-66.80	-60.80	-41.20	-19.60
6785MHz	Pass	1G	40G	PK	13.60431G	6.00	-68.13	-68.13	-62.13	-7.00	-55.13
6785MHz	Pass	1G	40G	PK	39.47716G	6.00	-58.33	-58.33	-52.33	-21.20	-31.13
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.92244G	6.00	-74.61	-74.61	-68.61	-41.20	-27.41
6025MHz	Pass	1G	40G	AV	39.688G	6.00	-66.79	-66.79	-60.79	-41.20	-19.59
6025MHz	Pass	1G	40G	PK	12.01384G	6.00	-67.53	-67.53	-61.53	-21.20	-40.33
6025MHz	Pass	1G	40G	PK	38.67844G	6.00	-58.38	-58.38	-52.38	-21.20	-31.18
6185MHz	Pass	1G	40G	AV	12.23566G	6.00	-75.07	-75.07	-69.07	-41.20	-27.87
6185MHz	Pass	1G	40G	AV	39.70263G	6.00	-66.98	-66.98	-60.98	-41.20	-19.78
6185MHz	Pass	1G	40G	PK	12.27953G	6.00	-68.06	-68.06	-62.06	-21.20	-40.86
6185MHz	Pass	1G	40G	PK	39.649G	6.00	-59.00	-59.00	-53.00	-21.20	-31.80
6345MHz	Pass	1G	40G	AV	12.67563G	6.00	-74.68	-74.68	-68.68	-41.20	-27.48
6345MHz	Pass	1G	40G	AV	39.68313G	6.00	-67.10	-67.10	-61.10	-41.20	-19.90
6345MHz	Pass	1G	40G	PK	12.62444G	6.00	-67.17	-67.17	-61.17	-21.20	-39.97
6345MHz	Pass	1G	40G	PK	39.88544G	6.00	-58.97	-58.97	-52.97	-21.20	-31.77
6665MHz	Pass	1G	40G	AV	13.29231G	6.00	-74.71	-74.71	-68.71	-41.20	-27.51
6665MHz	Pass	1G	40G	AV	39.67947G	6.00	-66.99	-66.99	-60.99	-41.20	-19.79
6665MHz	Pass	1G	40G	PK	13.28134G	6.00	-67.04	-67.04	-61.04	-21.20	-39.84
6665MHz	Pass	1G	40G	PK	39.67459G	6.00	-58.69	-58.69	-52.69	-21.20	-31.49


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6195MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.39288G	-54.37	-21.20	-33.17	6.00	0.00	-60.37	-	-	-60.37
1G	40G	1M	PK	18.56706G	-33.66	-21.20	-12.46	6.00	0.00	-39.66	-	-	-39.66

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6195MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.38191G	-60.68	-41.20	-19.48	6.00	0.00	-66.68	-	-	-66.68
1G	40G	1M	AV	18.57681G	-42.25	-41.20	-1.05	6.00	0.00	-48.25	-	-	-48.25




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6205MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.41116G	-53.27	-21.20	-32.07	6.00	0.00	-59.27	-	-	-59.27
1G	40G	1M	PK	39.36138G	-44.10	-21.20	-22.90	6.00	0.00	-50.10	-	-	-50.10

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6205MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.43675G	-60.75	-41.20	-19.55	6.00	0.00	-66.75	-	-	-66.75
1G	40G	1M	AV	39.70384G	-50.82	-41.20	-9.62	6.00	0.00	-56.82	-	-	-56.82