




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5985MHz

03/07/2025



Limit.PK
ERP.PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.99922G	-53.55	-21.20	-32.35	6.00	0.00	-59.55	-	-	-59.55
1G	40G	1M	PK	39.80866G	-43.83	-21.20	-22.63	6.00	0.00	-49.83	-	-	-49.83

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5985MHz

03/07/2025



Limit.AV
ERP.AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.90781G	-59.92	-41.20	-18.72	6.00	0.00	-65.92	-	-	-65.92
1G	40G	1M	AV	18.00766G	-50.98	-41.20	-9.78	6.00	0.00	-56.98	-	-	-56.98




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6025MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.01384G	-52.53	-21.20	-31.33	6.00	0.00	-58.53	-	-	-58.53
1G	40G	1M	PK	38.67644G	-43.38	-21.20	-22.18	6.00	0.00	-49.38	-	-	-49.38

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6025MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.92244G	-59.61	-41.20	-18.41	6.00	0.00	-65.61	-	-	-65.61
1G	40G	1M	AV	39.688G	-51.79	-41.20	-10.59	6.00	0.00	-57.79	-	-	-57.79




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6535MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.0705G	-54.72	-7.00	-47.72	6.00	0.00	-60.72	-	-	-60.72
1G	40G	1M	PK	39.72213G	-44.18	-21.20	-22.98	6.00	0.00	-50.18	-	-	-50.18

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6535MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.07294G	-61.19	-27.00	-34.19	6.00	0.00	-67.19	-	-	-67.19
1G	40G	1M	AV	39.69288G	-51.36	-41.20	-10.16	6.00	0.00	-57.36	-	-	-57.36




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6845MHz

03/07/2025



Limit:PK
ERP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.66525G	-53.23	-7.00	-46.23	6.00	0.00	-59.23	-	-	-59.23
1G	40G	1M	PK	38.70081G	-44.35	-21.20	-23.15	6.00	0.00	-50.35	-	-	-50.35

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6845MHz

03/07/2025



Limit:AV
ERP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.70059G	-60.52	-27.00	-33.52	6.00	0.00	-66.52	-	-	-66.52
1G	40G	1M	AV	39.71116G	-51.62	-41.20	-10.42	6.00	0.00	-57.62	-	-	-57.62




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6705MHz

03/07/2025




Limit.PK
EIRP.PK
Port 3

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6705MHz

03/07/2025



Limit.AV
EIRP.AV
Port 3




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6665MHz

03/07/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.28134G	-52.04	-21.20	-30.84	6.00	0.00	-58.04	-	-	-58.04
1G	40G	1M	PK	39.67459G	-43.69	-21.20	-22.49	6.00	0.00	-49.69	-	-	-49.69

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6665MHz

03/07/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.28231G	-59.71	-41.20	-18.51	6.00	0.00	-65.71	-	-	-65.71
1G	40G	1M	AV	39.67947G	-51.99	-41.20	-10.79	6.00	0.00	-57.99	-	-	-57.99



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Full RU

Appendix E.48

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	18.58169G	9.01	-73.35	-57.08	-56.98	-47.97	-41.20	-6.77
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70019G	9.01	-67.39	-66.97	-64.16	-55.15	-41.20	-13.95
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71481G	9.01	-67.04	-67.04	-64.03	-55.02	-41.20	-13.82
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70384G	9.01	-66.85	-67.26	-64.04	-55.03	-41.20	-13.83
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.69288G	9.01	-66.89	-67.45	-64.15	-55.14	-41.20	-13.94
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70628G	9.01	-67.28	-67.28	-64.27	-55.26	-41.20	-14.06
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.68678G	9.01	-67.79	-66.54	-64.11	-55.10	-41.20	-13.90
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71116G	9.01	-67.16	-67.30	-64.22	-55.21	-41.20	-14.01

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Full RU

Appendix E.48

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.89563G	9.01	-75.67	-75.67	-72.66	-63.65	-41.20	-22.45
5955MHz	Pass	1G	40G	AV	17.8675G	9.01	-74.05	-60.93	-60.72	-51.71	-41.20	-10.51
5955MHz	Pass	1G	40G	PK	11.91878G	9.01	-67.03	-72.77	-66.00	-56.99	-21.20	-35.79
5955MHz	Pass	1G	40G	PK	17.86263G	9.01	-68.22	-52.63	-52.51	-43.50	-21.20	-22.30
6195MHz	Pass	1G	40G	AV	12.40506G	9.01	-76.46	-76.07	-73.25	-64.24	-41.20	-23.04
6195MHz	Pass	1G	40G	AV	18.58169G	9.01	-73.35	-57.08	-56.98	-47.97	-41.20	-6.77
6195MHz	Pass	1G	40G	PK	12.38556G	9.01	-71.29	-68.06	-66.37	-57.36	-21.20	-36.16
6195MHz	Pass	1G	40G	PK	18.57316G	9.01	-69.50	-50.84	-50.78	-41.77	-21.20	-20.57
6415MHz	Pass	1G	40G	AV	12.8365G	9.01	-76.43	-76.03	-73.22	-64.21	-27.00	-37.21
6415MHz	Pass	1G	40G	AV	39.69653G	9.01	-67.42	-66.33	-63.83	-54.82	-41.20	-13.62
6415MHz	Pass	1G	40G	PK	12.84138G	9.01	-67.94	-72.27	-66.58	-57.57	-7.00	-50.57
6415MHz	Pass	1G	40G	PK	39.75625G	9.01	-62.75	-58.35	-57.00	-47.99	-21.20	-26.79
6535MHz	Pass	1G	40G	AV	13.08391G	9.01	-77.25	-76.34	-73.76	-64.75	-27.00	-37.75
6535MHz	Pass	1G	40G	AV	39.70141G	9.01	-67.11	-67.54	-64.31	-55.30	-41.20	-14.10
6535MHz	Pass	1G	40G	PK	13.07416G	9.01	-69.16	-70.64	-66.83	-57.82	-7.00	-50.82
6535MHz	Pass	1G	40G	PK	39.91834G	9.01	-60.59	-59.37	-56.93	-47.92	-21.20	-26.72
6695MHz	Pass	1G	40G	AV	13.37275G	9.01	-75.77	-76.34	-73.04	-64.03	-41.20	-22.83
6695MHz	Pass	1G	40G	AV	39.73066G	9.01	-67.12	-67.40	-64.25	-55.24	-41.20	-14.04
6695MHz	Pass	1G	40G	PK	13.38006G	9.01	-67.23	-70.51	-65.56	-56.55	-21.20	-35.35
6695MHz	Pass	1G	40G	PK	39.97319G	9.01	-61.18	-59.20	-57.07	-48.06	-21.20	-26.86
6855MHz	Pass	1G	40G	AV	13.72253G	9.01	-76.40	-75.68	-73.01	-64.00	-27.00	-37.00
6855MHz	Pass	1G	40G	AV	39.69288G	9.01	-66.89	-67.45	-64.15	-55.14	-41.20	-13.94
6855MHz	Pass	1G	40G	PK	13.72131G	9.01	-69.96	-69.69	-66.81	-57.80	-7.00	-50.80
6855MHz	Pass	1G	40G	PK	38.96406G	9.01	-62.92	-58.16	-56.91	-47.90	-21.20	-26.70
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.91513G	9.01	-76.31	-74.41	-72.25	-63.24	-41.20	-22.04
5965MHz	Pass	1G	40G	AV	39.69166G	9.01	-67.90	-67.03	-64.43	-55.42	-41.20	-14.22
5965MHz	Pass	1G	40G	PK	11.90172G	9.01	-69.37	-69.18	-66.26	-57.25	-21.20	-36.05
5965MHz	Pass	1G	40G	PK	38.68253G	9.01	-57.91	-63.89	-56.93	-47.92	-21.20	-26.72
6205MHz	Pass	1G	40G	AV	12.44163G	9.01	-76.70	-75.37	-72.97	-63.96	-41.20	-22.76
6205MHz	Pass	1G	40G	AV	39.70019G	9.01	-67.39	-66.97	-64.16	-55.15	-41.20	-13.95
6205MHz	Pass	1G	40G	PK	12.40506G	9.01	-71.86	-68.22	-66.66	-57.65	-21.20	-36.45
6205MHz	Pass	1G	40G	PK	39.69409G	9.01	-61.67	-58.69	-56.92	-47.91	-21.20	-26.71
6405MHz	Pass	1G	40G	AV	12.82675G	9.01	-75.85	-76.45	-73.13	-64.12	-27.00	-37.12
6405MHz	Pass	1G	40G	AV	39.67581G	9.01	-67.30	-67.58	-64.43	-55.42	-41.20	-14.22
6405MHz	Pass	1G	40G	PK	12.817G	9.01	-68.13	-70.37	-66.10	-57.09	-7.00	-50.09
6405MHz	Pass	1G	40G	PK	38.71666G	9.01	-59.33	-61.40	-57.23	-48.22	-21.20	-27.02
6565MHz	Pass	1G	40G	AV	13.13022G	9.01	-75.80	-75.80	-72.79	-63.78	-27.00	-36.78
6565MHz	Pass	1G	40G	AV	39.70263G	9.01	-66.71	-68.16	-64.36	-55.35	-41.20	-14.15
6565MHz	Pass	1G	40G	PK	13.13144G	9.01	-69.09	-68.94	-66.00	-56.99	-7.00	-49.99
6565MHz	Pass	1G	40G	PK	39.79891G	9.01	-59.02	-60.20	-56.56	-47.55	-21.20	-26.35
6685MHz	Pass	1G	40G	AV	13.35203G	9.01	-75.43	-75.43	-72.42	-63.41	-41.20	-22.21
6685MHz	Pass	1G	40G	AV	39.70506G	9.01	-67.27	-67.41	-64.33	-55.32	-41.20	-14.12
6685MHz	Pass	1G	40G	PK	13.363G	9.01	-70.49	-67.38	-65.65	-56.64	-21.20	-35.44
6685MHz	Pass	1G	40G	PK	39.83913G	9.01	-60.54	-59.13	-56.77	-47.76	-21.20	-26.56
6845MHz	Pass	1G	40G	AV	13.67866G	9.01	-75.58	-76.29	-72.91	-63.90	-27.00	-36.90
6845MHz	Pass	1G	40G	AV	39.70628G	9.01	-67.28	-67.28	-64.27	-55.26	-41.20	-14.06
6845MHz	Pass	1G	40G	PK	13.71278G	9.01	-69.52	-68.41	-65.92	-56.91	-7.00	-49.91
6845MHz	Pass	1G	40G	PK	39.96466G	9.01	-58.16	-62.81	-56.88	-47.87	-21.20	-26.67
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.89928G	9.01	-75.84	-75.64	-72.73	-63.72	-41.20	-22.52
5985MHz	Pass	1G	40G	AV	39.69653G	9.01	-67.27	-67.27	-64.26	-55.25	-41.20	-14.05
5985MHz	Pass	1G	40G	PK	11.95169G	9.01	-67.08	-70.35	-65.40	-56.39	-21.20	-35.19
5985MHz	Pass	1G	40G	PK	39.68678G	9.01	-59.12	-60.11	-56.58	-47.57	-21.20	-26.37
6225MHz	Pass	1G	40G	AV	12.49647G	9.01	-75.91	-76.30	-73.09	-64.08	-41.20	-22.88
6225MHz	Pass	1G	40G	AV	39.71481G	9.01	-67.04	-67.04	-64.03	-55.02	-41.20	-13.82
6225MHz	Pass	1G	40G	PK	12.49525G	9.01	-68.75	-68.92	-65.82	-56.81	-21.20	-35.61
6225MHz	Pass	1G	40G	PK	39.70019G	9.01	-59.76	-59.13	-56.42	-47.41	-21.20	-26.21
6385MHz	Pass	1G	40G	AV	12.7G	9.01	-76.09	-75.70	-72.88	-63.87	-41.20	-22.67
6385MHz	Pass	1G	40G	AV	39.71725G	9.01	-67.48	-66.65	-64.03	-55.02	-41.20	-13.82
6385MHz	Pass	1G	40G	PK	12.69756G	9.01	-69.98	-70.08	-67.02	-58.01	-21.20	-36.81
6385MHz	Pass	1G	40G	PK	39.46009G	9.01	-60.23	-60.70	-57.45	-48.44	-21.20	-27.24
6625MHz	Pass	1G	40G	AV	13.31669G	9.01	-75.51	-75.14	-72.31	-63.30	-41.20	-22.10
6625MHz	Pass	1G	40G	AV	39.68678G	9.01	-67.79	-66.54	-64.11	-55.10	-41.20	-13.90
6625MHz	Pass	1G	40G	PK	13.29597G	9.01	-68.26	-69.22	-65.70	-56.69	-21.20	-35.49
6625MHz	Pass	1G	40G	PK	39.70628G	9.01	-58.72	-63.19	-57.39	-48.38	-21.20	-27.18
6705MHz	Pass	1G	40G	AV	13.33863G	9.01	-75.14	-75.32	-72.22	-63.21	-41.20	-22.01
6705MHz	Pass	1G	40G	AV	39.72213G	9.01	-67.79	-66.80	-64.26	-55.25	-41.20	-14.05



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Full RU

Appendix E.48

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.34716G	9.01	-67.99	-70.57	-66.08	-57.07	-21.20	-35.87
6705MHz	Pass	1G	40G	PK	39.43084G	9.01	-62.46	-58.71	-57.18	-48.17	-21.20	-26.97
6785MHz	Pass	1G	40G	AV	13.53972G	9.01	-75.41	-76.29	-72.82	-63.81	-27.00	-36.81
6785MHz	Pass	1G	40G	AV	39.64047G	9.01	-67.74	-67.05	-64.37	-56.36	-41.20	-14.16
6785MHz	Pass	1G	40G	PK	13.57263G	9.01	-66.42	-70.64	-65.03	-56.02	-7.00	-49.02
6785MHz	Pass	1G	40G	PK	39.34797G	9.01	-61.28	-59.80	-57.47	-48.46	-21.20	-27.26
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.15278G	9.01	-75.81	-74.74	-72.23	-63.22	-41.20	-22.02
6025MHz	Pass	1G	40G	AV	39.31506G	9.01	-67.48	-67.06	-64.25	-55.24	-41.20	-14.04
6025MHz	Pass	1G	40G	PK	12.00409G	9.01	-68.17	-70.41	-66.14	-57.13	-21.20	-35.93
6025MHz	Pass	1G	40G	PK	39.94028G	9.01	-63.81	-58.33	-57.25	-48.24	-21.20	-27.04
6185MHz	Pass	1G	40G	AV	12.2515G	9.01	-75.43	-75.24	-72.32	-63.31	-41.20	-22.11
6185MHz	Pass	1G	40G	AV	39.70384G	9.01	-66.85	-67.26	-64.04	-55.03	-41.20	-13.83
6185MHz	Pass	1G	40G	PK	12.29781G	9.01	-69.22	-67.65	-65.35	-56.34	-21.20	-35.14
6185MHz	Pass	1G	40G	PK	38.84828G	9.01	-60.23	-60.66	-57.43	-48.42	-21.20	-27.22
6345MHz	Pass	1G	40G	AV	12.57813G	9.01	-74.86	-75.45	-72.13	-63.12	-41.20	-21.92
6345MHz	Pass	1G	40G	AV	39.70141G	9.01	-66.84	-67.54	-64.17	-55.16	-41.20	-13.96
6345MHz	Pass	1G	40G	PK	12.68659G	9.01	-66.23	-71.26	-65.04	-56.03	-21.20	-34.83
6345MHz	Pass	1G	40G	PK	39.94272G	9.01	-58.69	-62.32	-57.13	-48.12	-21.20	-26.92
6665MHz	Pass	1G	40G	AV	13.30572G	9.01	-74.52	-75.80	-72.10	-63.09	-41.20	-21.89
6665MHz	Pass	1G	40G	AV	39.71116G	9.01	-67.16	-67.30	-64.22	-55.21	-41.20	-14.01
6665MHz	Pass	1G	40G	PK	13.25453G	9.01	-67.61	-68.14	-64.86	-55.85	-21.20	-34.65
6665MHz	Pass	1G	40G	PK	39.73309G	9.01	-61.36	-59.13	-57.09	-48.08	-21.20	-26.88


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6195MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.38556G	-57.36	-21.20	-36.16	9.01	-66.37	-	-71.29	-68.06
1G	40G	1M	PK	18.57316G	-41.77	-21.20	-20.57	9.01	-50.78	-	-69.50	-50.84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6195MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.40506G	-64.24	-41.20	-23.04	9.01	-73.25	-	-76.46	-76.07
1G	40G	1M	AV	18.58169G	-47.97	-41.20	-6.77	9.01	-56.98	-	-73.35	-57.08




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6205MHz

18/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.40506G	-57.65	-21.20	-36.45	9.01	-66.66	-	-71.86	-68.22
1G	40G	1M	PK	39.69409G	-47.91	-21.20	-26.71	9.01	-56.92	-	-61.67	-58.69

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6205MHz

18/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 2
Port 3



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.44163G	-63.96	-41.20	-22.76	9.01	-72.97	-	-76.70	-75.37
1G	40G	1M	AV	39.70019G	-55.15	-41.20	-13.95	9.01	-64.16	-	-67.39	-66.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6225MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.49525G	-56.81	-21.20	-35.61	9.01	-65.82	-	-68.75	-68.92
1G	40G	1M	PK	39.70019G	-47.41	-21.20	-26.21	9.01	-56.42	-	-59.76	-59.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6225MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.49647G	-64.08	-41.20	-22.88	9.01	-73.09	-	-75.91	-76.30
1G	40G	1M	AV	39.71481G	-55.02	-41.20	-13.82	9.01	-64.03	-	-67.04	-67.04





5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6185MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.29781G	-56.34	-21.20	-35.14	9.01	-65.35	-	-69.22	-67.65
1G	40G	1M	PK	38.84828G	-48.42	-21.20	-27.22	9.01	-57.43	-	-60.23	-60.66

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6185MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.2515G	-63.31	-41.20	-22.11	9.01	-72.32	-	-75.43	-75.24
1G	40G	1M	AV	39.70384G	-55.03	-41.20	-13.83	9.01	-64.04	-	-66.85	-67.26

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6855MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.72131G	-57.80	-7.00	-50.80	9.01	-66.81	-	-69.96	-69.69
1G	40G	1M	PK	38.96406G	-47.90	-21.20	-26.70	9.01	-56.91	-	-62.92	-58.16

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6855MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.72253G	-64.00	-27.00	-37.00	9.01	-73.01	-	-76.40	-75.68
1G	40G	1M	AV	39.69288G	-55.14	-41.20	-13.94	9.01	-64.15	-	-66.89	-67.45

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6845MHz

18/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.71278G	-56.91	-7.00	-49.91	9.01	-65.92	-	-69.52	-68.41
1G	40G	1M	PK	39.96466G	-47.87	-21.20	-26.67	9.01	-56.88	-	-58.16	-62.81

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6845MHz

18/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 2
Port 3



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.67866G	-63.90	-27.00	-36.90	9.01	-72.91	-	-75.58	-76.29
1G	40G	1M	AV	39.70628G	-55.26	-41.20	-14.06	9.01	-64.27	-	-67.28	-67.28

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6625MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.29597G	-56.69	-21.20	-35.49	9.01	-65.70	-	-68.26	-69.22
1G	40G	1M	PK	39.70628G	-48.38	-21.20	-27.18	9.01	-57.39	-	-58.72	-63.19

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6625MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.31669G	-63.30	-41.20	-22.10	9.01	-72.31	-	-75.51	-75.14
1G	40G	1M	AV	39.68678G	-55.10	-41.20	-13.90	9.01	-64.11	-	-67.79	-66.54

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6665MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.25453G	-55.85	-21.20	-34.65	9.01	-64.86	-	-67.61	-68.14
1G	40G	1M	PK	39.73309G	-48.08	-21.20	-26.88	9.01	-57.09	-	-61.36	-59.13

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6665MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.30572G	-63.09	-41.20	-21.89	9.01	-72.10	-	-74.52	-75.80
1G	40G	1M	AV	39.71116G	-55.21	-41.20	-14.01	9.01	-64.22	-	-67.16	-67.30



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Full RU

Appendix E.49

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70019G	12.02	-67.22	-67.36	-67.22	-66.81	-61.13	-49.11	-41.20	-7.91
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70994G	12.02	-67.56	-66.34	-67.56	-68.00	-61.30	-49.28	-41.20	-8.08
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70019G	12.02	-66.97	-67.10	-67.68	-67.39	-61.26	-49.24	-41.20	-8.04
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70994G	12.02	-67.58	-67.88	-66.61	-67.15	-61.26	-49.24	-41.20	-8.04
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.71238G	12.02	-67.72	-66.61	-67.72	-67.72	-61.39	-49.37	-41.20	-8.17
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.71481G	12.02	-67.76	-67.04	-67.18	-66.64	-61.12	-49.10	-41.20	-7.90
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70263G	12.02	-67.85	-67.12	-67.12	-67.40	-61.34	-49.32	-41.20	-8.12
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.71969G	12.02	-67.63	-67.20	-67.78	-67.34	-61.46	-49.44	-41.20	-8.24

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Full RU

Appendix E.49

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.92244G	12.02	-76.25	-76.25	-75.65	-75.46	-69.87	-57.85	-41.20	-16.65
5955MHz	Pass	1G	40G	AV	39.70019G	12.02	-67.22	-67.36	-67.22	-66.81	-61.13	-49.11	-41.20	-7.91
5955MHz	Pass	1G	40G	PK	11.91634G	12.02	-68.30	-71.70	-68.38	-70.55	-63.48	-51.46	-21.20	-30.26
5955MHz	Pass	1G	40G	PK	39.33334G	12.02	-61.86	-61.79	-59.78	-59.00	-54.41	-42.39	-21.20	-21.19
6195MHz	Pass	1G	40G	AV	12.39409G	12.02	-76.99	-76.01	-76.99	-76.39	-70.55	-58.53	-41.20	-17.33
6195MHz	Pass	1G	40G	AV	39.71969G	12.02	-67.18	-67.90	-67.46	-67.18	-61.40	-49.38	-41.20	-8.18
6195MHz	Pass	1G	40G	PK	12.40384G	12.02	-71.64	-71.00	-69.06	-69.48	-64.15	-52.13	-21.20	-30.93
6195MHz	Pass	1G	40G	PK	39.66363G	12.02	-62.19	-63.15	-60.06	-58.90	-54.73	-42.71	-21.20	-21.51
6415MHz	Pass	1G	40G	AV	12.8365G	12.02	-76.76	-76.34	-75.76	-76.76	-70.36	-58.34	-27.00	-31.34
6415MHz	Pass	1G	40G	AV	39.727G	12.02	-67.79	-67.22	-67.22	-68.24	-61.58	-49.56	-41.20	-8.36
6415MHz	Pass	1G	40G	PK	12.83284G	12.02	-69.59	-70.78	-69.14	-69.88	-63.79	-51.77	-7.00	-44.77
6415MHz	Pass	1G	40G	PK	39.68434G	12.02	-60.13	-60.44	-62.02	-61.44	-54.92	-42.90	-21.20	-21.70
6535MHz	Pass	1G	40G	AV	13.07294G	12.02	-77.21	-76.84	-77.40	-76.31	-70.90	-58.88	-27.00	-31.88
6535MHz	Pass	1G	40G	AV	39.70019G	12.02	-67.65	-68.11	-67.08	-67.22	-61.48	-49.46	-41.20	-8.26
6535MHz	Pass	1G	40G	PK	13.07294G	12.02	-73.11	-71.91	-68.91	-69.59	-64.54	-52.52	-7.00	-45.52
6535MHz	Pass	1G	40G	PK	39.70506G	12.02	-62.15	-63.13	-58.63	-61.40	-54.96	-42.94	-21.20	-21.74
6695MHz	Pass	1G	40G	AV	13.39469G	12.02	-76.63	-76.43	-76.43	-75.01	-70.05	-58.03	-41.20	-16.83
6695MHz	Pass	1G	40G	AV	39.7116G	12.02	-67.71	-67.71	-67.71	-67.14	-61.54	-49.52	-41.20	-8.32
6695MHz	Pass	1G	40G	PK	13.39103G	12.02	-69.68	-68.29	-71.66	-69.25	-63.54	-51.52	-21.20	-30.32
6695MHz	Pass	1G	40G	PK	39.66119G	12.02	-60.44	-60.19	-63.87	-58.61	-54.38	-42.36	-21.20	-21.16
6855MHz	Pass	1G	40G	AV	13.69816G	12.02	-75.64	-76.16	-76.16	-75.99	-69.96	-57.94	-27.00	-30.94
6855MHz	Pass	1G	40G	AV	39.71238G	12.02	-67.72	-66.61	-67.72	-67.72	-61.39	-49.37	-41.20	-8.17
6855MHz	Pass	1G	40G	PK	13.72619G	12.02	-72.42	-71.12	-68.98	-69.14	-64.17	-52.15	-7.00	-45.15
6855MHz	Pass	1G	40G	PK	39.93784G	12.02	-58.76	-61.17	-62.44	-61.53	-54.73	-42.71	-21.20	-21.51
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.93584G	12.02	-75.89	-75.89	-75.69	-75.89	-69.82	-57.80	-41.20	-16.60
5965MHz	Pass	1G	40G	AV	39.70994G	12.02	-67.56	-66.34	-67.56	-68.00	-61.30	-49.28	-41.20	-8.08
5965MHz	Pass	1G	40G	PK	11.92853G	12.02	-70.93	-68.27	-69.31	-69.98	-63.49	-51.47	-21.20	-30.27
5965MHz	Pass	1G	40G	PK	39.31506G	12.02	-59.53	-62.43	-60.80	-60.17	-54.59	-42.57	-21.20	-21.37
6205MHz	Pass	1G	40G	AV	12.44528G	12.02	-75.90	-76.90	-76.09	-76.48	-70.31	-58.29	-41.20	-17.09
6205MHz	Pass	1G	40G	AV	39.75016G	12.02	-67.64	-66.94	-66.81	-68.40	-61.38	-49.36	-41.20	-8.16
6205MHz	Pass	1G	40G	PK	12.42091G	12.02	-72.77	-69.83	-70.60	-68.00	-63.95	-51.93	-21.20	-30.73
6205MHz	Pass	1G	40G	PK	39.68191G	12.02	-59.38	-60.27	-61.70	-62.00	-54.68	-42.66	-21.20	-21.46
6405MHz	Pass	1G	40G	AV	12.82068G	12.02	-76.66	-75.67	-76.25	-76.25	-70.17	-58.15	-27.00	-31.15
6405MHz	Pass	1G	40G	AV	39.69288G	12.02	-67.02	-67.59	-67.30	-67.45	-61.31	-49.29	-41.20	-8.09
6405MHz	Pass	1G	40G	PK	12.79994G	12.02	-68.32	-71.84	-71.04	-69.90	-64.05	-52.03	-7.00	-45.03
6405MHz	Pass	1G	40G	PK	39.70628G	12.02	-60.74	-59.67	-62.35	-61.29	-54.88	-42.86	-21.20	-21.66
6565MHz	Pass	1G	40G	AV	13.15338G	12.02	-76.35	-76.35	-75.65	-75.99	-70.05	-58.03	-27.00	-31.03
6565MHz	Pass	1G	40G	AV	39.7075G	12.02	-66.87	-67.28	-67.43	-67.28	-61.19	-49.17	-41.20	-7.97
6565MHz	Pass	1G	40G	PK	13.14484G	12.02	-69.02	-70.35	-69.74	-70.08	-63.75	-51.73	-7.00	-44.73
6565MHz	Pass	1G	40G	PK	38.95431G	12.02	-59.48	-62.05	-63.44	-60.26	-55.02	-43.00	-21.20	-21.80
6685MHz	Pass	1G	40G	AV	13.34106G	12.02	-75.71	-75.90	-74.99	-75.90	-69.59	-57.57	-41.20	-16.37
6685MHz	Pass	1G	40G	AV	39.71481G	12.02	-67.76	-67.04	-67.18	-66.64	-61.12	-49.10	-41.20	-7.90
6685MHz	Pass	1G	40G	PK	13.35447G	12.02	-70.94	-68.05	-66.90	-71.50	-62.91	-50.89	-21.20	-29.69
6685MHz	Pass	1G	40G	PK	38.93725G	12.02	-62.38	-61.75	-64.64	-58.53	-55.24	-43.22	-21.20	-22.02
6845MHz	Pass	1G	40G	AV	13.72253G	12.02	-75.50	-76.03	-76.79	-76.03	-70.04	-58.02	-27.00	-31.02
6845MHz	Pass	1G	40G	AV	39.70019G	12.02	-67.25	-67.68	-66.97	-67.68	-61.36	-49.34	-41.20	-8.14
6845MHz	Pass	1G	40G	PK	13.71888G	12.02	-70.90	-69.69	-69.96	-68.26	-63.58	-51.56	-7.00	-44.56
6845MHz	Pass	1G	40G	PK	39.75381G	12.02	-60.20	-61.74	-61.67	-61.04	-55.10	-43.08	-21.20	-21.88
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.91269G	12.02	-76.21	-76.21	-75.80	-75.42	-69.88	-57.86	-41.20	-16.66
5985MHz	Pass	1G	40G	AV	39.71359G	12.02	-67.02	-67.58	-68.17	-67.58	-61.55	-49.53	-41.20	-8.33
5985MHz	Pass	1G	40G	PK	11.93219G	12.02	-67.27	-69.79	-70.29	-70.09	-63.15	-51.13	-21.20	-29.93
5985MHz	Pass	1G	40G	PK	39.70994G	12.02	-61.65	-57.95	-62.49	-61.65	-54.52	-42.50	-21.20	-21.30
6225MHz	Pass	1G	40G	AV	12.51841G	12.02	-75.99	-76.20	-75.41	-75.99	-69.87	-57.85	-41.20	-16.65
6225MHz	Pass	1G	40G	AV	39.70019G	12.02	-66.97	-67.10	-67.68	-67.39	-61.26	-49.24	-41.20	-8.04
6225MHz	Pass	1G	40G	PK	12.42822G	12.02	-71.76	-73.70	-66.79	-70.18	-63.82	-51.80	-21.20	-30.60
6225MHz	Pass	1G	40G	PK	39.68191G	12.02	-60.86	-62.96	-59.56	-61.77	-55.09	-43.07	-21.20	-21.87
6385MHz	Pass	1G	40G	AV	12.69878G	12.02	-76.29	-75.69	-76.29	-76.29	-70.11	-58.09	-41.20	-16.89
6385MHz	Pass	1G	40G	AV	39.69409G	12.02	-67.01	-68.19	-67.15	-67.44	-61.40	-49.38	-41.20	-8.18
6385MHz	Pass	1G	40G	PK	12.69878G	12.02	-70.51	-70.41	-74.14	-68.12	-64.29	-52.27	-21.20	-31.07
6385MHz	Pass	1G	40G	PK	39.65266G	12.02	-60.96	-61.43	-58.61	-63.46	-54.75	-42.73	-21.20	-21.53
6625MHz	Pass	1G	40G	AV	13.30816G	12.02	-76.02	-74.88	-75.82	-74.88	-69.35	-57.33	-41.20	-16.13
6625MHz	Pass	1G	40G	AV	39.70263G	12.02	-67.85	-67.12	-67.12	-67.40	-61.34	-49.32	-41.20	-8.12
6625MHz	Pass	1G	40G	PK	13.29597G	12.02	-70.84	-67.39	-68.77	-69.60	-62.95	-50.93	-21.20	-29.73
6625MHz	Pass	1G	40G	PK	39.91956G	12.02	-57.25	-61.20	-60.66	-65.16	-54.20	-42.18	-21.20	-20.98
6705MHz	Pass	1G	40G	AV	13.33863G	12.02	-75.32	-76.28	-75.14	-75.69	-69.57	-57.55	-41.20	-16.35
6705MHz	Pass	1G	40G	AV	39.69531G	12.02	-67.00	-67.43	-67.43	-68.03	-61.44	-49.42	-41.20	-8.22



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_4T1S_Full RU

Appendix E.49

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.36422G	12.02	-70.00	-70.80	-67.60	-68.20	-62.94	-50.92	-21.20	-29.72
6705MHz	Pass	1G	40G	PK	39.74284G	12.02	-62.14	-58.65	-62.86	-61.40	-54.92	-42.90	-21.20	-21.70
6785MHz	Pass	1G	40G	AV	13.51413G	12.02	-76.77	-75.48	-75.48	-76.19	-69.93	-57.91	-27.00	-30.91
6785MHz	Pass	1G	40G	AV	39.69409G	12.02	-67.44	-67.58	-67.15	-67.58	-61.41	-49.39	-41.20	-8.19
6785MHz	Pass	1G	40G	PK	13.59334G	12.02	-69.34	-69.18	-69.42	-70.11	-63.48	-51.46	-7.00	-44.46
6785MHz	Pass	1G	40G	PK	39.72213G	12.02	-61.37	-60.95	-63.19	-58.24	-54.54	-42.52	-21.20	-21.32
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.19178G	12.02	-76.45	-75.47	-75.66	-75.85	-69.82	-57.80	-41.20	-16.60
6025MHz	Pass	1G	40G	AV	39.70141G	12.02	-67.96	-67.66	-67.23	-67.81	-61.64	-49.62	-41.20	-8.42
6025MHz	Pass	1G	40G	PK	11.92366G	12.02	-71.85	-71.02	-70.27	-66.81	-63.50	-51.48	-21.20	-30.28
6025MHz	Pass	1G	40G	PK	39.35528G	12.02	-62.89	-61.23	-58.96	-61.51	-54.89	-42.87	-21.20	-21.67
6185MHz	Pass	1G	40G	AV	12.22591G	12.02	-75.08	-76.04	-76.04	-75.45	-69.61	-57.59	-41.20	-16.39
6185MHz	Pass	1G	40G	AV	39.69897G	12.02	-67.84	-67.11	-68.00	-66.44	-61.28	-49.26	-41.20	-8.06
6185MHz	Pass	1G	40G	PK	12.23931G	12.02	-72.34	-67.22	-68.14	-69.74	-62.94	-50.92	-21.20	-29.72
6185MHz	Pass	1G	40G	PK	39.72091G	12.02	-62.19	-59.99	-59.51	-61.88	-54.72	-42.70	-21.20	-21.50
6345MHz	Pass	1G	40G	AV	12.60616G	12.02	-75.02	-74.83	-76.04	-75.21	-69.23	-57.21	-41.20	-16.01
6345MHz	Pass	1G	40G	AV	39.70994G	12.02	-67.58	-67.88	-66.61	-67.15	-61.26	-49.24	-41.20	-8.04
6345MHz	Pass	1G	40G	PK	12.66222G	12.02	-69.87	-68.80	-68.19	-67.85	-62.59	-50.57	-21.20	-29.37
6345MHz	Pass	1G	40G	PK	39.72334G	12.02	-58.55	-61.45	-60.12	-62.36	-54.36	-42.34	-21.20	-21.14
6665MHz	Pass	1G	40G	AV	13.31059G	12.02	-76.04	-75.45	-74.73	-74.91	-69.23	-57.21	-41.20	-16.01
6665MHz	Pass	1G	40G	AV	39.71969G	12.02	-67.63	-67.20	-67.78	-67.34	-61.46	-49.44	-41.20	-8.24
6665MHz	Pass	1G	40G	PK	13.32156G	12.02	-67.33	-69.66	-71.69	-68.25	-62.92	-50.90	-21.20	-29.70
6665MHz	Pass	1G	40G	PK	39.70263G	12.02	-59.77	-63.18	-58.55	-63.27	-54.68	-42.66	-21.20	-21.46

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.91634G	-51.46	-21.20	-30.26	12.02	-63.48	-68.30	-71.70	-68.38	-70.55
1G	40G	1M	PK	39.33334G	-42.39	-21.20	-21.19	12.02	-54.41	-61.86	-61.79	-59.78	-59.00

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5955MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.92244G	-57.85	-41.20	-16.65	12.02	-69.87	-76.25	-76.25	-75.65	-75.46
1G	40G	1M	AV	39.70019G	-49.11	-41.20	-7.91	12.02	-61.13	-67.22	-67.36	-67.22	-66.81

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.92853G	-51.47	-21.20	-30.27	12.02	-63.49	-70.93	-68.27	-69.31	-69.98
1G	40G	1M	PK	39.31506G	-42.57	-21.20	-21.37	12.02	-54.59	-59.53	-62.43	-60.80	-60.17

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5965MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.93584G	-57.80	-41.20	-16.60	12.02	-69.82	-75.89	-75.89	-75.69	-75.89
1G	40G	1M	AV	39.70994G	-49.28	-41.20	-8.08	12.02	-61.30	-67.56	-66.34	-67.56	-68.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

6225MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.42822G	-51.80	-21.20	-30.60	12.02	-63.82	-71.76	-73.70	-66.79	-70.18
1G	40G	1M	PK	39.68191G	-43.07	-21.20	-21.87	12.02	-55.09	-60.86	-62.96	-59.56	-61.77

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

6225MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.51841G	-57.85	-41.20	-16.65	12.02	-69.87	-75.99	-76.20	-75.41	-75.99
1G	40G	1M	AV	39.70019G	-49.24	-41.20	-8.04	12.02	-61.26	-66.97	-67.10	-67.68	-67.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

6345MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.66222G	-50.57	-21.20	-29.37	12.02	-62.59	-69.87	-68.80	-68.19	-67.85
1G	40G	1M	PK	39.72334G	-42.34	-21.20	-21.14	12.02	-54.36	-58.55	-61.45	-60.12	-62.36

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

6345MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.60616G	-57.21	-41.20	-16.01	12.02	-69.23	-75.02	-74.83	-76.04	-75.21
1G	40G	1M	AV	39.70994G	-49.24	-41.20	-8.04	12.02	-61.26	-67.58	-67.88	-66.61	-67.15

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

6855MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.72619G	-52.15	-7.00	-45.15	12.02	-64.17	-72.42	-71.12	-68.98	-69.14
1G	40G	1M	PK	39.93784G	-42.71	-21.20	-21.51	12.02	-54.73	-58.76	-61.17	-62.44	-61.53

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

6855MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.69816G	-57.94	-27.00	-30.94	12.02	-69.96	-75.64	-76.16	-76.16	-75.99
1G	40G	1M	AV	39.71238G	-49.37	-41.20	-8.17	12.02	-61.39	-67.72	-66.61	-67.72	-67.72

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

6685MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.35447G	-50.89	-21.20	-29.69	12.02	-62.91	-70.94	-68.05	-66.90	-71.50
1G	40G	1M	PK	38.93725G	-43.22	-21.20	-22.02	12.02	-55.24	-62.38	-61.75	-64.64	-58.53

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

6685MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.34106G	-57.57	-41.20	-16.37	12.02	-69.59	-75.71	-75.90	-74.99	-75.90
1G	40G	1M	AV	39.71481G	-49.10	-41.20	-7.90	12.02	-61.12	-67.76	-67.04	-67.18	-66.64

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

6625MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.29597G	-50.93	-21.20	-29.73	12.02	-62.95	-70.84	-67.39	-68.77	-69.60
1G	40G	1M	PK	39.91956G	-42.18	-21.20	-20.98	12.02	-54.20	-57.25	-61.20	-60.66	-65.16

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

6625MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.30816G	-57.33	-41.20	-16.13	12.02	-69.35	-76.02	-74.88	-75.82	-74.88
1G	40G	1M	AV	39.70263G	-49.32	-41.20	-8.12	12.02	-61.34	-67.85	-67.12	-67.12	-67.40

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

6665MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.32156G	-50.90	-21.20	-29.70	12.02	-62.92	-67.33	-69.66	-71.69	-68.25
1G	40G	1M	PK	39.70263G	-42.66	-21.20	-21.46	12.02	-54.68	-59.77	-63.18	-58.55	-63.27

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

6665MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.31059G	-57.21	-41.20	-16.01	12.02	-69.23	-76.04	-75.45	-74.73	-74.91
1G	40G	1M	AV	39.71969G	-49.44	-41.20	-8.24	12.02	-61.46	-67.63	-67.20	-67.78	-67.34



**CSE-Harmonics (Restricted Band)_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Full RU**

Appendix E.50

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P3 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-53.25	-57.25	-57.25	-41.20	-12.05	4.00
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-61.82	-65.82	-65.82	-41.20	-20.62	4.00
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-61.46	-65.46	-65.46	-41.20	-20.26	4.00
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-62.79	-66.79	-66.79	-41.20	-21.59	4.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-62.36	-66.36	-66.36	-41.20	-21.16	4.00
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-62.62	-66.62	-66.62	-41.20	-21.42	4.00
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-62.80	-66.80	-66.80	-41.20	-21.60	4.00
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	Pass	1G	40G	AV	-62.99	-66.99	-66.99	-41.20	-21.79	4.00

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91756G	4.00	-75.32	-71.32	-41.20	-30.12
5955MHz	Pass	1G	40G	AV	17.86628G	4.00	-61.02	-57.02	-41.20	-15.82
5955MHz	Pass	1G	40G	PK	11.90538G	4.00	-68.40	-64.40	-21.20	-43.20
5955MHz	Pass	1G	40G	PK	17.86141G	4.00	-55.14	-51.14	-21.20	-29.94
6195MHz	Pass	1G	40G	AV	12.38191G	4.00	-75.68	-71.68	-41.20	-30.48
6195MHz	Pass	1G	40G	AV	18.57681G	4.00	-57.25	-53.25	-41.20	-12.05
6195MHz	Pass	1G	40G	PK	12.39288G	4.00	-69.37	-65.37	-21.20	-44.17
6195MHz	Pass	1G	40G	PK	18.56706G	4.00	-48.66	-44.66	-21.20	-23.46
6415MHz	Pass	1G	40G	AV	12.82066G	4.00	-75.67	-71.67	-27.00	-44.67
6415MHz	Pass	1G	40G	AV	39.69166G	4.00	-67.03	-63.03	-41.20	-21.83
6415MHz	Pass	1G	40G	PK	12.83894G	4.00	-69.02	-65.02	-7.00	-58.02
6415MHz	Pass	1G	40G	PK	39.73066G	4.00	-58.90	-54.90	-21.20	-33.70
6535MHz	Pass	1G	40G	AV	13.07294G	4.00	-76.19	-72.19	-27.00	-45.19
6535MHz	Pass	1G	40G	AV	39.69288G	4.00	-66.36	-62.36	-41.20	-21.16
6535MHz	Pass	1G	40G	PK	13.0705G	4.00	-69.72	-65.72	-7.00	-58.72
6535MHz	Pass	1G	40G	PK	39.72213G	4.00	-59.18	-55.18	-21.20	-33.98
6695MHz	Pass	1G	40G	AV	13.37641G	4.00	-75.80	-71.80	-41.20	-30.60
6695MHz	Pass	1G	40G	AV	39.28825G	4.00	-67.05	-63.05	-41.20	-21.85
6695MHz	Pass	1G	40G	PK	13.37275G	4.00	-67.04	-63.04	-21.20	-41.84
6695MHz	Pass	1G	40G	PK	39.87081G	4.00	-59.07	-55.07	-21.20	-33.87
6855MHz	Pass	1G	40G	AV	13.69572G	4.00	-75.70	-71.70	-27.00	-44.70
6855MHz	Pass	1G	40G	AV	39.71725G	4.00	-66.91	-62.91	-41.20	-21.71
6855MHz	Pass	1G	40G	PK	13.70303G	4.00	-68.34	-64.34	-7.00	-57.34
6855MHz	Pass	1G	40G	PK	38.89581G	4.00	-58.95	-54.95	-21.20	-33.75
802.11be EHT40_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.96022G	4.00	-75.49	-71.49	-41.20	-30.29
5965MHz	Pass	1G	40G	AV	39.95003G	4.00	-67.10	-63.10	-41.20	-21.90
5965MHz	Pass	1G	40G	PK	11.92366G	4.00	-68.55	-64.55	-21.20	-43.35
5965MHz	Pass	1G	40G	PK	39.90494G	4.00	-59.09	-55.09	-21.20	-33.89
6205MHz	Pass	1G	40G	AV	12.43675G	4.00	-75.75	-71.75	-41.20	-30.55
6205MHz	Pass	1G	40G	AV	39.70384G	4.00	-65.82	-61.82	-41.20	-20.62
6205MHz	Pass	1G	40G	PK	12.41116G	4.00	-68.27	-64.27	-21.20	-43.07
6205MHz	Pass	1G	40G	PK	39.36138G	4.00	-59.10	-55.10	-21.20	-33.90
6405MHz	Pass	1G	40G	AV	12.83772G	4.00	-76.02	-72.02	-27.00	-45.02
6405MHz	Pass	1G	40G	AV	39.69531G	4.00	-66.87	-62.87	-41.20	-21.67
6405MHz	Pass	1G	40G	PK	12.78775G	4.00	-68.26	-64.26	-7.00	-57.26
6405MHz	Pass	1G	40G	PK	39.36625G	4.00	-58.98	-54.98	-21.20	-33.78
6565MHz	Pass	1G	40G	AV	13.15338G	4.00	-75.82	-71.82	-27.00	-44.82
6565MHz	Pass	1G	40G	AV	39.39063G	4.00	-67.05	-63.05	-41.20	-21.85
6565MHz	Pass	1G	40G	PK	13.13753G	4.00	-68.32	-64.32	-7.00	-57.32
6565MHz	Pass	1G	40G	PK	39.376G	4.00	-59.44	-55.44	-21.20	-34.24
6685MHz	Pass	1G	40G	AV	13.33984G	4.00	-75.33	-71.33	-41.20	-30.13
6685MHz	Pass	1G	40G	AV	39.73066G	4.00	-66.98	-62.98	-41.20	-21.78
6685MHz	Pass	1G	40G	PK	13.33984G	4.00	-68.01	-64.01	-21.20	-42.81
6685MHz	Pass	1G	40G	PK	39.41988G	4.00	-58.82	-54.82	-21.20	-33.62
6845MHz	Pass	1G	40G	AV	13.70059G	4.00	-75.52	-71.52	-27.00	-44.52
6845MHz	Pass	1G	40G	AV	39.71116G	4.00	-66.62	-62.62	-41.20	-21.42
6845MHz	Pass	1G	40G	PK	13.66525G	4.00	-68.23	-64.23	-7.00	-57.23
6845MHz	Pass	1G	40G	PK	38.70081G	4.00	-59.35	-55.35	-21.20	-34.15
802.11be EHT80_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.94803G	4.00	-75.43	-71.43	-41.20	-30.23
5985MHz	Pass	1G	40G	AV	18.00766G	4.00	-65.46	-61.46	-41.20	-20.26
5985MHz	Pass	1G	40G	PK	11.91147G	4.00	-67.84	-63.84	-21.20	-42.64
5985MHz	Pass	1G	40G	PK	39.90128G	4.00	-58.40	-54.40	-21.20	-33.20
6225MHz	Pass	1G	40G	AV	12.50866G	4.00	-75.56	-71.56	-41.20	-30.36
6225MHz	Pass	1G	40G	AV	39.72091G	4.00	-66.93	-62.93	-41.20	-21.73
6225MHz	Pass	1G	40G	PK	12.40384G	4.00	-68.00	-64.00	-21.20	-42.80
6225MHz	Pass	1G	40G	PK	39.6295G	4.00	-58.82	-54.82	-21.20	-33.62
6385MHz	Pass	1G	40G	AV	12.69756G	4.00	-76.27	-72.27	-41.20	-31.07
6385MHz	Pass	1G	40G	AV	39.89153G	4.00	-66.61	-62.61	-41.20	-21.41
6385MHz	Pass	1G	40G	PK	12.7G	4.00	-70.52	-66.52	-21.20	-45.32
6385MHz	Pass	1G	40G	PK	39.68556G	4.00	-58.81	-54.81	-21.20	-33.61
6625MHz	Pass	1G	40G	AV	13.2655G	4.00	-75.17	-71.17	-41.20	-29.97
6625MHz	Pass	1G	40G	AV	39.67581G	4.00	-67.16	-63.16	-41.20	-21.96
6625MHz	Pass	1G	40G	PK	13.29353G	4.00	-67.20	-63.20	-21.20	-42.00
6625MHz	Pass	1G	40G	PK	39.37722G	4.00	-59.34	-55.34	-21.20	-34.14
6705MHz	Pass	1G	40G	AV	13.35447G	4.00	-75.45	-71.45	-41.20	-30.25
6705MHz	Pass	1G	40G	AV	39.72213G	4.00	-66.80	-62.80	-41.20	-21.60



**CSE-Harmonics (Restricted Band)_Non-Beamforming_
Radio 3_Omnidirectional_1T1S_Full RU**

Appendix E.50

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.33984G	4.00	-67.85	-63.85	-21.20	-42.65
6705MHz	Pass	1G	40G	PK	39.60756G	4.00	-59.23	-55.23	-21.20	-34.03
6785MHz	Pass	1G	40G	AV	13.52997G	4.00	-75.71	-71.71	-27.00	-44.71
6785MHz	Pass	1G	40G	AV	39.74772G	4.00	-66.80	-62.80	-41.20	-21.60
6785MHz	Pass	1G	40G	PK	13.60431G	4.00	-68.13	-64.13	-7.00	-57.13
6785MHz	Pass	1G	40G	PK	39.47716G	4.00	-58.33	-54.33	-21.20	-33.13
802.11be EHT160_Nss1,(MCS0)_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.92244G	4.00	-74.61	-70.61	-41.20	-29.41
6025MHz	Pass	1G	40G	AV	39.688G	4.00	-66.79	-62.79	-41.20	-21.59
6025MHz	Pass	1G	40G	PK	12.01384G	4.00	-67.53	-63.53	-21.20	-42.33
6025MHz	Pass	1G	40G	PK	38.67644G	4.00	-58.38	-54.38	-21.20	-33.18
6185MHz	Pass	1G	40G	AV	12.23566G	4.00	-75.07	-71.07	-41.20	-29.87
6185MHz	Pass	1G	40G	AV	39.70263G	4.00	-66.98	-62.98	-41.20	-21.78
6185MHz	Pass	1G	40G	PK	12.27953G	4.00	-68.06	-64.06	-21.20	-42.86
6185MHz	Pass	1G	40G	PK	39.649G	4.00	-59.00	-55.00	-21.20	-33.80
6345MHz	Pass	1G	40G	AV	12.67563G	4.00	-74.68	-70.68	-41.20	-29.48
6345MHz	Pass	1G	40G	AV	39.68313G	4.00	-67.10	-63.10	-41.20	-21.90
6345MHz	Pass	1G	40G	PK	12.62444G	4.00	-67.17	-63.17	-21.20	-41.97
6345MHz	Pass	1G	40G	PK	39.88544G	4.00	-58.97	-54.97	-21.20	-33.77
6665MHz	Pass	1G	40G	AV	13.29231G	4.00	-74.71	-70.71	-41.20	-29.51
6665MHz	Pass	1G	40G	AV	39.67947G	4.00	-66.99	-62.99	-41.20	-21.79
6665MHz	Pass	1G	40G	PK	13.28134G	4.00	-67.04	-63.04	-21.20	-41.84
6665MHz	Pass	1G	40G	PK	39.67459G	4.00	-58.69	-54.69	-21.20	-33.49


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6195MHz

19/06/2025



Limit PK
EIRP PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.39288G	-65.37	-21.20	-44.17	4.00	0.00	-69.37	-	-	-69.37
1G	40G	1M	PK	18.56706G	-44.66	-21.20	-23.46	4.00	0.00	-48.66	-	-	-48.66

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6195MHz

19/06/2025



Limit AV
EIRP AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.38191G	-71.68	-41.20	-30.48	4.00	0.00	-75.68	-	-	-75.68
1G	40G	1M	AV	18.57681G	-53.25	-41.20	-12.05	4.00	0.00	-57.25	-	-	-57.25




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6205MHz

19/06/2025



Limit:PK
ERP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.41116G	-64.27	-21.20	-43.07	4.00	0.00	-68.27	-	-	-68.27
1G	40G	1M	PK	39.36138G	-55.10	-21.20	-33.90	4.00	0.00	-59.10	-	-	-59.10

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6205MHz

19/06/2025



Limit:AV
ERP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.43675G	-71.75	-41.20	-30.55	4.00	0.00	-75.75	-	-	-75.75
1G	40G	1M	AV	39.70384G	-61.82	-41.20	-20.62	4.00	0.00	-65.82	-	-	-65.82

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

5985MHz

19/06/2025



Limit:PK
ERP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.91147G	-63.84	-21.20	-42.64	4.00	0.00	-67.84	-	-	-67.84
1G	40G	1M	PK	39.90128G	-54.40	-21.20	-33.20	4.00	0.00	-58.40	-	-	-58.40

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

5985MHz

19/06/2025



Limit:AV
ERP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.94803G	-71.43	-41.20	-30.23	4.00	0.00	-75.43	-	-	-75.43
1G	40G	1M	AV	18.00766G	-61.46	-41.20	-20.26	4.00	0.00	-65.46	-	-	-65.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6025MHz

19/06/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.01384G	-63.53	-21.20	-42.33	4.00	0.00	-67.53	-	-	-67.53
1G	40G	1M	PK	38.67644G	-54.38	-21.20	-33.18	4.00	0.00	-58.38	-	-	-58.38

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6025MHz

19/06/2025



Limit:AV
EIRP:AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.92244G	-70.61	-41.20	-29.41	4.00	0.00	-74.61	-	-	-74.61
1G	40G	1M	AV	39.688G	-62.79	-41.20	-21.59	4.00	0.00	-66.79	-	-	-66.79

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6535MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.0705G	-65.72	-7.00	-58.72	4.00	0.00	-69.72	-	-	-69.72
1G	40G	1M	PK	39.72213G	-55.18	-21.20	-33.98	4.00	0.00	-59.18	-	-	-59.18

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6535MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.07294G	-72.19	-27.00	-45.19	4.00	0.00	-76.19	-	-	-76.19
1G	40G	1M	AV	39.69288G	-62.36	-41.20	-21.16	4.00	0.00	-66.36	-	-	-66.36

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6845MHz

19/06/2025



Limit PK
ERP PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.66525G	-64.23	-7.00	-57.23	4.00	0.00	-68.23	-	-	-68.23
1G	40G	1M	PK	38.70081G	-55.35	-21.20	-34.15	4.00	0.00	-59.35	-	-	-59.35

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6845MHz

19/06/2025



Limit AV
ERP AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.70059G	-71.52	-27.00	-44.52	4.00	0.00	-75.52	-	-	-75.52
1G	40G	1M	AV	39.71116G	-62.62	-41.20	-21.42	4.00	0.00	-66.62	-	-	-66.62




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6705MHz

19/06/2025



Limit PK
EIRP PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.33984G	-63.85	-21.20	-42.65	4.00	0.00	-67.85	-	-	-67.85
1G	40G	1M	PK	39.60756G	-55.23	-21.20	-34.03	4.00	0.00	-59.23	-	-	-59.23

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6705MHz

19/06/2025



Limit AV
EIRP AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.35447G	-71.45	-41.20	-30.25	4.00	0.00	-75.45	-	-	-75.45
1G	40G	1M	AV	39.72213G	-62.80	-41.20	-21.60	4.00	0.00	-66.80	-	-	-66.80

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [PK]

6665MHz

19/06/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.28134G	-63.04	-21.20	-41.84	4.00	0.00	-67.04	-	-	-67.04
1G	40G	1M	PK	39.67459G	-54.69	-21.20	-33.49	4.00	0.00	-58.69	-	-	-58.69

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port3)

CSE [AV]

6665MHz

19/06/2025



Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.29231G	-70.71	-41.20	-29.51	4.00	0.00	-74.71	-	-	-74.71
1G	40G	1M	AV	39.67947G	-62.99	-41.20	-21.79	4.00	0.00	-66.99	-	-	-66.99



**CSE-Harmonics (Restricted Band)_Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Full RU**

Appendix E.51

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	18.58169G	7.01	-73.35	-57.08	-56.98	-49.97	-41.20	-8.77
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70019G	7.01	-67.39	-66.97	-64.16	-57.15	-41.20	-15.95
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71481G	7.01	-67.04	-67.04	-64.03	-57.02	-41.20	-15.82
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70506G	7.01	-66.99	-66.72	-63.84	-56.83	-41.20	-15.63
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.69288G	7.01	-66.89	-67.45	-64.15	-57.14	-41.20	-15.94
802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70628G	7.01	-67.28	-67.28	-64.27	-57.26	-41.20	-16.06
802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.68678G	7.01	-67.79	-66.54	-64.11	-57.10	-41.20	-15.90
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71116G	7.01	-67.16	-67.30	-64.22	-57.21	-41.20	-16.01

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Full RU

Appendix E.51

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCSD)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.89563G	7.01	-75.67	-75.67	-72.66	-65.65	-41.20	-24.45
5955MHz	Pass	1G	40G	AV	17.8675G	7.01	-74.05	-74.05	-60.72	-53.71	-41.20	-12.51
5955MHz	Pass	1G	40G	PK	11.91878G	7.01	-67.03	-67.03	-66.00	-58.99	-21.20	-37.79
5955MHz	Pass	1G	40G	PK	17.86263G	7.01	-68.22	-68.22	-52.51	-45.50	-21.20	-24.30
6195MHz	Pass	1G	40G	AV	12.40506G	7.01	-76.46	-76.46	-73.25	-66.24	-41.20	-25.04
6195MHz	Pass	1G	40G	AV	18.58169G	7.01	-73.35	-73.35	-56.98	-49.97	-41.20	-8.77
6195MHz	Pass	1G	40G	PK	12.38556G	7.01	-71.29	-71.29	-66.37	-59.36	-21.20	-38.16
6195MHz	Pass	1G	40G	PK	18.57316G	7.01	-69.50	-69.50	-50.78	-43.77	-21.20	-22.57
6415MHz	Pass	1G	40G	AV	12.8365G	7.01	-76.43	-76.43	-73.22	-66.21	-27.00	-39.21
6415MHz	Pass	1G	40G	AV	39.69653G	7.01	-67.42	-67.42	-63.83	-56.82	-41.20	-15.62
6415MHz	Pass	1G	40G	PK	12.84138G	7.01	-67.94	-67.94	-66.58	-59.57	-7.00	-52.57
6415MHz	Pass	1G	40G	PK	39.75625G	7.01	-62.75	-62.75	-57.00	-49.99	-21.20	-28.79
6535MHz	Pass	1G	40G	AV	13.08391G	7.01	-77.25	-77.25	-73.76	-66.75	-27.00	-39.75
6535MHz	Pass	1G	40G	AV	39.70141G	7.01	-67.11	-67.11	-64.31	-57.30	-41.20	-16.10
6535MHz	Pass	1G	40G	PK	13.07416G	7.01	-69.16	-69.16	-66.83	-59.82	-7.00	-52.82
6535MHz	Pass	1G	40G	PK	39.91834G	7.01	-60.59	-60.59	-56.93	-49.92	-21.20	-28.72
6695MHz	Pass	1G	40G	AV	13.37275G	7.01	-75.77	-75.77	-73.04	-66.03	-41.20	-24.83
6695MHz	Pass	1G	40G	AV	39.73066G	7.01	-67.12	-67.12	-64.25	-57.24	-41.20	-16.04
6695MHz	Pass	1G	40G	PK	13.38006G	7.01	-67.23	-67.23	-65.56	-58.55	-21.20	-37.35
6695MHz	Pass	1G	40G	PK	39.97319G	7.01	-61.18	-61.18	-57.07	-50.06	-21.20	-28.86
6855MHz	Pass	1G	40G	AV	13.72253G	7.01	-76.40	-76.40	-73.01	-66.00	-27.00	-39.00
6855MHz	Pass	1G	40G	AV	39.69288G	7.01	-66.89	-66.89	-64.15	-57.14	-41.20	-15.94
6855MHz	Pass	1G	40G	PK	13.72131G	7.01	-69.96	-69.96	-66.81	-59.80	-7.00	-52.80
6855MHz	Pass	1G	40G	PK	38.96406G	7.01	-62.92	-62.92	-56.91	-49.90	-21.20	-28.70
802.11be EHT40_Nss1,(MCSD)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.89563G	7.01	-76.07	-76.07	-72.75	-65.74	-41.20	-24.54
5965MHz	Pass	1G	40G	AV	39.33334G	7.01	-67.16	-67.16	-64.22	-57.21	-41.20	-16.01
5965MHz	Pass	1G	40G	PK	11.95534G	7.01	-69.96	-69.96	-66.11	-59.10	-21.20	-37.90
5965MHz	Pass	1G	40G	PK	38.66791G	7.01	-59.73	-59.73	-56.53	-49.52	-21.20	-28.32
6205MHz	Pass	1G	40G	AV	12.44163G	7.01	-76.70	-76.70	-72.97	-65.96	-41.20	-24.76
6205MHz	Pass	1G	40G	AV	39.70019G	7.01	-67.39	-67.39	-64.16	-57.15	-41.20	-15.95
6205MHz	Pass	1G	40G	PK	12.40506G	7.01	-71.86	-71.86	-66.66	-59.65	-21.20	-38.45
6205MHz	Pass	1G	40G	PK	39.69409G	7.01	-61.67	-61.67	-56.92	-49.91	-21.20	-28.71
6405MHz	Pass	1G	40G	AV	12.82675G	7.01	-75.85	-75.85	-73.13	-66.12	-27.00	-39.12
6405MHz	Pass	1G	40G	AV	39.67581G	7.01	-67.30	-67.30	-64.43	-57.42	-41.20	-16.22
6405MHz	Pass	1G	40G	PK	12.817G	7.01	-68.13	-68.13	-66.10	-59.09	-7.00	-52.09
6405MHz	Pass	1G	40G	PK	38.71666G	7.01	-59.33	-59.33	-57.23	-50.22	-21.20	-29.02
6565MHz	Pass	1G	40G	AV	13.13022G	7.01	-75.80	-75.80	-72.79	-65.78	-27.00	-38.78
6565MHz	Pass	1G	40G	AV	39.70263G	7.01	-66.71	-66.71	-64.36	-57.35	-41.20	-16.15
6565MHz	Pass	1G	40G	PK	13.13144G	7.01	-69.09	-69.09	-66.00	-58.99	-7.00	-51.99
6565MHz	Pass	1G	40G	PK	39.79891G	7.01	-59.02	-59.02	-56.56	-49.55	-21.20	-28.35
6685MHz	Pass	1G	40G	AV	13.35203G	7.01	-75.43	-75.43	-72.42	-65.41	-41.20	-24.21
6685MHz	Pass	1G	40G	AV	39.70506G	7.01	-67.27	-67.27	-64.33	-57.32	-41.20	-16.12
6685MHz	Pass	1G	40G	PK	13.363G	7.01	-70.49	-70.49	-65.65	-58.64	-21.20	-37.44
6685MHz	Pass	1G	40G	PK	39.83913G	7.01	-60.54	-60.54	-56.77	-49.76	-21.20	-28.56
6845MHz	Pass	1G	40G	AV	13.67866G	7.01	-75.58	-75.58	-72.91	-65.90	-27.00	-38.90
6845MHz	Pass	1G	40G	AV	39.70628G	7.01	-67.28	-67.28	-64.27	-57.26	-41.20	-16.06
6845MHz	Pass	1G	40G	PK	13.71278G	7.01	-69.52	-69.52	-65.92	-58.91	-7.00	-51.91
6845MHz	Pass	1G	40G	PK	39.96466G	7.01	-58.16	-58.16	-56.88	-49.87	-21.20	-28.67
802.11be EHT80_Nss1,(MCSD)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.90294G	7.01	-75.46	-75.46	-72.64	-65.63	-41.20	-24.43
5985MHz	Pass	1G	40G	AV	39.68678G	7.01	-67.50	-67.50	-64.34	-57.33	-41.20	-16.13
5985MHz	Pass	1G	40G	PK	11.98947G	7.01	-67.27	-67.27	-65.56	-58.55	-21.20	-37.35
5985MHz	Pass	1G	40G	PK	39.42475G	7.01	-62.74	-62.74	-57.64	-50.63	-21.20	-29.43
6225MHz	Pass	1G	40G	AV	12.49647G	7.01	-75.91	-75.91	-73.09	-66.08	-41.20	-24.88
6225MHz	Pass	1G	40G	AV	39.71481G	7.01	-67.04	-67.04	-64.03	-57.02	-41.20	-15.82
6225MHz	Pass	1G	40G	PK	12.49525G	7.01	-68.75	-68.75	-65.82	-58.81	-21.20	-37.61
6225MHz	Pass	1G	40G	PK	39.70019G	7.01	-59.76	-59.76	-56.42	-49.41	-21.20	-28.21
6385MHz	Pass	1G	40G	AV	12.7G	7.01	-76.09	-76.09	-72.88	-65.87	-41.20	-24.67
6385MHz	Pass	1G	40G	AV	39.71725G	7.01	-67.48	-67.48	-64.03	-57.02	-41.20	-15.82
6385MHz	Pass	1G	40G	PK	12.69756G	7.01	-69.98	-69.98	-67.02	-60.01	-21.20	-38.81
6385MHz	Pass	1G	40G	PK	39.46009G	7.01	-60.23	-60.23	-57.45	-50.44	-21.20	-29.24
6625MHz	Pass	1G	40G	AV	13.31669G	7.01	-75.51	-75.51	-72.31	-65.30	-41.20	-24.10
6625MHz	Pass	1G	40G	AV	39.68678G	7.01	-67.79	-67.79	-64.11	-57.10	-41.20	-15.90
6625MHz	Pass	1G	40G	PK	13.29597G	7.01	-68.26	-68.26	-65.70	-58.69	-21.20	-37.49
6625MHz	Pass	1G	40G	PK	39.70628G	7.01	-58.72	-58.72	-57.39	-50.38	-21.20	-29.18
6705MHz	Pass	1G	40G	AV	13.33863G	7.01	-75.14	-75.14	-72.22	-65.21	-41.20	-24.01
6705MHz	Pass	1G	40G	AV	39.72213G	7.01	-67.79	-67.79	-64.26	-57.25	-41.20	-16.05



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Full RU

Appendix E.51

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.34716G	7.01	-67.99	-67.99	-66.08	-59.07	-21.20	-37.87
6705MHz	Pass	1G	40G	PK	39.43084G	7.01	-62.46	-62.46	-57.18	-50.17	-21.20	-28.97
6785MHz	Pass	1G	40G	AV	13.53972G	7.01	-75.41	-75.41	-72.82	-65.81	-27.00	-38.81
6785MHz	Pass	1G	40G	AV	39.64047G	7.01	-67.74	-67.74	-64.37	-57.36	-41.20	-16.16
6785MHz	Pass	1G	40G	PK	13.57263G	7.01	-66.42	-66.42	-65.03	-58.02	-7.00	-51.02
6785MHz	Pass	1G	40G	PK	39.34797G	7.01	-61.28	-61.28	-57.47	-50.46	-21.20	-29.26
802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.92G	7.01	-75.71	-75.71	-72.51	-65.50	-41.20	-24.30
6025MHz	Pass	1G	40G	AV	39.70506G	7.01	-66.99	-66.99	-63.84	-56.83	-41.20	-15.63
6025MHz	Pass	1G	40G	PK	11.91513G	7.01	-70.11	-70.11	-65.38	-58.37	-21.20	-37.17
6025MHz	Pass	1G	40G	PK	39.98172G	7.01	-59.54	-59.54	-57.21	-50.20	-21.20	-29.00
6185MHz	Pass	1G	40G	AV	12.2515G	7.01	-75.43	-75.43	-72.32	-65.31	-41.20	-24.11
6185MHz	Pass	1G	40G	AV	39.70384G	7.01	-66.85	-66.85	-64.04	-57.03	-41.20	-15.83
6185MHz	Pass	1G	40G	PK	12.29781G	7.01	-69.22	-69.22	-65.35	-58.34	-21.20	-37.14
6185MHz	Pass	1G	40G	PK	38.84828G	7.01	-60.23	-60.23	-57.43	-50.42	-21.20	-29.22
6345MHz	Pass	1G	40G	AV	12.57813G	7.01	-74.86	-74.86	-72.13	-65.12	-41.20	-23.92
6345MHz	Pass	1G	40G	AV	39.70141G	7.01	-66.84	-66.84	-64.17	-57.16	-41.20	-15.96
6345MHz	Pass	1G	40G	PK	12.68659G	7.01	-66.23	-66.23	-65.04	-58.03	-21.20	-36.83
6345MHz	Pass	1G	40G	PK	39.94272G	7.01	-58.69	-58.69	-57.13	-50.12	-21.20	-28.92
6665MHz	Pass	1G	40G	AV	13.30572G	7.01	-74.52	-74.52	-72.10	-65.09	-41.20	-23.89
6665MHz	Pass	1G	40G	AV	39.71116G	7.01	-67.16	-67.16	-64.22	-57.21	-41.20	-16.01
6665MHz	Pass	1G	40G	PK	13.25453G	7.01	-67.61	-67.61	-64.86	-57.85	-21.20	-36.65
6665MHz	Pass	1G	40G	PK	39.73309G	7.01	-61.36	-61.36	-57.09	-50.08	-21.20	-28.88


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6195MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.38556G	-59.36	-21.20	-38.16	7.01	-66.37	-	-71.29	-68.06
1G	40G	1M	PK	18.57316G	-43.77	-21.20	-22.57	7.01	-50.78	-	-69.50	-50.84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6195MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.40506G	-66.24	-41.20	-25.04	7.01	-73.25	-	-76.46	-76.07
1G	40G	1M	AV	18.58169G	-49.97	-41.20	-8.77	7.01	-56.98	-	-73.35	-57.08




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6205MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.40506G	-59.65	-21.20	-38.45	7.01	-66.66	-	-71.86	-68.22
1G	40G	1M	PK	39.69409G	-49.91	-21.20	-28.71	7.01	-56.92	-	-61.67	-58.69

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6205MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.44163G	-65.96	-41.20	-24.76	7.01	-72.97	-	-76.70	-75.37
1G	40G	1M	AV	39.70019G	-57.15	-41.20	-15.95	7.01	-64.16	-	-67.39	-66.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6225MHz

18/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.49525G	-58.81	-21.20	-37.61	7.01	-65.82	-	-68.75	-68.92
1G	40G	1M	PK	39.70019G	-49.41	-21.20	-28.21	7.01	-56.42	-	-59.76	-59.13

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6225MHz

18/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 2
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.49647G	-66.08	-41.20	-24.88	7.01	-73.09	-	-75.91	-76.30
1G	40G	1M	AV	39.71481G	-57.02	-41.20	-15.82	7.01	-64.03	-	-67.04	-67.04





5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6025MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.91513G	-58.37	-21.20	-37.17	7.01	-65.38	-	-70.11	-67.16
1G	40G	1M	PK	39.98172G	-50.20	-21.20	-29.00	7.01	-57.21	-	-59.54	-61.03

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6025MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.92G	-65.50	-41.20	-24.30	7.01	-72.51	-	-75.71	-75.33
1G	40G	1M	AV	39.70506G	-56.83	-41.20	-15.63	7.01	-63.84	-	-66.99	-66.72





6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6855MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.72131G	-59.80	-7.00	-52.80	7.01	-66.81	-	-69.96	-69.69
1G	40G	1M	PK	38.96406G	-49.90	-21.20	-28.70	7.01	-56.91	-	-62.92	-58.16

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6855MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.72253G	-66.00	-27.00	-39.00	7.01	-73.01	-	-76.40	-75.68
1G	40G	1M	AV	39.69288G	-57.14	-41.20	-15.94	7.01	-64.15	-	-66.89	-67.45

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6845MHz

18/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.71278G	-58.91	-7.00	-51.91	7.01	-65.92	-	-69.52	-68.41
1G	40G	1M	PK	39.96466G	-49.87	-21.20	-28.67	7.01	-56.88	-	-58.16	-62.81

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6845MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.67866G	-65.90	-27.00	-38.90	7.01	-72.91	-	-75.58	-76.29
1G	40G	1M	AV	39.70628G	-57.26	-41.20	-16.06	7.01	-64.27	-	-67.28	-67.28

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6625MHz

18/06/2025



Limit.PK
ERP.PK
Sum.PK
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	13.29597G	-58.69	-21.20	-37.49	7.01	-65.70	-	-68.26	-69.22
1G	40G	1M	PK	39.70628G	-50.38	-21.20	-29.18	7.01	-57.39	-	-58.72	-63.19

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6625MHz

18/06/2025



Limit.AV
ERP.AV
Sum.AV
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	13.31669G	-65.30	-41.20	-24.10	7.01	-72.31	-	-75.51	-75.14
1G	40G	1M	AV	39.68678G	-57.10	-41.20	-15.90	7.01	-64.11	-	-67.79	-66.54

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [PK]

6665MHz

18/06/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX(Port2&Port3)

CSE [AV]

6665MHz

18/06/2025





CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Full RU

Appendix E.52

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	18.57681G	10.02	-73.54	-73.20	-56.79	-73.89	-56.52	-46.50	-41.20	-5.30
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.69288G	10.02	-67.02	-67.59	-67.30	-67.45	-61.31	-51.29	-41.20	-10.09
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70019G	10.02	-66.97	-67.10	-67.68	-67.39	-61.26	-51.24	-41.20	-10.04
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.69775G	10.02	-66.85	-67.26	-67.41	-67.41	-61.21	-51.19	-41.20	-9.99
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70384G	10.02	-67.70	-66.98	-67.41	-67.12	-61.27	-51.25	-41.20	-10.05
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.71481G	10.02	-67.76	-67.04	-67.18	-66.64	-61.12	-51.10	-41.20	-9.90
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.70263G	10.02	-67.85	-67.12	-67.12	-67.40	-61.34	-51.32	-41.20	-10.12
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	39.71969G	10.02	-67.63	-67.20	-67.78	-67.34	-61.46	-51.44	-41.20	-10.24

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Full RU

Appendix E.52

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91878G	10.02	-76.11	-75.91	-75.91	-76.11	-69.83	-59.81	-41.20	-18.61
5955MHz	Pass	1G	40G	AV	17.8675G	10.02	-74.05	-72.69	-72.69	-74.24	-61.31	-51.29	-41.20	-10.09
5955MHz	Pass	1G	40G	PK	11.91634G	10.02	-68.96	-69.62	-69.62	-71.22	-63.93	-53.91	-21.20	-32.71
5955MHz	Pass	1G	40G	PK	17.86994G	10.02	-68.61	-69.77	-69.77	-71.38	-54.25	-44.23	-21.20	-23.03
6195MHz	Pass	1G	40G	AV	12.37825G	10.02	-76.23	-77.04	-77.04	-76.43	-70.40	-60.38	-41.20	-19.18
6195MHz	Pass	1G	40G	AV	18.57681G	10.02	-73.54	-73.20	-73.20	-73.89	-56.52	-46.50	-41.20	-5.30
6195MHz	Pass	1G	40G	PK	12.37459G	10.02	-72.06	-70.14	-70.14	-72.30	-64.29	-54.27	-21.20	-33.07
6195MHz	Pass	1G	40G	PK	18.57072G	10.02	-69.73	-69.29	-69.29	-68.20	-49.84	-39.82	-21.20	-18.62
6415MHz	Pass	1G	40G	AV	12.84381G	10.02	-76.42	-76.42	-76.42	-76.02	-70.24	-60.22	-27.00	-33.22
6415MHz	Pass	1G	40G	AV	39.69653G	10.02	-66.86	-67.27	-67.27	-67.56	-61.21	-51.19	-41.20	-9.99
6415MHz	Pass	1G	40G	PK	12.81334G	10.02	-69.88	-70.18	-70.18	-70.48	-64.03	-54.01	-7.00	-47.01
6415MHz	Pass	1G	40G	PK	39.69653G	10.02	-59.15	-63.37	-63.37	-62.84	-54.39	-44.37	-21.20	-23.17
6535MHz	Pass	1G	40G	AV	13.07781G	10.02	-76.71	-76.53	-76.53	-76.89	-70.69	-60.67	-27.00	-33.67
6535MHz	Pass	1G	40G	AV	39.69409G	10.02	-67.73	-67.01	-67.01	-67.29	-61.37	-51.35	-41.20	-10.15
6535MHz	Pass	1G	40G	PK	13.07172G	10.02	-72.32	-68.37	-68.37	-71.69	-64.81	-54.79	-7.00	-47.79
6535MHz	Pass	1G	40G	PK	39.97075G	10.02	-60.31	-60.63	-60.63	-61.10	-55.09	-45.07	-21.20	-23.87
6695MHz	Pass	1G	40G	AV	13.37519G	10.02	-75.98	-76.17	-76.17	-76.36	-69.95	-59.93	-41.20	-18.73
6695MHz	Pass	1G	40G	AV	39.69775G	10.02	-67.41	-66.98	-66.98	-67.41	-61.31	-51.29	-41.20	-10.09
6695MHz	Pass	1G	40G	PK	13.37641G	10.02	-69.54	-69.81	-69.81	-70.79	-63.77	-53.75	-21.20	-32.55
6695MHz	Pass	1G	40G	PK	39.67825G	10.02	-58.45	-62.10	-62.10	-61.88	-54.48	-44.46	-21.20	-23.26
6855MHz	Pass	1G	40G	AV	13.70669G	10.02	-75.68	-75.86	-75.86	-75.86	-69.97	-59.95	-27.00	-32.95
6855MHz	Pass	1G	40G	AV	39.70384G	10.02	-67.70	-66.98	-66.98	-67.12	-61.27	-51.25	-41.20	-10.05
6855MHz	Pass	1G	40G	PK	13.71522G	10.02	-70.61	-70.61	-70.61	-68.04	-63.63	-53.61	-7.00	-46.61
6855MHz	Pass	1G	40G	PK	39.74772G	10.02	-60.30	-64.05	-64.05	-58.88	-54.44	-44.42	-21.20	-23.22
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.89928G	10.02	-75.64	-75.84	-75.84	-76.47	-69.65	-59.63	-41.20	-18.43
5965MHz	Pass	1G	40G	AV	39.71725G	10.02	-67.33	-67.48	-67.48	-67.77	-61.38	-51.36	-41.20	-10.16
5965MHz	Pass	1G	40G	PK	11.9395G	10.02	-68.95	-69.70	-69.70	-68.43	-62.96	-52.94	-21.20	-31.74
5965MHz	Pass	1G	40G	PK	39.94394G	10.02	-59.70	-62.48	-62.48	-58.96	-54.46	-44.44	-21.20	-23.24
6205MHz	Pass	1G	40G	AV	12.44528G	10.02	-75.90	-76.90	-76.90	-76.48	-70.31	-60.29	-41.20	-19.09
6205MHz	Pass	1G	40G	AV	39.75016G	10.02	-67.64	-66.94	-66.94	-68.40	-61.38	-51.36	-41.20	-10.16
6205MHz	Pass	1G	40G	PK	12.42091G	10.02	-72.77	-69.83	-69.83	-68.00	-63.95	-53.93	-21.20	-32.73
6205MHz	Pass	1G	40G	PK	39.68191G	10.02	-59.38	-60.27	-60.27	-62.00	-54.68	-44.66	-21.20	-23.46
6405MHz	Pass	1G	40G	AV	12.82066G	10.02	-76.66	-75.67	-75.67	-76.25	-70.17	-60.15	-27.00	-33.15
6405MHz	Pass	1G	40G	AV	39.69288G	10.02	-67.02	-67.59	-67.59	-67.45	-61.31	-51.29	-41.20	-10.09
6405MHz	Pass	1G	40G	PK	12.79994G	10.02	-68.32	-71.84	-71.84	-69.90	-64.05	-54.03	-7.00	-47.03
6405MHz	Pass	1G	40G	PK	39.70628G	10.02	-60.74	-59.67	-59.67	-61.29	-54.88	-44.86	-21.20	-23.66
6565MHz	Pass	1G	40G	AV	13.15338G	10.02	-76.35	-76.35	-76.35	-75.99	-70.05	-60.03	-27.00	-33.03
6565MHz	Pass	1G	40G	AV	39.7075G	10.02	-66.87	-67.28	-67.28	-67.28	-61.19	-51.17	-41.20	-9.97
6565MHz	Pass	1G	40G	PK	13.14484G	10.02	-69.02	-70.35	-70.35	-70.08	-63.75	-53.73	-7.00	-46.73
6565MHz	Pass	1G	40G	PK	38.95431G	10.02	-59.48	-62.05	-62.05	-60.26	-55.02	-45.00	-21.20	-23.80
6685MHz	Pass	1G	40G	AV	13.34106G	10.02	-75.71	-75.90	-75.90	-75.90	-69.59	-59.57	-41.20	-18.37
6685MHz	Pass	1G	40G	AV	39.71481G	10.02	-67.76	-67.04	-67.04	-66.64	-61.12	-51.10	-41.20	-9.90
6685MHz	Pass	1G	40G	PK	13.35447G	10.02	-70.94	-68.05	-68.05	-71.50	-62.91	-52.89	-21.20	-31.69
6685MHz	Pass	1G	40G	PK	38.93725G	10.02	-62.38	-61.75	-61.75	-58.53	-55.24	-45.22	-21.20	-24.02
6845MHz	Pass	1G	40G	AV	13.72253G	10.02	-75.50	-76.03	-76.03	-76.03	-70.04	-60.02	-27.00	-33.02
6845MHz	Pass	1G	40G	AV	39.70019G	10.02	-67.25	-67.68	-67.68	-67.68	-61.36	-51.34	-41.20	-10.14
6845MHz	Pass	1G	40G	PK	13.71888G	10.02	-70.90	-69.69	-69.69	-68.26	-63.58	-53.56	-7.00	-46.56
6845MHz	Pass	1G	40G	PK	39.75381G	10.02	-60.20	-61.74	-61.74	-61.04	-55.10	-45.08	-21.20	-23.88
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.91878G	10.02	-75.91	-75.51	-75.51	-75.32	-69.68	-59.66	-41.20	-18.46
5985MHz	Pass	1G	40G	AV	39.36138G	10.02	-66.95	-68.09	-68.09	-67.50	-61.36	-51.34	-41.20	-10.14
5985MHz	Pass	1G	40G	PK	11.99434G	10.02	-68.20	-69.12	-69.12	-71.11	-63.22	-53.20	-21.20	-32.00
5985MHz	Pass	1G	40G	PK	39.3175G	10.02	-60.67	-59.69	-59.69	-60.61	-54.31	-44.29	-21.20	-23.09
6225MHz	Pass	1G	40G	AV	12.51841G	10.02	-75.99	-76.20	-76.20	-75.99	-69.87	-59.85	-41.20	-18.65
6225MHz	Pass	1G	40G	AV	39.70019G	10.02	-66.97	-67.10	-67.10	-67.39	-61.26	-51.24	-41.20	-10.04
6225MHz	Pass	1G	40G	PK	12.42822G	10.02	-71.76	-73.70	-73.70	-70.18	-63.82	-53.80	-21.20	-32.60
6225MHz	Pass	1G	40G	PK	39.68191G	10.02	-60.86	-62.96	-62.96	-61.77	-55.09	-45.07	-21.20	-23.87
6385MHz	Pass	1G	40G	AV	12.69878G	10.02	-76.29	-75.69	-75.69	-76.29	-70.11	-60.09	-41.20	-18.89
6385MHz	Pass	1G	40G	AV	39.69409G	10.02	-67.01	-68.19	-68.19	-67.44	-61.40	-51.38	-41.20	-10.18
6385MHz	Pass	1G	40G	PK	12.69878G	10.02	-70.51	-70.41	-70.41	-68.12	-64.29	-54.27	-21.20	-33.07
6385MHz	Pass	1G	40G	PK	39.65266G	10.02	-60.96	-61.43	-61.43	-63.46	-54.75	-44.73	-21.20	-23.53
6625MHz	Pass	1G	40G	AV	13.30816G	10.02	-76.02	-74.88	-74.88	-74.88	-69.35	-59.33	-41.20	-18.13
6625MHz	Pass	1G	40G	AV	39.70263G	10.02	-67.85	-67.12	-67.12	-67.40	-61.34	-51.32	-41.20	-10.12
6625MHz	Pass	1G	40G	PK	13.29597G	10.02	-70.84	-67.39	-67.39	-69.60	-62.95	-52.93	-21.20	-31.73
6625MHz	Pass	1G	40G	PK	39.91956G	10.02	-57.25	-61.20	-61.20	-65.16	-54.20	-44.18	-21.20	-22.98
6705MHz	Pass	1G	40G	AV	13.33863G	10.02	-75.32	-76.28	-76.28	-75.69	-69.57	-59.55	-41.20	-18.35
6705MHz	Pass	1G	40G	AV	39.69531G	10.02	-67.00	-67.43	-67.43	-68.03	-61.44	-51.42	-41.20	-10.22



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Full RU

Appendix E.52

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.36422G	10.02	-70.00	-70.80	-70.80	-68.20	-62.94	-52.92	-21.20	-31.72
6705MHz	Pass	1G	40G	PK	39.74284G	10.02	-62.14	-58.65	-58.65	-61.40	-54.92	-44.90	-21.20	-23.70
6785MHz	Pass	1G	40G	AV	13.51413G	10.02	-76.77	-75.48	-75.48	-76.19	-69.93	-59.91	-27.00	-32.91
6785MHz	Pass	1G	40G	AV	39.69409G	10.02	-67.44	-67.58	-67.58	-67.58	-61.41	-51.39	-41.20	-10.19
6785MHz	Pass	1G	40G	PK	13.59334G	10.02	-69.34	-69.18	-69.18	-70.11	-63.48	-53.46	-7.00	-46.46
6785MHz	Pass	1G	40G	PK	39.72213G	10.02	-61.37	-60.95	-60.95	-58.24	-54.54	-44.52	-21.20	-23.32
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.9395G	10.02	-76.19	-75.59	-75.59	-75.98	-69.81	-59.79	-41.20	-18.59
6025MHz	Pass	1G	40G	AV	39.69775G	10.02	-66.85	-67.26	-67.26	-67.41	-61.21	-51.19	-41.20	-9.99
6025MHz	Pass	1G	40G	PK	11.95534G	10.02	-69.77	-70.80	-70.80	-67.46	-62.86	-52.84	-21.20	-31.64
6025MHz	Pass	1G	40G	PK	39.41256G	10.02	-64.05	-62.54	-62.54	-59.69	-54.46	-44.44	-21.20	-23.24
6185MHz	Pass	1G	40G	AV	12.22591G	10.02	-75.08	-76.04	-76.04	-75.45	-69.61	-59.59	-41.20	-18.39
6185MHz	Pass	1G	40G	AV	39.69897G	10.02	-67.84	-67.11	-67.11	-66.44	-61.28	-51.26	-41.20	-10.06
6185MHz	Pass	1G	40G	PK	12.23931G	10.02	-72.34	-67.22	-67.22	-69.74	-62.94	-52.92	-21.20	-31.72
6185MHz	Pass	1G	40G	PK	39.72091G	10.02	-62.19	-59.99	-59.99	-61.88	-54.72	-44.70	-21.20	-23.50
6345MHz	Pass	1G	40G	AV	12.60616G	10.02	-75.02	-74.83	-74.83	-75.21	-69.23	-59.21	-41.20	-18.01
6345MHz	Pass	1G	40G	AV	39.70994G	10.02	-67.58	-67.88	-67.88	-67.15	-61.26	-51.24	-41.20	-10.04
6345MHz	Pass	1G	40G	PK	12.66222G	10.02	-69.87	-68.80	-68.80	-67.85	-62.59	-52.57	-21.20	-31.37
6345MHz	Pass	1G	40G	PK	39.72334G	10.02	-58.55	-61.45	-61.45	-62.36	-54.36	-44.34	-21.20	-23.14
6665MHz	Pass	1G	40G	AV	13.31059G	10.02	-76.04	-75.45	-75.45	-74.91	-69.23	-59.21	-41.20	-18.01
6665MHz	Pass	1G	40G	AV	39.71969G	10.02	-67.63	-67.20	-67.20	-67.34	-61.46	-51.44	-41.20	-10.24
6665MHz	Pass	1G	40G	PK	13.32156G	10.02	-67.33	-69.66	-69.66	-68.25	-62.92	-52.90	-21.20	-31.70
6665MHz	Pass	1G	40G	PK	39.70263G	10.02	-59.77	-63.18	-63.18	-63.27	-54.68	-44.66	-21.20	-23.46


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

6195MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.37459G	-54.27	-21.20	-33.07	10.02	-64.29	-72.06	-70.14	-68.11	-72.30
1G	40G	1M	PK	18.57072G	-39.82	-21.20	-18.62	10.02	-49.64	-69.73	-69.29	-50.00	-68.20

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

6195MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.37825G	-60.38	-41.20	-19.18	10.02	-70.40	-76.23	-77.04	-76.04	-76.43
1G	40G	1M	AV	18.57681G	-46.50	-41.20	-5.30	10.02	-56.52	-73.54	-73.20	-56.79	-73.89

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

6405MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.79994G	-54.03	-7.00	-47.03	10.02	-64.05	-68.32	-71.84	-71.04	-69.90
1G	40G	1M	PK	39.70628G	-44.86	-21.20	-23.66	10.02	-54.88	-60.74	-59.67	-62.35	-61.29

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

6405MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.82066G	-60.15	-27.00	-33.15	10.02	-70.17	-76.66	-75.67	-76.25	-76.25
1G	40G	1M	AV	39.69288G	-51.29	-41.20	-10.09	10.02	-61.31	-67.02	-67.59	-67.30	-67.45

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

6225MHz

18/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

6225MHz

18/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

6025MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.95534G	-52.84	-21.20	-31.64	10.02	-62.86	-69.77	-70.80	-68.25	-67.46
1G	40G	1M	PK	39.41256G	-44.44	-21.20	-23.24	10.02	-54.46	-64.05	-62.54	-58.08	-59.69

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

6025MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.9395G	-59.79	-41.20	-18.59	10.02	-69.81	-76.19	-75.59	-75.59	-75.98
1G	40G	1M	AV	39.69775G	-51.19	-41.20	-9.99	10.02	-61.21	-66.85	-67.26	-67.41	-67.41

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

6855MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.71522G	-53.61	-7.00	-46.61	10.02	-63.63	-70.61	-70.61	-69.87	-68.04
1G	40G	1M	PK	39.74772G	-44.42	-21.20	-23.22	10.02	-54.44	-60.30	-64.05	-60.12	-58.88

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

6855MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.70669G	-59.95	-27.00	-32.95	10.02	-69.97	-75.68	-75.86	-76.60	-75.86
1G	40G	1M	AV	39.70384G	-51.25	-41.20	-10.05	10.02	-61.27	-67.70	-66.98	-67.41	-67.12

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

6685MHz

18/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

6685MHz

18/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

6625MHz

18/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

6625MHz

18/06/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

6665MHz

18/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.32156G	-52.90	-21.20	-31.70	10.02	-62.92	-67.33	-69.66	-71.69	-68.25
1G	40G	1M	PK	39.70263G	-44.66	-21.20	-23.46	10.02	-54.68	-59.77	-63.18	-58.55	-63.27

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

6665MHz

18/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.31059G	-59.21	-41.20	-18.01	10.02	-69.23	-76.04	-75.45	-74.73	-74.91
1G	40G	1M	AV	39.71969G	-51.44	-41.20	-10.24	10.02	-61.46	-67.63	-67.20	-67.78	-67.34



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Multi-RU

Appendix E.53

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	1G	40G	AV	39.35772G	6.00	-66.92	-60.92	-41.20	-19.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	1G	40G	AV	39.38575G	6.00	-66.76	-60.76	-41.20	-19.56

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_1T1S_Multi-RU

Appendix E.53

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.91634G	6.00	-75.32	-69.32	-41.20	-28.12
5985MHz	Pass	1G	40G	AV	39.35772G	6.00	-66.92	-60.92	-41.20	-19.72
5985MHz	Pass	1G	40G	PK	12.01384G	6.00	-67.53	-61.53	-21.20	-40.33
5985MHz	Pass	1G	40G	PK	39.75747G	6.00	-58.91	-52.91	-21.20	-31.71
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	12.02238G	6.00	-75.07	-69.07	-41.20	-27.87
5985MHz	Pass	1G	40G	AV	39.91834G	6.00	-66.98	-60.98	-41.20	-19.78
5985MHz	Pass	1G	40G	PK	11.89806G	6.00	-67.57	-61.57	-21.20	-40.37
5985MHz	Pass	1G	40G	PK	39.649G	6.00	-58.90	-52.90	-21.20	-31.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.15278G	6.00	-74.92	-68.92	-41.20	-27.72
6025MHz	Pass	1G	40G	AV	39.38575G	6.00	-66.76	-60.76	-41.20	-19.56
6025MHz	Pass	1G	40G	PK	11.92244G	6.00	-67.65	-61.65	-21.20	-40.45
6025MHz	Pass	1G	40G	PK	39.7855G	6.00	-59.20	-53.20	-21.20	-32.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.90903G	6.00	-74.93	-68.93	-41.20	-27.73
6025MHz	Pass	1G	40G	AV	39.73188G	6.00	-67.13	-61.13	-41.20	-19.93
6025MHz	Pass	1G	40G	PK	11.99556G	6.00	-67.23	-61.23	-21.20	-40.03
6025MHz	Pass	1G	40G	PK	39.35894G	6.00	-57.97	-51.97	-21.20	-30.77
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port3)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.91147G	6.00	-75.49	-69.49	-41.20	-28.29
6025MHz	Pass	1G	40G	AV	39.72091G	6.00	-67.07	-61.07	-41.20	-19.87
6025MHz	Pass	1G	40G	PK	11.91025G	6.00	-66.71	-60.71	-21.20	-39.51
6025MHz	Pass	1G	40G	PK	39.91591G	6.00	-58.45	-52.45	-21.20	-31.25

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.01384G	-61.53	-21.20	-40.33	6.00	-67.53	-	-	-67.53
1G	40G	1M	PK	39.75747G	-52.91	-21.20	-31.71	6.00	-58.91	-	-	-58.91

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.91634G	-69.32	-41.20	-28.12	6.00	-75.32	-	-	-75.32
1G	40G	1M	AV	39.35772G	-60.92	-41.20	-19.72	6.00	-66.92	-	-	-66.92

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE [PK]

6025MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.92244G	-61.65	-21.20	-40.45	6.00	-67.65	-	-	-67.65
1G	40G	1M	PK	39.7855G	-53.20	-21.20	-32.00	6.00	-59.20	-	-	-59.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.15278G	-68.92	-41.20	-27.72	6.00	-74.92	-	-	-74.92
1G	40G	1M	AV	39.38575G	-60.76	-41.20	-19.56	6.00	-66.76	-	-	-66.76



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Directional Patch_2T1S_Multi-RU

Appendix E.54

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	1G	40G	AV	39.69897G	9.01	-67.67	-66.53	-64.05	-55.04	-41.20	-13.84
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71969G	9.01	-66.75	-67.31	-64.01	-55.00	-41.20	-13.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



**CSE-Harmonics (Restricted Band)_ Non-Beamforming_
Radio 3_Directional Patch_2T1S_Multi-RU**

Appendix E.54

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.90659G	9.01	-75.30	-75.70	-72.49	-63.48	-41.20	-22.28
5985MHz	Pass	1G	40G	AV	39.69897G	9.01	-67.67	-66.53	-64.05	-55.04	-41.20	-13.84
5985MHz	Pass	1G	40G	PK	12.00775G	9.01	-68.09	-68.67	-65.36	-56.35	-21.20	-35.15
5985MHz	Pass	1G	40G	PK	39.34188G	9.01	-59.07	-60.01	-56.50	-47.49	-21.20	-26.29
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.99191G	9.01	-75.47	-75.10	-72.27	-63.26	-41.20	-22.06
6025MHz	Pass	1G	40G	AV	39.71969G	9.01	-66.75	-67.31	-64.01	-55.00	-41.20	-13.80
6025MHz	Pass	1G	40G	PK	12.13572G	9.01	-67.30	-69.13	-65.11	-56.10	-21.20	-34.90
6025MHz	Pass	1G	40G	PK	39.89275G	9.01	-59.69	-60.65	-57.13	-48.12	-21.20	-26.92


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.00775G	-56.35	-21.20	-35.15	9.01	-65.36	-	-68.09	-68.67
1G	40G	1M	PK	39.34188G	-47.49	-21.20	-26.29	9.01	-56.50	-	-59.07	-60.01

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [AV]

5985MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.90659G	-63.48	-41.20	-22.28	9.01	-72.49	-	-75.30	-75.70
1G	40G	1M	AV	39.69897G	-55.04	-41.20	-13.84	9.01	-64.05	-	-67.67	-66.53





5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE [PK]

6025MHz

27/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.13572G	-56.10	-21.20	-34.90	9.01	-65.11	-	-67.30	-69.13
1G	40G	1M	PK	39.89275G	-48.12	-21.20	-26.92	9.01	-57.13	-	-59.69	-60.65

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.99191G	-63.26	-41.20	-22.06	9.01	-72.27	-	-75.47	-75.10
1G	40G	1M	AV	39.71969G	-55.00	-41.20	-13.80	9.01	-64.01	-	-66.75	-67.31



**CSE-Harmonics (Restricted Band)_ Non-Beamforming_
Radio 3_Directional Patch_4T1S_Multi-RU**

Appendix E.55

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	1G	40G	AV	39.70872G	12.02	-61.16	-49.14	-41.20	-7.94	-67.40	-66.97	-67.40	-66.97
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	1G	40G	AV	39.70263G	12.02	-61.28	-49.26	-41.20	-8.06	-67.52	-67.23	-67.52	-66.94

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ **Radio 3_Directional Patch_4T1S_Multi-RU**

Appendix E.55

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.89806G	12.02	-69.49	-57.47	-41.20	-16.27	-74.90	-76.09	-75.47	-75.67
5985MHz	Pass	1G	40G	AV	39.70872G	12.02	-61.16	-49.14	-41.20	-7.94	-67.40	-66.97	-67.40	-66.97
5985MHz	Pass	1G	40G	PK	11.91269G	12.02	-62.86	-50.84	-21.20	-29.64	-68.07	-68.59	-69.23	-69.83
5985MHz	Pass	1G	40G	PK	39.79891G	12.02	-54.63	-42.61	-21.20	-21.41	-59.22	-60.65	-62.61	-60.78
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.06016G	12.02	-69.70	-57.68	-41.20	-16.48	-75.53	-75.91	-75.72	-75.72
6025MHz	Pass	1G	40G	AV	39.70263G	12.02	-61.28	-49.26	-41.20	-8.06	-67.52	-67.23	-67.52	-66.94
6025MHz	Pass	1G	40G	PK	11.98459G	12.02	-63.13	-51.11	-21.20	-29.91	-69.27	-71.11	-68.73	-68.06
6025MHz	Pass	1G	40G	PK	39.76966G	12.02	-55.05	-43.03	-21.20	-21.83	-62.86	-63.29	-58.61	-61.18


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.91269G	-50.84	-21.20	-29.64	12.02	-62.86	-68.07	-68.59	-69.23	-69.83
1G	40G	1M	PK	39.79891G	-42.61	-21.20	-21.41	12.02	-54.63	-59.22	-60.65	-62.61	-60.78

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5985MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.89806G	-57.47	-41.20	-16.27	12.02	-69.49	-74.90	-76.09	-75.47	-75.67
1G	40G	1M	AV	39.70872G	-49.14	-41.20	-7.94	12.02	-61.16	-67.40	-66.97	-67.40	-66.97

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [PK]

6025MHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.98459G	-51.11	-21.20	-29.91	12.02	-63.13	-69.27	-71.11	-68.73	-68.06
1G	40G	1M	PK	39.76966G	-43.03	-21.20	-21.83	12.02	-55.05	-62.86	-63.29	-58.61	-61.18

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [AV]

6025MHz

27/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.06016G	-57.68	-41.20	-16.48	12.02	-69.70	-75.53	-75.91	-75.72	-75.72
1G	40G	1M	AV	39.70263G	-49.26	-41.20	-8.06	12.02	-61.28	-67.52	-67.23	-67.52	-66.94



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_1T1S_Multi-RU

Appendix E.56

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	Pass	1G	40G	AV	39.35772G	4.00	-66.92	-66.92	-62.92	-41.20	-21.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	Pass	1G	40G	AV	39.38575G	4.00	-66.76	-66.76	-62.76	-41.20	-21.56

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.91634G	4.00	-75.32	-75.32	-71.32	-41.20	-30.12
5985MHz	Pass	1G	40G	AV	39.35772G	4.00	-66.92	-66.92	-62.92	-41.20	-21.72
5985MHz	Pass	1G	40G	PK	12.01384G	4.00	-67.53	-67.53	-63.53	-21.20	-42.33
5985MHz	Pass	1G	40G	PK	39.75747G	4.00	-58.91	-58.91	-54.91	-21.20	-33.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.15278G	4.00	-74.92	-74.92	-70.92	-41.20	-29.72
6025MHz	Pass	1G	40G	AV	39.38575G	4.00	-66.76	-66.76	-62.76	-41.20	-21.56
6025MHz	Pass	1G	40G	PK	11.92244G	4.00	-67.65	-67.65	-63.65	-21.20	-42.45
6025MHz	Pass	1G	40G	PK	39.7855G	4.00	-59.20	-59.20	-55.20	-21.20	-34.00


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [PK]

5985MHz

27/06/2025



Limit.PK
EIRP.PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.01384G	-63.53	-21.20	-42.33	4.00	0.00	-67.53	-	-	-67.53
1G	40G	1M	PK	39.75747G	-54.91	-21.20	-33.71	4.00	0.00	-58.91	-	-	-58.91

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port3)

CSE [AV]

5985MHz

27/06/2025



Limit.AV
EIRP.AV
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.91634G	-71.32	-41.20	-30.12	4.00	0.00	-75.32	-	-	-75.32
1G	40G	1M	AV	39.35772G	-62.92	-41.20	-21.72	4.00	0.00	-66.92	-	-	-66.92

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE [PK]

6025MHz

27/06/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.92244G	-63.65	-21.20	-42.45	4.00	0.00	-67.65	-	-	-67.65
1G	40G	1M	PK	39.7855G	-55.20	-21.20	-34.00	4.00	0.00	-59.20	-	-	-59.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX(Port3)

CSE [AV]

6025MHz

27/06/2025



Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.15278G	-70.92	-41.20	-29.72	4.00	0.00	-74.92	-	-	-74.92
1G	40G	1M	AV	39.38575G	-62.76	-41.20	-21.56	4.00	0.00	-66.76	-	-	-66.76



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Multi-RU

Appendix E.57

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	Pass	1G	40G	AV	39.69897G	7.01	-67.67	-66.53	-64.05	-57.04	-41.20	-15.84
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	Pass	1G	40G	AV	39.71969G	7.01	-66.75	-67.31	-64.01	-57.00	-41.20	-15.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



**CSE-Harmonics (Restricted Band)_ Non-Beamforming_
Radio 3_Omnidirectional_2T1S_Multi-RU**

Appendix E.57

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.90659G	7.01	-75.30	-75.70	-72.49	-65.48	-41.20	-24.28
5985MHz	Pass	1G	40G	AV	39.69897G	7.01	-67.67	-66.53	-64.05	-57.04	-41.20	-15.84
5985MHz	Pass	1G	40G	PK	12.00775G	7.01	-68.09	-68.67	-65.36	-58.35	-21.20	-37.15
5985MHz	Pass	1G	40G	PK	39.34188G	7.01	-59.07	-60.01	-56.50	-49.49	-21.20	-28.29
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.99191G	7.01	-75.47	-75.10	-72.27	-65.26	-41.20	-24.06
6025MHz	Pass	1G	40G	AV	39.71969G	7.01	-66.75	-67.31	-64.01	-57.00	-41.20	-15.80
6025MHz	Pass	1G	40G	PK	12.13572G	7.01	-67.30	-69.13	-65.11	-58.10	-21.20	-36.90
6025MHz	Pass	1G	40G	PK	39.89275G	7.01	-59.69	-60.65	-57.13	-50.12	-21.20	-28.92


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [PK]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.00775G	-58.35	-21.20	-37.15	7.01	-65.36	-	-68.09	-68.67
1G	40G	1M	PK	39.34188G	-49.49	-21.20	-28.29	7.01	-56.50	-	-59.07	-60.01

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX(Port2&Port3)

CSE [AV]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.90659G	-65.48	-41.20	-24.28	7.01	-72.49	-	-75.30	-75.70
1G	40G	1M	AV	39.69897G	-57.04	-41.20	-15.84	7.01	-64.05	-	-67.67	-68.53

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE [PK]

6025MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.13572G	-58.10	-21.20	-36.90	7.01	-65.11	-	-67.30	-69.13
1G	40G	1M	PK	39.89275G	-50.12	-21.20	-28.92	7.01	-57.13	-	-59.69	-60.65

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX(Port2&Port3)

CSE [AV]

6025MHz

26/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.99191G	-65.26	-41.20	-24.06	7.01	-72.27	-	-75.47	-75.10
1G	40G	1M	AV	39.71969G	-57.00	-41.20	-15.80	7.01	-64.01	-	-66.75	-67.31



**CSE-Harmonics (Restricted Band)_Non-Beamforming_
Radio 3_Omnidirectional_4T1S_Multi-RU**

Appendix E.58

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	1G	40G	AV	39.69166G	10.02	-67.00	-67.88	-66.72	-66.86	-61.07	-51.05	-41.20	-9.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	1G	40G	AV	39.70506G	10.02	-67.39	-67.10	-67.69	-66.82	-61.22	-51.20	-41.20	-10.00

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Multi-RU

Appendix E.58

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.96144G	10.02	-75.51	-75.71	-74.95	-76.11	-69.53	-59.51	-41.20	-18.31
5985MHz	Pass	1G	40G	AV	39.69166G	10.02	-67.00	-67.88	-66.72	-66.86	-61.07	-51.05	-41.20	-9.85
5985MHz	Pass	1G	40G	PK	11.90416G	10.02	-70.33	-69.40	-67.48	-70.55	-63.24	-53.22	-21.20	-32.02
5985MHz	Pass	1G	40G	PK	39.68922G	10.02	-60.04	-59.98	-60.83	-61.32	-54.49	-44.47	-21.20	-23.27
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.18934G	10.02	-75.77	-74.83	-75.97	-75.77	-69.54	-59.52	-41.20	-18.32
6025MHz	Pass	1G	40G	AV	39.70506G	10.02	-67.39	-67.10	-67.69	-66.82	-61.22	-51.20	-41.20	-10.00
6025MHz	Pass	1G	40G	PK	11.99313G	10.02	-67.33	-70.60	-68.51	-69.30	-62.75	-52.73	-21.20	-31.53
6025MHz	Pass	1G	40G	PK	39.78306G	10.02	-58.19	-62.09	-60.94	-62.32	-54.53	-44.51	-21.20	-23.31


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.90416G	-53.22	-21.20	-32.02	10.02	-63.24	-70.33	-69.40	-67.48	-70.55
1G	40G	1M	PK	39.68922G	-44.47	-21.20	-23.27	10.02	-54.49	-60.04	-59.98	-60.83	-61.32

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.96144G	-59.51	-41.20	-18.31	10.02	-69.53	-75.51	-75.71	-74.95	-76.11
1G	40G	1M	AV	39.69166G	-51.05	-41.20	-9.85	10.02	-61.07	-67.00	-67.88	-66.72	-66.86

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [PK]

6025MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.99313G	-52.73	-21.20	-31.53	10.02	-62.75	-67.33	-70.60	-68.51	-69.30
1G	40G	1M	PK	39.78306G	-44.51	-21.20	-23.31	10.02	-54.53	-58.19	-62.09	-60.94	-62.32

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [AV]

6025MHz

26/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.18934G	-59.52	-41.20	-18.32	10.02	-69.54	-75.77	-74.83	-75.97	-75.77
1G	40G	1M	AV	39.70506G	-51.20	-41.20	-10.00	10.02	-61.22	-67.39	-67.10	-67.69	-66.82



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Directional Patch_1T1S_Channel Puncturing

Appendix E.59

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	1G	40G	AV	39.93175G	6.00	-57.55	-57.55	-51.55	-41.20	-10.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	Pass	1G	40G	AV	18.08931G	6.00	-57.37	-57.37	-51.37	-41.20	-10.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	12.00288G	6.00	-66.36	-66.36	-60.36	-41.20	-19.16
5985MHz	Pass	1G	40G	AV	39.93175G	6.00	-57.55	-57.55	-51.55	-41.20	-10.35
5985MHz	Pass	1G	40G	PK	11.93341G	6.00	-59.43	-59.43	-53.43	-21.20	-32.23
5985MHz	Pass	1G	40G	PK	39.35284G	6.00	-49.78	-49.78	-43.78	-21.20	-22.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.07844G	6.00	-66.17	-66.17	-60.17	-41.20	-18.97
6025MHz	Pass	1G	40G	AV	39.69288G	6.00	-57.74	-57.74	-51.74	-41.20	-10.54
6025MHz	Pass	1G	40G	PK	12.10647G	6.00	-57.90	-57.90	-51.90	-21.20	-30.70
6025MHz	Pass	1G	40G	PK	39.89884G	6.00	-49.79	-49.79	-43.79	-21.20	-22.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.97972G	6.00	-66.25	-66.25	-60.25	-41.20	-19.05
6025MHz	Pass	1G	40G	AV	18.08931G	6.00	-57.37	-57.37	-51.37	-41.20	-10.17
6025MHz	Pass	1G	40G	PK	12.10159G	6.00	-57.97	-57.97	-51.97	-21.20	-30.77
6025MHz	Pass	1G	40G	PK	39.99878G	6.00	-49.88	-49.88	-43.88	-21.20	-22.68


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.93341G	-53.43	-21.20	-32.23	6.00	0.00	-59.43	-	-	-59.43
1G	40G	1M	PK	39.35284G	-43.78	-21.20	-22.58	6.00	0.00	-49.78	-	-	-49.78

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5985MHz

26/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.00288G	-60.36	-41.20	-19.16	6.00	0.00	-66.36	-	-	-66.36
1G	40G	1M	AV	39.93175G	-51.55	-41.20	-10.35	6.00	0.00	-57.55	-	-	-57.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [PK]

6025MHz

26/06/2025



Limit.PK
EIRP.PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.10159G	-51.97	-21.20	-30.77	6.00	0.00	-57.97	-	-	-57.97
1G	40G	1M	PK	39.99878G	-43.88	-21.20	-22.68	6.00	0.00	-49.88	-	-	-49.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [AV]

6025MHz

26/06/2025



Limit.AV
EIRP.AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.97972G	-60.25	-41.20	-19.05	6.00	0.00	-66.25	-	-	-66.25
1G	40G	1M	AV	18.08931G	-51.37	-41.20	-10.17	6.00	0.00	-57.37	-	-	-57.37



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Channel Puncturing

Appendix E.60

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70628G	9.01	-67.59	-66.88	-64.21	-55.20	-41.20	-14.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	Pass	1G	40G	AV	39.75138G	9.01	-67.67	-67.10	-64.37	-55.36	-41.20	-14.16

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Directional Patch_2T1S_Channel Puncturing

Appendix E.60

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.94438G	9.01	-75.68	-75.68	-72.67	-63.66	-41.20	-22.46
5985MHz	Pass	1G	40G	AV	39.70628G	9.01	-67.59	-66.88	-64.21	-55.20	-41.20	-14.00
5985MHz	Pass	1G	40G	PK	12.04066G	9.01	-69.22	-67.03	-64.98	-55.97	-21.20	-34.77
5985MHz	Pass	1G	40G	PK	39.94759G	9.01	-62.36	-58.20	-56.79	-47.78	-21.20	-26.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.18813G	9.01	-75.63	-75.26	-72.43	-63.42	-41.20	-22.22
6025MHz	Pass	1G	40G	AV	39.75138G	9.01	-67.67	-67.10	-64.37	-55.36	-41.20	-14.16
6025MHz	Pass	1G	40G	PK	12.06381G	9.01	-66.78	-69.23	-64.82	-55.81	-21.20	-34.61
6025MHz	Pass	1G	40G	PK	39.35163G	9.01	-58.23	-61.60	-56.59	-47.58	-21.20	-26.38
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.18081G	9.01	-75.31	-75.31	-72.30	-63.29	-41.20	-22.09
6025MHz	Pass	1G	40G	AV	39.70872G	9.01	-67.46	-67.31	-64.37	-55.36	-41.20	-14.16
6025MHz	Pass	1G	40G	PK	11.98459G	9.01	-67.57	-70.09	-65.64	-56.63	-21.20	-35.43
6025MHz	Pass	1G	40G	PK	39.37234G	9.01	-61.63	-57.91	-56.37	-47.36	-21.20	-26.16


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.04066G	-55.97	-21.20	-34.77	9.01	-64.98	-	-69.22	-67.03
1G	40G	1M	PK	39.94759G	-47.78	-21.20	-26.58	9.01	-56.79	-	-62.36	-58.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.94438G	-63.66	-41.20	-22.46	9.01	-72.67	-	-75.68	-75.68
1G	40G	1M	AV	39.70628G	-55.20	-41.20	-14.00	9.01	-64.21	-	-67.59	-66.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)

CSE [PK]

6025MHz

25/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 2
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.06381G	-55.81	-21.20	-34.61	9.01	-64.82	-	-66.78	-69.23
1G	40G	1M	PK	39.35163G	-47.58	-21.20	-26.38	9.01	-56.59	-	-58.23	-61.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX(Port2&Port3)

CSE [AV]

6025MHz

25/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 2
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.18813G	-63.42	-41.20	-22.22	9.01	-72.43	-	-75.63	-75.26
1G	40G	1M	AV	39.75138G	-55.36	-41.20	-14.16	9.01	-64.37	-	-67.67	-67.10



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Directional Patch_4T1S_Channel Puncturing

Appendix E.61

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	1G	40G	AV	39.70506G	12.02	-67.29	-67.44	-67.44	-67.01	-61.27	-49.25	-41.20	-8.06
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	1G	40G	AV	39.68313G	12.02	-67.41	-67.12	-67.26	-66.84	-61.13	-49.11	-41.20	-7.91

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Directional Patch_4T1S_Channel Puncturing

Appendix E.61

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.93706G	12.02	-75.65	-75.27	-75.65	-76.06	-69.63	-57.61	-41.20	-16.41
5985MHz	Pass	1G	40G	AV	39.70606G	12.02	-67.29	-67.44	-67.44	-67.01	-61.27	-49.25	-41.20	-8.05
5985MHz	Pass	1G	40G	PK	11.91634G	12.02	-69.90	-72.23	-69.30	-68.06	-63.61	-51.59	-21.20	-30.39
5985MHz	Pass	1G	40G	PK	39.32603G	12.02	-57.73	-61.28	-64.91	-62.99	-54.87	-42.85	-21.20	-21.65
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.193G	12.02	-75.60	-76.20	-75.60	-75.41	-69.67	-57.65	-41.20	-16.45
6025MHz	Pass	1G	40G	AV	39.70384G	12.02	-67.14	-67.73	-67.00	-67.29	-61.26	-49.24	-41.20	-8.04
6025MHz	Pass	1G	40G	PK	11.98338G	12.02	-67.79	-72.13	-68.95	-68.44	-63.03	-51.01	-21.20	-29.81
6025MHz	Pass	1G	40G	PK	39.70384G	12.02	-61.60	-61.09	-58.86	-60.81	-54.44	-42.42	-21.20	-21.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.98947G	12.02	-75.52	-75.15	-76.31	-75.71	-69.63	-57.61	-41.20	-16.41
6025MHz	Pass	1G	40G	AV	39.68313G	12.02	-67.41	-67.12	-67.26	-66.84	-61.13	-49.11	-41.20	-7.91
6025MHz	Pass	1G	40G	PK	12.05894G	12.02	-71.92	-68.00	-72.16	-67.41	-63.32	-51.30	-21.20	-30.10
6025MHz	Pass	1G	40G	PK	39.29313G	12.02	-64.08	-61.53	-62.59	-57.64	-54.73	-42.71	-21.20	-21.51


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.91634G	-51.59	-21.20	-30.39	12.02	-63.61	-69.90	-72.23	-69.30	-68.06
1G	40G	1M	PK	39.32603G	-42.85	-21.20	-21.65	12.02	-54.87	-57.73	-61.28	-64.91	-62.99

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.93706G	-57.61	-41.20	-16.41	12.02	-69.63	-75.65	-75.27	-75.65	-76.06
1G	40G	1M	AV	39.70506G	-49.25	-41.20	-8.05	12.02	-61.27	-67.29	-67.44	-67.44	-67.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [PK]

6025MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.05894G	-51.30	-21.20	-30.10	12.02	-63.32	-71.92	-68.00	-72.16	-67.41
1G	40G	1M	PK	39.29313G	-42.71	-21.20	-21.51	12.02	-54.73	-64.08	-61.53	-62.59	-57.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [AV]

6025MHz

25/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.98947G	-57.61	-41.20	-16.41	12.02	-69.63	-75.52	-75.15	-76.31	-75.71
1G	40G	1M	AV	39.68313G	-49.11	-41.20	-7.91	12.02	-61.13	-67.41	-67.12	-67.26	-66.84



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_1T1S_Channel Puncturing

Appendix E.62

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	Pass	1G	40G	AV	39.93175G	4.00	-66.55	-66.55	-62.55	-41.20	-21.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	Pass	1G	40G	AV	18.08931G	4.00	-66.37	-66.37	-62.37	-41.20	-21.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_1T1S_Channel Puncturing

Appendix E.62

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	12.00288G	4.00	-75.36	-75.36	-71.36	-41.20	-30.16
5985MHz	Pass	1G	40G	AV	39.93175G	4.00	-66.55	-66.55	-62.55	-41.20	-21.35
5985MHz	Pass	1G	40G	PK	11.93341G	4.00	-68.43	-68.43	-64.43	-21.20	-43.23
5985MHz	Pass	1G	40G	PK	39.35284G	4.00	-58.78	-58.78	-54.78	-21.20	-33.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.07844G	4.00	-75.17	-75.17	-71.17	-41.20	-29.97
6025MHz	Pass	1G	40G	AV	39.69288G	4.00	-66.74	-66.74	-62.74	-41.20	-21.54
6025MHz	Pass	1G	40G	PK	12.10647G	4.00	-66.90	-66.90	-62.90	-21.20	-41.70
6025MHz	Pass	1G	40G	PK	39.89884G	4.00	-58.79	-58.79	-54.79	-21.20	-33.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.97972G	4.00	-75.25	-75.25	-71.25	-41.20	-30.05
6025MHz	Pass	1G	40G	AV	18.08931G	4.00	-66.37	-66.37	-62.37	-41.20	-21.17
6025MHz	Pass	1G	40G	PK	12.10159G	4.00	-66.97	-66.97	-62.97	-21.20	-41.77
6025MHz	Pass	1G	40G	PK	39.99878G	4.00	-58.88	-58.88	-54.88	-21.20	-33.68

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [PK]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	11.93341G	-64.43	-21.20	-43.23	4.00	0.00	-68.43	-	-	-68.43
1G	40G	1M	PK	39.35284G	-54.78	-21.20	-33.58	4.00	0.00	-58.78	-	-	-58.78

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port3)

CSE [AV]

5985MHz

25/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	12.00288G	-71.36	-41.20	-30.16	4.00	0.00	-75.36	-	-	-75.36
1G	40G	1M	AV	39.93175G	-62.55	-41.20	-21.35	4.00	0.00	-66.55	-	-	-66.55

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [PK]

6025MHz

25/06/2025



Limit:PK
EIRP:PK
Port 3


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.10159G	-62.97	-21.20	-41.77	4.00	0.00	-66.97	-	-	-66.97
1G	40G	1M	PK	39.99878G	-54.88	-21.20	-33.68	4.00	0.00	-58.88	-	-	-58.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port3)

CSE [AV]

6025MHz

25/06/2025



Limit:AV
EIRP:AV
Port 3

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.97972G	-71.25	-41.20	-30.05	4.00	0.00	-75.25	-	-	-75.25
1G	40G	1M	AV	18.08931G	-62.37	-41.20	-21.17	4.00	0.00	-66.37	-	-	-66.37



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Channel Puncturing

Appendix E.63

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70141G	7.01	-66.55	-67.39	-63.94	-56.93	-41.20	-15.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)	Pass	1G	40G	AV	39.70384G	7.01	-66.30	-68.02	-64.07	-57.06	-41.20	-15.86

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_Non-Beamforming_ Radio 3_Omnidirectional_2T1S_Channel Puncturing

Appendix E.63

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P2 (dBm)	P3 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.90416G	7.01	-75.71	-75.13	-72.40	-65.39	-41.20	-24.19
5985MHz	Pass	1G	40G	AV	39.70141G	7.01	-66.55	-67.39	-63.94	-56.93	-41.20	-15.73
5985MHz	Pass	1G	40G	PK	12.04188G	7.01	-70.43	-67.88	-65.96	-58.95	-21.20	-37.75
5985MHz	Pass	1G	40G	PK	39.337G	7.01	-58.78	-61.16	-56.80	-49.79	-21.20	-28.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.04675G	7.01	-75.03	-75.94	-72.45	-65.44	-41.20	-24.24
6025MHz	Pass	1G	40G	AV	39.70506G	7.01	-67.71	-66.71	-64.17	-57.16	-41.20	-15.96
6025MHz	Pass	1G	40G	PK	12.18569G	7.01	-69.45	-67.98	-65.64	-58.63	-21.20	-37.43
6025MHz	Pass	1G	40G	PK	39.961G	7.01	-60.42	-60.10	-57.25	-50.24	-21.20	-29.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.96997G	7.01	-75.21	-75.98	-72.57	-65.56	-41.20	-24.36
6025MHz	Pass	1G	40G	AV	39.70384G	7.01	-66.30	-68.02	-64.07	-57.06	-41.20	-15.86
6025MHz	Pass	1G	40G	PK	12.03944G	7.01	-66.60	-70.73	-65.18	-58.17	-21.20	-36.97
6025MHz	Pass	1G	40G	PK	39.94759G	7.01	-61.55	-58.65	-56.85	-49.84	-21.20	-28.64

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [PK]

5985MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.04188G	-58.95	-21.20	-37.75	7.01	-65.96	-	-70.43	-67.88
1G	40G	1M	PK	39.337G	-49.79	-21.20	-28.59	7.01	-56.80	-	-58.78	-61.16

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX(Port2&Port3)

CSE [AV]

5985MHz

24/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.90416G	-65.39	-41.20	-24.19	7.01	-72.40	-	-75.71	-75.13
1G	40G	1M	AV	39.70141G	-56.93	-41.20	-15.73	7.01	-63.94	-	-66.55	-67.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)

CSE [PK]

6025MHz

24/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	PK	12.03944G	-58.17	-21.20	-36.97	7.01	-65.18	-	-66.60	-70.73
1G	40G	1M	PK	39.94759G	-49.84	-21.20	-28.64	7.01	-56.85	-	-61.55	-58.65

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX(Port2&Port3)

CSE [AV]

6025MHz

24/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)
1G	40G	1M	AV	11.96997G	-65.56	-41.20	-24.36	7.01	-72.57	-	-75.21	-75.98
1G	40G	1M	AV	39.70384G	-57.06	-41.20	-15.86	7.01	-64.07	-	-66.30	-68.02



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Channel Puncturing

Appendix E.64

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	1G	40G	AV	39.70872G	10.02	-67.45	-67.45	-66.61	-67.31	-61.17	-51.15	-41.20	-9.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	1G	40G	AV	39.71116G	10.02	-67.61	-67.32	-66.90	-67.61	-61.33	-51.31	-41.20	-10.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Radio 3_Omnidirectional_4T1S_Channel Puncturing

Appendix E.64

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.92488G	10.02	-75.41	-75.81	-75.81	-75.81	-69.69	-59.67	-41.20	-18.47
5985MHz	Pass	1G	40G	AV	39.70872G	10.02	-67.45	-67.45	-66.61	-67.31	-61.17	-51.15	-41.20	-9.95
5985MHz	Pass	1G	40G	PK	11.91756G	10.02	-67.66	-69.90	-69.69	-70.53	-63.28	-53.26	-21.20	-32.06
5985MHz	Pass	1G	40G	PK	39.61853G	10.02	-60.76	-62.34	-59.92	-61.62	-55.04	-45.02	-21.20	-23.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.10403G	10.02	-75.52	-76.30	-75.52	-75.90	-69.78	-59.76	-41.20	-18.56
6025MHz	Pass	1G	40G	AV	39.69897G	10.02	-67.72	-67.27	-67.27	-67.57	-61.43	-51.41	-41.20	-10.21
6025MHz	Pass	1G	40G	PK	12.17472G	10.02	-67.24	-69.74	-68.82	-71.09	-62.98	-52.96	-21.20	-31.76
6025MHz	Pass	1G	40G	PK	39.68434G	10.02	-59.82	-62.24	-60.51	-59.82	-54.47	-44.45	-21.20	-23.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.99922G	10.02	-74.83	-76.14	-76.56	-75.56	-69.70	-59.68	-41.20	-18.48
6025MHz	Pass	1G	40G	AV	39.71116G	10.02	-67.61	-67.32	-66.90	-67.61	-61.33	-51.31	-41.20	-10.11
6025MHz	Pass	1G	40G	PK	11.92731G	10.02	-69.44	-71.26	-69.16	-67.46	-63.10	-53.08	-21.20	-31.88
6025MHz	Pass	1G	40G	PK	39.93419G	10.02	-62.04	-58.79	-59.64	-63.59	-54.60	-44.58	-21.20	-23.38

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [PK]

5985MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.91756G	-53.26	-21.20	-32.06	10.02	-63.28	-67.66	-69.90	-69.69	-70.53
1G	40G	1M	PK	39.61853G	-45.02	-21.20	-23.82	10.02	-55.04	-60.76	-62.34	-59.92	-61.62

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [AV]

5985MHz

24/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.92488G	-59.67	-41.20	-18.47	10.02	-69.69	-75.41	-75.81	-75.81	-75.81
1G	40G	1M	AV	39.70872G	-51.15	-41.20	-9.95	10.02	-61.17	-67.45	-67.45	-66.61	-67.31




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [PK]

6025MHz

24/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.92731G	-53.08	-21.20	-31.88	10.02	-63.10	-69.44	-71.26	-69.16	-67.46
1G	40G	1M	PK	39.93419G	-44.58	-21.20	-23.38	10.02	-54.60	-62.04	-58.79	-59.64	-63.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

CSE [AV]

6025MHz

24/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.99922G	-59.68	-41.20	-18.48	10.02	-69.70	-74.83	-76.14	-76.56	-75.56
1G	40G	1M	AV	39.71116G	-51.31	-41.20	-10.11	10.02	-61.33	-67.61	-67.32	-66.90	-67.61



CSE-Harmonics (Restricted Band)_ Non-Beamforming_ Scan Radio_Directional Patch

Appendix E.65

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	8.26009G	6.00	-53.29	-53.29	-47.29	-41.20	-6.09
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	39.69531G	6.00	-66.85	-66.85	-60.85	-41.20	-19.65

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.9005G	6.00	-75.57	-75.57	-69.57	-41.20	-28.37
5955MHz	Pass	1G	40G	AV	39.89519G	6.00	-67.12	-67.12	-61.12	-41.20	-19.92
5955MHz	Pass	1G	40G	PK	11.91147G	6.00	-69.24	-69.24	-63.24	-21.20	-42.04
5955MHz	Pass	1G	40G	PK	39.79891G	6.00	-58.63	-58.63	-52.63	-21.20	-31.43
6195MHz	Pass	1G	40G	AV	8.26009G	6.00	-53.29	-53.29	-47.29	-41.20	-6.09
6195MHz	Pass	1G	40G	AV	12.40141G	6.00	-76.20	-76.20	-70.20	-41.20	-29.00
6195MHz	Pass	1G	40G	PK	8.26009G	6.00	-52.43	-52.43	-46.43	-21.20	-25.23
6195MHz	Pass	1G	40G	PK	12.39288G	6.00	-68.35	-68.35	-62.35	-21.20	-41.15
6415MHz	Pass	1G	40G	AV	8.55259G	6.00	-48.13	-48.13	-42.13	-27.00	-15.13
6415MHz	Pass	1G	40G	AV	12.81334G	6.00	-76.18	-76.18	-70.18	-27.00	-43.18
6415MHz	Pass	1G	40G	PK	12.82431G	6.00	-69.42	-69.42	-63.42	-7.00	-56.42
6415MHz	Pass	1G	40G	PK	39.66119G	6.00	-58.61	-58.61	-52.61	-21.20	-31.41
6535MHz	Pass	1G	40G	AV	13.05466G	6.00	-76.19	-76.19	-70.19	-27.00	-43.19
6535MHz	Pass	1G	40G	AV	39.71359G	6.00	-67.29	-67.29	-61.29	-41.20	-20.09
6535MHz	Pass	1G	40G	PK	13.07416G	6.00	-68.28	-68.28	-62.28	-7.00	-55.28
6535MHz	Pass	1G	40G	PK	38.83731G	6.00	-59.37	-59.37	-53.37	-21.20	-32.17
6695MHz	Pass	1G	40G	AV	13.37153G	6.00	-76.07	-76.07	-70.07	-41.20	-28.87
6695MHz	Pass	1G	40G	AV	39.69531G	6.00	-66.85	-66.85	-60.85	-41.20	-19.65
6695MHz	Pass	1G	40G	PK	13.3825G	6.00	-69.27	-69.27	-63.27	-21.20	-42.07
6695MHz	Pass	1G	40G	PK	39.96222G	6.00	-59.54	-59.54	-53.54	-21.20	-32.34
6855MHz	Pass	1G	40G	AV	13.69572G	6.00	-75.82	-75.82	-69.82	-27.00	-42.82
6855MHz	Pass	1G	40G	AV	39.67094G	6.00	-66.92	-66.92	-60.92	-41.20	-19.72
6855MHz	Pass	1G	40G	PK	13.71888G	6.00	-69.47	-69.47	-63.47	-7.00	-56.47
6855MHz	Pass	1G	40G	PK	38.869G	6.00	-59.01	-59.01	-53.01	-21.20	-31.81


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6195MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	8.26009G	-46.43	-21.20	-25.23	6.00	-52.43	-52.43
1G	40G	1M	PK	12.39288G	-62.35	-21.20	-41.15	6.00	-68.35	-68.35

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6195MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.26009G	-47.29	-41.20	-6.09	6.00	-53.29	-53.29
1G	40G	1M	AV	12.40141G	-70.20	-41.20	-29.00	6.00	-76.20	-76.20




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.3825G	-63.27	-21.20	-42.07	6.00	-69.27	-69.27
1G	40G	1M	PK	39.96222G	-53.54	-21.20	-32.34	6.00	-59.54	-59.54

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6695MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.37153G	-70.07	-41.20	-28.87	6.00	-76.07	-76.07
1G	40G	1M	AV	39.69531G	-60.85	-41.20	-19.65	6.00	-66.85	-66.85



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	8.26009G	4.00	-53.29	-53.29	-49.29	-41.20	-8.09
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	39.69531G	4.00	-66.85	-66.85	-62.85	-41.20	-21.65

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.9005G	4.00	-75.57	-75.57	-71.57	-41.20	-30.37
5955MHz	Pass	1G	40G	AV	39.89519G	4.00	-67.12	-67.12	-63.12	-41.20	-21.92
5955MHz	Pass	1G	40G	PK	11.91147G	4.00	-69.24	-69.24	-65.24	-21.20	-44.04
5955MHz	Pass	1G	40G	PK	39.79891G	4.00	-58.63	-58.63	-54.63	-21.20	-33.43
6195MHz	Pass	1G	40G	AV	8.26009G	4.00	-53.29	-53.29	-49.29	-41.20	-8.09
6195MHz	Pass	1G	40G	AV	12.40141G	4.00	-76.20	-76.20	-72.20	-41.20	-31.00
6195MHz	Pass	1G	40G	PK	8.26009G	4.00	-52.43	-52.43	-48.43	-21.20	-27.23
6195MHz	Pass	1G	40G	PK	12.39288G	4.00	-68.35	-68.35	-64.35	-21.20	-43.15
6415MHz	Pass	1G	40G	AV	8.55259G	4.00	-48.13	-48.13	-44.13	-27.00	-17.13
6415MHz	Pass	1G	40G	AV	12.81334G	4.00	-76.18	-76.18	-72.18	-27.00	-45.18
6415MHz	Pass	1G	40G	PK	12.82431G	4.00	-69.42	-69.42	-65.42	-7.00	-58.42
6415MHz	Pass	1G	40G	PK	39.66119G	4.00	-58.61	-58.61	-54.61	-21.20	-33.41
6535MHz	Pass	1G	40G	AV	13.05466G	4.00	-76.19	-76.19	-72.19	-27.00	-45.19
6535MHz	Pass	1G	40G	AV	39.71359G	4.00	-67.29	-67.29	-63.29	-41.20	-22.09
6535MHz	Pass	1G	40G	PK	13.07416G	4.00	-68.28	-68.28	-64.28	-7.00	-57.28
6535MHz	Pass	1G	40G	PK	38.83731G	4.00	-59.37	-59.37	-55.37	-21.20	-34.17
6695MHz	Pass	1G	40G	AV	13.37153G	4.00	-76.07	-76.07	-72.07	-41.20	-30.87
6695MHz	Pass	1G	40G	AV	39.69531G	4.00	-66.85	-66.85	-62.85	-41.20	-21.65
6695MHz	Pass	1G	40G	PK	13.3825G	4.00	-69.27	-69.27	-65.27	-21.20	-44.07
6695MHz	Pass	1G	40G	PK	39.96222G	4.00	-59.54	-59.54	-55.54	-21.20	-34.34
6855MHz	Pass	1G	40G	AV	13.69572G	4.00	-75.82	-75.82	-71.82	-27.00	-44.82
6855MHz	Pass	1G	40G	AV	39.67094G	4.00	-66.92	-66.92	-62.92	-41.20	-21.72
6855MHz	Pass	1G	40G	PK	13.71888G	4.00	-69.47	-69.47	-65.47	-7.00	-58.47
6855MHz	Pass	1G	40G	PK	38.869G	4.00	-59.01	-59.01	-55.01	-21.20	-33.81

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6195MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	8.26009G	-48.43	-21.20	-27.23	4.00	-52.43	-52.43
1G	40G	1M	PK	12.39288G	-64.35	-21.20	-43.15	4.00	-68.35	-68.35

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6195MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.26009G	-49.29	-41.20	-8.09	4.00	-53.29	-53.29
1G	40G	1M	AV	12.40141G	-72.20	-41.20	-31.00	4.00	-76.20	-76.20




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

19/06/2025



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.3825G	-65.27	-21.20	-44.07	4.00	-69.27	-69.27
1G	40G	1M	PK	39.96222G	-55.54	-21.20	-34.34	4.00	-59.54	-59.54

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6695MHz

19/06/2025



Limit:AV
ERP:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.37153G	-72.07	-41.20	-30.87	4.00	-76.07	-76.07
1G	40G	1M	AV	39.69531G	-62.85	-41.20	-21.65	4.00	-66.85	-66.85

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	12.39G	42.71	54.00	-11.29	Vertical
Mode 2	Pass	AV	12.39G	42.66	54.00	-11.34	Vertical
Mode 3	Pass	AV	12.3738G	42.85	54.00	-11.15	Vertical
Mode 4	Pass	AV	11.49072G	42.85	54.00	-11.15	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82391G	31.95	54.00	-22.05	3	Vertical	53	1.50
Mode 1	Pass	AV	4.87476G	32.24	54.00	-21.76	3	Vertical	268	1.50
Mode 1	Pass	AV	4.95811G	33.10	54.00	-20.90	3	Vertical	30	1.50
Mode 1	Pass	AV	11.49G	42.22	54.00	-11.78	3	Vertical	207	1.50
Mode 1	Pass	AV	11.57G	41.81	54.00	-12.19	3	Vertical	210	1.50
Mode 1	Pass	AV	12.39G	42.71	54.00	-11.29	3	Vertical	239	1.50
Mode 1	Pass	PK	4.82394G	44.01	74.00	-29.99	3	Vertical	53	1.50
Mode 1	Pass	PK	4.87649G	43.98	74.00	-30.02	3	Vertical	268	1.50
Mode 1	Pass	PK	4.95776G	45.03	74.00	-28.97	3	Vertical	30	1.50
Mode 1	Pass	PK	11.49G	54.37	74.00	-19.63	3	Vertical	207	1.50
Mode 1	Pass	PK	11.57G	54.52	74.00	-19.48	3	Vertical	210	1.50
Mode 1	Pass	PK	12.39G	54.79	74.00	-19.21	3	Vertical	239	1.50
Mode 1	Pass	AV	4.82175G	31.98	54.00	-22.02	3	Horizontal	106	1.59
Mode 1	Pass	AV	4.87331G	32.09	54.00	-21.91	3	Horizontal	213	1.50
Mode 1	Pass	AV	4.96G	32.92	54.00	-21.08	3	Horizontal	27	1.50
Mode 1	Pass	AV	11.49G	42.34	54.00	-11.66	3	Horizontal	315	1.50
Mode 1	Pass	AV	11.57G	41.94	54.00	-12.06	3	Horizontal	50	1.50
Mode 1	Pass	AV	12.39G	42.66	54.00	-11.34	3	Horizontal	250	1.50
Mode 1	Pass	PK	4.8224G	45.22	74.00	-28.78	3	Horizontal	106	1.59
Mode 1	Pass	PK	4.87539G	43.39	74.00	-30.61	3	Horizontal	213	1.50
Mode 1	Pass	PK	4.95944G	44.94	74.00	-29.06	3	Horizontal	27	1.50
Mode 1	Pass	PK	11.49G	53.96	74.00	-20.04	3	Horizontal	315	1.50
Mode 1	Pass	PK	11.57G	53.34	74.00	-20.66	3	Horizontal	50	1.50
Mode 1	Pass	PK	12.39G	54.58	74.00	-19.42	3	Horizontal	250	1.50
Mode 2	Pass	AV	4.8242G	31.79	54.00	-22.21	3	Vertical	267	1.50
Mode 2	Pass	AV	4.87546G	32.10	54.00	-21.90	3	Vertical	80	1.50
Mode 2	Pass	AV	4.95978G	32.84	54.00	-21.16	3	Vertical	24	1.26
Mode 2	Pass	AV	11.49G	42.15	54.00	-11.85	3	Vertical	203	1.50
Mode 2	Pass	AV	11.57G	41.89	54.00	-12.11	3	Vertical	81	1.62
Mode 2	Pass	AV	12.39G	42.66	54.00	-11.34	3	Vertical	65	1.50
Mode 2	Pass	PK	4.82528G	44.09	74.00	-29.91	3	Vertical	267	1.50
Mode 2	Pass	PK	4.87251G	44.20	74.00	-29.80	3	Vertical	80	1.50
Mode 2	Pass	PK	4.96052G	44.60	74.00	-29.40	3	Vertical	24	1.26
Mode 2	Pass	PK	11.49G	54.02	74.00	-19.98	3	Vertical	203	1.50
Mode 2	Pass	PK	11.57G	53.29	74.00	-20.71	3	Vertical	81	1.62
Mode 2	Pass	PK	12.39G	54.59	74.00	-19.41	3	Vertical	65	1.50
Mode 2	Pass	AV	4.82423G	31.82	54.00	-22.18	3	Horizontal	2	1.27
Mode 2	Pass	AV	4.87175G	32.14	54.00	-21.86	3	Horizontal	360	1.50
Mode 2	Pass	AV	4.9593G	32.86	54.00	-21.14	3	Horizontal	44	1.50
Mode 2	Pass	AV	11.49G	42.38	54.00	-11.62	3	Horizontal	316	1.50
Mode 2	Pass	AV	11.57G	41.94	54.00	-12.06	3	Horizontal	360	1.50
Mode 2	Pass	AV	12.39G	42.64	54.00	-11.36	3	Horizontal	72	1.14
Mode 2	Pass	PK	4.82384G	43.40	74.00	-30.60	3	Horizontal	2	1.27
Mode 2	Pass	PK	4.872G	44.35	74.00	-29.65	3	Horizontal	360	1.50
Mode 2	Pass	PK	4.95796G	44.24	74.00	-29.76	3	Horizontal	44	1.50
Mode 2	Pass	PK	11.49G	54.07	74.00	-19.93	3	Horizontal	316	1.50
Mode 2	Pass	PK	11.57G	53.41	74.00	-20.59	3	Horizontal	360	1.50
Mode 2	Pass	PK	12.39G	54.98	74.00	-19.02	3	Horizontal	72	1.14
Mode 3	Pass	AV	4.83272G	31.91	54.00	-22.09	3	Vertical	105	1.50
Mode 3	Pass	AV	4.86984G	32.15	54.00	-21.85	3	Vertical	124	2.71


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.87764G	32.31	54.00	-21.69	3	Vertical	289	1.50
Mode 3	Pass	AV	11.49464G	42.23	54.00	-11.77	3	Vertical	243	1.50
Mode 3	Pass	AV	11.5626G	41.82	54.00	-12.18	3	Vertical	281	1.50
Mode 3	Pass	AV	12.3738G	42.85	54.00	-11.15	3	Vertical	106	1.50
Mode 3	Pass	AV	13.06944G	44.14	68.20	-24.06	3	Vertical	124	1.50
Mode 3	Pass	PK	4.83356G	43.91	74.00	-30.09	3	Vertical	105	1.50
Mode 3	Pass	PK	4.87428G	43.71	74.00	-30.29	3	Vertical	289	1.50
Mode 3	Pass	PK	4.88236G	43.78	74.00	-30.22	3	Vertical	124	2.71
Mode 3	Pass	PK	11.49376G	53.54	74.00	-20.46	3	Vertical	243	1.50
Mode 3	Pass	PK	11.57556G	53.67	74.00	-20.33	3	Vertical	281	1.50
Mode 3	Pass	PK	12.371G	54.05	74.00	-19.95	3	Vertical	106	1.50
Mode 3	Pass	PK	13.0712G	56.41	88.20	-31.79	3	Vertical	124	1.50
Mode 3	Pass	AV	4.83324G	32.02	54.00	-21.98	3	Horizontal	274	1.69
Mode 3	Pass	AV	4.87384G	32.59	54.00	-21.41	3	Horizontal	118	1.00
Mode 3	Pass	AV	4.88152G	32.12	54.00	-21.88	3	Horizontal	190	1.50
Mode 3	Pass	AV	11.48624G	42.28	54.00	-11.72	3	Horizontal	329	1.50
Mode 3	Pass	AV	11.5638G	42.00	54.00	-12.00	3	Horizontal	113	2.23
Mode 3	Pass	AV	12.36672G	42.73	54.00	-11.27	3	Horizontal	53	1.50
Mode 3	Pass	AV	13.06568G	43.96	68.20	-24.24	3	Horizontal	130	1.50
Mode 3	Pass	PK	4.82992G	43.11	74.00	-30.89	3	Horizontal	274	1.69
Mode 3	Pass	PK	4.87688G	43.69	74.00	-30.31	3	Horizontal	190	1.50
Mode 3	Pass	PK	4.88032G	43.48	74.00	-30.52	3	Horizontal	118	1.00
Mode 3	Pass	PK	11.49024G	54.95	74.00	-19.05	3	Horizontal	329	1.50
Mode 3	Pass	PK	11.57044G	53.60	74.00	-20.40	3	Horizontal	113	2.23
Mode 3	Pass	PK	12.37876G	53.88	74.00	-20.12	3	Horizontal	53	1.50
Mode 3	Pass	PK	13.06732G	55.25	88.20	-32.95	3	Horizontal	130	1.50
Mode 4	Pass	AV	4.83372G	32.31	54.00	-21.69	3	Vertical	360	2.82
Mode 4	Pass	AV	4.8758G	32.47	54.00	-21.53	3	Vertical	301	2.60
Mode 4	Pass	AV	4.87836G	32.58	54.00	-21.42	3	Vertical	350	2.83
Mode 4	Pass	AV	11.49336G	42.75	54.00	-11.25	3	Vertical	192	1.50
Mode 4	Pass	AV	11.57128G	42.24	54.00	-11.76	3	Vertical	79	1.41
Mode 4	Pass	AV	13.07248G	44.07	68.20	-24.13	3	Vertical	145	1.50
Mode 4	Pass	PK	4.83188G	43.78	74.00	-30.22	3	Vertical	360	2.82
Mode 4	Pass	PK	4.86624G	44.39	74.00	-29.61	3	Vertical	350	2.83
Mode 4	Pass	PK	4.87708G	44.12	74.00	-29.88	3	Vertical	301	2.60
Mode 4	Pass	PK	11.49512G	54.06	74.00	-19.94	3	Vertical	192	1.50
Mode 4	Pass	PK	11.5776G	53.88	74.00	-20.12	3	Vertical	79	1.41
Mode 4	Pass	PK	13.06464G	55.93	88.20	-32.27	3	Vertical	145	1.50
Mode 4	Pass	AV	4.83056G	32.19	54.00	-21.81	3	Horizontal	171	2.51
Mode 4	Pass	AV	4.87684G	32.55	54.00	-21.45	3	Horizontal	129	1.50
Mode 4	Pass	AV	4.87884G	32.56	54.00	-21.44	3	Horizontal	114	1.50
Mode 4	Pass	AV	11.49072G	42.85	54.00	-11.15	3	Horizontal	185	2.75
Mode 4	Pass	AV	11.5724G	42.16	54.00	-11.84	3	Horizontal	270	1.50
Mode 4	Pass	AV	13.06448G	44.10	68.20	-24.10	3	Horizontal	254	1.50
Mode 4	Pass	PK	4.8242G	43.67	74.00	-30.33	3	Horizontal	171	2.51
Mode 4	Pass	PK	4.86704G	43.93	74.00	-30.07	3	Horizontal	129	1.50
Mode 4	Pass	PK	4.88328G	43.95	74.00	-30.05	3	Horizontal	114	1.50
Mode 4	Pass	PK	11.49204G	53.65	74.00	-20.35	3	Horizontal	185	2.75
Mode 4	Pass	PK	11.56948G	53.98	74.00	-20.02	3	Horizontal	270	1.50
Mode 4	Pass	PK	13.06172G	55.38	88.20	-32.82	3	Horizontal	254	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82391G	31.95	54.00	-22.05	2.36	3	Vertical	53	1.50	29.59	32.40	5.02	35.06
AV	4.87476G	32.24	54.00	-21.76	2.55	3	Vertical	268	1.50	29.69	32.60	5.01	35.06
AV	4.95811G	33.10	54.00	-20.90	2.96	3	Vertical	30	1.50	30.14	33.03	5.00	35.07
AV	11.49G	42.22	54.00	-11.78	12.87	3	Vertical	207	1.50	29.35	38.90	7.99	34.02
AV	11.57G	41.81	54.00	-12.19	12.72	3	Vertical	210	1.50	29.09	38.72	8.01	34.01
AV	12.39G	42.71	54.00	-11.29	13.38	3	Vertical	239	1.50	29.33	38.84	8.25	33.71
PK	4.82394G	44.01	74.00	-29.99	2.36	3	Vertical	53	1.50	41.65	32.40	5.02	35.06
PK	4.87649G	43.98	74.00	-30.02	2.56	3	Vertical	268	1.50	41.42	32.61	5.01	35.06
PK	4.95776G	45.03	74.00	-28.97	2.96	3	Vertical	30	1.50	42.07	33.03	5.00	35.07
PK	11.49G	54.37	74.00	-19.63	12.87	3	Vertical	207	1.50	41.50	38.90	7.99	34.02
PK	11.57G	54.52	74.00	-19.48	12.72	3	Vertical	210	1.50	41.80	38.72	8.01	34.01
PK	12.39G	54.79	74.00	-19.21	13.38	3	Vertical	239	1.50	41.41	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82175G	31.98	54.00	-22.02	2.35	3	Horizontal	106	1.59	29.63	32.39	5.02	35.06
AV	4.87331G	32.09	54.00	-21.91	2.54	3	Horizontal	213	1.50	29.55	32.59	5.01	35.06
AV	4.96G	32.92	54.00	-21.08	2.97	3	Horizontal	27	1.50	29.95	33.04	5.00	35.07
AV	11.49G	42.34	54.00	-11.66	12.87	3	Horizontal	315	1.50	29.47	38.90	7.99	34.02
AV	11.57G	41.94	54.00	-12.06	12.72	3	Horizontal	50	1.50	29.22	38.72	8.01	34.01
AV	12.39G	42.66	54.00	-11.34	13.38	3	Horizontal	250	1.50	29.28	38.84	8.25	33.71
PK	4.8224G	45.22	74.00	-28.78	2.35	3	Horizontal	106	1.59	42.87	32.39	5.02	35.06
PK	4.87539G	43.39	74.00	-30.61	2.55	3	Horizontal	213	1.50	40.84	32.60	5.01	35.06
PK	4.95944G	44.94	74.00	-29.06	2.97	3	Horizontal	27	1.50	41.97	33.04	5.00	35.07
PK	11.49G	53.96	74.00	-20.04	12.87	3	Horizontal	315	1.50	41.09	38.90	7.99	34.02
PK	11.57G	53.34	74.00	-20.66	12.72	3	Horizontal	50	1.50	40.62	38.72	8.01	34.01
PK	12.39G	54.58	74.00	-19.42	13.38	3	Horizontal	250	1.50	41.20	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8242G	31.79	54.00	-22.21	2.36	3	Vertical	267	1.50	29.43	32.40	5.02	35.06
AV	4.87546G	32.10	54.00	-21.90	2.55	3	Vertical	80	1.50	29.55	32.60	5.01	35.06
AV	4.95978G	32.84	54.00	-21.16	2.97	3	Vertical	24	1.26	29.87	33.04	5.00	35.07
AV	11.49G	42.15	54.00	-11.85	12.87	3	Vertical	203	1.50	29.28	38.90	7.99	34.02
AV	11.57G	41.89	54.00	-12.11	12.72	3	Vertical	81	1.62	29.17	38.72	8.01	34.01
AV	12.39G	42.66	54.00	-11.34	13.38	3	Vertical	65	1.50	29.28	38.84	8.25	33.71
PK	4.82528G	44.09	74.00	-29.91	2.36	3	Vertical	267	1.50	41.73	32.40	5.02	35.06
PK	4.87251G	44.20	74.00	-29.80	2.54	3	Vertical	80	1.50	41.66	32.59	5.01	35.06
PK	4.96052G	44.60	74.00	-29.40	2.97	3	Vertical	24	1.26	41.63	33.04	5.00	35.07
PK	11.49G	54.02	74.00	-19.98	12.87	3	Vertical	203	1.50	41.15	38.90	7.99	34.02
PK	11.57G	53.29	74.00	-20.71	12.72	3	Vertical	81	1.62	40.57	38.72	8.01	34.01
PK	12.39G	54.59	74.00	-19.41	13.38	3	Vertical	65	1.50	41.21	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82423G	31.82	54.00	-22.18	2.36	3	Horizontal	2	1.27	29.46	32.40	5.02	35.06
AV	4.87175G	32.14	54.00	-21.86	2.54	3	Horizontal	360	1.50	29.60	32.59	5.01	35.06
AV	4.9593G	32.86	54.00	-21.14	2.97	3	Horizontal	44	1.50	29.89	33.04	5.00	35.07
AV	11.49G	42.38	54.00	-11.62	12.87	3	Horizontal	316	1.50	29.51	38.90	7.99	34.02
AV	11.57G	41.94	54.00	-12.06	12.72	3	Horizontal	360	1.50	29.22	38.72	8.01	34.01
AV	12.39G	42.64	54.00	-11.36	13.38	3	Horizontal	72	1.14	29.26	38.84	8.25	33.71
PK	4.82384G	43.40	74.00	-30.60	2.36	3	Horizontal	2	1.27	41.04	32.40	5.02	35.06
PK	4.872G	44.35	74.00	-29.65	2.54	3	Horizontal	360	1.50	41.81	32.59	5.01	35.06
PK	4.95796G	44.24	74.00	-29.76	2.96	3	Horizontal	44	1.50	41.28	33.03	5.00	35.07
PK	11.49G	54.07	74.00	-19.93	12.87	3	Horizontal	316	1.50	41.20	38.90	7.99	34.02
PK	11.57G	53.41	74.00	-20.59	12.72	3	Horizontal	360	1.50	40.69	38.72	8.01	34.01
PK	12.39G	54.98	74.00	-19.02	13.38	3	Horizontal	72	1.14	41.60	38.84	8.25	33.71

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)				
AV	4.83272G	31.91	54.00	-22.09	2.39	3	Vertical	105	1.50	29.52	32.43	5.02	35.06				
AV	4.86984G	32.15	54.00	-21.85	2.53	3	Vertical	124	2.71	29.62	32.58	5.01	35.06				
AV	4.87764G	32.31	54.00	-21.69	2.56	3	Vertical	289	1.50	29.75	32.61	5.01	35.06				
AV	11.49464G	42.23	54.00	-11.77	12.87	3	Vertical	243	1.50	29.36	38.90	7.99	34.02				
AV	11.5626G	41.82	54.00	-12.18	12.75	3	Vertical	281	1.50	29.07	38.75	8.01	34.01				
AV	12.3738G	42.85	54.00	-11.15	13.43	3	Vertical	106	1.50	29.42	38.90	8.25	33.72				
AV	13.06944G	44.14	68.20	-24.06	15.56	3	Vertical	124	1.50	28.58	39.70	8.47	32.61				
PK	4.83356G	43.91	74.00	-30.09	2.39	3	Vertical	105	1.50	41.52	32.43	5.02	35.06				
PK	4.87428G	43.71	74.00	-30.29	2.55	3	Vertical	289	1.50	41.16	32.60	5.01	35.06				
PK	4.88236G	43.78	74.00	-30.22	2.58	3	Vertical	124	2.71	41.20	32.63	5.01	35.06				
PK	11.49376G	53.54	74.00	-20.46	12.87	3	Vertical	243	1.50	40.67	38.90	7.99	34.02				
PK	11.57556G	53.67	74.00	-20.33	12.71	3	Vertical	281	1.50	40.96	38.70	8.02	34.01				
PK	12.371G	54.05	74.00	-19.95	13.45	3	Vertical	106	1.50	40.60	38.92	8.25	33.72				
PK	13.0712G	56.41	88.20	-31.79	15.56	3	Vertical	124	1.50	40.85	39.70	8.47	32.61				

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)				
AV	4.83324G	32.02	54.00	-21.98	2.39	3	Horizontal	274	1.69	29.63	32.43	5.02	35.06				
AV	4.87384G	32.59	54.00	-21.41	2.55	3	Horizontal	118	1.00	30.04	32.60	5.01	35.06				
AV	4.88152G	32.12	54.00	-21.88	2.58	3	Horizontal	190	1.50	29.54	32.63	5.01	35.06				
AV	11.48624G	42.28	54.00	-11.72	12.87	3	Horizontal	329	1.50	29.41	38.90	7.99	34.02				
AV	11.5638G	42.00	54.00	-12.00	12.74	3	Horizontal	113	2.23	29.26	38.74	8.01	34.01				
AV	12.36672G	42.73	54.00	-11.27	13.46	3	Horizontal	53	1.50	29.27	38.93	8.25	33.72				
AV	13.06568G	43.96	68.20	-24.24	15.56	3	Horizontal	130	1.50	28.40	39.70	8.47	32.61				
PK	4.82992G	43.11	74.00	-30.89	2.38	3	Horizontal	274	1.69	40.73	32.42	5.02	35.06				
PK	4.87688G	43.69	74.00	-30.31	2.56	3	Horizontal	190	1.50	41.13	32.61	5.01	35.06				
PK	4.88032G	43.48	74.00	-30.52	2.57	3	Horizontal	118	1.00	40.91	32.62	5.01	35.06				
PK	11.49024G	54.95	74.00	-19.05	12.87	3	Horizontal	329	1.50	42.08	38.90	7.99	34.02				
PK	11.57044G	53.60	74.00	-20.40	12.72	3	Horizontal	113	2.23	40.88	38.72	8.01	34.01				
PK	12.37876G	53.88	74.00	-20.12	13.41	3	Horizontal	53	1.50	40.47	38.88	8.25	33.72				
PK	13.06732G	55.25	88.20	-32.95	15.56	3	Horizontal	130	1.50	39.69	39.70	8.47	32.61				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83372G	32.31	54.00	-21.69	2.39	3	Vertical	360	2.82	29.92	32.43	5.02	35.06
AV	4.8758G	32.47	54.00	-21.53	2.55	3	Vertical	301	2.60	29.92	32.60	5.01	35.06
AV	4.87836G	32.58	54.00	-21.42	2.56	3	Vertical	350	2.83	30.02	32.61	5.01	35.06
AV	11.49336G	42.75	54.00	-11.25	12.87	3	Vertical	192	1.50	29.88	38.90	7.99	34.02
AV	11.57128G	42.24	54.00	-11.76	12.71	3	Vertical	79	1.41	29.53	38.71	8.01	34.01
AV	13.07248G	44.07	68.20	-24.13	15.57	3	Vertical	145	1.50	28.50	39.70	8.47	32.60
PK	4.83188G	43.78	74.00	-30.22	2.39	3	Vertical	360	2.82	41.39	32.43	5.02	35.06
PK	4.86624G	44.39	74.00	-29.61	2.51	3	Vertical	350	2.83	41.88	32.56	5.01	35.06
PK	4.87708G	44.12	74.00	-29.88	2.56	3	Vertical	301	2.60	41.56	32.61	5.01	35.06
PK	11.49512G	54.06	74.00	-19.94	12.87	3	Vertical	192	1.50	41.19	38.90	7.99	34.02
PK	11.5776G	53.88	74.00	-20.12	12.70	3	Vertical	79	1.41	41.18	38.69	8.02	34.01
PK	13.06464G	55.93	88.20	-32.27	15.55	3	Vertical	145	1.50	40.38	39.70	8.47	32.62

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83056G	32.19	54.00	-21.81	2.38	3	Horizontal	171	2.51	29.81	32.42	5.02	35.06
AV	4.87684G	32.55	54.00	-21.45	2.56	3	Horizontal	129	1.50	29.99	32.61	5.01	35.06
AV	4.87884G	32.56	54.00	-21.44	2.57	3	Horizontal	114	1.50	29.99	32.62	5.01	35.06
AV	11.49072G	42.85	54.00	-11.15	12.87	3	Horizontal	185	2.75	29.98	38.90	7.99	34.02
AV	11.5724G	42.16	54.00	-11.84	12.71	3	Horizontal	270	1.50	29.45	38.71	8.01	34.01
AV	13.06448G	44.10	68.20	-24.10	15.55	3	Horizontal	254	1.50	28.55	39.70	8.47	32.62
PK	4.8242G	43.67	74.00	-30.33	2.36	3	Horizontal	171	2.51	41.31	32.40	5.02	35.06
PK	4.86704G	43.93	74.00	-30.07	2.52	3	Horizontal	129	1.50	41.41	32.57	5.01	35.06
PK	4.88328G	43.95	74.00	-30.05	2.58	3	Horizontal	114	1.50	41.37	32.63	5.01	35.06
PK	11.49204G	53.65	74.00	-20.35	12.87	3	Horizontal	185	2.75	40.78	38.90	7.99	34.02
PK	11.56948G	53.98	74.00	-20.02	12.72	3	Horizontal	270	1.50	41.26	38.72	8.01	34.01
PK	13.06172G	55.38	88.20	-32.82	15.55	3	Horizontal	254	1.50	39.83	39.70	8.47	32.62