

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.43991G	4.40	-50.31	-50.31	-45.91	-41.20	-4.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	1G	40G	AV	5.10841G	4.37	-50.72	-50.72	-46.35	-41.20	-5.15
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.10841G	4.37	-51.06	-51.06	-46.69	-41.20	-5.49
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	7.34359G	4.37	-50.91	-50.91	-46.54	-41.20	-5.34
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.37288G	4.37	-49.18	-49.18	-44.81	-41.20	-3.61

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	7.26316G	4.37	-51.36	-51.36	-46.99	-41.20	-5.79
5260MHz	Pass	1G	40G	AV	10.60009G	4.37	-67.05	-67.05	-62.68	-41.20	-21.48
5260MHz	Pass	1G	40G	PK	6.57578G	4.37	-47.53	-47.53	-43.16	-27.00	-16.16
5260MHz	Pass	1G	40G	PK	10.51478G	4.37	-61.91	-61.91	-57.54	-27.00	-30.54
5300MHz	Pass	1G	40G	AV	5.10841G	4.37	-50.72	-50.72	-46.35	-41.20	-5.15
5300MHz	Pass	1G	40G	AV	10.60863G	4.37	-66.62	-66.62	-62.25	-41.20	-21.05
5300MHz	Pass	1G	40G	PK	5.49231G	4.37	-46.87	-46.87	-42.50	-27.00	-15.50
5300MHz	Pass	1G	40G	PK	10.59522G	4.37	-59.00	-59.00	-54.63	-27.00	-27.63
5320MHz	Pass	1G	40G	AV	5.12791G	4.37	-51.04	-51.04	-46.67	-41.20	-5.47
5320MHz	Pass	1G	40G	AV	10.62691G	4.37	-66.36	-66.36	-61.99	-41.20	-20.79
5320MHz	Pass	1G	40G	PK	5.51303G	4.37	-46.22	-46.22	-41.85	-27.00	-14.85
5320MHz	Pass	1G	40G	PK	10.65006G	4.37	-59.13	-59.13	-54.76	-21.20	-33.56
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	7.26316G	4.37	-51.36	-51.36	-46.99	-41.20	-5.79
5260MHz	Pass	1G	40G	AV	10.60009G	4.37	-66.45	-66.45	-62.08	-41.20	-20.88
5260MHz	Pass	1G	40G	PK	6.57578G	4.37	-47.46	-47.46	-43.09	-27.00	-16.09
5260MHz	Pass	1G	40G	PK	10.51234G	4.37	-59.81	-59.81	-55.44	-27.00	-28.44
5300MHz	Pass	1G	40G	AV	5.10841G	4.37	-51.06	-51.06	-46.69	-41.20	-5.49
5300MHz	Pass	1G	40G	AV	10.60863G	4.37	-66.82	-66.82	-62.45	-41.20	-21.25
5300MHz	Pass	1G	40G	PK	5.49109G	4.37	-47.62	-47.62	-43.25	-27.00	-16.25
5300MHz	Pass	1G	40G	PK	10.58303G	4.37	-59.03	-59.03	-54.66	-27.00	-27.66
5320MHz	Pass	1G	40G	AV	5.12791G	4.37	-51.58	-51.58	-47.21	-41.20	-6.01
5320MHz	Pass	1G	40G	AV	10.64153G	4.37	-65.22	-65.22	-60.85	-41.20	-19.65
5320MHz	Pass	1G	40G	PK	5.51181G	4.37	-48.01	-48.01	-43.64	-27.00	-16.64
5320MHz	Pass	1G	40G	PK	10.64884G	4.37	-60.40	-60.40	-56.03	-21.20	-34.83
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	1G	40G	AV	7.279G	4.37	-51.72	-51.72	-47.35	-41.20	-6.15
5270MHz	Pass	1G	40G	AV	10.60009G	4.37	-67.05	-67.05	-62.68	-41.20	-21.48
5270MHz	Pass	1G	40G	PK	5.46306G	4.37	-47.86	-47.86	-43.49	-27.00	-16.49
5270MHz	Pass	1G	40G	PK	10.54525G	4.37	-60.48	-60.48	-56.11	-27.00	-29.11
5310MHz	Pass	1G	40G	AV	7.34359G	4.37	-50.91	-50.91	-46.54	-41.20	-5.34
5310MHz	Pass	1G	40G	AV	10.63666G	4.37	-66.32	-66.32	-61.95	-41.20	-20.75
5310MHz	Pass	1G	40G	PK	6.57578G	4.37	-46.76	-46.76	-42.39	-27.00	-15.39
5310MHz	Pass	1G	40G	PK	10.59034G	4.37	-59.81	-59.81	-55.44	-27.00	-28.44
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	5.37288G	4.37	-49.18	-49.18	-44.81	-41.20	-3.61
5290MHz	Pass	1G	40G	AV	10.63056G	4.37	-66.15	-66.15	-61.78	-41.20	-20.58
5290MHz	Pass	1G	40G	PK	6.57578G	4.37	-47.73	-47.73	-43.36	-27.00	-16.36
5290MHz	Pass	1G	40G	PK	10.58303G	4.37	-60.15	-60.15	-55.78	-27.00	-28.78
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	5.43991G	4.40	-50.31	-50.31	-45.91	-41.20	-4.71
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.63909G	4.40	-66.32	-66.32	-61.92	-41.20	-20.72
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	5.46672G	4.40	-45.64	-45.64	-41.24	-27.00	-14.24
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.57206G	4.40	-59.71	-59.71	-55.31	-27.00	-28.31


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	5.46672G	-41.24	-27.00	-14.24	4.40	-45.64	-45.64
1G	40G	1M	PK	10.57206G	-55.31	-27.00	-28.31	4.40	-59.71	-59.71

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.43991G	-45.91	-41.20	-4.71	4.40	-50.31	-50.31
1G	40G	1M	AV	10.63909G	-61.92	-41.20	-20.72	4.40	-66.32	-66.32

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE [PK]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	5.49231G	-42.50	-27.00	-15.50	4.37	-46.87	-46.87
1G	40G	1M	PK	10.59522G	-54.63	-27.00	-27.63	4.37	-59.00	-59.00

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE [AV]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.10841G	-46.35	-41.20	-5.15	4.37	-50.72	-50.72
1G	40G	1M	AV	10.60863G	-62.25	-41.20	-21.05	4.37	-66.62	-66.62

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	5.49109G	-43.25	-27.00	-16.25	4.37	-47.62	-47.62
1G	40G	1M	PK	10.58303G	-54.66	-27.00	-27.66	4.37	-59.03	-59.03

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.10841G	-46.69	-41.20	-5.49	4.37	-51.06	-51.06
1G	40G	1M	AV	10.60863G	-62.45	-41.20	-21.25	4.37	-66.82	-66.82

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5310MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.57578G	-42.39	-27.00	-15.39	4.37	-46.76	-46.76
1G	40G	1M	PK	10.59034G	-55.44	-27.00	-28.44	4.37	-59.81	-59.81

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5310MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.34359G	-46.54	-41.20	-5.34	4.37	-50.91	-50.91
1G	40G	1M	AV	10.63666G	-61.95	-41.20	-20.75	4.37	-66.32	-66.32

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5290MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.57578G	-43.36	-27.00	-16.36	4.37	-47.73	-47.73
1G	40G	1M	PK	10.58303G	-55.78	-27.00	-28.78	4.37	-60.15	-60.15

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5290MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.37288G	-44.81	-41.20	-3.61	4.37	-49.18	-49.18
1G	40G	1M	AV	10.63056G	-61.78	-41.20	-20.58	4.37	-66.15	-66.15

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.11328G	5.74	-53.00	-49.55	-47.93	-42.19	-41.20	-0.99
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	5.10719G	5.95	-50.98	-53.67	-49.11	-43.16	-41.20	-1.96
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.10841G	5.95	-51.67	-54.55	-49.87	-43.92	-41.20	-2.72
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	7.34359G	5.95	-49.04	-63.78	-48.90	-42.95	-41.20	-1.75
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.39238G	5.95	-51.02	-51.35	-48.17	-42.22	-41.20	-1.02

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	7.26316G	5.95	-51.62	-67.14	-51.50	-45.55	-41.20	-4.35
5260MHz	Pass	1G	40G	AV	10.60009G	5.95	-67.05	-66.85	-63.94	-57.99	-41.20	-16.79
5260MHz	Pass	1G	40G	PK	6.57578G	5.95	-47.16	-59.71	-46.93	-40.98	-27.00	-13.98
5260MHz	Pass	1G	40G	PK	10.51478G	5.95	-60.83	-61.71	-58.24	-52.29	-27.00	-25.29
5300MHz	Pass	1G	40G	AV	5.10719G	5.95	-50.98	-53.67	-49.11	-43.16	-41.20	-1.96
5300MHz	Pass	1G	40G	AV	10.6135G	5.95	-66.80	-65.84	-63.28	-57.33	-41.20	-16.13
5300MHz	Pass	1G	40G	PK	5.49231G	5.95	-49.79	-47.82	-45.68	-39.73	-27.00	-12.73
5300MHz	Pass	1G	40G	PK	10.594G	5.95	-61.22	-60.71	-57.95	-52.00	-27.00	-25.00
5320MHz	Pass	1G	40G	AV	5.12669G	5.95	-51.13	-53.85	-49.27	-43.32	-41.20	-2.12
5320MHz	Pass	1G	40G	AV	10.62691G	5.95	-66.17	-66.56	-63.35	-57.40	-41.20	-16.20
5320MHz	Pass	1G	40G	PK	5.51059G	5.95	-47.81	-49.34	-45.50	-39.55	-27.00	-12.55
5320MHz	Pass	1G	40G	PK	10.64884G	5.95	-59.13	-59.39	-56.25	-50.30	-21.20	-29.10
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	7.26316G	5.95	-51.51	-66.37	-51.37	-45.42	-41.20	-4.22
5260MHz	Pass	1G	40G	AV	10.60009G	5.95	-67.26	-66.85	-64.04	-58.09	-41.20	-16.89
5260MHz	Pass	1G	40G	PK	6.57578G	5.95	-47.04	-57.92	-46.70	-40.75	-27.00	-13.75
5260MHz	Pass	1G	40G	PK	10.50869G	5.95	-58.56	-62.08	-56.96	-51.01	-27.00	-24.01
5300MHz	Pass	1G	40G	AV	5.10841G	5.95	-51.67	-54.55	-49.87	-43.92	-41.20	-2.72
5300MHz	Pass	1G	40G	AV	10.60009G	5.95	-66.65	-66.45	-63.54	-57.59	-41.20	-16.39
5300MHz	Pass	1G	40G	PK	5.49231G	5.95	-48.51	-48.54	-45.51	-39.56	-27.00	-12.56
5300MHz	Pass	1G	40G	PK	10.594G	5.95	-61.43	-59.86	-57.56	-51.61	-27.00	-24.61
5320MHz	Pass	1G	40G	AV	5.12791G	5.95	-51.81	-55.22	-50.18	-44.23	-41.20	-3.03
5320MHz	Pass	1G	40G	AV	10.63544G	5.95	-66.14	-66.93	-63.51	-57.56	-41.20	-16.36
5320MHz	Pass	1G	40G	PK	5.51059G	5.95	-46.79	-49.85	-45.05	-39.10	-27.00	-12.10
5320MHz	Pass	1G	40G	PK	10.64641G	5.95	-61.44	-61.55	-58.48	-52.53	-21.20	-31.33
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	1G	40G	AV	7.28022G	5.95	-51.97	-67.40	-51.85	-45.90	-41.20	-4.70
5270MHz	Pass	1G	40G	AV	10.60009G	5.95	-67.48	-67.26	-64.36	-58.41	-41.20	-17.21
5270MHz	Pass	1G	40G	PK	6.57578G	5.95	-46.88	-58.08	-46.56	-40.61	-27.00	-13.61
5270MHz	Pass	1G	40G	PK	10.55622G	5.95	-61.05	-60.02	-57.49	-51.54	-27.00	-24.54
5310MHz	Pass	1G	40G	AV	7.34359G	5.95	-49.04	-63.78	-48.90	-42.95	-41.20	-1.75
5310MHz	Pass	1G	40G	AV	10.6135G	5.95	-66.60	-66.40	-63.49	-57.54	-41.20	-16.34
5310MHz	Pass	1G	40G	PK	6.4795G	5.95	-46.44	-58.35	-46.17	-40.22	-27.00	-13.22
5310MHz	Pass	1G	40G	PK	10.58547G	5.95	-59.95	-60.13	-57.03	-51.08	-27.00	-24.08
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	5.39238G	5.95	-51.02	-51.35	-48.17	-42.22	-41.20	-1.02
5290MHz	Pass	1G	40G	AV	10.63178G	5.95	-66.73	-66.34	-63.52	-57.57	-41.20	-16.37
5290MHz	Pass	1G	40G	PK	6.57578G	5.95	-47.86	-59.17	-47.55	-41.60	-27.00	-14.60
5290MHz	Pass	1G	40G	PK	10.56109G	5.95	-60.34	-59.81	-57.06	-51.11	-27.00	-24.11
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	5.11328G	5.74	-53.00	-49.55	-47.93	-42.19	-41.20	-0.99
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.64275G	5.74	-66.50	-66.70	-63.59	-57.85	-41.20	-16.65
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	5.4655G	5.74	-54.87	-45.70	-45.20	-39.46	-27.00	-12.46
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.55134G	5.74	-60.33	-60.42	-57.36	-51.62	-27.00	-24.62


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	5.4655G	-39.46	-27.00	-12.46	5.74	-45.20	-54.87	-45.70
1G	40G	1M	PK	10.55134G	-51.62	-27.00	-24.62	5.74	-57.36	-60.33	-60.42

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.11328G	-42.19	-41.20	-0.99	5.74	-47.93	-53.00	-49.55
1G	40G	1M	AV	10.64275G	-57.85	-41.20	-16.65	5.74	-63.59	-66.50	-66.70

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	5.49231G	-39.73	-27.00	-12.73	5.95	-45.68	-49.79	-47.82
1G	40G	1M	PK	10.594G	-52.00	-27.00	-25.00	5.95	-57.95	-61.22	-60.71

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.10719G	-43.16	-41.20	-1.96	5.95	-49.11	-50.98	-53.67
1G	40G	1M	AV	10.6135G	-57.33	-41.20	-16.13	5.95	-63.28	-66.80	-65.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	5.49231G	-39.56	-27.00	-12.56	5.95	-45.51	-48.51	-48.54
1G	40G	1M	PK	10.594G	-51.61	-27.00	-24.61	5.95	-57.56	-61.43	-59.86

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.10841G	-43.92	-41.20	-2.72	5.95	-49.87	-51.67	-54.55
1G	40G	1M	AV	10.60009G	-57.59	-41.20	-16.39	5.95	-63.54	-66.65	-66.45

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5310MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.4795G	-40.22	-27.00	-13.22	5.95	-46.17	-46.44	-58.35
1G	40G	1M	PK	10.58547G	-51.08	-27.00	-24.08	5.95	-57.03	-59.95	-60.13

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5310MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.34359G	-42.95	-41.20	-1.75	5.95	-48.90	-49.04	-63.78
1G	40G	1M	AV	10.6135G	-57.54	-41.20	-16.34	5.95	-63.49	-66.60	-66.40

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5290MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.57578G	-41.60	-27.00	-14.60	5.95	-47.55	-47.86	-59.17
1G	40G	1M	PK	10.56109G	-51.11	-27.00	-24.11	5.95	-57.06	-60.34	-59.81

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5290MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.39238G	-42.22	-41.20	-1.02	5.95	-48.17	-51.02	-51.35
1G	40G	1M	AV	10.63178G	-57.57	-41.20	-16.37	5.95	-63.52	-66.73	-66.34

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port1)	Pass	1G	40G	AV	8.40025G	4.40	-52.69	-52.69	-48.29	-41.20	-7.09
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	Pass	1G	40G	AV	8.46363G	4.37	-53.98	-53.98	-49.61	-41.20	-8.41

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	8.46363G	4.37	-53.98	-53.98	-49.61	-41.20	-8.41
5290MHz	Pass	1G	40G	AV	10.62447G	4.37	-65.52	-65.52	-61.15	-41.20	-19.95
5290MHz	Pass	1G	40G	PK	10.53916G	4.37	-58.01	-58.01	-53.64	-27.00	-26.64
5290MHz	Pass	1G	40G	PK	37.97078G	4.37	-47.87	-47.87	-43.50	-27.00	-16.50
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	8.40025G	4.40	-52.69	-52.69	-48.29	-41.20	-7.09
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60009G	4.40	-65.29	-65.29	-60.89	-41.20	-19.69
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.51113G	4.40	-57.65	-57.65	-53.25	-27.00	-26.25
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	38.13044G	4.40	-46.49	-46.49	-42.09	-27.00	-15.09


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port1)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.51113G	-53.25	-27.00	-26.25	4.40	-57.65	-57.65
1G	40G	1M	PK	38.13044G	-42.09	-27.00	-15.09	4.40	-46.49	-46.49

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port1)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.40025G	-48.29	-41.20	-7.09	4.40	-52.69	-52.69
1G	40G	1M	AV	10.60009G	-60.89	-41.20	-19.69	4.40	-65.29	-65.29

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)

CSE [PK]

5290MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.53916G	-53.64	-27.00	-26.64	4.37	-58.01	-58.01
1G	40G	1M	PK	37.97078G	-43.50	-27.00	-16.50	4.37	-47.87	-47.87

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)

CSE [AV]

5290MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.46363G	-49.61	-41.20	-8.41	4.37	-53.98	-53.98
1G	40G	1M	AV	10.62447G	-61.15	-41.20	-19.95	4.37	-65.52	-65.52

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	1G	40G	AV	39.82084G	5.74	-55.73	-55.12	-52.40	-46.66	-41.20	-5.46
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	1G	40G	AV	39.844G	5.95	-55.64	-55.19	-52.40	-46.45	-41.20	-5.25

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU_3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	10.60375G	5.95	-64.89	-66.08	-62.43	-56.48	-41.20	-15.28
5290MHz	Pass	1G	40G	AV	39.844G	5.95	-55.64	-55.19	-52.40	-46.45	-41.20	-5.25
5290MHz	Pass	1G	40G	PK	10.57816G	5.95	-58.10	-58.98	-55.51	-49.56	-27.00	-22.56
5290MHz	Pass	1G	40G	PK	36.10244G	5.95	-48.88	-50.54	-46.62	-40.67	-27.00	-13.67
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU_1_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.60009G	5.74	-66.10	-65.49	-62.77	-57.03	-41.20	-15.83
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	39.82084G	5.74	-55.73	-55.12	-52.40	-46.66	-41.20	-5.46
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.477G	5.74	-57.90	-58.42	-55.14	-49.40	-27.00	-22.40
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	37.24319G	5.74	-49.69	-49.10	-46.37	-40.63	-27.00	-13.63



DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

12/08/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.477G	-49.40	-27.00	-22.40	5.74	-55.14	-57.90	-58.42
1G	40G	1M	PK	37.24319G	-40.63	-27.00	-13.63	5.74	-46.37	-49.69	-49.10

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

12/08/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.60009G	-57.03	-41.20	-15.83	5.74	-62.77	-66.10	-65.49
1G	40G	1M	AV	39.82084G	-46.66	-41.20	-5.46	5.74	-52.40	-55.73	-55.12

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [PK]

5290MHz

12/08/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.57816G	-49.56	-27.00	-22.56	5.95	-55.51	-58.10	-58.98
1G	40G	1M	PK	36.10244G	-40.67	-27.00	-13.67	5.95	-46.62	-48.88	-50.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [AV]

5290MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.60375G	-56.48	-41.20	-15.28	5.95	-62.43	-64.89	-66.08
1G	40G	1M	AV	39.844G	-46.45	-41.20	-5.25	5.95	-52.40	-55.64	-55.19



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	Pass	1G	40G	AV	8.39903G	4.40	-52.92	-52.92	-48.52	-41.20	-7.32
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	Pass	1G	40G	AV	8.46363G	4.37	-54.20	-54.20	-49.83	-41.20	-8.63

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	8.46363G	4.37	-54.20	-54.20	-49.83	-41.20	-8.63
5290MHz	Pass	1G	40G	AV	10.63544G	4.37	-88.07	-88.07	-83.70	-41.20	-42.50
5290MHz	Pass	1G	40G	PK	8.46363G	4.37	-53.72	-53.72	-49.35	-21.20	-28.15
5290MHz	Pass	1G	40G	PK	10.55744G	4.37	-80.35	-80.35	-75.98	-27.00	-48.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	8.39903G	4.40	-52.92	-52.92	-48.52	-41.20	-7.32
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.64153G	4.40	-88.33	-88.33	-83.93	-41.20	-42.73
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	8.40025G	4.40	-52.91	-52.91	-48.51	-21.20	-27.31
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.48675G	4.40	-79.84	-79.84	-75.44	-27.00	-48.44
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	8.40025G	4.40	-52.97	-52.97	-48.57	-41.20	-7.37
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.63909G	4.40	-88.33	-88.33	-83.93	-41.20	-42.73
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	8.40025G	4.40	-52.93	-52.93	-48.53	-21.20	-27.33
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.42825G	4.40	-79.56	-79.56	-75.16	-27.00	-48.16


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	8.40025G	-48.51	-21.20	-27.31	4.40	-52.91	-52.91
1G	40G	1M	PK	10.48675G	-75.44	-27.00	-48.44	4.40	-79.84	-79.84

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.39903G	-48.52	-41.20	-7.32	4.40	-52.92	-52.92
1G	40G	1M	AV	10.64153G	-83.93	-41.20	-42.73	4.40	-88.33	-88.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)

CSE [PK]

5290MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	8.46363G	-49.35	-21.20	-28.15	4.37	-53.72	-53.72
1G	40G	1M	PK	10.55744G	-75.98	-27.00	-48.98	4.37	-80.35	-80.35

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)

CSE [AV]

5290MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	8.46363G	-49.83	-41.20	-8.63	4.37	-54.20	-54.20
1G	40G	1M	AV	10.63544G	-83.70	-41.20	-42.50	4.37	-88.07	-88.07



CSE _Non-Beamforming_Radio 2_2T1S_Channel Puncturing Appendix E.23

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	Pass	1G	40G	AV	8.39903G	5.74	-54.90	-68.68	-54.72	-48.98	-41.20	-7.78
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	1G	40G	AV	8.46363G	5.95	-56.74	-69.07	-56.49	-50.54	-41.20	-9.34

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE_Non-Beamforming_Radio 2_2T1S_Channel Puncturing Appendix E.23

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	1G	40G	AV	8.46363G	5.95	-56.74	-69.07	-56.49	-50.54	-41.20	-9.34
5290MHz	Pass	1G	40G	AV	10.62325G	5.95	-90.10	-90.56	-87.31	-81.36	-41.20	-40.16
5290MHz	Pass	1G	40G	PK	8.46363G	5.95	-55.99	-68.44	-55.75	-49.80	-21.20	-28.60
5290MHz	Pass	1G	40G	PK	10.51113G	5.95	-83.35	-83.94	-80.62	-74.67	-27.00	-47.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	8.39903G	5.74	-54.99	-68.62	-54.81	-49.07	-41.20	-7.87
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.64031G	5.74	-90.46	-90.27	-87.35	-81.61	-41.20	-40.41
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	8.40025G	5.74	-54.82	-68.33	-54.63	-48.89	-21.20	-27.69
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.55622G	5.74	-88.10	-80.07	-79.44	-73.70	-27.00	-46.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	8.39903G	5.74	-54.90	-68.58	-54.72	-48.98	-41.20	-7.78
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	AV	10.63178G	5.74	-90.65	-90.37	-87.50	-81.76	-41.20	-40.56
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	8.40025G	5.74	-54.74	-68.30	-54.55	-48.81	-21.20	-27.61
5250MHz Straddle 5.15-5.25GHz	Pass	1G	40G	PK	10.43313G	5.74	-81.33	-82.11	-78.69	-72.95	-27.00	-45.95


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

19/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	8.40025G	-48.81	-21.20	-27.61	5.74	-54.55	-54.74	-68.30
1G	40G	1M	PK	10.43313G	-72.95	-27.00	-45.95	5.74	-78.69	-81.33	-82.11

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

19/05/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.39903G	-48.98	-41.20	-7.78	5.74	-54.72	-54.90	-68.58
1G	40G	1M	AV	10.63178G	-81.76	-41.20	-40.56	5.74	-87.50	-90.65	-90.37

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE [PK]

5290MHz

19/05/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	8.46363G	-49.80	-21.20	-28.60	5.95	-55.75	-55.99	-68.44
1G	40G	1M	PK	10.51113G	-74.67	-27.00	-47.67	5.95	-80.62	-83.35	-83.94

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE [AV]

5290MHz

19/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.46363G	-50.54	-41.20	-9.34	5.95	-56.49	-56.74	-69.07
1G	40G	1M	AV	10.62325G	-81.36	-41.20	-40.16	5.95	-87.31	-90.10	-90.56



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	39.93906G	4.12	-52.68	-52.68	-48.56	-41.20	-7.36
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	39.93906G	4.12	-53.31	-53.31	-49.19	-41.20	-7.99

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	4.12	-66.51	-66.51	-62.39	-41.20	-21.19
5260MHz	Pass	1G	40G	AV	39.99513G	4.12	-53.33	-53.33	-49.21	-41.20	-8.01
5260MHz	Pass	1G	40G	PK	10.51234G	4.12	-57.92	-57.92	-53.80	-27.00	-26.80
5260MHz	Pass	1G	40G	PK	38.32788G	4.12	-48.81	-48.81	-44.69	-27.00	-17.69
5300MHz	Pass	1G	40G	AV	10.60009G	4.12	-65.92	-65.92	-61.80	-41.20	-20.60
5300MHz	Pass	1G	40G	AV	39.93906G	4.12	-52.68	-52.68	-48.56	-41.20	-7.36
5300MHz	Pass	1G	40G	PK	10.58547G	4.12	-59.69	-59.69	-55.57	-27.00	-28.57
5300MHz	Pass	1G	40G	PK	38.30838G	4.12	-48.57	-48.57	-44.45	-27.00	-17.45
5320MHz	Pass	1G	40G	AV	10.6525G	4.12	-66.05	-66.05	-61.93	-41.20	-20.73
5320MHz	Pass	1G	40G	AV	39.94638G	4.12	-53.52	-53.52	-49.40	-41.20	-8.20
5320MHz	Pass	1G	40G	PK	10.64275G	4.12	-58.80	-58.80	-54.68	-21.20	-33.48
5320MHz	Pass	1G	40G	PK	38.24378G	4.12	-49.33	-49.33	-45.21	-27.00	-18.21
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	1G	40G	AV	10.60009G	4.12	-66.71	-66.71	-62.59	-41.20	-21.39
5260MHz	Pass	1G	40G	AV	39.93906G	4.12	-53.31	-53.31	-49.19	-41.20	-7.99
5260MHz	Pass	1G	40G	PK	10.52941G	4.12	-58.53	-58.53	-54.41	-27.00	-27.41
5260MHz	Pass	1G	40G	PK	38.31203G	4.12	-49.40	-49.40	-45.28	-27.00	-18.28
5300MHz	Pass	1G	40G	AV	10.60131G	4.12	-65.74	-65.74	-61.62	-41.20	-20.42
5300MHz	Pass	1G	40G	AV	39.98903G	4.12	-53.31	-53.31	-49.19	-41.20	-7.99
5300MHz	Pass	1G	40G	PK	10.59766G	4.12	-59.38	-59.38	-55.26	-27.00	-28.26
5300MHz	Pass	1G	40G	PK	38.57894G	4.12	-49.37	-49.37	-45.25	-27.00	-18.25
5320MHz	Pass	1G	40G	AV	10.63666G	4.12	-64.29	-64.29	-60.17	-41.20	-18.97
5320MHz	Pass	1G	40G	AV	39.92688G	4.12	-53.40	-53.40	-49.28	-41.20	-8.08
5320MHz	Pass	1G	40G	PK	10.63909G	4.12	-51.14	-51.14	-47.02	-21.20	-25.82
5320MHz	Pass	1G	40G	PK	38.5375G	4.12	-49.24	-49.24	-45.12	-27.00	-18.12


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.58547G	-55.57	-27.00	-28.57	4.12	-59.69	-59.69
1G	40G	1M	PK	38.30838G	-44.45	-27.00	-17.45	4.12	-48.57	-48.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5300MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-61.80	-41.20	-20.60	4.12	-65.92	-65.92
1G	40G	1M	AV	39.93906G	-48.56	-41.20	-7.36	4.12	-52.68	-52.68

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5260MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.52941G	-54.41	-27.00	-27.41	4.12	-58.53	-58.53
1G	40G	1M	PK	38.31203G	-45.28	-27.00	-18.28	4.12	-49.40	-49.40

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5260MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	10.60009G	-62.59	-41.20	-21.39	4.12	-66.71	-66.71
1G	40G	1M	AV	39.93906G	-49.19	-41.20	-7.99	4.12	-53.31	-53.31

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	Horizontal
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	Horizontal
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	Horizontal
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80744G	31.80	54.00	-22.20	3	Vertical	209	1.50
Mode 1	Pass	AV	4.92212G	32.49	54.00	-21.51	3	Vertical	94	1.50
Mode 1	Pass	AV	11.38012G	42.26	54.00	-11.74	3	Vertical	306	1.50
Mode 1	Pass	AV	11.55208G	41.82	54.00	-12.18	3	Vertical	202	1.98
Mode 1	Pass	AV	13.39304G	44.42	54.00	-9.58	3	Vertical	47	1.50
Mode 1	Pass	PK	4.79556G	43.75	74.00	-30.25	3	Vertical	209	1.50
Mode 1	Pass	PK	4.91592G	44.35	74.00	-29.65	3	Vertical	94	1.50
Mode 1	Pass	PK	11.38948G	54.49	74.00	-19.51	3	Vertical	306	1.50
Mode 1	Pass	PK	11.54528G	53.42	74.00	-20.58	3	Vertical	202	1.98
Mode 1	Pass	PK	13.39228G	56.68	74.00	-17.32	3	Vertical	47	1.50
Mode 1	Pass	AV	4.80412G	31.69	54.00	-22.31	3	Horizontal	178	1.47
Mode 1	Pass	AV	4.9216G	32.56	54.00	-21.44	3	Horizontal	121	1.50
Mode 1	Pass	AV	11.38104G	42.16	54.00	-11.84	3	Horizontal	42	1.50
Mode 1	Pass	AV	11.55008G	41.81	54.00	-12.19	3	Horizontal	210	1.50
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	3	Horizontal	120	1.10
Mode 1	Pass	PK	4.79884G	43.52	74.00	-30.48	3	Horizontal	178	1.47
Mode 1	Pass	PK	4.9234G	44.44	74.00	-29.56	3	Horizontal	121	1.50
Mode 1	Pass	PK	11.37596G	54.03	74.00	-19.97	3	Horizontal	42	1.50
Mode 1	Pass	PK	11.55916G	54.43	74.00	-19.57	3	Horizontal	210	1.50
Mode 1	Pass	PK	13.39696G	56.61	74.00	-17.39	3	Horizontal	120	1.10
Mode 2	Pass	AV	4.80564G	31.70	54.00	-22.30	3	Vertical	127	1.50
Mode 2	Pass	AV	4.92016G	32.42	54.00	-21.58	3	Vertical	70	1.78
Mode 2	Pass	AV	11.5516G	41.92	54.00	-12.08	3	Vertical	17	1.50
Mode 2	Pass	AV	13.37092G	44.53	54.00	-9.47	3	Vertical	186	1.55
Mode 2	Pass	AV	13.39332G	44.37	54.00	-9.63	3	Vertical	94	1.50
Mode 2	Pass	PK	4.80444G	44.04	74.00	-29.96	3	Vertical	127	1.50
Mode 2	Pass	PK	4.92632G	44.43	74.00	-29.57	3	Vertical	70	1.78
Mode 2	Pass	PK	11.5472G	53.67	74.00	-20.33	3	Vertical	17	1.50
Mode 2	Pass	PK	13.36092G	56.49	74.00	-17.51	3	Vertical	186	1.55
Mode 2	Pass	PK	13.39692G	56.66	74.00	-17.34	3	Vertical	94	1.50
Mode 2	Pass	AV	4.7944G	31.82	54.00	-22.18	3	Horizontal	138	1.50
Mode 2	Pass	AV	4.91488G	32.49	54.00	-21.51	3	Horizontal	34	1.50
Mode 2	Pass	AV	11.55496G	41.89	54.00	-12.11	3	Horizontal	138	1.50
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	3	Horizontal	41	1.50
Mode 2	Pass	AV	13.39108G	44.30	54.00	-9.70	3	Horizontal	16	1.50
Mode 2	Pass	PK	4.8064G	44.01	74.00	-29.99	3	Horizontal	138	1.50
Mode 2	Pass	PK	4.9212G	44.43	74.00	-29.57	3	Horizontal	34	1.50
Mode 2	Pass	PK	11.5524G	54.30	74.00	-19.70	3	Horizontal	138	1.50
Mode 2	Pass	PK	13.37752G	56.48	74.00	-17.52	3	Horizontal	41	1.50
Mode 2	Pass	PK	13.39832G	56.81	74.00	-17.19	3	Horizontal	16	1.50
Mode 3	Pass	AV	4.81968G	31.87	54.00	-22.13	3	Vertical	21	1.50
Mode 3	Pass	AV	4.92108G	32.56	54.00	-21.44	3	Vertical	295	1.50
Mode 3	Pass	AV	11.381G	42.31	54.00	-11.69	3	Vertical	302	1.50
Mode 3	Pass	AV	11.55408G	41.88	54.00	-12.12	3	Vertical	25	1.50
Mode 3	Pass	AV	13.39472G	44.42	54.00	-9.58	3	Vertical	5	1.48
Mode 3	Pass	PK	4.8134G	44.48	74.00	-29.52	3	Vertical	21	1.50
Mode 3	Pass	PK	4.92048G	44.79	74.00	-29.21	3	Vertical	295	1.50
Mode 3	Pass	PK	11.38468G	54.56	74.00	-19.44	3	Vertical	302	1.50
Mode 3	Pass	PK	11.55708G	53.74	74.00	-20.26	3	Vertical	25	1.50
Mode 3	Pass	PK	13.39972G	56.17	74.00	-17.83	3	Vertical	5	1.48


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.80808G	31.73	54.00	-22.27	3	Horizontal	358	1.50
Mode 3	Pass	AV	4.91836G	32.48	54.00	-21.52	3	Horizontal	221	1.64
Mode 3	Pass	AV	11.37812G	42.19	54.00	-11.81	3	Horizontal	132	1.50
Mode 3	Pass	AV	11.54908G	41.93	54.00	-12.07	3	Horizontal	60	1.02
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	3	Horizontal	314	1.50
Mode 3	Pass	PK	4.81568G	44.44	74.00	-29.56	3	Horizontal	358	1.50
Mode 3	Pass	PK	4.92016G	44.72	74.00	-29.28	3	Horizontal	221	1.64
Mode 3	Pass	PK	11.3814G	53.60	74.00	-20.40	3	Horizontal	132	1.50
Mode 3	Pass	PK	11.54628G	54.05	74.00	-19.95	3	Horizontal	60	1.02
Mode 3	Pass	PK	13.39892G	56.18	74.00	-17.82	3	Horizontal	314	1.50
Mode 4	Pass	AV	4.80164G	31.83	54.00	-22.17	3	Vertical	351	2.33
Mode 4	Pass	AV	4.92376G	32.51	54.00	-21.49	3	Vertical	347	1.50
Mode 4	Pass	AV	11.55248G	41.90	54.00	-12.10	3	Vertical	2	1.56
Mode 4	Pass	AV	13.37248G	44.45	54.00	-9.55	3	Vertical	184	1.50
Mode 4	Pass	AV	13.3938G	44.50	54.00	-9.50	3	Vertical	201	1.62
Mode 4	Pass	PK	4.8084G	43.79	74.00	-30.21	3	Vertical	351	2.33
Mode 4	Pass	PK	4.92836G	44.16	74.00	-29.84	3	Vertical	347	1.50
Mode 4	Pass	PK	11.55392G	54.22	74.00	-19.78	3	Vertical	2	1.56
Mode 4	Pass	PK	13.37012G	56.34	74.00	-17.66	3	Vertical	184	1.50
Mode 4	Pass	PK	13.38432G	55.87	74.00	-18.13	3	Vertical	201	1.62
Mode 4	Pass	AV	4.8196G	32.01	54.00	-21.99	3	Horizontal	76	1.15
Mode 4	Pass	AV	4.91452G	32.36	54.00	-21.64	3	Horizontal	111	1.66
Mode 4	Pass	AV	11.54664G	41.77	54.00	-12.23	3	Horizontal	125	2.91
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	3	Horizontal	138	1.30
Mode 4	Pass	AV	13.38768G	44.35	54.00	-9.65	3	Horizontal	78	2.05
Mode 4	Pass	PK	4.81144G	43.29	74.00	-30.71	3	Horizontal	76	1.15
Mode 4	Pass	PK	4.92816G	44.08	74.00	-29.92	3	Horizontal	111	1.66
Mode 4	Pass	PK	11.5402G	53.50	74.00	-20.50	3	Horizontal	125	2.91
Mode 4	Pass	PK	13.37556G	56.42	74.00	-17.58	3	Horizontal	138	1.30
Mode 4	Pass	PK	13.38196G	56.17	74.00	-17.83	3	Horizontal	78	2.05

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80744G	31.80	54.00	-22.20	2.29	3	Vertical	209	1.50	29.51	32.33	5.02	35.06				
AV	4.92212G	32.49	54.00	-21.51	2.77	3	Vertical	94	1.50	29.72	32.83	5.01	35.07				
AV	11.38012G	42.26	54.00	-11.74	12.94	3	Vertical	306	1.50	29.32	39.04	7.96	34.06				
AV	11.55208G	41.82	54.00	-12.18	12.79	3	Vertical	202	1.98	29.03	38.79	8.01	34.01				
AV	13.39304G	44.42	54.00	-9.58	16.54	3	Vertical	47	1.50	27.88	40.10	8.58	32.14				
PK	4.79556G	43.75	74.00	-30.25	2.23	3	Vertical	209	1.50	41.52	32.27	5.02	35.06				
PK	4.91592G	44.35	74.00	-29.65	2.75	3	Vertical	94	1.50	41.60	32.80	5.01	35.06				
PK	11.38948G	54.49	74.00	-19.51	12.94	3	Vertical	306	1.50	41.55	39.02	7.97	34.05				
PK	11.54528G	53.42	74.00	-20.58	12.81	3	Vertical	202	1.98	40.61	38.81	8.01	34.01				
PK	13.39228G	56.68	74.00	-17.32	16.54	3	Vertical	47	1.50	40.14	40.10	8.58	32.14				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80412G	31.69	54.00	-22.31	2.28	3	Horizontal	178	1.47	29.41	32.32	5.02	35.06				
AV	4.9216G	32.56	54.00	-21.44	2.77	3	Horizontal	121	1.50	29.79	32.83	5.01	35.07				
AV	11.38104G	42.16	54.00	-11.84	12.94	3	Horizontal	42	1.50	29.22	39.04	7.96	34.06				
AV	11.55008G	41.81	54.00	-12.19	12.80	3	Horizontal	210	1.50	29.01	38.80	8.01	34.01				
AV	13.39304G	44.46	54.00	-9.54	16.54	3	Horizontal	120	1.10	27.92	40.10	8.58	32.14				
PK	4.79884G	43.52	74.00	-30.48	2.25	3	Horizontal	178	1.47	41.27	32.29	5.02	35.06				
PK	4.9234G	44.44	74.00	-29.56	2.78	3	Horizontal	121	1.50	41.66	32.84	5.01	35.07				
PK	11.37596G	54.03	74.00	-19.97	12.95	3	Horizontal	42	1.50	41.08	39.05	7.96	34.06				
PK	11.55916G	54.43	74.00	-19.57	12.76	3	Horizontal	210	1.50	41.67	38.76	8.01	34.01				
PK	13.39696G	56.61	74.00	-17.39	16.55	3	Horizontal	120	1.10	40.06	40.10	8.58	32.13				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80564G	31.70	54.00	-22.30	2.28	3	Vertical	127	1.50	29.42	32.32	5.02	35.06
AV	4.92016G	32.42	54.00	-21.58	2.76	3	Vertical	70	1.78	29.66	32.82	5.01	35.07
AV	11.5516G	41.92	54.00	-12.08	12.79	3	Vertical	17	1.50	29.13	38.79	8.01	34.01
AV	13.37092G	44.53	54.00	-9.47	16.50	3	Vertical	186	1.55	28.03	40.10	8.57	32.17
AV	13.39332G	44.37	54.00	-9.63	16.54	3	Vertical	94	1.50	27.83	40.10	8.58	32.14
PK	4.80444G	44.04	74.00	-29.96	2.28	3	Vertical	127	1.50	41.76	32.32	5.02	35.06
PK	4.92632G	44.43	74.00	-29.57	2.80	3	Vertical	70	1.78	41.63	32.86	5.01	35.07
PK	11.5472G	53.67	74.00	-20.33	12.81	3	Vertical	17	1.50	40.86	38.81	8.01	34.01
PK	13.36092G	56.49	74.00	-17.51	16.49	3	Vertical	186	1.55	40.00	40.10	8.57	32.18
PK	13.39692G	56.66	74.00	-17.34	16.55	3	Vertical	94	1.50	40.11	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.7944G	31.82	54.00	-22.18	2.23	3	Horizontal	138	1.50	29.59	32.27	5.02	35.06
AV	4.91488G	32.49	54.00	-21.51	2.74	3	Horizontal	34	1.50	29.75	32.79	5.01	35.06
AV	11.55496G	41.89	54.00	-12.11	12.78	3	Horizontal	138	1.50	29.11	38.78	8.01	34.01
AV	13.36644G	44.57	54.00	-9.43	16.50	3	Horizontal	41	1.50	28.07	40.10	8.57	32.17
AV	13.39108G	44.30	54.00	-9.70	16.54	3	Horizontal	16	1.50	27.76	40.10	8.58	32.14
PK	4.8064G	44.01	74.00	-29.99	2.29	3	Horizontal	138	1.50	41.72	32.33	5.02	35.06
PK	4.9212G	44.43	74.00	-29.57	2.77	3	Horizontal	34	1.50	41.66	32.83	5.01	35.07
PK	11.5524G	54.30	74.00	-19.70	12.79	3	Horizontal	138	1.50	41.51	38.79	8.01	34.01
PK	13.37752G	56.48	74.00	-17.52	16.51	3	Horizontal	41	1.50	39.97	40.10	8.57	32.16
PK	13.39832G	56.81	74.00	-17.19	16.55	3	Horizontal	16	1.50	40.26	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81968G	31.87	54.00	-22.13	2.34	3	Vertical	21	1.50	29.53	32.38	5.02	35.06
AV	4.92108G	32.56	54.00	-21.44	2.77	3	Vertical	295	1.50	29.79	32.83	5.01	35.07
AV	11.381G	42.31	54.00	-11.69	12.94	3	Vertical	302	1.50	29.37	39.04	7.96	34.06
AV	11.55408G	41.88	54.00	-12.12	12.78	3	Vertical	25	1.50	29.10	38.78	8.01	34.01
AV	13.39472G	44.42	54.00	-9.58	16.55	3	Vertical	5	1.48	27.87	40.10	8.58	32.13
PK	4.8134G	44.48	74.00	-29.52	2.31	3	Vertical	21	1.50	42.17	32.35	5.02	35.06
PK	4.92048G	44.79	74.00	-29.21	2.76	3	Vertical	295	1.50	42.03	32.82	5.01	35.07
PK	11.38468G	54.56	74.00	-19.44	12.94	3	Vertical	302	1.50	41.62	39.03	7.96	34.05
PK	11.55708G	53.74	74.00	-20.26	12.77	3	Vertical	25	1.50	40.97	38.77	8.01	34.01
PK	13.39972G	56.17	74.00	-17.83	16.55	3	Vertical	5	1.48	39.62	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80808G	31.73	54.00	-22.27	2.29	3	Horizontal	358	1.50	29.44	32.33	5.02	35.06
AV	4.91836G	32.48	54.00	-21.52	2.75	3	Horizontal	221	1.64	29.73	32.81	5.01	35.07
AV	11.37812G	42.19	54.00	-11.81	12.94	3	Horizontal	132	1.50	29.25	39.04	7.96	34.06
AV	11.54908G	41.93	54.00	-12.07	12.80	3	Horizontal	60	1.02	29.13	38.80	8.01	34.01
AV	13.38792G	44.48	54.00	-9.52	16.53	3	Horizontal	314	1.50	27.95	40.10	8.57	32.14
PK	4.81568G	44.44	74.00	-29.56	2.32	3	Horizontal	358	1.50	42.12	32.36	5.02	35.06
PK	4.92016G	44.72	74.00	-29.28	2.76	3	Horizontal	221	1.64	41.96	32.82	5.01	35.07
PK	11.3814G	53.60	74.00	-20.40	12.94	3	Horizontal	132	1.50	40.66	39.04	7.96	34.06
PK	11.54628G	54.05	74.00	-19.95	12.81	3	Horizontal	60	1.02	41.24	38.81	8.01	34.01
PK	13.39892G	56.18	74.00	-17.82	16.55	3	Horizontal	314	1.50	39.63	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80164G	31.83	54.00	-22.17	2.27	3	Vertical	351	2.33	29.56	32.31	5.02	35.06
AV	4.92376G	32.51	54.00	-21.49	2.78	3	Vertical	347	1.50	29.73	32.84	5.01	35.07
AV	11.55248G	41.90	54.00	-12.10	12.79	3	Vertical	2	1.56	29.11	38.79	8.01	34.01
AV	13.37248G	44.45	54.00	-9.55	16.50	3	Vertical	184	1.50	27.95	40.10	8.57	32.17
AV	13.3938G	44.50	54.00	-9.50	16.54	3	Vertical	201	1.62	27.96	40.10	8.58	32.14
PK	4.8084G	43.79	74.00	-30.21	2.29	3	Vertical	351	2.33	41.50	32.33	5.02	35.06
PK	4.92836G	44.16	74.00	-29.84	2.81	3	Vertical	347	1.50	41.35	32.87	5.01	35.07
PK	11.55392G	54.22	74.00	-19.78	12.78	3	Vertical	2	1.56	41.44	38.78	8.01	34.01
PK	13.37012G	56.34	74.00	-17.66	16.50	3	Vertical	184	1.50	39.84	40.10	8.57	32.17
PK	13.38432G	55.87	74.00	-18.13	16.52	3	Vertical	201	1.62	39.35	40.10	8.57	32.15

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8196G	32.01	54.00	-21.99	2.34	3	Horizontal	76	1.15	29.67	32.38	5.02	35.06
AV	4.91452G	32.36	54.00	-21.64	2.74	3	Horizontal	111	1.66	29.62	32.79	5.01	35.06
AV	11.54664G	41.77	54.00	-12.23	12.81	3	Horizontal	125	2.91	28.96	38.81	8.01	34.01
AV	13.373G	44.54	54.00	-9.46	16.50	3	Horizontal	138	1.30	28.04	40.10	8.57	32.17
AV	13.38768G	44.35	54.00	-9.65	16.53	3	Horizontal	78	2.05	27.82	40.10	8.57	32.14
PK	4.81144G	43.29	74.00	-30.71	2.31	3	Horizontal	76	1.15	40.98	32.35	5.02	35.06
PK	4.92816G	44.08	74.00	-29.92	2.81	3	Horizontal	111	1.66	41.27	32.87	5.01	35.07
PK	11.5402G	53.50	74.00	-20.50	12.82	3	Horizontal	125	2.91	40.68	38.82	8.01	34.01
PK	13.37556G	56.42	74.00	-17.58	16.51	3	Horizontal	138	1.30	39.91	40.10	8.57	32.16
PK	13.38196G	56.17	74.00	-17.83	16.52	3	Horizontal	78	2.05	39.65	40.10	8.57	32.15