

**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax.HEW80_Nss1,(MCS0)_1TX	Pass	PK	33.88M	31.46	40.00	-8.54	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz_PoE	Pass	PK	33.88M	31.46	40.00	-8.54	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	218.18M	27.00	46.00	-19.00	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	220.12M	26.45	46.00	-19.55	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	518.88M	22.21	46.00	-23.79	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	745.86M	26.86	46.00	-19.14	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	782.72M	30.76	46.00	-15.24	3	Vertical	360	1.00
5530MHz_PoE	Pass	PK	33.88M	28.42	40.00	-11.58	3	Horizontal	0	1.00
5530MHz_PoE	Pass	PK	216.24M	29.51	46.00	-16.49	3	Horizontal	0	1.00
5530MHz_PoE	Pass	PK	222.06M	28.59	46.00	-17.41	3	Horizontal	0	1.00
5530MHz_PoE	Pass	PK	503.36M	22.10	46.00	-23.90	3	Horizontal	0	1.00
5530MHz_PoE	Pass	PK	736.16M	27.58	46.00	-18.42	3	Horizontal	0	1.00
5530MHz_PoE	Pass	PK	840.92M	31.01	46.00	-14.99	3	Horizontal	0	1.00

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	31.46	40.00	-8.54	-14.94	3	Vertical	360	1.00	46.40	21.60	0.66	37.20
PK	218.18M	27.00	46.00	-19.00	-20.49	3	Vertical	360	1.00	47.49	14.02	1.73	36.24
PK	220.12M	26.45	46.00	-19.55	-20.26	3	Vertical	360	1.00	46.71	14.24	1.74	36.24
PK	518.88M	22.21	46.00	-23.79	-11.17	3	Vertical	360	1.00	33.38	22.96	2.83	36.96
PK	745.86M	26.86	46.00	-19.14	-7.00	3	Vertical	360	1.00	33.86	26.92	3.46	37.38
PK	782.72M	30.76	46.00	-15.24	-6.63	3	Vertical	360	1.00	37.39	27.23	3.58	37.44

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.42	40.00	-11.58	-14.94	3	Horizontal	0	1.00	43.36	21.60	0.66	37.20
PK	216.24M	29.51	46.00	-16.49	-20.71	3	Horizontal	0	1.00	50.22	13.81	1.72	36.24
PK	222.06M	28.59	46.00	-17.41	-20.01	3	Horizontal	0	1.00	48.60	14.48	1.75	36.24
PK	503.36M	22.10	46.00	-23.90	-11.30	3	Horizontal	0	1.00	33.40	22.84	2.79	36.93
PK	736.16M	27.58	46.00	-18.42	-7.23	3	Horizontal	0	1.00	34.81	26.69	3.43	37.35
PK	840.92M	31.01	46.00	-14.99	-5.61	3	Horizontal	0	1.00	36.62	28.09	3.75	37.45

**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.40524G	45.26	54.00	-8.74	3	Horizontal	86	1.50

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5700MHz	Pass	AV	11.39164G	45.19	54.00	-8.81	3	Vertical	267	1.50
5700MHz	Pass	PK	11.40716G	57.78	74.00	-16.22	3	Vertical	267	1.50
5700MHz	Pass	AV	11.40524G	45.26	54.00	-8.74	3	Horizontal	86	1.50
5700MHz	Pass	PK	11.39028G	58.28	74.00	-15.72	3	Horizontal	86	1.50


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	5.43G	5.89G	AV	5.43115G	5.26	-56.27	-56.27	-51.01	-41.20	-9.81
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	Pass	5.43G	5.765G	PK	5.46685G	5.26	-39.10	-39.10	-33.84	-27.00	-6.84
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	Pass	5.39G	5.805G	PK	5.46014G	5.26	-33.90	-33.90	-28.64	-27.00	-1.64
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	Pass	5.31G	5.885G	AV	5.45548G	5.26	-48.46	-48.46	-43.20	-41.20	-2.00
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	Pass	5.15G	6.045G	AV	5.38494G	5.26	-46.57	-46.57	-41.31	-41.20	-0.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45111G	5.26	-58.21	-58.21	-52.95	-41.20	-11.75
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	5.26	-58.21	-58.21	-52.95	-41.20	-11.75
5500MHz	Pass	5.43G	5.765G	PK	5.45797G	5.26	-47.03	-47.03	-41.77	-21.20	-20.57
5500MHz	Pass	5.43G	5.765G	PK	5.464G	5.26	-46.08	-46.08	-40.82	-27.00	-13.82
5500MHz	Pass	5.43G	5.765G	PK	5.72681G	5.26	-50.48	-50.48	-45.22	-27.00	-18.22
5580MHz	Pass	5.43G	5.765G	AV	5.43519G	5.26	-58.57	-58.57	-53.31	-41.20	-12.11
5580MHz	Pass	5.43G	5.765G	AV	5.43536G	5.26	-58.57	-58.57	-53.31	-41.20	-12.11
5580MHz	Pass	5.43G	5.765G	PK	5.43653G	5.26	-47.99	-47.99	-42.73	-21.20	-21.53
5580MHz	Pass	5.43G	5.765G	PK	5.46819G	5.26	-49.67	-49.67	-44.41	-27.00	-17.41
5580MHz	Pass	5.43G	5.765G	PK	5.7645G	5.26	-46.74	-46.74	-41.48	-27.00	-14.48
5700MHz	Pass	5.43G	5.765G	AV	5.45881G	5.26	-58.48	-58.48	-53.22	-41.20	-12.02
5700MHz	Pass	5.43G	5.765G	PK	5.43787G	5.26	-49.17	-49.17	-43.91	-21.20	-22.71
5700MHz	Pass	5.43G	5.765G	PK	5.46132G	5.26	-48.87	-48.87	-43.61	-27.00	-16.61
5700MHz	Pass	5.43G	5.765G	PK	5.72614G	5.26	-43.79	-43.79	-38.53	-27.00	-11.53
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43115G	5.26	-56.27	-56.27	-51.01	-41.20	-9.81
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43943G	5.26	-46.76	-46.76	-41.50	-21.20	-20.30
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46312G	5.26	-48.86	-48.86	-43.60	-27.00	-16.60
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86631G	5.26	-50.19	-50.19	-44.93	-27.00	-17.93
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45982G	5.26	-56.76	-56.76	-51.50	-41.20	-10.30
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	5.26	-56.76	-56.76	-51.50	-41.20	-10.30
5500MHz	Pass	5.43G	5.765G	PK	5.45714G	5.26	-43.02	-43.02	-37.76	-21.20	-16.56
5500MHz	Pass	5.43G	5.765G	PK	5.46685G	5.26	-39.10	-39.10	-33.84	-27.00	-6.84
5500MHz	Pass	5.43G	5.765G	PK	5.73535G	5.26	-50.33	-50.33	-45.07	-27.00	-18.07
5580MHz	Pass	5.43G	5.765G	AV	5.43637G	5.26	-58.72	-58.72	-53.46	-41.20	-12.26
5580MHz	Pass	5.43G	5.765G	PK	5.43335G	5.26	-47.24	-47.24	-41.98	-21.20	-20.78
5580MHz	Pass	5.43G	5.765G	PK	5.46819G	5.26	-49.37	-49.37	-44.11	-27.00	-17.11
5580MHz	Pass	5.43G	5.765G	PK	5.76467G	5.26	-46.21	-46.21	-40.95	-27.00	-13.95
5700MHz	Pass	5.43G	5.765G	AV	5.46647G	5.26	-58.61	-58.61	-53.35	-41.20	-12.15
5700MHz	Pass	5.43G	5.765G	PK	5.44122G	5.26	-48.51	-48.51	-43.25	-21.20	-22.05
5700MHz	Pass	5.43G	5.765G	PK	5.46266G	5.26	-49.46	-49.46	-44.20	-27.00	-17.20
5700MHz	Pass	5.43G	5.765G	PK	5.72597G	5.26	-39.78	-39.78	-34.52	-27.00	-7.52
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43115G	5.26	-56.70	-56.70	-51.44	-41.20	-10.24
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43299G	5.26	-45.68	-45.68	-40.42	-21.20	-19.22
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46956G	5.26	-49.46	-49.46	-44.20	-27.00	-17.20
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.87252G	5.26	-49.67	-49.67	-44.41	-27.00	-17.41
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	5.39G	5.805G	AV	5.45951G	5.26	-52.00	-52.00	-46.74	-41.20	-5.54
5510MHz	Pass	5.39G	5.805G	PK	5.45702G	5.26	-38.31	-38.31	-33.05	-21.20	-11.85
5510MHz	Pass	5.39G	5.805G	PK	5.46014G	5.26	-33.90	-33.90	-28.64	-27.00	-1.64
5510MHz	Pass	5.39G	5.805G	PK	5.73404G	5.26	-50.43	-50.43	-45.17	-27.00	-18.17
5550MHz	Pass	5.39G	5.805G	AV	5.45308G	5.26	-54.18	-54.18	-48.92	-41.20	-7.72
5550MHz	Pass	5.39G	5.805G	PK	5.45246G	5.26	-43.46	-43.46	-38.20	-21.20	-17.00
5550MHz	Pass	5.39G	5.805G	PK	5.46408G	5.26	-42.48	-42.48	-37.22	-27.00	-10.22
5550MHz	Pass	5.39G	5.805G	PK	5.74317G	5.26	-45.41	-45.41	-40.15	-27.00	-13.15
5670MHz	Pass	5.39G	5.805G	AV	5.45951G	5.26	-52.26	-52.26	-47.00	-41.20	-5.80
5670MHz	Pass	5.39G	5.805G	AV	5.45972G	5.26	-52.26	-52.26	-47.00	-41.20	-5.80
5670MHz	Pass	5.39G	5.805G	PK	5.45951G	5.26	-41.23	-41.23	-35.97	-21.20	-14.77
5670MHz	Pass	5.39G	5.805G	PK	5.46574G	5.26	-40.36	-40.36	-35.10	-27.00	-8.10
5670MHz	Pass	5.39G	5.805G	PK	5.7276G	5.26	-43.23	-43.23	-37.97	-27.00	-10.97
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.42402G	5.26	-54.96	-54.96	-49.70	-41.20	-8.50
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.42375G	5.26	-45.27	-45.27	-40.01	-21.20	-18.81
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46911G	5.26	-48.08	-48.08	-42.82	-27.00	-15.82
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.90327G	5.26	-44.97	-44.97	-39.71	-27.00	-12.71
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.45231G	5.26	-48.49	-48.49	-43.23	-41.20	-2.03
5530MHz	Pass	5.31G	5.885G	PK	5.33645G	5.26	-41.86	-41.86	-36.60	-27.00	-9.60
5530MHz	Pass	5.31G	5.885G	PK	5.43794G	5.26	-35.77	-35.77	-30.51	-21.20	-9.31
5530MHz	Pass	5.31G	5.885G	PK	5.46583G	5.26	-37.21	-37.21	-31.95	-27.00	-4.95
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	5.26	-45.98	-45.98	-40.72	-27.00	-13.72
5610MHz	Pass	5.31G	5.885G	AV	5.45548G	5.26	-48.46	-48.46	-43.20	-41.20	-2.00
5610MHz	Pass	5.31G	5.885G	PK	5.32783G	5.26	-43.90	-43.90	-38.64	-27.00	-11.64
5610MHz	Pass	5.31G	5.885G	PK	5.45519G	5.26	-35.90	-35.90	-30.64	-21.20	-9.44
5610MHz	Pass	5.31G	5.885G	PK	5.46583G	5.26	-36.70	-36.70	-31.44	-27.00	-4.44
5610MHz	Pass	5.31G	5.885G	PK	5.73033G	5.26	-42.05	-42.05	-36.79	-27.00	-9.79
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.45945G	5.26	-49.03	-49.03	-43.77	-41.20	-2.57
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.32155G	5.26	-44.78	-44.78	-39.52	-27.00	-12.52
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4451G	5.26	-36.58	-36.58	-31.32	-21.20	-10.12



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4661G	5.26	-35.85	-35.85	-30.59	-27.00	-3.59
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85495G	5.26	-37.45	-37.45	-32.19	-27.00	-5.19
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-58.16	-58.16	-52.90	-41.20	-11.70
5570MHz	Pass	5.15G	6.045G	AV	5.38494G	5.26	-46.57	-46.57	-41.31	-41.20	-0.11
5570MHz	Pass	5.15G	6.045G	PK	5.34198G	5.26	-38.05	-38.05	-32.79	-27.00	-5.79
5570MHz	Pass	5.15G	6.045G	PK	5.37599G	5.26	-33.07	-33.07	-27.81	-21.20	-6.61
5570MHz	Pass	5.15G	6.045G	PK	5.46638G	5.26	-34.48	-34.48	-29.22	-27.00	-2.22
5570MHz	Pass	5.15G	6.045G	PK	5.74876G	5.26	-37.57	-37.57	-32.31	-27.00	-5.31


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

15/05/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	PK	5.43943G	-41.50	-21.20	-20.30	5.26	-46.76	-46.76
5.43G	5.89G	1M	PK	5.46312G	-43.60	-27.00	-16.60	5.26	-48.86	-48.86
5.43G	5.89G	1M	PK	5.86631G	-44.93	-27.00	-17.93	5.26	-50.19	-50.19

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

15/05/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	AV	5.43115G	-51.01	-41.20	-9.81	5.26	-56.27	-56.27

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [PK]

5500MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45714G	-37.76	-21.20	-16.56	5.26	-43.02	-43.02
5.43G	5.765G	1M	PK	5.46685G	-33.84	-27.00	-6.84	5.26	-39.10	-39.10
5.43G	5.765G	1M	PK	5.73535G	-45.07	-27.00	-18.07	5.26	-50.33	-50.33

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [AV]

5500MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45982G	-51.50	-41.20	-10.30	5.26	-56.76	-56.76
5.43G	5.765G	1M	AV	5.45988G	-51.50	-41.20	-10.30	5.26	-56.76	-56.76

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [PK]

5510MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45702G	-33.05	-21.20	-11.85	5.26	-38.31	-38.31
5.39G	5.805G	1M	PK	5.46014G	-28.64	-27.00	-1.64	5.26	-33.90	-33.90
5.39G	5.805G	1M	PK	5.73404G	-45.17	-27.00	-18.17	5.26	-50.43	-50.43

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [AV]

5510MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45951G	-46.74	-41.20	-5.54	5.26	-52.00	-52.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [PK]

5610MHz

23/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.32783G	-38.64	-27.00	-11.64	5.26	-43.90	-43.90
5.31G	5.885G	1M	PK	5.45519G	-30.64	-21.20	-9.44	5.26	-35.90	-35.90
5.31G	5.885G	1M	PK	5.46583G	-31.44	-27.00	-4.44	5.26	-36.70	-36.70
5.31G	5.885G	1M	PK	5.73033G	-36.79	-27.00	-9.79	5.26	-42.05	-42.05

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [AV]

5610MHz

23/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45548G	-43.20	-41.20	-2.00	5.26	-48.46	-48.46

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [PK]

5570MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.34198G	-32.79	-27.00	-5.79	5.26	-38.05	-38.05
5.15G	6.045G	1M	PK	5.37599G	-27.81	-21.20	-6.61	5.26	-33.07	-33.07
5.15G	6.045G	1M	PK	5.46638G	-29.22	-27.00	-2.22	5.26	-34.48	-34.48
5.15G	6.045G	1M	PK	5.74876G	-32.31	-27.00	-5.31	5.26	-37.57	-37.57

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE Bandedge [AV]

5570MHz

15/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.90	-41.20	-11.70	5.26	-58.16	-58.16
5.15G	6.045G	1M	AV	5.38494G	-41.31	-41.20	-0.11	5.26	-46.57	-46.57

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.43G	5.89G	AV	5.43276G	6.89	-56.28	-57.05	-53.64	-46.75	-41.20	-5.55
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.43G	5.765G	PK	5.72597G	6.89	-40.48	-38.84	-36.57	-29.68	-27.00	-2.68
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.39G	5.805G	PK	5.72511G	6.89	-42.49	-35.04	-34.32	-27.43	-27.00	-0.43
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.31G	5.885G	AV	5.42385G	6.89	-50.11	-52.71	-48.21	-41.32	-41.20	-0.12
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	5.15G	6.045G	AV	5.37599G	6.89	-52.84	-51.26	-48.97	-42.08	-41.20	-0.88

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	6.89	-58.21	-58.34	-55.26	-48.37	-41.20	-7.17
5500MHz	Pass	5.43G	5.765G	PK	5.45814G	6.89	-47.63	-47.03	-44.31	-37.42	-21.20	-16.22
5500MHz	Pass	5.43G	5.765G	PK	5.46735G	6.89	-45.96	-47.62	-43.70	-36.81	-27.00	-9.81
5500MHz	Pass	5.43G	5.765G	PK	5.73921G	6.89	-50.09	-51.56	-47.75	-40.86	-27.00	-13.86
5580MHz	Pass	5.43G	5.765G	AV	5.43704G	6.89	-58.72	-60.25	-56.41	-49.52	-41.20	-8.32
5580MHz	Pass	5.43G	5.765G	AV	5.4372G	6.89	-58.72	-60.25	-56.41	-49.52	-41.20	-8.32
5580MHz	Pass	5.43G	5.765G	PK	5.43704G	6.89	-48.85	-49.45	-46.13	-39.24	-21.20	-18.04
5580MHz	Pass	5.43G	5.765G	PK	5.46149G	6.89	-50.22	-49.47	-46.82	-39.93	-27.00	-12.93
5580MHz	Pass	5.43G	5.765G	PK	5.76433G	6.89	-48.60	-47.99	-45.27	-38.38	-27.00	-11.38
5700MHz	Pass	5.43G	5.765G	AV	5.45596G	6.89	-58.61	-60.98	-56.62	-49.73	-41.20	-8.53
5700MHz	Pass	5.43G	5.765G	PK	5.44106G	6.89	-48.59	-50.75	-46.53	-39.64	-21.20	-18.44
5700MHz	Pass	5.43G	5.765G	PK	5.46518G	6.89	-50.57	-48.36	-46.32	-39.43	-27.00	-12.43
5700MHz	Pass	5.43G	5.765G	PK	5.72648G	6.89	-44.14	-41.82	-39.82	-32.93	-27.00	-5.93
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43276G	6.89	-56.28	-57.05	-53.64	-46.75	-41.20	-5.55
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43299G	6.89	-46.19	-47.86	-43.93	-37.04	-21.20	-15.84
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4668G	6.89	-50.78	-49.43	-47.04	-40.15	-27.00	-13.15
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.87438G	6.89	-50.57	-49.82	-47.17	-40.28	-27.00	-13.28
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45956G	6.89	-56.65	-57.34	-53.97	-47.08	-41.20	-5.88
5500MHz	Pass	5.43G	5.765G	PK	5.45714G	6.89	-39.16	-47.37	-38.55	-31.66	-21.20	-10.46
5500MHz	Pass	5.43G	5.765G	PK	5.4697G	6.89	-40.45	-46.27	-39.44	-32.55	-27.00	-5.55
5500MHz	Pass	5.43G	5.765G	PK	5.73485G	6.89	-49.94	-51.03	-47.44	-40.55	-27.00	-13.55
5580MHz	Pass	5.43G	5.765G	AV	5.4367G	6.89	-58.86	-60.41	-56.56	-49.67	-41.20	-8.47
5580MHz	Pass	5.43G	5.765G	PK	5.4367G	6.89	-49.74	-48.89	-46.28	-39.39	-21.20	-18.19
5580MHz	Pass	5.43G	5.765G	PK	5.46534G	6.89	-49.99	-49.64	-46.80	-39.91	-27.00	-12.91
5580MHz	Pass	5.43G	5.765G	PK	5.76433G	6.89	-46.11	-48.78	-44.23	-37.34	-27.00	-10.34
5700MHz	Pass	5.43G	5.765G	AV	5.45998G	6.89	-58.34	-60.28	-56.19	-49.30	-41.20	-8.10
5700MHz	Pass	5.43G	5.765G	PK	5.45345G	6.89	-49.63	-50.50	-47.03	-40.14	-21.20	-18.94
5700MHz	Pass	5.43G	5.765G	PK	5.46819G	6.89	-48.30	-51.05	-46.45	-39.56	-27.00	-12.56
5700MHz	Pass	5.43G	5.765G	PK	5.72597G	6.89	-40.48	-38.84	-36.57	-29.68	-27.00	-2.68
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43276G	6.89	-57.05	-57.65	-54.33	-47.44	-41.20	-6.24
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43414G	6.89	-46.23	-47.78	-43.93	-37.04	-21.20	-15.84
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46381G	6.89	-50.75	-49.60	-47.13	-40.24	-27.00	-13.24
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.8601G	6.89	-51.06	-50.16	-47.58	-40.69	-27.00	-13.69
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	5.39G	5.805G	AV	5.45993G	6.89	-52.66	-54.10	-50.31	-43.42	-41.20	-2.22
5510MHz	Pass	5.39G	5.805G	PK	5.45785G	6.89	-36.16	-44.73	-35.59	-28.70	-21.20	-7.50
5510MHz	Pass	5.39G	5.805G	PK	5.46844G	6.89	-37.37	-39.88	-35.44	-28.55	-27.00	-1.55
5510MHz	Pass	5.39G	5.805G	PK	5.74898G	6.89	-51.44	-50.38	-47.87	-40.98	-27.00	-13.98
5550MHz	Pass	5.39G	5.805G	AV	5.45578G	6.89	-53.93	-57.95	-52.48	-45.59	-41.20	-4.39
5550MHz	Pass	5.39G	5.805G	PK	5.45204G	6.89	-42.11	-48.62	-41.23	-34.34	-21.20	-13.14
5550MHz	Pass	5.39G	5.805G	PK	5.46989G	6.89	-43.86	-44.30	-41.06	-34.17	-27.00	-7.17
5550MHz	Pass	5.39G	5.805G	PK	5.74047G	6.89	-48.03	-45.61	-43.64	-36.75	-27.00	-9.75
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	6.89	-52.39	-54.43	-50.28	-43.39	-41.20	-2.19
5670MHz	Pass	5.39G	5.805G	PK	5.45993G	6.89	-42.75	-44.81	-40.65	-33.76	-21.20	-12.56
5670MHz	Pass	5.39G	5.805G	PK	5.4647G	6.89	-39.76	-44.53	-38.51	-31.62	-27.00	-4.62
5670MHz	Pass	5.39G	5.805G	PK	5.72511G	6.89	-42.49	-35.04	-34.32	-27.43	-27.00	-0.43
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.42402G	6.89	-54.69	-57.73	-52.94	-46.05	-41.20	-4.85
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.42402G	6.89	-45.95	-48.66	-44.09	-37.20	-21.20	-16.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46992G	6.89	-49.70	-48.90	-46.27	-39.38	-27.00	-12.38
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.90246G	6.89	-44.24	-46.65	-42.27	-35.38	-27.00	-8.38
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.43679G	6.89	-51.34	-52.70	-48.96	-42.07	-41.20	-0.87
5530MHz	Pass	5.31G	5.885G	PK	5.34163G	6.89	-43.57	-46.15	-41.66	-34.77	-27.00	-7.77
5530MHz	Pass	5.31G	5.885G	PK	5.43506G	6.89	-39.09	-41.87	-37.25	-30.36	-21.20	-9.16
5530MHz	Pass	5.31G	5.885G	PK	5.46611G	6.89	-41.76	-43.51	-39.54	-32.65	-27.00	-5.65
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	6.89	-46.86	-49.26	-44.89	-38.00	-27.00	-11.00
5610MHz	Pass	5.31G	5.885G	AV	5.42389G	6.89	-50.11	-52.71	-48.21	-41.32	-41.20	-0.12
5610MHz	Pass	5.31G	5.885G	PK	5.34651G	6.89	-45.68	-47.92	-43.65	-36.76	-27.00	-9.76
5610MHz	Pass	5.31G	5.885G	PK	5.45519G	6.89	-41.61	-39.44	-37.38	-30.49	-21.20	-9.29
5610MHz	Pass	5.31G	5.885G	PK	5.46611G	6.89	-44.27	-39.91	-38.55	-31.66	-27.00	-4.66
5610MHz	Pass	5.31G	5.885G	PK	5.72544G	6.89	-37.00	-45.35	-36.41	-29.52	-27.00	-2.52
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	6.89	-51.04	-52.08	-48.52	-41.63	-41.20	-0.43
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.33485G	6.89	-45.96	-48.77	-44.13	-37.24	-27.00	-10.24
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.45945G	6.89	-38.69	-39.29	-35.97	-29.08	-21.20	-7.88
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46365G	6.89	-39.03	-40.50	-36.69	-29.80	-27.00	-2.80
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85425G	6.89	-39.73	-39.38	-36.54	-29.65	-27.00	-2.65
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.89	-60.00	-61.37	-57.62	-50.73	-41.20	-9.53
5570MHz	Pass	5.15G	6.045G	AV	5.37599G	6.89	-52.84	-51.26	-48.97	-42.08	-41.20	-0.88
5570MHz	Pass	5.15G	6.045G	PK	5.3469G	6.89	-46.43	-43.74	-41.87	-34.98	-27.00	-7.98
5570MHz	Pass	5.15G	6.045G	PK	5.37823G	6.89	-43.46	-37.88	-36.82	-29.93	-21.20	-8.73
5570MHz	Pass	5.15G	6.045G	PK	5.46817G	6.89	-47.61	-35.60	-35.33	-28.44	-27.00	-1.44
5570MHz	Pass	5.15G	6.045G	PK	5.72593G	6.89	-44.57	-42.30	-40.28	-33.39	-27.00	-6.39


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

15/05/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

15/05/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5700MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.45345G	-40.14	-21.20	-18.94	6.89	-47.03	-49.63	-50.50
5.43G	5.765G	1M	PK	5.46819G	-39.56	-27.00	-12.56	6.89	-46.45	-48.30	-51.05
5.43G	5.765G	1M	PK	5.72597G	-29.68	-27.00	-2.68	6.89	-36.57	-40.48	-38.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5700MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45998G	-49.30	-41.20	-8.10	6.89	-56.19	-58.34	-60.28

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5670MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.45993G	-33.76	-21.20	-12.56	6.89	-40.65	-42.75	-44.81
5.39G	5.805G	1M	PK	5.4647G	-31.62	-27.00	-4.62	6.89	-38.51	-39.76	-44.53
5.39G	5.805G	1M	PK	5.72511G	-27.43	-27.00	-0.43	6.89	-34.32	-42.49	-35.04

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5670MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-43.39	-41.20	-2.19	6.89	-50.28	-52.39	-54.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5610MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34651G	-36.76	-27.00	-9.76	6.89	-43.65	-45.68	-47.92
5.31G	5.885G	1M	PK	5.45519G	-30.49	-21.20	-9.29	6.89	-37.38	-41.61	-39.44
5.31G	5.885G	1M	PK	5.46611G	-31.66	-27.00	-4.66	6.89	-38.55	-44.27	-39.91
5.31G	5.885G	1M	PK	5.72544G	-29.52	-27.00	-2.52	6.89	-36.41	-37.00	-45.35

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5610MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.42385G	-41.32	-41.20	-0.12	6.89	-48.21	-50.11	-52.71

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5570MHz

15/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.3469G	-34.98	-27.00	-7.98	6.89	-41.87	-46.43	-43.74
5.15G	6.045G	1M	PK	5.37823G	-29.93	-21.20	-8.73	6.89	-36.82	-43.46	-37.88
5.15G	6.045G	1M	PK	5.46817G	-28.44	-27.00	-1.44	6.89	-35.33	-47.61	-35.60
5.15G	6.045G	1M	PK	5.72593G	-33.39	-27.00	-6.39	6.89	-40.28	-44.57	-42.30

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5570MHz

15/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-50.73	-41.20	-9.53	6.89	-57.62	-60.00	-61.37
5.15G	6.045G	1M	AV	5.37599G	-42.08	-41.20	-0.88	6.89	-48.97	-52.84	-51.26

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)
5.47-5.726GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)	Pass	5.31G	5.885G	PK	5.46008G	5.26	-32.83	-27.57	-27.00	-0.57	-32.83
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)	Pass	5.15G	6.045G	AV	5.37778G	5.26	-47.32	-42.06	-41.20	-0.86	-47.32

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.44053G	5.26	-47.74	-42.48	-41.20	-1.28	-47.74
5530MHz	Pass	5.31G	5.885G	PK	5.32351G	5.26	-40.95	-35.69	-27.00	-8.69	-40.95
5530MHz	Pass	5.31G	5.885G	PK	5.42759G	5.26	-31.12	-25.86	-21.20	-4.66	-31.12
5530MHz	Pass	5.31G	5.885G	PK	5.46381G	5.26	-33.86	-28.60	-27.00	-1.60	-33.86
5530MHz	Pass	5.31G	5.885G	PK	5.75218G	5.26	-45.88	-40.62	-27.00	-13.62	-45.88
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	5.31G	5.885G	AV	5.45663G	5.26	-49.55	-44.29	-41.20	-3.09	-49.55
5610MHz	Pass	5.31G	5.885G	PK	5.33473G	5.26	-38.06	-32.80	-27.00	-5.80	-38.06
5610MHz	Pass	5.31G	5.885G	PK	5.37756G	5.26	-30.39	-25.13	-21.20	-3.93	-30.39
5610MHz	Pass	5.31G	5.885G	PK	5.46008G	5.26	-32.83	-27.57	-27.00	-0.57	-32.83
5610MHz	Pass	5.31G	5.885G	PK	5.76713G	5.26	-40.64	-35.38	-27.00	-8.38	-40.64
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.45945G	5.26	-52.73	-47.47	-41.20	-6.27	-52.73
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34115G	5.26	-47.76	-42.50	-27.00	-15.50	-47.76
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4598G	5.26	-42.89	-37.63	-21.20	-16.43	-42.89
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46645G	5.26	-40.68	-35.42	-27.00	-8.42	-40.68
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85845G	5.26	-43.64	-38.38	-27.00	-11.38	-43.64
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-59.22	-53.96	-41.20	-12.76	-59.22
5570MHz	Pass	5.15G	6.045G	AV	5.37778G	5.26	-47.32	-42.06	-41.20	-0.86	-47.32
5570MHz	Pass	5.15G	6.045G	PK	5.2489G	5.26	-36.81	-31.55	-27.00	-4.55	-36.81
5570MHz	Pass	5.15G	6.045G	PK	5.37375G	5.26	-31.90	-26.64	-21.20	-5.44	-31.90
5570MHz	Pass	5.15G	6.045G	PK	5.46594G	5.26	-40.98	-35.72	-27.00	-8.72	-40.98
5570MHz	Pass	5.15G	6.045G	PK	5.75905G	5.26	-36.21	-30.95	-27.00	-3.95	-36.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)

CSE Bandedge [PK]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.33473G	-32.80	-27.00	-5.80	5.26	-38.06	-38.06
5.31G	5.885G	1M	PK	5.37756G	-25.13	-21.20	-3.93	5.26	-30.39	-30.39
5.31G	5.885G	1M	PK	5.46008G	-27.57	-27.00	-0.57	5.26	-32.83	-32.83
5.31G	5.885G	1M	PK	5.76713G	-35.38	-27.00	-8.38	5.26	-40.64	-40.64

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)

CSE Bandedge [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45663G	-44.29	-41.20	-3.09	5.26	-49.55	-49.55

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)

CSE Bandedge [PK]

5570MHz

20/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.2489G	-31.55	-27.00	-4.55	5.26	-36.81	-36.81
5.15G	6.045G	1M	PK	5.37375G	-26.64	-21.20	-5.44	5.26	-31.90	-31.90
5.15G	6.045G	1M	PK	5.46594G	-35.72	-27.00	-8.72	5.26	-40.98	-40.98
5.15G	6.045G	1M	PK	5.75905G	-30.95	-27.00	-3.95	5.26	-36.21	-36.21

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)

CSE Bandedge [AV]

5570MHz

20/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.96	-41.20	-12.76	5.26	-59.22	-59.22
5.15G	6.045G	1M	AV	5.37778G	-42.06	-41.20	-0.86	5.26	-47.32	-47.32

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	5.31G	5.885G	AV	5.43391G	6.89	-48.96	-42.07	-41.20	-0.87	-51.49	-52.52
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	5.15G	6.045G	AV	5.38628G	6.89	-48.30	-41.41	-41.20	-0.21	-51.31	-51.31

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.43391G	6.89	-48.96	-42.07	-41.20	-0.87	-51.49	-52.52
5530MHz	Pass	5.31G	5.885G	PK	5.3123G	6.89	-47.25	-40.36	-27.00	-13.36	-49.10	-51.84
5530MHz	Pass	5.31G	5.885G	PK	5.43219G	6.89	-33.06	-26.17	-21.20	-4.97	-34.09	-39.83
5530MHz	Pass	5.31G	5.885G	PK	5.46985G	6.89	-45.37	-38.48	-27.00	-11.48	-46.81	-50.86
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	6.89	-48.69	-41.80	-27.00	-14.80	-51.65	-51.76
5610MHz	Pass	5.31G	5.885G	AV	5.45605G	6.89	-51.23	-44.34	-41.20	-3.14	-53.12	-55.74
5610MHz	Pass	5.31G	5.885G	PK	5.3376G	6.89	-39.06	-32.17	-27.00	-5.17	-39.25	-52.86
5610MHz	Pass	5.31G	5.885G	PK	5.45318G	6.89	-34.22	-27.33	-21.20	-6.13	-34.60	-45.02
5610MHz	Pass	5.31G	5.885G	PK	5.46611G	6.89	-35.81	-28.92	-27.00	-1.92	-37.23	-41.35
5610MHz	Pass	5.31G	5.885G	PK	5.76483G	6.89	-43.30	-36.41	-27.00	-9.41	-46.31	-46.32
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	6.89	-51.33	-44.44	-41.20	-3.24	-53.73	-55.04
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.345G	6.89	-46.00	-39.11	-27.00	-12.11	-47.32	-51.83
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.43775G	6.89	-37.33	-30.44	-21.20	-9.24	-38.57	-43.38
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4647G	6.89	-34.85	-27.96	-27.00	-0.96	-37.81	-37.92
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85215G	6.89	-36.61	-29.72	-27.00	-2.72	-39.15	-40.15
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.89	-61.65	-54.76	-41.20	-13.56	-64.27	-65.10
5570MHz	Pass	5.15G	6.045G	AV	5.38628G	6.89	-48.30	-41.41	-41.20	-0.21	-51.31	-51.31
5570MHz	Pass	5.15G	6.045G	PK	5.34735G	6.89	-39.07	-32.18	-27.00	-5.18	-42.64	-41.58
5570MHz	Pass	5.15G	6.045G	PK	5.39657G	6.89	-30.92	-24.03	-21.20	-2.83	-35.53	-32.77
5570MHz	Pass	5.15G	6.045G	PK	5.46996G	6.89	-36.59	-29.70	-27.00	-2.70	-41.91	-38.10
5570MHz	Pass	5.15G	6.045G	PK	5.73981G	6.89	-38.76	-31.87	-27.00	-4.87	-40.11	-44.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [PK]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.3123G	-40.36	-27.00	-13.36	6.89	-47.25	-49.10	-51.84
5.31G	5.885G	1M	PK	5.43219G	-26.17	-21.20	-4.97	6.89	-33.06	-34.09	-39.83
5.31G	5.885G	1M	PK	5.46985G	-38.48	-27.00	-11.48	6.89	-45.37	-46.81	-50.86
5.31G	5.885G	1M	PK	5.76023G	-41.80	-27.00	-14.80	6.89	-48.69	-51.65	-51.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.43391G	-42.07	-41.20	-0.87	6.89	-48.96	-51.49	-52.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE Bandedge [PK]

5570MHz

20/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.34735G	-32.18	-27.00	-5.18	6.89	-39.07	-42.64	-41.58
5.15G	6.045G	1M	PK	5.39657G	-24.03	-21.20	-2.83	6.89	-30.92	-35.53	-32.77
5.15G	6.045G	1M	PK	5.46996G	-29.70	-27.00	-2.70	6.89	-36.59	-41.91	-38.10
5.15G	6.045G	1M	PK	5.73981G	-31.87	-27.00	-4.87	6.89	-38.76	-40.11	-44.51

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE Bandedge [AV]

5570MHz

20/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-54.76	-41.20	-13.56	6.89	-61.65	-64.27	-65.10
5.15G	6.045G	1M	AV	5.38628G	-41.41	-41.20	-0.21	6.89	-48.30	-51.31	-51.31



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)	Pass	5.31G	5.885G	PK	5.46784G	5.26	-32.80	-32.80	-27.54	-27.00	-0.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	Pass	5.15G	6.045G	AV	5.43864G	5.26	-46.57	-46.57	-41.31	-41.20	-0.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 2_1T1S_ Channel Puncturing

Appendix E.15

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.4388G	5.26	-50.15	-50.15	-44.89	-41.20	-3.69
5530MHz	Pass	5.31G	5.885G	PK	5.32984G	5.26	-41.51	-41.51	-36.25	-27.00	-9.25
5530MHz	Pass	5.31G	5.885G	PK	5.44714G	5.26	-31.06	-31.06	-25.80	-21.20	-4.60
5530MHz	Pass	5.31G	5.885G	PK	5.46784G	5.26	-32.80	-32.80	-27.54	-27.00	-0.54
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	5.26	-45.28	-45.28	-40.02	-27.00	-13.02
5610MHz	Pass	5.31G	5.885G	AV	5.42414G	5.26	-48.73	-48.73	-43.47	-41.20	-2.27
5610MHz	Pass	5.31G	5.885G	PK	5.34738G	5.26	-35.86	-35.86	-30.60	-27.00	-3.60
5610MHz	Pass	5.31G	5.885G	PK	5.43449G	5.26	-32.66	-32.66	-27.40	-21.20	-6.20
5610MHz	Pass	5.31G	5.885G	PK	5.46899G	5.26	-33.08	-33.08	-27.82	-27.00	-0.82
5610MHz	Pass	5.31G	5.885G	PK	5.72659G	5.26	-37.79	-37.79	-32.53	-27.00	-5.53
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	5.26	-49.48	-49.48	-44.22	-41.20	-3.02
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3492G	5.26	-41.87	-41.87	-36.61	-27.00	-9.61
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.45315G	5.26	-34.19	-34.19	-28.93	-21.20	-7.73
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46785G	5.26	-33.83	-33.83	-28.57	-27.00	-1.57
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.884G	5.26	-36.23	-36.23	-30.97	-27.00	-3.97
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-59.08	-59.08	-53.82	-41.20	-12.62
5570MHz	Pass	5.15G	6.045G	AV	5.43864G	5.26	-46.57	-46.57	-41.31	-41.20	-0.11
5570MHz	Pass	5.15G	6.045G	PK	5.34959G	5.26	-42.19	-42.19	-36.93	-27.00	-9.93
5570MHz	Pass	5.15G	6.045G	PK	5.44088G	5.26	-29.63	-29.63	-24.37	-21.20	-3.17
5570MHz	Pass	5.15G	6.045G	PK	5.46773G	5.26	-34.27	-34.27	-29.01	-27.00	-2.01
5570MHz	Pass	5.15G	6.045G	PK	5.72683G	5.26	-36.07	-36.07	-30.81	-27.00	-3.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	5.26	-57.74	-57.74	-52.48	-41.20	-11.28
5570MHz	Pass	5.15G	6.045G	AV	5.44267G	5.26	-46.71	-46.71	-41.45	-41.20	-0.25
5570MHz	Pass	5.15G	6.045G	PK	5.34959G	5.26	-43.30	-43.30	-38.04	-27.00	-11.04
5570MHz	Pass	5.15G	6.045G	PK	5.43909G	5.26	-31.94	-31.94	-26.68	-21.20	-5.48
5570MHz	Pass	5.15G	6.045G	PK	5.46683G	5.26	-36.50	-36.50	-31.24	-27.00	-4.24
5570MHz	Pass	5.15G	6.045G	PK	5.72549G	5.26	-36.12	-36.12	-30.86	-27.00	-3.86

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)

CSE Bandedge [PK]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.32984G	-36.25	-27.00	-9.25	5.26	-41.51	-41.51
5.31G	5.885G	1M	PK	5.44714G	-25.80	-21.20	-4.60	5.26	-31.06	-31.06
5.31G	5.885G	1M	PK	5.46784G	-27.54	-27.00	-0.54	5.26	-32.80	-32.80
5.31G	5.885G	1M	PK	5.76023G	-40.02	-27.00	-13.02	5.26	-45.28	-45.28

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.4388G	-44.89	-41.20	-3.69	5.26	-50.15	-50.15

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE Bandedge [PK]

5570MHz

06/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.34959G	-36.93	-27.00	-9.93	5.26	-42.19	-42.19
5.15G	6.045G	1M	PK	5.44088G	-24.37	-21.20	-3.17	5.26	-29.63	-29.63
5.15G	6.045G	1M	PK	5.46773G	-29.01	-27.00	-2.01	5.26	-34.27	-34.27
5.15G	6.045G	1M	PK	5.72683G	-30.81	-27.00	-3.81	5.26	-36.07	-36.07

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE Bandedge [AV]

5570MHz

06/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.82	-41.20	-12.62	5.26	-59.08	-59.08
5.15G	6.045G	1M	AV	5.43864G	-41.31	-41.20	-0.11	5.26	-46.57	-46.57



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	5.31G	5.885G	AV	5.42385G	6.89	-48.99	-42.10	-41.20	-0.90	-50.90	-53.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	Pass	5.15G	6.045G	PK	5.46638G	6.89	-34.06	-27.17	-27.00	-0.17	-34.36	-45.84

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 2_2T1S_ Channel Puncturing

Appendix E.16

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P1 (dBm)	P2 (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	5.31G	5.885G	AV	5.43736G	6.89	-50.42	-43.53	-41.20	-2.33	-52.61	-54.45
5530MHz	Pass	5.31G	5.885G	PK	5.34134G	6.89	-43.81	-36.92	-27.00	-9.92	-44.90	-50.36
5530MHz	Pass	5.31G	5.885G	PK	5.43478G	6.89	-34.93	-28.04	-21.20	-6.84	-35.95	-41.74
5530MHz	Pass	5.31G	5.885G	PK	5.46755G	6.89	-36.26	-29.37	-27.00	-2.37	-39.96	-38.67
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	6.89	-45.01	-38.12	-27.00	-11.12	-46.94	-49.45
5610MHz	Pass	5.31G	5.885G	AV	5.42385G	6.89	-48.99	-42.10	-41.20	-0.90	-50.90	-53.49
5610MHz	Pass	5.31G	5.885G	PK	5.34594G	6.89	-36.22	-29.33	-27.00	-2.33	-37.91	-41.13
5610MHz	Pass	5.31G	5.885G	PK	5.41436G	6.89	-33.17	-26.28	-21.20	-5.08	-35.70	-36.71
5610MHz	Pass	5.31G	5.885G	PK	5.46065G	6.89	-35.54	-28.65	-27.00	-1.65	-39.70	-37.65
5610MHz	Pass	5.31G	5.885G	PK	5.73234G	6.89	-37.26	-30.37	-27.00	-3.37	-39.76	-40.85
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	6.89	-51.31	-44.42	-41.20	-3.22	-55.16	-53.61
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3478G	6.89	-46.21	-39.32	-27.00	-12.32	-47.74	-51.50
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4584G	6.89	-37.72	-30.83	-21.20	-9.63	-43.65	-39.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4689G	6.89	-36.78	-29.89	-27.00	-2.89	-41.07	-38.80
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.90885G	6.89	-40.54	-33.65	-27.00	-6.65	-48.92	-41.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.89	-58.14	-51.25	-41.20	-10.05	-60.84	-61.48
5570MHz	Pass	5.15G	6.045G	AV	5.41224G	6.89	-51.22	-44.33	-41.20	-3.13	-54.80	-53.72
5570MHz	Pass	5.15G	6.045G	PK	5.33571G	6.89	-42.03	-35.14	-27.00	-8.14	-47.63	-43.43
5570MHz	Pass	5.15G	6.045G	PK	5.45743G	6.89	-34.11	-27.22	-21.20	-6.02	-34.89	-41.97
5570MHz	Pass	5.15G	6.045G	PK	5.46638G	6.89	-34.06	-27.17	-27.00	-0.17	-34.36	-45.84
5570MHz	Pass	5.15G	6.045G	PK	5.73041G	6.89	-43.55	-36.66	-27.00	-9.66	-49.90	-44.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.89	-58.70	-51.81	-41.20	-10.61	-61.71	-61.71
5570MHz	Pass	5.15G	6.045G	AV	5.45206G	6.89	-52.71	-45.82	-41.20	-4.62	-56.07	-55.39
5570MHz	Pass	5.15G	6.045G	PK	5.32497G	6.89	-42.61	-35.72	-27.00	-8.72	-43.57	-49.62
5570MHz	Pass	5.15G	6.045G	PK	5.45743G	6.89	-34.50	-27.61	-21.20	-6.41	-46.99	-34.75
5570MHz	Pass	5.15G	6.045G	PK	5.46325G	6.89	-34.68	-27.79	-27.00	-0.79	-34.94	-47.04
5570MHz	Pass	5.15G	6.045G	PK	5.72504G	6.89	-41.06	-34.17	-27.00	-7.17	-51.52	-41.47

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE Bandedge [PK]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34594G	-29.33	-27.00	-2.33	6.89	-36.22	-37.91	-41.13
5.31G	5.885G	1M	PK	5.41436G	-26.28	-21.20	-5.08	6.89	-33.17	-35.70	-36.71
5.31G	5.885G	1M	PK	5.46063G	-28.65	-27.00	-1.65	6.89	-35.54	-39.70	-37.65
5.31G	5.885G	1M	PK	5.73234G	-30.37	-27.00	-3.37	6.89	-37.26	-39.76	-40.85

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE Bandedge [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.42385G	-42.10	-41.20	-0.90	6.89	-48.99	-50.90	-53.49

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

CSE Bandedge [PK]

5570MHz

18/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.33571G	-35.14	-27.00	-8.14	6.89	-42.03	-47.63	-43.43
5.15G	6.045G	1M	PK	5.45743G	-27.22	-21.20	-6.02	6.89	-34.11	-34.89	-41.97
5.15G	6.045G	1M	PK	5.46638G	-27.17	-27.00	-0.17	6.89	-34.06	-34.36	-45.84
5.15G	6.045G	1M	PK	5.73041G	-36.66	-27.00	-9.66	6.89	-43.55	-49.90	-44.69

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

CSE Bandedge [AV]

5570MHz

18/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-51.25	-41.20	-10.05	6.89	-58.14	-60.84	-61.48
5.15G	6.045G	1M	AV	5.41224G	-44.33	-41.20	-3.13	6.89	-51.22	-54.80	-53.72

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.43G	5.765G	PK	5.46936G	4.81	-32.91	-32.91	-28.10	-27.00	-1.10
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.43G	5.765G	PK	5.46886G	4.81	-32.02	-32.02	-27.21	-27.00	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	4.81	-54.84	-54.84	-50.03	-41.20	-8.83
5500MHz	Pass	5.43G	5.765G	PK	5.45948G	4.81	-43.07	-43.07	-38.26	-21.20	-17.06
5500MHz	Pass	5.43G	5.765G	PK	5.46936G	4.81	-32.91	-32.91	-28.10	-27.00	-1.10
5500MHz	Pass	5.43G	5.765G	PK	5.74524G	4.81	-48.91	-48.91	-44.10	-27.00	-17.10
5580MHz	Pass	5.43G	5.765G	AV	5.43151G	4.81	-59.33	-59.33	-54.52	-41.20	-13.32
5580MHz	Pass	5.43G	5.765G	PK	5.43101G	4.81	-48.07	-48.07	-43.26	-21.20	-22.06
5580MHz	Pass	5.43G	5.765G	PK	5.4692G	4.81	-48.94	-48.94	-44.13	-27.00	-17.13
5580MHz	Pass	5.43G	5.765G	PK	5.75998G	4.81	-46.43	-46.43	-41.62	-27.00	-14.62
5700MHz	Pass	5.43G	5.765G	AV	5.45295G	4.81	-61.36	-61.36	-56.55	-41.20	-15.35
5700MHz	Pass	5.43G	5.765G	PK	5.43687G	4.81	-49.87	-49.87	-45.06	-21.20	-23.86
5700MHz	Pass	5.43G	5.765G	PK	5.46735G	4.81	-50.05	-50.05	-45.24	-27.00	-18.24
5700MHz	Pass	5.43G	5.765G	PK	5.72547G	4.81	-34.00	-34.00	-29.19	-27.00	-2.19
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43046G	4.81	-61.20	-61.20	-56.39	-41.20	-15.19
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43552G	4.81	-50.05	-50.05	-45.24	-21.20	-24.04
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4622G	4.81	-50.23	-50.23	-45.42	-27.00	-18.42
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86286G	4.81	-49.41	-49.41	-44.60	-27.00	-17.60
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	4.81	-53.61	-53.61	-48.80	-41.20	-7.60
5500MHz	Pass	5.43G	5.765G	PK	5.45965G	4.81	-39.88	-39.88	-35.07	-21.20	-13.87
5500MHz	Pass	5.43G	5.765G	PK	5.46886G	4.81	-32.02	-32.02	-27.21	-27.00	-0.21
5500MHz	Pass	5.43G	5.765G	PK	5.76048G	4.81	-48.34	-48.34	-43.53	-27.00	-16.53
5580MHz	Pass	5.43G	5.765G	AV	5.43436G	4.81	-59.74	-59.74	-54.93	-41.20	-13.73
5580MHz	Pass	5.43G	5.765G	AV	5.43536G	4.81	-59.74	-59.74	-54.93	-41.20	-13.73
5580MHz	Pass	5.43G	5.765G	PK	5.44709G	4.81	-47.67	-47.67	-42.86	-21.20	-21.66
5580MHz	Pass	5.43G	5.765G	PK	5.46752G	4.81	-48.68	-48.68	-43.87	-27.00	-16.87
5580MHz	Pass	5.43G	5.765G	PK	5.74122G	4.81	-47.15	-47.15	-42.34	-27.00	-15.34
5700MHz	Pass	5.43G	5.765G	AV	5.44374G	4.81	-62.64	-62.64	-57.83	-41.20	-16.63
5700MHz	Pass	5.43G	5.765G	PK	5.45211G	4.81	-50.59	-50.59	-45.78	-21.20	-24.58
5700MHz	Pass	5.43G	5.765G	PK	5.46987G	4.81	-51.41	-51.41	-46.60	-27.00	-19.60
5700MHz	Pass	5.43G	5.765G	PK	5.72514G	4.81	-32.14	-32.14	-27.33	-27.00	-0.33
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43253G	4.81	-61.14	-61.14	-56.33	-41.20	-15.13
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.44587G	4.81	-49.62	-49.62	-44.81	-21.20	-23.61
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46933G	4.81	-49.90	-49.90	-45.09	-27.00	-18.09
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.88517G	4.81	-49.39	-49.39	-44.58	-27.00	-17.58


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5500MHz

07/06/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45948G	-38.26	-21.20	-17.06	4.81	-43.07	-43.07
5.43G	5.765G	1M	PK	5.46936G	-28.10	-27.00	-1.10	4.81	-32.91	-32.91
5.43G	5.765G	1M	PK	5.74524G	-44.10	-27.00	-17.10	4.81	-48.91	-48.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5500MHz

07/06/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45998G	-50.03	-41.20	-8.83	4.81	-54.84	-54.84

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5500MHz

07/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45965G	-35.07	-21.20	-13.87	4.81	-39.88	-39.88
5.43G	5.765G	1M	PK	5.46086G	-27.21	-27.00	-0.21	4.81	-32.02	-32.02
5.43G	5.765G	1M	PK	5.76048G	-43.53	-27.00	-16.53	4.81	-48.34	-48.34

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5500MHz

07/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45998G	-48.80	-21.20	-7.60	4.81	-53.61	-53.61

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	1G	40G	AV	5.38872G	5.26	-47.91	-47.91	-42.65	-41.20	-1.45
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.38872G	5.26	-48.69	-48.69	-43.43	-41.20	-2.23
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.35825G	5.26	-50.47	-50.47	-45.21	-41.20	-4.01
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.41675G	5.26	-51.42	-51.42	-46.16	-41.20	-4.96
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	Pass	1G	40G	AV	5.37044G	5.26	-47.75	-47.75	-42.49	-41.20	-1.29

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	7.26316G	5.26	-52.52	-52.52	-47.26	-41.20	-6.06
5500MHz	Pass	1G	40G	AV	10.98888G	5.26	-67.50	-67.50	-62.24	-41.20	-21.04
5500MHz	Pass	1G	40G	PK	6.60016G	5.26	-43.71	-43.71	-38.45	-27.00	-11.45
5500MHz	Pass	1G	40G	PK	11.01325G	5.26	-60.76	-60.76	-55.50	-21.20	-34.30
5580MHz	Pass	1G	40G	AV	5.38872G	5.26	-47.91	-47.91	-42.65	-41.20	-1.45
5580MHz	Pass	1G	40G	AV	11.17169G	5.26	-66.46	-66.46	-61.20	-41.20	-20.00
5580MHz	Pass	1G	40G	PK	6.69522G	5.26	-42.14	-42.14	-36.88	-27.00	-9.88
5580MHz	Pass	1G	40G	PK	11.16925G	5.26	-59.72	-59.72	-54.46	-21.20	-33.26
5700MHz	Pass	1G	40G	AV	7.29606G	5.26	-56.29	-56.29	-51.03	-41.20	-9.83
5700MHz	Pass	1G	40G	AV	11.40081G	5.26	-66.43	-66.43	-61.17	-41.20	-19.97
5700MHz	Pass	1G	40G	PK	6.84025G	5.26	-40.69	-40.69	-35.43	-27.00	-8.43
5700MHz	Pass	1G	40G	PK	11.40203G	5.26	-61.42	-61.42	-56.16	-21.20	-34.96
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.32775G	5.26	-55.77	-55.77	-50.51	-41.20	-9.31
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.42397G	5.26	-66.56	-66.56	-61.30	-41.20	-20.10
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.86341G	5.26	-39.25	-39.25	-33.99	-27.00	-6.99
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.42397G	5.26	-60.88	-60.88	-55.62	-21.20	-34.42
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	7.26316G	5.26	-52.57	-52.57	-47.31	-41.20	-6.11
5500MHz	Pass	1G	40G	AV	10.98156G	5.26	-67.66	-67.66	-62.40	-41.20	-21.20
5500MHz	Pass	1G	40G	PK	6.60016G	5.26	-43.52	-43.52	-38.26	-27.00	-11.26
5500MHz	Pass	1G	40G	PK	11.01569G	5.26	-61.21	-61.21	-55.95	-21.20	-34.75
5580MHz	Pass	1G	40G	AV	5.38872G	5.26	-48.69	-48.69	-43.43	-41.20	-2.23
5580MHz	Pass	1G	40G	AV	11.16194G	5.26	-66.29	-66.29	-61.03	-41.20	-19.83
5580MHz	Pass	1G	40G	PK	6.69522G	5.26	-41.64	-41.64	-36.38	-27.00	-9.38
5580MHz	Pass	1G	40G	PK	11.16316G	5.26	-60.30	-60.30	-55.04	-21.20	-33.84
5700MHz	Pass	1G	40G	AV	7.29606G	5.26	-56.52	-56.52	-51.26	-41.20	-10.06
5700MHz	Pass	1G	40G	AV	11.40447G	5.26	-66.48	-66.48	-61.22	-41.20	-20.02
5700MHz	Pass	1G	40G	PK	6.84025G	5.26	-40.92	-40.92	-35.66	-27.00	-8.66
5700MHz	Pass	1G	40G	PK	11.40569G	5.26	-59.56	-59.56	-54.30	-21.20	-33.10
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.32775G	5.26	-55.69	-55.69	-50.43	-41.20	-9.23
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.45322G	5.26	-66.89	-66.89	-61.63	-41.20	-20.43
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.86341G	5.26	-38.47	-38.47	-33.21	-27.00	-6.21
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44713G	5.26	-59.97	-59.97	-54.71	-21.20	-33.51
802.11be EHT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	1G	40G	AV	7.279G	5.26	-53.20	-53.20	-47.94	-41.20	-6.74
5510MHz	Pass	1G	40G	AV	11.05347G	5.26	-67.10	-67.10	-61.84	-41.20	-20.64
5510MHz	Pass	1G	40G	PK	6.61113G	5.26	-44.17	-44.17	-38.91	-27.00	-11.91
5510MHz	Pass	1G	40G	PK	10.99863G	5.26	-60.61	-60.61	-55.35	-21.20	-34.15
5550MHz	Pass	1G	40G	AV	5.35825G	5.26	-50.47	-50.47	-45.21	-41.20	-4.01
5550MHz	Pass	1G	40G	AV	11.13634G	5.26	-66.86	-66.86	-61.60	-41.20	-20.40
5550MHz	Pass	1G	40G	PK	6.65988G	5.26	-42.58	-42.58	-37.32	-27.00	-10.32
5550MHz	Pass	1G	40G	PK	11.09613G	5.26	-60.89	-60.89	-55.63	-21.20	-34.43
5670MHz	Pass	1G	40G	AV	11.36547G	5.26	-65.80	-65.80	-60.54	-41.20	-19.34
5670MHz	Pass	1G	40G	AV	39.72456G	5.26	-56.79	-56.79	-51.53	-41.20	-10.33
5670MHz	Pass	1G	40G	PK	6.80369G	5.26	-41.15	-41.15	-35.89	-27.00	-8.89
5670MHz	Pass	1G	40G	PK	11.34353G	5.26	-58.88	-58.88	-53.62	-21.20	-32.42
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.31191G	5.26	-55.54	-55.54	-50.28	-41.20	-9.08
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.40325G	5.26	-66.26	-66.26	-61.00	-41.20	-19.80
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.85122G	5.26	-41.47	-41.47	-36.21	-27.00	-9.21
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.40447G	5.26	-59.63	-59.63	-54.37	-21.20	-33.17
802.11be EHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	5.42284G	5.26	-52.03	-52.03	-46.77	-41.20	-5.57
5530MHz	Pass	1G	40G	AV	11.12903G	5.26	-66.95	-66.95	-61.69	-41.20	-20.49
5530MHz	Pass	1G	40G	PK	6.6355G	5.26	-42.92	-42.92	-37.66	-27.00	-10.66
5530MHz	Pass	1G	40G	PK	11.07297G	5.26	-61.01	-61.01	-55.75	-21.20	-34.55
5610MHz	Pass	1G	40G	AV	5.41675G	5.26	-51.42	-51.42	-46.16	-41.20	-4.96
5610MHz	Pass	1G	40G	AV	11.21678G	5.26	-63.74	-63.74	-58.48	-41.20	-17.28
5610MHz	Pass	1G	40G	PK	6.73178G	5.26	-39.39	-39.39	-34.13	-27.00	-7.13
5610MHz	Pass	1G	40G	PK	11.22166G	5.26	-56.42	-56.42	-51.16	-21.20	-29.96
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	5.41066G	5.26	-54.54	-54.54	-49.28	-41.20	-8.08



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.42031G	5.26	-65.11	-65.11	-59.85	-41.20	-18.65
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.82806G	5.26	-39.96	-39.96	-34.70	-27.00	-7.70
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.32403G	5.26	-58.28	-58.28	-53.02	-21.20	-31.82
802.11be EHT160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	5.37044G	5.26	-47.75	-47.75	-42.49	-41.20	-1.29
5570MHz	Pass	1G	40G	AV	11.20581G	5.26	-66.40	-66.40	-61.14	-41.20	-19.94
5570MHz	Pass	1G	40G	PK	6.68425G	5.26	-42.20	-42.20	-36.94	-27.00	-9.94
5570MHz	Pass	1G	40G	PK	11.25578G	5.26	-59.13	-59.13	-53.87	-21.20	-32.67


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE [PK]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.69522G	-36.88	-27.00	-9.88	5.26	-42.14	-42.14
1G	40G	1M	PK	11.16925G	-54.46	-21.20	-33.26	5.26	-59.72	-59.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

CSE [AV]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.38872G	-42.65	-41.20	-1.45	5.26	-47.91	-47.91
1G	40G	1M	AV	11.17169G	-61.20	-41.20	-20.00	5.26	-66.46	-66.46

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.69522G	-36.38	-27.00	-9.38	5.26	-41.64	-41.64
1G	40G	1M	PK	11.16316G	-55.04	-21.20	-33.84	5.26	-60.30	-60.30

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.38872G	-43.43	-41.20	-2.23	5.26	-48.69	-48.69
1G	40G	1M	AV	11.16194G	-61.03	-41.20	-19.83	5.26	-66.29	-66.29

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5550MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.65988G	-37.32	-27.00	-10.32	5.26	-42.58	-42.58
1G	40G	1M	PK	11.09613G	-55.63	-21.20	-34.43	5.26	-60.89	-60.89

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5550MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.35825G	-45.21	-41.20	-4.01	5.26	-50.47	-50.47
1G	40G	1M	AV	11.13634G	-61.60	-41.20	-20.40	5.26	-66.86	-66.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.73178G	-34.13	-27.00	-7.13	5.26	-39.39	-39.39
1G	40G	1M	PK	11.22166G	-51.16	-21.20	-29.96	5.26	-56.42	-56.42

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.41675G	-46.16	-41.20	-4.96	5.26	-51.42	-51.42
1G	40G	1M	AV	11.21678G	-58.48	-41.20	-17.28	5.26	-63.74	-63.74

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE [PK]

5570MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.68425G	-36.94	-27.00	-9.94	5.26	-42.20	-42.20
1G	40G	1M	PK	11.25578G	-53.87	-21.20	-32.67	5.26	-59.13	-59.13

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port1)

CSE [AV]

5570MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.37044G	-42.49	-41.20	-1.29	5.26	-47.75	-47.75
1G	40G	1M	AV	11.20581G	-61.14	-41.20	-19.94	5.26	-66.40	-66.40

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	5.38872G	6.89	-51.46	-52.76	-49.05	-42.16	-41.20	-0.96
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.38628G	6.89	-50.59	-53.22	-48.70	-41.81	-41.20	-0.61
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.35825G	6.89	-51.35	-54.78	-49.72	-42.83	-41.20	-1.63
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	7.34359G	6.89	-51.17	-65.02	-50.99	-44.10	-41.20	-2.90
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	5.39603G	6.89	-52.39	-52.28	-49.32	-42.43	-41.20	-1.23

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	7.26316G	6.89	-53.24	-67.69	-53.09	-46.20	-41.20	-5.00
5500MHz	Pass	1G	40G	AV	11.00716G	6.89	-67.87	-67.87	-64.86	-57.97	-41.20	-16.77
5500MHz	Pass	1G	40G	PK	5.30706G	6.89	-44.19	-44.71	-41.43	-34.54	-27.00	-7.54
5500MHz	Pass	1G	40G	PK	11.01325G	6.89	-59.89	-61.33	-57.54	-50.65	-21.20	-29.45
5580MHz	Pass	1G	40G	AV	5.38872G	6.89	-51.46	-52.76	-49.05	-42.16	-41.20	-0.96
5580MHz	Pass	1G	40G	AV	11.15706G	6.89	-66.70	-66.50	-63.59	-56.70	-41.20	-15.50
5580MHz	Pass	1G	40G	PK	6.69522G	6.89	-41.07	-49.39	-40.47	-33.58	-27.00	-6.58
5580MHz	Pass	1G	40G	PK	11.17413G	6.89	-65.18	-59.34	-58.33	-51.44	-21.20	-30.24
5700MHz	Pass	1G	40G	AV	11.38619G	6.89	-67.02	-66.20	-63.58	-56.69	-41.20	-15.49
5700MHz	Pass	1G	40G	AV	39.70872G	6.89	-57.37	-58.09	-54.70	-47.81	-41.20	-6.61
5700MHz	Pass	1G	40G	PK	6.84025G	6.89	-40.82	-50.35	-40.36	-33.47	-27.00	-6.47
5700MHz	Pass	1G	40G	PK	11.39838G	6.89	-61.15	-57.59	-56.00	-49.11	-21.20	-27.91
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43494G	6.89	-67.33	-66.71	-64.00	-57.11	-41.20	-15.91
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.68922G	6.89	-58.44	-57.28	-54.81	-47.92	-41.20	-6.72
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.86341G	6.89	-43.06	-47.56	-41.74	-34.85	-27.00	-7.85
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.45809G	6.89	-60.78	-62.04	-58.35	-51.46	-21.20	-30.26
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	7.26316G	6.89	-52.87	-67.41	-52.72	-45.83	-41.20	-4.63
5500MHz	Pass	1G	40G	AV	10.99253G	6.89	-68.12	-67.70	-64.89	-58.00	-41.20	-16.80
5500MHz	Pass	1G	40G	PK	5.30828G	6.89	-44.38	-47.88	-42.78	-35.89	-27.00	-8.89
5500MHz	Pass	1G	40G	PK	10.98644G	6.89	-63.24	-58.52	-57.26	-50.37	-21.20	-29.17
5580MHz	Pass	1G	40G	AV	5.38628G	6.89	-50.59	-53.22	-48.70	-41.81	-41.20	-0.61
5580MHz	Pass	1G	40G	AV	11.16681G	6.89	-66.69	-66.90	-63.78	-56.89	-41.20	-15.69
5580MHz	Pass	1G	40G	PK	6.69522G	6.89	-40.91	-49.53	-40.35	-33.46	-27.00	-6.46
5580MHz	Pass	1G	40G	PK	11.17413G	6.89	-58.91	-62.14	-57.22	-50.33	-21.20	-29.13
5700MHz	Pass	1G	40G	AV	11.38497G	6.89	-66.81	-66.39	-63.58	-56.69	-41.20	-15.49
5700MHz	Pass	1G	40G	AV	39.688G	6.89	-58.00	-57.29	-54.62	-47.73	-41.20	-6.53
5700MHz	Pass	1G	40G	PK	6.84025G	6.89	-41.29	-51.10	-40.86	-33.97	-27.00	-6.97
5700MHz	Pass	1G	40G	PK	11.39959G	6.89	-58.77	-60.94	-56.71	-49.82	-21.20	-28.62
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.43738G	6.89	-67.58	-66.95	-64.24	-57.35	-41.20	-16.15
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.69653G	6.89	-57.50	-58.38	-54.91	-48.02	-41.20	-6.82
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.86341G	6.89	-42.02	-48.28	-41.10	-34.21	-27.00	-7.21
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.42763G	6.89	-68.15	-57.51	-57.15	-50.26	-21.20	-29.06
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	1G	40G	AV	7.279G	6.89	-53.04	-67.40	-52.88	-45.99	-41.20	-4.79
5510MHz	Pass	1G	40G	AV	11.04494G	6.89	-68.21	-66.96	-64.53	-57.64	-41.20	-16.44
5510MHz	Pass	1G	40G	PK	6.61113G	6.89	-42.31	-52.16	-41.88	-34.99	-27.00	-7.99
5510MHz	Pass	1G	40G	PK	11.05225G	6.89	-64.02	-58.64	-57.53	-50.64	-21.20	-29.44
5550MHz	Pass	1G	40G	AV	5.35825G	6.89	-51.35	-54.78	-49.72	-42.83	-41.20	-1.63
5550MHz	Pass	1G	40G	AV	11.13634G	6.89	-66.66	-66.86	-63.75	-56.86	-41.20	-15.66
5550MHz	Pass	1G	40G	PK	6.65988G	6.89	-42.78	-52.95	-42.38	-35.49	-27.00	-8.49
5550MHz	Pass	1G	40G	PK	11.09856G	6.89	-59.18	-63.38	-57.78	-50.89	-21.20	-29.69
5670MHz	Pass	1G	40G	AV	7.34359G	6.89	-53.35	-67.44	-53.18	-46.29	-41.20	-5.09
5670MHz	Pass	1G	40G	AV	11.35328G	6.89	-66.37	-66.37	-63.36	-56.47	-41.20	-15.27
5670MHz	Pass	1G	40G	PK	6.80369G	6.89	-41.71	-51.13	-41.24	-34.35	-27.00	-7.35
5670MHz	Pass	1G	40G	PK	11.30453G	6.89	-59.83	-59.93	-56.87	-49.98	-21.20	-28.78
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.39472G	6.89	-66.81	-66.00	-63.38	-56.49	-41.20	-15.29
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.90372G	6.89	-58.69	-56.95	-54.72	-47.83	-41.20	-6.63
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.85122G	6.89	-41.27	-50.74	-40.81	-33.92	-27.00	-6.92
5710MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44225G	6.89	-59.90	-60.54	-57.20	-50.31	-21.20	-29.11
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	7.31191G	6.89	-53.59	-66.70	-53.38	-46.49	-41.20	-5.29
5530MHz	Pass	1G	40G	AV	11.12416G	6.89	-66.59	-67.21	-63.88	-56.99	-41.20	-15.79
5530MHz	Pass	1G	40G	PK	6.6355G	6.89	-42.35	-52.03	-41.91	-35.02	-27.00	-8.02
5530MHz	Pass	1G	40G	PK	11.11319G	6.89	-57.67	-62.84	-56.52	-49.63	-21.20	-28.43
5610MHz	Pass	1G	40G	AV	7.34359G	6.89	-51.17	-65.02	-50.99	-44.10	-41.20	-2.90
5610MHz	Pass	1G	40G	AV	11.29234G	6.89	-66.62	-66.01	-63.29	-56.40	-41.20	-15.20
5610MHz	Pass	1G	40G	PK	6.73178G	6.89	-41.01	-49.86	-40.48	-33.59	-27.00	-6.59
5610MHz	Pass	1G	40G	PK	11.22288G	6.89	-58.10	-61.59	-56.49	-49.60	-21.20	-28.40
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.32038G	6.89	-65.25	-64.83	-62.02	-55.13	-41.20	-13.93



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.80744G	6.89	-55.14	-55.60	-52.35	-45.46	-41.20	-4.26
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	6.82806G	6.89	-41.02	-50.21	-40.53	-33.64	-27.00	-6.64
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.38619G	6.89	-56.93	-60.69	-55.40	-48.51	-21.20	-27.31
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	5.39603G	6.89	-52.39	-52.28	-49.32	-42.43	-41.20	-1.23
5570MHz	Pass	1G	40G	AV	11.18509G	6.89	-65.48	-67.29	-63.28	-56.39	-41.20	-15.19
5570MHz	Pass	1G	40G	PK	6.68303G	6.89	-41.48	-50.48	-40.97	-34.08	-27.00	-7.08
5570MHz	Pass	1G	40G	PK	11.24725G	6.89	-60.90	-57.56	-55.91	-49.02	-21.20	-27.82


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.69522G	-33.58	-27.00	-6.58	6.89	-40.47	-41.07	-49.39
1G	40G	1M	PK	11.17413G	-51.44	-21.20	-30.24	6.89	-58.33	-65.18	-59.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.38872G	-42.16	-41.20	-0.96	6.89	-49.05	-51.46	-52.76
1G	40G	1M	AV	11.15706G	-56.70	-41.20	-15.50	6.89	-63.59	-66.70	-66.50

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.69522G	-33.46	-27.00	-6.46	6.89	-40.35	-40.91	-49.53
1G	40G	1M	PK	11.17413G	-50.33	-21.20	-29.13	6.89	-57.22	-58.91	-62.14

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5580MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.38628G	-41.81	-41.20	-0.61	6.89	-48.70	-50.59	-53.22
1G	40G	1M	AV	11.16681G	-56.89	-41.20	-15.69	6.89	-63.78	-66.69	-66.90

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5550MHz

12/08/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5550MHz

12/08/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.73178G	-33.59	-27.00	-6.59	6.89	-40.48	-41.01	-49.86
1G	40G	1M	PK	11.22288G	-49.60	-21.20	-28.40	6.89	-56.49	-58.10	-61.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5610MHz

12/08/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.34359G	-44.10	-41.20	-2.90	6.89	-50.99	-51.17	-65.02
1G	40G	1M	AV	11.29234G	-56.40	-41.20	-15.20	6.89	-63.29	-66.62	-66.01

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [PK]

5570MHz

12/08/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	6.68303G	-34.08	-27.00	-7.08	6.89	-40.97	-41.48	-50.48
1G	40G	1M	PK	11.24725G	-49.02	-21.20	-27.82	6.89	-55.91	-60.90	-57.56

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [AV]

5570MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	5.39603G	-42.43	-41.20	-1.23	6.89	-49.32	-52.39	-52.28
1G	40G	1M	AV	11.18509G	-56.39	-41.20	-15.19	6.89	-63.28	-65.48	-67.29

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)	Pass	1G	40G	AV	39.97806G	5.26	-54.72	-54.72	-49.46	-41.20	-8.26
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)	Pass	1G	40G	AV	40G	5.26	-55.05	-55.05	-49.79	-41.20	-8.59

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.13025G	5.26	-64.56	-64.56	-59.30	-41.20	-18.10
5530MHz	Pass	1G	40G	AV	39.844G	5.26	-54.90	-54.90	-49.64	-41.20	-8.44
5530MHz	Pass	1G	40G	PK	11.10831G	5.26	-56.68	-56.68	-51.42	-21.20	-30.22
5530MHz	Pass	1G	40G	PK	36.08172G	5.26	-47.15	-47.15	-41.89	-27.00	-14.89
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	1G	40G	AV	11.19606G	5.26	-63.33	-63.33	-58.07	-41.20	-16.87
5610MHz	Pass	1G	40G	AV	39.97806G	5.26	-54.72	-54.72	-49.46	-41.20	-8.26
5610MHz	Pass	1G	40G	PK	11.16438G	5.26	-56.70	-56.70	-51.44	-21.20	-30.24
5610MHz	Pass	1G	40G	PK	37.39309G	5.26	-48.00	-48.00	-42.74	-27.00	-15.74
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.38497G	5.26	-66.51	-66.51	-61.25	-41.20	-20.05
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.78916G	5.26	-56.45	-56.45	-51.19	-41.20	-9.99
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.32769G	5.26	-58.81	-58.81	-53.55	-21.20	-32.35
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	37.6405G	5.26	-49.66	-49.66	-44.40	-27.00	-17.40
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.14244G	5.26	-63.83	-63.83	-58.57	-41.20	-17.37
5570MHz	Pass	1G	40G	AV	40G	5.26	-55.05	-55.05	-49.79	-41.20	-8.59
5570MHz	Pass	1G	40G	PK	11.17047G	5.26	-56.54	-56.54	-51.28	-21.20	-30.08
5570MHz	Pass	1G	40G	PK	37.24684G	5.26	-47.74	-47.74	-42.48	-27.00	-15.48


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)

CSE [PK]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.16438G	-51.44	-21.20	-30.24	5.26	-56.70	-56.70
1G	40G	1M	PK	37.39309G	-42.74	-27.00	-15.74	5.26	-48.00	-48.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port1)

CSE [AV]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	11.19606G	-58.07	-41.20	-16.87	5.26	-63.33	-63.33
1G	40G	1M	AV	39.97806G	-49.46	-41.20	-8.26	5.26	-54.72	-54.72

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)

CSE [PK]

5570MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.17047G	-51.28	-21.20	-30.08	5.26	-56.54	-56.54
1G	40G	1M	PK	37.24604G	-42.48	-27.00	-15.48	5.26	-47.74	-47.74

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX(Port1)

CSE [AV]

5570MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	11.14244G	-58.57	-41.20	-17.37	5.26	-63.83	-63.83
1G	40G	1M	AV	40G	-49.79	-41.20	-8.59	5.26	-55.05	-55.05

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	1G	40G	AV	39.91713G	6.89	-55.49	-54.94	-52.20	-45.31	-41.20	-4.11
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	1G	40G	AV	39.61122G	6.89	-55.13	-55.27	-52.19	-45.30	-41.20	-4.10

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	11.07053G	6.89	-63.72	-65.12	-61.35	-54.46	-41.20	-13.26
5530MHz	Pass	1G	40G	AV	39.58806G	6.89	-55.70	-55.12	-52.39	-45.50	-41.20	-4.30
5530MHz	Pass	1G	40G	PK	11.05347G	6.89	-58.28	-57.37	-54.79	-47.90	-21.20	-26.70
5530MHz	Pass	1G	40G	PK	37.25659G	6.89	-49.63	-48.49	-46.01	-39.12	-27.00	-12.12
5610MHz	Pass	1G	40G	AV	11.18388G	6.89	-64.96	-63.68	-61.26	-54.37	-41.20	-13.17
5610MHz	Pass	1G	40G	AV	39.91713G	6.89	-55.49	-54.94	-52.20	-45.31	-41.20	-4.11
5610MHz	Pass	1G	40G	PK	11.22166G	6.89	-57.88	-57.69	-54.77	-47.88	-21.20	-26.68
5610MHz	Pass	1G	40G	PK	37.24197G	6.89	-50.25	-48.45	-46.25	-39.36	-27.00	-12.36
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.31184G	6.89	-65.02	-66.36	-62.63	-55.74	-41.20	-14.54
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	39.95125G	6.89	-55.88	-55.60	-52.73	-45.84	-41.20	-4.64
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.36669G	6.89	-56.57	-64.23	-55.88	-48.99	-21.20	-27.79
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	37.88791G	6.89	-48.39	-51.83	-46.77	-39.88	-27.00	-12.88
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	11.21191G	6.89	-64.42	-64.21	-61.30	-54.41	-41.20	-13.21
5570MHz	Pass	1G	40G	AV	39.61122G	6.89	-55.13	-55.27	-52.19	-45.30	-41.20	-4.10
5570MHz	Pass	1G	40G	PK	11.04859G	6.89	-62.46	-54.88	-54.18	-47.29	-21.20	-26.09
5570MHz	Pass	1G	40G	PK	38.55091G	6.89	-50.77	-46.53	-45.14	-38.25	-27.00	-11.25


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [PK]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.22166G	-47.88	-21.20	-26.68	6.89	-54.77	-57.88	-57.69
1G	40G	1M	PK	37.24197G	-39.36	-27.00	-12.36	6.89	-46.25	-50.25	-48.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [AV]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.18388G	-54.37	-41.20	-13.17	6.89	-61.26	-64.96	-63.68
1G	40G	1M	AV	39.91713G	-45.31	-41.20	-4.11	6.89	-52.20	-55.49	-54.94

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [PK]

5570MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.04859G	-47.29	-21.20	-26.09	6.89	-54.18	-62.46	-54.88
1G	40G	1M	PK	38.55091G	-38.25	-27.00	-11.25	6.89	-45.14	-50.77	-46.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [AV]

5570MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.21191G	-54.41	-41.20	-13.21	6.89	-61.30	-64.42	-64.21
1G	40G	1M	AV	39.61122G	-45.30	-41.20	-4.10	6.89	-52.19	-55.13	-55.27



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)	Pass	1G	40G	AV	5.38628G	5.26	-49.54	-49.54	-44.28	-41.20	-3.08
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	Pass	1G	40G	AV	7.28022G	5.26	-54.19	-54.19	-48.93	-41.20	-7.73

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	7.50325G	5.26	-60.01	-60.01	-54.75	-41.20	-13.55
5530MHz	Pass	1G	40G	AV	11.05347G	5.26	-87.10	-87.10	-81.84	-41.20	-40.64
5530MHz	Pass	1G	40G	PK	8.84753G	5.26	-64.74	-64.74	-59.48	-27.00	-32.48
5530MHz	Pass	1G	40G	PK	11.12538G	5.26	-79.42	-79.42	-74.16	-21.20	-52.96
5610MHz	Pass	1G	40G	AV	5.38628G	5.26	-49.54	-49.54	-44.28	-41.20	-3.08
5610MHz	Pass	1G	40G	AV	11.27772G	5.26	-87.66	-87.66	-82.40	-41.20	-41.20
5610MHz	Pass	1G	40G	PK	6.73178G	5.26	-41.09	-41.09	-35.83	-27.00	-8.83
5610MHz	Pass	1G	40G	PK	11.16925G	5.26	-78.56	-78.56	-73.30	-21.20	-52.10
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.47156G	5.26	-61.08	-61.08	-55.82	-41.20	-14.62
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.36913G	5.26	-87.05	-87.05	-81.79	-41.20	-40.59
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	7.47156G	5.26	-60.61	-60.61	-55.35	-21.20	-34.15
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.40691G	5.26	-80.03	-80.03	-74.77	-21.20	-53.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	7.28022G	5.26	-54.19	-54.19	-48.93	-41.20	-7.73
5570MHz	Pass	1G	40G	AV	11.08759G	5.26	-87.52	-87.52	-82.26	-41.20	-41.06
5570MHz	Pass	1G	40G	PK	6.68303G	5.26	-42.11	-42.11	-36.85	-27.00	-9.85
5570MHz	Pass	1G	40G	PK	11.12659G	5.26	-79.00	-79.00	-73.74	-21.20	-52.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	7.279G	5.26	-54.37	-54.37	-49.11	-41.20	-7.91
5570MHz	Pass	1G	40G	AV	11.05469G	5.26	-87.88	-87.88	-82.62	-41.20	-41.42
5570MHz	Pass	1G	40G	PK	6.68425G	5.26	-42.22	-42.22	-36.96	-27.00	-9.96
5570MHz	Pass	1G	40G	PK	11.01447G	5.26	-80.25	-80.25	-74.99	-21.20	-53.79


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)

CSE [PK]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.73178G	-35.83	-27.00	-8.83	5.26	-41.09	-41.09
1G	40G	1M	PK	11.16925G	-73.30	-21.20	-52.10	5.26	-78.56	-78.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX(Port1)

CSE [AV]

5610MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	5.38628G	-44.28	-41.20	-3.08	5.26	-49.54	-49.54
1G	40G	1M	AV	11.27772G	-82.40	-41.20	-41.20	5.26	-87.66	-87.66

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE [PK]

5570MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	6.68303G	-36.85	-27.00	-9.85	5.26	-42.11	-42.11
1G	40G	1M	PK	11.12659G	-73.74	-21.20	-52.54	5.26	-79.00	-79.00

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port1)

CSE [AV]

5570MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.28022G	-48.93	-41.20	-7.73	5.26	-54.19	-54.19
1G	40G	1M	AV	11.08759G	-82.26	-41.20	-41.06	5.26	-87.52	-87.52



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.726GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	1G	40G	AV	7.43988G	6.89	-58.95	-80.35	-58.92	-52.03	-41.20	-10.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	Pass	1G	40G	AV	7.47156G	6.89	-61.68	-74.26	-61.45	-54.56	-41.20	-13.36

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	1G	40G	AV	7.50325G	6.89	-61.98	-74.05	-61.72	-54.83	-41.20	-13.63
5530MHz	Pass	1G	40G	AV	11.05956G	6.89	-89.16	-87.15	-85.03	-78.14	-41.20	-36.94
5530MHz	Pass	1G	40G	PK	8.84753G	6.89	-66.26	-83.94	-66.19	-59.30	-27.00	-32.30
5530MHz	Pass	1G	40G	PK	11.09491G	6.89	-81.46	-83.98	-79.53	-72.64	-21.20	-51.44
5610MHz	Pass	1G	40G	AV	7.43988G	6.89	-58.95	-80.35	-58.92	-52.03	-41.20	-10.83
5610MHz	Pass	1G	40G	AV	11.29234G	6.89	-89.21	-89.39	-86.29	-79.40	-41.20	-38.20
5610MHz	Pass	1G	40G	PK	7.43988G	6.89	-61.04	-79.90	-60.98	-54.09	-21.20	-32.89
5610MHz	Pass	1G	40G	PK	11.19484G	6.89	-81.77	-83.45	-79.52	-72.63	-21.20	-51.43
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.47156G	6.89	-62.92	-76.15	-62.72	-55.83	-41.20	-14.63
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.38009G	6.89	-89.34	-86.42	-84.63	-77.74	-41.20	-36.54
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	7.47156G	6.89	-62.41	-74.79	-62.17	-55.28	-21.20	-34.08
5690MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.36791G	6.89	-82.04	-82.53	-79.27	-72.38	-21.20	-51.18
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	7.47156G	6.89	-61.68	-74.26	-61.45	-54.56	-41.20	-13.36
5570MHz	Pass	1G	40G	AV	11.02666G	6.89	-89.54	-88.92	-86.21	-79.32	-41.20	-38.12
5570MHz	Pass	1G	40G	PK	7.37528G	6.89	-61.41	-76.48	-61.28	-54.39	-21.20	-33.19
5570MHz	Pass	1G	40G	PK	11.15097G	6.89	-81.13	-82.41	-78.71	-71.82	-21.20	-50.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	1G	40G	AV	7.37528G	6.89	-61.54	-80.33	-61.48	-54.59	-41.20	-13.39
5570MHz	Pass	1G	40G	AV	11.04859G	6.89	-89.17	-89.45	-86.30	-79.41	-41.20	-38.21
5570MHz	Pass	1G	40G	PK	7.75919G	6.89	-67.27	-79.97	-67.04	-60.15	-27.00	-33.15
5570MHz	Pass	1G	40G	PK	11.19241G	6.89	-86.41	-79.21	-78.45	-71.56	-21.20	-50.36


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE [PK]

5610MHz

19/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.43988G	-54.09	-21.20	-32.89	6.89	-60.98	-61.04	-79.90
1G	40G	1M	PK	11.19484G	-72.63	-21.20	-51.43	6.89	-79.52	-81.77	-83.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE [AV]

5610MHz

19/05/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.43988G	-52.03	-41.20	-10.83	6.89	-58.92	-58.95	-80.35
1G	40G	1M	AV	11.29234G	-79.40	-41.20	-38.20	6.89	-86.29	-89.21	-89.39

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

CSE [PK]

5570MHz

19/05/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.37528G	-54.39	-21.20	-33.19	6.89	-61.28	-61.41	-76.48
1G	40G	1M	PK	11.15097G	-71.82	-21.20	-50.62	6.89	-78.71	-81.13	-82.41

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX

CSE [AV]

5570MHz

19/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.47156G	-54.56	-41.20	-13.36	6.89	-61.45	-61.68	-74.26
1G	40G	1M	AV	11.02666G	-79.32	-41.20	-38.12	6.89	-86.21	-89.54	-88.92

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	40G	AV	7.59953G	4.81	-52.35	-52.35	-47.54	-41.20	-6.34
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	40G	AV	7.59953G	4.81	-51.74	-51.74	-46.93	-41.20	-5.73

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	8.24913G	4.81	-62.36	-62.36	-57.55	-41.20	-16.35
5500MHz	Pass	1G	40G	AV	10.99497G	4.81	-70.63	-70.63	-65.82	-41.20	-24.62
5500MHz	Pass	1G	40G	PK	10.99984G	4.81	-64.33	-64.33	-59.52	-21.20	-38.32
5500MHz	Pass	1G	40G	PK	37.8355G	4.81	-55.50	-55.50	-50.69	-27.00	-23.69
5580MHz	Pass	1G	40G	AV	7.43988G	4.81	-53.02	-53.02	-48.21	-41.20	-7.01
5580MHz	Pass	1G	40G	AV	11.15828G	4.81	-71.36	-71.36	-66.55	-41.20	-25.35
5580MHz	Pass	1G	40G	PK	11.16316G	4.81	-64.37	-64.37	-59.56	-21.20	-38.36
5580MHz	Pass	1G	40G	PK	38.06219G	4.81	-55.48	-55.48	-50.67	-27.00	-23.67
5700MHz	Pass	1G	40G	AV	7.59953G	4.81	-52.35	-52.35	-47.54	-41.20	-6.34
5700MHz	Pass	1G	40G	AV	11.40203G	4.81	-71.10	-71.10	-66.29	-41.20	-25.09
5700MHz	Pass	1G	40G	PK	11.41056G	4.81	-63.23	-63.23	-58.42	-21.20	-37.22
5700MHz	Pass	1G	40G	PK	32.90688G	4.81	-54.99	-54.99	-50.18	-27.00	-23.18
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.62634G	4.81	-52.62	-52.62	-47.81	-41.20	-6.61
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.4325G	4.81	-71.10	-71.10	-66.29	-41.20	-25.09
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.45322G	4.81	-63.20	-63.20	-58.39	-21.20	-37.19
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	37.98784G	4.81	-55.59	-55.59	-50.78	-27.00	-23.78
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	1G	40G	AV	8.24913G	4.81	-61.74	-61.74	-56.93	-41.20	-15.73
5500MHz	Pass	1G	40G	AV	11.00106G	4.81	-70.71	-70.71	-65.90	-41.20	-24.70
5500MHz	Pass	1G	40G	PK	11.00106G	4.81	-62.89	-62.89	-58.08	-21.20	-36.88
5500MHz	Pass	1G	40G	PK	21.45063G	4.81	-55.69	-55.69	-50.88	-27.00	-23.88
5580MHz	Pass	1G	40G	AV	7.43988G	4.81	-52.93	-52.93	-48.12	-41.20	-6.92
5580MHz	Pass	1G	40G	AV	11.15341G	4.81	-70.87	-70.87	-66.06	-41.20	-24.86
5580MHz	Pass	1G	40G	PK	11.1595G	4.81	-64.64	-64.64	-59.83	-21.20	-38.63
5580MHz	Pass	1G	40G	PK	32.28775G	4.81	-55.80	-55.80	-50.99	-27.00	-23.99
5700MHz	Pass	1G	40G	AV	7.59953G	4.81	-51.74	-51.74	-46.93	-41.20	-5.73
5700MHz	Pass	1G	40G	AV	11.41056G	4.81	-71.18	-71.18	-66.37	-41.20	-25.17
5700MHz	Pass	1G	40G	PK	11.4131G	4.81	-63.86	-63.86	-59.05	-21.20	-37.85
5700MHz	Pass	1G	40G	PK	38.23525G	4.81	-53.73	-53.73	-48.92	-27.00	-21.92
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	7.62634G	4.81	-52.63	-52.63	-47.82	-41.20	-6.62
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	AV	11.42519G	4.81	-71.11	-71.11	-66.30	-41.20	-25.10
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	11.44956G	4.81	-63.48	-63.48	-58.67	-21.20	-37.47
5720MHz Straddle 5.47-5.725GHz	Pass	1G	40G	PK	38.24256G	4.81	-55.52	-55.52	-50.71	-27.00	-23.71


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5700MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.41056G	-58.42	-21.20	-37.22	4.81	-63.23	-63.23
1G	40G	1M	PK	32.90688G	-50.18	-27.00	-23.18	4.81	-54.99	-54.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5700MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.59953G	-47.54	-41.20	-6.34	4.81	-52.35	-52.35
1G	40G	1M	AV	11.40203G	-66.29	-41.20	-25.09	4.81	-71.10	-71.10

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5700MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	11.413G	-59.05	-21.20	-37.85	4.81	-63.86	-63.86
1G	40G	1M	PK	38.23525G	-48.92	-27.00	-21.92	4.81	-53.73	-53.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5700MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	7.59953G	-46.93	-41.20	-5.73	4.81	-51.74	-51.74
1G	40G	1M	AV	11.41056G	-66.37	-41.20	-25.17	4.81	-71.18	-71.18

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	Horizontal
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	Horizontal
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	Horizontal
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80744G	31.80	54.00	-22.20	3	Vertical	209	1.50
Mode 1	Pass	AV	4.92212G	32.49	54.00	-21.51	3	Vertical	94	1.50
Mode 1	Pass	AV	11.38012G	42.26	54.00	-11.74	3	Vertical	306	1.50
Mode 1	Pass	AV	11.55208G	41.82	54.00	-12.18	3	Vertical	202	1.98
Mode 1	Pass	AV	13.39304G	44.42	54.00	-9.58	3	Vertical	47	1.50
Mode 1	Pass	PK	4.79556G	43.75	74.00	-30.25	3	Vertical	209	1.50
Mode 1	Pass	PK	4.91592G	44.35	74.00	-29.65	3	Vertical	94	1.50
Mode 1	Pass	PK	11.38948G	54.49	74.00	-19.51	3	Vertical	306	1.50
Mode 1	Pass	PK	11.54528G	53.42	74.00	-20.58	3	Vertical	202	1.98
Mode 1	Pass	PK	13.39228G	56.68	74.00	-17.32	3	Vertical	47	1.50
Mode 1	Pass	AV	4.80412G	31.69	54.00	-22.31	3	Horizontal	178	1.47
Mode 1	Pass	AV	4.9216G	32.56	54.00	-21.44	3	Horizontal	121	1.50
Mode 1	Pass	AV	11.38104G	42.16	54.00	-11.84	3	Horizontal	42	1.50
Mode 1	Pass	AV	11.55008G	41.81	54.00	-12.19	3	Horizontal	210	1.50
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	3	Horizontal	120	1.10
Mode 1	Pass	PK	4.79884G	43.52	74.00	-30.48	3	Horizontal	178	1.47
Mode 1	Pass	PK	4.9234G	44.44	74.00	-29.56	3	Horizontal	121	1.50
Mode 1	Pass	PK	11.37596G	54.03	74.00	-19.97	3	Horizontal	42	1.50
Mode 1	Pass	PK	11.55916G	54.43	74.00	-19.57	3	Horizontal	210	1.50
Mode 1	Pass	PK	13.39696G	56.61	74.00	-17.39	3	Horizontal	120	1.10
Mode 2	Pass	AV	4.80564G	31.70	54.00	-22.30	3	Vertical	127	1.50
Mode 2	Pass	AV	4.92016G	32.42	54.00	-21.58	3	Vertical	70	1.78
Mode 2	Pass	AV	11.5516G	41.92	54.00	-12.08	3	Vertical	17	1.50
Mode 2	Pass	AV	13.37092G	44.53	54.00	-9.47	3	Vertical	186	1.55
Mode 2	Pass	AV	13.39332G	44.37	54.00	-9.63	3	Vertical	94	1.50
Mode 2	Pass	PK	4.80444G	44.04	74.00	-29.96	3	Vertical	127	1.50
Mode 2	Pass	PK	4.92632G	44.43	74.00	-29.57	3	Vertical	70	1.78
Mode 2	Pass	PK	11.5472G	53.67	74.00	-20.33	3	Vertical	17	1.50
Mode 2	Pass	PK	13.36092G	56.49	74.00	-17.51	3	Vertical	186	1.55
Mode 2	Pass	PK	13.39692G	56.66	74.00	-17.34	3	Vertical	94	1.50
Mode 2	Pass	AV	4.7944G	31.82	54.00	-22.18	3	Horizontal	138	1.50
Mode 2	Pass	AV	4.91488G	32.49	54.00	-21.51	3	Horizontal	34	1.50
Mode 2	Pass	AV	11.55496G	41.89	54.00	-12.11	3	Horizontal	138	1.50
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	3	Horizontal	41	1.50
Mode 2	Pass	AV	13.39108G	44.30	54.00	-9.70	3	Horizontal	16	1.50
Mode 2	Pass	PK	4.8064G	44.01	74.00	-29.99	3	Horizontal	138	1.50
Mode 2	Pass	PK	4.9212G	44.43	74.00	-29.57	3	Horizontal	34	1.50
Mode 2	Pass	PK	11.5524G	54.30	74.00	-19.70	3	Horizontal	138	1.50
Mode 2	Pass	PK	13.37752G	56.48	74.00	-17.52	3	Horizontal	41	1.50
Mode 2	Pass	PK	13.39832G	56.81	74.00	-17.19	3	Horizontal	16	1.50
Mode 3	Pass	AV	4.81968G	31.87	54.00	-22.13	3	Vertical	21	1.50
Mode 3	Pass	AV	4.92108G	32.56	54.00	-21.44	3	Vertical	295	1.50
Mode 3	Pass	AV	11.381G	42.31	54.00	-11.69	3	Vertical	302	1.50
Mode 3	Pass	AV	11.55408G	41.88	54.00	-12.12	3	Vertical	25	1.50
Mode 3	Pass	AV	13.39472G	44.42	54.00	-9.58	3	Vertical	5	1.48
Mode 3	Pass	PK	4.8134G	44.48	74.00	-29.52	3	Vertical	21	1.50
Mode 3	Pass	PK	4.92048G	44.79	74.00	-29.21	3	Vertical	295	1.50
Mode 3	Pass	PK	11.38468G	54.56	74.00	-19.44	3	Vertical	302	1.50
Mode 3	Pass	PK	11.55708G	53.74	74.00	-20.26	3	Vertical	25	1.50
Mode 3	Pass	PK	13.39972G	56.17	74.00	-17.83	3	Vertical	5	1.48


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.80808G	31.73	54.00	-22.27	3	Horizontal	358	1.50
Mode 3	Pass	AV	4.91836G	32.48	54.00	-21.52	3	Horizontal	221	1.64
Mode 3	Pass	AV	11.37812G	42.19	54.00	-11.81	3	Horizontal	132	1.50
Mode 3	Pass	AV	11.54908G	41.93	54.00	-12.07	3	Horizontal	60	1.02
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	3	Horizontal	314	1.50
Mode 3	Pass	PK	4.81568G	44.44	74.00	-29.56	3	Horizontal	358	1.50
Mode 3	Pass	PK	4.92016G	44.72	74.00	-29.28	3	Horizontal	221	1.64
Mode 3	Pass	PK	11.3814G	53.60	74.00	-20.40	3	Horizontal	132	1.50
Mode 3	Pass	PK	11.54628G	54.05	74.00	-19.95	3	Horizontal	60	1.02
Mode 3	Pass	PK	13.39892G	56.18	74.00	-17.82	3	Horizontal	314	1.50
Mode 4	Pass	AV	4.80164G	31.83	54.00	-22.17	3	Vertical	351	2.33
Mode 4	Pass	AV	4.92376G	32.51	54.00	-21.49	3	Vertical	347	1.50
Mode 4	Pass	AV	11.55248G	41.90	54.00	-12.10	3	Vertical	2	1.56
Mode 4	Pass	AV	13.37248G	44.45	54.00	-9.55	3	Vertical	184	1.50
Mode 4	Pass	AV	13.3938G	44.50	54.00	-9.50	3	Vertical	201	1.62
Mode 4	Pass	PK	4.8084G	43.79	74.00	-30.21	3	Vertical	351	2.33
Mode 4	Pass	PK	4.92836G	44.16	74.00	-29.84	3	Vertical	347	1.50
Mode 4	Pass	PK	11.55392G	54.22	74.00	-19.78	3	Vertical	2	1.56
Mode 4	Pass	PK	13.37012G	56.34	74.00	-17.66	3	Vertical	184	1.50
Mode 4	Pass	PK	13.38432G	55.87	74.00	-18.13	3	Vertical	201	1.62
Mode 4	Pass	AV	4.8196G	32.01	54.00	-21.99	3	Horizontal	76	1.15
Mode 4	Pass	AV	4.91452G	32.36	54.00	-21.64	3	Horizontal	111	1.66
Mode 4	Pass	AV	11.54664G	41.77	54.00	-12.23	3	Horizontal	125	2.91
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	3	Horizontal	138	1.30
Mode 4	Pass	AV	13.38768G	44.35	54.00	-9.65	3	Horizontal	78	2.05
Mode 4	Pass	PK	4.81144G	43.29	74.00	-30.71	3	Horizontal	76	1.15
Mode 4	Pass	PK	4.92816G	44.08	74.00	-29.92	3	Horizontal	111	1.66
Mode 4	Pass	PK	11.5402G	53.50	74.00	-20.50	3	Horizontal	125	2.91
Mode 4	Pass	PK	13.37556G	56.42	74.00	-17.58	3	Horizontal	138	1.30
Mode 4	Pass	PK	13.38196G	56.17	74.00	-17.83	3	Horizontal	78	2.05

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80744G	31.80	54.00	-22.20	2.29	3	Vertical	209	1.50	29.51	32.33	5.02	35.06				
AV	4.92212G	32.49	54.00	-21.51	2.77	3	Vertical	94	1.50	29.72	32.83	5.01	35.07				
AV	11.38012G	42.26	54.00	-11.74	12.94	3	Vertical	306	1.50	29.32	39.04	7.96	34.06				
AV	11.55208G	41.82	54.00	-12.18	12.79	3	Vertical	202	1.98	29.03	38.79	8.01	34.01				
AV	13.39304G	44.42	54.00	-9.58	16.54	3	Vertical	47	1.50	27.88	40.10	8.58	32.14				
PK	4.79556G	43.75	74.00	-30.25	2.23	3	Vertical	209	1.50	41.52	32.27	5.02	35.06				
PK	4.91592G	44.35	74.00	-29.65	2.75	3	Vertical	94	1.50	41.60	32.80	5.01	35.06				
PK	11.38948G	54.49	74.00	-19.51	12.94	3	Vertical	306	1.50	41.55	39.02	7.97	34.05				
PK	11.54528G	53.42	74.00	-20.58	12.81	3	Vertical	202	1.98	40.61	38.81	8.01	34.01				
PK	13.39228G	56.68	74.00	-17.32	16.54	3	Vertical	47	1.50	40.14	40.10	8.58	32.14				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80412G	31.69	54.00	-22.31	2.28	3	Horizontal	178	1.47	29.41	32.32	5.02	35.06				
AV	4.9216G	32.56	54.00	-21.44	2.77	3	Horizontal	121	1.50	29.79	32.83	5.01	35.07				
AV	11.38104G	42.16	54.00	-11.84	12.94	3	Horizontal	42	1.50	29.22	39.04	7.96	34.06				
AV	11.55008G	41.81	54.00	-12.19	12.80	3	Horizontal	210	1.50	29.01	38.80	8.01	34.01				
AV	13.39304G	44.46	54.00	-9.54	16.54	3	Horizontal	120	1.10	27.92	40.10	8.58	32.14				
PK	4.79884G	43.52	74.00	-30.48	2.25	3	Horizontal	178	1.47	41.27	32.29	5.02	35.06				
PK	4.9234G	44.44	74.00	-29.56	2.78	3	Horizontal	121	1.50	41.66	32.84	5.01	35.07				
PK	11.37596G	54.03	74.00	-19.97	12.95	3	Horizontal	42	1.50	41.08	39.05	7.96	34.06				
PK	11.55916G	54.43	74.00	-19.57	12.76	3	Horizontal	210	1.50	41.67	38.76	8.01	34.01				
PK	13.39696G	56.61	74.00	-17.39	16.55	3	Horizontal	120	1.10	40.06	40.10	8.58	32.13				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80564G	31.70	54.00	-22.30	2.28	3	Vertical	127	1.50	29.42	32.32	5.02	35.06
AV	4.92016G	32.42	54.00	-21.58	2.76	3	Vertical	70	1.78	29.66	32.82	5.01	35.07
AV	11.5516G	41.92	54.00	-12.08	12.79	3	Vertical	17	1.50	29.13	38.79	8.01	34.01
AV	13.37092G	44.53	54.00	-9.47	16.50	3	Vertical	186	1.55	28.03	40.10	8.57	32.17
AV	13.39332G	44.37	54.00	-9.63	16.54	3	Vertical	94	1.50	27.83	40.10	8.58	32.14
PK	4.80444G	44.04	74.00	-29.96	2.28	3	Vertical	127	1.50	41.76	32.32	5.02	35.06
PK	4.92632G	44.43	74.00	-29.57	2.80	3	Vertical	70	1.78	41.63	32.86	5.01	35.07
PK	11.5472G	53.67	74.00	-20.33	12.81	3	Vertical	17	1.50	40.86	38.81	8.01	34.01
PK	13.36092G	56.49	74.00	-17.51	16.49	3	Vertical	186	1.55	40.00	40.10	8.57	32.18
PK	13.39692G	56.66	74.00	-17.34	16.55	3	Vertical	94	1.50	40.11	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.7944G	31.82	54.00	-22.18	2.23	3	Horizontal	138	1.50	29.59	32.27	5.02	35.06
AV	4.91488G	32.49	54.00	-21.51	2.74	3	Horizontal	34	1.50	29.75	32.79	5.01	35.06
AV	11.55496G	41.89	54.00	-12.11	12.78	3	Horizontal	138	1.50	29.11	38.78	8.01	34.01
AV	13.36644G	44.57	54.00	-9.43	16.50	3	Horizontal	41	1.50	28.07	40.10	8.57	32.17
AV	13.39108G	44.30	54.00	-9.70	16.54	3	Horizontal	16	1.50	27.76	40.10	8.58	32.14
PK	4.8064G	44.01	74.00	-29.99	2.29	3	Horizontal	138	1.50	41.72	32.33	5.02	35.06
PK	4.9212G	44.43	74.00	-29.57	2.77	3	Horizontal	34	1.50	41.66	32.83	5.01	35.07
PK	11.5524G	54.30	74.00	-19.70	12.79	3	Horizontal	138	1.50	41.51	38.79	8.01	34.01
PK	13.37752G	56.48	74.00	-17.52	16.51	3	Horizontal	41	1.50	39.97	40.10	8.57	32.16
PK	13.39832G	56.81	74.00	-17.19	16.55	3	Horizontal	16	1.50	40.26	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81968G	31.87	54.00	-22.13	2.34	3	Vertical	21	1.50	29.53	32.38	5.02	35.06
AV	4.92108G	32.56	54.00	-21.44	2.77	3	Vertical	295	1.50	29.79	32.83	5.01	35.07
AV	11.381G	42.31	54.00	-11.69	12.94	3	Vertical	302	1.50	29.37	39.04	7.96	34.06
AV	11.55408G	41.88	54.00	-12.12	12.78	3	Vertical	25	1.50	29.10	38.78	8.01	34.01
AV	13.39472G	44.42	54.00	-9.58	16.55	3	Vertical	5	1.48	27.87	40.10	8.58	32.13
PK	4.8134G	44.48	74.00	-29.52	2.31	3	Vertical	21	1.50	42.17	32.35	5.02	35.06
PK	4.92048G	44.79	74.00	-29.21	2.76	3	Vertical	295	1.50	42.03	32.82	5.01	35.07
PK	11.38468G	54.56	74.00	-19.44	12.94	3	Vertical	302	1.50	41.62	39.03	7.96	34.05
PK	11.55708G	53.74	74.00	-20.26	12.77	3	Vertical	25	1.50	40.97	38.77	8.01	34.01
PK	13.39972G	56.17	74.00	-17.83	16.55	3	Vertical	5	1.48	39.62	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80808G	31.73	54.00	-22.27	2.29	3	Horizontal	358	1.50	29.44	32.33	5.02	35.06
AV	4.91836G	32.48	54.00	-21.52	2.75	3	Horizontal	221	1.64	29.73	32.81	5.01	35.07
AV	11.37812G	42.19	54.00	-11.81	12.94	3	Horizontal	132	1.50	29.25	39.04	7.96	34.06
AV	11.54908G	41.93	54.00	-12.07	12.80	3	Horizontal	60	1.02	29.13	38.80	8.01	34.01
AV	13.38792G	44.48	54.00	-9.52	16.53	3	Horizontal	314	1.50	27.95	40.10	8.57	32.14
PK	4.81568G	44.44	74.00	-29.56	2.32	3	Horizontal	358	1.50	42.12	32.36	5.02	35.06
PK	4.92016G	44.72	74.00	-29.28	2.76	3	Horizontal	221	1.64	41.96	32.82	5.01	35.07
PK	11.3814G	53.60	74.00	-20.40	12.94	3	Horizontal	132	1.50	40.66	39.04	7.96	34.06
PK	11.54628G	54.05	74.00	-19.95	12.81	3	Horizontal	60	1.02	41.24	38.81	8.01	34.01
PK	13.39892G	56.18	74.00	-17.82	16.55	3	Horizontal	314	1.50	39.63	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80164G	31.83	54.00	-22.17	2.27	3	Vertical	351	2.33	29.56	32.31	5.02	35.06
AV	4.92376G	32.51	54.00	-21.49	2.78	3	Vertical	347	1.50	29.73	32.84	5.01	35.07
AV	11.55248G	41.90	54.00	-12.10	12.79	3	Vertical	2	1.56	29.11	38.79	8.01	34.01
AV	13.37248G	44.45	54.00	-9.55	16.50	3	Vertical	184	1.50	27.95	40.10	8.57	32.17
AV	13.3938G	44.50	54.00	-9.50	16.54	3	Vertical	201	1.62	27.96	40.10	8.58	32.14
PK	4.8084G	43.79	74.00	-30.21	2.29	3	Vertical	351	2.33	41.50	32.33	5.02	35.06
PK	4.92836G	44.16	74.00	-29.84	2.81	3	Vertical	347	1.50	41.35	32.87	5.01	35.07
PK	11.55392G	54.22	74.00	-19.78	12.78	3	Vertical	2	1.56	41.44	38.78	8.01	34.01
PK	13.37012G	56.34	74.00	-17.66	16.50	3	Vertical	184	1.50	39.84	40.10	8.57	32.17
PK	13.38432G	55.87	74.00	-18.13	16.52	3	Vertical	201	1.62	39.35	40.10	8.57	32.15

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8196G	32.01	54.00	-21.99	2.34	3	Horizontal	76	1.15	29.67	32.38	5.02	35.06
AV	4.91452G	32.36	54.00	-21.64	2.74	3	Horizontal	111	1.66	29.62	32.79	5.01	35.06
AV	11.54664G	41.77	54.00	-12.23	12.81	3	Horizontal	125	2.91	28.96	38.81	8.01	34.01
AV	13.373G	44.54	54.00	-9.46	16.50	3	Horizontal	138	1.30	28.04	40.10	8.57	32.17
AV	13.38768G	44.35	54.00	-9.65	16.53	3	Horizontal	78	2.05	27.82	40.10	8.57	32.14
PK	4.81144G	43.29	74.00	-30.71	2.31	3	Horizontal	76	1.15	40.98	32.35	5.02	35.06
PK	4.92816G	44.08	74.00	-29.92	2.81	3	Horizontal	111	1.66	41.27	32.87	5.01	35.07
PK	11.5402G	53.50	74.00	-20.50	12.82	3	Horizontal	125	2.91	40.68	38.82	8.01	34.01
PK	13.37556G	56.42	74.00	-17.58	16.51	3	Horizontal	138	1.30	39.91	40.10	8.57	32.16
PK	13.38196G	56.17	74.00	-17.83	16.52	3	Horizontal	78	2.05	39.65	40.10	8.57	32.15